GEOLOGICAL SOCIETY OF AMERICA SPECIAL PAPERS NUMBER 27

BIBLIOGRAPHY
OF
FOSSIL VERTEBRATES
1928-1933

BY C. L. CAMP AND V. L. VANDERHOOF



016.566 Cam

> PUBLISHED BY THE SOCIETY November 20, 1940

Made in United States of America

# CENTRAL ARCHAEOLOGIGAL LIBRARY, NEW DELHI. Acc. No. 44446 Date. 6: 5: 56 Call No. 076: 566/Cam

The Special Papers


of

The Geological Society of America

are made possible


through the bequest of

Richard Alexander Fullerton Penrose, Jr.



# CONTENTS

			I	Page
Preface	 	 	 	1
LIST OF SERIALS AND ABBRE				
AUTHOR CATALOGUE	 	 	 	47
SUBJECT INDEX	 · • • • • • •	 	 	273
Systematic Index	 	 	 	315
SYNOPSIS OF CLASSIFICATION	 	 	 	489



## PREFACE

This bibliography cites the scientific and much of the popular and controversial literature relating to vertebrate paleontology, published during the years 1928 to 1933 inclusive. It continues the North American list from the point reached by O. P. Hay's monumental *Bibliography and Catalogue* (1930A). It includes some earlier titles omitted by Hay and a very few others which seem to be insufficiently indexed by him.

The field of vertebrate paleontology, as here delimited, includes extinct genera of man as well as the remains of *Homo* in association with vertebrate faunas now extinct. The ostracoderms are entered, and most of the papers on conodonts are excluded. Those accepted are titles which deal with one or two so-called conodonts that in reality are chordates.

The Author Catalogue contains entries from paleontological and related fields, such as comparative anatomy, evolution, paleoanthropology, geology, and climatology. These are usually included only when they have been found to contain original matter on vertebrate paleontology. A few papers, written by professional paleontologists, but not directly related to the subject, have also been cited. The order of entry in any one year is not chronological. Abstracts and reviews appear under the title of the original paper unless the latter remained unpublished in 1933 or was published prior to 1928.

Some of the accepted titles cannot be regarded as "publications." Most of these come from newspapers and popular magazines. The scientific journals searched are particularly those in geology and biology. Of these, nearly a thousand have been found to contain pertinent references. Abstract and review journals have been fully consulted, especially Palaeontologisches Zentralblatt, Neues Jahrbuch, Zoological Record, and Biological Abstracts. Nickles' valuable bibliographies of geology and the various parts of the Fossilium Catalogus issued from 1928 to March 1940 have been methodically checked. Citations have been taken from journals, books, and monographs dated in the period 1928–1933, and titles have also been entered which are dated prior to 1928 but are nevertheless known to have been published within our period.

The indices are constructed from abstracts based upon first-hand reading, except for those titles which we have not seen. The Systematic Index may also be used as a finding index. The inclusion of the name of the next higher group after the entry provides a means of locating the form in the Synopsis of Classification. The section on mammals in the Synopsis

2 PREFACE

is based upon the useful outline drawn up by G. G. Simpson (1931B) as well as some later work. The section on birds closely follows that published by Alexander Wetmore (Smithson. Misc. Coll., 89, no. 13; publ. no. 3242, 1934). The reptiles and amphibians are arranged according to the latest views. The classification of the higher fishes is that employed by Sir Arthur Smith Woodward in his 1932 edition of Zittel's textbook. The section on lower fishlike forms and ostracoderms includes results of recent work by D. M. S. Watson and E. A. Stensiö. The Subject Index includes a faunal section arranged geo-chronologically.

The Systematic Index includes citations to new names, synonyms, revised names, and forms upon which original observations are based. It does not usually include names which are merely mentioned in the body of a faunal list. A real attempt has been made to discover casually mentioned new names and terms, as well as to condense, in our abstracts, the available information on type localities, the present location of type specimens, and other items. We had planned to publish this information on types but we found too many descriptions in which it was lacking, or in which the locality data were keyed to obscure local names of geological units with no indication of the position of these in the general time scale.

As harassed workers, we plead: (1) for more care in entering new names conspicuously so that they may readily be found in the body of a paper; (2) for exact locality data, and information as to where the type specimen has been deposited, with the museum number of the specimen and of figured specimens; and (3) at least a tentative assignment of the new form to its next higher group. We might add that a clear statement of the etymology of new names is desirable.

With understandable hesitation, we may summarize what appears to be the main progress in vertebrate work during this period. The actual number of papers published has been steadily increasing. This may partly be due to an increased tendency to issue short papers, preliminary digests, and abstracts. There is naturally a considerable duplication of titles, and still there has been a yearly increase in the amount of new material.

The study of fossil man now stands first with more citations than any other branch. The principal subjects are Sinanthropus, the extension of the Neanderthal type to Java, East Africa, and Palestine, and the antiquity of man in North America. The principal contributor appears to be The Cenozoic Laboratory of the National Geological Survey of China, under the late Dr. Davidson Black. A second important program is the study of early vertebrates at Dr. E. A. Stensiö's laboratory in Stockholm. A third is the work at the American Museum on Mesozoic and Patagonian mammals, conducted principally by Dr. G. G. Simpson. A fourth is the research on South African reptiles by Drs. Robert Broom,

PREFACE 3

S. H. Haughton, D. M. S. Watson, and others. Fields receiving a fair share of attention are: studies on the Reptilia by Huene, Gilmore, Lull, Janensch, Broili, Swinton, Romer, Peyer, and others; extensive investigations on fossil birds by such authorities as Lambrecht. Wetmore, and Loye Miller; the cave faunas of Austria, explored by Abel and his confreres; Viret, Stehlin, and Revilliod on the Cenozoic mammals of Europe: Osborn on titanotheres and Proboscidea; W. K. Gregory's morphological studies; Stock and his students on the mammals of Rancho La Brea, and the Tertiary of California; the Universities of California and Nebraska, and the Colorado Museum of Natural History on the Tertiary plains faunas: the Universities of California, Chicago, and Michigan on the Paleozoic and Mesozoic faunas of southwestern America; the work of the Geologisches-Palaeontologisches Institut at Halle on the Geiseltal brown-coal deposits; Tilly Edinger on paleoneurology; Pales on paleopathology; the further publication by Granger and Matthew of the results of the R. C. Andrews expeditions to Mongolia; A. S. Woodward on fossil fishes; Princeton University on Paleocene mammals; Castellanos, Kraglievich, and Rusconi on South American mammals; Remington Kellogg on fossil whales; and Heintz and Gross on the Arthrodires. Many others should be mentioned. While morphological and phylogenetic work maintains a high place, increasing attention has been paid to stratigraphic and faunal studies.

Vertebrate paleontology has suffered sadly during the period by the death of many of its leaders. Among these are Boyd-Dawkins, Branca, Dean, Depéret, Dollo, Douglass, Drevermann, Gadow, Gidley, Hay, Holland, von Ihering, Jaekel, Kraglievich, Lankester, Matthew, Martin, Moodie, Nopcsa, Patten, Pavlow, Pompeckj, Schlosser, and Sushkin. Some of these, notably Gidley, Matthew, and Nopcsa, were at the height of their creative work. Others who, from various fields, have contributed more incidentally to paleontology appear in the Subject Index under Obituary Notices and Biographies.

### ACKNOWLEDGMENTS

Assistance in the preparation of the manuscript and the translations has been furnished by the personnel of the Works Progress Administration, Official Project no. 65-1-08-62, Unit A-1, and by previous projects from 1934 to 1938 at this Museum. Help in the library, reading of references, and the taking of abstracts has also been provided by the National Youth Administration, employing the following graduate students: Misses Katherine Luomala and Elizabeth Davis, and Messrs. Hans Fischel and J. W. Paxton, Mr. H. T. Anderson has abstracted anthropological literature. Help in preparing the index was given by D. N. Taylor and S. P. Welles. Mr. C. J. Hesse has assisted in searching the geological

periodicals. The John Simon Guggenheim Foundation provided a fellowship which enabled Dr. Camp to visit some libraries in Europe. To these, and all others who have so generously contributed, we are deeply grateful.

Responsibility for the work rests entirely with the authors. Dr. VanderHoof has paid particular attention to the geological literature and the Systematic Index. Dr. Camp has abstracted most of the biological and some of the anthropological papers. He has prepared the Synopsis of Classification, the final form of the Systematic Index, and, with the help of Mr. Taylor, the Subject Index and the Serial List.

Titles inadvertently omitted from the present catalogue will be included in a forthcoming edition if the citations, or preferably the papers themselves, be sent to us.

C. L. CAMP. V. L. VANDERHOOF.

MUSEUM OF PALEONTOLOGY, UNIVERSITY OF CALIFORNIA, BERKELEY, CALIFORNIA, MAY 24, 1940.

## LIST OF SERIALS AND ABBREVIATIONS

Call numbers given are those of the University of California Library. Most of these follow the system used in the Library of Congress. Depositories for some of the serials not found in the main library of the University of California at Berkeley are as follows:

Acad. Nat. Sci. Phila. = Academy of Natural Sciences of Philadelphia, Philadelphia, Pa. Amer. Mus. = The American Museum of Natural History, New York City. Calif. State = California State Library, Sacramento, Calif. Cat. by author = Series broken up and filed under names of individual authors in Univ. Calif. Library, Berkeley. Chicago College Med. — Chicago College of Medicine. John Crerar = The John Crerar Library, Chicago, Ill. Field Mus. = The Field Museum of Natural History, Chicago, Ill. Harvard = Harvard College Library, Cambridge, Mass.

Lane Med. = Lane Medical Library, San Francisco, Calif.

Lib. Congr. = The Library of Congress, Washington, D. C.

McGill Univ. = Library of McGill University, Toronto, Canada.

Med. Lib. N. Y. = Medical Library, New York City.

N. Y. Acad. Med. = New York Academy of Medicine.

N. Y. Lib. = New York Public Library, New York City.

Not seen = Not seen or located by us.

Oberlin = Oberlin College Oberlin Obio Oberlin = Oberlin College, Oberlin, Ohio. Ohio Univ. = Ohio State University, Columbus, Ohio. Rutgers = Rutgers College Library, New Brunswick, N. J. Smithson. Inst. = Smithsonian Institution, Washington, D. C. Stanford = Stanford University, Palo Alto, Calif. Texas Univ. = University of Texas, Austin, Texas. Toronto Univ. = University of Toronto, Toronto, Canada. University of California; various libraries: Agric, Ref. = Agricultural Reference Service, Berkeley.
Archives = Archives, Berkeley.
Bancroft = Bancroft Library, Berkeley.
Dental School = College of Dentistry, San Francisco. Doc. = Documents Division, Berkeley.
Geol. = Department of Geology, Berkeley.
Matthew = Matthew Memorial Library, Berkeley. Med. School = Medical School, San Francisco. Period. = Periodical Room, Berkeley. Stacks = Periodical Stacks, Berkeley. Univ. Chicago = University of Chicago, Chicago, Ill. Univ. Iowa = University of Iowa, Iowa City, Iowa. Univ. Mich. = University of Michigan, Ann Arbor, Mich. Univ. Wis. = University of Wisconsin, Madison, Wis. U. S. Dept. Agric. = Library of the United States Department of Agriculture. Washington, D. C. U. S. Geol. Surv. = Library of the United States Geological Survey, Washington,

Aarbok Bergens Mus. Aarbok Bergens Museum. AS283.B5

Aarbok Bergens Museum. Aarsb. Bergens Mus.

AS283.B52

Aarsberetning Bergens Museum.

Yale Univ. = Yale University, New Haven, Connecticut.

Abh. Bayer. Akad. Wiss., Math.-Nat. Abt.
Abhandlungen der königlichen bayerischen Akademie der Wissenschaften.
Math.-Nat. Abteilungen. Munich.

Cat. by author. Abh. Ber. Mus. Dresden Abhandlungen und Berichte des königlichen zoologischen und anthropologischethnologischen Museum zu Dresden. [After vol. 16 becomes: Dresden Museum fur Tierkunde und Volkerkunde, Abhandlungen und Berichte.] Abh. Ber. Mus. Magdeburg Abhandlungen und Berichte des Museums für Natur- und Heimatskunde zu Magdeburg. Abh. Erdges. Landesk. Schwaben, Franken Abhandlungen der Erdgeschichte und Landeskunde Schwaben und Franken. Abh. Freis'schen Schule Abhandlungen der Freis'schen Schule. Göttingen; Berlin. fQE266.A25 Abh. Geol. Bundesanst. Abhandlungen der geologischen Bundesanstalt. [Prior to 1918 was: Abh. der kaiserlich-königlichen geologischen Reichsanstalt.] Wien. Abh. Hess. Geol. Landesanst. Field Mus. Abhandlungen der grossherzoglich-hessischen geologischen Landesanstalt. Darmstadt. Q49.N8 Abh. Naturhist. Ges. Nürnberg Abhandlungen der naturhistorischen Gesellschaft zu Nürnberg. QE269.P7 Abh. Preuss. Geol. Landesanst. Abhandlungen der preussischen geologischen Landesanstalt. Berlin. Abh. Sächs. Akad. Wiss., Math.-Phys. AS182.S31 Abhandlungen der mathematisch-physischen Klasse der sächsischen Akademie der Wissenschaften. Leipzig. QE701.S3 Abh. Schweiz. Pal. Ges. Abhandlungen der schweizerischen palaeontologischen Gesellschaft (= Mém. Soc. Pal. Suisse). Basel. Abh. Senck. Naturf. Ges. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft. Frankfurt am Main. Abh. Westfäl. Prov.-Mus. John Crerar Abhandlungen der westfälisches Provinzial-Museum für Naturkunde, Münster Abst. Diss. Univ. Cambridge AC811.C3 Abstracts of dissertations approved for the Ph.D., M.Sc., and M.Litt. degrees in the University of Cambridge for the academical year 1931-1932. Abst. Proc. Geol. Soc. London not seen Abstracts of Proceedings of the Geological Society of London. Abst. Proc. Linn. Soc. N.S.W. Lib. Congr. QH1.L79 Abstracts of the Proceedings of the Linnean Society of New South Wales. Sydney. Acad. Nacion. Cien. "Antonio Alzate," Mex., Mem. Academia nacional de ciencias "Antonio Alzate," Mexico. Memorias. Q23.M4Acad. Nacion. Cien. Córdoba, Misc. Q33.C63 Academia nacional de ciencias Córdoba. [Argentine Republic.] Miscelánea. Acad. Română, Bull. Sect. Știin. AS345.A6 Academia Română, Bucharest. Buletinul Sectiunea Știintifica. Acad. Română, Mem. Sect. Stiin. AS345.A424 Academia Română, Bucharest. Memoriile Sectiunea Stiintifica. Acad. Română, Publ. Fondul. Vasile Adamachi AS345.A5 Academia Română. Publicațiunile Fondului Vasile Adamachi. Acad. Sci. Zagreb Q69.A5 Academie Yougoslave des Sciences et des Beaux-Arts. Bulletin International. Classe des Sciences mathematiques et naturelles (= Jugoslavenska Akademija Znanosti i Umjetnosti). Zagreb. Acad. Sinica, Contrib. Nation. Inst. Geol.

Academia Sinica. Contributions of the National Institute of Geology.

Shanghai.

QH7.S6

Acta Acad. Leop.-Carol. Q49.H2
Nova Acta Academiae Caesarae Leopoldino-Carolinae Germanicae Naturae
Curiosorum (= Abhandlungen der Leopoldinisch-Carolinischen deutschen
Akademie der Naturforscher). Halle a Salle.

Acta Biol. QH301.S9
Acta Biologica (= Acta Litterarum ac Scientarium Regiae Universitatis Hungaricae Francisco-Josephinae). Szeged, Hungary.

Acta et Comment. Univ. Tartu Q60.D6
Acta et Commentationes Universitatis Tartuensis (Dorpatensis) (= Eesti
Vabariigi Tartu Ülikooli Toimetused).

Acta Inst. Mus. Zool. Univ. Tartu QL1.T2
Acta Instituti et Musei Zoologici Universitatis Tartuensis. Tartu (Dorpat),
Estonia.

Acta Psychiatr. et Neurol.

Acta Psychiatrica et Neurologica. Copenhagen.

Med. School.

Acta Soci Fennica

Acta Societatis pro fauna et flora Fennica Helsingfors

Acta Societatis pro fauna et flora Fennica. Helsingfors.

Acta Soc. Sci. Nat. Moravicae not seen Acta Societatis Scientarium Naturalium Moravicae (= Moravske Přírodovedécké Společnosti). Brno.

Acta Univ. Latviensis, Matemat. Period. Acta Universitatis Latviensis (= Latvijas Universitātes Raksti. Matematikas un Dabas zinat ņu Fakultātes Serija).

Acta Univ. Lund Acta Universitatis Lundensis (= Lunds Universitets Årsskrift). AS284.L82 Lund.

Acta Zool.

Acta Zoologica. Internationell Tidskrift för Zoologi. Stockholm.

Acta Acad. Nac. Cien. Córdoba fQ33.C6
Actas de la Academia nacional de ciencias en Córdoba. Buenos Aires.

Actes Mus. Hist. Nat. Rouen Actes du Museum d'Histoire Naturelle de Rouen.

Acad. Nat. Sci. Phila-

Actes Soc. Linn. Bordeaux Q46.B63
Actes de la Société Linnéenne de Bordeaux.

Aerend Matthew, Period.

The Aerend. A Kansas Quarterly. Fort Hays Kansas State College. Published by the Faculty of the Kansas State Teachers College, Hays, Kansas.

Africa DT1.A4
Africa. Journal of the International Institute of African languages and cultures. Oxford University Press, London.

Ala. Geol. Surv., Mus. Papers QH1.A36
Alabama Geological Survey, Museum Papers (= Alabama Mus. Nat. Hist.,
Museum Papers). Montgomery.

Alauda QL671.A49 Alauda, études et notes ornithologiques. Paris.

Állat, Közlem.

QL1.A5

Állattani Közlemények a Királyi Magyar Természettudományi társulat. Állatani szakosztályának évnegyedes folyóirata (= Journal of the zoology section of the Royal Society of Natural History of Hungary). [The "potfüzetek" or supplementary volumes of this serial are in Lib. Congr.] Budapest.

Amer. Anthrop. GN1.A3
American Anthropologist. Organ of the American Anthropological Association. Menasha, Wisconsin.

Amer. Antiq. E51.A42
American Antiquity. A Quarterly Review of American Archeology. Menasha,
Wisconsin.

Amer. Geog. Soc., Res. Ser. Cat. by Author. The American Geographical Society, N. Y., Research Series.

Amer. Jour. Anat. QL801.A5
American Journal of Anatomy. Philadelphia.

Ann. Assoc. Amer. Geog.

CCLA6 Amer. Jour. Archaeol. The American Journal of Archaeology. Amer. Jour. Med. Sci. R11.A6 The American Journal of Medical Sciences. GN1.A4 Amer. Jour. Phys. Anthrop. American Journal of Physical Anthropology. Washington, D. C. Q1.A5 Amer. Jour. Sci. American Journal of Science. New Haven. Med. School. Amer. Jour. Surgery American Journal of Surgery. New York City. Period. Amer. Mag. The American Magazine. New York City. OH1.A37 Amer. Mid. Nat. American Midland Naturalist. Notre Dame Univ., South Bend, Indiana. Amer. Mus. Nat. Hist., Dept. Pal. American Museum of Natural History, Department of Vertebrate Palaeontology. New York City. Amer. Mus. Nat. Hist., Guide Leaflet QH71.A6A5 and Matthew American Museum of Natural History. Guide Leaflets. New York City. Amer. Mus. Novit. American Museum Novitates. American Museum of Natural History. New York City. QH1.A5 Amer. Nat. The American Naturalist, Boston. America. Lib. Congr. America, a Catholic review of the week. New York City. [The America Press.] An. Inst. Biol. Mex. Anales del Instituto de biologia de la Universidad Nacional Autonoma de Mexico. Mexico City. An. Inst. Geol. Mex. QE201.A3 Anales del Instituto geológico de México. Mexico City. An. Inst. Geol. Romaniei Period. Anuarul Institutul geologic al Romaniei. Bucurest. An. Mus. Hist. Nat. Montevideo Q33.M72 Anales del Museo de Historia Natural de Montevideo. An. Mus. La Plata fAS78.L3 Anales de Museo de la Plata (Universidad Nacional, La Plata). Buenos Aires. An. Mus. Nacion, Arqueol, Hist. Etnog. Mex. F1219.M42 Anales del Museo nacional de arqueologica, historia y etnographia. Mexico. An. Mus. Nacion. Buenos Aires Anales del Museo nacional de historia natural de Buenos Aires (= Anales del Museo Argentino de ciencias naturales). An. Soc. Cien. Argent. Q33.B85 Anales de la Sociedad cientifica Argentina. Buenos Aires. Anais Fac. Ciên. Porto Q4.A42 Anais da Faculdade de Ciências do Porto. QL801.A6 Anatomischer Anzeiger. Zentralblatt für die gesamte wissenschaftliche Anatomie. Amtliches Organ der anatomischen Gesellschaft. Jena. Anat. Rec. QL801,A56 Anatomical Record. Philadelphia. Ann. Acad. Brasil. Sci. Q33,R52 Annaes da Academia Brasileira de sciencias. Rio de Janeiro. **RB1.A5** Annales d'Anatomie pathologique et d'Anatomie normale medico-chirurgicale. Organ official de la Société Anatomique de Paris.

Annals of the Association of American Geographers. Albany, New York.

G3.A8

Ann. Carnegie Mus. AS36.P8 Annals of the Carnegie Museum. Pittsburgh. Ann. Durban Mus. QL337.S7D8 Annals of Durban Museum. Durban, Natal. Ann. Eug. HQ750.A1.A5 Annals of Eugenics. A journal for the scientific study of racial problems. Cumbidge: Galton Laboratory. Ann. Géol. Pén. Balkan. QE1.A63Annales géologiques de la Péninsule Balkanique. Institut Géologique de l'Université à Beograd. Ann. Hist.-Nat. Mus. Nation. Hungarici QH7.B8 Annales Historico-Naturales, Musei Nationalis Hungarici. Budapest. Ann. Mag. Nat. Hist. QH1.A6 Annals and Magazine of Natural History, including Zoology, Botany and Geology. London. Ann. Med. Hist. R11.A68 Annals of Medical History. New York City. Ann. Mus. Congo Belg. fQE335.T4 Annales du Musée du Congo Belgique. Tervueren, Belgium. Ann. Mus. Hist. Nat. Marseille QH3.M3 Annales du Musée d'Histoire Naturelle de Marseille. Ann. Mus. Zool. Acad. Sci. URSS. QL1.A48 Annuaire du Musée Zoologique de l'Académie des Sciences de l'URSS. (= Ezhegodnik, Zoologicheskii Musei Akademiia Nauk). Leningrad. Ann. N. Y. Acad. Sci. Q11.N45 Annals of the New York Academy of Sciences. New York City. AS615.N3 Ann. Natal Mus. Annals of the Natal Government Museum. Pietermaritzburg. Ann. Naturhist. Mus. Wien QH5.V5Annalen des kaiserliche königlichen naturhistorischen Museum. Wien. John Crerar; and Med. School Ann. Otol. Rhinol. Laryngol. Annals of Otology, Rhinology and Laryngology. QE701.A6 Ann. Pal. Annales de Paléontologie. Paris. Ann. Rept. Bur. Amer. Ethnol. E51.U5 Annual Report of the [U. S.] Bureau of American Ethnology to the Secretary of the Smithsonian Institution. Ann. Rept. Colo. Mus. Nat. Hist. QH1.C56 Annual Report of the Colorado Museum of Natural History. Denver. Ann. Rept. Dir. Mus. Comp. Zool. Harvard QL1.H3 Annual Report of the Director of the Museum of Comparative Zoology at Harvard College to the President and fellows of Harvard College. Cambridge, U.S. A. Ann. Rept. Florida Geol. Surv. QE99.A4 Annual Report of the Florida Geological Survey. Tallahassee. Ann. Rept. Ontario Dept. Mines TN27.04A3 Annual Report of the Ontario Department of Mines. Toronto. Ann. Rept. Proc. Bristol Nat. Soc. Q41.B73 Annual Report and Proceedings of the Bristol Naturalists' Society. Ann. Rept. Smithson. Instn. Q11.S66 Annual Report of the Smithsonian Institution. Washington, D. C. Ann. Rept. Vermont State Geolog. QE171.A7
Vermont Geological Survey. Report of the State Geologist on the mineral industries [and geology] of Vermont. Burlington. Ann. S. African Mus. Q85.C3 Annals of the South African Museum. Cape Town. Ann. Sci. Nat. Zool. QL1.A6Annales des Sciences Naturelles. Zoologie, comprenant l'anatomie, la physi-

ologie, la classification et l'histoire naturelle des animaux. Paris.

Q69.J3

QE1.S56

QE1.S65

QE1.P6

QL671.075

Ann. Sci. Univ. Jassy

Ann. Soc. Géol. Belg.

Ann. Soc. Géol. Nord.

Anz. Ornithol. Ges. Bayern

Annales scientifiques de l'Université de Jassy.

Annales de la Société géologique de Belgique. Liège.

Annales de la Société géologique du Nord. Lille.

Ann. Soc. Géol. Pologne Annales de la Société géologique de Pologne (= Rocznik, Polskie Towarzystwo Geologiczne w Krakowie). Univ. Chicago Ann. Soc. Hist. Archéol. Lorraine Annuaire d'histoire et d'archéologie Lorraine. Société d'histoire et d'archéologie de la Lorraine (= Gesellschaft für lothringische Geschichte und Altertumskunde). Metz. Ann. Soc. Linn. Lyon Annales de la Société Linnéenne de Lyon. QH3.S67 Period Ann. Soc. Pal. Russie Annuaire de la Société paléontologique de Russie (= Russkoe Paleontologicheskoe Obshchestvo, Ezhegodnik). Ann. Soc. Roy. Zool. Belg. QL1.S58 Annales de la Société royale zoologique de Belgique, Brussels. Ann. Soc. Sci. Bruxelles Q56.B7 Annals de la Société scientifique de Bruxelles. Sciences physiques et naturelles. Ann. Soc. Sci. Nat. Charente-Inférieure Q46.C45 Annales de la Société des Sciences naturelles de la Charente-Inférieur. La Rochelle. Ann. Transvaal Mus. QH1,T67 Annals of the Transvaal Museum. Pretoria. Ann. Univ. Lyon AS162.L92 Annales de l'Université de Lyon. Nouvelle série. I. Sciences, Médicine. Ann. Univ. Paris John Crerar L378.44.PJ1 Annales de l'Université de Paris. Univ. Stellenbosch AS613.S8 Annals of the University of Stellenbosch, South Africa. (= Annale van die Universiteit van Stellenbosch.) Année Biol. QH301.A4 L'Année Biologique. Comptes-rendus annuels des Travaux de Biologie générale. Paris. Anthrop. Anz. Anthropologischer Anzeiger. Bericht uber die physisch-anthropologische Institute. Stuttgart. Anthrop. Papers, Amer. Mus. Nat. Hist. GN2.A3 Anthropological Papers of the American Museum of Natural History. New York City. Anthrop., Prague GN1.A55 Anthropologie. Casopis venovaný fysické anthropologii nauce o plemenech, demografii, eugenice a tělesné výchově se zvelastnim zretelem k slovdnum. Praha. [Published by the Anthropological Institute, Charles Univ., Prague.] Anthropos GN1.A7 Anthropos. International review of Ethnology and Linguistics. Vienna. GN1.A76 Antiquity. A quarterly review of Archaeology. Antiq. Jour. The Antiquaries Journal; being the journal of the Society of Antiquaries of London. Anz. Akad. Wiss. Wien Anzeiger der Akademie der Wissenschaften in Wien. Mathematische-naturwissenschaftliche Klasse.

Anzeiger der ornithologischen Gesellschaft in Bayern. Munich.

AP2.A7 Appleton's Mag. Appleton's Booklovers' Magazine. (= "Appleton's Magazine," after June, 1906.) QL671.A6 Aquila Aquila. A Magyar Királyi Madartani Intézet folyoirata (= Zeitschrift des königlich-ungarischen ornithologischen Institutes). Budapest; a Magyar ornithologiai központ kiadvanya [etc.]. [In Hungarian and German, published biennially. Title varies.] Arb. Anat. Inst. Univ. Kyoto Arbeiten aus der dritten Abteilung des anatomischen Institutes der kaiserlichen Universität Kyoto. (Ser. A) QL939.K9; (Ser. C) RC306.K9; (Ser. D) QP115.K9. Arb. Anat. Inst. Univ. Sendai Arbeiten aus dem anatomischen Institut der kaiserlich-japanischen Universität zu Sendai. Tokvo. Arb. Bulgar. Naturf. Ges. Sofia. not seen Arb. Naturf. Ver. Riga 060.R48Arbeiten des Naturforscher-Vereins zu Riga. Arbeitsgemeinschaft Ohio Univ. Die Arbeitsgemeinschaft. AS283.V54 Årbok Norsk. Vidensk.-Akad. Årbok det Norske Videnskaps-Akademii. Oslo. Arch. Anat. Histol. Embryol. QL801.A8 Archives d'anatomie, d'histologie et d'embryologie. Strasbourg. QL801.A83 Arch. Anat. Micros. Paris Archives d'anatomie microscopique. Paris. GN1.A8 Archiv für Anthropologie. Organ der deutschen Gesellschaft für Anthropologie, Ethnologie und Urgeschichte. Braunschweig. GN1.A9 Arch. Antrop. Etnol. Archivo per l'antropologia e la etnologia. Organ della Società Italiana di antropologia, etnologia e psicologia comparata. Firenze. Arch. Biol. Berlin Archiv für Rassen-und Gesellschafts-Biologie... Berlin. HM5.A7Arch. Biol. Montevideo QH301.S47 Archivos de la Sociedad de biología de Montevideo. Arch. Frauenk. Konst. HQ750.A1A6 Archiv für Frauenkunde und Konstitutions-Forschung. Würzburg. Arch. Gesch. Math. Naturwiss. Technik. Q3.A75 Archiv für Geschichte der Mathematik, der Naturwissenschaften und der Technik. Berlin [etc.]. Title varies: v. 1-9, Archiv für die Geschichte der Naturwissenschaften und der Technik. Arch. Hydrobiol. QH301.A65 Archiv für Hydrobiologie. Berlin. Arch. Inst. Pal. Humaine, Mém. Cat. by author. Archives de l'Institut de Paléontologie Humaine. Mémoires. Paris. Arch. Ital. Anat. Embriol. QL801.A85 Archivo Italiano di anatomi e di embriologia. Firenze. QL401.A63 Archiv für Molluskenkunde; als Nachrichtsblatt der deutschen malakozoologischen Gesellschaft begrundet von Dr. W. Kobelt. Abhandlungen. Frankfort a. M. Arch. Mus. Hist. Nat. Lyon QH3.L9 Archives du Muséum d'Histoire Naturelle de Lyon. Arch. Mus. Hist. Nat., Paris Archives du Muséum National d'Histoire Naturelle. Paris. QH3.P3 Arch. Mus. Nacion. Rio Janeiro Q33.R6 Archivos do Museu nacional do Rio de Janeiro. Q57.H2 Arch. Mus. Tevler

Archives du Musée Teyler. Teyler's stichting, Haarlem.

QL1.A655 Arch. Naturges. Archiv für Naturgeschichte: Zeitschrift für systematische Zoologie. Berlin. Q4,E4 (Geol.); QH301.E4 (Biol.) Arch. Naturk. Estlands Archiv für die Naturkunde Estlands. Herausgegeben von der Naturforscher Gesellschaft bei der Universität Tartu (= Eesti Loodustead). Dorpat. RC321.A7 Arch. Neurol. Archives of Neurology and Psychiatry. Chicago. **RB1.A8** Arch. Pathol. Archives of Pathology. Chicago, Ill.: American Medical Association. Title varies: 1926-Feb. 1928 = Archives of Pathology and Laboratory Medicine. B22.A7 Arch. Philos. Archives de Philosophie. Paris. Arch. Sci. Phys. Nat. Q2.B5Archives des Sciences physiques et naturelles. Geneva. Arch. Suiss. Anthrop. Gén. GN1.A85 Archives Suisses d'Anthropologie générale. L'Institut Suisse d'Anthropologie Générale (Anthropologie, archéologie, ethnographie). Genève. Archivo Zoologico Italiano. Pubblicato sotto gli auspicii della Unione zoologica Italiana per cura del Comitato di Redazione. Torino. QL1.A7 Ark. Zool. Arkiv för Zoologi; utgivet af K. Svenska Vetenskaps-Akademien. Stockholm. QE87.A7 Arkansas Geol. Surv. Bull. State of Arkansas. Arkansas Geological Survey. Bulletin. Little Rock. QM1.A7 Arq. Anat. Antrop. Arquivio de anatomia e antropologia. Lisbon. Assoc, Franc. Avance. Sci., Confér. Lyon Q46.A7 Association française pour l'Avancement des Sciences, Conférences; Compterendu de la 50° Session. Lyon. Assoc. Franc. Avance. Sci., Confer. Station Radiotéléphon. Ecole Super. Postes Télégr. not seen Assoc. Min. Siciliana, Boll. U. S. Geol. Surv. Associazione mineraria Siciliana. Palermo. Bollettino. Atti Accad. Lincei, Mem. AS222.A26 Atti della Reale Accademia dei Lincei. Memorie. Rome. Atti Accad. Lincei, Rend. AS222, A24 Atti della Reale Accademia nazionale dei Lincei. Serie Sesta [=6]. Rendiconti. Classe di Scienze fisiche, matematiche e naturali. Rome. Atti Accad. Pont. Lincei AS222.A2 Atti dell'Accademia Pontifica dei nuovi Lincei. Rome. Atti Accad. Sci., Napoli Q54.A28 Atti dell'Accademia delle Scienze fisiche e matematiche. Naples. Atti Accad. Sci. Padova Q54.P3 Accademia scientifica Veneto-Trentino-Istriana, Padova. Atti. Title varies. Continued in the "Scienze fisico-matematiche" series of the "R. Accademia

di scienze letteres ed arti di Padova," after 1935.

Atti Accad. Sci. Torino

AS222.A292

Atti della Reale Accademia della Scienze di Torino. Classe di Scienze, fisiche, matematiche e naturali.

Atti Soc. Ital. Mus. Civico, Milano Q54.M6 Atti della Società Italiana di Scienzi naturali e del Museo Civico di Storia naturale in Milano.

Atti Soc. Ital. Progr. Sci. Q54.R7 Atti della Società Italiana per il Progresso delle Scienze. Rome.

Atti Soc. Nat. Mat. Modena Q54.M65 Atti della Società dei naturalisti e matematici di Modena.

Atti Soc. Toscana Sci. Nat., Mem.

Q54.P5
Atti della Società Toscana di Scienze naturali residente in Pisa. Memorie.

Atti Soc. Toscana Sci. Nat., P. V. Atti della Società Toscana di Scienze naturali residente in Pisa. Q54.P52 Processi verbali. Auk QL671.A75 The Auk. A quarterly journal of ornithology. Lancaster, Pa. Aus der Heimat Lib. Congr. Aus der Heimat: Naturwissenschaftliche Monatsschrift. Stuttgart. Austral. Mus. Mag. QH1.A88 Australian Museum Magazine. Sydney. Austral. Zool. QL1.A87 The Australian Zoologist. Issued by the Royal Zoological Society of New South Wales. Sydney. Badische Geol. Abh. QE269.B32 Badische geologische Abhandlungen. Karlsruhe. Barlangvilág not seen Barlangvilág. Budapest. Beitr. Anat. Funk. Syst. QL801.B37 Beiträge zur Anatomie funktioneller Systeme. Leipzig. Beitr. Geol. Erforsch. Schutzgebiete John Crerar L554.3.15 Beiträge zur geologischen Erforschung der Schutzgebiete. Berlin: Preussische geologische Landesanstalt 1911-1939, 20 v. in 6. Compiled by: Pruessische geologische Landesanstalt (nos. 1, 4-15, 17-19 by: Geologische Zentralstelle für die deutschen Schutzgebiete). Beitr. Geol. Thüringen John Crerar; U. S. Geol. Surv. Beiträge zur Geologie von Thüringen. (Thuringia geologische Landesuntersuchung; Thüringischer geologischer Verein.) Jena. Ber. Naturf. Ges. Freiburg Q49.F7 Berichte der naturforschenden Gesellschaft zu Freiburg i. B. Ber. Naturwiss.-Med. Ver. Innsbruck Q49.16Berichte des naturwissenschaftlich-medizinischen Vereins in Innsbruck. Ber. Naturwiss. Ver. Augsberg QH5.N4 Berichte naturwissenschaftlicher Verein für Schwaben und Neuberg, (Augsberg). Ber. Oberhess. Ges. Giessen, Nat. Abt. Lib. Congr. Q49.G3 Oberhessische Gesellschaft für Natur- und Heilkunde, Giessen. Berichte. Naturwissenschaftliche Abteilung. Ber. Senck. Naturf. Ges. QH5.S39 Berichte über die Senckenbergische naturforschende Gesellschaft (= Natur und Museum = Natur und Volk). Frankfort am Main. Ber. Wiss. Biol. QH301.B3 Berichte über die gesamte Biologie. Abteilung A. Berichte über die wissenschaftliche Biologie. Berlin. Biblica BS410.B55 Biblica. Commentorii ad Rem Biblicam Scientifice investigandam. Rome. Bibliog. Zool. QL1.Z68 Bibliographia Zoologica (diario "zoologische Anzeiger" adnexa). Leipzig. [Included on cards of the Concilium Bibliographicum, Zürich.] Bijdr. Biol. Amsterdam QP1.A5 Bijdragen tot de Biologie. Amsterdam Universiteit, Physiologisch Laboratorium. Biog. Mem. Nation. Acad. Sci. Q141.N2 National Academy of Sciences of the United States of America. Biographical Memoirs. Washington, D. C. Biol. Bull. QH301.B52 Biological Bulletin of the Marine Biological Laboratory, Woods Hole, Mass. Generalis Biol. Biologia Generalis. International journal of general biology. Vienna, Bratis-

Biol. Hungarica QL1.B5
Biologica Hungarica. Budapest, Museum Nationale Hungaricum.

lava, Baltimore.

Brit. Jour. Radiol.

British Journal of Radiology.

OH301.B526 Biol. Rev. Biological Reviews and Biological Proceedings of the Cambridge Philosophical Society. Cambridge, England. QH301.B54 Biol. Zentralbl. Biologisches Zentralblatt. Leipzig. QH301.B46 Der Biologe; Monatsschrift zur Wahrung der Belange der deutschen Biologen. Munich. Period. Biologist The Biologist. Denver. Official quarterly publication of the Phi Sigma Society, Denver, Colorado. OL671.B5 Bird-Lore Bird-Lore. New York. Bishop Mus. Bull. GN670.B48
Bernice Pauahi Bishop Museum of Polynesian Ethnology and Natural History, GN670 B48 Honolulu. Bulletin. Black Hills Engineer TN1.B55 The Black Hills Engineer. Rapid City, South Dakota. not seen Blätter Schwäb, Albyer, Blätter der schwäbischen Albverein. Tübingen. Bol. Acad. Nacion. Cien. Córdoba O33, C62 Boletín de la Academia nacional de ciencias en Córdoba. Buenos Aires. AS304.A414 Bol. Acad. Sci. Lisboa Boletim da Academia das sciências de Lisboa. Bol. Inform. Petrol., Buenos Aires Doc. Boletín de Informaciones petrolíferas, vacimientos e industrias. Buenos Aires. OE283.A27 Bol. Inst. Geol. Min. España Boletín del Instituto geológico y minero de España. Madrid. Bol. Inst. Geol. Uruguav Period Boletín Instituto de geología y perforaciones, Montevideo. Bol. Mus. Lab. Min. Geol., Univ. Lisboa U. S. Geol. Surv. Boletim Museu e Laboratorio Mineralogico e geologico. Universidade Lisboa. Bol. Soc. Colomb. Cien. Nat., Bogota Boletín de la Sociedad Colombiana de ciencias naturales (= Revista ...; = Boletin de la Soc. de ciencias naturales del Instituto de La Salle). Bogota. Bol. Soc. Españ. Hist. Nat. QH7.S58 Boletín de la Real Sociedad Española de historia natural. Madrid. Bol. Soc. Geol. Peru Period Boletín de la Sociedad geológica del Peru. Lima. Bol. Soc. Iber. Cien. Nat. QH7.S595 Boletín de la Sociedad Ibérica de ciencias naturales, Saragossa. Boll. Accad. Gioenia Sci. Nat. Catania QH7.A33 Bollettino delle sedute della Accademia Gioenia di scienze naturali in Catania. Boll. Assoc. Internaz. Studi Mediterranei D973.A116 Bollettino dell'Associazione internazionale Studi Mediterranei. Roma. Boll. Paletnol. Ital. GN1.B8 Bollettino di paletnologia Italiana, fondato da G. Chierici, L. Pigorini e P. Strobel. Parma. Boll. Soc. Geol. Ital. QE1.S49 Bollettino della Società geologica Italiana. Rome. Boll. Soc. Nat. Naples Q54.N3 Bollettino della Società di naturalisti in Napoli. Boll. Ufficio Geol. Ital. OE272.A3 Bollettino del Reale Ufficio geologico d'Italia. Rome. Brandenburgia not seen Brandenburgia. Monatsblatt der Gesellschaft für Heimatkunde und Heimatschutz in der Mark Brandenburg, Berlin.

John Crerar: Med. School

Brit. Med. Jour.
British Medical Journal. R31.B78 Brit. Mus. Publ. Cat. by author British Museum Publications. London. Brit. Sci. Guild, S. Austral. Branch, Adelaide Cat. by author British Science Guild, South Australia Branch. Adelaide. Bul. Fac. Stiin. Cernăuti Period. Buletinul Facultătea de Stiințe Cernăuti. (Univ. Rumania.) Bul. Sóc. Română Geol. Period. Buletinul Societătea Română de Geologie. Bucuresti. Bull. Acad. Malgache AS657.A3 Bulletin de l'Académie Malgache, Tananarivo. Bull. Acad. Méd. Paris Lib. Congr. R45.P2; and Med. School Bulletin de l'Académie de médecine. Paris. Bull. Acad. Roy. Sci. Belg., Cl. Sci. Bulletin de l'Académie Royale des Sciences des Lettres, et des Beaux-arts de Belgique. Classe des Sciences. Brussels. Bull, Acad. Roy. Serbe Sci. Arts AS346.S75 Bulletin de l'Académie royale Serbe des Sciences et des Arts (= Glasnik Srpska Kralevska Akademija) Belgrade. Bull. Acad. Sci. URSS., Cl. Math.-Nat.

AS262.A42

Bulletin de l'Académie des Sciences de l'union des Républiques Soviétiques Socialistes (ser. 7). Classe des Sciences Mathématiques et Naturelles (= Izvestia-Akademiia Nauk. Otdelenie Matematicheskikh i Estestvennyhk Nauk. Seriia 7). Bull. Agence Gén. Colonies Melun not seen Bull. Amer. Assoc. Petrol. Geolog. TN1.A46
Bulletin of the American Association of Petroleum Geologists. Tulsa, Okla. Bull, Amer. Mus. Nat. Hist. OH1.A392 Bulletin of the American Museum of Natural History. New York City. Bull. Amer. Pal. QE701.B8 Bulletins of American Paleontology. Ithaca, N. Y. Bull. Amer. School Prehist. Res. GN700.A55 Bulletin of the American School of Prehistoric Research. Old Lynne, Conn. Bull. Assoc. Philomath. Alsace Lorraine Lib. Congr. Bulletin de l'Association philomathique d'Alsace et de Lorraine (= Philomathische Gesellschaft in Elsass-Lothringen. Mitteilungen). Bull. Assoc. Study Europ. Quat. Bulletin of the Information Service of the Association for the Study of the European Quaternary at the Geological and Prospecting Service of the USSR (= International Association for the Study of the Quaternary era in Europe). Leningrad. Bull. Brit. Ornithol. Club QL671.B75 Bulletin of the British Ornithologists' Club, London. Bull. Bur. Amer. Ethnol. E51.U6 Bulletin of the [U. S.] Bureau of American Ethnology. Bull. Comm. Géol. Finlande QE276.3.A34 Bulletin de la Commission géologique de Finlande (= Geologiska Kommissionen i Finland). Helsinki. Bull. Florida Geol. Surv. QE99.A3 State of Florida. Department of Conservation. Geological Bulletin (= Florida State Geological Survey Bulletin). Tallahassee. Bull. Geog. Soc. Phila. G3.G3 The Bulletin of the Geographical Society of Philadelphia. Bull. Geol. Instn. Univ. Upsala QE1.U6

Bull. Géol. Leningrad QE276.A4
Bulletin du Comité Géologique, Leningrad 1928-1930 (= Bull. Geological and
Prospecting Service of USSR. 1931-1932; = Bull. Pan-Union geological and

Bulletin of the Geological Institution of the University of Upsala.

prospecting information, 1933+. Russian titles: Izvestiia Geologicheskii Komitet; Izvestiia Glavnow geologo-razvedochroe upravlenie; and Izvestiia Vsesoinznoe geologo-razvedochnoe ob'edinenie).

Bull. Geol. Soc. Amer. QE1.G45

Bulletin of the Geological Society of America. New York City

Bull. Geol. Soc. China QE1.G46

Bulletin Geological Society of China. Peiping.

Bull. Geol. Surv. Kansas QE113.A43
Bulletins of the State Geological Survey of Kansas. [A series in the "Bull.
Univ. Kansas" 1928-1933.] Lawrence.

Bull. Inst. Egypte DT43.I612

Bulletin de l'Institut d'Egypte. Cairo.

Bull. Inst. Sci. Leshaft

Bulletin de l'Institut scientifique de St. Petersbourg (de l'Institut Leshaft)

(= Nauchnyi Institut imei P. F. Lesgafta). St. Petersburg.

Bull. Internat. Acad. Polonaise

Bulletin international de l'Académie polonaise des Sciences et de Lettres.

Classe des Sciences mathématiques et naturelles. Serie B = Sciences naturelles (= Anzeiger der Akademie der Wissenschaften in Krakau = Akademija Umiejetnosci). Krakau.

Bull. Internat. Acad. Sci., Prague

Bulletin international de l'Académie Tchèque des Sciences. Classe des Sciences

mathématiques, naturelles et de la Médecine (= Česká Akademie věd a

umění v Praze).

Bull. John Ryland's Lib.
John Ryland's Library, Manchester. Bulletin.

Bull. Logan Mus. Stanford

Z792.M18.B8

Bulletins of the Logan Museum, Beloit College, Wisconsin.

Bull. Mém. Soc. Anthrop. GN2.S6
Bulletins et Mémoires de la Société d'anthropologie de Paris.

Bull. Mus. Comp. Zool. Harvard QL1.H32
Bulletin of the Museum of Comparative Zoology at Harvard College, in Cambridge (Mass.).

Bull. Mus. Géorgie Lib. Congr. DK511.G3T5 Bulletin du Musée de Géorgie (= Muzei Gruzii, Tiflis).

Bull. Mus. Hist. Nat. Belg. QH3.B71 Bulletin du Musée Royal d'Histoire Naturelle de Belgique (Bruxelles).

Bull. Mus. Hist. Nat., Paris
Bulletin du Musée National d'Histoire Naturelle de Paris.

QH3.P32

Bull. N. Y. Acad. Med.

Bulletin of the New York Academy of Medicine.

R15.N47

Bull. N. Y. State Mus. Nat. Hist.

Bulletin of the New York State Museum of Natural History. Albany.

Bull. N. Y. Zool. Soc. QL1.N45
Bulletin of the New York Zoological Society. New York City.

Bull. Nation. Mus. Canada QE185.A7

Bulletin of the National Museum of Canada (= Bull. Victoria Memorial Museum = Canada, Dept. Mines, Geol. Ser. [in part] = Ann. Rept. Nation. Mus. Canada [in part]). Ottawa.

Bull. Nation. Res. Council Q11.N28
Bulletin of the National Research Council. Washington, D. C.

Bull. Neb. State Mus.

Bulletin of the Nebraska State Museum. Lincoln.

Period. and Matthew

Bull. Neurol. Inst.

Bulletin of the Neurological Institute of New York.

RC326.N48

Bull. Peabody Mus. Nat. Hist. Period.

The Peabody Museum of Natural History, Yale University. Bulletin. New Haven.

Bull. S. Calif. Acad. Sci.

Q11.S6

Bulletin of the Southern California Academy of Sciences. Los Angeles.

Bull. S. Dakota School Mines TN24.S8A6 Bulletin of the South Dakota School of Mines. Rapid City. Bull. Schweiz. Ges. Anthrop. Ethnol. Field Mus. Bulletin der schweizerische Gesellschaft für Anthropologie und Ethnologie. Bern. Bull. Sci. Paris Bulletin scientifique (Association amicale des élèves et anciens élèves de la faculté des sciences de Paris) [Continues: Bulletin des sciences physiques.] Paris. Bull. Serv. Carte Géol. Alsace Doc. Bulletin du Service de la Carte géologique d'Alsace et de Lorraine. Université de Strasbourg. Bull, Serv. Géol, Pologne QE276.5.A34 Bulletin du Service géologique de Pologne (= Sprawozdania Polskiego Instytutu Geologicznego). Warsaw. Bull. Soc. Acad. Arrond. AS162.S59 Bulletin de la Société académique de l'Arrondissement de Boulogne-sur-Mer. Bull. Soc. Acclim. France Bulletin de la Société nationale d'Acclimatation de France. Paris. Bull. Soc. Amis Mus. not seen Bulletin de la Société des Amis du Museum National d'Histoire Naturelle et du Jardin des Plantes, Paris. Bull. Soc. Étud. Sci. Aude. Bulletin de la Société d'Études scientifiques de l'Aude. Carcassonne. Q46.C3 Bull. Soc. Étud. Sci. Nat. Nîmes Bulletin de la Société d'Études des Sciences naturelles de Nîmes. Bull. Soc. Géog. Archéol. Oran Bulletin trimestriel de géographie et d'archéologie. Société de géographie et d'archéologie d'Oran. Bull. Soc. Géol. Belge QE1.S5 Bulletin de la Société Belge de géologie de paléontologie et d'hydrobiologie. Bruxelles. Bull. Soc. Géol. France QE1.S6 Bulletin de la Société géologique de la France. Paris. Bull. Soc. Géol. Min. Bretagne **QE1.S7** Bulletin de la Société géologique et minéralogique de Bretagne. Bull. Soc. Géol. Normandie QE1.S64 Bulletin de la Société géologique de Normandie et des Amis du Muséum du Havre. Bull. Soc. Hist. Nat. Afrique Nord QH3.S62 Bulletin de la Société d'histoire naturelle de l'Afrique du Nord. Algiers. Bull. Soc. Hist. Nat. Ardennes not seen Bulletin de la Société d'histoire naturelle des Ardennes. Charleville. Univ. Mich; Lib. Congr. Bull. Soc. Hist. Nat. Moselle Bulletin de la Société d'histoire naturelle de la Moselle. Metz. Bull. Soc. Hist. Nat. Savoie John Crerar Bulletin de la Société d'histoire naturelle de Savoie. Chambérg. Bull. Soc. Hist. Nat. Toulouse QH3.S63 Bulletin de la Société d'histoire naturelle de Toulouse. Bull. Soc. Indust. Mulhouse Lib. Congr. T2.S75 Bulletin de la Société industrielle de Mulhouse. Bull. Soc. Linn. Lyon Period. Bulletin bi-mensuel de la Société Linnéenne de Lyon, .... Bull. Soc. Linn. Nord France QH3.S7 Bulletin de la Société Linnéenne du Nord de la France. Amiens. Bull. Soc. Linn. Normandie QH3.S68 Bulletin de la Société Linnéenne de Normandie. Caen. Bull. Soc. Nat. Archéolog. Ain not seen

Bulletin de la Société des Naturalistes et des Archéologues de l'Ain. Bourg.

Q60.M6O4 Bull. Soc. Nat. Moscou, Sect. Géol. Bulletin de la Société des naturalistes de Moscou. Section géologique. (= Moskovskoe Obschestvo Isputatelei Prirody. Otdel Geologicheskii.) Period. Bull. Soc. Océanog. France Bulletin de la Société d'océanographie de France. Paris. Bull. Soc. Préhist., Paris Bulletin de la Société préhistorique française. Paris. GN700.S6 QH3.S52 Bull. Soc. Sci. Nat. Elbeuf Bulletin de la Société d'Études des Sciences naturelles d'Elbeuf. Bull. Soc. Sci. Nat. Ouest, France Q46.N3 Bulletin de la Société des Sciences naturelles de L'Ouest de la France. Nantes. QL1.S6 Bull. Soc. Zool., France Bulletin de la Société zoologique de France. Paris. Bull. Union Soc. Savant. Polonaises

Bulletin de l'Union des Sociétés Savantes polonaises (de Léopol).

Lemberg, Poland. Bull. U. S. Nation. Mus. Q11.U52 Bulletin of the United States National Museum. Washington, D. C. Q1.K3 Bull. Univ. Kansas Bulletin of the University of Kansas (Lawrence), Science Bulletin. [Continuation of: Kansas University Quarterly, a series which includes under its own volume numbers the "Kansas Univ. Sci. Bull." and "Bull. Geol. Surv. Kansas." These series are each numbered independently.] Lib. Congr. Q11.W164; and Period. Bull. Wagner Free Inst. Bulletin of the Wagner Free Institute of Science of Philadelphia. Burgenländ. Univ. Chicago Burgenländische. But. Inst. Catalana Hist. Nat. QH7.15 Butlletí de la Institución Catalana de Historia Natural. Barcelona. C. R. Acad. Inscript. Belles-Lettres 682C.P2 Académie des Inscriptions et Belles-Lettres, Paris. Comptes-rendus des séances. C. R. Acad. Polonaise Sci. not seen Comptes-rendus des séances de l'Academie Polonaise des Sciences. Classe Math.-Nat. Cracovie. C. R. Acad. Sci. Paris Q46.P22 Comptes-rendus hebdomadaires des séances de l'Académie des Sciences. Paris. AS262,A44

C. R. Acad. Sci. URSS.

AS262.A44
Comptes-rendus de l'Académie des Sciences de l'Union des Républiques Soviétiques Socialistes. (Ser. A) (= Akademiia Nauk, Doklady A).

C. R. Assoc. Anatom. QL801.A9 Comptes-rendus de l'Association des Anatomistes. Nancy.

C. R. Assoc. Franç Avance. Sci. Q46.A7 Compte-rendus de l'Association française pour l'avancement des Sciences.

C. R. Congr. Avance. Étud. Strat. Carbonifère, Heerlen QE1.C6 Comptes-rendus du Congrès pour l'avancement des Études de Stratigraphie Carbonifère. Heerlen 1927.

C. R. Congr. Géol. Internat., 14th Sess. QE1.16 Comptes-rendus de la Congrès géologique international, XIV° Session (en Espagne). Madrid.

C. R. 15th Congr. Internat. Anthrop. Archéol. Préhist. GN3.15 International Congress of Anthropology and prehistoric Archeology. 15th Session Paris, 1931 [1933] (= XV° Congrès international et d'archéologie préhistorique (suite). V° Session de l'Institut international d'anthropologie. Paris, 20–27 Septembre, 1931).

C. R. 2° Congr. Internat. Protect. Nat.
U. S. Dept. Agr.
Comptes-rendus du 2° Congrès international pour la protection de la Nature.

C. R. Congr. Soc. Savantes, Paris Q101.C55 Comptes-rendus du Congrès des sociétés savantes de Paris et des departements. Section des sciences. Paris.

C. R. Inst. Géol. României Period Comptes-rendus des séances Institutul geologic al României. București.

C. R. Soc. Biogéog. not seen Comptes-rendus de la Société de Biogéographie.

C. R. Soc. Géol. France QE1.S62 Comptes-rendus sommaire des séances de la Société géologique de France.

C. R. Soc. Phys. Hist. Nat. Genève

Q67.G35

Comptes-rendus des séances de la Société de physique et d'histoire naturelle de Genève.

C. R. Soc. Roy. Bohême
AS142.C525
Comptes-rendus de la Société royale de Lettres et de Science Bohême (Prague)
(= Česka Společnost nauk. Vyrocni zprava = Jahresbericht der k. böhmischen Gesellschaft für Wissenschaften).

Cahiers Arch. Hist. Alsace

Cahiers d'archéologie et d'histoire d'Alsace. Société pour la conservation des monuments historiques d'Alsace (= Anzeiger für elsässische Altertumskunde). Strasbourg.

Calif. Div. Mines, Rept. State Mineralog.

State of California. Department of Natural Resources. Division of Mines.

Reports of State Mineralogist (= "Mining in California"). San Francisco.

Calif. Div. Mines, Bull.

State of California. Department of Natural Resources. Division of Mines.

Bulletin. San Francisco.

Calif. Western Med.

California and Western Medicine. San Francisco.

R11.C25

Canada Dept. Mines, Geol. Surv., Mem. QE185.A34
Canada Department of Mines. Geological Survey of Canada. Memoirs.
Ottawa.

Canada Dept. Mines, Geol. Surv., Misc. Ser. QE185.A35
Canada Department of Mines. Geological Survey of Canada. Miscellaneous
Series. Ottawa.

Canada Dept. Mines, Geol. Surv., Summ. Rept.
Canada Department of Mines. Geological Survey. Summary Reports.
Ottawa.

Canadian Field Nat.
The Canadian Field Naturalist (= Ottawa Naturalist). Ottawa.

QH1.C26

Canadian Geog. Jour. G1.C3
Canadian Geographical Journal. Montreal.

Canadian Journ Res. Q1.C3
Canadian Journal of Research. Ottawa.

Canadian Mining Journal. Toronto and Montreal.

TN1.C3

Carnegie Instn. Wash., Contrib. Embryol. QL951.C3
Carnegie Institution of Washington. Contributions to Embryology. Washington, D. C.

Carnegie Instn. Wash., News Serv. Bull.

Carnegie Institution of Washington. News Service Bulletin. Washington,
D. C.

Carnegie Institution of Washington. Year Book. Washington, D. C.

Čas., Národ. Musea AS142.P7 Časopis Národního Musea. Prague.

Čas. Vlast. Spol. Mus. Olomuci Amer. Mus. Časopis Vlastenecki Spolek Musejní. Olmütz.

Cawthron Lectures Q93.N4
The Cawthron Institute of Scientific Research, Nelson, New Zealand. Cawthron Lectures.

Centralbl. Min. Geol. Pal.

Neues Jahrbuch für Mineralogie, Geologie, und Paläontologie. Abteilung A:

Centralblatt für Mineralogie, Geologie und Paläontologie. Stuttgart.

[See also: Neues Jahrb. Min. Geol. Pal.]

The Century (Illustrated Monthly Magazine). New York City.

Chem. News

QD1.C47

The Chemical News and Journal of Industrial Science; with which is incorporated the "Chemical Gazette," a journal of theoretical and practical chemistry and physics in their application to engineering and manufactures.

London.

China Journal. Shanghai.

AP8.C5

Stacks

Chinese Geol. Surv., Odd Line Volume. Chinese Geological Survey, Odd Line Volume. Peking. QE294.A5

Christian Faith and Life

Stanford

Ciència.

Ciència; revista catalana de ciència i technologia.

Cleveland Mus. Nat. Hist., Popular Publ.

U. S. Geol. Surv. and Period

The Cleveland Museum of Natural History, Cleveland, Ohio. Popular Publications.

Colección Labor not seen

Colección Labor Biblioteca de iniciación cultural. Seccione XII. Ciencias naturales. (Publ. Real Sociedad Española de Historia natural) "Editorial Labor S. A.—Barcelona—Madrid—Buenos Aires."

Colo. School Mines, Alumni Mag.

The Mines Magazine; official organ of the Colorado School of Mines Alumni Association. [Title varies.] Boulder.

Columbia Univ. Quart.

Columbia University Quarterly. Columbia University Press.

LD1267.C45

New York City.

Commentari Ateneo Brescia. John Crerar Commentari dell'Ateneo di Brescia. Ateneo di scienze, lettere ed arti. Brescia. Concours Méd., Paris

Concours médical. Paris.

QL671.C7

Condor.

The Condor. A magazine of Western Ornithology. Berkeley, Calif.

Confr. Res. Cien., Soc. Españ. Hist. Nat. not seen Conferencias y Reseñas Cientificas de la Real Sociedad Española de historia natural. Madrid.

Congr. Géol. Internat., XIV Sess., Espagne 1926; Géol. Méditerranée Occidentale QE260.I6

Congrès géologique international. Études et observations faites au cours du Congrès géologique international (XIV° Session, Espagne, 1926). Géologie de la Méditerranée occidentale.

X Congr. Internat. Zool., Budapest Xº Congrès international de zoologie. Tenu a Budapest du 4 au 10 Septembre, 1927.

XXII Congr. Internaz. Americanisti, Atti E51.I6 Atti del XXII Congresso internazionale degli Americanisti, Roma, Settembre 1926.

XI° Congr. Internaz. Zool., Padova QL1.I6 XI° Congresso internazionale di zoologia tenuto a Padova. . . 1930. . . . Atti publicata a cura della Presidenza.

Conn. Geol. Nat. Hist. Surv., Bull.

Connecticut State Geological and Natural History Survey. Bulletin. Hartford

Contrib. Zool. Lab. Penn. Univ. QL1.P4
Contributions from the Zoological Laboratory of Pennsylvania University.
Philadelphia.

Contrib. Biol. Lab. Princeton Univ.

Contributions from the Biological Laboratories of Princeton University Princeton, New Jersey.

Contrib. Dept. Anat. Univ. Minn. QL801 M5 Contributions from the Department of Anatomy, University of Minnesota. Minneapolis. Contrib. Mus. Pal. Univ. Mich. Contributions from the Museum of Paleontology, University of Michigan. Ann Copeia QLLC6 Copeia. A journal of cold-blooded vertebrates. Ann Arbor. Cornell Rural School Leaflet LB1600.C6 Cornell University. Ithaca, N. Y. not seen La Cultura Argentina. Buenos Aires. Current Sci. Q1.C8 Current Science. Bangalore, India. not seen Częsc Daily Express not seen The Daily Express. London Dansk. Ornithol. Tidsskrift QL671.D3 Dansk ornithologisk Forenings Tidsskrift. Copenhagen. Dansk. Videnskab. Selskab., Biol. Meddel. AS281.D217 Det kongelige Danske Videnskabernes Selskab. Biologiske Meddelelser. Copenhagen. Das Schöne Münster not seen Das schöne Münster. Verkehrsamt Stadt Münster. QL614.A6 Dean Mem. Vol. The Bashford Dean Memorial Volume. New York: American Museum Natural History. Denk. Akad. Wiss. Wien AS142.A65 Denkschriften der königliche Akademie der Wissenschaften. Math.-Naturhist. Wien. Classe. Denk. Naturhist. Mus. Wien Denkschriften des Naturhistorischen Museums in Wien. QE1.V5 Denk. Schweiz. Ges. Naturk. Q67.S27 Denkschriften der allgemeinen schweizerischen Gesellschaft für Naturkunde (= Mémoires de la Société helvétique des Sciences naturelles). Zurich. Dennison Univ. Bull. Jour. Sci. Lab. Dennison University Bulletin. Journal of the Scientific Laboratories. Granville, Ohio. Deutsche Med.-Wochenschr.
Deutsche medizinische Wochenschrift. Leipzig. R51.D5 Deutsche Zahnheilk. Chicago College Med. Deutsche Zahnheilkunde. Dienst Mijn. Ned.-Indië, Wet. Meded. QE301.D8 Dienst van den Mijnbouw in Nederlandsch-Indië. Wetenschappelijke Mededeelingen. Batavia. Discovery AP4.D4 Discovery. London. Dissert. Dissertation. Eclog. Geol. Helvetiae QE1.E3 Eclogae Geologicae Helvetiae. (Publ. schweizerischen geologischen Gesellschaft.) Lausanne. Edinburgh Med. Jour. Med. School Edinburgh Medical Journal.

Eiszeit und Urgeschichte; Jahrbuch für Erforschung des vorgeschichtlichen Menschen und seines Zeitalter. Organ des Institut für Eiszeitforschung in Wien.

"El Dia" (Mercedes, Uruguay)

Eiszeit u. Urgeschichte

El Ecuador Comercial not seen Quito. "El Ideal" (Montevideo) not seen "El Libro de la Cruz Roja Argentina" not seen El Monitor Educ. Común. (Buenos Aires) Lib. Congr. L45.M6 El Monitor de la educación común. (Consejo nacional de educación.) Buenos Aires. "El Plata" (Montevideo) not seen Enc. Brit. QL3.E5 Encyclopedia Britannica. 14th Edition. Enzyk. Erdk. G58.E6 Enzyklopädie der Erdkunde. Leipzig & Vienna: Franz Deuticke. G1.E7 Erdball Der Erdball; illustrierte Monatsschrift für das gesamte Gebiet der Anthropologie, Länder- und Völkerkunde. Berlin. Ergebn. Anat. QL801.E8 Ergebnisse der Anatomie und Entwicklungsgeschichte (= Anatomische Hefte). Munich. Eug. News
The Eugenical News; current record of race hygiene. Lancaster, Pa. HQ750.A1E6 HQ750.A1E9 The Eugenics Review. London. HQ750.A1E92 Eugenik Eugenik, Erblehre, Erbpflege. [= continuation of: Volksauf. Erbk. Eheberat.] Berlin. Évkön. Kir. Föld. Intézet QE266.H82 Eykönyy Királyi Földtani Intézet (= Mitt. aus dem Jahrb. der kgl. ungärischen geol. Anstalt = Annuaire de l'institut géol. royale hongrien = Annales Instituti regii Hungaricii geologicii). Budapest. [Published bilingually in two series, Hungarian and German, in 1924-25 (vol. 26); in one series with Hungarian titles and foreign text in 1927-29 (vols. 27-28); in two series 1930-33 (vol. 28); and in one series entitled "Evkönyv-Mitteilungen-Annales" from 1934 to date. QH301.E8, and Matthew Evolution Evolution. A Journal of Nature. [Published irregularly:-Nos. 1-10, Dec. 1927-Nov. 1928; Vol. II, nos. 1-5, Jan.-Aug. 1929; vol. III: no. 1, June 1930; no. 2, Feb. 1931; no. 3, June 1931; no. 4, May 1932; vol. IV; no. 1, June 1937, no. 2, Jan. 1938.] Long Island City, N. Y. Explor. Field Work Smithson. Instn. Q115.S6 Explorations and Field Work of the Smithsonian Institution. Washington, D. C. Falco QL671.F3 Falco, unregelmässig im Anschluss an das Werk "Berajah, Zoogeographia Infinita" erscheinende Zeitschrift. Wittenberg. Fauna och Flora QH7.F3 Fauna och Flora. Populär Tidskrift för Biologi. Utgiven av Einar Lönnberg. Upsala. G23.F4 Fennia (Societas geographica Fenniae). Helsingfors. Field Mus. Nat. Hist., Geol. Leaflet Period. Field Museum of Natural History. Department of Geology. Leaflets. Chicago. Field Mus. Nat. Hist., Geol. Mem. Field Museum of Natural History. Geology. Memoirs. Chicago. Matthew Field Mus. Nat. Hist., Geol. Ser. QE1.F4 Publications of Field Museum of Natural History—Geological Series. Chicago. Florida Geol. Surv., Ann. Rept. QE99.A4 Florida State Geological Survey. Annual Reports. Tallahassee.

HM5.F6

G3.A55

Matthew Florida Geol. Surv., Bull. Florida State Geological Survey. Bulletins. Tallahassee.

Florida Nat. QH1.F68 The Florida Naturalist. (Continuation of the Florida Audubon Bulletin.) Published quarterly by the Florida Audubon Society, Daytona Beach, Florida.

Föld. Intézet Håziny. Cat. by Author A Magyar Királvi Földtani Intézet Házinvomdája. Budapest.

QE1.F6 Földtani Közlöny. Zeitschrift der ungarischen geologischen Gesellschaft. Budapest.

Föld. Szemle

U. S. Geol. Surv. Földtani Szemle. Budapest. QL801.F65

Folia Anat. Univ. Conim. Folia Anatomica Universitatis Conimbridgensis.

Folia Zool. Hydrobiol. QL1.F6 Folia Zoologica et Hydrobiologica. Organ des systematische-zoologischen Instituts und der hydrobiologischen Station der Universität Lettlands, Riga.

Forsch. u. Fortschr. Forschungen und Fortschritte. Nachrichtenblatt der deutschen Wissenschaft and Technik. Berlin.

Forsch. Völkerpsychol. Soziol. Forschungen zur Völkerpsychologie und Soziologie. Leipzig.

Fortschr. Geol. Pal. QE3.D4 Fortschritte der Geologie und Palaeontologie. Berlin.

Fortschr. Zahnheilk. Dental School Fortschritte der Zahnheilkunde nebst Literaturarchiv. Leipzig.

AQ.F37; and Stacks ForumForum and Century Magazine. New York City.

Fossil Vert. Amer. Mus. Nat. Hist. Matthew Fossil Vertebrates in the American Museum of Natural History. [A series of volumes consisting of papers from the Bulletin and Novitates series of the American Museum. Bound with new title page, contents, preface and index.1

Fossilium Catalogus, Animalia. Fossilium Catalogus Abt. I. Animalia. Berlin and Verlag Naturwiss. 's-Gravenhage: W. Junk, pars 1+, 1913+. [See: Quenstedt 1913+.]

Fünfter Ber. Naturwiss. Ver. Bielefeld. Lib. Congr. Fünfter Berichte der naturwissenschaftlicher Verein für Bielefeld und Umgegend. "Gæa," An. Soc. Argent. Estud. Geog. Lib. Congr. G5.G3

Gæa. (Anales de la Sociedad Argentina de estudios geograficos.) Buenos Aires.

Genava DQ441.A3 Genava: bulletin du Musée d'art et d'histoire de Genève, et de la Société auxiliaire du Musée, la Bibliothèque publique et universitaire, la Commission cantonale pour la conservation des monuments et la protection des sites.

Genetica Genetica. Nederlandsch Tijdschrift voor Erfelijkheids-en Afstammingsleer. ... 's-Gravenhage.

Geog. Rev. The Geographical Review. New York City.

Geog. Tidskrift GLG3Geografisk Tidskrift. Udgivet af Bestyrelsen for det kongelige Danske geografiske Selskab. Copenhagen. G1.G2

Geog. Zeit. Geographische Zeitschrift. Leipzig und Berlin.

Geol. Bur. Ned. Mijn., Heerlen, Jaarversl. Lib. Congr. QE273.A35 Geologisch Bureau voor het nederlandsche Mijngebied, Jaarverslag. Heerlen.

QE1.G62 Geol. Fören. Förh. Geologiska Föreningens i Stockholm. Förhandlingar. Geol. Hungarica, Ser. Pal.
Geologica Hungarica. Fasciculi ad illustradam notionem geologicam et palaeontologicam Regni Hungariciae. Series Palaeontologica. ["Tomus 1. Fasc. 1." appears on the first number, following parts have fascicle numbers only.] Budapest. Geological Magazine, or Monthly Journal of Geology, with which is incorporated "The Geologist." London. U. S. Geol. Surv. Geol. en Mijn. Geologie en Mijnbouw, 's-Gravenhage. Geol. Mijn. Bibliog. Ned.-Indië Period Geologisch-Mijnbouwkundige Bibliographie van Nederlandsch-Indië. Geologisch-Mijnbouwkundig Genootschap voor Nederland en Kolonien. 's-Gravenhage. QE1.G594 Geol. Pal. Abh. Geologische und palaeontologische Abhandlungen. Jena. QE1.G59 Geol. Rund. Geologische Rundschau. Leipzig. Geol. Soc. Amer., Program Ann. Meeting Matthew Geological Society of America. Cordilleran Section. Program and abstracts. 27th-35th annual meetings, 1928-1936. [Distributed at the meetings.] Geol. Surv. Nigeria OE327.N5A4 Geological Survey of Nigeria. Bulletins. Lagos. Geol. Surv. Kwangtung and Kwangsi, Spec. Publ. Doc. Geological Survey of Kwangtung and Kwangsi. Special Publications. Canton. Geol. Zentralbl. Geologisches Zentralblatt. Anzeiger für Geologie, Petrographie, Palacontologie und verwandte Wissenschaften. ("Abt. A. Geologie" begins with v. 46, 1932.) Leipzig. [See also: Pal. Zentralbl.] Germania DD53.G3 Germania: Anzeiger der römish-germanischen Kommission des deutschen archäologischen Instituts. Glasnik Prirod. Zagreb. Glasnik Hrvatskoga Prirodoslovnoga društva. Hrvatsko Prirodoslovno društvo u Zagrebu. Göteborg. Kungl. Vetensk. Vitterhets. Handl. AS284.G6 Göteborgs kungl. vetenskaps-och vitterhets-samhälles. Handlingar. Göteborg. Mus., Årstryck Lib. Congr. Göteborgs museum, (Gothenburg). Arstryck. Grotte Italia Lib. Congr. Grotte d'Italia. (R.R. Grotte demaniali di Postumia.) Trieste. Half-Yearly Jour. Mysore Univ. Q73.M8 The Half-Yearly Journal of the Mysore University. India. Handb. Biol. Arbeitsmeth. QH324.A3 Handbuch der biologischer Arbeitsmethoden. Berlin. [Edited by E. Abderhalden; published by Urban & Schwarzenberg.] Handb. Regional. Geol. Period Handbuch der regionalen Geologie. Heidelberg. Handb. Vererbungswiss. QH431.H355 Handbuch der Vererbungswissenschaft. Berlin. [Edited by E. Baur and M.

Handbuch der vergleichenden Anatomie der Wirbeltiere. Berlin u. Wien.

Handb. Zool.

QL43.K8

Handbuch der Zoologie; eine Naturgeschichte der Stämme des Tierreiches,
gegründet von Dr. Willy Kükenthal. Berlin.

OL805.H35

Hartmann; published by Borntrager.

Handb. Vergl. Anat. Wirbeltiere

Matthew

Handel. XXII Ned. Nat. Congr., Rotterdam Q101.N45 Handelingen van het 22 Nederlandsch natuur en geneeskundig Congres. Rotterdam, 1929.

Handel. Vijfde [5th] Ned.-Ind. Natuurwet. Congr., Soerabaja 1928. Q101.N4 Handelingen van het Vijfde [5th] Nederlandsch-Indisch natuurwetenschappelijk Congres. Soerabaja.

Handel. Zesde [6th] Ned.-Ind. Natuurwet. Congr. Q101.N4 Handelingen Zesde [6th] Nederlandsch-Indisch natuurwetenschappelijk Congres. Bandoeng.

Handwörterb. Naturwiss.

Handwörterbuch der Naturwissenschaften. [See: Dittler, et. al. in Author Catalogue.]

Harvey Lectures. R111.H3
The Harvey Lectures. Delivered under the auspices of the Harvey Society of New York. Baltimore.

Hefte des Collegium Hungaricum in Wien.
(= A Bésci Collegium Hungaricum Füzetei.)

Hobbies (Buffalo Mus. Sci.)

Lib. Congr. QH1.H6; and Period
Hobbies. The magazine of the Buffalo Museum of Science. Buffalo Society of
Natural Sciences, New York.

Högskola Zootom. Inst., Arb. QL801.S8 Högskola Zootomiska Institute, Arbeiten. Stockholm.

Hong Kong Nat.

The Hong Kong Naturalist. Hong Kong.

QH1.H6

Human Biol. QH301.H8
Human Biology, a record of research. Baltimore.

Ibis QL671.I3
The Ibis, a quarterly journal of Ornithology. London.

Ill. Univ. Biol. Monog.
QL1.145
Illinois University Graduate School. Illinois Biological Monographs. Urbana.

Illustr. London News AP4.I6
The Illustrated London News.

Indiana Dept. Conserv., Publ.

The Department of Conservation. State of Indiana. Publications. Indianapolis.

Ingenieria Lib. Congr. TA4.127

La Ingenieria; organo oficial del "Centro nacional de ingenieros". Buenos

Aires.

Inst. Internat. d'Anthrop.

Institut international d'anthropologie, 3d Session, Amsterdam, 1927; 5th session, Paris, 1931.

Internat. Arch. Ethnog.

GN1.I6

Internationales Archiv für Ethnographie. Organ der internationale Gesellschaft für Ethnographie und des Reichsaltertumsmuseums in Leiden.

Internat. Clinics R11.I6
International Clinics; a quarterly of clinical lectures.

15th Internat. Geol. Congr. Pretoria QE1.16 International Geological Congress. Compte-rendu of the XV Session, South Africa, 1929.

16th Internat. Geol. Congr. Guidebook QE1.I6 16th International Geological Congress. Washington, D. C. Guidebooks 1-30.

Internat. Jour. Orthodontia Lane Med. International Journal of Orthodontia, Oral Surgery and Radiography. St. Louis.

Invest. y Progr., Madrid Yale Univ.
Investigacion y progreso, Madrid.

QE111.A5 Iowa Geol. Surv., Ann. Rept. Iowa Geological Survey. Annual Reports, with accompanying Papers. Des Moines. GN1.17 Ipek Ipek; Jahrbuch für prähistorische und ethnographische Kunst; annuaire d'art prehistorique et ethnographique. Leipzig. Irish Nat. Jour. Lib. Congr. QH1.I83 The Irish Naturalists' Journal; a magazine of natural history, antiquities and ethnology. Dublin. Isis Isis. Quarterly organ of the History of Science Society of the International Committee of the History of Science. Cambridge, Mass. John Crerar Jahrb. Akad. Gemeinutz. Wiss., Erfurt. Jahrbücher der Königlichen Akademie gemeinnütziger Wissenschaften zu Erfurt. QE266.A3 Jahrb. Geol. Bundesanst. Jahrbuch der geologischen Bundesanstalt. Wien. Jahrb. Hallescher Verb. Period Jahrbuch des Hallescher Verbandes: für die Erforschung der mitteldeutschen Bodenschätze und ihrer Verwertung. Halle a Saale. Jahrb. Nassau. Ver. Naturk. Q49.W5 Jahrbuch des nassauischen Vereins für Naturkunde. Weisbaden. Jahrb. Oberosterreich. Musealver. DB151.L6 Jahrbuch der oberosterreichischen Musealvereines (= Berichte über das Museum Francisco Carolinum in Linz). Jahrb. Preuss. Geol. Landesanst. QE269.P75 Jahrbuch der preussischen geologischen Landesanstalt zu Berlin. John Crerar; and Med. School Jahrb. Psychiatr. u. Neurol. Jahrbücher für Psychiatrie und Neurologie (Verein für Psychiatrie und Neurologie.) Wien. Jahrb. St. Gallischen Naturwiss. Ges. Q67.S2 Jahrbuch der St. Gallischen naturwissenschaftlichen Gesellschaft. QE1.O3 Jahresb. Mitt. Oberrhein. Geol. Ver. Jahresberichte und Mitteilungen des oberrheinischen geologische Verein (= Berichte über die Versammlungen des oberrheinischen geologischen Vereines). Stuttgart. Jahresb. Ver. Naturwiss. Braunschweig Q49.B69 Jahresbericht des Vereins fur Naturwissenschaft. Braunschweig. Jahresh. Ver. Vaterländ. Naturk. Württemberg QH5.V48 Jahresheft des Vereins für vaterländische Naturkunde in Württemberg. Stuttgart. Jap. Jour. Geol. Geog. Period Japanese Journal of Geology and Geography. Transactions and abstracts. Tokyo. Jap. Jour. Med. Sci. QL801.J35 Japanese Journal of Medical Science. Jenaische Zeit. Naturwiss.

Jenaische Zeitschrift für Naturwissenschaften. Publ. medizinisch-naturwissenschaftlichen Gesellschaft zu Jena. Jinrui Z. Lib. Congr. Jinrui Zhurnal. Tokvo. Jour. Amer. Med. Assoc. R15.A5 Journal of the American Medical Association. Chicago. Jour. Amer. Statist. Assoc. HA1.A6 Journal of the American Statistical Association. Concord, N. H.

Journal of Anatomy. London.

Journal of the Anthropological Society of Tokyo.

Jour. Anthrop. Soc. Tokyo

QL801.J5

Yale Univ.

Jour. Azerbaijan Oil Industry Lib. Congr. Journal of the Azerbaijan Oil Industry (= Azerbaidzbanskoe neftianoe khoziastvo). Baku.

Jour. Bombay Nat. Hist. Soc. The Journal of the Bombay Natural History Society. QH1.B59

Jour. Bone and Joint Surg. Med. School Journal of Bone and Joint Surgery. (American Orthopedic Association: British Orthopedic Association.) Boston. QL921.J6

Jour. Comp. Neurol. Journal of Comparative Neurology. Philadelphia.

Jour. Dental Res. Dental School

Journal of Dental Research.

Q11.E4

Jour. Elisha Mitchell Sci. Soc. Journal of the Elisha Mitchell Scientific Society. Chapel Hill, N. C.

Jour. Fac. Sci. Tokyo QE1.T56 Journal of the Faculty of Science of the Imperial University of Tokyo.

Jour. Forestry SD1.J6 Journal of Forestry, Washington, D. C. [Title varies: v. 1-14, Forestry Quarterly.1

Journ Geog. Tokyo Journal of Geography (Tokyo Geographical Society).

Lib. Congr.

Jour. Geol. The Journal of Geology. Chicago. QE1.J6

Jour, Geol. Soc. Tokyo QE1.G573 Journal of the Geological Society of Tokyo. [Includes: Transactions and Proceedings of the Paleontological Society of Japan.

Jour. Heredity The Journal of Heredity. Washington, D. C. S494, A2J7 QL1.J63

Jour. Mammal. Journal of Mammalogy. Baltimore.

QH301.M35

Jour. Marine Biol. Assoc. Journal of the Marine Biological Association of the United Kingdom. Jour. Med. Assoc. S. Africa McGill Univ.; and Med. School

Journal of the Medical Association of South Africa (= Medical Journal of South Africa). Cape Town.

Jour. Morphol. Journal of Morphology. Philadelphia. QL801.J6

Journ N.-China Branch, Roy. Asiatic Soc.

DS1.R75

Journal of the North-China Branch of the Royal Asiatic Society [of Great
Britain and Ireland]. Shanghai.

Jour. Ornithol. Journal für Ornithologie. Berlin. QL671.J7

QE701.J6 Jour. Pal. Journal of Paleontology. Tulsa, Oklahoma. (The Society of Economic Paleontologists and Mineralogists, and The Paleontological Society.)

Jour. Proc. Asiatic Soc. Bengal DS401.A8 Journal and Proceedings of the Asiatic Society of Bengal. Calcutta.

Jour. Proc. Hamilton Assoc. AS42.H3 Journal and Proceedings of the Hamilton Association for sessions of 1912-13 to 1917-18.

Q93.S67 Jour. Proc. Roy. Soc. N.S.W. Journal and Proceedings of the Royal Society of New South Wales. Sydney.

Jour. Roy. Anthrop. Inst. GN2.R6 The Journal of the Royal Anthropological Institute of Great Britain and Ireland.

OH201.R63 Jour. Roy. Micros. Soc. Journal of the Royal Microscopical Society. London.

Jour. Soc. Amer. Paris Journal de la Société des Americanistes de Paris. E51.S7

Jour. Tennessee Acad. Sci. Lib. Congr. Q11.T32 Journal of the Tennessee Academy of Science. Nashville. Jour. Trans. Victoria Inst. AS122.V5 Journal of the Transactions of the Victoria Institute, or Philosophical Society of Great Britain. London. Jour. Wash. Acad. Sci. Q11.W3 Journal of Washington Academy of Sciences. Washington, D. C. Kansas Univ. Sci. Bull. Q1.K3The Kansas University Science Bulletin. Lawrence. [See also: Bull. Univ. Kansas. Koloniale Rund. JV2001.K58 Koloniale Rundschau. Monatsschrift für koloniale Wirtschaft, Völker- und Länderkunde. Kon. Akad. Wet. Amsterdam, Verh. Afdeel. Natuurk. AS244A56. Verhandelingen der Koninklijke Akademie van Wetenschappen te Amsterdam. Afdeeling Natuurkunde (Tweede [2d] Sectie). Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk. AS244.A58 Koninklijke Akademie van Wetenschappen te Amsterdam. Verslag van de gewone vergaderingen der Afdeeling Natuurkunde. Kon. Ned. Aardrijk. Genoot. Tijdschrift G21.N4 Tijdschrift van het koninklijk Nederlandsch aardrijkskundig Genootschap. Amsterdam. Korrespondenzbl. Kathol. Klerus Not seen Q60.R5 Korrespondenzbl. Naturf. Ver. Riga Korrespondenzblatt des Naturforscher-Vereins zu Riga. Kosmos (Lwów) Q4.K6 Kosmos. Czasopismo Polskiego Towarzystwa Przyrodników Im. Kopernika. Serja A. Rozprawy (= Bull. de la Société Polonaise des Naturalistes "Koper-nik." Ser. A. Memoires). Lwów. Kosmos (Stuttgart) Kosmos. Handweiser für Naturfreunde und Zentralblatt für das naturwissenschaftliche Bildungs- und Sammelwesen. Herausgegeben vom Kosmos, Gesellschaft der Naturfreunde, Stuttgart. GN1.A5 L'Anthrop. L'Anthropologie. Paris. Toronto Univ.; and Med. Lib. N. Y. L'Ateneo Parmense L'Ateneo Parmense (Società medica di Parma). [Continues the Society's Bollettino.] L'Homme Préhist. L'Homme préhistorique; revue mensuelle illustrée d'archéologie et d'anthro-

pologie préhistoriques. QL671.05

L'Oiseau et la Revue française d'Ornithologie. Paris.

G1.T4 La Géographie, Revue mensuelle. Bulletin de la Société de Géographie (= Terre, Air, Mer.). Paris.

La Grand' Gaule (Poitiers) not seen "La Mañana" (Montevideo) not seen La Nature Q2.N3

La Nature, Paris.

Lancet R31.L3 The Lancet. London.

Leid. Geol. Meded. Period Leidische geologische mededeelingen. [Supersedes: "Sammlungen des geologischen Reichsmuseums in Leiden."]

Q3.L42 Leopoldina. Berichte der kaiserlich Leopoldinischen deutschen Akademie der Naturforscher zu Halle.

Levende Natuur

McGill Univ.

De levende natuur. Amsterdam.

Lingnan Sci. Jour.

S19.L5

Lingnan Science Journal [continuation of: Lingnaan Agricultural Review]. Lingnan University, Canton

Literary Digest The Literary Digest.

Stacks AQ.L64

Livre Jubilaire, Cent. Soc. Géol. France QE3.S6 Centenaire de la Société géologique de France. Livre Jubilaire, 1830-1930.

Long Island Med. Jour. John Crerar; and Med. School Long Island Medical Journal; the official organ of Associated Physicians of Long Island. Brooklyn, N. Y.

Lotos. (Naturwissenschaftliche Zeitschrift der deutschen medizinischen Verein für Böhmen.) Prague.

Lunds Univ. Arsskrift. AS284.L83 Lunds Universitets Ärsskrift Ny Följd. Andra avdelningen. Medecin samt matematiska och natur vetenskapliga ämen. [This is a continuation of Pt. 2 of Acta Univ. Lund.

Man GN1.M3 Man. A monthly record of anthropological science under the direction of The Royal Anthropological Institute of Great Britain and Ireland.

Mannus GN700.M2 Mannus. Zeitschrift für Vorgeschichte. Leipzig. [See also: Nachrichtenbl. Vorzeit.

Math. Naturwiss. Ber. Ungarn Mathematische und naturwissenschaftliche Berichte aus Ungarn. Leipzig.

R11.M39 Medical Journal and Record; a national review of medicine and surgery. New York.

Med. Klinik Med. School Medizinische Klinik; Wochenschrift für praktische Ärzte. (Berliner medizinische Gesellschaft.)

Med. Welt Medizinische Welt. Berlin. John Crerar; and Med. School

Meddel. Dansk. Geol. Foren. Meddelelser fra Dansk geologisk Forening. QE1.D3

Meddel. om Grønland G743.D4 Meddelelser om Grønland. Udgivne af Kommissionen for videnskabelige Undersøgelser i Grønland. København.

Mem. Acad. Cien. Art. Barcelona AS302.A405 Memorias de la Real Academia de ciencias y artes de Barcelona.

Mem. Accad. Ital. Cl. Sci. Fis., Mat. Nat.

Memoria della Reale Accademia d'Italia.

Classe di Scienze fisiche matematiche
e naturali. Rome.

n. Accad. Lunigian., Capellini John Crerar L570.6501 Accademia Lunigianese di scienze "Giovanni Capellini." Memoire. (= Società Lunigianese "G. Capellini" per la storia naturelle della regione.) Mem. Accad. Lunigian., Capellini Spezia.

QE276.A6 Mém. Com. Géol. Leningrad Mémoires du Comité Géologique (= Trudy. Geologicheskii Komitet). Lenin-

GN835.A1A3 Mem. Com. Invest. Pal. Madrid Comisión de investigaciones paleontológicas y prehistóricas. Memorias. Museo Nacional de Ciencias Naturales. Madrid.

Mem. Geol. Surv. China Memoirs of the Geological Survey of China. Peiping. QE294.A5

QE295.A36 Mem. Geol. Surv. India Memoirs of the Geological Survey of India. Calcutta.

QH7.152 Mem. Inst. Catalana Hist. Nat. Memòries de la Institucio Catalana d'historia natural. Barcelona. Mem. Inst. Geol. Shanghai **QE1.A3** Academia sinica. National Research Institute of geology. Memoirs. [Title varies: Nos. 1-8, National Research Institute of China. Memoir of the Institute of Geology. At head of title: Academia Sinica. The name, "National Research Institute" has been officially changed (Dec. 1, 1929) to Academia Sinica.l Mém. Inst. Géol. Univ. Louvain.

Mémoires de l'Institut Géologique de l'Université Catholique de Louvain. QE1.L6 Mem. Ist. Geol. Univ. Padova Memorie dell'Istituto geologico della R. Università di Padova. fQE755.I8P3 Mem. Mus. Comp. Zool. Harvard QL1.H35 Memoirs of the Museum of Comparative Zoology at Harvard College. Cambridge, Mass. Mém. Mus. Hist. Nat. Belg. fQH3.B72 Mémoires du Musée royal d'Histoire Naturelle de Belgique. Brussels. Mem. Nat. Acad. Sci. Wash. Q11.N24 Memoirs of the National Academy of Sciences. Washington, D. C. Cat. by author Mem. Peabody Mus. Memoirs of the Peabody Museum of Natural History, Yale University, New Haven. Mem. Proc. Manchester Lit. Philos. Soc. Q41.M3 Memoirs and Proceedings of the Manchester Literary and Philosophical Society. Mem. Queensland Mus. O93.B72 Memoirs of the Queensland Museum. Brisbane. Mém. Soc. Biogéog. Mémoires de la Société de Biogéographie. QH84.S7 Mem. Soc. Españ. Hist. Nat. QH7.S59 Memorias de la Real Sociedad Española de historia natural. Madrid. Mém. Soc. Géol. France QE1.S63 Mémoires de la Société géologique de France. Mém. Soc. Géol. Nord Cat. by author Société géologique du Nord. Mémoires. Lille. Mém. Soc. Nat. Kiew. QH7.O2 Mémoires de la Société des Naturalistes de Kiew (= Universitet Sv. Vladimira. Obshchestvo estestvoispytalelei. Zapiski). Kief. QE701.S3 Mém. Soc. Pal. Suisse Mémoires de la Société paléontologique suisse. [See: Abh. Schweiz. Pal. Ges.] Mém. Soc. Roy. Sci. Bohême Mémoires de la Société royale des Sciences de Bohême, classe des sciences, (= Věstník, Královské České Společnosti Nauk. Třida Matematicko-Přírodvědecká). Prague. Mém. Soc. Roy. Sci. Liège Q56.L5 Mémoires de la Société royale des Sciences de Liège. Mém. Soc. Russ. Minéral. QE351.M6 Mémoires de la Société Russe de Minéralogie (= Mineralogicheskoe obshchestyo, Zapiski). Mem. Univ. Calif. AS36.C3 Memoirs of the University of California. Berkeley. Mem. Univ. Mich. Mus. Pal. Cat. by author University of Michigan Studies. Memoirs of the University of Michigan Museums. Museum of Paleontology. Ann Arbor. Mem. Univ. Wash. Q11.W26

Memoirs of the University of Washington. Seattle.

Mensch en Maatschappij. [Subtitle:] Tweemandelijksch tijdschrift voor anthropologie, psychologie, erfelijkheidsleer, eugenetiek, praehistorie, ethnologie, sociographie, sociologie, criminologie, ethiek en rechtsphilosophie. Gro-

H8.M4

Mensch en Maatsch.

ningen.

Mentor
The Mentor-World Traveler. New York City.

AP2.M38

Mercedes (Montevideo)
Harvard
Mercedes ilustrado (= Uruguay ilustrado; revista quincenal). Montevideo.

Mijningenieur U. S. Geol. Surv.

De Mijningenieur; maandblad voor mijnbouw en geologie in Nederland en
Koloniën. Bandoeng.

Minist. Agric. Industr. Comm., Serv. Geol. Min., Brasil, Bol. QE235.A33 Ministerio da Agricultura, Industria e Commercio. Serviço geológico e mineralógico do Brasil. Boletim. Rio de Janeiro.

Mitt. Anthrop. Ges. Wien

GN2.A8

Mitteilungen der anthropologischen Gesellschaft in Wien. [The "Sitz.-Ber." is included.]

Mitt. Badischen Geol. Landesanst. QE269.B3
Mitteilungen der grossherzoglich badischen geologischen Landesanstalt. Freiburg im Breisgau.

Mitt. Badischer Landesver. Naturk. Naturschutz. Acad. Nat. Sci. Phila. Mitteilungen der badischer Landesverein für Naturkunde und Naturschutz, Freiburg im Breisgau.

Mitt. Deutsche Entomol. Ges.

QL461.D44

Mitteilungen der deutsche entomologische Gesellschaft. Berlin.

Mitt. Geol. Ges. Wien QE1.G58
Mitteilungen der geologische Gesellschaft in Wien.

Mitt. Geol. Pal. Inst. Univ. Greifswald John Crerar 550.7337 Mitteilungen aus dem geologisch-palaeontologischen Institut der Ernst-Moritz-

Arndt-Universität, Greifswald.

Mitt. Geol. Pal. Inst. Univ. Halle

Matthew

Mitteilungen aus dem geologischen palaeontologischen Institut der Universität

Halle, a. S. [Collected papers written at the University of Halle, consisting

of handstamped reprints from the scientific journals.]

Mitt. Höhlen. Karstf.
GB601.M5
Mitteilungen über Höhlen- und Karstforschung; Zeitschrift des Hauptverbandes
deutscher Höhlenforscher.

Mitt. Vogtländ. Ges. Naturk., Plauen.

not seen

Mitt. Württemberg Nat.-Samml. Stuttgart

Lib. Congr. Mitteilung aus der Württemberg Naturaliensammlung in Stuttgart (= Mitteilungen aus dem königlichen Naturalien-Kabinet zu Stuttgart). [The collected papers of the authors connected with the Stuttgart Museum. The papers are reprints from other journals.]

Monatsschr. Württemberg

not seen

Monist. Monatsh. not seen Monistische Monatshefte (Deutscher Monistenbund). Munich.

Monit. Zool. Ital. QL1.M56
Monitore Zoologico Italiano ... Organo della Società di Anatomia ... Firenzi.
[Subtitle:] Pubblicazioni Italiane di zoologia, anatomia, embriologia.

Monog. Geol. Dept. Hunterian Mus.

QE1.G698
Monographs of the Geological Department of the Hunterian Museum, Glasgow
University.

Monog. Geol. Pal. Cat. by author Monographien zur Geologie und Palaeontologie. Berlin und Leipzig.

Monog. Serv. Geol. Min. Brasil

Lib. Congr. QE235.A27

Monographias do Serviço Geólogico e Mineralógico do Brasil. Rio de Janeiro.

Montpellier Méd. John C Montpellier médical. Journal mensuel de médecine. Montpellier.

Morphol. Jahrb. QL801.G3

Gegenbaurs morphologisches Jahrbuch. Leipzig.

München Med. Wochenschr.

Münchener medizinische Wochenschrift. Organ für amtliche und praktische Ärzte (= Jahresbericht des Aerztlichen Vereins zu Frankfurt a M. München).

32 BIBLIOGRAPHY OF FOSSIL VERTEBRATES, 1928–1933 AM1.M7 Mus. Jour., London The Museums Journal: the organ of the Museums Association. London. Mus. News Matthew The Museum News, (Publ. Amer. Assoc. Museums). New York City. Mus. Notes, Art. Hist. Sci. Assoc., Vancouver.

Museum and Art Notes. Issued by the Art, Historical and Scientific Association of Vancouver, B.C., in the interest of the City Museum and Art Gallery. Mus. Notes, Mus. N. Ariz. F806,M97 Bancroft Museum Notes of the Museum of Northern Arizona. Flagstaff. Mus. Sci. Soc. Nation. Period Les musées scientifiques (Société de Nations). Informations Mensuelles. (= Scientific Museums. Monthly information. League of Nations. International Institute of Intellectual Cooperation.) Paris. N. Y. Eve. Post Stacks; and Lib. Congr. Z1219.E93 New York Evening Post. New York City. N. Y. Herald-Tribune Stacks The New York Herald Tribune, New York City. N. Y. State Mus. Circular Matthew New York State Museum, Albany. Circulars. N. Y. State Mus., Handbook Matthew New York State Museum, Albany. Handbooks. N. Y. Times Stacks The New York Times, New York City. Nachrichtenbl. Rhein. Heimatpfl. GB608.49.S9 Nachrichtenblatt für rheinische Heimatpflege. [Title page:] Nachrichtenblatt für rheinische Heimatpflege. Organ für Heimatmuseen, Denkmalpflege, Archivberatung, Natur- und Landschaftschutz. Düsseldorf. Nachrichtenblatt der Gesellschaft für deutsche Vorgeschichte, "Beiblatt zum Mannus, Zeitschrift fur Vorgeschichte" (= Nachrichtenblatt für Vorzeit). Leipzig. [See also: Mannus.] Nat. Canadien QH3.N3 Le Naturaliste Canadien. Quebec. Nat. Hist. QH1.N3 Natural History; the journal of The American Museum [of Natural History] (= Amer. Mus. Jour.). New York City. Nat. Hist. Central Asia Natural History of Central Asia. Central Asiatic Expedition of the American Museum of Natural History. Nat. Hist. Mag. QH1.N32 Natural History Magazine (British Museum of Natural History). London. Nat. Siciliano QH7.N38 Il Naturalista Siciliano. Organo della Società Siciliana di Scienze naturali. Palermo. Nation. Geog. Mag. G1.N3 The National Geographic Magazine. Washington, D. C. Nation, Res. Council, Repr. Circ. Ser. D. C. Natur u. Mus.

Q11.N3 Reprint and Circular Series of the National Research Council. Washington,

[See: Ber. Senck. Naturf. Ges.]

Natura, Riv. Sci. Nat. QH7.N33 Natura; rivista di scienze naturali, edita dalla Società Italiana di scienze naturali. Milano.

Lib. Congr. QH1.N416 The Naturalist: a monthly journal of natural history for the north of England. London.

Q1.N2

Nature; a weekly illustrated journal of science. London.

Nature Mag. Nature Magazine. New York. QH1.N54

aturen Q4.N17 Naturen. Illustreret Månedsskrift for populaer Naturvidenskap; utgit av Bergens Museum.

Naturens Verden. Copenhagen.

Smithson. Instn.

Naturforscher

Der Naturforscher. Berlin.

Q3.N4

Naturschutz McGill Univ. Naturschutz; Zeitschrift für Naturdenkmalpflege und verwandte Bestrebungen, insbesondere für Vogelschutz. Berlin.

Naturwiss.

Die Naturwissenschaften. Wochenschrift für die Fortschritte der Naturwissenschaft. Berlin.

Naturwiss. Monatsh.

Naturwissenschaftliche Monatshefte für der biologischen, chemischen, geographischen und geologischen Unterricht. I-XII Band. Leipzig und
Berlin: B. G. Teubner.

Natuur en Techniek Amer. Mus. Natuur en teckniek. Geillustreerd populair-wetenschappelijk maandblad. Amsterdam.

Natuurhist. Maandbl. Lib. Congr. QH7.N28 Natuurhistorisch Maandblad (Natuurhistorisch genootschap in Limburg). Maastricht.

Nautilus QL401.N3
The Nautilus. A quarterly devoted to the interests of conchologists. Philadelphia.

Neues Jahrb. Min. Geol. Pal.

Neues Jahrbuch für Mineralogie, Geologie, und Paläontologie. Stuttgart.

Abteilung A: Centralblatt, (short papers); Abteilung B: Beilage Band, (long papers). [The "Referate" (3 parts) is the abstract journal of the earth sciences. The "Sonderabdruck" is issued occasionally for long papers and monographs. The "Geol. Pal. Zentralblatt" is published under other auspices.]

New Republic Stacks AQ.N65
The New Republic. A journal of opinion. New York City.

New Zealand Geol. Surv.

New Zealand Geological Survey: 1. Annual Reports. 2. Geological Bulletins (QE342.A3). 3. Palaeontological Bulletins (QE758.N6). Wellington.

New Zealand Jour. Sci. Technol. Q1.N5
New Zealand Journal of Science and Technology. Wellington.

Norsk Geol. Tidsskrift QE1.N6 Norsk Geologisk Tidsskrift. Utgit av Norsk geologisk Forening. Oslo.

Northwest Science Q1.N6
Northwest Science. Northwest Scientific Association. Cheney, Wash.

Notas Prelim., Mus. La Plata Period. Notas Preliminares del Museo de La Plata (La Plata Universidad Nacional).

Notizbl. Ver. Erdk.

Notizblatt des Vereins für Erdkunde und der hessischen geologischen Landesanstalt zu Darmstadt.

G13.V4

Nova Acta Acad. Leop.-Carol. [See: Acta Acad. Leop.-Carol.]

Nova Acta Reg. Soc. Sci. Upsal.

Nova Acta Regiae Societatis Scientiarum Upsaliensis ( = K. Vetenskaps-Societeten i Upsala).

Novit. Zool. QL1.N7
Novitates Zoologicae. Zoological Museum, Tring.

Nuova Rassegna di Odontoiatria. Rome.

N. Y. Acad. Med.

Orgaan der Club van Nederlandsche Vogelkundigen.

Ohio Journal of Science. Ohio State University at Columbus. ( = Ohio

Q1.05

QL671.C6

Ohio Jour. Sci.

Naturalist.) Orgaan Club Ned. Vogelkund.

QL671,074 Ornithol. Monatsber. Ornithologische Monatsberichte. Berlin. Our Garden Lib. Congr. SB403.08 Our Garden Journal. New York. Pacific Dent. Gaz. Bancroft; and John Crerar 617.6051.P11 Pacific Dental Gazette; and Journal of the Southern California State Dental Association. San Francisco. Amer. Mus.; and Univ. Mich. Palaeontologica Hungarica. Budapest. QE701.I5 Pal. Indica. Palaeontologica Indica. Publications of the Geological Survey of India. Calcutta. Pal. Navors. Nasion. Mus. Bloemfontein Matthew Paleontologiese Navorsing van die Nasionale Museum, Bloemfontein. QE756.C6A4 Pal. Sinica. Palaeontologica Sinica. Publications of the Geological Survey of China. Peiping. Pal. Soc. Monog. London Palaeontographical Society Monographs. London. Cat. by author QE701.P3 Palaeontologische Zeitschrift. Organ der palaeontologischen Gesellschaft. Berlin. QE701.P34 Pal. Zentralbl. Palaeontologisches Zentralblatt (= Geologisches Zentralblatt, Abt. B., q.v. from 1932 to date). Palaeobiol. QE701.P23 Palaeobiologica. Wien und Leipzig. QE701.P28 Palaeontogr. Palaeontographica. Beitrage zur Naturgeschichte der Vorzeit. Stuttgart. QE701.P25 Palaeontogr. Ital. Palaeontographica Italica. Siena. QE1.P3 Pan-American Geologist. Des Moines, Iowa. Papers Mich. Acad. Sci. AS36.M5A4 Papers of the Michigan Academy of Science, Arts and Letters. Ann Arbor. QE135.A44 Papers Nebr. Geol. Surv. Papers of the Nebraska Geological Survey. Lincoln. Papers Proc. Roy. Soc. Tasmania Q93.H6 Papers and Proceedings of the Royal Society of Tasmania. Hobart. Peabody Mus. Nat. Hist., Special Guide Matthew The Peabody Museum of Natural History. Yale University. New Haven, Conn. Special Guides. Peabody Mus. Papers. E51.H4 Peabody Museum Papers. Harvard University, Cambridge, Mass. Peking Leader Reprints not seen Peking Nat. Hist. Bull. QH1.P4 Peking Natural History Bulletin. Petermanns Mitt. Petermanns Mitteilungen. Aus Justus Perthes' geographischer Anstalt. Gotha. Pharmaceut. Tijdschrift. Ned.-Indië Univ. Wis. Pharmaceutisch Tijdschrift voor Nederlandsch-Indië. Weltevreden

The London, Edinburgh and Dublin Philosophical Magazine and Journal of Science.
Philos. Trans. Roy. Soc. London Philosophical Transactions of the Royal Society of London.  Q41.L842
Physiol. Zool.  Physiological Zoology; a quarterly journal of zoological research. Chicago.
Physis. Revista de la Sociedad Argentina de ciencias naturales. Buenos Aires.
"Positivismo" Lib. Congr. Positivismo (Comité positivisata argentino). Buenos Aires.
Potfüz. Természettud. Lib. Congr. Q44.B932
Potfüzetek a Természettudományi Közlönzhöz (= Királyi Magyar Termés-
zettudományi társulat). Budapest.
Praehist. Zeit.  GN700.P7  Praehistorische Zeitschrift im Auftrage der berliner und der deutschen Gesellschaft für Anthropologie, Ethnologie und Urgeschichte, Berlin.
Precis Peterborough Nat. Hist. Soc.  Peterborough Natural History, Scientific and Archaeological Society, Peterborough, England. Precis of the Annual Report.
Préhist. GN700.P75 Préhistoire. Paris.
Příroda (Brno) Amer. Mus.
Příroda. Illustrovaný mésićink přirodovédecký a časopis pro vyučovani přirodovědné. (Brünn.)
Priroda (USSR) Q4.P7 Priroda. Popularynyi estestvenno-istoricheskii zhurnal. (Publ. Akad. Nauk. USSR. Leningrad.)
Prirod. Razprav.  Prirodoslovne Razprave Mus. Društva (Ljubljana, Yugoslavia). [Supersedes: Muzejsko društvo za slovenijo. Glasnik, Ser. B = Muzejsko društvo az slovenijo Prirodoslovna sekcija.]
Problems Soviet Geol.  Problems of Soviet Geology (= Problemy Sovetskaia Geologiia = Problems of Geology of USSR.).
Proc. Acad. Nat. Sci. Phila. QH1.A32
Proceedings of the Academy of Natural Sciences of Philadelphia.
Proceedings of the Academy of Natural Sciences of Philadelphia.  Proc. Amer. Acad. Arts Sci.  Proceedings of the American Academy of Arts and Sciences. Boston.
Proc. Amer. Acad. Arts Sci.  Proceedings of the American Academy of Arts and Sciences.  Proc. Amer. Philos. Soc.  Q11.B7  Q11.B7  Q11.P46
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash.  QH1.B45
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist.  QH1.B45 QH1.B63
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist. Proceedings of the Boston Society of Natural History.  Proc. Calif. Acad. Sci. Q11.B7 Q11.P46 QH1.B45 QH1.B63
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist. Proceedings of the Boston Society of Natural History.  Proc. Calif. Acad. Sci. Proceedings of the California Academy of Sciences. San Francisco.  Proc. Colo. Mus. Nat. Hist. QH1.B63 QH1.C29 QH1.C29
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist. Proceedings of the Boston Society of Natural History.  Proc. Calif. Acad. Sci. Proceedings of the California Academy of Sciences. San Francisco.  Proc. Colo. Mus. Nat. Hist. Proceedings of the Colorado Museum of Natural History.  Proc. Colo. Sci. Soc.  Q11.P46 QH1.B45 QH1.B63 QH1.C29 QH1.C29 QH1.C7
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist. Proceedings of the Boston Society of Natural History.  Proc. Calif. Acad. Sci. Proceedings of the California Academy of Sciences. San Francisco.  Proc. Colo. Mus. Nat. Hist. Proceedings of the Colorado Museum of Natural History. Denver.  Proc. Colo. Sci. Soc. Colorado Scientific Society. Proceedings. Denver.
Proc. Amer. Acad. Arts Sci. Proceedings of the American Academy of Arts and Sciences. Boston.  Proc. Amer. Philos. Soc. Proceedings of the American Philosophical Society. Philadelphia.  Proc. Biol. Soc. Wash. Proceedings of the Biological Society of Washington [D. C.]  Proc. Boston Soc. Nat. Hist. Proceedings of the Boston Society of Natural History.  Proc. Calif. Acad. Sci. Proceedings of the California Academy of Sciences. San Francisco.  Proc. Colo. Mus. Nat. Hist. Proceedings of the Colorado Museum of Natural History.  Proc. Colo. Sci. Soc.  Q11.P46 QH1.B45 QH1.B63 QH1.C29 QH1.C29 QH1.C7

Proc. Fourth Congr. Zoolog. Anatom. Histolog. Kiev. [See: Proc. Third Congr. Russ. Zoolog. Anatom. Histolog.]	QL1.V8
	Q101.P4 indoeng,
	E1.G455
	QE1.G65
Proc. Imp. Acad. Tokyo Proceedings of the Imperial Academy of Tokyo.	Q77.T6
Proc. Indian Sci. Congr. Proceedings of the Seventeenth Indian Science Congress. Allahabad	
Proceedings of the Indiana Academy of Science. Indianapolis.	Q11.I45
Proc. Internat. Congr. Americanists Proceedings of the Twenty-Third International Congress of Ameri New York City.	E51.I6 icanists.
Proc. VII. Internat. Ornithol. Congr. Proceedings of the VIIth International Ornithological Congress at Amerin 1930.	L671.I7 sterdam
Proc. Iowa Acad. Sci. Proceedings of the Iowa Academy of Science. Des Moines.	Q11.I5
	S122.L35 Section.
Proc. Linn. Soc. London Proceedings of the Linnean Society of London.	QH1.L6
Proc. Linn. Soc. N. S. W. Proceedings of the Linnean Society of New South Wales. Sydney.	QH1.L68
Proc. Liverpool Geol. Soc. Proceedings of the Liverpool Geological Society.	QE1.L54
Proc. Nation. Acad. Sci. Proceedings of the National Academy of Sciences of the United States of A Washington, D. C.	Q11.N26 merica.
Proc. New England Zoöl. Club Proceedings of the New England Zoölogical Club Cambridge, Mass.	QL1.N36
Proceedings of the Ohio Academy of Science. Columbus.	Q11.O34
Proc. Oklahoma Acad. Sci. Proceedings of the Oklahoma Academy of Science (= Univ. Oklahoma Bu Norman.	Q11.O4 ulletin).
Proc. Pan-Pac. Sci. Congr., Australia, 1923 Proceedings of the Pan-Pacific Science Congress. Australia, 1923.	Q101.P4
Proc. Prehist. Soc. East Anglia Proceedings of the Prehistoric Society of East Anglia.	DA20.P7
Proc. Rhod. Sci. Assoc. Proceedings of the Rhodesia Scientific Association. Bulawayo.	Q85.R4
Proc. Rochester Acad. Sci. Proceedings of the Rochester Academy of Science. Rochester, New	Q11.R6 v York.
Proc. Roy. Instn. Gt. Brit. Proceedings of the Royal Institution of Great Britain. London.	Q41.L7
Proceedings of the Royal Irish Academy. Section B. Dublin.	122.R58
Proceedings of the Royal Physical Society of Edinburgh.	QH1.R7
Proc. Roy. Soc. Edinburgh Proceedings of the Royal Society of Edinburgh.	Q41.E4
Proc. Roy. Soc. London Proceedings of the Royal Society of London.	41.L844

Proc. Roy. Soc. Victoria Q93.M5 Proceedings of the Royal Society of Victoria. Melbourne.
Proc. Sect. Sci., Akad. Wet. Amsterdam Proceedings of the Section of Sciences. Koninklijke Akademie van Wetenschappen te Amsterdam. (= Afdeeling Natuurkunde.)
Proc. Soc. Antiquar. Scot.  Proceedings of the Society of Antiquaries of Scotland. Edinburgh.
Proc. Staten Island Inst. Arts, Sci. Proceedings of the Staten Island Institute of Arts and Sciences.  Q11.S9
Proc. Third Congr. Russ. Zoolog. Anatom. Histolog. Leningrad QL1.V8 Proceedings of the Third Congress of the Russian Zoologists, Anatomists and Histologists in Leningrad, December 14-20, 1927 (= Vserossiiskii S'ezd Zoologov, Anatomov i Gistolov). Leningrad, 1928.
Proc. Third Pan-Pac. Sci. Congr. Q101.P4 Proceedings of the Third Pan-Pacific Science Congress, Tokyo (1926).
Proc. U. S. Nation. Mus. Q11.U56 Proceedings of the United States National Museum. Washington, D. C.
Proc. Utah Acad. Sci.  Proceedings of the Utah Academy of Sciences [Arts and Letters]. Salt Lake City.
Proc. W. Virginia Acad. Sci. Q11.W45 Proceedings of the West Virginia Academy of Science [Incorporated in the Bulletin of the University of West Virginia]. Morgantown.
Proc. Yorkshire Geol. Soc.  Proceedings of the Yorkshire Geological Society. Leeds.
Proc. Yorkshire Philos. Soc.  Proceedings of the Yorkshire Philosophical Society. York. [Bound with the Annual Report of the Society.]
Proc. Zool. Soc. London  Proceedings of the general meetings for scientific business of the Zoological Society of London.
Propyläen Weltgeschichte D20.P75 Case B Propyläen Weltgeschichte. Der Werdegang der Menscheit in Gesellschaft und Staat, Wirtschaft und Geistesleben; Wilhelm Goetz, Ed.
Pubbl. Staz. Biol. San Bartolomeo QH301.S25 Pubblicazioni della stazione biologica in San Bartolomeo, Cagliari.
Publ. Carnegie Instn. Wash.  Publications of the Carnegie Institution. Washington, D. C.  AS32.C3
Publ. Field Mus. Geol. Ser.  Publications of the Field Museum of Natural History. Chicago. Geological Series.
Publ. Kentucky Geol. Surv. QE115.A7 Publications of the Kentucky Geological Survey. Frankfort.
Publ. Inst. Internat. Anthrop.  Publications. Institut international d'anthropologie, Paris.  Cat. by author
Publ. Los Angeles Mus.  Publications of the Los Angeles Museum of History, Science and Art. Science Series—Paleontology.
Publ. Mus. Antrop. Etnog. Buenos Aires Publicaciones del Museum antropológico. Buenos Aires. Universidad Nacional. Facultad de filosofía y letros.
Publ. Mus. "Florentino Ameghino" not seen Santa Fé, Argentina.
Publ. Mus. Hist. Nat. Paris Publications du Muséum National d'Histoire Naturelle. Paris.  QH3.P3
Publ. Univ. Zool. Mus. Køb. Publikationer fra Universitetes Zoologiske Museum, København
Quarry U. S. Geol. Surv. Quarry London.

Quart. Jour. Geol. Min. Met. Soc. India QE1.G425 The Quarterly Journal of the Geological, Mining and Metallurgical Society of India. Calcutta.
Quart. Jour. Geol. Soc. London Quarterly Journal of the Geological Society of London.  QE1.G5
Quart. Journal of Microscopical Science. London.  QH201.Q3  Quarterly Journal of Microscopical Science. London.
Quart. Rev. Biol. QH301.Q7
The Quarterly Review of Biology. Baltimore.  Quart. Statement, Palestine Explor. Fund  Palestine Exploration Quarterly, embodying the Quarterly Statement of the Palestine Exploration Fund and the Bulletin of the British School of Archaeology in Jerusalem. [Title varies.]
Quid Novi not seen Quid Novi. Revista de las Asociaciones de Ex-Alumnas y Padres de la Escuela Normal no. 2. Rosario, Argentina.
R. Accad. Ital. Fondaz. Alessandro Volta Period. R. Accademia d'Italia, Rome. Fondazione Alessandro Volta. Atti dei convegni.
Rad (Zagreb)  Rad. Jugoslavenske Akademije znanosti i umjetnosti, (Zagreb).  AS142.J768
Radioforedrag. not seen [Published in Oslo.]
Rec. Albany Mus.  Records of the Albany Museum, Grahamstown, South Africa.  QH71.A5A4
Rec. Austral. Mus. Records of the Australian Museum. Sydney.  QH1.A85
Rec. Geol. Surv. Formosa not seen Records of the Geological Survey of Formosa. Taihoku.
Rec. Geol. Surv. India QE295.A37 Records of the Geological Survey of India. Calcutta.
Reclams Universal Bibliothek Calif. State and Lib. Congr. Reclams Universal Bibliothek. Leipzig.
Recueil Inst. Zool. Torley-Rousseau QL1.B75 Recueil de l'Institut zoologique Torley-Rousseau. Université Libre. Brussels.
Recueil Not. Mém. Soc. Archéol. Constantine DT271.S6 Recueil des notices et mémoires de la Société archéologique, historique et géographique du Departement de Constantine.
Rend. Accad. Sci. Napoli  Rendiconto dell'Accademia delle Scienze, fisiche e matematiche (Classe della Società Reale di Napoli). Napoli.
Rept. Austral. Assoc. Adv. Sci. Q93.A8 Australian Association for the Advancement of Sciences. Reports (= Reports of the Australian, New Zealand Association for the Advancement of Science).
Rept. Brit. Assoc. Adv. Sci. Q41.B8 Report of the British Association for the Advancement of Science. London.
Rept. Princeton Univ. Exped., Patagonia Q115.P8 Reports of the Princeton University Expeditions to Patagonia, 1896–1899. Princeton and Stuttgart.
Rev. Anthrop.  Revue anthropologique. Organ de l'Institute international d'anthropologie.  Paris.
Rev. Chileña Hist. Nat.  Revista chileña de historia natural pura y applicada. Valparaiso.
Rev. Gén. Sci. Q2.R37 Revue générale des sciences pures et appliquées. Paris.
Rev. Géol. Liège QE1.R4  Revue de géologie et des sciences connexes. Liège.

Rev. Med. Veterinar. Agric. Ref. Revista de medicina veterinaria. Buenos Aires. Rev. Mondiale 802cLa Revue mondiale. Ancienne Revue des Revues. Encyclopédie de Quinzaine. Rev. Mus. La Plata Revista del Museo de La Plata. (La Plata. Universidad Nacional.) Buenos Aires. Rev. Mus. Paulista Q33.S4 Revista do Museu Paulista. São Paulo, Brazil. Rev. Neurol. RC321.R42 Revue neurologique, Paris. [1900-38, official organ of the Société de neurologie de Paris.] Rev. Questions Sci. Revue des Questions Scientifiques. Publiée par la Société scientifique de Bruxelles. Rev. Sci., Moulins QH3.R48 Revue scientifique du Bourbonnais et du Centre de la France (Organe de la Société scientifique du Bourbonnais et du centre de la France). Moulins. Rev. Sci. Paris Q2.R4 Revue scientifique, Paris. Rev. Soc. Amigos Arqueol. Period. Revista de la Sociedad Amigos de la Arqueologia. Montevideo. Rev. Soc. Cien. Paraguay Lib. Congr. Revista. Sociedad cientifica de Paraguay. Rev. Suisse Zool. QL1.R36 Revue suisse de Zoologie. Annales de la Société zoologique suisse et du Muséum d'Histoire Naturelle de Genève. Rev. Univ. Lyon AS162.L96 Revue de l'Université de Lyon. Rev. Univ. Nacion. Córdoba Period. Revista Universidad Nacional. Córdoba, Argentina. GN1.R7 Riv. Antrop. Rivista di Antropologia. Atti della Società Romana di Antropologia. Roma. Univ. Chicago. Rivista di Bergamo, Bergamo, Italy. Riv. Biol. QH301.R5 Rivista di Biologia. Rome. Riv. Ital. Pal. QE701.R6 Rivista Italiana di Paleontologia. Pavia. Roczniki Nauk, Leśnych S414.R6 Roczniki Nauk Rolniczych i Leśnych. Organ Towarzystwa Popierania Polskiej Nauki Rolnictwa i Leśnictwa (= Polish Agricultural and Forest Annual). Poznań. QH301.A6 Roux' Arch. Entwick.-Mech. Roux' Archiv für Entwicklungsmechanik der Organismen. Berlin. Roy. Soc., Obit. Notices of Fellows Q41.L8427 Royal Society of London. Obituary notices of Fellows of the Royal Society. Rozp. Stat. Geol. Českosl. Republ. Rozpravy Státniho geologického ustavu Československé Republiky. Praze. Ruskii Arch. Anat. Ruskii Archiv. Anatomii, Histologii, i Embriologii (= Archives russes d'anatomie, d'histologie et d'embriologie). Period. Russ. Anthrop. Jour. Russkii antropologischeskii zhurnal. Journal russe anthropologique. Moscow. Hydrobiol. Russische hydrobiologische Zeitschrift, herausgegeben an der biologischen Wolga (= Russkii gebrobiologischeski zhurnal). Saratov. QH301.S87 S. African Biol. Soc.

South African Biological Society. Pretoria.

QH1.S5

F868.S5S5

Sierra Club Bull.

The Sierra Club Bulletin. San Francisco.

S. African Jour. Nat. Hist. The South African Journal of Natural History; being the official organ of the South African Biological Society with which is incorporated the Journal of the South African Ornithologists' Union. Pretoria. Q85.S6 S. African Jour. Sci. South African Journal of Science (= Report of the South African Association for the Advancement of Science). Johannesburg. S. China Morning Post not seen Sat. Eve. Post Stacks AQ.S21 The Saturday Evening Post. Philadelphia. Sbornik Klub Přírod. Brně Amer. Mus. Klub přírodovědecki v Brně. Sbornik (= Zbornik). Lib. Congr. QH7.P7 Sbornik. Přírod. Společ. Mor. Sbornik Přírodevedecka společnost v moravske, Ostravě. Schrift. Königsberg Geleherte Ges., Nat. Kl. Cat. by author. Königsberger geleherte Gesellschaft, naturwissenschaftliche Klasse. Schriften. QH5.N26 Schrift. Naturf. Ges. Danzig Schriften der naturforschenden Gesellschaft in Danzig. Schrift. Physik-Ökonom. Ges. Königsberg. Q49.K7 Schriften der physikalisch-ökonomischen Gesellschaft zu Königsberg i. Pr. Schwarzwald not seen Aus dem Schwarzwald. Stuttgart. T1.S5 Scientific American. New York City. Sci. Monthly Q1.S5 Scientific Monthly. New York City. Q1.S42 Sci. News Letter Science News Letter. Washington, D. C. Sei. Proc. Roy. Dublin Soc. Q41.D79 Scientific Proceedings of the Royal Dublin Society. Q1.S44 Science Progress. A quarterly journal of scientific work and thought. London. Q1.S33 Science Science. New York City. Scientia Q4.S4 "Scientia," (Rivista di scienza). Rivista internazionale di sintesi scientifica [etc.]. Bologna. Scottish Geog. Mag. G1.S4 The Scottish Geographical Magazine. Edinburgh. QL1.S3 Scottish Naturalist. A magazine devoted to Zoology. Edinburgh and London. Scottsbluff [Nebr.] Daily Star-Herald. North Platte Valley Edition. Matthew. Scritti Biol. QM1.S3 Scritti Biologica. (Siena.) Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. 1, Human Pal. (Pres. Sir A. Woodward) N. Y. Lib. Sectional Proceedings of the First International Congress of Prehistoric and Protohistoric sciences. Section I. Human Paleontology. President, Sir Arthur Smith Woodward. London, 1932. Semana Médica Matthew; and Med. School. La Semana Médica. Buenos Aires. Senck. QH5.S37 Senckenbergiana. Wissenschaftliche Mitteilungen hrsg. von Senckenbergischen naturforschenden Gesellschaft in Frankfurt-am-M. Serv. Geol. Min. Brasil, Bol. cat. by author; and QE235.A33 Serviço Geólogico e Mineralógico do Brasil. Ministério da Agricultura Industria e Commercio.

Sinensia. Lib. Congr. QH1.M5; and QH1.S45 Sinensia; contributions from the National Research Institute of Biology, Academia Sinica. Nanking. Sitz.-Ber. Abh. Naturf. Ges. Rostock. Sitzungsberichte und Abhandlungen der naturforschende Gesellschaft zu Rostock. Sitz.-Ber. Akad. Wiss. Heidelberg AS182.H4 Sitzungsberichte der Heidelberger Akademie der Wissenschaften. Sitz.-Ber. Akad. Wiss. München. AS182.A656 Sitzungsberichte der mathematisch-naturwissenschaftliche Abteilung der bayerischen Akademie der Wissenschaften zu München. Sitz.-Ber. Akad. Wiss. Wien
Sitzungsberichte der mathematische-naturwissenschaftlichen kaiserlichen Akademie der Wissenschaften. Wien.

AS142.A66
Klasse der AS142.A66 Sitz.-Ber. Anthrop. Ges. Wien GN2.A8 [See: Mitt. Anthrop. Ges. Wien]. Sitz.-Ber. Ges. Naturf. Freunde QH5.G4 Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin. Sitz.-Ber. "Isis" Q49.D7 Sitzungsberichte und Abhandlungen der naturwissenschaftlichen Gesellschaft Isis in Dresden. Sitz.-Ber. Naturf. Ges. Dorpat Q60.D65 Sitzungsberichte der Naturforscher-Gesellschaft zu Dorpat (Tartu). Sitz.-Ber. Preuss. Geol. Landesanst. QE269.P75 [Part of each volume of: Jahrb. Preuss. Geol. Landesanst.] Skrift. Norsk. Videnskaps-Akad., Oslo (Math.-Nat. Kl.).

AS283.V57
Skrifter utgitt av det Norske Videnskaps-Akademi i Oslo. I. Matematisk-Naturvidenskapelig Klasse. Skrift, Svalbard og Ishavet Lib. Congr. Q115.N896 Skrifter om Svalbard og Ishavet. Norges Svalbard og Ishavs-Undersøkelser. Det Kongelige Departement for Handel, Sjøfart, Industri, Håndverk og Fiskeri, Oslo. Smithson. Misc. Coll. Smithsonian Miscellaneous Collections. Washington, D. C. Q11.S7 Q11.S78 Smithson. Sci. Ser. Smithsonian Scientific Series. Washington, D. C. GN2.S4 Soc. Españ. Antrop., Actas Mem. Sociedad española de antropologia, etnografía y prehistoria. Actas y memorias. Madrid. Soc. Neuchât. Sci. Nat., Bull. Société neuchâteloise des sciences naturelles. Bulletin. Q67.N4 Somerset. Archaeol. Nat. Hist. Soc., Proc. DA670.S49S6 Somersetshire Archaeological and Natural History Society. Proceedings during the year ... Taunton. Southwest Mus. Papers
Southwest Museum Papers. Los Angeles. F869.L8.L65 GB601.S7 Speläol. Monogr. Speläologische Monographien, hrsg. vom Speläologischen Institut der Bundes-höhlenkomission. Wien. [Contains: "Die Drachenhöhle bei Mixnitz."] AS346.S75 Srpska Kralevska Akad. Glas. Srpska Kralevska Akademija. Glas. (= Bulletin de l'Académie royale Serbe des sciences et des arts.) Belgrade. HD9569.S8S7 Standard Oil Bulletin. Published monthly by the Standard Oil Company (California). San Francisco.

Studi trentini di scienze naturali. Trento.
Sudeta not seen

Studi Trentini

Harvard: and Ohio Univ.

Summ. Prog. Geol. Surv. Gt. Brit. QE261.A4 Summary of Progress of the Geological Survey of Great Britain and the Museum of Practical Geology. Tanganyika Geol. Surv. Dept., Bull. Tanganyika Territory. Geological Survey Department, Bulletin. Dar es Taugungsber. Deutschen Anthrop. Ges. not seen Taugungsberichte der deutschen anthropologischen Gesellschaft. G1.T4 Terre, Air, Mer, La Géographie. [Succeeds "La Géographie," in 1931.] GH3.T4 Terre et Vie La Terre et la Vie (Société nationale d'acclimatation de France). Paris. The Grotonian not seen The Grotonian. Groton School (Mass.). Matthew The Pepper Pot The Pepper Pot. Casper, Wyoming. Thèses Fac. Sci. Paris Cat. by author Thèses présentées à la Faculté des Sciences de L'Université de Paris; pour obtenir le grade de Docteur es Sciences Naturelles. Tijdschrift Ned. Dierk. Ver. QL1.N33 Tijdschrift der Nederlandsche dierkundige Vereeniging. Leiden. Tôhoku Imp. Univ., Sci. Rept. Tôhoku Imperial University, Sendai, Japan. Science Reports. (2) Geology—Q77.S42; (4) Biology—Q77.S44. Trab. Soc. Port. Antrop. Etnol. Period. Trabalhos da Sociedade Portuguesa de Antropologia e Etnologia. Oporto. QH201.A5 Trans. Amer. Micros. Soc. Transactions of the American Microscopical Society. Buffalo. Trans. Amer. Philos. Soc. Q11.P47 Transactions of the American Philosophical Society, Philadelphia. Trans. Ill. Acad. Sci. Q11.I4 Transactions. Illinois State Academy of Science. Springfield. Trans. Jap. Jour. Geol. Geog. Transactions and abstracts of the Japanese Journal of Geology and Geography (National Research Council of Japan). Tokyo. Trans. Kansas Acad. Sci. Q11.K35 Transactions of the Kansas Academy of Science. Manhattan. Trans. Proc. New Zealand Inst. Q93.W4 Transactions and Proceedings of the New Zealand Institute. Wellington. [After 1936 becomes: Trans. Proc. Roy. Soc. New Zealand.] Trans. Proc. Perthshire Soc. Nat. Sci. Period. Transactions and Proceedings of the Perthshire Society of Natural Science. Perth. Trans. Proc. Roy. Soc. S. Austral. Transactions and Proceedings of the Royal Society of South Australia (incorporated). Adelaide. Trans. Roy. Canadian Inst. AS42.R62 Transactions of the Royal Canadian Institute. Toronto. Trans. Roy. Soc. Canada AS42, R67 Transactions of the Royal Society of Canada. Ottawa. Trans. Roy. Soc. S. Africa Q85.C22 Transactions of the Royal Society of South Africa. Cape Town. Trans. San Diego Soc. Nat. Hist. QH1.S3 Transactions of the San Diego Society of Natural History. Trav. Comm. Quat. Acad. Sci. URSS Period. Travaux de la Commission pour l'étude du Quaternaire. Leningrad. Trav. Inst. Géol. Acad. Sci. URSS QE1.A42 Travaux de l'Institut géologique de l'Académie des Sciences de l'URSS (= Trudy Instituta Geologicheskii Nauk). Leningrad.

LD777.C3

QE761.M3

AS36.C54

Trav. Inst. Pal. Acad. Sci. URSS QE701A5. Travaux de l'Institut paléozoologique de l'Académie des Sciences de l'URSS (= Trudy Paleozoologicheskii Instituta Akademia Nauk). Leningrad. Trav. Inst. Zool. Acad. Sci. URSS Travaux de l'Institut zoologique de l'Académie des Sciences de l'URSS (= Trudy Zoologicheskovo Instituta Akademia Nauk = Ann. Mus. Zool. Acad. Sci. URSS). Trav. Lab. Géol. Univ. Lyon QE1.L8 Travaux du Laboratoire de Géologie de la Faculté des Sciences de Lyon. Trav. Mém. Inst. Ethnol. Univ. Paris GN2.P3 Travaux et mémoires de l'Institut d'ethnologie. Université de Paris. Trav. Mus. Géol. Acad. Sci. URSS QE1.A42 Travaux du Musée géologique près l'Académie des Sciences de l'URSS (= Trudy Geologicheskii Muzei. Akademia Nauk = Trav. Inst. Geol. Acad. Sci. URSS). Trav. Soc. Roy. Sci. Bohême Travaux de la Société royale des Sciences de Bohême (= Abhandlungen der mathematisch-naturwissenschaftlichen Classe der königlich böhmischen Gesellschaft der Wissenschaften. Prague = Rozpravy královske Česke Společnost Nauk. Trídy Mathematicko-Přiřodvedečké). Prague. Tuttlinger Heimatblätter. U. S. Geol. Surv., Bull., Prof. Pap., Monog.
 United States Geological Survey Publications. Washington, D. C. 1. Bulletins—QE75.A4.
 Professional Papers—QE75.P6.
 Monographs— QE75.M6. Period. Ukranian Acad. Sci. Vseukrainska Akademiia Nauk. Prirodnicho-Tekhnichnii Viddel, Trudy (= Academie des Sciences d'Ukraine, Mémoires et Bulletin). Kief. 23.U6 Umschau Die Umschau. Wochenschrift über die Fortschritte in Wissenschaft und Technik. Frankfurt a. M. Union S. Africa, Geol. Surv., Mem.
Union of South Africa. Department of Mines and Industries. Geological
Survey. Memoirs. Pretoria. U. S. Geol. Surv. Univ. Bristol, Proc. Spelaeol. Soc. Spelaeological Society, Bristol, England. Proceedings. Univ. Calif. at Los Angeles, Fac. Res. Lectures Archives Calif. Press, Berkeley. 308C.b3

University of California at Los Angeles. Faculty Research Lectures. Univ.

Univ. Calif. Bull. University of California Bulletin. Berkeley.

Univ. Calif. Chronicle

University of California Chronicle. Berkeley. Univ. Calif. Publ. Amer. Archaeol. Ethnol. E51.C3
University of California Publications in American Archaeology and Ethnology. E51.C3

Berkeley.

Univ. Calif. Publ., Bull. Dept. Geol. Sci.
University of California Publications, Bulletin of the Department of Geological Sciences. Berkeley. 308P.Z8

Univ. Calif. Publ. Zool. University of California Publications in Zoology. Berkeley.

Univ. Calif. Syllabus Ser. University of California Syllabus Series. Berkeley.

685C.C53 Univ. Chicago Oriental Inst. Publ. The University of Chicago Oriental Institute Publications. Edited by James Henry Breasted. (Vol. 10 = Prehistoric survey of Egypt and Western Asia—Volume I.)

Univ. Colo. Studies University of Colorado Studies. Boulder. The University of Missouri Studies. A quarterly of research. Columbia.

AS36.M6A4

QE167.S4

QH1.V5

Q67.Z92

Univ. Missouri Studies

Univ. Texas Bull.

Victorian Nat.

The Victorian Naturalist. Melbourne. Vidensk. Meddel. Dansk. Naturhist. Foren.

Vierteljahrsschr. Naturf. Ges. Zurich

The University of Texas Bulletin. Austin. QE1.T6 Univ. Toronto Studies, Geol. Ser. University of Toronto Studies. Geological Series. N. Y. Acad. Med. Univers médical (Sereno). Paris. G1.U6 Universo L'Universo. Instituto geografico militare. Firenze. QH5.U6 Unsere Welt Unsere Welt. Illustrierte Zeitschrift für Naturwissenschaft und Weltanschauung. Bielefeld. QH301.V3 Vakbl. Biologen. Vakblad voor Biologen. Helder. Texas Univ. Věda Přírodní Věda přírodní měsičník pro šírění a pěstováni véd přírodnich (Československá botanická společnost) [and other societies]. Prague. QE266.A4 Verh. Geol. Bundesanst. Verhandlungen der geologischen Bundesanstalt. Wien. Verh. Geol.-Mijn. Genoot. Ned. Kol. QE1.G577 Verhandelingen van het geologisch-mijnbouwkundig genootschap voor Nederland en Koloniën. 's Gravenhage. Lib. Congr. GN2.G55 Verh. Ges. Phys. Anthrop. Verhandlungen der Gesellschaft für physische Anthropologie. Q67.B32 Verh. Naturf. Ges. Basel Verhandlungen der naturforschenden Gesellschaft in Basel. Verh. Phys.-Med. Ges. Wurzberg Q49.W82 Verhandlungen der physikalisch-medezinischen Gesellschaft zu Wurzberg (= Sitzungsberichte). Q67.S3 Verh. Schweiz. Naturf. Ges. Verhandlungen der schweizerischen naturforschenden Gesellschaft (= Actes de la Société helvétique des Sciences naturelles = Atti della Società elvetica di Scienze naturali). Aarau. Verh. Zool.-Bot. Ges. Wien OH5.Z65 Verhandlungen der kaiserlich-könglichen zoologische-botanisch Gesellschaft in Wien. Veröff. Geog. Seminars Tech. Hochschule, Stuttgart Cat. by author Veröffentlichungen geographisches Seminar. Technische Hochschule. Stutt-Veröff. Kriegs.- Konst.-Pathol. Cat. by author Veröffentlichungen aus der Kriegs -und Konstitutions-Pathologie. Veröff. Staatl. Stelle, Naturschutz, Württemberg, Landesamt Denkmalpflege QH5.V48 Veröffentlichungen der staatliche Stelle für Naturschutz beim Württemberg. Landesamt für Denkmalpflege. [Usually bound with Jahresh. Ver. Vaterländ. Naturk. Württemberg.] Věst. Stát. Geol. Českosl. Republ. QE267.C8A3 Věstník Státního Geologického Ústavu Československé Republiky (="Věstník" du service géologique de la République Tchécoslovaque).

Vierteljahrsschrift der naturforschenden Gesellschaft in Zurich.

Virginia Acad. Sci. Proc.

Lib. Congr. Q11.V65

Virginia Academy of Science. Proceedings. Richmond.

Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening i Københaven (= Publ. Univ. Zool. Mus. Copenhagen).

Volk u. Wissen. not seen Volksauf. Erbk. Eheberat. HQ750.A1V6 Volksaufartung, Erbkunde, Eheberatung (= Eugenik, after 1930). Berlin. W. Virginia Geol. Surv. QE178.R35A3 West Virginia Geological Survey, County Reports. Morgantown. Wanderer im Riesengebirge Lib. Congr. Der Wanderer im Riesengebirge, (Riesengebirgs-Verein) Breslau; Hirschberg. Ward's Nat. Sci. Bull. Matthew Ward's Natural Science Bulletin. Ward's Natural Science Establishment, Inc., Rochester, N.Y. West Texas Hist. Sci. Soc. Period West Texas Historical and Scientific Society. Alpine. Wiadomósci Archeol. Period Wiadomósci Archeologiczne. Bulletin Archéologique Polonais. (Organ Panstwowego Museum archeologicznego = Organe du Musée Archéologique Polonais). Warsaw. Wiadomósci Weterynaryjne U. S. Dept. Agric. Wiadomósci Weterynaryjne. Warsaw. [Title of each article in French.] Wien. Prähist. Zeit. GN700.W5 Wiener prähistorisch Zeitschrift. Wiener prähistorischen Gesellschaft. Wyoming Geol. Surv. Bull. Doc. The Wyoming Geological Survey. Bulletin. Cheyenne. Yearbook Milwaukee Pub. Mus. Period Yearbook of the Milwaukee Public museum. Ymer. Tidskrift utgifven af Svenska Sällskapet för Antropologi och Geografi. Stockholm. Zeit. Anat. QL801.Z42 Zeitschrift für Anatomie und Entwicklungsgeschichte. Berlin. Zeit. Ärzt. Fortbild. Lib. Congr. Zeitschrift für ärztliche Fortbildung. Zeit. Biol. QP1.Z4 Zeitschrift für Biologie. Munich. Zeit. Deutschen Geol. Ges. QE1.D4 Zeitschrift der deutschen geologischen Gesellschaft. Berlin. GN1.Z4 Zeitschrift für Ethnologie. Organ der Berliner Gesellschaft für Anthropologie, Ethnologie und Urgeschichte. U. S. Geol. Surv. Zeit. Geschieb. Flachlands Geol. Zeitschrift für Geschiebeforschung und Flachlands Geologie. Berlin. QE575.Z4 Zeit. Gletscherk. Zeitschrift für Gletscherkunde, für Eiszeitforschung und Geschichte des Klimas (= Annales de glacialogie), Leipzig. QH301.Z35 Zeit. Indukt. Abstamm. Vererbungsl. Zeitschrift für induktive Abstammungs- und Vererbungslehre. Berlin. QM552.Z4 Zeit. Mikros. Anat. Forsch. Zeitschrift für mikroskopische-anatomische Forschung (= Jahrbuch für Morphologie und mikroskopische Anatomie. Zweite Abteilung). Leipzig. Zeit. Morphol. Anthrop. QM1.Z4 Zeitschrift für Morphologie und Anthropologie. Stuttgart. QL801.Z44 Zeit. Morphol. Ökol. Zeitschrift für Morphologie und Ökologie der Tiere (= Zeitschrift für wissenschaftliche Biologie Abteilung A). Berlin.

Zeit. Naturwiss.

Zeitschrift für Naturwissenschaften. Organ des naturwissenschaftlichen Vereins für Sachsen und Thüringen zu Halle. a. S.

Zeit. Prak. Geol.

Zeitschrift für praktische Geologie, mit besonderer Berücksichtigung der Lager-

Zeitschrift für praktische Geologie, mit besonderer Berücksichtigung der Lagerstättenkunde, der Bergwirkschaftslehre, der Bergbaugeschichte und der Montanstatistik. Halle a Saale. Zeit. Säugetierk. Zeitschrift für Säugetierkunde. Berlin. QL1.Z26.

John Crerar Zeit. Stomatol. Zeitschrift für Stomatologie (Verband der zahnärztlichen Vereine Osterriechs). (Vienna: Berlin.)

Zeit. Vulk. QE521.5.Z4 Zeitschrift für Vulkanologie (= Rivista Vulcanologica = Volcanological review = Revue Vulcanologique). Berlin.

Zeit. Wiss. Zool. Zeitschrift für wissenschaftliche Zoologie. Leipzig. QL1.Z3

Zentralbl. Neurol. Psychiatr.

RC321.Z42

Zentralblatt für die gesamte Neurologie und Psychiatrie.

QL1.Z47

Zoogeog. Zoogeographica. Internationales Archiv für vergleichende und kausale Tiergeographie. Jena.

Zool. Anz. Zoologische Anzeiger. Leipzig. QL1.Z67

QL1.Z6665 Zool. Garten Der zoologische Garten. Zeitschrift für die gesamte Tiergärtnerei. Örgan der zoologischen Gärten Mitteleuropas. . . . Leipzig.

Zool. Jahrb. QL1.Z667-Z68 Zoologische Jahrbücher. Jena. [Includes: Abteilung für allgemeine Zoologie und Physiologie der Tiere, QL1.Z667; Abt. für Anat. u. Ontog. der Tiere, QL1.Z668; Abt. für Systemat. Okol. u. Geog. der Tiere, QL1.Z669; Bibl. Zool., QL1.Z68; and Zool. Anz., QL1.Z67.]

Zool. Jour. Moscow.

QL1.Z648

Zoologitsheskij Journal (Zoologicheskii Zhurnal). Moscow.

Zoologia, Padova QL1.Z5Zoologia, Padova. [A collection of bound separates with a printed "contents" page.

Zoologica, N. Y. QL1.Z58 Zoologica, scientific contributions of the New York Zoological Society. New York City.

Zoologica, Stuttgart. QL1.Z6 Zoologica; Original Abhandlungen aus dem Gesamtgebiete der Zoologie. Stuttgart.

# AUTHOR CATALOGUE

Abel. Othenio

- 1924. Die Eroberungszüge der Wirbeltiere in die Meere der Vorzeit. Jena: G. Fischer, 121 pp., 52 figs.
- 1927. Das Daemonelix-Problem. Pal. Zeit., 9, 179-180.
- 1928A. Ein Beitrag zur Stammesgeschichte der Pferde: die phylogenetische Stellung von Hipparion und Neohipparion. Anz. Akad. Wiss. Wien, 65, 28-30.
- 1928B. Das biologische Trägheitsgesetz. Biol. Generalis, 4, 1-102, 50 figs., 2 pls. Condensed version: "La loi biologique de l'inertie" in Rev. Gén. Sci., 1932, 7-12. See also: 1929B.

  Review: Pongrácz in Állat. Közlem., 26, 192-194.
- 1928C. Die Festgabe der "Palaeobiologica." [In honor of the seventieth birthday of Louis Dollo.] Palaeobiol., 1, 1-6.
- 1928D. Louis Dollo. Zur Vollendung seines siebzigsten Lebensjahres. Palaeobiol., 1, 7-12, 1 pl.
- 1928E. Neuere Forschungen über die Herkunft und Stammesgeschichte der Primaten. Verh. Zool.-Bot. Ges. Wien, 78, (39)-(45).
- 1928F. Plastische Rekonstruktion des Lebensbildes von Bunolophodon angustidens. Palaeobiol., 1, 481-486, 2 pls.
- 1929A. Anmerkungen zu der vorstehenden Mitteilung von K. Lambrecht [1929D]. Palaeobiol., 2, 59-60, 1 fig.
- 1929B. Das biologische Trägheitsgesetz. Pal. Zeit., 11, 7-17. See also: 1928B.
- 1929C. Ideas on the cause of degeneration of species. Rept. Brit. Assoc. Adv. Sci., 1929, 329-330, (abstract).
- 1929D. Otto Jaekel, (21. Februar 1863—6. März 1929). Ein Gedenkblatt. Palaeobiol., 2, 143–186, 1 pl.
- 1929E. Paläobiologie und Stammesgeschichte. Jena: Fischer, x + 423 pp., 224 figs.
  - Reviews: Bubnoff in Geol. Rund., 22, 349-350; Edinger in Naturwiss., 18, 820; Lebzelter in Mitt. Anthrop. Ges. Wien, 60, 281-283; Pongrácz in Állat. Közlem., 27, 191-193.
- 1929F. Die paläobiologischen Sammlungen des Paläontologischen und Paläobiologischen Institutes der Universität Wien. Palaeobiol., 2, 270-282.
- 1929G. Eine Reptilienfährte aus dem oberen Perm (Grödener Sandstein) der Gegend von Bozen in Südtirol. Palaeobiol., 2, 1-14, 2 figs., 1 pl.
- 1929H. Die bisher aus dem Paläozoicum und Mesozoicum der Alpen bekannten Wirbeltierfährten. Verh. Zool.-Bot. Ges. Wien, 78, (112)–(113).
- 1930A. Fährtenstudien. Uber Schwimmfährten von Fischen und Schildkröten aus dem lithographischen Schiefer Bayerns. Palaeobiol., 3, 371–412, 6 pls. See also: 1931E.
- 1930B. Die Neuaufstellung der Sammlungen des Paläontologischen und Paläobiologischen Institute der Universität Wien. Pal. Zeit., 12, 142-155.
- 1930C. Paläobiologische Studien in der Grossen Karroo. Verh. Zool.-Bet. Ges. Wien, 80, (44)-(50).
- 1930D. Plastische Rekonstruktion des Lebensbildes von Tyrannosaurus rex Osborn. Palaeobiol., 3, 103-130, 8 figs., 2 pls.
- 1931A. Die Degeneration des Höhlenbären von Mixnitz und deren wahrschleinliche Ursachen. Speläol. Monog., 7-8, 719-744.
- 1931B. Geschichte der Drachenhöhle. Speläol. Monog., 7-8, 81-97, 1 fig.
- 1931C. Das Lebensbild der eiszeitlichen Tierwelt der Drachenhöhle bei Mixnitz. Speläol. Monog., 7-8, 885-920, 9 pls.

1931D. Louis Dollo. 7. Dezember 1857-19. April 1931. Ein Rückblick und Abschied. Palaeobiol., 4, 321-344, portrait.

1931E. Schwimmfährten von Fischen und Schildkröten in lithographischen Schiefer Bayerns. Ber. Senck. Naturf. Ges., 61, 97-106, 6 figs. See also: 1930A.

1931F. Das Skelett der Eurhinodelphiden aus dem öberen Miozan von Antwerpen. Mém. Mus. Hist. Nat. Belg., 48, 191-334, 8 figs., 10 pls.

1931G. Die Stellung des Menschen im Rahmen der Wirbeltiere. Jena: Gustav

Fischer, xvi + 398 pp., 276 figs.
Reviews: Anonymous in Quart. Rev. Biol., 7, 346; Chardin in L'Anthrop., 43, 103-106; Keiter in Mitt. Anthrop. Ges. Wien, 63, 126-127; Marinelli in Wien Prähist. Zeit., 20, 37-38; Plate in Arch. Biol. Berlin, 26, 81-82; G. Wagner in Aus der Heimat, 44, 309-313; Weidenreich in Naturwiss., 20, 104.

1931H. William Diller Matthew 1871-1930. Ein Gedenkblatt. Palaeobiol., 4, 1-24, portrait.

1931I. Die Bedeutung der Reste fossiler Primaten für die Menschheitsgeschichte. Forsch. u. Fortschr., 7, 423-424.

1932A. Goethe als Biologe. Forsch. u. Fortschr., 8, 7-9, 98-99.

1932B. Goethe und die Biologie. Biol. Generalis, 9, 1-24, portrait.

1932C. Paläontologische und prähistorische Studien in Sudfrankreich. Verh. Zool.-Bot. Ges. Wien, 82, (27)-(35).

1932D. La vie des animaux de l'epoque glaciare dans la Caverne des Dragons a Mixnitz, en Styrie. Terre et Vie, 2, 3-24, 18 figs., portrait.

1932E. Analogie et homologie. Rev. Gén. Sci., 1932, 1-6.

1933A. Die angeblichen prähistorischen Darstellungen von Mastodonten in Sudafrika. Biol. Generalis, 9, 2 Hälfte, 1-12, 6 pls.

1933B. Der Höhlenbär als Jagdtier des Eiszeitmenschen. Zeit. Ethnol., 64, 371-377, 2 figs.

1933C. Säugetiere (Paläontologie). Handwörterb. Naturwiss., 8, 859-944, 131 figs. See: Weber, M., 1928A.

Abel, O., [and Galiano, E. Fernández]

Los animales prehistóricos. [Translated from the German by E. Fer-1928. nández Galiano.] Colección Labor, Num. 166, 143 pp., 56 figs., 12 pls.

Abel. O., and Koppers, W.

Eiszeitliche Bärendarstellungen und Bärenkulte in paläobiologischer und prähistorisch-ethnologischer Beleuchtung. Erster Teil: Darstellungen des Höhlenbaren durch den paläolithischen Menschen. Von O. Abel. Zweiter Teil: Der Bärenkult in ethnologischer und prähistorischer Beleuchtung. Von W. Koppers. Palaeobiol., 5, 7-64, 9 figs., 1 pl.

Abel, O., and Kyrle, G. [Editors]
1931. Die Drächenhohle bei Mixnitz. Speläol. Monog., 7-8, 9, xxx + 953 pp., 76 figs., 200 pls. [For individual authors see: Abel, O., 1931A, B, C; Antonius, 1931; Bachofen-Echt, 1931B; Breuer, 1931B; Dexler, 1931; Ehrenberg, 1931A; Kyrle, 1931; Lambrecht, 1931B; Marinelli, 1931; Sickenberg, 1931B; Wettstein, 1931.]
Reviews: Borissiak in Priroda, 1931, 1091-1114; Edinger in Naturwiss., 19, 082. Martin Hall in Mitt. Anthron Ges. Wien, 61, 394-396; Jenny in

988; Martin Hell in Mitt. Anthrop. Ges. Wien, **61**, 394-396; Jenny in Praehist. Zeit., **22**, 269-271; Pittioni in Wien Prähist. Zeit., **18**, 73-75;

Wernert in L'Anthrop., 42, 565-567.

Abel, Wolfgang

Beiträge zur Kenntnis der Anpassungserscheinungen der distalen Hinter-1930. fussmuskulatur der Säugetiere bei einem Wechsel der Lebenweise. Morphol. Jahrb., 64, 558-635, 40 figs.

1931A. Die gedrängte Stellung der Vorderzähne in Säugetierkiefern und deren phylogenetische Bedeutung. Verh. Zool.-Bot. Ges. Wien, 81, (42)-(51).

1931B. Kritische Untersuchungen uber Australopithecus africanus Dart. Morphol. Jahrb., 65, 539-640, 33 figs., 1 pl. Reviews: A[les] H[rdlicka] in Amer. Jour. Phys. Anthrop., 16, 101; Val-

lois in L'Anthrop., 41, 562-564.

1931C. Uber Australopithecus und seine Stellung zu den Anthropoiden und Hominiden. Verh. Zool.-Bot. Ges. Wien, 80, (92)-(100).

Abrard, René

1928. Les associations paléontologique. C. R. Soc. Biogéog., 37, 30-31.

1930. Comparaison des faunes continentales de Bois-Gouët, du Cotentin et du Bassin de Paris. Bull. Soc. Géol. Min. Bretagne, **8,** 98–102.

1931. Présence possible de l'homme dans les alluvions de Billancourt. C. R. Soc. Géol. France, 1931, 52-53.

Absolon, Karel

1928. Uber die grosse Aurignac-Station bei Unter-Wisternitz in Mahren. Taugungsber. Deutschen Anthrop. Ges., 49, 57-61.

1929A. New finds of fossil human skeletons in Moravia. Anthrop. Prague, 7, 79-89, 3 figs., 1 map, 1 profile.

1929B. An amazing paleolithic "Pompei" in Moravia—I, II. Revelations concerning the mammoth-hunters of central Europe. Illustr. London News, 175, 881, 890-894, 934-938.

1929C. Die Aufstellung der wahren Stratigraphie des mährischen Palaeolithikums. Taugungsber. Deutschen Anthrop. Ges., 50, 71-73, [not seen].

Absolon, Karel, Zapletal, K., Skutil, J., and Stehlik, A.

1933. Bericht der čechoslovakischen Subkommission der "The International Commission for the study of fossil man" bei den internationalen geologischen Kongressen: Studien aus dem Gebiete der allgemeinen Karstforschung, wissenschaftlicher Höhlenkunde und den Nachbargebieten. Palaeoethnologische Serie (Absolon, Brünn), no. 1 (3), 31 pp., 5 figs., 2 pls.

Adametz, Leopold

1933. Die Bedeutung der "Abzeichen" des Banteng (*Bibos banteng* Raffl.) und des Urs für das Abstammungsproblem des Hausrindes. Biol. Generalis, 9, 2 Hälfte, 33–38, 3 figs.

Adams, Leverett Allen

1923. The shifting of the mammalian faunas as shown by the Pleistocene remains of Illinois. Trans. Ill. Acad. Sci., 16, 140-144.

1925. The significance of fossil foot-prints. Trans. Ill. Acad. Sci., 18, 172-177.

1933. An introduction to the vertebrates. N. Y.: John Wiley & Sons, Inc., v + 414 pp., 290 figs.

Adams, L. A., and Martin, H. T.

1928. Pliocene urodeles in western Kansas. Science, (n.s.) 68, 59-60.

1929. A new urodele from the Lower Pliocene of Kansas. Amer. Jour. Sci., (5) 17, 504-520, 32 figs.

1931. An addition to the urodele fauna of Kansas from the Lower Pliocene. Kansas Univ. Sci. Bull., 19, 289-296, 3 pls.

Adamstone, Frank Bolton

1931. Age and growth records on fossil fish scales. Trans. Ill. Acad. Sci., 23, 227-230, 2 figs.

Adkins, Walter Scott

1928. Handbook of Texas Cretaceous fossils. Univ. Texas Bull. no. 2838, 1–385, 1 fig., 37 pls. [Fishes, pp. 300–302, 20 species; reptiles, 5 species.]

See: Sellards, E. H., Adkins, W. S., and Plummer, 1933.

Adloff. Paul

1931. Der Eckzahn des Menschen und das Abstammungs-Problem. Zeit. Anat. 94, 94-116.

1932A. Das Gebiss von Australopithecus africanus Dart. Einige ergänzende Bemerkungen zum Eckzahnproblem. Zeit. Anat., 97, 145–156, 7 figs.

1932B. Über den Ursprung des Menschen im Lichte der Gebissforschung. Schrift. Königsberg Gelehrte Ges., Nat. Kl. 8, 299–312, 8 figs., 2 pls.

1933. Ueber die Bedeutung des Gebisses fur die Beurteilung der zum Menschen. in beziehungstehenden fossilen Reste. Anat. Anz., 75, 542-549.

Agafonoff, Valérien, and Malycheff, V.
1929. Le loess et les autres limons du plateau de Villejuif. Bull. Soc. Géol,
France, 29, 109-145, pls. 11-14, 1 map.
Review: R. V[aufrey] in L'Anthrop., 41, 153-154.

Ahl, E. See: Burchard, O., and Ahl, 1928.

Ahrens, Wilhelm

Ueber einen Fund fossiler Frösche in untermiozäner Blätterkohle von 1930. Burgbrohl (Rheinland). Forsch. u. Fortsch., 6, no. 2, 23.

See: Osborn, 1929N.

Airaghi, Carlo

Mammiferi pliocenici dell'Isola di Coo (Dodecaneso). Atti Soc. Ital. Mus. Civico Milano, 67, 125-135, 1 fig. Abstract in Riv. Ital. Pal., 34, 45-46. 1928.

Aiyengar, N. K. Narasimha. See: Pilgrim, G. E., and Aiyengar, 1928.

Aldinger, Hermann 1930. Über das Kopfskelett von *Undina acutidens* Reis und den kinetischen Contrelbl Min Geol. Pal., 1930, Abt. B, 22-48, 11 figs.

1931A. Über einige Besonderheiten im Schädeldach von Eusthenopteron foordi Wh. (Pisces, Crossopterygii). Centralbl. Min. Geol. Pal., 1931, Abt. B, 300-305, 5 figs.

1931B. Uber karbonische Fische aus Westfalen. Pal. Zeit., 13, 186-201, 18 figs., 1 pl.

1931C. Über Reste von Birgeria (Pisces, Palaeoniscidae) aus der alpinen Trias. Neues Jahrb, Min. Geol. Pal., Abt. B, 66, 167-180, 8 figs., 1 pl.

Über einen Eugnathiden aus der unteren Wolgastufe von Ostgrönland. 1932. Meddel. om Grønland, 86, no. 4, 1-51, 9 figs., 3 pls.

Aldrich. Truman Heminway, and Jones, W. B.

Footprints from the coal measures of Alabama. Ala. Geol. Surv., Mus. Paper, no. 9, 64 pp., 17 pls.

Alekseev, A. K. [= Alexejew = Alexeef]

Die obersarmatische Säugertierfauna von Eldar. Trav. Mus. Géol. Acad. 1930. Sci, URSS., 7, 167-202, 6 figs., 5 pls., (Russian, with German summary).

Allan, John Andrew, and Rutherford, R. L.

1932. The stratigraphical horizon of Laosaurus minimus. Amer. Jour. Sci., (5) 24, 225-227.

Allen, Arthur Augustus

1927. The passing of a great teacher: Louis Agassiz Fuertes. Bird-Lore, 29, 372-376.

Allen, E. J.

1930. Origin of adaptations. Proc. Linn. Soc. London, 1928-1929 [1930], 119-138. Abstract in: Nature, 123, 841-843.

Allen, Glover Morrill

The walrus in New England. Jour. Mammal., 11, 139-145. 1930.

1931. Type specimens of mammals in the Museum of Comparative Zoology. Bull. Mus. Comp. Zool. Harvard, 71, 229-289.

1932. A Pleistocene bat from Florida. Jour. Mammal., 13, 256-259, 1 fig.

See: Andrews, R. C., 1932.

Allis. Edward Phelps, Jr.

1928. Concerning the homologies of the hyomandibula and preoperculum. Jour. Anat., 62, 198-220.

1931A. Concerning the mouth opening and certain features of the visceral endoskeleton of Cephalaspis. Jour. Anat., 65, 509-527.

1931B. Concerning the hypophysial and naso-hypophysial canals in certain fossil fishes. Acta Zool., 12, 69-81.

Allison, Vernon Charles

In re: Jacob's Cavern. Amer. Anthrop., 30, 544-547. See also: Nelson, N. C., ibid., 547-548; and 1928A.

Allyn, Harriett May

Excavations near Athlit, Palestine, 1929 (preliminary report). Amer. Anthrop., 32, 643-650.

Almquist, Ernst

1931. Grosse Biologen. Eine Geschichte der Biologie und ihrer Erforscher. München: J. F. Lehmann, 143 pp., 23 portraits. Review: Kofoid in Isis, 18, 206-207.

Althoff, W.

1928. Zur Kenntniss der Stratigraphie der Garantienschichten in Bethel bei Bielefeld. Fünfter Ber. Naturwiss. Ver. Bielefeld, 1922–1927 [1928], 21–32.

Ambard, L.

1930. La civilisation Européenne modern. La biologie. In: "Histoire du Monde", 13, pt. 5. Paris: E. de Boccard, 116 pp.

Ameghino, Carlos, and Rusconi, C.

1932. Nueva subespecie de avestruz fósil del pampeano inferior Rhea americana anchorenense subesp. n. An. Soc. Cien. Argent., 114, 38-42, 1 fig.

1933. Nuevos restos de *Lama guanicæ Lönnbergi* (Amegh.). Semana Médica, 1932, [1933], 1-11 [of reprint].

Ameghino, Florentino. See: Sparn 1929.

Ameghino, F. [and Torcelli, A. J., editor]

1932. Formaciones sedimentarias de Patagonia. In: Obras completas y correspondencia científica de F. Ameghino, [edited by A. J. Torcelli. La Plata: Govt. Printer], 13, 999 pp., 121 figs., 7 pls.

1933. Investigaciones de morphologia filogenetica en los molares superiores de los ungulados. In: Obras completas y correspondencia científica de F. Ameghino, [edited by A. J. Torcelli. La Plata: Govt. Printer], 14, 619 pp., 631 figs.

American Ornithologists Union, Committee of. See: Wetmore 1931D.

Ami, Henri. See: Seeley 1930.

Amon, Rudolf

1933. Säugetierfährten aus dem Rohrbacher Konglomerat. Verh. Zool.-Bot. Ges. Wien, 83, (40)-(42).

Ampferer, Otto

1928. [Review of:] J. Weigelt: Rezente Wirbeltierleichen und ihre palaeobiologische Bedeutung. Leipzig: Max Weg, 1927. Verh. Geol. Bundesanst., 1928. 151-152

Also reviewed by: Angelis d'Ossat in Rev. Biol., 11, 571-572; Ehrenberg, 1928B; Lambrecht in Állat. Közlem., 25, 71-72; Loeser in Umschau, 32, 429; Thorpe in Amer. Jour. Sci., (5) 15, 361-362; and Watson in Nature, 123, 43-44.

Amschler, Wolfgang

1931. Beitrag zur Rassen—und Abstammungsfrage der Hausziege sowie zur Erforschung der Urzentren der Haustierwerdung. Biol. Generalis, 7, 445-468, 16 figs.

Anderson, Charles

1928. The Irish deer. Austral. Mus. Mag., 3, 156-157, 1 fig.

1929A. Macropus titan Owen and Thylacoleo carnifex Owen. Rec. Austral. Mus., 17, 35-49, 7 pls. See also: Rept. Austral. Assoc. Adv. Sci., 19, 243-244.

1929B. Teeth of mammals. Austral. Mus. Mag., 3, 389-396, 9 figs.

1930. Paleontological note, no. 2: Meiolania platyceps Owen and Varanus (Megalania) priscus (Owen). Rec. Austral. Mus., 17, 309-316, 5 pls.

1931A. Restored head of a large extinct Australian lizard. Austral. Mus. Mag., 4, 147-148, 1 fig.

1931B. The teeth of reptiles. Austral. Mus. Mag., 4, 227-232, 9 figs.

1932A. The Australian Museum mystriosaur. Austral. Mus. Mag., 4, 337-379, 1 fig.

1932B. Paleontological notes No. III. The skull of Sthenurus occidentalis Glauert. Rec. Austral. Mus., 18, 383-387, figs. 1-6, pls. 45-46.

1933. The fossil mammals of Australia. (Presidential address) Proc. Linn. Soc. N. S. W., 58, ix-xxv. See also: Abst. Proc. Linn. Soc., N. S. W., no. 459, 2-3.

Anderson, Robert Van Vleck

1932. Pleistocene Mazouna stage in western Algeria containing artifacts. Bull. Geol. Soc. Amer., 43, 847–874, 5 figs., 2 pls. Review: Vaufrey in L'Anthrop., 43, 581.

1933. The diatomaceous and fish bearing Beida stage of Algeria. Jour. Geol., 41, 673-698, 4 figs.

Andersson, J. Gunnar

1928. Hominid-fyndet vid Peking. Ymer, 48, 61-68.

Andree, Julius

1928. Das Paläolithikum der Höhlen des Hönnetales in Westfalen. Mannus-Bibliothek (Leipzig: Curt Kabitch), 42, iv + 101 pp., 55 figs., 30 pl., [not seen].

Reviews: H. K[uhn] in Ipek [not seen]; Baschmakoff in L'Anthrop., 41,

164-166.

1931. Die frühmesolithische Fauna aus dem Höhlen Stein bei Callenhardt (Kreis Lippstadt). Abh. Westfäl. Prov. Mus., 2, 5-13, 4 figs.

Andrews, Charles William, and Cooper, C. F.

1928. On a specimen of *Elephas antiquus* from Upnor. London: British Museum of Natural History, viii + 25 pp., 5 figs., 9 pls.

Reviews: Marshall in Geol. Mag., 65, 421-422; Thorpe in Amer. Jour. Sci.

(5) **16**, 177–178.

Andrews, Roy Chapman

1928A. [Return of the Central Asiatic expedition.] Nat. Hist., 28, 555-556.

1928B. The Mongolian colossus. Sat. Eve. Post., **201**, no. 23, pp. 8-9, 138, 140-141, 145, illustr.

1929A. Ends of the Earth. New York and London: G. Putnam's Sons, 355 pp., 34 pls.

Review: Anonymous in Discovery, 11, 33.

1929B. Further adventures of the American men of the dragon bones. Nat. Hist., 29, 115-128, 21 figs., 1 pl.

1929C. Mongolia—explorations. Enc. Brit., 14th ed., 15, 713-715, 1 fig. 1931. The fate of the rash *Platybelodon*. Nat. Hist., 31, 115-128, 18 figs.

The new conquest of Central Asia. A narrative of the Central Asiatic expeditions in Mongolia and China, 1921-1930. With chapters by Walter Granger, Clifford H. Pope, Nels C. Nelson, and summary statements by G. M. Allen, R. C. Andrews, C. P. Berkey, R. W. Chaney, A. W. Grabau, W. Granger, F. K. Morris, N. C. Nelson, J. T. Nichols, H. F. Osborn, C. H. Pope, C. A. Reeds, and L. E. Spock. In: Nat. Hist. Central Asia [N. Y.: Amer. Mus. Nat. Hist.], 1, i + 678 pp., 12 figs., 129 pls., 3 maps.

Review: C. A. Reeds in Nat. Hist., 33, 113-114.

See: McWilliams, S. A., 1929.

Androussoff, Nicholas

1928. Le pliocène de la Russie méridionale d'après les recherches récentes. Mém. Soc. Roy. Sci. Bohème, 1927 [1928], (paper 4), 1–22.

Angelis d'Ossat, Gioacchino de

1930. Sul valore cronologico del cranio umano fossile scoperto presso Roma. Boll. Soc. Geol. Ital., 49, xxxiii-xxxvi, 1 fig.

Anonymous

1927. [Resignation of W. D. Matthew from the American Museum of Natural History.] Nat. Hist., 27, 398.

1928A. Collecting fossil mammals from the Pampean formation. Sci. Amer., 138, 539, 1 fig.

1928B. The opponent's round. Sci. Amer., 138, 401, 1 fig.

1928C. New scientific paintings outline the earth's history. Sci. Amer., 139, 506-507, 7 figs.

1928D. [Review of:] H. F. Osborn [1927G], "Man rises to Parnassus." Nat. Hist. Mag., 1, 272.

1928E. [Abstract of:] A. Wetmore, "Fossil birds from the Oligocene of Colorado." (Proc. Colo. Mus. Nat. Hist., 7, no. 2, 1-14, 23 figs.) Ibis, (12) 4, 160-161.

1928F. [Abstract of:] H. Howard, "A review of the fossil bird, Parapavo californicus (Miller)..." (Univ. Calif. Publ., Dept. Geol. Sci., 27, 1927, 1-62, 13 pls.) Ibis, (12) 4, 551-552.

1928G. Skeleton of a gorgonopsian reptile. Nat. Hist., 28, 443-444.

1928H. Central Asiatic expedition's new finds. Nat. Hist., 28, 442-443.

1928I. [Obituary of:] Hans Friedrich Gadow. Ibis, (12) 4, 534-536.

1928J. [Sixty-sixth meeting of the Galton Society. Discussion of papers on human evolution.] Nat. Hist., 28, 221.

1928K. [P. P. Sushkin. Notice of death.] Jour. Mammal., 9, 360.

1928L. [Obituary of:] Prof. Wilhelm von Branca. Nature, 121, 801.

1928M. [Bibliography of works published in Italy. Special part: (continuation) vertebrate anatomy.] Monit. Zool. Ital. 39, 261-268.

1928N. [Francis Arthur Bather.] Nat. Hist. Mag., 1, 223-224, portrait.

1928O. Charles Doolittle Walcott, Secretary of the Smithsonian Institution 1907–1927. Smithson. Misc. Coll., 80, (12), 1-37, portrait.

1928P. Bibliografia geologica italiana per gli anni 1921–1926. Boll. Ufficio Geol. Ital., 53, 1–74.

1928Q. Skeleton of extinct monster, found in a Warwickshire quarry. Quarry, 33, 169-170, 1 fig. See also: Nature, 122, 852; and Swinton, 1930Å, C.

1928R. An occurrence of *Desmostylus* in Saghalien. Jour. Geol. Soc. Tokyo, **35**, 569-570, (in Japanese).

1928S. Concurrent evolution. Lancet, 215, 22-23.

1928T. Pithecanthropus erectus. Jour. Amer. Med. Assoc., 91, 740.

1928U. [Obituary of:] Prof. P. P. Sushkin. Nature, 122, 737.

1928V. [Sushkin, Peter Petrovich. Notice of death in "Petersburg" of "Peter Souchkine," Sept. 17, 1928.] Anat. Anz., 66, 360.

1929A. Turtle fossil arouses interest of scientist. Sci. Amer., 140, 451–452, 1 fig. See also: S. A. in Umschau, 33, 646.

1929B. A mammoth's deformed wisdom tooth. Sci. Amer., 141, 524, 1 fig.

1929C. Cave man's brain found in Russia. Sci. Amer., 141, 544.

1929D. Obituary of Sir Ray Lankester, K.C.B., 1847–1929. Amer. Jour. Sci., (5)18, 460. See also: Nature, Aug. 24, 1929.

1929E. [Obituary of:] Peter Petrovich Sushkin. Ibis, (12) 5, 150-152.

1929F. The Bashford Dean memorial exhibit of fossil fishes. Science, (n.s.) 70, 111. See also: Nat. Hist. 29, 445.

1929G. Africa and science. Lancet, 217, 179. [Includes remarks by D. M. S. Watson on the mechanism of evolution.]

1929H. Accessions of the Museum from the Central Asiatic expedition. Nat. Hist., 29, 557-558.

1929I. Fossil man in Africa. Jour. Amer. Med. Assoc., 92, 909-910.

1929J. Fossil skeleton of a manatee found by Simpson. Nat. Hist., 29, 219. See also: Simpson, G. G., 1932C.

1929K. Obituary, Sir Ray Lankester, 1847-1929. Med. Jour. Rec., 130, 406.

1929L. Professor Carl M. Furst's tryckta Skrifter. Lunds Univ. Arsskrift., 25, 7-9.

1929M. Bibliographia hydrobiologica rossica. Russ. Hydrobiol. Zeit., 8, 205-210.

1929N. Edwin Ray Lankester, 1847–1929. Quart. Jour. Micros. Sci., **73**, 177–194, portrait.

1929O. Echippus. Enc. Brit., 14th ed., 8, 634.

1929P. Hyaena. Enc. Brit., 14th ed., 12, 8.

1929Q. Jurassic System. Enc. Brit., 14th ed., 13, 193-196.

1929R. A biographical sketch [of Aleš Hrdlička]. Anthrop. Prague, 1, 6-61, 3 pls., bibliog.

1929S. The mode of occurrence of the fossil mammal from Taikei, Formosa. Jour. Geol. Soc., Tokyo, 36, 462-463, (in Japanese).

1929T. Charles Darwin's home. Brit. Med. Jour., 1929:1, 1086-1087.

1929U. Bashford Dean. Sci. Monthly, 28, 190-192, portrait.

1929V. Obituary of E. Ray Lankester. Geol. Mag., 66, 432.

1930A. Sinanthropus pekinensis. Science, (n.s.) 71, 91.

1930B. Sinanthropus, the Peking Man. Sci. Amer., 142, 440-441, 4 figs., 1 diagram.

1930C. Riesenfaultier und Mastodon Zeitgenossen der Ureinwohner Amerikas. Umschau, **34**, 1049–1052, 9 figs.

1930D. Exceptional mastodon bones found. Sci. Amer., 142, 146, 1 fig.

1930E. Giant hog was big as auto. Sci. Amer., 142, 64. See also: S. A. in Umschau, 34, 156.

1930F. Stiff back in saber-tooth. Sci. Amer., 143, 326, 1 fig. See also: Moodie 1930E.

1930G. When the tiger lost a saber. Sci. Amer., 143, 309, 1 fig. See also: Moodie 1929I.

1930H. Ancient bacteria preserved in fossil bone. Sci. Amer., 143, 310, 1 fig. See also: Moodie 1930F.

1930I. Un nouvel homme fossile. Le Sinanthropus ou homme de Péking. La Nature, 58, 306-307.

1930J. [Obituary of:] William Diller Matthew. Amer. Jour. Sci., (5) 20, 403.

1930K. Nachrichten von Funden fossiler Menschen in China. Ber. Senck. Naturf. Ges., 60, 269–270, 1 fig.

1930L. Accessions from Alaska, Nebraska, and New Mexico. Nat. Hist., 30, 438-439.

1930M. Triassic dinosaur tracks in Navajo Reservation and new dinosaur finds. Nat. Hist., 30, 107.

1930N. New light on the origin of man. Discovery, 11, 346.

19300. Early man in Nevada. Science, (n.s.) 72, no. 1873, xii. See also: Harrington 1930, 1932, 1933; Stock 1930B, 1931E.

1930P. The Scott Fund expedition to Montana. First discovery of dinosaur eggs in North America. Science, (n.s.) 72, 393.

1930Q. [Obituary of:] Prof. J. F. Pompeckj [1867-1930]. Nature, 126, 319-320.

1930R. The animals contemporary with "Peking Man." China Jour., 12, 164-166. See: Zdansky 1928.

1930S. [Obituary of:] Herman v. Ihering [1850-1930]. Ber. Senck. Naturf. Ges., 60, 340, portrait.

1930T. [Obituary of:] Hermann von Ihering. Ibis, (12), 6, 320-325.

1930U. Lamarck [1744-1829]. Jour. Heredity, (7) 21, 308-336, portrait.

1930V. Prof. Dr. Hermann von Ihering (1850-1930). Rev. Mus. Paulista, (1) 17, 553-566, portrait.

1930W. On the teeth of elephant found in the course of excavation of the Tôkyô subway. Jour. Geol. Soc. Tokyo, 37, 25-26.

1930X. Fossil Cervus found in the Naganuma Bed. Jour. Geol. Soc. Tokyo, 37, 127-128.

1930Y. Peking Man our oldest ancestor. China Jour., 12, 47.

1930Z. The improvement of the race. Amer. Med. Assoc. Jour., 95, 1109.

1930AA. 75° aniversario del natalico de Florentino Ameghino. Physis, 10, 210-213.

1930AB. [Elephas antiquus in association with flints, at Swanscombe, Kent.] Discovery, 11, 391-392.

1930AC. "The Peking Man." Amer. Med. Assoc. Jour., 94, 1005, 1516.

1931A. The dinosaur skeleton at the Peabody Museum. Sci. Monthly, 33, 382-384, 1 fig.

1931B. Dickhauter-Tragödie. Umschau, 35, 415, 3 figs.

1931C. Dicraeosaurus skeleton from Africa set up in Natural History Museum of Berlin. Science, (n.s.) 73, no. 1890, xiv.

1931D. A dinosaur footprint. Nat. Hist., 31, 446.

1931E. Dinosaur skeleton from Montana. Nat. Hist., 31, 559.

1931F. Series of *Platybelodon* and Amblypoda found in Central Asia. Nat. Hist., 31, 101-102.

1931G. Pre-Chellean age in the gravels of Stanstead, Upper Caterham. Nature, 128, 144.

1931H. Peking Man and stone implements. Nature, 128, 823. [Includes comments by Abbé Breuil and G. Elliott Smith.]

1931I. Centenary of the birth of Othniel Charles Marsh. Science, (n.s.) 74, 647-648.

1931J. [Whale skeleton from Los Angeles area.] Science, (n.s.) 73, no. 1886, xiv.

1931K. A mastodon found in Indiana. Science, (n.s.) 73, no. 1883, xiv.

1931L. James William Gidley. Jour. Mammal., 12, 445-446.

1931M. Ein bemerkenswerter Fund der grossen Expedition des New Yorker American Museum of Natural History in Zentralasien. Ber. Senck. Naturf. Ges., 61, 445-448, 3 figs.

1931N. Titanotheres. Sci. Amer., 145, 198-199, 1 fig.

19310. Man and the dinosaur. Discovery, 12, 331-333, 3 figs.

1931P. David Starr Jordan. Jour. Mammal., 12, 445.

1931Q. Empleu dels raigs X i de la llum ultravioleta en paleontologia. Ciència, 5, 371-374, 4 figs.

1931R. Les premiers mammifères placentaires. Terre et Vie, 1931, 315-317.

1931S. Dinosaurs "farthest north." Canadian Mining Jour., 52, 85.

1931T. [Obituary of:] Benedykt Ivan Dybowski. Ibis, (13), 1, 100-103.

1931U. Lijst van publicaties van K. Martin. Leid. Geol. Meded., 5, 7-15.

1931V. [Obituary and comment on work of:] W. D. Matthew. Trav. Inst. Pal. Acad. Sci., URSS., 1, 238.

1931W. [Seminars on paleogeography to be given in honor of W. D. Matthew.] Science, (n.s.) 73, 117.

1931X. [Obituary of:] Professor Lucas Kraglievich. An. Soc. Cien. Argent., 111, 97-98.

1932A. [Origin of vertebrate animals traced to ostracoderms.] Science, (n.s.) 75, no. 1936, 38.

1932B. [Obituary of:] Lucas Kraglievich. Physis, 11, 184-188, portrait.

1932C. Newly found elephant fossils. Science, (n.s.) 76, no. 1972, ix.

1932D. African marsupials. Science, (n.s.) 76, no. 1976, x.

1932E. [Plateosaurus from Germany on exhibition in Harvard Museum of Comparative Zoology.] Science, (n.s.) 76, no. 1978, xiii.

1932F. Arrowheads found with New Mexican fossils. Science, (n.s.) 76, no. 1978, xii-xiii.

1932G. [Three more thigh bones of *Pithecanthropus* discovered.] Science, (n.s.) **76**, no. 1966, vii. See: Oppenoorth 1932A, B, C.

1932H. [Coal Age land animals.] Science, (n.s.) 76, no. 1960, vi.

1932I. Humans 75,000 years ago described by prehistorian. Science, (n.s.) 75, no. 1950, xiv. See: McCown and Keith, 1932; also Garrod 1931A.

1932J. [Neanderthal skeletons in Palestine.] Science, (n.s.) 76, no. 1982, viii. See: McCown and Keith, 1932.

1932K. Paleontological expedition to northern India. Nature, 129, 275.

1932L. New Aurignacian carvings. Nat. Hist., 32, 104-105.

1932M. Neanderthal Man in Palestine. Nature, 129, 712-713. See: McCown 1932B.

1932N. Early man in Palestine. Nature, 129, 898. See: Keith 1930; McCown and Keith, 1932.

19320. Early man in Java. Nature, 130, 14.

1932P. Early man in Java. Nature, 129, 863. See: Oppenoorth 1932A, C.

1932Q. [Obituary of:] J. Leon Williams. Nat. Hist., 32, 220.

1932R. Centenary of death of Cuvier. Nat. Hist., 32, 559-560, 3 figs.

1932S. A dinosaur from Montana. Nature, 130, 574.

1932T. El paleontólogo Lucas Kraglievich. Sus trabajos en el Uruguay. An. Mus. Hist. Nat. Montevideo, (2) 3, pt. 3ª, pp. iii-viii, (with a bibliography).

1932U. [The earliest saber-tooth tiger known.] Science, (n.s.) 76, no. 1975, xiv. See: Jepsen 1933.

1932V. Pithecanthropus erectus. Science, (n.s.) 75, no. 1954, xi. See: Hrdlička 1930A.

1932W. [Oldest representative of *Homo sapiens*.] Science, (n.s.) 76, no. 1963, vii. See: Smith, G. E., 1932E.

1932X. L'Homme prehistorique dans l'Est Africain. Terre, Air, Mer, 57, 146-147.

1932Y. Lucas Kraglievich (1886-1932). Physis, 11, 184-188, portrait.

1932Z. Early man: a new discovery. Discovery, 13, 8.

1932AA. Le gisement du Sinanthropus à Chou-Kou-Tien. La Nature, 60:1, 438-439.

1933A. Men of the Old Stone Age in Germany. Science, (n.s.) 78, no. 2012, viii.

1933B. Skull casts of Sinanthropus pekingensis. Nat. Hist., 33, 110.

1933C. Activities of the American Museum Staff abroad. Nat. Hist., 33, 560-561.

1933D. Baron Franz Nopesa. Nat. Hist. Mag., 4, 116, portrait.

1933E. The Yale North India expedition. Science, (n.s.) 77, 301.

1933F. Australian fossils for the Harvard Museum. Science, (n.s.) 77, 232-233; also no. 1991, vi.

1933G. Further study of Palestine cave-dwellers by Royal College of Surgeons, London. Science, (n.s.) 78, no. 2030, viii.

1933H. Recent discovery of fossil reptilian remains in the central provinces. Current Sci., 1, 337-338. See: Huene and Matley, 1933.

1933I. Expedition for Lower Cretaceous dinosaurs. Nat. Hist., 33, 103.

1933J. Early man in America. Science, (n.s.) 78, no. 2016, vi. See also: Anonymous 1932F.

1933K. Bones of a bird-like dinosaur. Science, (n.s.) 78, no. 2033, vi.

1933L. Wrist bone of Sinanthropus found. Remarks by G. Elliot Smith. Science, (n.s.) 77, no. 1987, x.

1933M. Dr. Henry Fairfield Osborn, retiring president of the American Museum of Natural History. Sci. Monthly, 36, 284-286, portrait.

1933N. Dr. Robert Broom, F.R.S. Brit. Med. Jour., 1933:1, 931-932.

1933O. Jan Versluys zum 1. September 1933. Biol. Generalis, 9, Lief. 3, I-IV, portrait.

1933P. Report on recent finds in Oligocene of South Dakota, by Glenn L. Jepsen of Princeton, of the primate group, *Plesiadapidae*. Science, (n.s.) 78, no. 2032, xiii.

1933Q. Third East African archaeological expedition. Africa, 6, 329-331. See also: Leakey 1932-1933.

1933R. Ancient man in Palestine. Nature, 131, 19. See also: McCown and Keith, 1932; Garrod 1932A.

1933S. The Peking Man. Science, (n.s.) 78, no. 2014, viii.

1933T. Peking Man's brain. Science, (n.s.) 78, no. 2023, ix-x.

1933U. Men of the Old Stone Age in Germany. Science, (n.s.) 78, no. 2012, viii.

1933V. Restauration d'un dinosaure au Musée Peabody de l'Université Yale. Mus. Sci. Soc. Nation., 1933, 177.

1933W. [Obituary of:] Dr. William Jacob Holland. Jour. Wash. Acad. Sci., 23, 72.

Antevs, Ernst Valdemar

1928. The last glaciation, with special reference to the ice retreat in northeastern North America. Amer. Geog. Soc. Res. Ser. no. 17 (edited by J. W. Goldthwait), x + 292 pp., 30 figs., 9 pls.

Anthony, Harold Elmer

1928. Horns and antlers. Their occurrence, development and function in the Mammalia. Bull. N. Y. Zool. Soc., (Part I) (1928), 31, 178-216, 7 figs., 33 pls.; (Part II) (1929), 32, 2-33, 1 fig., 26 pls.

Anthony, Raoul Louis Ferdinand

Discussion sur l'interpretation de la serie dentaire inferieur du Stehlinius uintahensis Matth. Bull. Mus. Hist. Nat. Paris, 34, 416-421, 2 figs. See also: Bol. Soc. Colomb. Cien. Nat., Bogota, 1928, 416-422.

1930A. Doit-on regarder l'evolution organique comme étant une marche dans le sens du progrès? L'Anthrop., 40, 259-265.

1930B. De la valeur en tant que théories des théories de l'évolution. Arch. Mus. Hist. Nat. Paris, (6) 5, 11-24.

1933A. Recherches sur les incisives superieures des Elephantidae actuel et fossiles (elephants et mastodontes), morphologie, structure, evolution, ontogénique, interpretation. Arch. Mus. Hist. Nat. Paris, (6) 10, 9-124, 36 figs., 2 pls.

1933B. La théorie dentaire de la "multituberculie". Rev. Anthrop., 43, 95-101. See also: Friant 1933A.

See: Pontier and Anthony, 1929, 1933.

Anthony, R., and Coupin, F.

1931. Tableau résumé d'une classification générique des primates fossiles et actuels. Bull. Mus. Hist. Nat., Paris, (2) 3, 566-569.

Anthony, R., and Prouteaux, M.

1929. Un crâne d'éléphant d'Afrique (Loxodonta africana Blum.) à quatre incisives supérieures. Arch. Mus. Hist. Nat., Paris, (6) 4, 15-32, 3 figs., 1 pl., map.

Antonielli, Giuseppe, et al. See: Mochi 1928.

Antonius, Otto

1928. Streitfragen zur Phylogenie der Equiden. Verh. Zool.-Bot. Ges. Wien, 78, 4-18, 2 figs.

1931. Bericht über die Untersuchung der Höhlenbärenschädel. Speläol. Monog., 7-8, 329-331.

1932. Die Pferde als aussterbende Tiergruppe. Biol. Generalis, 8, 33-44. See also: comments by Edinger in Naturwiss., 20, 319, 1932.

1933. Über einen Pferdeschädel aus dem Rancho La Brea. Verh. Zool.-Bot. Ges. Wien, 83, (39)-(40).

Appleton, A. B.

1928. The muscles and nerves of the post-axial region of the tetrapod thigh. Jour. Anat., 62, 364-438, 15 figs.

Arambourg, Camille

1928A. Les poissons de la Méditerranée à la fin du miocène. La Nature, **56**, 145-148, 18 figs.

1928B. Recherches paléontologiques dans le Djurdjura. Bull. Soc. Hist. Nat. Afrique Nord, 18, 196-200, map.

1929A. Les mammifères quaternaires de l'Algérie. Bull. Soc. Hist. Nat. Afrique Nord, **20**, 63-84, 3 figs.

Abstract: Remy in Année Biol., **34**, pt. 2, 106-107.

1929B. Argyropelecus Logearti, un nouveau poisson bathypélagique du Sahélien. Bull. Soc. Géol. France, (4) 29, 11–15, 2 figs., 1 pl.

1931A. Sur la longévité, en Afrique du Nord, du genre Rhinoceros pendant le période quaternaire. C. R. Acad. Sci. Paris, 192, 1044-1046.

1931B. Un ossuaire humain du paléolithique supérieur en Afrique du Nord. C. R. Assoc. Franç. Avance Sci., 55, 275-277. Abstracts in C. R. Soc. Géol. France, 1933, 164; L'Anthrop., 39, (1929), 219-221.

1931C. Observations sur une grotte à ossements des environs d'Alger. Bull. Soc. Hist. Nat. Afrique Nord, 22, 169-176, 1 fig.

1932. Note préliminaire sur une nouvelle grotte à ossements des environs d'Alger. Bull. Soc. Hist. Nat. Afrique Nord, 23, 154-162, 4 figs. Abstract in C. R. Soc. Géol. France, 1933, 163. See also: C. R. 2º Congr. Internat. Protect. Nat., 1931, 293.

1933A. Mammifères miocènes du Turkana (Afrique Orientale). Ann. Pal., 22,

123–146, 5 figs., 2 pls.

1933B. Revision des ours fossiles de l'Afrique du Nord. Ann. Mus. Hist. Nat. Marseille, 25, 249-299, 9 figs., 6 pls. See also: C. R. Soc. Biogeog., 9, no. 74, 29-32. Abstracts: Picard in Année Biol., 37, pt. 2, 138; C. R. Soc. Géol. France, 1933, 163.

1933C. Découverte d'un gisement de mammifères Burdigaliens dans le bassin du Lac Rudolphe (Afrique Orientale). C. R. Soc. Géol. France, 1933,

221-222.

Arambourg, C., and Jeannel, R.
1933. La mission scientifique de l'Omo. C. R. Acad. Sci. Paris, 196, 1902–1904.
Also in: Bull. Soc. Amis. Mus., (n.s.) no. 7, 18–20.

Arambourg, C., and Piveteau, J.

1929A. Les vertébrés du Pontien de Salonique. Ann. Pal., 18, 59-132, 8 figs., 12 pls. Abstract in C. R. Soc. Géol. France, 1929, 248.

1929B. Note préliminaire sur un ruminant du pliocène inférieur du Roussillon. C. R. Soc. Géol. France, 1929, 144-146.

Aranguren, Dolores J. Lopez

1930. Camélidos fósiles argentinos. An. Soc. Cien. Argent., **109**, 15–35, 97–126, 22 figs.

Arditi, Lazzaro

1930. I depositi ossiferi de Chou Kou Tien ed il "Sinanthropus Pekinensis". Universo, 11, 435-454, 6 figs.

1932. Nuove scoperte antropologische in Africa e in Asia. Universo, 13, 669-675.

Ariëns Kappers, C. U. See: Kappers, C. U. Ariëns.

Arkell. W. J. See: Sandford and Arkell, 1929.

Arldt, Theodor

1919. Handbuch der Palaeogeographie. Band I: Palaeaktologie. Leipzig: Gebrüder Borntraeger, 679 pp., 76 figs.

1928. Sind die Fische wirklich die Stammformen aller Wirbeltiere? Umschau, 32, 745-748, 2 figs., 1 table.

1929. Asien, die Heimat. Umschau, 33, 914-919, 5 figs.

1930. Neue Dinosaurier aus Kanada. Umschau, 34, 702-704, 3 figs., 1 diagram.

1931A. Aus der Vorzeit der Erde. Umschau, 35, 998-1001, 4 figs.

1931B. Lebwesen vor 300 Millionen Jahren. Umschau, **35,** 276-278, 3 figs. See also: Lull 1918A.

Armstrong, A. Leslie

1931. Excavations in the Pin Hole Cave, Creswell Crags. Proc. Prehist. Soc. East Anglia, 6, 330-334, 1 fig.
Review: Vaufrey in L'Anthrop., 43, 118-119.

Armstrong, J. M. See: Scott, G., and Armstrong, 1932.

Arndt, Walther See: Pax, F., and Arndt, 1930.

Arnold, Ralph See: Merriam, J., et al., 1915.

Aron, M. See: Beauverie, J., et al., 1933.

Artelt, Walter

1929. Geschichte der Anatomie der Kiefer und der Zähne bis zum Ausgang der Antike. Dissert. Freiburg i. Br., 59 pp.

Arthaber, Gustav von

1932. [Obituary of James Perrin Smith.] Centralbl. Min. Geol. Pal., 1932, Abt. B, 317-319.

Arx, Max von

1928. Le crâne de mammouth d'Olten, ses lignes de forces et ses champs de forces. Application de la construction de tangentes au mammouth et à la Tour Eiffel. Bull. Soc. Morphol., 1928, 3-4.

1929. Die Graphostatik und Kinematik in der Entwicklungslehre. Mathematisch-vergleichende Studien am Mammut-, Schimpansen- und Menschenschadel. Zeit. Anat., 91, 304-328, 14 figs.

Ashley-Montagu, Montague Francis

The Tarsian hypothesis of the descent of man. Jour. Roy. Anthrop. Inst., 60, 335-362, pl. 9-10.
 Review: Vallois in L'Anthrop., 42, 142-143.

1933. The anthropological significance of the pterion in the primates. Amer. Jour. Phys. Anthrop., 18, 159-336, 48 figs.

Astré, Gaston

1928. Un petit Amphicyon au Mas = d'Auvignon. Bull. Soc. Hist. Nat. Toulouse, 57, 238-241, 2 figs.

1929A. Sur un felin à particularités ursöides des limons pliocènes du Roussillon. Bull. Soc. Géol. France, (4) 29, 199-204, 3 figs.

1929B. Brachyodus borbonicus à Castelnau d'Estrétefonds. C. R. Soc. Géol. France, 1929, 63-65.

1929C. Localités sous-pyrénéennes du grand boeuf primitif. Bull. Soc. Hist. Nat. Toulouse, 58, 604.

1929D. Le mammouth de Banlou. Bull. Soc. Hist. Nat. Toulouse, 58, 609-633, 4 figs., 4 pls.

1929E. Restes du grand boeuf primitif dans les alluvions du Tarn. Bull. Soc. Hist. Nat. Toulouse, 58, 62-66.

1929F. Mammifères fossiles du Ludien supérieur de Port d'Assou. Bull. Soc. Hist. Nat. Toulouse, 58, 573-585, 1 pl.

1930A. Anthracotherium magnum à Saint-Nazaire-de-Valentane. Bull. Soc. Hist. Nat. Toulouse, **59**, 153-154.

1930B. Une gazelle pliocène près de l'embouchure de l'Orb. Bull. Soc. Hist. Nat. Toulouse, 60, 343-344.

1930C. Rhinocéridé de l'Aquitanien moyen de Moissac. C. R. Soc. Géol. France, 1930, 14-16.

1931A. Sur l'ichthyosaurien de Bédeille. C. R. Soc. Géol. France, 1931, 164-166.

1931B. Mammifères fossiles du pleistocène recént des Phosphorites du Quercy. Bull. Soc. Hist. Nat. Toulouse, **61**, 191-194.

1931C. Les crocodiliens fossiles des terrains tertiares Sous-Pyrénéens. Bull. Soc. Hist. Nat. Toulouse, 61, 25-71, 5 figs., 3 pls.

1931D. Reste de crocodilien dans le terrain nummulitique de Villespy. Bull. Soc. Hist. Nat. Toulouse, 62, 397-398.

1932. Mammifères des lignites Pontiens d'Orignac. Bull. Soc. Hist. Nat. Toulouse, 64, 581-584.

1933A. Sur quelques mammifères oligocènes de la vallée de l'Ariège. Bull. Soc. Hist. Nat. Toulouse, 65, 120-126.

1933B. Un Aceratherium à émail peu plissé de Genestous. Bull. Soc. Hist. Nat. Toulouse, 65, 293-298, 1 fig.

1933C. Palaeothéridés du Ludien inférieur de Mireval-Lauragais. Bull. Soc. Hist. Nat. Toulouse, 65, 631-634.

Athanasiu, Sava, and Preda, D. M.
1929. Sur la présence d'*Elephas meridionalis* Nesti dans le pliocène supérieur de Pralea-Căiuti (Distr. Bacău). An. Inst. Geol. Romaniei, **13**, 65-84, 1 fig., 2 pls.

Atwood, William H., and Heiss, E. D.
1928. Educational biology. Philadelphia: P. Blakiston's Son & Co., 480 pp.,
259 figs.

Aubert, Edmond
1929. Recherches anatomiques sur les sinus osseux des ruminants. Arch. Anat.
Histol. Embryol., 9, 431-465, 20 figs., 2 pls.

Audova, Alexander 1929A. Aussterben der mesozoischen Reptilien. I. Mitteilung: physiologische Grundlagen, Palaeobiol., 2, 222-245. Abstract by Peters in Umschau, 36, 735, (1932). 1929B. Aussterben der mesozoischen Reptilien. II. Mitteilung: vorwiegend ökologische und tiergeographische Grundlagen. Palaeobiol., 2, 365-401. Also in: Acta Inst. Mus. Zool. Univ. Tartu, 1, 365-401.

- N. J. Co.

Augusta, Josef

1931. O fossilnich rybách z permu boskovické brazdy. Od. Horácka k Podyji, 8, 357-363, 3 figs., (in Czech).

1933. O vyhynulých krytolebcích (Stegocephalech) a jejich zástupcích ve spodním permu moravském. Příroda (Brno), **36**, (5) 120-128, 5 figs., (in Czech).

Avellino, F. Caracciolo d'

1928. Le teorie dell'evoluzione. Critica filosofica del transformismo. Rome: P. Maglione, 237 pp.

Avinoff, Andrey

1928. Testimonial to Dr. [W. J.] Holland on his eightieth birthday. Ann. Carnegie Mus., 19, 1-13, 1 pl.

1933. [Obituary of:] William Jacob Holland. Ann. Carnegie Mus., 21, i-iv, [append.] + portrait.

Ayers, Howard

1931. Vertebrate cephalogenesis. VI. A. The velum—its part in head building—the hyoid. The velata. The origin of the vertebrate head skeleton.
B. Myxinoid characters inherited by the Teleostomi. Jour. Morphol.,
52, 309-371, 22 figs.

1933. Palaeospondylus. Science, (n.s.) 78, 458-459.

Aymé, A. See: Marchand and Aymé, 1932.

Ayres, Clarence

1932. Huxley. New York: W. W. Norton & Co., 254 pp. Reviews: Anonymous in Quart. Rev. Biol., 7, 351; C. A. K[ofoid] in Isis,

20, 298-300. Azais, R. P., and Chambard, R.

1931. Cinq années de recherches archeologiques en Ethiopie, province du Harar et Ethiopie méridionale. Paris: Geuther, xv + 348 pp., 110 pls. Review: Sarton in Isis, 19, 516-518.

B., G. C.

1930. Edwin Ray Lankester, 1847-1929. Jour. Marine Biol. Assoc., 16, 365-371.

B., L.

1930. La question des isthmes pléistocènes dans la Méditerranée occidentale, à la lumière des recherches sur les eléphants fossiles des îles. Rev. Gén. Sci., 41, 354-355.

Bachofen-Echt, Adolf [= Bachofen von Echt]

1930. Die Stellung der Mosbacher Geweihe von Cervus elaphus in der Entwicklungs-Reihe dieses Hirsches. Notizbl. Ver. Erdk., (5) 12, 171-176, 4 pls.

1931A. Abnorme Zahnstellung bei Kiefern von *Ursus deningeri* aus Mosbach. Palaeobiol., 4, 345–351, 2 pls.

1931B. Die Baue des Arctomys primigenius. Speläol. Monog., 7-8, 9, 763-768, 7 pls.

1931C. Beobachtungen über die Entwicklung und Abnutzung der Eckzähne bei Ursus spelaeus und seiner Urform. Speläol. Monog., 7-8, 9, 574-580, 3 pls.

1931D. Fährten und andere Lebensspuren. Speläol. Monog., 7-8, 9, 711-718, 6 pls.

1931E. Verwendung der Höhlenbärenzähne durch den Menschen. Spelaol. Monog., 7-8, 9, 867-869, 5 pls.

1931F. Das Vorkommen von Capreolus im Plistozän Württembergs. Pal. Zeit., 13, 238-251, 7 figs.

1933. Darstellung des Lebensbildes von Megaceros nebst Bemerkungen über dessen Variationsbreite. Palaeobiol., 5, 115–126, 10 figs., 2 pls.

Badouin, Marcel

1931. Un poisson fossile dans un bloc de Lias moyen de la région de Bernard (Vendée). Bull. Soc. Sci. Nat. Ouest, France, (4) 10, 7-9.

Baitsell, George Alfred [Editor]

1929. The evolution of Earth and man. New Haven: Yale University Press. London: Humphrey Milford, xv + 476 pp., 83 figs. Reviews: Anonymous in Lancet, 218, 360; Anonymous in Jour. Amer. Med. Assoc., 94, 285; Hentschel in Eug. Rev., 22, 77.

Bakalow, Petr [= Bakalov, Peter]

1932. Mastodon arvernense von Gurmasowo-Bez, Sofia. Arb. Bulgar. Naturf. Ges., 15-16, 313-316, 2 pl., (Bulgarian with German summary).

Baker, Francis Collins

1930A. A new record of *Castoroides ohioensis* from Illinois. Science, (n.s.) 71, 389. 1930B. On genus and species making. Science, (n.s.) 72, 37-39.

Baquié-Rambaud, G.

1928. L'Ursus spelaeus Blumenbach dans les cavernes (En particulier dans celle de l'Herm, près Foix). Bull. Soc. Étud. Sci. Aude, 32, 325-334.

Barbat, William Franklin, and Weymouth, A. A.

1931. Stratigraphy of the *Borophagus littoralis* locality, California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 21, 25-36, 2 figs., 2 pls. See also: VanderHoof 1931.

Barber, Cecil Thomas

1930. Note on the alleged occurrence of fossil eggs at Yenangyaung, Upper Burma. Rec. Geol. Surv. India, **62**, 454–455.

Barber, E. J.

1932. Note on radiography of prehistoric bones. Brit. Jour. Radiol., 5, 591.

Barbosa Sueiro, M. B. See: Sueiro, M. B. Barbosa.

Barbour, Erwin Hinckley

1929A. The mandible of Amebelodon fricki. Bull. Neb. State Mus., 1, 139-146, 5 figs.

1929B. The mandibular tusks of Amebelodon fricki. Bull. Neb. State Mus., 1, 135-138, 1 fig.

1929C. Torynobelodon loomisi gen. et sp. nov. Bull. Neb. State Mus., 1, 147-153, 3 figs.

1930A. Amebelodon sinclairi sp. nov. Bull. Neb. State Mus., 1, 155-158.

1930B. Ancient elephants of Nebraska. Pan-Am. Geol., 53, 39-40. Abstract in: Bull. Geol. Soc. Amer., 41, 180.

1931A. The American mastodon with mandibular tusks. Bull. Neb. State Mus., 1, 163-170, 6 figs.

1931B. Evidence of dinosaurs in Nebraska. Bull. Neb. State Mus., 1, 187-190, 2 figs.

1931C. The giant beaver, Castoroides, and the common beaver, Castor, in Nebraska. Bull. Neb. State Mus., 1, 171-186, 12 figs.

1931D. The Milford mastodon, Mastodon moodiei, sp. nov. A preliminary report. Bull. Neb. State Mus., 1, 203-210, 5 figs. See also: 1932E.

1931E. A morning's consignment of proboscidean freight. Bull. Neb. State Mus., 1, 159-162.

1931F. The musk-oxen of Nebraska. Bull. Neb. State Mus., 1, 211-233, 15 figs.

1931G. A new amebelodont, Torynobelodon barnumbrowni, sp. nov. A preliminary report. Bull. Neb. State Mus., 1, 191-198, 4 figs.

1932A. The articulated skeleton of a *Titanotherium*. Bull. Neb. State Mus., 1, 235-238, 1 fig.

1932B. The articulated skeleton of *Eubelodon morrilli*. Bull. Neb. State Mus., 1, 243-246, 1 fig.

1932C. The mandible of *Platybelodon barnumbrowni*. Bull. Neb. State Mus., 1, 251-258, 6 figs.

1932D. The mandible of Torynobelodon barnumbrowni. Amer. Jour. Sci., (5) 24, 214-220, 3 figs.

1932E. The skull and mandible of Mastodon moodiei. Bull. Neb. State Mus., 1, 247-250, 2 figs.

See: Meserve and Barbour, 1932.

Barbour, E. H., and Schultz, C. B.

1932A. The mounted skeleton of Bison occidentalis and associated dart-points. Bull. Neb. State Mus., 1, 263-270, 3 figs.

1932B. A new oreodont slab. Bull. Neb. State Mus., 1, 259-262. 1 fig.

1932C. The Scottsbluff Bison quarry and its artifacts. Bull. Neb. State Mus., 1, 283-286, 1 fig.

Barbour, George Brown

Post-Mesozoic history of N. China. Bull. Geol. Soc. Amer., 39, 209-210, 1928. (abstract).

1930A. The geological background of Peking Man (Sinanthropus). Science, (n.s.) 72, 635-636. Also in: Nature, 126, 491; and in German, in: Anthrop. Anz., 7, 257-258.

1930B. The skull of the Peking Man. Peking Leader Reprints, no. 51.

Barbour, Thomas

Reptiles and amphibians, their habits and adaptations. Boston: Hough-1926. ton Mifflin Company, xx + 129 pp., 142 figs. [2nd ed. 1934, "almost without change."

Barbour, T., and Stetson, H. C.
1929. The squamation of *Homaosaurus*. Bull. Mus. Comp. Zool. Harvard, 69, 99-104, 1 pl.

A revision of the Pleistocene species of Terrapene of Florida. Bull. Mus. 1931. Comp. Zool. Harvard, 72, 295-299, 3 pls.

Barbu, I. Z. [= J. Z. = T. Z.]

Catalogul vertebratelor fosile din România. Acad. Română, Mem. Sect. Stiin., (3) 7, Mem. 2, 1-17, map, (in Rumanian).

Barfield, Owen See: Poppelbaum 1931.

Barlow, Nora See: Darwin, C., 1933.

Barnes, Frank See: Schutz 1929.

Barrett, B. H. See: Gregory, J. W., and Barrett, 1931.

Barteney, A. H. [= Bartenief]

Ueber einige Grundfragen zu Zoogeographie. Zool. Jour. Moscow, 11, 30-60. Abstract by Willer in Année Biol., 37, pt. 2, 279. 1932.

Zur Frage der Migrationstypen von Tieren in Vorderasien. Zool. Anz., 1933. **103.** 235-244.

Barton, Otis

Fossil bones in a Persian garden. Nat. Hist., 29, 143-154, 17 figs. 1929.

Bartucz, L.

War der Australopithecus ein "Menschenaffe"? Potfüz. Természettud., 1929. 23, 433-434, (in Magyar).

Basse, Éliane

Sur quelques fossiles des terrains secondaires de l'Ambongo (N.-O. de 1928. Madagascar). Bull. Mus. Hist. Nat. Paris, 1928, 391-398, 4 figs., map

Bassoli, G. G. See: Stefanini, Bassoli and Montanaro, 1930.

Bastin, Alfred H.

Introduction aux études préhistoriques dans le département des Ardennes. 1928. La paléontologie du quaternaire. Bull. Soc. Hist. Nat. Ardennes, 23,

Notes complémentaires sur la paléontologie du quaternaire dans le départ-1929. ment des Ardennes. Bull. Soc. Hist. Nat. Ardennes, 24, 16 pp., 4 pl.

1932A. Etudes morphologiques sur les eléphants fossiles du département des Ardennes. Ostéologie et dentition. Ann. Soc. Géol. Nord, 57, 87-101, 5 figs.

1932B. Presentation d'un poignard en os d'eléphant découvert dans les alluvions de l'Aisne. Bull. Soc. Préhist, Franc., 29, 234-239, 2 figs.

1933A. Sur la présence de l'hippopotame quaternaire dans le nord-est de la France. Ann. Soc. Géol. Nord, 58, 92-118, 6 figs., 1 table.

1933B. Sur la présence de formes diminutives du mammoth dans les alluvions quaternaires du nord-est de la France. C. R. Assoc. Franç. Avance Sci., **57**, 329-333.

Bastin, A. H., and Humbert, J.

1929. Sur la découverte des restes d'un mammouth à Raucourt (Ardennes). Bull. Soc. Préhist. Franç., 26, 115-117.

Bataller, José Ramón

1928. Los yacimientos de vertebrados fósiles miocénicos de Cataluña. C. R. Congr. Géol. Internat., 14th Sess., F. 3, 1928, 1009-1015.

1932. El jaciment fossilífer del Carmel (Muntanya Pelada) Barcelona. But. Inst. Catalana Hist. Nat., (2) 32, 78-84, 2 figs., 1 pl.

Bataller, J. R., and Solá, P. J.

1928. El Dinotherium giganteum Kaup a Terrassa. But. Inst. Catalana Hist. Nat., (2) 8, 108-109, 1 fig.

Bate, Dorothea M. A.

1928. The animal remains. In: "Excavation of a Mousterian rock-shelter at Devil's Tower, Gibraltar." Jour. Roy. Anthrop. Inst., 58, 92-109, 2 figs. See also: Hinton 1928.

1930. Animal remains from the Dark Cave, Hazar Merd. [Part of: "The Palaeolithic of Southern Kurdistan: Excavations in the caves of Zarzi and Hazar Merd" by D. A. E. Garrod.] Bull. Amer. School. Prehist. Res., 6, 38-41.

1932A. A new fossil hedgehog from Palestine. Ann. Mag. Nat. Hist., (10) 10, 575-585, 14 figs., tables.

1932B. A note on the fauna of the Athlit caves. Jour. Roy. Anthrop. Inst., 62, 277-279.

See: Gardiner, C. I., and Bate, 1933; Lowe, P. R., and Bate, 1931; Pycraft, W. P., Smith, G. E., et al., 1928.

Bather, Francis Arthur

1928A. Recent important alterations and acquisitions [in the British Museum of Natural History]. Nat. Hist. Mag., 1, 217-221.

1928B. The shifting diagnosis. Palaeobiol., 1, 51-54.

1928C. Prof. C. Diener [1862-1928]. Nature, 121, 176-177.

1928D. The record of the rocks. In: Mason, F., 1928, "Creation by Evolution," pp. 102-111, 2 figs.

1928E. The fossil and its environment. Quart. Jour. Geol. Soc., London, 84, pt. 2, lxi-xcviii, (in anniversary address of the President).

1929A. Quo Vadis? A question from a palaeontologist to the systematist. X Congr. Internat. Zool., Budapest, 1, 95-101. Also more fully in: Quart. Jour. Geol. Soc. London, 83, lxiii-civ. See also: Palaeobiol., 1, 51-54.

1929B. Evolution through adaptation. Nature, 123, 497-499.

1930. Obituary: Otto Jaekel. Quart. Jour. Geol. Soc. London, 86, lviii-lix, (in anniversary address of the President).

1932. Classification with reference to phylogeny and convergence. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 398-400.

Battaglia, Raffaelo

1929. La Hyaena crocuta spelaea della grotte di Postumia. Grotte Italia, 1929, Postumia, pp. 49-75. Review: Vaufrey in L'Anthrop., 40, 138.

1933A. Pithecanthropus e Sinanthropus. In: "L'Antropologia e la paletnologia Umana," Atti Soc. Ital. Prog. Sci., XXI Riun. Roma, 1932, 310-314. Abstract in: Riv. Antrop., 29, 653.

1933B. Il Miolitico. Riv. Antrop., 29, 161-194.

See: Mochi 1928.

Baudouin, M., and Morel, M.

1928. Un cas unique de paléopathologie. Pointe de flêche dans une vertêbre dorsale humain. C. R. Acad. Sci. Paris, 186, 961-963.

Baume, W. La See: La Baume, W.

Bavink, Bernhard

1932. The anatomy of modern science. An introduction to the scientific philosophy of today. Translated from the 4th German Edition, with additional notes and bibliography for English readers, by H. S. Stafford Hatfield. London: G. Bell & Sons, Ltd., xiii + 683 pp., 87 figs.

Bayer, B.

1933. Nález paleozoické ryby Acrolepis gigas Fr. v. kamenouhélne pánvi plzeňske. Příroda (Brno), **26**, (10) 288–289, 1 fig., (in Czech).

Bayer, Joseph

1928A. Nochmals der "Mammutbildstein von Kumlsko." Eiszeit u. Urgeschichte 5, 108-109.

1928B. Zum Problem der Gliederung des Eiszeitalters. Mannus, 20, 25-34.

Die Grundlagen zur universal Geschichte der Menschheit. Eiszeit u. Urgeschichte, 6, 1-64, 2 pls.
 Review: Vallois in L'Anthrop., 40, 469-471.

1931. Zum Problem der Verschiedenheit zwischen Sinanthropus-Pithecanthropus und Eoanthropus. Forsch. u. Fortschr., 7, 130-131.

Bean, Robert Bennett

1932. The races of man. Differentiation and dispersal of man. New York: The University Society, vi + 134 pp.
Reviews: Anonymous in Jour. Anat., 67, 488; Lull in Amer. Jour. Sci., (5) 25, 346.

Beaufort, L. F. de

1928. On a collection of Miocene fish-teeth from Java. Dienst Mijn. Ned.-Indië, Wet. Meded., 8, 3-6.

1931. De palaeontologie en stratigraphie van Nederlandsch Oost-Indië. I. Onze palaeontologische kennis van Nederlandsch Oost-Indië in 1930. 14. Pisces, Reptilia and Aves. Leid. Geol. Meded., 5, 461-470.

Beaulieu, Germain

1930. Le centenaire de Lamarck. Nat. Canadien, 57, 80-83, portrait.

Beauverie, J., Roman, F., Gautier, C., Cormau, L., Collin, R., Cuénot, L., Jacquin-Chatellier, L., Montcheuil, R. P. de, Viret, J., Merle, P., Monchanin, A., Thooris, A., and Aron, M.

1933. Formes, vie et pensée. Lyon: Libraire Lavandier, 422 pp., 47 figs.

Beck, H. C. See: Leakey, et al., 1931.

Beck-Gran, Robert See: Georg 1930.

Beckers, H. J.

1932. Resultaten van mijn geologisch en palaeontologisch onderzoek te Elsloo. Natuurhist. Maandbl., 21, 33-37, 2 pls.

Beer, E. W. de

1930. Embryology and evolution. Oxford: Clarendon Press, 116 pp., 7 figs. Review: MacBride in Discovery, 11, 209.

Beer, G. R. de, and Huxley, J. S.

1928. Vertebrate zoology: an introduction to the comparative anatomy, embryology and evolution of chordate animals. London: Sidgwick & Jackson; New York: Macmillan Co., xx + 505 pp., 185 figs.
Reviews: Anonymous in Jour. Anat., 64, 534-535; Anonymous in Lancet, 216, 240; Anonymous in Brit. Med. Jour., 1929:2, 501-502.

Beer, G. R. de, and Buxton, L. H. D.

1932. Neanderthal and modern man. Nature, 129, 940-941.

Bégouen, Louis Comte de

1929. Les peintures et dessins le la Grotte de Bédeilhac (Ariège). Ipek, 1929, 1-5, 10 figs. on pls. 1-3.

1933. Notre campagne de fouilles dans la Caverne des Tres Frères, 1930-1931 (Ariège). Congr. Internat. Anthrop. Archaeol. Prehist., (1931, Paris), 1933, 333-340, 5 figs., 1 pl.

Bégouen, Max

1928. Quand le mammouth ressuscita. Paris: Librairie Hachette, 166 pp. Review: Leonhard Franz in Wien. Prähist. Zeit., 16, 118-119.

Behm, Hans Wolfgang
 1929. Schöpfung des Menschen. Revolution um Charles Darwin und sein Erbe. Leipzig: Voightländer, 247 pp., 54 figs.
 Reviews: Geyer in Mitt. Anthrop. Ges., Wien, 61, 123-124; Westenhöfer in Arch. Frauenk. Konst., 16, 97.

Behn, Friedrich

1931. Vor- und Urgeschichte—Die Eiszeit. Propyläen Weltgeschichte, 1, 91-118, 21 figs., 1 pl.

Behre, Charles Henry, Jr. See: Johnson, J. H., and Behre, 1933.

Beliaeva, Miss E. I. = Beliajeval

1928. Catalogue of the Geological Museum. Vertebrata, Mammalia, Rhinocerotidae. Genus *Indricotherium* Boriss. Trav. Mus. Géol. Acad. Sci. URSS., 4, 241–272.

1930. Catalogue of the Geological Museum. Vertebrata, Mammalia, Rhinocerotidae. Genus *Epiaceratherium* Abel. Trav. Mus. Géol. Acad. Sci. URSS., 6, 179-193.

1933A. Neue Data über quartäre Säugetiere von West-Siberien. Bull. Acad. Sci. URSS., cl. Math. Nat., 1933, 1205–1207, (Russian with German summary).

1933B. Einige Data über fossile Elephante der Halbinsel Taman. Bull. Acad. Sci. URSS., cl. Math. Nat., 1933, 1209–1211, (Russian with German summary).

See: Borissiak, A. A., and Bellaeva, 1928A, B.

Bell, W. A.

1929. Horton-Windsor district, Nova Scotia. Canada Dept. Mines, Geol. Surv., Mem. 155, 1–268, 14 figs., 36 pls., map.

Belyaeva, E. I. See: Beliaeva.

Bemmelen, J. F. Van See: Van Bemmelen.

Benson, Allan L.

1928. The story of geology. New York: Cosmopolitan Book Corporation, viii + 300 pp., illustr.

Bentivoglio, Tito

Bibliografia geo-mineralogica e paleontologica del Modenese e Reggiano 1916-1920. Atti Soc. Nat. Mat. Modena, 60, 179-198.

Bentley, Madison

1931. In quest of glacial man. A plan of coöperation between excavators and the representatives of the sciences of Man and of the Earth. Nation. Res. Council, Repr. Circ. Ser. no. 100, 20 pp.

Berckhemer, Fritz

1928A. Ein Büffelfund aus den diluvialen Schottern von Steinheim a. d. Murr. Pal. Zeit., 10, 64-67, 3 figs. Discussed by Wüst in Pal. Zeit., 10, 67.

1928B. [Remarks on Württemberg fossils.] Jahresh. Ver. Vaterländ. Naturk. Württemberg, **84**, xix-xxi, **1** fig.

1928C. Untersuchungen über die Meerkrokodile des schwäbischen oberen Lias. Pal. Zeit., 10, 60-62, 63-64. Discussed by Pompeckj in Pal. Zeit., 10, 62-63.

1928D. Fund eines Riesenhirschschädels aus den Schottern von Steinheim (Murr.). Aus der Heimat, 41, 140-145.

1929A. Bericht über die Tagung der Paleontologischen Gesellschaft in Stuttgart und Tübingen. Pal. Zeit., 11, 187-192.

1929B. [Remarks on Württemberg fossils.] Jahresh. Ver. Vaterländ. Naturk. Württemberg, 85, xxviii-xxxii, 2 figs.

1930A. Beiträge zur Kenntnis der Krokodilier des schwäbischen oberen Lias. Neues Jahrb. Min. Geol. Pal., Beil.-Bd., 64, Abt. B, 1-60, 14 figs., 7 pls. Shorter account in: Monatsschr. Württemberg, 1930, 32-38, 4 figs.

1930B. Diluviale Säugetiere aus der Gegend von Heilbronn. Abh, Erdges. Landesk. Schwaben, Franken, 12, 3-15, 9 figs.

1930C. [Museum notes.] Jahresh. Ver. Vaterländ. Naturk. Württemberg, 86, xxi-xxvi, 2 figs.

1930D. "Der Waldelefant" von Steinheim an der Murr. Aus der Heimat, 43, 331-337, 6 figs.

1931A. Die Saurierfunde aus den Keuperablagerungen der Baar. Tuttlinger Heimatblätter, 14, 1-12, 4 figs.

1931B. Die duluviale Grosstierwelt von Steinheim a.d. Murr., ein Lebensbild. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 87, xxxviii.

- 1933A. Notiz über den Fund eines Urmenschenschädels in den Schottern von Steinheim a. d. Murr. Pal. Zeit., 15, 224. Short account in Jahresh. Ver. Vaterländ. Naturk. Württemberg, 89, lxxxiii-lxxxiv. See also: 1933E.
- 1933B. Sauriergrabung bei Trossingen mit dem freiwilligen Arbeitsdienst. Pal. Zeit., 15, 79-80.
- 1933C. Die Wirbeltierefund aus den Schottern von Steinheim a. d. Murr. Jahresb. Mitt. Oberrhein. Geol. Ver., (n.s.) 22, 89-103, 3 figs., 1 pl.
- 1933D. [Steinheim Man.] Bericht der Württembergischen Naturalien Sammlungen in Stuttgart (Geologische Abteil.). Jahresh. Ver. Vaterländ. Naturk., Württemberg, 89, xxiii-xxxi, 2 figs.
- 1933E. Ein Menschen-Schädel aus den diluvialen Schottern von Steinheim a. d. Murr. Anthrop. Anz., 10, 318-321, 1 pl.
- 1933F. [Obituary of:] Theodor Engel. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 89, xxxv-xxxix, portrait, bibliog.
- See: Kranz, Berckhemer and Wagele, 1930; Seeman and Berckhemer, 1930.

#### Berg. A. K. van

1930. Affenmensch und Menschenaffe. Pforzheim i. Baden: Herbert Reichstein, 33 [+ vii pp.].

# Bergersen, Birger

1930. Die Mammutfunde in Norwegen, bei besonderer Berücksichtigung zahnanatomischer Verhältnisse. Norsk Geol. Tidsskrift, 11, 367-405, 14 figs.

#### Bergounioux, F.-M.

1931A. Sur une Clemmys du Pontien Catalan. Bull. Soc. Hist. Nat. Toulouse, 61, 72-78, 5 figs.

- 1931B. Le genre Allaeochelys et ses caractères adaptifs. Bull. Soc. Hist. Nat. Toulouse, 61, 161-181, 7 figs., 3 pls.
- 1932A. Sur la place des *Trionyx* dans la classification des chéloniens. C. R. Acad. Sci. Paris, 195, 1407-1409.
- 1932B. Observations sur les chéloniens fossiles de la famille des Trionychidés. C. R. Soc. Géol. France, 1932, 184-185.
- 1932C. Sur une Clemmys de La Débruge. Bull. Soc. Hist. Nat. Toulouse, 64, 403-409, 2 figs., 1 pl.
- 1932D. Chéloniens fossiles conservés au Museum d'Histoire Naturelle de Munich. Bull. Soc. Hist. Nat. Toulouse, **64**, 523-544, 5 figs., 2 pls.
- 1933A. Chéloniens fossiles des sables pliocènes Astièns de Montpellier. Trav. Lab. Géol. Lyon, Fasc. 23, Mém. 2, 1-32, 5 figs., 2 pls.
- 1933B. Remarques sur les chéloniens fossiles de la famille des Amphichélydés. C. R. Acad. Sci. Paris, 197, 1449-1451.
- 1933C. Sur l'*Emys camperi* du Musée de Bruxelles. Bull. Mus. Hist. Nat. Belg., 9, no. 5, 1-13, 4 figs.
- 1933D. Sur une nouvelle espèce de Testudo du bassin Lutétien de Palette. Bull. Soc. Hist. Nat. Toulouse, 65, 508-520, 2 figs., 2 pls.

## Berkey, Charles Peter

1929. Recent geologic explorations in Central Asia. Sci. Monthly, 28, 193-216, 23 figs. See also: Andrews, R., 1932.

## Berkey, C. P., Granger, W., and Morris, F. K.

1929. Additional new formations in the later sediments of Mongolia. Amer. Mus. Novit., no. 385, 1-12, 4 figs.

#### Berlin, Herved

1933. Oriktiga primarüppgifter angående Hammarlövsfyndet av Wroxe (Bos primigenius Boj.). Fauna och Flora, 1933, 105-114, 1 fig.

### Bernsen, J. J. A.

1928. The geology of the Tegelian clay and its remains of rhinoceros. Diss. Amsterdam [1928].
Cited in: Kon. Ned. Aardrijk. Genoot., Tijdschrift, 46, 277.

1930A. Eine Revision der fossilen Säugetierfauna aus den Tonen von Tegelen. Natuurhist. Maandbl., 19, 146-152, 3 figs. 1930B. On a fossil monkey found in the Netherlands (Macacus of. florentinus Cocchi). Proc. Sect. Sci. Akad. Wet. Amsterdam, 33, pt. 2, 771-777, 1 pl., 1 table.

Review: Vaufrey in L'Anthrop., 41, 562.

Eine Revision der fossilen Säugetierfauna aus den Tonen von Tegelen. 1931. Natuurhist. Maandbl., **20**, 25–31, 2 pls.; 67–71, 1 pl.; 104–108, 1 pl; 153–158, 1 pl. Cited in: Kon. Ned. Aardrijk. Genoot., Tijdschrift, **48**, 551.

1932A. Eine Revision der fossilen Säugetierfauna aus den Tonen von Tegelen. VI. Ursus etruscus Cuv. and VII. Mustela sp. Natuurhist. Maandbl., 21, 20-26, 78-81, 2 pl.

1932B. Eine Revision der fossilen Säugetierfauna aus den Tonen von Tegelen. VIII. Hystrix cf. etrusca Bosco. Natuurhist. Maandbl., 21, 78-81, 1 pl.

1933. Eine Revision der fossilen Säugetierfauna aus den Tonen von Tegelen. IX. Cervidae, herausgegeben von Dr. A. Schreuder. Natuurhist. Maandbl., 22, 136-138; 23, 38-46, 71-77, 82-86, 3 pls.

Berro, A. C.

Un nuevo mastodon en la R. O. del Uruguay. Mercedes, (Montevideo). See: Cabrera, A., 1930, p. 141; Kraglievich 1931L.

Berry, Charles Thompson

Metatarsal of Equus from the marine Pliocene of North Carolina. 1931. Am. Geol., 56, 340-342, 1 pl.

Some Miocene teeth belonging to the genus Lagodon. Amer. Jour. Sci., 1932. (5) **24**, 303–305, 1 fig.

Berry, Edward Wilber

1929. Paleontology. New York: McGraw-Hill Book Company, Inc., xii + 392 pp., 175 figs., front.

See: Mason, F., 1928.

Berry, J. Allan

A new species of fossil Arctocephalus from Cape Kidnappers. Trans. 1928. Proc. New Zealand Inst., 59, 208-211, 1 pl.

Berry, Willard

A new hypural fan from the Miocene of Maryland. Jour. Wash. Acad. 1930. Sci., 20, 41-42, 2 figs.

Bertaccini, P.

Teoria atomica della evoluzione degli esseri viventi. Modina, 156 pp., 1930. Review: Vallois in L'Anthrop., 43, 376.

Bertolanffy, L. von

Der heutige Stand des Entwicklungs-Problems. Scientia, 46, no. 208, 1929. 97-110; also no. 209, 171-182.

Bertoni, A. de W.

La Macrauchenia en el Paraguay. Rev. Soc. Cien. Paraguay, 2, 189. 1928.

El gliptodonte del Pilcomayo. Rev. Soc. Cien., Paraguay, 3, 5. 1931.

Besairie, H. Recherches géologiques à Madagascar. Contribution à l'étude des 1930. ressources minérales. Bull. Soc. Hist. Nat. Toulouse, 60, 345-616, 16 figs., 27 pls.

Betim, Alberto

État des connaissances géologiques sur le Brésil. (Rapport avec la théorie de Wegener sur la dérive des continents.) Bull. Soc. Géol. France, 1929. (4) 29, 35-87, 6 figs., 1 table.

Bettenstaedt, F. See: Voigt, E., Brotzen, F., and Bettenstaedt, 1932.

Beurlen, Karl Vergleichende Stammesgeschichte. Fortschr. Geol. Pal., 8, 26. 1930.

Weshalb mussten das Mammut und seine Zeitgenossen aussterben? Schrift. 1932. Physik-ökonom. Ges. Königsberg, 67, 92-93.

1933A. Vom Aussterben der Tiere. 1. Die Einwirkungen der Umwelt. Ber. Senck. Naturf. Ges., 63, 1-8, 5 figs.

1933B. Vom Aussterben der Tiere. 2. Das Gepräge der aussterbenden Tiergruppen. Ber. Senck. Naturf. Ges., 63, 55-63, 5 figs.

1933C. Vom Aussterben der Tiere. 3. Der Artentod un der individual Tod. Ber. Senck. Naturf. Ges., 63, 102-106, 1 fig.

Bialynicki-Birula, A. A.

1928. P. P. Suškin au Musée Zoologique. Ann. Mus. Zool. Acad. Sci. URSS., 29, xxix-xxxi, 1 pl.

1929. Rapport préliminaire sur les mammifères "des debris de cuisine" d'une station de l'homme de l'âge de la Pierre sur le mont Verkholensk près Irkoutsk. C. R. Acad. Sci. URSS., 1929A, 91-93, (in Russian).

1930A. Note sur les métacarpiens et métatarsiens de l'ours des cavernes (*Ursus spelaeus* Rosenm.). C. R. Acad. Sci. URSS., 1930A, 655-658.

1930B. Communication preliminaire sur les carnivores quaternaires de la Crimèe. C. R. Acad. Sci. URSS., 1930A, 139-144, (in Russian).

1930C. A preliminary report on the rodents from the Quaternary deposits of Crimea. C. R. Acad. Sci. URSS., 1930A, 617-622, (in Russian).

Bidder, G. P. See: Osborn, H. F., Bidder, G. P., and M'Intosh, 1929.

Bigot, Alexandre

1929. Réunion extraordinaire de la Société Géologique et Minéralogique de Bretagne en Bassé-Normandie (8-13 Septembre 1928). Bull. Soc. Géol. Min. Bretagne, 7, 61-116, 9 figs., 2 maps.

1930. Sur l'horizon géologique du *Stenosaurus Larteti* E. Deslongchamps. C. R. Soc. Géol. France, **1930**, (4), 29-31. See also: Bull. Soc. Linn. Normandie, (8) **3**, 16-17.

Bill, Annie C.

1932. The method of creative evolution. New York and London: A. A. Beauchamp, x + 108 pp.

Binet-Sanglé, Dr.

1931. Les ancêtres de l'homme. Paris: A. Michel, xx + 290 pp., 16 pls. Review: Anonymous in Quart. Rev. Biol., 7, 346.

Birula, A. See Bialynicki-Birula.

Black, Davidson

1928. Further hominid remains of Lower Quaternary age from the Chou Kou Tien deposit. Science, (n.s.) 67, 135-136. Also in: Nature, 120, 954.

1929A. Preliminary note on additional Sinanthropus material discovered in Chou Kou Tien during 1928. Bull. Geol. Soc. China, 8, 15-32, 2 figs., 6 pls.

1929B. Sinanthropus pekinensis: the recovery of further fossil remains of the hominid from the Chou Kou Tien deposit. Science, (n.s.) 69, 674-676, 2 figs.

1930A. Interim report on the skull of *Sinanthropus*, March 29, 1930. Human Biol., 2, 439-440, figs. 1-3. Also in: Anthrop. Anz., 7, (1931), 117-118, 1 pl.

1930B. Interim report on the skull of Sinanthropus. Bull. Geol. Soc. China, 9, 7-10, 6 pl.

1930C. Preliminary notice of the discovery of an adult Sinanthropus skull at Chou Kou Tien. Bull. Geol. Soc. China, 8, 207-211, 9 pls. Also in: China Jour., 12, 163-164, 1 pl.

Review: Kleiweg de Zwaan in Kon. Ned. Aardrijk. Genoot., Tijdschrift, 47, 722-723.

1930D. Notice of the recovery of a second adult Sinanthropus skull specimen. Bull. Geol. Soc. China, 9, 97-98, 1 pl.

1930E. Sinanthropus pekinensis: a further note on the new material recovered at Chou Kou Tien in 1928 and its zoo-geographical significance. Proc. Fourth Pacific Sci. Congr., 3, 105-112, 2 figs.

1930F. Discovery of skull of adult Sinanthropus at Chou Kou Tien. Anthrop. Anz., 6, 358-359, 1 pl.

1930G. A preliminary report on the discovery of a skull of adult Sinanthropus pekinensis at Chou Kou Tien. China Jour., 12, pt. 3, 47, 163-164, 1 fig.

1931A. Evidences of the use of fire by Sinanthropus. Bull. Geol. Soc. China, 11, 107-108.

1931B. On an adolescent skull of Sinanthropus pekinensis in comparison with an adult skull of the same species and with other hominid skulls, recent and

fossil. Pal. Sinica, (D) 7, fasc. II, 1-111, 37 figs., 16 pls. Reviews: Buxton in Antiq., 5, 524-525; Hrdlicka in Amer. Jour. Phys. Anthrop., 16, 98-100; S. Sergi in Riv. Antrop., 29, 609-610; Vaufrey in L'Anthrop., 41, 557-562, 2 figs.

1931C. Paleogeography and polar shift. Bull. Geol. Soc. China, 10, 105-157, 26

1931D. Preliminary report on the Sinanthropus lower jaw specimens recovered from the Chou Kou Tien cave deposit in 1930 and 1931. Bull. Geol. Soc. China, 11, 241–246, 5 figs.

1932A. The discovery of Peking Man. [Resumé of Croonian lecture before the Royal Society, Dec. 8, 1932.] Nature, 130, 935.

1932B. Skeletal remains of Sinanthropus other than skull parts. Bull. Geol. Soc. China, 11, 365–369, 2 pls. Review: McCown in Amer. Anthrop., 35, 779-780.

1933A. On the endocranial cast of the adolescent Sinanthropus skull. Proc. Roy. Soc. London, (B) 112, 263-276, 6 figs., 6 pls.

1933B. The brain cast of Sinanthropus. Jour. Comp. Neurol., 57, 361-368, 6 figs., 1 pl.

1933C. Recent discoveries at Chou Kou Tien. Nature, 133, 89.

Black, D., Chardin, P. T. de; Young, C. C., and Pei, W. C. Fossil man in China. The Choukoutien Cave deposits with a synopsis of

our present knowledge of the late Cenozoic in China. Mem. Geol. Surv. China, Ser. A, no. 11, x + 166 pp. (+ a summary in Chinese), 82 figs.,

Reviews: McCown in Amer. Anthrop., 37, 514-515; Vaufrey in L'Anthrop., **44,** 121–127, 2 figs.

Abstract in: Pan-Am. Geol., 60, 376-377.

Blackwelder, Eliot

1929A. The Menlo Park mastodon. Science, (n.s.) 69, xiv.

1929B. A mastodon skeleton near San Francisco Bay. Jour. Wash. Acad. Sci., 19, 29-30.

Blake, W. C. See: Burchell and Blake, 1930.

Blanc, Gian Alberto

Sulla presenza di Alca impennis Linn, nella formazione pleistocenica superiore di Grotta Romanelli in Terra d'Otranto. Arch. Anthrop. Etnol., 58, 155-200, 7 pls. Review: Vaufrey in L'Anthrop., 40, 136-138.

See: De Vécci, et al., 1930.

Blanckenhorn, Max

Kritischer Überblick über die Tertiärablagerungen des nördlichen Hessens, ihr Alter, ihre Gleiderung, ihren Gegensatz zu denen Süd Hessens und ihre Abgrenzung nach Süden. Jahrb. Preuss. Geol. Landesanst., 53, 263-303, 1 fig.

Blanquier, A. Paul Tournal et l'homme fossil. Bull. Soc. Étud. Sci. Aude., 32, 235-242. 1928,

Blaschke, Frederick

Mousterian man, woman and infant—a race that became extinct. Sci. 1929. Amer., 141, 472, figs.

Blaschke, Wilhelm

Leonardo und die Naturwissenschaften. Leipzig und Berlin: B. G. Teub-1928. ner (Hamburger Math. Einzelschr. Heft 4.), 15 pp.

Blondel, F.

Les connaissances géologiques en 1930 sur l'extrême—Orient méridional. Bull. Soc. Géol. France, (4) 30, 323-432, 2 figs., 4 pls. 1930.

Bluntschli, Hans

†Homunculus patagonicus und die ihm zugereihten Fossilfunde aus den 1931. Santa-Cruz-Schichten Patagoniens. Eine morphologische Revision an Hand der Originalstücke in der Sammlung Ameghino zu La Plata. Morphol. Jahrb., 67, 811-892, 47 figs.

Boas, Franz

1930. Karl von den Steinen [1855-1929]. Science, (n.s.) 71, no. 1827, 7-8.

Boas, J. E. V.

1930. Über das Verhältnis der Dinosaurier zu den Vögeln. Morphol, Jahrb., 64, 223-247, 16 figs., 3 pls.

Abstract by Vanwiller in Année Biol., 34, pt. 2, 756.

× 3

Bodard, A.

1928. A propos du "Pithecanthropus erectus" de Java. La Géog., 49, 250-251.

Bode, Francis D.

1931. Characters useful in determining the position of individual teeth in the permanent cheek-tooth series of merychippine horses. Jour. Mammal., 12, 118-129, 13 figs.

Abstracts in: Bull. Geol. Soc. Amer., 43, 287-288; Pan-Am. Geol., 56, 67.

1933A. Anchitherine horses from the Merychippus zone of the North Coalinga district. Publ. Carnegie Instn. Wash., no. 440, 43-58, 5 pls.
Abstracts in: Bull. Geol. Soc. Amer., 44, 219; Pan-Am. Geol., 58, 149-150, (1932).

1933B. Merychippine species of the western United States and their stratigraphic relationships. Proc. Geol. Soc. Amer., 1933, 392, (abstract). Abstract in: Pan-Am. Geol., 62, 68.

Boetticher, Hans von

1928. Beiträge zur Kenntnis der Morphologie und Phylogenie des hornigen Vogelschnabelüberzuges mit besonderer Berücksichtigung seiner Beziehungen zu den Schnauzenschildern der Saurier. Jenaische Zeit. Naturwiss., 63, 455-558, 35 figs., 1 pl.

1930. Vögel, die nicht fliegen können. Ber. Senck. Naturf. Ges., 60, 167-176, 12 figs.

Boghachev, V. V.

1928. The remains of a whale and a fish from the diatomic deposits of the Apsheron peninsula. With descriptions of two new species of fish: Gadus kiplingi, n. sp., and Gadus caspius, n. sp. Jour. Azerbaijan Oil Industry, (5) 77, 33-39, 10 figs., (in Russian).

Bogsch, L

1928. Die Hipparionen der Báraczháza-Höhlung bei Csákvár. (Kom. Fejér) Föld. Közlöny, 58, 115-121, 223-229, (Magyar, with German summary).

Böker, Hans

1930. Beobachtungen und Untersuchungen an Vögeln während einer biologischanatomischen Forschungsreise in Brasilien. Morphol. Jahrb., 65, 229-305, 24 figs.

Bolk, Louis

1929. Origin of racial characteristics in man. Amer. Jour. Phys. Anthrop., 13, 1-28.

Bolk, L., Göppert, E., Kallins, E., and Lubosch, W.

1931. Handbuch der vergleichenden Anatomie der Wirbeltiere. Berlin und Wien: Orban und Schwarzenberg, Bd. 1, xvi + 752 pp., 561 figs., 10 pls. [Continued in later years.]
Review: Unsigned in Jour. Anat., 66, (1932), 280-281.

Bolkay, Stephan Josef [= István Józef]

1928. Die Schädel der Salamandrinen, mit besonderer Rücksicht auf ihre systematische Bedeutung. Zeit. Anat., 86, 259-319, 36 figs.

1929. On the endemic occurrence of Sus scrofa Reiseri Bolkay in Bosnia-Hercegovina. X Congr. Internat. Zool., Budapest, pt. 2, 1382-1385, 1 fig.

Bölsche, Wilhelm

1931A. Die Abstammung des Menschen. [125th ed.] Stuttgart: Kosmos, Franckh'sche Verlags, 1-94 pp., 124 figs.

1931B. Das Leben der Urwelt. Aus den Tagen der grossen Saurier. Leipzig: Dollheimer, 248 pp., 141 figs., 40 pls.

Bonarelli, Guido

1930. L'uomo fossile di cava Saccopastore. Boll. Soc. Geol. Ital., 49, xlvii-xlviii. See also: Cacciamali 1930. Abstract in Riv. Ital. Pal., 36, 25-26. Boni, Alfredo

1933. Fossili miocenici del Monte Vallassa. Boll. Soc. Geol. Ital., 52, 73-156, 3 figs., 4 pls.

Bonin, Gerhardt von

Studien zum Homo rhodesiensis. Zeit. Morphol. Anthrop., 27, 347-381, 3 figs., 16 pls.
Review: Vallois in L'Anthrop., 40, 294-296.

Bonnema, J. H.

1930. Bijdrage tot de kennis van de coprolithen uit de Kunrader formatie (K) en het Maastrichtsch tufkrijt (M). Natuurhist. Maandbl., 19 (2), 23-25, 2 figs., 2 pls.

Boonstra, Lieuwe D.

1929A. Pareiasaurian studies. Part 3. On the pareiasaurian manus. Ann. S. African Mus., 28, 97-111, 2 figs., 3 pls.

1929B. Pareiasaurian studies. Part 4. On the pareiasaurian pes. Ann. S. African Mus., 28, 113-121, 1 fig., 4 pls.

1930. A contribution to the cranial osteology of *Pareiasaurus serridens* (Owen). Ann. Univ. Stellenbosch, **8**, 1–19, 3 figs., 1 pl.

1932A. Pareiasaurian studies. Part 7. On the hind limb of the two little-known pareiasaurian genera: Anthodon and Pareiasaurus. Ann. S. African Mus., 28, 429-435, 7 figs.

1932B. Pareiasaurian studies. Part 8. The osteology and myology of the locomotor apparatus. B. Fore limb. Ann. S. African Mus., 28, 437-503, 41 figs., 3 pls. See also: Haughton 1930.

1932C. Paleobiologiese beskouinge oor 'n uitgestorwe reptiel-groep (Pareiasauridae). S. African Jour. Sci., 29, 487-494.

1932D. The phylogenesis of the Pareiasauridae: a study in evolution. S. African Jour. Sci., 29, 481-486, 1 fig.

1932E. A note on the hyoid apparatus of two Permian reptiles (pareiasaurians). Anat. Anz., 75, 77-81, 3 figs.

1933A. The geographical distribution of the pareiasaurs within the Karroo Basin. S. African Jour. Sci., 30, 433-435.

1933B. 'n Methode in gebruik vir die opgrawing van die pareiasauriërs. S. African Jour. Sci., 30, 436-440, 1 fig.

1933C. Pareiasaurian studies. Part 9. The cranial osteology. Ann. S. African Mus., 31, 1-38, 5 figs., 22 pls.

1933D. Pareiasaurian studies. Part 10. The dermal armour. Ann. S. African Mus., 31, 39-48, 5 pls.

1933E. Pareiasaurian studies. Part 11. The vertebral column and ribs. Ann. S. African Mus., 31, 49-66, 7 figs., 1 pl.

See: Haughton and Boonstra, 1929, 1930.

Bordas, Alejandro F.

1932A. Proposición de un nuevo género para "Eutatus inornatus" (Rovereto). Physis, 11, 167-168. See also: 1933.

1932B. Consideraciones sobre el género *Eutatus* y description de una neuva especie. Physis, **11**, 142–143.

1933. Notas sobre los Eutatinae. Neuva subfamilia extinquida de Dasypodidae. An. Mus. Nacion. Buenos Aires, 37, 142-13. See also: *ibid*, 583-614, 15 figs., 5 pls.

Borissiak, Alexei Alexievich [= Borisiak = Borisjok]

1928A. [An actual problem in Russian paleontology.] Proc. Third Congr. Russ.
Zoolog. Anatom. Histolog., Leningrad, 1927 [1928], 27, (in Russian).
Abstract of Borissiak 1928D.

1928B. On a new mastodon from the Chokrak beds (Middle Miocene) of the Kuban region, *Platybelodon Danovi*, n. gen. n. sp. Ann. Soc. Pal. Russie, 7, 1927 [1928], 105–120, figs. 1, 2; pl. 7.

1928C. [Obituary of:] Wilhelm von Branca. Bull. Acad. Sci. URSS., Cl. Math.-Nat., 1928, 203-204, (in Russian).

1928D. The next task of the Russian paleontology. Priroda, 4, 369-383, (in Russian). Abstract in: Borissiak 1928A.

1929A. On a new direction in the adaptive radiation of mastodonts. Palaeobiol., 2, 19-33, 4 figs., 3 pls.

1929B. [Obituary of:] Otto Jaekel. Bull. Acad. Sci. URSS., Cl. Math. Nat., 1929, 771-775, (in Russian).

1930A. Charles Depéret (nécrologie). C. R. Acad. Sci. URSS., 1930 A, 583-585.

1930B. Ursus spelaeus rossicus nov. n. C. R. Acad. Sci. URSS., 1930 A, 102-104, (in Russian). See also: Borissiak 1932.

1930C. W. Kowalewsky, sein Leben und sein Werk. Palaeobiol., 3, 132-256, 3 pls.

1930D. L'oeuvre de P. Suchkin dans le domaine de la paléozoologie des vertébrés. Trav. Mus. Géol. Acad. Sci. URSS., 6, 1-8, (in Russian).

1930E. A fossil walrus from the Okhotsk coast. Ann. Soc. Pal. Russie, 8, 1-9, 1 pl., (Russian with English summary).

1932. Eine neue Rasse des Höhlenbären aus den quartären Ablagerungen des Nordkaukasus. Trav. Inst. Pal. Acad. Sci. URSS., 1, 137-201, 7 pls., (Russian with German summary). See also: Borissiak 1930B.

1933A. A new mastodon from the Lower Miocene sediments of Kazakstan. C. R. Acad. Sci. URSS., 1933 A, 34-39, 1 fig., (Russian with English translation).

1933B. Paleontology during fifteen years. Priroda, 3-4, 86-94.

Borissiak, A. A., and Beliaeva, Miss E. I.

1928A. [New materials on Russian mastodonts.] Proc. Third Congr. Russ. Zoolog. Anatom. Histolog., Leningrad, 1927 [1928], 100, (in Russian).

1928B. Trilophodon (Serridentinus?) inopinatus n. sp. from the Jilančik beds of the Turgai region. Bull. Acad. Sci. URSS., Cl. Math. Nat., 1928, 241–252, 2 pls., (in Russian).

Born, Axel

1928. Erwiderung [to Wagner, Ernst, 1928A, "Zur Priorität der UV-Untersuchung von Fossilien."] Pal. Zeit., 10, 216. Reply by Wagner, E., 1928B.

1932. Palaozoikum. Handworterb. Naturwiss., 7, 640-697, 93 figs.

See: Miethe, A., and Born, 1928.

Borradas, Jose Perez de

1928. La infancia de la humanidad. Madrid: 175 pp., 24 pl. Review: Santa-Olalla in Soc. Españ. Antrop., Actas, Mem. 1929.

Borri, C.

1932. Sul valore della morphologia dei cetacei come prova dell'evoluzione. Atti Soc. Toscana Sci. Nat., Mem. 42, 248–265.

Bos, L. B.

1933. Geologie voor naturvrienden. Geologie, petrografie, palaeontologie. Amersfoort (Holland): 224 pp., 153 figs.

Bosch, A. D. H.

1931. Index op palaeontologische gegevens uit den indischen Archipel en omring ende landen. Handel. Zesde [6th] Ned. Ind. Natuurwet. Congr., 680-682.

Bose, Birendra Kumar

1929A. Notice of mammalian remains from the Siwaliks of Jammu. Quart. Jour. Geol. Min. Met. Soc. India, 2, 121-126, 1 pl.

1929B. Description of a skull of a bovoid ruminant found in the Upper Siwaliks of Khanpur. Quart. Jour. Geol. Min. Met. Soc. India, 2, 7-9.

Boss, Norman H.

1932. Explorations for fossil horses in Idaho. Explor. Field Work Smithson. Instn., 1931 [1932], publ. 3134, 41-44, 5 figs.

Bossert, H. Th.

1930. Geschichte des Kunstgewerbes aller Zeiten und Völker. Berlin, Wien, Zurich: Wasmuth, 1 (1928) 394 pp.; 2 (1929) 407 pp.; 3 (1930) 434 pp., [not seen].

[not seen]. Reviews: H. K[ühn] in Ipek, 1930, 137; Menghin in Wien. Prähist. Zeit., 20, 26-27.

Boswell, Percy George Hamnall

1932A. The Pleistocene succession in England. Geol. Mag., 69, 143. See also: Sandford, K., 1932A, B.

- 1932B. The Oldoway human skeleton. Nature, 130, 237-238.
- 1932C. The age of the skeleton from Oldoway, Tanganyika. Man, 32, 224. Se also: Nature, 130, 237.
- 1932D. The contacts of geology: The Ice Age and early man in Britain. Rept. Brit. Assoc. Adv. Sci., 1932, 57-58, [President's address].
- See: Leakey, et al., 1933.
- Botez, I. G.
  - 1930. Date Paleolitice pentru stratigrafia Loessuli in nordul Basarabiei. Acad. Românâ, Mem. Sect. Știin., 7, 107-118, 4 figs., (Roumanian with French summary).

    Review: R. V[aufrey] in L'Anthrop., 42, 111-112.
  - 1933. Recherches de paléontologie humaine au nord de la Bessarabie. Ann. Sci. Univ. Jassy, 17, 397-471, 47 figs., 2 pls.
- Botzong, C., and Voelcker, I.
- 1930. Wirbeltier-Fossil fuhrendes Diluvialprofil in Heidelberg-Handschuhsheim. Jahresh. Mitt. Oberrhein. Geol. Ver., (n.s.) 19, 13-18, 1 map, 5 profiles.
- Boubier, Maurice
  - 1933. Critique de l'évolution paléontologique des oiseaux et de la valeur hierarchique des ordres. Alauda, (3) 5, 423-441.
- Boule, Marcellin
  - 1928A. Le crâne humain de Cohuna (Australie). L'Anthrop., 38, 210-211.
  - 1928B. Découvertes de dents humaines en Chine, dans un gisement de vieux pléistocène. L'Anthrop., 38, 210.
  - 1928C. Le gisement de Piltdown. L'Anthrop., 38, 615.
  - 1928D. Nouvelles découvertes dans les sablières d'Heidelberg. L'Anthrop., 38, 209.
  - 1928E. Robert Hooke. Un évolutionniste oubilé du XVII<sup>o</sup> siècle. L'Anthrop., 38, 207-208. See also: Pavlow, A., 1928A.
  - 1928F. La vraie nature de l'Hesperopithecus. L'Anthrop., 38, 208-209.
  - 1928G. [Review of:] E. Linckenheld, "Statistique des trouvailles d'elephants et de rhinocéros quaternaires en Lorraine. (Bull. Assoc. Philomath. Alsace Lorraine, 7, 1926.) L'Anthrop., 38, 154.
  - 1928H. [Review of:] P. Forrer, "Rhinocéros de Merck et outillage de bois découverts dans un abri du Paléolithique ancien à Spichern, près Forbach." And: E. Linckenheld, "Téting, nouvelle station du Paléolithique inférieur." (Cahiers Arch. Hist. Alsace, nos. 69-72, 1927.) L'Anthrop., 38, 569-570.
  - 1928I. [Review of:] D. Black, "Asia and the dispersal of primates." (Bull. Geol. Soc. China, 4, no. 2, 1925.) L'Anthrop., 38, 148-150.
  - 1928J. [Review of:] J. Callander, J. Cree, and J. Ritchie, "Preliminary report on caves containing Paleolithic relics, near Inchnadamph. (Proc. Soc. Antiquar. Scot., 61, 1926-1927.) L'Anthrop., 38, 580-581.
  - 1928K. [Review of:] C. Fraipont, "Sur l'omoplate et le sacrum de l'Homme de Spy." (Rev. Anthrop., July-Sept., 1927.) L'Anthrop., 38, 364.
  - 1928L. [Review of:] F. Frassetto, "New views on the 'Dawn Man' of Piltdown." (Man, 27, 1927.) L'Anthrop., 38, 363-364.
  - 1928M. [Review of:] C. Gaillard, "L'origine du faisan d'Europe." (Assoc. Franç. Avance Sci., Confér. Lyon, 1926.) L'Anthrop., 38, 377-378.
  - 1928N. [Review of:] E. Linckenheld, "Téting, nouvelle station du Paléolithique inférieur." (Ann. Soc. Hist. Archéol. Lorraine, 1927.) L'Anthrop., 38, 378.
  - 1928O. [Review of:] D. Morton, "Significant characteristics of the Neanderthal foot." (Nat. Hist., 26, 1926.) And: "Man's erect posture." (Jour. Morphol. Physiol., 43, 147-179, 1926.) L'Anthrop., 38, 144-145.
  - 1928P. [Review of:] F. Doumergue, "La grotte du Polygone, Oran." (Bull. Soc. Geog. Archéol. Oran, 48, 1927.) L'Anthrop., 38, 585-587.
  - 1928Q. [Review of:] G. Pilgrim, "A Sivapithecus palate and other primate fossils from India." (Pal. Indica, [n.s.] 14, 1927.) L'Anthrop., 38, 357-358.
  - 1928R. [Review of:] R. Dart, "Mammoths and man in the Transvaal." (Nature, Dec. 10, 1927, Suppl.) L'Anthrop., 38, 389-390.

1928S. [Review of:] P. Revilliod, "Sur les animaux domestiques de la station de l'époque de la Tène de Genève et sur le boeuf brachycéphale de l'époque Romain." (Arch. Sci. Phys. Nat., 8, 1926.) And: L. Blondell, "Habitation gauloise de l'oppidum de Genève: Les animaux domestiques." (Genava, 4, 1926.) L'Anthrop., 38, 165-166.

1928T. La prétendue industrie humaine, osseuse, du pliocène du Nebraska. L'An-

throp., 38, 443-444.

1929A. La classification de l'ordre des Primates. L'Anthrop., 39, 573-574.

1929B. Découverte à Rome d'un crâne humain du type de Néanderthal. L'Anthrop., 39, 219.

1929C. [Obituary of:] A. P. Pavlow. L'Anthrop., 39, 353.

1929D. [Obituary of:] E. Ray Lankester. L'Anthrop., 39, 352-353.

1929E. [Obituary of: Sir W. Boyd Dawkins. L'Anthrop., 39, 213-214.

1929F. La paléontologie humaine en Chine. L'Anthrop., 39, 224.

1929G. Le "Sinanthropus." L'Anthrop., 39, 455-460, 1 fig.

1929H. [Review of:] G. Morant, "Studies of paleolithic man. II. A biometric study of neanderthaloid skulls and of their relationships to modern racial types." (Ann. Eug., 2, Oct. 1927.) L'Anthrop., 39, 147.

1929I. L'homme fossile de Bushveld. L'Anthrop., 39, 225-227. See also: Broom

1929G.

1930A. [Obituary of:] E. T. Newton. L'Anthrop., 40, 195-196.

1930B. La paleontologie humaine en Afrique Orientale. L'Anthrop., 40, 206-208.

1930C. Nouvelle découverte en Afrique du Sud: le crâne humain de Barkly West. L'Anthrop., 40, 204-205. See also: Broom 1929A.

1931A. Fossil men [in Calverton 1931; pp. 41-63].

1931B. Le squellette d'Oldoway. L'Anthrop., 41, 232-233.

Georges Cuvier, fondateur de la paléontologie. Arch. Mus. Hist. Nat. Paris, (6) 9, 33-46, 2 pls. 1932.

Boule, M., Breuil, H., Licent, E., and Chardin, P. T. de

Le Paleolithique de la Chine. Arch. Inst. Pal. Humaine, Mém. 4, viii + 1928.138, 53 figs., 30 pl. Reviews: Shellshear in Hong Kong Nat., 1, 42-44; Vaufrey in L'Anthrop., **38.** 373–378.

Boule, M., and Vallois, H.
1932. L'homme fossile d'Asselar (Sahara). Paris: Masson, 92 pp., 33 figs., 8
pls. (= Arch. Inst. Pal. Humaine, Mém. 9).

Boulenger, E. G.

1932. Fishes. London: Chapman & Hall, Ltd., 174 pp., 4 figs., 8 pls. Review: Hubbs in Copeia, 1932, no. 3, 159.

Bourcart, Jacques

Sur la présence d'un grand crocodilien dans la molasse glauconieuse mio-cène d'El Kanséra (Prérif Marccain) et sa signification stratigraphique. C. R. Acad. Sci. Paris, 195, 666-668.

1933A. Sur l'existence du bubale antique dans les limons de l'Oued Imar'ir'en (Haut-Atlas de Marrakech) et la significance paléoclimatique de cette trouvaille. C. R. Acad. Sci. Paris, 197, 1053-1055.

1933B. Au sujet des formations quaternaires du Maroc Atlantique. C. R. Soc. Géol. France, 10, 119-120.

Bourdelle, E.

1928. Edouard Louis Trouessart, 1842-1927. Arch. Mus. Hist. Nat. Paris, (6) 3, 1-18, portrait and bibliog. See also: Bull. Soc. Zool. France, 53,

1933. Les equidés préhistoriques représentés par les dessins et sculpture rupestres des grottes dans Eyzies (Dordogne). Bull. Soc. Acclim. France, 80, 461-465.

Boyle, Mary E.

1928. In search of our ancestors. London: George Harrap [1927]; Boston: Little, Brown & Co., 287 pp., 74 figs., 4 pls.

Reviews: Dobson in Antiq., 3, 119-121; Halliday in Discovery, 9, 133; Osborn in Forum, 80, xviii-xx.

Bradley, John Hodgdon, Jr.

1928. The Earth and its history. Boston: Ginn & Co., vii + 414 pp., 257 figs., front.

Review: Anonymous in Discovery, 9, 369.

1929. Tales that dead men tell. Sci. Monthly, 28, 527-530.

1930. The parade of the living. N. Y.: Coward-McCann, Inc., 308 pp.

Brady, Lionel Francis

1933. A mounted skeleton of a ground sloth. Mus. Notes, Mus. N. Ariz., 6, 19-21, 1 fig.

Branchini, Iolanda

1928. Esame tipologico dei manufatti della Grotta d'Equi (Lunigiana). Arch. Antrop. Etnol., 58, 48-63, 5 pls.

Branson, Carl Colton

1932A. Origin of phosphate in the Phosphoria formation. Bull. Geol. Soc. Amer., 43, 284, (abstract).

1932B. Shark with grasping teeth from the Permian. Bull. Geol. Soc. Amer., 43, 284, (abstract).

1933. Fish fauna of the Middle Phosphoria formation. Jour. Geol., 41, 174-183, 16 figs., 1 pl.

Branson, Edwin Bayer, and Mehl, M. G.

1929A. New localities for Devonian fishes. Bull. Geol. Soc. Amer., 40, 245, (abstract).

1929B. Triassic amphibians from the Rocky Mountain region. Univ. Missouri Studies, 4, 155-255, 11 figs., 15 pls.

1930A. Webbed-foot record from the Pennsylvanian of Wyoming. Bull. Geol. Soc. Amer., 41, 180, (abstract).
Abstract in: Pan-Am. Geol., 53, 307-308.

1930B. Primitive fishes from the Devonian of Utah and Wyoming. Bull. Geol. Soc. Amer., 41, 180, (abstract).

1931A. Fish remains of the western interior Triassic. Bull. Geol. Soc. Amer., 42, 330-331, (abstract).

1931B. Fishes of the Jefferson formation of Utah. Jour. Geol., 39, 509-531, 2 figs., 3 pls.

1932A. Footprint records from Cretaceous, Triassic, and Pennsylvanian. Bull. Geol. Soc. Amer., 43, 284–285, (abstract).

1932B. Footprint records from the Paleozoic and Mesozoic of Missouri, Kansas, and Wyoming. Bull. Geol. Soc. Amer., 43, 383-398, 4 figs., 1 pl. See also: Brown, N., 1930.

Bräuhäuser, Manfred
1930A. [Obituary of:] Dr. J. F. Pompeckj. Jahresh. Ver. Vaterländ. Naturk.
Württemberg, 86, XXXIII-XXXVII, portrait.

1930B. [Obituary of:] Professor Dr. Emil Wepfer. Jahresh. Ver. Vaterländ Naturk. Württemberg, 86, XXXVIII-XLII, portrait.

1930C. Leonardo da Vinci als Geologe. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 86, LXIX-LXX, (abstract).

Bray, Edmondo
1930. Su due precursori Italiani della dottrina evoluzionistica. Pubbl. Staz.
Biol. San Bartolomeo, no. 21, 1-9.

Bremekamp, Cornelis Eliza Bertus
1931. The principles of taxonomy and the theory of evolution. S. African Biol.
Soc., Pamphlet no. 4, 1-8.

Bretana, Domenico
1929. Osservazioni anatomicosistematiche su resti di Bison priscus Boj. Commentari Ateneo, Brescia, 128, 93-119, 2 pls.

1931. Contributo alló studio dei cani preistorici con speciale riguardo ai cani della Terramara di Parma. L'Ateneo Parmense, 3, 60 pp., 4 pls.
Abstract in Riv. Ital. Pal., 39, 1-2.

Bretz, J Harlen

The origin of man. Trans. Ill. Acad. Sci., 19, 61-85.

Breuer, Richard

1931A. Zur Anatomie, Pathologie und Histologie der Zähne und der Kiefer von Ursus spelaeus. Speläol. Monog., 7-8, 9, 581-610, 20 pls.

1931B. Pathologisch-anatomische Befunde am Skelette des Höhlenbären. Speläol. Monog., 7-8, 9, 611-623, 13 pls.

1931C. Pathologische Befunde an Knochen vorzeitlicher Säugetiere. Palaeobiol., 4, 352–355, 3 pls.

1933. Über das Vorkommen sogenannter keilförmiger Defekte an den Zähnen von Ursus spelaeus und deren Bedeutung für die Paläobiologie. Palaeobiol., 5, 103-114, 5 pls.

Breuil, L'Abbé H.

Gravures Aurignaciennes supérieures de l'abri Labatut a Sergeac (Dor-1929. dogne). Rev. Anthrop., 39, 147-151, 2 figs.

1930. Le Clactonien et sa place dans la chronologie. Bull. Soc. Préhist. Paris, 27, 221-229. Review: Vaufrey in L'Anthrop., 41, 156-157.

1931A. Le feu et l'industrie lithique osseuse à Choukoutien. Bull. Geol. Soc. China, 11, 147-154.

1931B. [Comments on:] Anonymous, 1931H, "Peking Man and stone implements." Nature, 128, 823.

1932A. Le feu et l'industrie de pierre et d'os dans le gisement du "Sinanthropus" a Chou Kou Tien. L'Anthrop., 42, 1-17. Also in: Umschau, 36, 641-642.

1932B. Le gisement du Sinanthropus à Chou Kou Tien (Chine). Restes de feu et d'industrie. Rev. Soc. Paris, 70, 171-174. See also: C. R. Acad. Inscript. Belles-Lettres, 1932, 58; Invest. y Progr., Madrid, 6, 24-26, 1 fig.

1932C. Les industries à éclats du Paleolithique ancien. I. Le Clactonien. Préhist., 1, 125-190, 28 figs. Review: Vaufrey in L'Anthrop., 43, 565-567.

Breuil, H., and Koslowski, L.
1931. Études de stratigraphie paleolithique dans le nord de la France, la Belgique et l'Angleterre. L'Anthrop., 41, 449–488, 23 figs.

Breuil, H., et al. See: Boule, et al., 1928; also Mochi 1928.

Brewer, William Henry See: Farquhar 1930.

Brewster, Edwin Tenney

This puzzling planet. The earth's unfinished story; how men have read it in the past, and how the wayfarer may read it now. Indianapolis: Bobbs-Merrill Co., 328 pp., illustr. Review: Sarton in Isis, 12, 341-343.

Briggs, H. H.

The evolution of the human face: its significance in the fields of rhinology and stomatology. Ann. Otol. Rhinol. Laryngol., 37, 1110-1123.

Brighton, Albert George

Cretaceous System. Enc. Brit., 14th ed., 6, 671-676, 1 map, 3 tables.

Brock, A. J. P. van den See: Van den Brock, A. J. P.

Brock, G. T. See: Broom, R., and Brock, 1931.

Brode, Howard Stidham

1928. Some fossil mammals of Washington. Northwest Science, 2, 11.

Broili. Ferdinand

1928A. Über die Hautbedeckung der Archegosauridae und Actinodontidae. Zeit. Deutschen Geol. Ges., 79, 375-384, 2 figs., 1 pl.

1928B. Ein Sauroptervgier aus der Trias von Vorarlberg. Forsch u. Fortsch., 4. no. 14, 140-141, 1 fig.

1929. Acanthaspiden aus dem rheinischen Unterdevon. Sitz-Ber. Akad. Wiss. München, 1929, pt. II, 143-163, 4 figs., 2 pl.

1930A. Neue Beobachtungen an Lunaspis. Sitz.-Ber. Akad. Wiss. München, 1930, pt. I, 47-57, 2 figs.

1930B. Plesiosaurierreste von der Insel Quiriquina. Neues Jahrb. Min. Geol. Pal., Abt. B, 63, 497-514, 3 figs.

1930C. Über Gemundina Stürtzi Traquair. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., (n.s.) 6, 1-24, 8 figs., 4 pls.

1931A. Beobachtungen an *Geosaurus*. Centralbl. Min. Geol. Pal., 1931, Abt. B, 232-242, 2 figs.

1931B. Die Gattung Alligatorium im obern Jura von Franken. Sitz.-Ber. Akad. Wiss. Munchen, 1931, pt. II, 63-74, 1 pl.

1931C. [Obituary of:] Josef Felix Pompeckj: 10. Mai 1867 - 8. Juli 1930. Palaeontogr., 74, [2 pp.], portrait.

1931 D. Mixosauridae von Timor. Dienst Mijn. Ned.-Indië, Wet. Meded., 17, 3-10, 1 fig., 1 pl.

1932A. "Anthracosaurus" raniceps Goldenberg, eine Nachfrage. Centralbl. Min. Geol. Pal., 1932, Abt. B, 5-9, 2 figs.

1932B. Weitere Beobachtungen an Geosaurus. Neues Jahrb. Min. Geol. Pal., Abt. B, 68, 127-148, 12 figs., 2 pls.

1932C. Ein Hybodontidenrest aus den Arlbergschichten. Centralbl. Min. Geol. Pal., 1932, Abt. B, 619-622, 2 figs.

1932D. Der obere Jura von Montsech (Provinz Lérida) im Vergleich mit. den obm Jura-Vorkommen von Cerin (Dept. Ain) und von Franken. Congr. Géol. Internat. XIV Sess. Espagne, 1926; Géol. Méditerranée Occidentale, 2, no. 16, pt. III, pp. 1-11, 1 pl.

1933A. Die Gattung *Pteraspis* in den Hunsrückschiefern. Sitz.-Ber. Akad. Wiss. München, 1933, pt. I, 1-10, 6 figs., 1 pl.

1933B. Ein Macropetalichthyide aus den Hunsrückschiefern. Sitz.-Ber. Akad. Wiss. München, 1933, pt. 3, 417-437, 7 figs., 1 pl.

1933C. [Obituary of:] Max Schlosser. Centralbl. Min. Geol. Pal., 1933, Abt. B<sub>j</sub> 69-78.

1933D. Weitere Fischreste aus den Hunsrückschiefern. Sitz.-Ber. Akad. Wiss. München, 1933, pt. II, 269-313, 15 figs., 6 pls.

Brooks, C. E. P. See: Simpson, G. C., et al., 1930; Leakey, et al., 1931. Broom, Robert

1927A. Fossil hunting in the South African Karroo. Nat. Hist., 27, 73-76, 2 figs., 1 pl.

1927B. On a new type of mammal-like reptile from the South African Karroo beds (Anningia megalops). Proc. Zool. Soc. London, 1927, 227–232, 3 figs.

1928A. Mammoths and man in the Transvaal. Nature, 121, 324. See also: Osborn 1928A (in Hay 1930); Nature, 121, 672-673, 2 figs.

1928B. On some new mammals from the diamond gravels of the Kimberley district. Ann. S. African Mus., 22, 439-444, 3 figs.

1928C. On Tapinocephalus and two other dinocephalians. Ann. S. African Mus., 22, 427-438, 7 figs.

1928D. On three new species of Dicynodon. Ann. S. African Mus., 22, 421-425, 3 figs.

1929A. Australoid element in the Korannas. Nature, 124, 507, 1 fig.

1929B. Note on the milk dentition of Australopithecus. Proc. Zool. Soc. London, 1929, 85-88, 5 figs.
Review: G. S. Miller in Jour. Mammal., 11, 92.
Abstract in Année Biol., 35, pt. 2, 270.

1929C. On some recent new light on the origin of mammals. Proc. Linn. Soc., N.S.W., **54**, pt. 5, 688-694, 7 figs. Review: W. K. Gregory in Nat. Hist., **30**, 333.

1929D. On the carnivorous mammal-like reptiles of the family Titanosuchidae. Ann. Transvaal Mus., 13, 9-36, 25 figs., 1 pl.

1929E. Origin of the mammalian hand. Rept. Brit. Assoc. Adv. Sci., 1929, 334, (abstract).

1929F. What the world owes to South Africa. Sci. Amer., 141, 119-121, 3 figs., map.
1929G. The Transvaal fossil human skeleton. Nature, 123, 415-416, 3 figs. See also: pp. 252 and 421.

1930A. The age of Australopithecus. Nature, 125, 814.

1930B. [Opinion on Australopithecus.] Nat. Hist., 30, 111.

1930C. Notes on some labyrinthodonts in the Transvaal Museum. Ann. Transvaal Mus., 14, 1-10, 10 figs.

1930D. On a new primitive theromorph (Eumatthevia bolli). Amer. Mus. Novit., no. 446, 1-4, 4 figs.

1930E. On a new species of Anthodon (A. gregoryi). Amer. Mus. Novit., no. 448, 1-3, 2 figs.

1930F. On the structure of the mammal-like reptiles of the sub-order Gorgonopsia. Philos. Trans. Roy. Soc. London, (B) 218, 345-371, 4 figs., 8 pls.

1930G. The origin of the human skeleton; an introduction to human osteology.

London: H. F. & G. Witherby, 5 + 164 pp., 46 figs., 2 pls.
Reviews: Anonymous in Lancet, 220, 787; Anonymous in Jour. Anat., 65, 277-278; Anonymous in Jour. Amer. Med. Assoc., 1931, 96, 463; Anonymous in Brit. Med. Jour., 1930: 2, 1052; F.W.R.B. in Sci. Progress, 26, 538; L. H. D. B[uxton] in Man, 31, 73; Dorello in Riv. Biol., 15, 161-162; Hentschel in Eug. Rev., 23, 76; G. E. Smith in Nature, 128, 4.

1931A. On the skull of the primitive reptile, Aræoscelis. Proc. Zool. Soc. London, 1931, 741-744, 2 figs.

1931B. A new extinct giant pig from the diamond gravels of Windsorton, South Africa. Rec. Albany Museum, 4, pt. 1, 167-168, 2 figs.

1931C. Notices of some new genera and species of Karroo fossil reptiles. Rec. Albany Museum, 4, pt. 1, 161-166.

1932A. Evolution as the paleontologist sees it. S. African Jour. Sci., 29, 54-71.

1932B. The mammal-like reptiles of South Africa and the origin of mammals. London: H. F. & G. Witherby, xvi + 376 pp., 111 figs.

Reviews: Anonymous in Brit. Med. Jour., 1932:1, 715; Anonymous in Lancet, 223, 685; Keith in Jour. Anat., 66, 669-671; Lajos in Allat. Közlem, 30, 103; A. S. Woodward in Nature, 130, 791-792.

1932C. On some South African pseudosuchians. Ann. Natal Mus., 7, 55-59, 1 pl.

1932D. The cynodont genus Galesaurus. Ann. Natal Mus., 7, 61-66, 1 pl.

1933A. The coming of man: was it accident or design? London: H. F. Witherby, 234 pp., 35 figs. Reviews: Anonymous in Jour. Anat., 68, 287; Anonymous in Lancet, 225, 1155.

1933B. Evolution—is there intelligence behind it? S. African Jour. Sci., 30, 1-19, (Presidential address).

See: Keith, et al., 1929; Watson, D. M. S., et al., 1929.

Broom, R., and Brock, G. T.

On the vomerine bones in birds. Proc. Zool. Soc. London, 1931, 737-739, 1931.

Brotzen, Fritz

1933A. Weigeltaspis nov. gen. und die Phylogenie der panzergenden Heterostraci. Centralbl. Min. Geol. Pal., 1933, Abt. B, 648-656, 5 figs.

1933B. Die silurischen und devonischen Fischvorkommen in Westpodolien. I. Palaeobiol., 5, 423-466, 19 figs., 1 pl.

1933C. Erster Nachweis vom Unterdevon im Ostseegebeit durch Konglomeratsgeschiebe mit Fischresten. I. Zeit. Geschieb. Flachlands Geol., 9, pt. 2, 55-63, 3 figs.

See: Voigt, E., et al., 1932.

Brough, James

1931. On the fossil fishes from the Karroo System, and some general considerations on the bony fishes of the Triassic period. Proc. Zool. Soc. London, 1931, 235-296, 19 figs., 4 pls. [With a note by D. M. S. Watson.]

1933. On a new palaeoniscid genus from Madagascar. Ann. Mag. Nat. Hist., (10) 11, 76-87, 2 figs., 1 pl.

Brown, Barnum

1928. [Artifacts discovered with bison remains in New Mexico.] Nat. Hist., 28, 1929A. Folsom culture and its age. Bull. Geol. Soc. Amer., 40, 128, (abstract). See also: Pan-Am. Geol., 51, 153. Discussion by Kirk Bryan in Bull. Geol. Soc. Amer., 1929, 40, 128-129.

1929B. A Miocene camel bed-ground. Nat. Hist., 29, 658-662, 6 figs.

1931A. The largest known land tortoise. Nat. Hist., 31, 183-187, 5 figs.

1932. A spine-armored saurian of the past. Nat. Hist., 32, 492–496, 4 figs.

1933A. An ancestral crocodile. Am. Mus. Novit., no. 638, 1-4, 3 figs. See also: Nat. Hist., 31, 558-559.

1933B. A gigantic ceratopsian dinosaur, Triceratops maximus, new species. Amer. Mus. Novit., no. 649, 1-9, 6 figs.

1933C. A new genus of Stegocephalia from the Triassic of Arizona. Amer. Mus. Novit., no. 640, 1-4, 2 figs.

1933D. A new longhorned Belly River ceratopsian. Amer. Mus. Novit., no. 669, 1-3, 3 figs.

1933E. Stratigraphy and fauna of the Fuson-Cloverly formation in Montana, Wyoming, and South Dakota. Bull. Geol. Soc. Amer., 44, 74, (abstract). See: McSpadden 1931; Tait and Brown, 1928.

Brown, Ernest See: Knopf, Adolph, et al., 1931.

Brown, G. Baldwin

1928. The art of the cave dweller. A study of the earliest artistic activities of man. London: John Murray, xix + 280 pp., 70 figs., 96 pls., 4 maps. Reviews: H. K[ühn] in Ipek, 1930, 136; G. Sergi in Riv. Antrop., 28, 563-565; Vaufrey in L'Anthrop., 39, 156-157; A. S. Woodward in Antiq., 3, 245-246.

Brown, Newton

1930. Fossil tracks. The Pepper Pot (Casper, Wyoming), 1, no. 18, 57-59. [Discovery of "Steganoposaurus belli" (nomen nudum) from Tensleep formation, Carboniferous, Wyoming; cf. Branson and Mehl, 1932B.]

Brown, William Robinson See: Osborn 1929P.

Browning, William

1931. The relation of physicians to early American geology. Ann. Med. Hist., (n.s.) 3, 547-567.

Bruet, Edmond

1928. Le pliocène supérieur de l'est du bassin de Paris. C. R. Assoc. Franç, Avance Sci., **52**, 314-316.

1929. Sur un facies particulier du pliocène supérieur de la vallée de l'Aujon (Haute-Marne). C. R. Acad. Sci. Paris, 188, 1262-1264.

Brun, P. de

1930. Gabriel Carrière, naturaliste Nimois (1862–1918). Bull. Soc. Étud. Sci. Nat. Nímes, **45**, 114–120, portrait.

Brunelli, Gustavo

1932. Macroevoluzione e microevoluzione. XI Congr. Internaz. Zool., Padova, 1, parte 2, 325-331.

1933. La teorie sull'origine e l'evoluzione della vita (da Darwin ai nostri giorni).
Bologna-Bocca: S. Casciano, L. Cappelli, 200 pp.
Review: P. H. Fischer in Année Biol., 38, (1934), pt. 2, 208–209.

Brunner, Georg

1933. Eine präglaciale Fauna aus dem Windloch bei Sackdilling (Oberpfalz). Centralbl. Min. Geol. Pal., 1933, Abt. B, 303-328, 29 figs., 2 pls.

Bryan, William Alanson

1929. The recent bone-cavern find at Bishop's Cap, New Mexico. Science, (n.s.) 70, 39-41.

Bryant, William L.

i927. Evidence of the presence of chordates in the Cambrian. 15th Ann. Rept. Vermont State Geolog., 1925–26, 125–126, 1 fig.

1929A. Fossil fish remains from the Permian tillite of Brazil. Bull. Geol. Soc. Amer., 40, 424-425.

1929B. Fossil fishes from the Hamilton shales of New York. Bull. N. Y. State Mus. Nat. Hist., no. 281, 37-40, 1 pl.

1929C. A new Coccosteus from the Portage shales of western New York. Bull. N. Y. State Mus. Nat. Hist., no. 281, 41-46, 8 figs.

1931. Supplementary note on Coccosteus angustus. Bull. N. Y. State Mus. Nat. Hist., no. 286, 153.

1932. Lower Devonian fishes of Bear Tooth Butte, Wyoming. Proc. Amer. Philos. Soc., 71, 225-254, 6 figs., 10 pls.

1933. The fish fauna of Beartooth Butte, Wyoming. Proc. Amer. Philos. Soc., 72, 285-314, 8 figs., 21 pls.

Bubnoff, Serge

1931. Otto Jaekel als Forscher [1863-1929]. Mitt. Naturwiss. Ver. Neuevorpommern Rügen, 57/58, 3-9.

Buchanan, James William

1933. Elements of biology: with special reference to their rôle in the lives of animals. N. Y.: Harper & Bros., xiii + 478 pp., 226 figs.

Buffe, Francis P. Le See: LeBuffe, F. P.

Buick, T. Lindsay

1932. The mystery of the moa: New Zealand's avian giant. New Plymouth, N. Z.: T. Avery & Sons, xvi + 357 pp., 7 figs., 27 pls. Reviews: Anonymous in Ibis, (13) 2, 362-363; Anonymous in Nature, 132, 831-832; Anonymous in Quart. Rev. Biol., 7, 358.

Bullitt, James Bell

1933. Early man. Jour. Elisha Mitchell Sci. Soc., 49, 42-56, 1 pl.

Bulman, Oliver Meredith Boone

1928. Additional notes on some branchiosaurs from Odernheim. Ann. Mag. Nat. Hist., (10) 1, 250-255, 4 figs., 1 pl.

1930. On the general morphology of the anaspid, Lasanius, Traquair. Ann. Mag. Nat. Hist., (10) 6, 354-362, 4 figs.

1931. Note on Palaeospondylus gunni, Traquair. Ann. Mag. Nat. Hist., (10) 8, 179-190, 5 figs., 1 pl.

Bultingaire, L.

1932. Iconographie de Georges Cuvier. Arch. Mus. Hist. Nat. Paris, (6) 9, 1-10 + appendix, 11 pls.

Bump, Boardman See: Loomis and Bump, 1930.

Bump, James D.

1926. A huge fossil fish. Black Hills Engineer, 14, 99-101, 3 figs.

1930A. Six summers of fossil collecting. Black Hills Engineer, 18, 205-225, 29 illustr., 1 map.

1930B. Badland fossils in the Museum. Black Hills Engineer, 18, 235-254, 30 illustr.

1933. A South Dakota camel. Black Hills Engineer, 21, 28-29, 2 figs.

Bünning, Erwin

1932. Mechanismus, Vitalismus und Teleologie. Abh. Fries'schen Schule, (N. F.) 5, Heft 3, 144 pp.

Burchard, O., and Ahl, E.

1928. Neue Funde von Riesen-Landschildkröten auf Teneriffa. Zeit. Deutschen Geol. Ges., 79, 439-447, 2 figs.

Burchell, J. P. T.

1928. [Review of:] Moir, J. Reid: "The antiquity of man in East Anglia," (Cambridge: Univ. Press, 1927, 165 pp.), Man, 28, 70-71.

1933. The Ice Age and early man in Yorkshire and North Lincolnshire. Geol. Mag., 70, 285-286.

Burchell, J. P. T., and Blake, W. C.

1930. Paleolithic Man in northeast Ireland. Nature, 126, 353.

Burckhardt, Carlos, and Waitz, Paul

1928. [Obituary of:] Dr. Emil Böse [1868-1927]. Centralbl. Min. Geol. Pal., 1928, Abt. B, 61-63; also pp. 207-208.

Bürger, Willy

1930. Johann Carl Fuhlrott, der Entdecker des Neandertalmenschen. Wuppertal-Elberfeld: Martini u. Grüttefien, 39 pp., 2 figs., portrait, [not seen]. Review: Andree in Mannus, 23, 212.

Bürgl, Hans

1933. Zur Frage der Schädelhaltung des Höhlenbären. Palaeobiol., 5, 65-80, 2 figs., 2 pls.

Burke, J. J.

Eocene Lagomorpha. Science, (n.s.) 77, 191. 1933.

Burkitt. A. N.

1928. Neanderthal Man and the natives of New Caledonia. Nature, 122, 474-475, 2 figs.

1929. Further observations on the "Tal-gai" skull, more especially in regard to the teeth. Rept. Austral. Assoc. Adv. Sci. (Hobart meeting), Sydney, 1929, 366-371.

Burkitt, Miles Crawford

1928. [Review of:] Peake, H., and Fleure, H. J., 1927: "Apes and Men." Geol. Mag., 65, 36-38.

1929. Archeology-Paleolithic. Enc. Brit., 14th ed., 2, 237-242.

1931. Most primitive art. In: Smith, G. E., 1931A, pp. 84-93, figs. 11-19, pls. 4, 5a, b, 6.

1933. The Old Stone Age. Cambridge; Cambridge University Press, 254 pp. Review: Poisson in Rev. Anthrop., 44, 159-160.

See: Smith, G. E., Keith, Parsons, Burkitt, Peake, and Myres, 1931; also Keith, Myres, et al., 1931, 1932, 1933.

Burkitt, M. C., and Childe, V. G.

A chronological table of prehistory. Antiq., 6, 185-205, 4 maps. 1932.Review: Vaufrey in L'Anthrop., 43, 113-114.

Burkitt, M. C., Garfitt, G. A., Armstrong, A. L., Boswell, P. G. H., Favell, R. V., Fleure, H. J., Garrod, D. A. E., Haddon, A. C., Jackson, J. W., Palmer, L. S., Parsons, F. G., and Peake, H. J. E.

1932. Derbyshire caves. Interim report of committee appointed to cooperate with a committee of the Royal Anthropological Institute in the exploration of caves in the Derbyshire district. Rept. Brit. Assoc. Adv. Sci., **1931,** [1932], 274–275.

Burkitt, M. C., Favell, R. V., Armstrong, A. L., Fleure, H. J., Garrod, D. A. E., Jackson, J. W., Palmer, L. S., and Peake, H. J. E.

Derbyshire caves. Eleventh interim report of committee appointed to 1933. cooperate with a committee of the Royal Anthropological Institute in the exploration of caves in the Derbyshire district. Rept. Brit. Assoc. Adv. Sci., 1933, 299-300, (abstract).

Burlet, H. M. de See: Weber, M., 1928A.

Burt, William Henry

1929. A new goose (Branta) from the Lower Pliocene of Nevada. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 18, 221-224, 1 pl.

Machaerodus catacopis Cope from the Pliocene of Texas. Univ. Calif. 1931. Publ., Bull. Dept. Geol. Sci., 20, 261-292, 8 pls.

Burton, Ernest St. John

Faunal horizons of the Barton Beds in Hampshire. Proc. Geolog. Assoc. 1933. London, 44, (Fishes pp. 163-164).

Bush, G. E.

The Avonian succession at Clevedon—a description of the coast section. 1928. Ann. Rept. Proc. Bristol Nat. Soc., 6, 392-399.

Buttel-Reepen, H. von

Ein neuer Fund des Urmenschen in Deutschland (Homo visurgensis). 1930. Mannus, 22, 169-170, 2 figs.

Buwalda, John Peter See: Merriam, J., et al., 1915.

Buwalda, J. P., and Moore, B. N.

The Dalles and Hood River formations, and the Columbia River gorge. Publ. Carnegie Instn. Wash., no. 404, 11-26, map.

Buxton, L. H. Dudley

1929A. China—Archeology. Enc. Brit., 14th ed., 5, 524-529.

1929B. Introductions to modern knowledge. No. 2. Monkey to Man. London:
Routledge, 78 pp., [not seen].
Review: Fallaize in Eug. Rev., 21, 301.

See: Beer and Buxton, 1932.

Buxton, L. H. D., and Rice, D. T.

1931. Report on the human remains found at Kish. Jour. Roy. Anthrop. Inst., 61, 57-119, 12 figs.

Byrne, Frank See: Romer and Byrne, 1931.

Bystrow, A. P.

1933. Morphologische Untersuchungen über die Occipital-Region und die ersten Halswirbel der Säugetiere und des Menschen. II. Die Assimilation des Atlas und deren phylogenetische Bedeutung. Zeit. Anat., 102, 307-334, 12 figs.

Abstract by E. Port in Ber. Wiss. Biol., 29, 25.

Cable, Emmett James

1932. A note on a fossil elk's head. Proc. Iowa Acad. Sci., 39, 195.

Cabrera, Ângel

1928A. Sobre algunos megaterios pliocenicos. Rev. Mus. La Plata, 31, 339-352, 1 fig., 2 pls.

1928B. Un nuevo marsupial plioceno de Monte Hermoso. Rev. Mus. La Plata, 31, 335-337, 1 fig.

1929A. Un astrapotérido de Columbia. Physis, 9, 436-439, 3 figs.

1929B. Sobre la estructura de la mano y del pie en el megaterio. An. Soc. Cien. Argent., 107, 425-443, 9 figs.

1929C. Sobre los ciervos fósiles Sudamericanos llamadas Paraceros y Morenelaphus. Mem. Soc. Españ. Hist. Nat., 15, 53-64, 3 figs.

1930. Una revision de los mastodontes Argentinos. Rev. Mus. La Plata. 32, 61-144, 35 figs., 2 pls.

1931. [Obituary of:] W. D. Matthew. Physis, 10, 431-432.

1932A. Sobre los camelidos fosiles y actuales de la America Austral. Rev. Mus. La Plata, 33, 89-117, 4 figs. See also: Rusconi, C., Semana Médica, 40, 856-857.

1932B. Un desdentato actual en el Terciario subandino de Salta. Bol. Inform. Petrol. Buenos Aires, 9, no. 94, 8 pp., 3 figs., map.

See: Lozano, N., and Molfino, 1932.

Cabrera, A., and Kraglievich, L.

1931. Diagnosis previas de los ungulados fósiles del arroyo Chasicó. Notas Prelim., Mus. La Plata, 1 (2), 107-113.

Caccia, V.

1928. Su un cranio di *Rhinoceros merchianus etruriae* (Falconer rinvenuto in territorio di San Colombano al Lambro). Nuova Rassegna di Odontoiatria, 1928, no. 3, 16 pp., 2 figs.

Abstract in: Riv. Ital. Pal., 34, 47.

Cacciamali, Giovanni Battista

1930. L'uomo di Saccopastore (Roma) e di Castenedolo. Boll. Soc. Geol. Ital., 49, xlvi. See also: Bonarelli 1930. Abstract in: Riv. Ital. Pal., 36, 26.

Caffi, Enrico

1930. Un rettile fossile di Valle Imagna. Riv. Bergamo, 7, 324-325, 2 figs.

Cahn, Alvin R.

1929. Information concerning Castoroides. Science, (n.s.) 70, 635.

1930. Auditory ossicles of living and giant beavers. Jour. Mammal., 11, 292-299, 1 pl.

1932. Records and distribution of the fossil beaver, Castoroides obioensis. Jour. Mammal., 13, 229-241, 2 figs.

Caldwell, Otis W., Skinner, C. E., and Tietz, J. W.

1931. Biological foundations of education. Boston, etc.: Ginn & Co., v + 534 pp., 116 figs.

Calkin, J. Bernard

Iguanodon footprints in Dorset. Discovery, 14, 13. 1933.

Callaghan, Eugene

1929 Geology of the vertebrate fossil locality at Maragha, Persia. Bull. Geol. Soc. Amer., 40, 182.

Calverton, V. F. [Editor]
1931. The making of man. An outline of anthropology. New York: The Modern Library, xv + 879 pp. Reviews: Anonymous in Quart. Rev. Biol., 7, 110; Anonymous in Jour. Amer. Med. Assoc., 97, 487. See also: Wallis 1931.

Calvi. W. S. See: Salomon-Calvi. Wilhelm.

Cameron, John

1927 Researches in craniometry nos. 3-4. Trans. Rov. Soc. Canada. (3) 21. Sect. V. 395-419, 4 figs.

1928A. Researches in craniometry nos. 5-9. Trans. Roy. Soc. Canada, (3) 22, Sect. V. 25-62, 11 figs.

1928B. Researches in craniometry nos. 10-13. Trans. Roy. Soc. Canada. (3) 22. Sect. V, 97-134.

1928C. Craniometric studies, nos. 9-12. Amer. Jour. Phys. Anthrop., 11, 259-299.

1928D. Craniometric studies. No. 13. The level of the pituitary point in the basis cranii in the white and negro. No. 14. The level of the nasion in the white and negro. Amer. Jour. Phys. Anthrop., 12, 155-175, 1 fig.

1928E. Craniometric studies. No. 15. The nasion-occipital length. A new cranial dimension. Its significance in man and in lower animals. Amer. Jour. Phys. Anthrop., 12, 176-181.

1928F. Craniometric studies. No. 16. The pre-porion and post-porion dimensions of the cranium in man and in lower mammals. No. 17. The level of the Lambda in the white and negro. Amer. Jour. Phys. Anthrop., 12, 182-196, 2 figs.

1929A. Craniometric studies. No. 18. A survey of the length-height cranial index in diverse racial types of the Hominidae. Amer. Jour. Phys. Anthrop.,

1929B. Craniometric studies. No. 19. A survey of the breadth-height index in diverse racial types of the Hominidae. No. 20. The influence of the sexual factor upon the cephalic index. Amer. Jour. Phys. Anthrop., 13, 154-176.

1929C. Craniometric studies. No. 21. The facial height as a criterion of race. Amer. Jour. Phys. Anthrop., 13, 319-334.

1929D. Craniometric studies. No. 22. The facial width as a criterion of race. Amer. Jour. Phys. Anthrop., 13, 335-343.

1929E. Craniometric studies. No. 23. A study of the upper facial index in diverse racial types of mankind. Amer. Jour. Phys. Anthrop., 13, 344-352.

1929F. Researches in craniometry. Nos. 14-18. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 103-142, 8 figs.

1929G. Researches in craniometry. No. 19. The basion-pituitary alveolar angle. A new cranial angle. Its significance in man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 199-211, 4 figs.,

1929H. Researches in craniometry. No. 20. The pituitary-alveolar-basion angle. A new cranial angle. Its significance in man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 213-220, 1 fig.

1929I. Researches in craniometry. No. 21. The pituitary-basion-alveolar angle. A new cranial angle. Its significance in man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 221-228, 2 figs.

1929J. Researches in craniometry. No. 22. Three new cranial indices. The relative proportions of the three sides of the pituitary-alveolar-basion triangle in man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 229-241, 1 fig. 1929K. Researches in craniometry. No. 23. The inclination of the cranio-facial axis (Cameron) to the Frankfort plane in man and in lower mammals. Trans. Roy. Soc. Canada, (3) 23, Sect. V, 243-251, 3 figs., 1 pl.

1930A. Craniometric studies. No. 24. The subnasion. A new cranial point. Its significance in modern and fossil man, the anthropoids, and lower mammals. Amer. Jour. Phys. Anthrop., 14, 33-40, 1 fig.

1930B. Craniometric memoirs. No. III. The superior gnathic triangle. A new cranial angle. Its significance in modern and fossil man, the anthropoids and lower mammals. Jour. Anat., 65, 122-136, 1 fig. Abstract in: Jour. Anat., 65, 177.

1930C. Craniometric studies. No. 25. The nasal (nasion-akanthion) height as a criterion of race. Amer. Jour. Phys. Anthrop., 14, 273-283.

1930D. Craniometric memoirs. No. II. The human and comparative anatomy of Cameron's craniofacial axis. Jour. Anat., 64, 324-336, pls. 1-5.

1930E. Researches in craniometry. No. 24. The nasion-subnasion height; the basion-subnasion length. Two new cranial dimensions, their significance in modern and fossil man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 24, Sect. V, 1-11, 1 fig.

1930F. Researches in craniometry. No. 25. Three new cranial indices; the relative proportions of the sides of the superior gnathic triangle in modern and fossil man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada. (3) 24, Sect. V, 13-26, 1 fig.

1930G. Researches in craniometry. No. 26. The subnasion-alveolar height. A new cranial dimension. Its significance in modern and fossil man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 24, Sect. V, 27-34.

1930H. Researches in craniometry. No. 27. Three new cranial indices. The relative proportions of the sides of the inferior gnathic triangle in modern and fossil man, the anthropoids and lower mammals. Trans. Roy. Soc. Canada, (3) 24, Sect. V, 35-52, 2 figs.

1931A. Craniometric memoirs. No. IV. Horizontal zones of the facial norma in modern and fossil man. Jour. Anat., 66, 114-122, 4 pls.

1931B. Researches in craniometry. [Halifax: privately published?], 1931, vol. 2 only. [Author's collected separata.] Review: Jour. Anat., 66, 279.

1931C. Craniometric studies. No. 26. A study of width of the nasal aperture of the skull in representative types of modern man. Amer. Jour. Phys. Anthrop., 14, 284-292.

1931D. Craniometric studies. No. 27. A study of the nasal index in representative types of man. Amer. Jour. Phys. Anthrop., 14, 293-304.

1931E. Craniometric studies. No. 28. The interorbital width. A new cranial dimension. Its significance in modern and fossil man and in lower mammals. Amer. Jour. Phys. Anthrop., 15, 509-519.

1931F. Craniometric studies. No. 29. Correlation between the interorbital width and the nasal width of the skull. Amer. Jour. Phys. Anthrop., 15, 520-523.

1931G. Craniometric studies. No. 30. Proportion between interorbital width and facial height. A new cranial index; its significance in modern and fossil man. Amer. Jour. Phys. Anthrop., 16, 237-242.

1931H. Craniometric studies. No. 31. Correlation between interorbital width/facial height index and nasal index. Amer. Jour. Phys. Anthrop., 16, 243-247.

1931I. Craniometric studies. No. 32. Correlation between interorbital width/facial height index and nasal width/facial height index. Amer. Jour. Phys. Anthrop., 16, 248-252.

1933A. Craniometric studies. No. 33. The inferior frontal triangle—a new cranial triangle. No. 34. Three new cranial indices—the relative proportions of the three sides of the inferior frontal triangle in man and the anthropoids. No. 35. The inferior frontal triangle as an index of evolutionary activity in the region of the frontal cranial arc. Amer. Jour. Phys. Anthrop., 17, 99-110, 1 fig.; 111-116; 117-121.

1933B. Craniometric memoirs. No. V. The inferior gnathic triangle. A new cranial triangle. Its significance in modern and fossil man, the anthropoids and lower mammals. Jour. Anat., 67, 318-330, 1 fig.

Camp, Charles Lewis

1929. History of the Chinle Triassic formation in the Southwest. Bull. Geol. Soc. Amer., 40, 165, (abstract).

1930A. Stratigraphic distribution of Arizona phytosaurs. Bull. Geol. Soc. Amer., 41, 213, (abstract). Also in: Pan-Am. Geol., 52, 158.

1930B. A study of the phytosaurs, with description of new material from North America. Mem. Univ. Calif., 10, 1-174, 49 figs., 7 pls. Review: Schuchert in Amer. Jour. Sci., (5) 20, 315-316.

1930C. [Report of the Director of the Museum of Paleontology. In:] Annual Report of the President of the University [of California]. Univ. Calif. Bull., (3) 24, no. 7, 218-220.

New reptile fauna from the Chinle Triassic of Arizona. Pan-Am. Geol., 59, 378, (abstract).
Also in: Proc. Geol. Soc. Amer., 1933 [1934], 392-393.

Campbell, H.

1933. The factors which have determined man's evolution from a primitive primate. Rept. Brit. Assoc. Adv. Sci., 1933, 522-523, (abstract).

Campbell, Robert B.

1929. Fish otoliths, their occurrence and value as stratigraphic markers. Jour. Pal., 3, 254-279, 2 figs., 3 pls.

Capeller, F. See: Kraitschek and Capeller, 1929.

Capitan, Louis

1931. La préhistoire. Paris: Payot, 223 pp., 114 figs., 16 pls.
Reviews: H. K[ühn] in Ipek, 1931, 78; Vonwiller in Mitt. Anthrop. Ges.
Wien, 61, 391; Comte Bégouen in Rev. Anthrop., 42, 83-84.

Capitan, L., and Peyrony, D.

1928. La Madeleine, son gisement, son industrie, ses oeuverts d'art. Publ. Inst. Internat. Anthrop., 2, 125 pp., 70 figs., 19 pls.
Reviews: J. Bayer in Eiszeit u. Urgeschichte, 5, 115-116; Forde in Amer. Anthrop., 31, 155-156; H. K[ühn] in Ipek, 1930, 178.
Abstract in: Rev. Sci. Paris, 67, 511.

Carman, Joel Ernest

1927. Fossil footprints from the Pennsylvanian system in Ohio. Bull. Geol. Soc. Amer., 38, 385–395, 3 pls.

Carroll, Don L.

1929. New methods in the study of fossil shark teeth. Science, (n.s.) 70, 331-332.

Carter, J. Thornton See: Pycraft, et al., 1928.

Carthaus. Emil

1928A. Auf der Suche nach dem Pithecanthropus, dem "Affenmenschen" von Java. Reclams Universal Bibliothek, no. 6854, 72 pp., 1 pl. Reviews: Anonymous in Anat. Anz., 66, 16; Anonymous in Unsere Welt, 20, 383-384; Weinert in Mannus, 20, 430.

1928B. Die Bilsteinhöhlen bei Warstein. Warstein, 1-42 pp., figs., [not seen].

Carvaial, E.

1928. Nota sobre un yacimiento de fósiles vertebrados en el plioceno de la provincia de Logrono. C. R. Congr. Géol. Internat. 14th Sess., 1926 [1928], 1019–1027, 29 figs., map.

Case, Ermine Cowles

1925. The use of bakelite in the preservation of fossil material. Science, (n.s.) 61, 543-544.

1928. Indications of a cotylosaur and of a new form of fish from the Triassic beds of Texas, with remarks on the Shinarump conglomerate. Contrib. Mus. Pal. Univ. Mich., 3, 1-14, 1 pl.

Abstract in: Jour. Wash. Acad. Sci., 18, 177-178.

1929A. Description of a nearly complete skeleton of Ostodolepis brevispinatus Williston. Contrib. Mus. Pal. Univ. Mich., 3, 81-107, 12 figs., 3 pls.

1929B. Description of the skull of a new form of phytosaur with notes on the characters of described North American phytosaurs. Mem. Mus. Pal. Univ. Mich., 2, vi + 56 pp., 24 figs., 7 pls.

- 1930. On the lower jaw of Brachysuchus megalodon. Contrib. Mus. Pal. Univ. Mich., 3, 155-161, 2 figs., 5 pls. Abstract in: Pan-Am. Geol., 53, 150.
- 1931A. Arthrodiran remains from the Devonian of Michigan. Contrib. Mus. Pal. Univ. Mich., 3, 163-182, 13 figs., 1 pl.
- 1931B. Description of a new species of *Buettneria* with a discussion of the brain case. Contrib. Mus. Pal. Univ. Mich., 3, 187-206, 11 figs., 3 pls.
- 1931C. Life models of the heads of two phytosaurs. Contrib. Mus. Pal. Univ. Mich., 3, 183-185, 1 pl.
- 1932A. A perfectly preserved segment of the armor of a phytosaur, with associated vertebrae. Contrib. Mus. Pal. Univ. Mich., 4, 57-80, 6 figs., 8 pls.
- 1932B. A collection of stegocephalians from Scurry County, Texas. Contrib. Mus. Pal. Univ. Mich., 4, 1-56, 45 figs., 7 pls.
- 1932C. New stegocephalians and reptiles from the Triassic of western Texas. Bull. Geol. Soc. Amer., 43, 284, (abstract). Also in: Pan-Am. Geol., 57, 160.
- 1932D. On the caudal region of *Coelophysis* sp. and on some new or little known forms from the Upper Triassic of western Texas. Contrib. Mus. Pal. Univ. Mich., 4, 81-91, 11 figs.
- 1933A. Colognathus proposed for Xenognathus, preoccupied. Jour. Wash. Acad. Sci., 23, 65.
- 1933B. Progressive chondrification in the Stegocephalia. Proc. Amer. Philos. Soc., 72, 265-283, 12 figs.
- See: Wetmore and Case, 1932; Whipple and Case, 1930.

## Castellanos, Alfredo

- 1928A. Deformación artificial en un cráneo humano fósil de la Argentina. XXII Congr. Internaz. Americanisti, Atti, 1, 283-290, 2 figs., map.
- 1928B. La existencia del hombre fósil en la Argentina. XXII Congr. Internaz. Americanisti, Atti, 1, 277-282.
- 1928C. Un nuevo representante de la subfamilia "Sclerocalyptinae": "Plohophoroides" n. gen. y sus especies. Rev. Univ. Nacion. Córdoba, **15**, nos. 1–2, 1–41, 15 figs.
- 1928D. Notas criticas sobre el Puelchense de los sedimentos neogenos de la Argentina. Rev. Univ. Nacion. Córdoba, **15**, nos. 5-6, 1-54.
- 1929A. Nuevas especies de gliptodontes del genero *Trachycalyptus*. An. Mus. Nacion. Buenos Aires, **36**, 1–41, 9 pls.
- 1929B. Sobre un neuvo gliptodontido Chapadmalense. *Urotherium simplex* n. gen. et n. sp. y las formas afines. An. Mus. Nacion. Buenos Aires, **34**, 263-278, 1 pl.

  Issued as a separate, Dec. 1926.
- 1929C. Antecedentes de Alfredo Castellanos. Rosario, Argentina, 12 pp., [privately printed].
- 1930. Nuevos restos del hombre fósil. Physis, 10, 175-181, 3 figs.
- 1931A. El proceso de humanization. Buenos Aires, 16 pp. [Reprint from "Positivismo."]
- 1931B. Filogenia de los gliptodontes. Cultura, 3, no. 23, 4-9, 2 figs.
- 1932A. Nuevos géneros de gliptodontes en relación con su filogenia. Physis, 11, 92-100.
- 1932B. Lucas Kraglievich (1886-1932). Homenaje a su memoria. Quid Novi, 1, no. 2, 1-13, portrait. See also: An. Soc. Cien. Argent., 115, 338-339.
- 1933A. El hombre prehistórico de la provincia de Córdoba (Argentina). Rev. Soc. Amigos Arqueol., 7, 5–88, 23 figs.
- 1933B. Las arenas del antiguo río Paraná y la perforación de Villa Ballester (F.C.C.A.). Quid Novi, 2, no. 5.

## Caster, R. E.

- 1930. Higher fossil faunas of the Upper Allegheny. Bull. Amer. Pal., 15, 1-175, 59 pls.
- Casteret, Norbert
  - 1929. Die Höhlenbären der Pyrenäen. Umschau, 33, 659-663, 11 figs.

Caterini, Francesco

Fossili della grotta dei Fanciulli (Grotte Grimaldi). Pal. Ital., 33, 133-139, 1933. 1 pl., 1 fig. Abstract in: Riv. Ital. Pal., 39, 42.

Cattell, James McKeen, and Cattell, Jaques
1933. American Men of Science. A biographical directory. [5th ed.] New York: The Science Press, viii + 1278 pp.

Cauderay, Henry

Études sur l'Aepyornis. L'Oiseau, (n.s.) 1, 624-644, 1 fig. 1931. Abstract by P. Remy in Année Biol., 36, pt. 2, 441.

Caullery, Maurice

Le problème de l'évolution. Paris: Payot et Cie, 1-447 pp., 88 figs. 1931. Reviews: Anonymous in Quart. Rev. Biol., 7, 101; R. Anthony in L'Anthrop., 40, 259-265, and 42, nos. 1 and 2, 140-142; Jollos in Biol. Zentralbl., 52, 726-727; Plate in Arch. Biol. Berlin, 26, 427-431; Vandel in Rev. Sci. Paris, 69, 512.

Génétique et évolution. XI Congr. Internaz. Zool., Padova, 1, parte 2, 3-16. Also in: Arch. Zool. Ital., 16, 3-16. 1932. Translated into English by J. C. Greenway, Jr., in Science, (n.s.) 74, 254-

1933. Present theories of evolution and the problem of adaptation. Joseph Leidy Memorial Lectures in Science (no. 5). Philadelphia: Univ. Penn.,

Caullery, M., Guyénot, É., and Rivet, P.

L'evolution en biologie. Paris: La Renaissance du Livre, (Centre Internat. de Synthèse—Fondation "Pour la Science"), xv + 83 pp. 1929.

Cauvet, G.

1929. Dromadaires à 34 dents et dromadaires à 36 dents. Bull. Soc. Hist. Nat. Afrique Nord, 20, 247-256, 4 figs.

Cazedessus, J.

L'abri Moustérien de Roquecourbère (Ariège). C. R. Assoc. Franç, 1928. Avance Sci., 52, 448-450.

1929. Galerie de Roquecourbère (Ariège). C. R. Assoc. Franc, Avance Sci., 53, 467-473, 3 pls.

Cépède, Casimir

La vie et l'oeuvre d'Emile Sauvage [1842-1917]. Bull. Soc. Acad. Arrond., 11, 209-295, portrait.

Chabakov, A. W. [= Alexander V. Chabakov]

1928A. Anodontacanthus ruthenorum sp. n., a new ichthyodorulite from the Permian of European part of USSR. Ann. Soc. Pal. Russie, 7, 127-132, 1 fig.

1928B. Description of new ichthyodorulites of Ctenacanthus Agass. from the Carboniferous of USSR. Bull. Géol. Leningrad, 47, 23-32, 2 pls., (Russian with English summary).

Description des restes de Ceratodontidae, trouves dans les calcaires triasiques du Mont Bogdo. Trav. Inst. Pal. Acad. Sci. URSS., 1, 1931 1932. [1932], 45-55, 2 pls., (Russian with French summary).

Chabanaud, Paul

Sur un poisson téléostéen du Turonien d'Indre-et-Loire. Bull. Soc. Géol. 1930.

France, (4) 30, 645-735, 2 figs., 1 pl.

Affinités morphologique, répartition stratigraphique et géographique des 1932. poissons fossiles et actuels de la famille des Gonorhynchidés, avec la description de deux genres nouveaus et d'une espèce nouvelle. Bull. Soc. Géol. France, (5) 1, 497-517, 13 figs., 1 pl.

Chadwick, George Horace

Bothriolepis slab from northeast Pennsylvania. Bull. Geol. Soc. Amer., 1931. 42, 361, (abstract).

Chaine, J. Fracture consolidée d'un os pénien. Actes Soc. Linn. Bordeaux, 80, 92, 1928. 1 fig.

Chaine, J., and Duvergier, J. Sur les otolithes fossiles de la Pologne. Ann. Soc. Géol. Pologne, 4, 190-1928. 204, 1 pl.

1931. Sur des otolithes fossiles de la Catalogne. Mem. Inst. Catalana Hist. Nat., 3, 9-38, 2 pls.

Chakravarti, Dhirendra Kishore

1931. On a Stegodon molar from the older Gangetic alluvium near Benares. Quart. Jour. Geol. Min. Met. Soc. India, 3, 115–124, 1 pl. See also: Rev. Géol. Liege, 13, 18, 1932.

Chambard, R. See: Azais and Chambard, 1931,

Chandler, R. H.

1931. The Clactonian industry and report of field meeting at Swanscombe. Proc. Geolog. Assoc. London, 42, 175-177.

Chaney, Ralph Works See: Andrews, R., 1932.

Chang, Chi

1932. [Letter concerning opposition of Chinese National Committee for Preservation of Antiquities to the Central Asiatic expeditions.] Science, (n.s.) 76, 539-540. See also: Osborn 1932E.

Chang, Hsichih

1929. Die Funktion des Kauapparates bei den Proboscidiern. Palaeobiol., 2, 34-48, 6 figs.

Chapman, Frank Michler

1927. Louis Agassiz Fuertes, 1874-1927. Bird-Lore, 29, 358-368, 4 figs., portrait.

1928. In Memoriam: Louis Agassiz Fuertes, 1874-1927. Auk, (o.s.) 53, 1-26, 1 pl.

Chapman, Frederick

1929. Illustrated guide to the collection of fossils exhibited in the National Museum of Victoria. Melbourne: H. S. Green, 55 pp., illustr.

1931. Note on chimaeroid fish remains from the Australian Tertiaries. Ann. Mag. Nat. Hist., (10) 8, 139.

Chardin, Pierre Teilhard de

1928A. [Review of:] M. Boule and L. de Villeneuve, "La grotte de l'Observatoire a Monaco." (Arch. Inst. Pal. Humaine, Mém. 1, 1927). L'Anthrop., 38, 150-153.

1928B. Les couches de passage entre le tertiaire et le quaternaire en Chine septentrionale. C. R. Soc. Géol. France, 1928, 12-14.

1928C. Note complémentaire sur la faune de mammifères du tertiaire inférieur d'Orsmael. Bull. Acad. Roy. Sci. Belg., Cl. Sci., 1928, 471-474, 2 figs.

1930A. On the occurrence of a Mongolian Eocene perissodactyle in the red sandstone of Sichuan, S. W. Honan. Bull. Geol. Soc. China, 9, 331-332, 1 fig.

1930B. Une importante decouverte en paleontologie humaine: Le Sinanthropus pekinensis. Rev. Questions Sci., (4) 18, 5-16, 1 fig.

1930C. [Stratigraphical and paleontological study of Upper Tertiary and the Quaternary in northern China with mention of Sinanthropus, Hipparion, Rhinoceros, etc.] C. R. Soc. Géol. France, 1933, 207-208.

1930D. La paléontologie des mammifères en Chine et l'oeuvre du Musée Hoangho-Paiho. Rev. Sci. Paris, **68**, 360-362.

1980E. Quelques observations biogéographiques en Chine. C. R. Soc. Biogeog., 7, 60, 94-96.

1930F. Le phénomène humain. Rev. Questions Sci., (4) 18, 390-406.

1931A. Survey of Pliocene formations in north China. Nat. Hist., 31, 338-339, 1 fig.

1931B. Le "Sinanthropus" de Peking. État actuel de nos connaisances sur le fossile et son gisement. L'Anthrop., 41, 1-11, 3 figs. Reviews: Anonymous in Nature, 127, 795; Kleiweg de Zwaan in Kon. Ned. Aardrijk. Genoot., Tijdschrift, 48, 782-784.

1931C. Quelques observations biogeographiques en Chine. C. R. Soc. Biogéog., 1930, 94-96.
Review: F. Picard in Année Biol., 35, pt. 2, 713.

1932. Les résultats scientifiques de l'expedition Centre-Asie. Terre, Air, Mer, 58, 379-390.

1933. Les bovines fossiles en Chine du Nord. C. R. Soc. Biogéog., 1933, 1-2. Review: Picard in Année Biol., 38 [1934], pt. 2, 206-207.

See: Boule, et al., 1928; Black, D., et al., 1933; Kelly 1928; Osborn 1931D.

Chardin, P. T. de, and Lapparent, A. de

1933. Sur la découverte d'un rongeur du genre *Paramys* dans l'eocene inférieur de Provence. C. R. Soc. Géol. France, **1933**, 26-27.

Chardin, P. T. de, and Pei, W. C.

1932. The lithic industry of the Sinanthropus deposits in Choukoutien. Bull. Geol. Soc. China, 11, 315-358, 36 figs., 3 pls. Review: Vaufrey in L'Anthrop., 43, 112.

Chardin, P. T. de, and Piveteau, J.

1930. Les mammifères fossiles de Nihowan (Chine). Ann. Pal., 19, 3-134, 42 figs., 23 pls.

Abstract in: C. R. Soc. Géol. France, 1930, 182-183.

1932. Nouvelle étude sur le *Cervus ertborni* Dub. des argiles de la Campine (1). Bull. Mus. Hist. Nat. Belg., **8**, no. 5, 1-12, 5 figs.

Chardin, P. T. de, and Young, C. C.

1929. On some traces of vertebrate life in the Jurassic and Triassic beds of Shansi and Shensi. Bull. Geol. Soc. China, 8, 131-133, 1 fig., 1 pl.

1930. Preliminary report on the Chou Kou Tien fossiliferous deposits. Bull. Geol. Soc. China, 8, 173-202, 10 figs., 1 pl.

1931. Fossil mammals from the late Cenozoic of northern China. Pal. Sinica, (C) 9, fasc. 1, 1-67, 23 figs., 10 pls.

1933. On some neolithic (and possibly palaeolithic) finds in Mongolia, Sinkiang and west China. Bull. Geol. Soc. China, 12, 83-104.

Charlemagne, N.

1931. Ueber die Verbreitung des Desmans (Desmana moschata L.) in Flussgebeite des Dnjepr im Konnex mit der geologischen Vorzeit. Ukrainian Acad. Sci., Mém. Sci. Nat., no. 10 (1930), 174–175.

Charlesworth, John Kaye

1928. Ireland in Pleistocene times. Man, 28, 120-122.

Chavardnadzé, M.

1928. [A list of the publications in zoology, botany, geology, archaeology, and ethnography in 1926, relating to the Caucasus and particularly to Georgia.] Bull. Mus. Géorgie, 4, 289-354.

Checchia-Rispoli, Giuseppe

1933. Di un nuevo genere di "Pristidae" del cretaceo superiore della Tripolitania. Mem. Accad. Ital., Cl. Sci. Fis. Mat. Nat., (1) 4, 1-6, 1 pl.

Chen, Tze Tuan

1929. Twenty-five centuries before Charles Darwin. Sci. Monthly, 29, 49-52.

Chesnut, Alma

1931. Delver for dinosaurs. Charles W. Gilmore, who knows fossils by their first names. Nature Mag., March 1931, 179–182, 5 figs.

Chevalier, Marcel

1929. Sobre el mammifers fóssils de Catalunya. But. Inst. Catalana Hist. Nat., (2) 9, 80.

Chi Ping See: Ping, Py Chi

Chiarelli, Ángela

1931. [Obituary of:] Professor doctor Hermann von Ihering (29-x-1850—25-ii-1930). Physis, 10, 339-342, portrait.

Chidester, Floyd Earle

1932. Zoölogy. A textbook for college and university students. New York: D. Van Nostrand Co., Inc., 581 pp., 268 figs.

Childe, V. Gordon

1932. Glacial geology of East Anglia. Man, 32, 30.

See: Burkitt and Childe, 1932.

Chillinor, John

1928. The terms "cast" and "mould" in paleontology. Geol. Mag., 65, 410-411.

Chitani, Yoshinosuke

1928. Geology of the Akita oil-fields. Proc. Third Pan-Pacific Sci. Congr., 2, 1926 [1928], 1597–1609, 1 fig., map.

Chittenden, Russell Henry See: Farquhar 1930.

Ch-k.

1930. Hemianthropus osborni. Umschau, 34, 440.

Chouff, G. See: Suf, J.

Chr., W.

1930. Nashornfund in Ostgalizien. Naturforscher, 6, 474.

Christiani, Axel

1929. Om nogle jordfunde Knogler frå Vardo i Norge. [New fossil bird bones from Vardo in Norway.] Dansk Ornithol. Tidsskrift, 23, 79-83, 1 pl.

Chubb, S. Harmsted

1932. Vestigial clavicles and rudimentary sesamoids. Their development and functions in mammals. Amer. Nat., 66, 376-381, 2 figs.

Cipriani, Lidio

1928. Il primo assertore del paleolitico superiore in Italia: Ettore Regalia. Arch. Antrop. Etnol., 58, 117-121.

Clark, Austin Hobart

1928. Animal evolution. Quart. Rev. Biol., 3, 523-541, 1 fig.

1929A. Evolution. Science, (n.s.) 69, 271. See also: Matthew 1929C.

1929B. Horses, dogs and cats. Science, (n.s.) 70, 37-38.

1929C. Evolution and religion. Sci. Monthly, 28, 446-450.

1930A. The new evolution: Zoogenesis. Baltimore: The Williams & Wilkins Co., xiv + 297 pp., 5 figs. See also: Jour. Wash. Acad. Sci., 19, 1929, 217-231. Reviews: Anonymous in Jour. Amer. Med. Assoc., 95, 1771; Schuchert in Amer. Jour. Sci., (5) 20, 155-156.

1930B. Zoogenesis. Sci. Amer., 143, 104-107, 3 figs., 4 diagrams.

Clark, Bruce Lawrence

1938. Pliocene sequence in the Berkeley Hills. Bull. Geol. Soc. Amer., 44, 151, (abstract).

See: Merriam, J., et al., 1915.

Clark, John

1932A. A new anosteirid from the Uinta Eocene. Ann. Carnegie Mus., 21, 161-170, 2 figs.

1932B. A new turtle from the Duchesne Oligocene of the Uinta Basin, northeastern Utah. Ann. Carnegie Mus., 21, 131-160, 10 figs.

Clark, Neil M.

1927. "Adventure, here I am; come a-shootin'!" Paul Christian Miller arrived in Wyoming thirty-one years ago with a grip-sack, a rusty six-shooter and an overwhelming desire to bust a bronco. He found adventure, sure enough, but in a field of which he had never dreamed. Amer. Mag., Dec. 1927, 56-57, 163-166, illustr.

Clark, Thomas Henry

1928. A fossil bison skull from Yukon Territory. Canadian Field Nat., 41, 45-47.

Clark, W. E. Le Gros

1928. Rhodesian Man. Man, 28, 206-207, 1 fig.

1930. The classification of the primates. Nature, 125, 236-237. See also: Regan 1930A.

Claus, Rudolph

1928. Die Elsoffer Kulm-Mulde. Ein Beitrag zur Stratigraphie und Petrographie des Unterkarbons am Ostrande des Rheinischen Schiefergebirges. Zeit. Deutschen Geol. Ges., 79, 235–279, 6 figs., 1 pl.

Cleaves, Arthur Bailey See: Willard and Cleaves, 1930.

Cleland, Herdman Fitzgerald

1929. Our prehistoric ancestors. London: Williams & Norgate, 398 pp.; New York: Coward McCann, 1928.
Review: J. G. D. C[lark] in Antiq., 7, 371-372.

Cleveland, Frederick A., et al.

1929. Modern scientific knowledge of nature, man, and society. New York:
The Ronald Press, xvii +591 pp., 121 figs.

Clifford, E.

1931. Report on the Barnwood discoveries. Rept. Brit. Assoc. Adv. Sci., 1930 [1931], 365, (abstract).

Cochran, Doris Mable See: Gilmore and Cochran, 1930.

Cockerell, Theodore Dru Alison

1927. Zoology of Colorado. Univ. Colo. Press, Boulder, Colo., vii + 262 pp., illustr.

1931. The name Loricata. Jour. Mammal., 12, 320.

1933. The antiquity of Albula. Copeia, 1933, 226.

Colbert, Edwin Harris

1931. Fossil proboscideans in the University of Nebraska. Nat. Hist., 31, 446.

1932. Aphelops from the Hawthorn Miocene of Florida. Bull. Florida Geol. Surv., no. 10, 55-58, 1 fig.

1933A. A new mustelid from the Lower Siwalik beds of northern India. Amer. Mus. Novit., no. 605, 1-3, 1 fig.

1933B. The presence of tubulidentates in the Middle Siwalik beds of northern India. Amer. Mus. Novit., no. 604, 1-10, 8 figs.

1933C. The skull and mandible of *Conohyus*, a primitive suid from the Siwalik beds of India. Amer. Mus. Novit., no. 621, 1-12, 5 figs.

1933D. A skull and mandible of Giraffokeryx punjabensis Pilgrim. Amer. Mus. Novit., no. 632, 1-14, 5 figs.

1933E. The skull of *Dissopsalis carnifex* Pilgrim, a Miocene creodont from India. Amer. Mus. Novit., no. 603, 1-8, 4 figs.

1933F. Two new rodents from the Lower Siwalik beds of India. Amer. Mus. Novit., no. 633, 1-6, 2 figs.

1933G. An Upper Tertiary peccary from India. Amer. Mus. Novit., no. 635, 1-9, 5 figs.

See: Osborn and Colbert, 1931.

Coleman, Arthur Philemon

1929. Ice ages, recent and ancient. New York: The Macmillan Co., xliii + 296 pp., 51 figs., 8 maps.

Coleman, Laurence Vail

1932. Handbook of American museums, with an appended list of museums in Canada and Newfoundland. Washington, D. C.: Assoc. of Museums, vii + 779 pp.

Collin, Alb.

1930. Index ornithologicus sive nomenclator avium tum viventium tum fossilium.

Montifringillu Brehm—M. Walteri Hart; Crithologus Cab.—Crocethia alba (Pall.). Finland: Kotka Tryckeri Aktiebologs Eft., 1 (1), 1-18, (1929); (2) 1-24.

Collin, R. See: Beauverie, J., et al., 1933.

Collins, Robert Lee

1933. Mylodont (ground sloth) dermal ossicles from Colombia, South America. Jour. Wash. Acad. Sci., 23, 426-429, 1 fig.

Colliver, F. S.

1933. Some interesting fossils from the Tertiary deposits of Grange Burn. Victorian Nat., 1, 71-73.

Colosi, Giuseppe

1931. L'epoca di emersione della terra come fattore della distribuzione geografica degli animali. Arch. Zool. Ital., 15, 267-273.

1932A. Biogeografia ed evoluzione. XI Congr. Internaz. Zool., Padova, 1, parte 2, 17-37.

1932B. L'ologénèse et la biogéographie. Bull. Soc. Océanog. France, 12, 1208-1215, 5 maps.

Company, Mario A. Fontana

1930. Memoria de la excursión científica a Nueva Palmira. Rev. Soc. Amigos Arqueol., 4, 119-181.

1932A. La notable obra geo-paleontologica del Prof. D. Lucas Kraglievich. Rev. Soc. Amigos Arqueol., 5, 1931 [1932], portrait and bibliog.

1932B. La destacada obra geopaleontológica de don Carlos Rusconi. Rev. Soc. Amigos Arqueol., 6, 245–268, 2 portraits.

Comte de Bégouen See: Bégouen, Comte de

Condra, George Evert

1933. [Preface to:] Cook, H. J., and Cook, M. C.: "Faunal lists of the Tertiary Vertebrata of Nebraska and adjacent areas." Papers Nebr. Geol. Surv., no. 5, 7-8.

Conger, George P.

1929. New views of evolution. New York: Macmillan, x + 235 pp., 3 pl. Reviews: Anonymous in Jour. Amer. Med. Assoc., 93, 1995-1996; Goodrich in Eug. Rev., 22, 135.

Conklin, Edwin Grant See: Mason, F., 1928.

Conkling, R. P.

1932. Conkling Cavern: the discoveries in the bone cave at Bishop's Cap, New Mexico. West Texas Hist. Sci. Soc., 44, pt. 4, 7-19, 1 illustr.

Connery, Jack H.

1932. Recent find of mammoth remains in the Quaternary of Florida, together with arrowhead. Science, (n.s.) 75, 516.

Connolly, M. See: Leakey, et al., 1931.

Cook, Harold James

1927. New trails of ancient man. Sci. Amer., 137, 114-117, illustr.

1928. Glacial Age Man in New Mexico. Sci. Amer., 139, 38-40, 9 figs.

1929. An extra rib in a Miocene artiodactyle from Nebraska. Jour. Mammal., 10, 257.

1930A. Occurrence of mammoth and giant bison in glacial moraines in the high mountains of Colorado. Science, (n.s.) 72, 68.

1930B. New rhinoceroses from the Pliocene of Colorado and Nebraska. Proc. Colo. Mus. Nat. Hist., 9, 44-51, 7 pls.
Review: Thorpe in Amer. Jour. Sci., (5) 21, 465-466.

1931A. Ancient artifacts and associated fossils from eastern Colorado. Bull. Geol. Soc. Amer., 42, 364, (abstract).
Also in Pan-Am. Geol., 55, 159; 240.

1931B. The antiquity of man as shown at Frederick, Oklahoma: a reply. Jour. Wash. Acad. Sci., 21, 161-166.

1931C. More evidence of mammoths in the high mountains of Colorado. Science, (n.s.) 73, 283-284.

1931D. Geological evidences of early man in America. Bull. Geol. Soc. Amer., 42, 326, (abstract).

1931E. A Pleistocene fauna from southern Nebraska. Jour. Mammal., 12, 273-280.

1931F. More evidence of the "Folsom culture" race. Sci. Amer., 144, 102-103, 6 figs.
Abstract in: Umschau, 35, 600.

1932. Hunting Nebraska's prehistoric game disclose scientific wonders at Agate. Scotts Bluff [Nebr.] Daily Star-Herald, North Platte Valley Edition.

See: Gregory and Cook, 1928; Hay and Cook, 1928, 1930.

Cook, H. J., and Cook, M. C.

1933. Faunal lists of the Tertiary Vertebrata of Nebraska and adjacent areas. Papers Nebr. Geol. Surv., no. 5, 1-58. Preface by G. E. Condra.

Cook, H. J., and Mansfield, W. C.

1933. A new mollusk from the Chadron formation (Oligocene) of Nebraska.
(1) Occurrence and associations [by H. J. Cook]. Jour. Wash. Acad. Sci., 23, 263-267, 4 figs.

Cook, James H.

Fifty years on the old frontier as cowboy, hunter, guide and ranchman. New Haven: Yale University Press, xix + 291 pp., frontispiece and

Cook, Le Moyne

A rhinoceros bone bed [Agate, Nebr.]. Black Hills Engineer, 14, 95-99,

Cook, M. C. See: Cook, H. J., and Cook, 1933.

Cooke, Charles Wythe

The stratigraphy and age of the Pleistocene deposits in Florida from 1928. which human bones have been reported. Jour. Wash. Acad. Sci., 18, 414-421.

Cooke, C. W., and Mossom, S.

Geology of Florida. Florida Geol. Surv., 20th Ann. Rept., 3-227, 29 pls. 1929.

Cooper, Clive Forster

Pseudoamphimeryx hantonensis, sp. n., with notes on certain species of artiodactyls from the Eocene deposits of Hordwell. Ann. Mag. Nat. 1928. Hist., (10) 2, 49-55, 2 figs., pls. 2-4.

1932A. The genus Hyracotherium. A revision and description of new specimens found in England. Philos. Trans. Roy. Soc. London, (B) 221, 431-448, 3 figs., 3 pls.

1932B. On some mammalian remains from the Lower Eocene of the London Clay. Ann. Mag. Nat. Hist., (10) 9, 458-467, 2 figs., 2 pls., tables.

See: Andrews, C. W., and Cooper, 1928; Watson, D., and Cooper, 1932.

Cooper, Chalmer Lewis

Pleistocene fauna. Publ. Kentucky Geol. Surv., (6) 36, 435-461. 1931.

Cooper, Gustav Arthur

A method for the preparation of fossils. Science, (n.s.) 77, 394.

Corev. William Henry See: Loel and Corev. 1932.

Cormau. L. See: Beauverie, et al., 1933.

Cornelius, Hans Peter

Verzeichnis der im Jahre 1931 erschienenen Arbeiten geologischen, geo-1932. morphologischen, mineralogischen, paleontologischen, montanistischen und hydrologischen Inhalts, welche auf das Gebiet der Republik Österreich Bezug nehmen; nebst Nachtragen aus den Vorjahren. Verh. Geol. Bundesanst., 1932, 167-174.

1933. Verzeichnis der im Jahre 1932 erscheinenen Arbeiten geologischen, geomorphologischen, mineralogischen, paleontologischen, montanistischen und hydrologischen Inhalts, welche auf das Gebiet der Republik Österreich Bezug nehmen; nebst Nachtragen aus den Vorjahren. Verh. Geol. Bundesanst., 1933, 137–145.

Corrêa, A. A. Mendes See: Mendes-Corrêa, A. A.

Corroy, Georges

1928A. Les vertébres du trias de Lorraine et le trias Lorrain. Ann. Pal., 17, 83-136, 14 figs., 5 pls. Review: Remy in Année Biol., 33, pt. 2, 511, 1929. Abstract in: C. R. Soc. Géol. France, 1929, 166.

1928B. Les vertébrés du trias Lorrain. C. R. Acad. Sci. Paris, 186, 1636-1637. Abstract in: Rev. Sci. Paris, 66, 420.

Les poissons et les reptiles du Muschel-Kalk et du Rhétien de Basse-Pro-1933. vence. Bull. Soc. Géol. France, (5) 3, 475-483, 1 fig.

Corroy, G., and Minoux, G.

Les mammifères quaternaires de Lorraine. Les éléphantides. Bull. 1932. Soc. Géol. France, (5) 1, 635-653, 5 figs.

Cosiin, J.

Voorloopige mededeeling omtrent het voorkomen von fossiele beenderen 1931. in het heuvellerrein ten noorden van Djetis en Perning (Midden Java). Verh. Geol.-Mijn. Genoot. Ned. Kol., (Geol. Ser.) 9, 113-119, 1 map, 3 profile sections.

1932. Tweede mededeeling over het voorkomen van fossiele beenderen in het heuvelland ten noorden van Djetis en Perning (Java). Verh. Geol.-Mijn. Genoot. Ned. Kol., (Geol. Ser.) 9, 135-148, 2 figs., 1 map, 9 profiles, 1 pl.

Costanini, David A.

1928. La nuova vita degli studi di paleontologia umana in Italia. Arch. Antrop. Etnol., 58, 17-28.

Cottreau, Jean

1928. Le Metaxytherium cuvieri du golfe de la Loire. Ann. Pal., 17, 3-20, 4 figs., 2 pls.

Coulon, L.

1928A. Poissons fossiles nouveaux du Musée d'Elbeuf. Bull. Soc. Sci. Nat. Elbeuf, 46, 63-67.

1928B. Sur quelques pièces intéressantes de mammifères tertiaires du Musée d'Elbeuf. Bull. Soc. Sci. Nat. Elbeuf, 46, 72-78.

Coupin, F. See: Anthony and Coupin, 1931.

Courty, Georges

1928. Les niveaux archéologiques de Saint-Prest. Bull. Soc. Préhist. Paris, 25, 517-518. [With note by Pontier re: Elephas meridionalis.]

Coutière, Henri

1980. Le Monde vivant. Paris: Société des Atlas Pittoresques, vols. 1-5, illustr., (1927-1930).

Cowdry, Edmund Vincent [Editor]

1930. Human biology and racial welfare. New York: Paul B. Hoeber, 612 pp. Reviews: Anonymous in Lancet, 219, 299; and Anonymous in Jour. Amer. Med. Assoc., 97, 535.

Cox, - See: Haughton 1932B.

Cox, Leslie Reginald

1929. A spiral puzzle. Nat. Hist. Mag., 2, 16-27, 8 figs.

Cox, Paul Ernest

1929. Antiquity of man in America. Jour. Tennessee Acad. Sci., 4, 90-96. See also: *ibid.*, 5, 125-130, figs. 37-41.

Crabb, Edward Drane

1923. A fossil elephant of Oklahoma. Yearbook Milwaukee Pub. Mus., 3, 173-177, 3 figs.

1924. The occurrence of *Bison occidentalis* in Oklahoma. Proc. Oklahoma Acad. Sci., **4**, 124, 1 pl. (Univ. Okla. Bull. 322).

Crampton, Henry Edward

1931. The coming and evolution of life. How living things have come to be as they are. The University Series. New York: The University Society, iv + 103 pp., frontispiece, 16 figs. [2d ed. 1932.] Review: W. K. Gregory in Nat. Hist., 32, 223-224.

Crickmay, Colin Hayter

1929. [Obituary of:] Sidney Savory Buckman, 1860-1929. Science, (n.s.) 70, 87-88.

Crile, George W.

1933. Orthogenesis and the power and infirmities of man. Proc. Amer. Philos. Soc., 72, 245-254.

Cristo See: De Cristo 1928.

Croix, P. Magne de la See: Magne de la Croix, P.

Croneis, Carey

1927. Sharks from Fayetteville formation. Pan-Am. Geol., 47, 41-46, 1 pl.

Crook, Alja Robinson

1930. New plan illustrative of historical geology. Pan-Am. Geol., 53, 88-90.

Crusafont, M. See: Villalta and Crusafont, 1933.

Cuénot, L. See: Beauverie, J., et al., 1933.

Cummings, Carlos E.

1933. Dinosaurs come to the Museum. New group placed in the Hall of Evolution. Hobbies (Buffalo Mus. Sci.), 13, 90-92, 1 fig.

Currie, Ethel D. See: Gregory and Currie, 1928.

Cushman, Joseph Augustine

1928. Fossils—what they are and their uses. Sci. Monthly, 27, 346-348.

Cuvillier, Jean

1930. Sur un nouveau gisement à restes de poissons fossiles l'ouest des pyramides de Guizeh. Bull. Inst. Egypte, 11, 28-34, 1 fig.

Czerny, Sigmond

1929. [Polish learned societies in 1927-28.] Bull. Union Soc. Savant. Polonaises, 9/10, 1-106.

1930. Ernst Zimmermann und seine Verdienste um die geologische Erforschung Thüringens. Zu seinem 70. Geburtstag. Beitr. Geol. Thüringen, 2, i-xvi, portrait.

Dabelow, Adolph

1928A. Über Art und Ursachen der Entstehung des Kiefergelenkes der Säugetiere. Morphol. Jahrb., **59**, 493-560, 58 figs. Critique by Edinger 1928A.

1928B. Erwiderung auf vorstehenden Artikel von T. Edinger. Anat. Anz., 66, 184-191. See also: Edinger 1928A.

1929A. Über Korrelationen in der phylogenetischen Entwicklung der Schädelform. I. Die Beziehungen zwischen Rumpf und Schädelform. Morphol. Jahrb., 63, 1-49, 27 figs.

1929B. Die Beeinflussung des Schädels durch den Rumpf während der stammesgeschichtlichen Entwicklung (mit besonderer Berücksichtigung der Sonderform des menschlichen Schädels). München. Med. Wochenschr., 76. 1109.

1931. Über Korrelationen in der phylogenetischen Entwicklung der Schädelform. II. Beziehungen zwischen Gehirn und Schädelbasisform bei Mammaliern. Morphol. Jahrb., 67, 84–133, 30 figs.

Dacqué, Edgar

1928. Das fossile Lebewesen. Eine Einführung in die Versteinerungskunde. Berlin: Julius Springer (Verständliche Wiss., Bd. IV), vii + 184 pp., 93 figs.

Dacqué, E., [and Wegener, A.]

1926. Paläogeographie. Enzyk. Erdk., 4, viii + 196 pp., 31 figs. [Wegener's article, separately paginated, is entitled "Palaogeographische Darstellung der Theorie der Kontinentalverschiebungen."]

Daggett, Frank Slater See: Merriam, J., et al., 1915.

Dahlgren, B. E.

1933. A forest of the coal age. Field Mus. Nat. Hist., Geol. Leaflet 14.

Dakin, W. J.

1931. The composition of the blood of aquatic animals and its bearings upon the possible conditions of origin of the vertebrates. Nature, 128, 66-67.

Daley, Charles

1928. Letters from Darwin and Owen. Victorian Nat., 45, 185-187.

Dal Piaz, Giambattista B.

1928. I mammiferi fossili e viventi delle Tre Venezie. Parte sistematica. Studi Trentini, (2) 8-9, 1927-1928; No. 1. Insectivora, 8, 61-84, 5 figs.; No. 2. Chiroptera, 8, 171-198, 3 pls.; No. 3. Carnivora, 9, 15-33, 1 pl.

1929A. Atalonodon—nuovo genere di perisodatillo dell'Eocene di Gonnesa (Sardegna). Mem. Ist. Geol. Univ. Padova, 8, 1-9, 1 pl. Abstract in: Riv. Ital. Pal., 35, 44.

1929B. Su due piccoli artiodatilli di Cadibona e della loro importanza cronologica. Atti Accad. Sci., Padova, **20**, 11. See also: *Ibid.*, (3) **19**, 90–98. Abstract in: Riv. Ital. Pal., **35**, 44–45.

1929C. I mammiferi fossili e vivanti della Tre Venezie. Studi, Trentini, (2) 10, fasc. 1-6, 20-36; 103-158, 24 figs. and maps. See also: Dal Piaz 1928. Abstract in: Riv. Ital. Pal., 35, 42-43.

1929D. Nuovo genere e nuove specie di artiodatilli dell'Oligocene veneto. Atti Accad. Lincei, Rend., 12, fasc. 1-2, 61-64. Abstract in Riv. Ital. Pal., 36, 27-28. 1929E. Nuove osservazioni sull'Oligocene italiano. Atti Accad. Lincei, Rend., (6) 9, 910-913.

1930A. I mammiferi dell'Oligocene veneto. Creodonta. Mem. Ist. Geol. Univ. Padova, 8, mem. 7, 1-17, 1 pl. Abstract in Riv. Ital. Pal., 36, 28.

1930B. I mammiferi dell'Oligocene veneto—Propalaeochoerus paronae n. sp. Mem. Ist. Geol. Univ. Padova, 8, mem. 9, 1-14, 1 pl. Abstract in: Riv. Ital. Pal., 36, 28.

1930C. I mammiferi dell'Oligocene veneto. Trigonias ombonii. Mem. Ist. Geol. Univ. Padova, 9, 1-63, 1 fig., 20 pls. See also: Wood, H. E., 1932. Abstract in Riv. Ital. Pal., 37, 40-41.

1930D. Sopra gli avanzi di un suide scopteri nel Pliocene superiore di Bra in Piemonte. Atti Accad. Sci. Torino, 65, 299-303, 2 figs.

1931. I mammiferi dell'Oligocene veneto. Anthracochoerus n.g., A. stehlini n. sp., A. fabianii, n. sp. Mem. Ist. Geol. Univ. Padova, 9, 1-36, 2 figs., 5 pls. See also: Dal Piaz 1929D.

1932A. I mammiferi dell'Oligocene veneto. Anthracotherium monsvialense. Mem. Ist. Geol. Univ. Padova, 10, 1-63, 4 figs., 16 pls. Abstract in Riv. Ital. Pal., 39, 44-46.

1932B. Contributi alla paleontologia piemontese. I. Sull'età geologica dell'
Elephas primigenius e dell' Elephas trogontherii dell'Astigiana (Piemonte)
con cenni sulla filogenesi dei Mammouths s. s. II. Notizie siu resit di
Brachyodus rinvenuti nel conglomerato Oligocenico di Ceva in Piemonte.
Atti Accad. Sci. Torino, 67, 107-120, 1 fig.
Abstract in: Riv. Ital. Pal., 38, 63.

Review: Vaufrey in L'Anthrop., 43, 111-112.

Dames, F. Longworth See: Longworth-Dames, F.

Dampier-Whetham, William Cecil

A history of science and its relations with philosophy and religion. Cambridge: Univ. Press, xxi + 514 pp., 14 figs. "Revised and reprinted in N. Y. in 1930 and 1931."
Review: Wolf in Sci. Progress, 25, 729-730.

Dane, Carle Hamilton

1929. The Upper Cretaceous formations of southwestern Arkansas. Arkansas Geol. Surv. Bull., 1, 1-215, 4 figs., 29 pls.

1932. Notes on the Puerco and Torrejon formations, San Juan Basin, New Mexico. Jour. Wash. Acad. Sci., 22, 406-411, 1 fig., 1 table.

Daniel, John Franklin

1928. The elasmobranch fishes. [2d ed.] Berkeley: University of California Press, xi + 332 pp., 270 figs.

Danysz-Fleszarowa, R.

1931. Bibljografja geologiczna Polski, nr. 10. Ed. Serv. Geol. Pologne, 16 pp.
 1932. Bibljografja geologiczna Polski, nr. 11. Ed. Serv. Geol. Pologne, 16 pp.
 Dareste de la Chavanne. Jacques See: Roman and Dareste de la Chavanne. 1931.

Dart, Raymond

1929A. Mammoths and other fossil elephants of the Transvaal. Rept. Brit. Assoc. Adv. Sci., 1929 [1930], 368, (abstract).

1929B. Mammoths and other fossil elephants of the Vaal and Limpopo watersheds. S. African Jour. Sci., 26, 698-731, 28 figs.

1929C. A note on the Taungs skull. S. African Jour. Sci., 26, 648-658, 1 pl.

1929D. [Doctor Dart on the Rhodesian and Boskop races.] Nat. Hist., 29, 670-671.

1931A. [Exhibition of remains of Australopithecus.] Proc. Zool. Soc. London, 1931, 348.

1931B. I caratteri dell'Australopithecus africanus. Arch. Antrop., Etnol., 60-61, 282-295, 5 figs.

Darton, Nelson Horatio

1928. Memorial of Charles Doolittle Walcott [1850-1927]. Bull. Geol. Soc. Amer., 39, 80-116, portrait.

Darwin, Charles

Charles Darwin's diary of the voyage of H. M. S. "Beagle." Edited from 1933. the MS. by Nora Barlow. Cambridge: Univ. Press, xxx + 451 pp., front., 2 figs., 2 maps. Reviews: Anonymous in Discovery, 14, 384; Calman in Nat. Hist. Mag.,

4. 191-193; J. L. M. in Man, 35, 111.

Darwin, Leonard

1930. Evolution and evidence. Nature, 125, 126-127.

Das-Gupta, Hem Chandra

1929. Batrachian and reptilian remains found in the Panchet Beds at Deoli, Bengal. Jour. Proc. Asiatic Soc. Bengal, (n.s.) 24, 473-479, 1 pl.

1931A. On a new theropod dinosaur (Orthogoniosaurus matleyi, n. gen. et n. sp.) from the Lameta beds of Jubbulpore. Jour. Proc. Asiatic Soc. Bengal, (n. s.) 26, 367-369, 1 fig.

1931B. Bibliography of prehistoric Indian antiquities. Jour. Proc. Asiatic Soc. Bengal, (n. s.) 27, 1-91.

Dassen, Claro C. See: Lozano, N., and Molfino, 1932.

Davenport, Charles Benedict

Evidences of man's ancestral history in the later development of the child. 1933. Proc. Nation. Acad. Sci., 19, 783-787, 3 figs.

David, Sir Tannet William Edgeworth

On the occurrence of the Helicoprion, possibly Toxoprion, in the so-called Permo-Carboniferous rocks of western Australia. Proc. Third Pan-Pacific Sci. Congr., 2, 1845-1849.

David, T. W. E., and Süssmilch, C. A. 1931. Upper Paleozoic glaciations of Australia. Bull. Geol. Soc. Amer., 42, 481-522, 2 figs.

Davidson, Charles Findlay

Hardening fragile fossils with vinyl acetate. Mus. Jour., London, 32, 455. See also: Trans. Proc. Perthshire Soc. Nat. Sci., 9, 67.

Davies, A. Morley

Faunal migrations since the Cretaceous period. Proc. Geolog. Assoc. London, 40, 307-327.

Davies, L. Merson

Scientific discoveries and their bearing on the biblical account of the 1930. Noachian deluge. Jour. Trans. Victoria Inst., 62, 62-85.

Davis, Arthur G.

1929. Über die Fauna eines Eozängeschiebes von Cöthen (Anhalt). Zeit. Geschieb. Flachlands Geol., 5, 111-113.

The Woolwich beds at Thornton Heath. Proc. Croydon Nat. Hist. Sci. 1932. Soc., 10, 148-152, 1 fig., map.

Davis, William Harper

Edward Drinker Cope as a geographer. Bull. Geog. Soc. Phila., 30, 157-162 de Angelis d'Ossat, Gioacchino See: Angelis d'Ossat, G de.

de Arragón, F. de las Barras See: Barras de Arragón, F. de las

de Beer See: Beer, de

Debetz, G. F.

Sinanthropus pekinensis-ein neuer palaeanthropologischer Fund. Russ. 1930. Anthrop. Jour., 19, 191-192, (in Russian).

[The paleoanthropology of north Asia,] Proc. Fourth Congr. Zoolog. 1931. Anatom. Histolog. Kiev, 1930 [1931], 302, (in Russian).

Debruge, A.

Préhistoire d'Afrique, ou trente années de recherches et de fouilles dans 1928. notre grande colonie. La Mans: Monnoyer, 1928, [not seen]. Review: H. W[einert] in Rev. Anthrop., 39, 198.

de Burlet, H. M. See: Weber, M., 1928A.

Decker. Charles Elijah

A preliminary list giving the distribution of Proboscidia in Oklahoma. Proc. Oklahoma Acad. Sci., 4, 123-124.

1930. Age of the toads in the A. H. Holloman sandpit at Frederick, Oklahoma. Proc. Oklahoma Acad. Sci., 10. 82-84.

De Cristo, Guiseppe

Resti di Bos primigenius rinvenuti a Mosorrofa in provincia di Reggio 1928 Calabria. Boll. Soc. Geol. Ital., 47, 29-32. Abstract in: Riv. Ital. Pal., 34, 50-51.

Deecke, W.

Die Vorkommen diluvialer Säugetiere in Baden südlich der Murg. Mitt. 1931. Badischer Landesver. Naturk. Naturschutz, 8, 9, 1931, (reprinted 1932).

Das Vorkommen, die Bergung und Präparation diluvialer Säugetierreste. 1932. Badische Geol. Abh., 4, 58-63.

De Geer, Gerard (Baron)

Geochronology as based on solar radiation and its relation to archaeology. Antiq., 2, 308-318, 1 fig., 1 pl., 1 map. 1928.

Degerbøl, Magnus

1928A, Mindre Bidrag til Danmarks forhistoriske Dyreverden. I. Et Fragment af Beaver (Castor fiber L.) fra Bronzealderen. Vidensk. Meddel. Dansk Naturhist. Foren., 86, 75-81, (in Danish).

1928B. Mindre Bidrag til Danmarks forhistoriske Dyreverden. II. Sind andere Haustiere als der Hund aus der älteren Steinzeit (Campignien) Dänemarks gefunden worden? Vidensk. Meddel. Dansk Naturhist. Foren... **86.** 83-92.

1928C. Människans Ursprung och Släktskapsförhallanden. [Origin and relationships of man. Ymer, 48, 1-60, 36 figs., (in Swedish).

Et Fund af Steppe-Antilope (Saiga tatarica [Pall.]) in Danmark. Meddel. 1932. Dansk Geol. Foren., 8, 175-184, 1 fig., 1 pl. (Review: E. L[önnberg] in Fauna och Flora, 1932, 240).

See: Nordmann and Degerbøl 1930.

Dehorne, Mlle. Lucienne

1929A. [Abstract of:] R. Broom, "On Sphenosuchus and the origin of the Crocodiles," (Proc. Zool. Soc., London, 1927). Année Biol., 33, pt. 2, 141.

1929B. [Abstract of:] R. Broom, "Some further points on the structure of the mammalian basicranial axis," (Proc. Zool. Soc. London, 1927, 233). Année Biol., 33, pt. 2, 142.

De Jong, A. C. 1931. De Trinil-collecti van Prof. [E.] Dubois. Kon. Ned. Aardrijk. Genoot., Tijdschrift, (2), 350-353.

Delafosse, W.

1929. Contribution à l'étude de la faune quaternaire du département de la Moselle. Le Bos primigenius Bojanus. Bull. Soc. Hist. Nat. Moselle, 32, 61-78, 3 pls.

Delavan, Fred

1926. Some recent finds of remains of the extinct ground sloth in southwest Iowa. Proc. Iowa Acad. Sci., 33, 203-205.

Del Campana, Domenico

Avifauna indicatrice di clima freddo nel quaternario italiano. Arch. 1928. Antrop. Etnol., 58, 234-275.

Délépine, G.
1928. La faune marine du Luiller du Limbourg néerlandais. C. R. Congr. Avance. Etud. Strat. Carbonifere, Heerlen, 1927 [1928], 235-240.

de Lorenzo, G. See: Lorenzo, G. de

Del Pan. I. See: Pan. F. I. del

Delphy, Jean

L'evolution actuelle des idées sur l'evolution des êtres organisés. Rev. 1930. Gen. Sci., 41, 293-298.

Demanet, Felix See: Mailleaux and Demanet, 1929.

Denizot. Georges

1929. Les horizons continenteaux du Stampien et de l'Aquitanien. Bull. Soc. Géol. France, (4) 29, 205-216.

1930. Les changements de niveaux du territoire français. Bull. Sci. Paris, 68, 266-273, 4 figs.

Denninger, Henri Stearns

1933. Paleopathological evidence of Paget's disease. Ann. Med. Hist., (n s.) 5, 73-81, 7 figs.

Depéret, Charles

1928. Les singes fossiles du pliocène de France. C. R. Congr. Géol. Internat., 14th Sess., pt. 3, 999-1000, (abstract).

1929. Dolichopithecus arvernensis Depéret, nouveau singe du pliocène supérieur de Sénèze (Hte-Loire). Trav. Lab. Géol. Lyon, Fasc. 15, Mem. 12, 1-12, 1 pl.

See also: Note in C. R. Soc. Géol. France, 1929, p. 232.

Depéret, C., and Llueca, F. G.

1928. Sur l'Indarctos arctoides et la phylogénie des Ursidés. Bull. Soc. Géol. France, (4) 28, 149-160, 2 pls.
 Abstract in: C. R. Soc. Géol. France, 1928, 130-131, under the title "l' Hyaenarctos..."

Depéret, C., Passemard, E., and Rochette, J.

1928. Les vertébrés fossiles du Fort Bourdonneau à Fès (Maroc). Bull. Soc. Hist. Nat. Toulouse, 57, 277-295, 1 fig., 4 pls.

Depéret, C., and Viret, J.

1928. Découverte de la faune de mammiferes burdigaliens des sables de l'Orléanais dans le Haut-Armagnac. C. R. Acad. Sci. Paris, 187, [577]–580.

Deraniyagala, P. E. P.

1931. Testudinate evolution. Proc. Zool. Soc. London, 1930 [1931], 1057-1070,
 3 pls.
 Reviews: Anonymous in Nature, 128, 273; Dehorne in Année Biol., 36, 150.

d'Erasmo, G. See: Erasmo, G. d'.

de Regny See: Vinassa de Regny.

Desfosses, P.

1930. Le cimetere de dinosauriens dans l'Alberta. La Nature, 58, 558-560, 4 figs.

Desio, Ardito

1931. Pubblicazioni di geologia, paleontologia e geographica fisica (Agosto 1920-Aprile 1931). Pavia [Italy], 21 pp.

Dette, Kurt

1929A. Ein Wirbeltierrest im Rogenstein. Zeit. Deutschen Geol. Ges., 81, 494-495, 1 fig.

1929B. Halitherium schinzi Kaup im norddeutschen Septarienton. Zeit. Deutschen Geol. Ges., 81, 539.

Devaux, Emile

1928. La discordance des allures de developpement, clef du problème de l'evolution. 1. Réalité fondamentale de l'espece. 2. Quelques vues d'ensemble sur le transformisme et l'evolution. Rev. Gén. Sci., 39, 299-306.

1929. La genèse de l'intelligence humaine. Rev. Gén. Sci., 40, 144-150.

De Vécchi, Bindo, et al.,

1930. [Obituary and commemorative addresses] Commemorazione di Aldobrando Mochi. Arch. Antrop. Etnol., 60, 7–26, portrait and bibliog.

Devincenzi, -, See: Kraglievich 1931M.

Dewar, Douglas

1931. Difficulties of the evolution theory. London: Edward Arnold & Co.;
New York: Longmans, Green & Co., viii + 192 pp., 7 figs.
Reviews: Anonymous in Lancet, 223, 18; C. A. K[ofoid] in Isis, 18, 401-402;
Jollos in Biol. Zentralbl., 52, 727-728.

1932. The limitations of organic evolution. Jour. Trans. Victoria Inst., 64, 120-146.

Dexler, H.

1931. Uber Hirnschadelausgusse von Ursus spelaeus. Spelael. Monog., 7-8, 9, 498-536, 6 figs., 8 pls.

de Zwaan, J. P. Kleiweg See: Kleiweg de Zwaan, J. P.

Dice, Lee Raymond

The jaw of the fossil rabbit Archaeolagus. Jour. Mammal., 9, 237-239, 1 fig. 1928.

1929. The phylogeny of the Leporidae, with description of a new genus. Jour. Mammal., 10, 340-344, 1 fig.

1931. Alilepus, a new name to replace Allolagus Dice, preoccupied, and notes on several species of fossil hares. Jour. Mammal., 12, 159-160.

1932A. Notes on Hypolagus browni and Lepus benjamini, fossil hares from the Pleistocene of Arizona. Papers Mich. Acad. Sci., 16, 379-382, 4 figs.

1932B. Some characters of the skull and skeleton of the fossil hare, Palaeolagus haydeni. Papers Mich. Acad. Sci., 18, 301-306, 3 figs., 2 pls., 2 tables.

Dieneman, Wilhelm See: Schroeder, Schmierer, and Dienemann, 1929.

Diener. Carl

Grundzüge der Biostratigraphie. Leipzig und Wien: Franz Deuticke. 1925. viii + 304 pp., 40 figs.

Carl Diener and modern paleontology [1862-1928]. Pan-Am. Geol., 50, 1928. 1-4, portrait.

Dienst. Paul

Vorweisung eines montierten Skeletts von Nothosaurus sp. aus dem Mit-1933. tleren Muschelkalk von Rudersdorf. Sitz.-Ber. Preuss. Geol. Landesanst., 53, 1932 [1933], 1-3, (in Jahrbuch).

Dietrich, W. O.

1928A. Lassen sich Chalicotherium und verwandte Gattungen schon rekonstruieren? Centralbl. Min. Geol. Pal., 1928, Abt. B., 366-376, 1 fig.

1928B. Über Rekonstruktionen fossiler Säugetiere. Zeit. Säugetierk., 2, 177-186. Abstract: ibid., 4, 17.

1928C. [Review of:] Andrews, R. C., 1927, "Auf der Fährte des Urmenschen. Abenteur und Entdeckungen dreier Expeditionen in die mongolische Centralbl. Min. Geol. Pal., 1928, Abt. B, 61-63.

1928D. Fortschritte der Säugetierpalaeontologie. Die Entdeckungen der Americaner in der Mongolei. Sitz.-Ber. Ges. Naturf. Freunde, 1928, 45-79, illustr.

1928E. Ein neues paläontologisches Arbeitsgebiet, die Wissenschaft von den Leichen. Forsch. u. Fortschr., 4, no. 1, 5-6.

1929A. Beitrag zur Kenntnis der Bohnerzformation in Schwaben. 2. Über die Nager aus den Spaltablagerungen der Umgebung Ulms. Neues Jahrb. Min. Geol. Pal., Abt. B, 62, 121-150, 1 fig., 5 pls.

1929B. Bericht über die obereozänen Säugetiere der Ulmer Alb. Pal. Zeit., 11, 258-261.

1929C. Über die Einbettung eines Urs (Bos primigenius Boj.) im Steinheimer Schotter. Jahresh. Ver. Vaterländ Naturk. Württemberg, 85, 43-46, 1 fig.

1930. Beitrag zur Kenntnis der Bohnerzformation in Schwaben. aus den Bohnerzablagerungen der Ulmer und der Eichstätter Alb. Neues Jahrb. Min. Geol. Pal., Abt. B, **63**, 451–474, 3 pls.

1931A. [Obituary of:] Joseph Felix Pompeckj, 10.5.1867-8.7.1930. Geol. Pal. Abh., (N. F.) 18, I-X, 1 pl.

1931B. Neue Nashornreste aus Schwaben (Diaceratherium tomerdingensis n. g. n. sp.). Zeit. Säugetierk., 6, 203-220, 23 figs., 2 pls.

1932A. Über den Rixdorfer Horizont im Berliner Diluvium. Zeit. Deutschen Geol. Ges., 84, 193-221, 5 figs.

1932B. Neues vom Rixdorfer Horizont im Berliner Diluvium. Forsch. u. Fortsehr., 8, nos. 23-24, 298-299.

1933A. Zur Altersfrage der Oldowaylagerstätte. Centralbl. Min. Geol. Pal., 1933, Abt. B, 299-304.

1933B. Ein ungewöhnliches Stosszahngeschiebe. Zeit. Geschieb. Flachlands Geol., 9, 199-204, 3 figs.

Dittler, R., Joos, G., Korschelt, E., Linck, G., Oltmanns, F., and Schaum, K. [Editors] L. Joos, G., Korschelt, E., Linck, G., Oltmanns, F., and Schaum, K. [Editors] Handwörterbuch der Naturwissenschaften [2d ed.] Jena: Gustav Fischer, 1931–1933; vols. 1 (1931), 3 (1933), 6 (1932), 7 (1932), 8 (1933). See articles by the following authors: Abel, O., 1933C (Säugetiere); Born 1932 (Paläozoikum); Fischer, E., 1931 (Anthropogenese), 1933B (Rassenbildung); Harms 1932 (Richard Owen); Hennig 1932B (Paläontologie); Hesse, R., 1931 (Biologie); Huene, F., 1931J (Amphibia); Keilhack 1933 (Eiszeiten); Naef 1932 (Morphologie); Rhumbler 1931 (Bewegungsorgane); Schaffer 1932 (Neozoikum); Seidlitz 1933A (Pompecki), 1933B (Cope); Tornier 1933 (Reptilia); Wurm 1932B (Mesozoikum). 1933.

Dixey, Frank

1928A. Recent investigations into the geology of Nyasaland. C. R. Congr. Géol. Internat., 14th Sess., 935-943, 2 maps.

1928B. The dinosaur beds of Lake Nyasa. Trans. Roy. Soc. S. Africa, 16, 55-66, 4 maps.

Döderlein, Ludwig

1929A. Nachtrag zum Carpus und Tarsus der Pterosaurier. Sitz.-Ber. Akad. Wiss. München, 1929, pt. II, 175, 1 pl.

1929B. Ein Pterodactylus mit Kehlsack und Schwimmhaut. Sitz.-Ber. Akad. Wiss. München, 1929, pt. I, 65-76, 7 figs., 1 pl.

1929C. Über Anurognathus ammoni Döderlein. Sitz.-Ber. Akad. Wiss. München, 1929, pt. I, 47-63, 7 figs., 2 pls.

1929D. Über Rhamphorhychus und sein Schwanzsegel. Sitz.-Ber. Akad. Wiss. München, 1929, pt. I, 1-46, 10 figs., 3 pls.

Doello-Jurado, Martin

75° aniversario del natalico de Florentino Ameghino. Physis, 10, 210-213.

Dolgopol de Saez, Mathilde 1928A. Un nuevo goniofólido Argentino. An. Soc. Cien. Argent., 106, 287-290,

1928B. Sobre un vacaré de la formación Paranense. An. Soc. Cien. Argent., 106, 67-72, 3 figs.

D[ollman], J. G.

1929A. Antelope. Enc. Brit., 14th ed., 2, 21-23, 5 figs., 1 pl.

1929B. Chiroptera. Enc. Brit., 14th ed., 5, 595-601, 17 figs. 1929C. Deer. Enc. Brit., 14th ed., 7, 134-136.

See: Pycraft 1931.

Dollo, Louis

1929. Carpus and Tarsus. Roux' Arch. Entwick.-Mech., 120, 272, 298, 6 figs., 3 pls.

Dominguez, Candido Villalobos See: Lozano, N., and Molfino, 1932.

Donici, Alex See: Pittard and Donici, 1930.

Dorf, Erling

Discovery of a fossiliferous Lower Devonian channel deposit at Beartooth 1932. Butte, Wyoming. Bull. Geol. Soc. Amer., 44, 197, (abstract).

Dorsey, George Amos

The evolution of Charles Darwin. London: George Allen & Unwin, xii 1928. + 300 pp. [Biographical].

Man's own show: Civilization. New York: Harpers, i-xvi + 977 pp. 1931. Review: Fay-Cooper Cole in Amer. Anthrop., 34, 520-521.

Dose, Rudolf

Ein Fall von Polydaktylie beim Pferde. Berlin: Tierärztl. Hochsch., 1931. Dissert. Kiel, 1929 [1931], 14 pp.

d'Ossat, Gioacchino de Angelis See: Angelis d'Ossat, G. de.

Drachman, Julian M.

Studies in the literature of natural science. New York: The Macmillan 1930. Co., x + 487 pp., [6] pls.

Drahn.

1928A. Zur ontogenetischen Entwicklung des Hand- und Fussskeletts des Pferdes. Zeit. Säugetierk., 2, 4-5, (abstract).

1928B. Zum Problem der Hyperdaktylie beim Säugetier, unter besonderer Berücksichtigung der "entwicklungsbedingten" (atavistischen) Hyperdaktylie des Pferdes. Zeit. Säugetierk., 2, 5-6, (abstract).

Drennan, Matthew Robertson

1929A. Early man in Southern Africa. Jour. Med. Assoc. S. Africa, 3, 631-634, 7 figs.

1929B. An australoid skull from the Cape Flats. Jour. Roy. Anthrop. Inst., 59, 417-427, 1 fig., pls. 31-33. Review: Vallois in L'Anthrop., 40, 482-484.

1930. A short course on physical anthropology. [2nd ed.] Cape Town, 60 pp., 81 figs., [not seen].
Reviews: Buxton in Antiq., 6, 241; H. V. V[allois] in L'Anthrop., 41, 369.

1932. L'ordre d'éruption des dents permanentes chez les Boschimans. L'Anthrop., 42, 491-495, 3 figs.

See also: Vallois 1931C.

Dressler, Frank J.

1931. More about the Richmond mastodon. Unexpected discoveries [arrowheads] are made on the site. Hobbies (Buffalo Mus. Sci.), 12, 38-39, 1 fig. See also: Sanford 1931, 1932.

Drevermann, Fritz

1927. Über palaeontologische Schausammlungen. Pal. Zeit., 9, 90-97, 97-100.

1928A. Bemerkungen zu den Präparations-Beobachtungen. Ber. Senck. Naturf. Ges., 58, 121-124, 1 fig.

1928B. Beobachtungen bei der Präparation von solnhofener Versteinerungen. Pal. Zeit., 10, 289–292, 2 figs.

1928C. Expeditionen des American Museum of Natural History in Zentralasien. Ber. Senck. Naturf. Ges., 58, 22-31, 8 figs.

1928D. Die Placodontier. 1. Schädel und Unterkiefer von Cyamodus. Abh. Senck. Naturf. Ges., 38, 291-309, 2 figs., 1 pl.

1928E. "Totenmasken" aus der Urzeit. Ber. Senck. Naturf. Ges., 58, 199-205, 5 figs.

1929A. [Death of Otto Jackel.] Pal. Zeit., 11, 81.

1929B. [Obituary of Otto Jackel, 1863-1929.] Pal. [Zeit., 11, 183-184, portrait.

1929C. Jackel-Stiftung. Pal. Zeit., 11, 274.

1930A. Aus der Zeit des dreizehigen Pferdes. Ber. Senck. Naturf. Ges., 60, 2-13, 13 figs.

1930B. Ein vollständiger Eurhinosaurus. Ber. Senck. Naturf. Ges., 60, 21-23, 2 figs.

1930C. Eurhinosaurus longirostris (Jaeger). Ber. Senck. Naturf. Ges., 60, 410-411, 3 figs.

1930D. Der Sinn der Museen. Pal. Zeit., 12, 156-162.

1930E. [Diskussion of Drevermann, F., 1930D, "Der Sinn der Museen."] Pal. Zeit., 12, 163-164.

1930F. Unser neuer Pterodactylus. Ber. Senck. Naturf. Ges., 60, 14-20, 3 figs.

1930G. Wie man der Urzeit lebendig darstellt. Ber. Senck. Naturf. Ges., 60, 398-402, 2 figs.

1930H. Wie man Skelette fossiler Wirbeltier montiert. Ber. Senck. Naturf. Ges., 60, 469-473, 10 figs.

1931A. Drei *Homœosaurus*-Skelette in Senckenburg-Museum. Ber. Senck. Naturf. Ges., **61**, 108-111, 5 figs.

1931B. Das erste Skelett des Pflasterzahns Placodus, ein Geschenk Arthur V. Gwinner's. Ber. Senck. Naturf. Ges., 61, 150-156, 6 figs.

1931C. Kann man bei den Dinosaurien männliche und weibliche Tiere unterscheiden? Ber. Senck. Naturf. Ges., 61, 489-491, 2 figs.

1931D. Reptilien aus dem deutschen Muschelkalk. Ber. Senck. Naturf. Ges., 61, 325-330, 6 figs.

1931E. Wie liegen bei lebendiggebärenden Fischen de Jungen in Mutterleib und in welcher Stellung werden sie geboren? Ber. Senck. Naturf. Ges., 61, 59-67, 3 figs. 1931F. Neue Funde vom diluvialen Menschen und ihre Bedeutung. Sitz.-Ber. "Isis", 1930, 23-24.

1932A. Planmässiges Sammeln oder: die Tragödie des Strausses von Samos. Ber. Senck. Naturf. Ges., **62**, 19–25, 2 figs.

1932B. Das Aussterben von Tieren und Menschen. Ber. Senck. Naturf. Ges., **62.** 173-183.

Die Placodontier. 3. Das skelett von *Placodus gigas* Agassiz im Senckenberg-Museum. Abh. Senck. Naturf. Ges., 38, 319-364, 11 figs., 16 pls. 1933.

Dubar, M. Gonzague

Eloge de M. le Docteur Pontier. Ann. Soc. Géol. Nord. 58, 207-210.

Dubois. Auguste See: Stehlin and Dubois, 1932, 1933.

Dubois, Eugene

1928 The law of the necessary phylogenetic perfection of the psychoencephalon. Proc. Sect. Sci. Akad. Wet. Amsterdam, 31, pt. 1, 304-314, 3 figs., 1 table.

1930. Die phylogenetische Grosshirnzunahme autonome Vervollkommung der animalischen Funktionen. Biol. Generalis, 6, 247-292, 7 figs. Review: Béres in Allat. Közlem., 28, 185-189, (in Hungarian).

1932A. The distinct organization of Pithecanthropus of which the femur now bears evidence now confirmed from other individuals of the described species. Proc. Sect. Sci. Akad. Wet. Amsterdam, 35, pt. 2, 716-722. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 41, 76-77. Review: A[leš] H[rdlička] in Amer. Jour. Phys. Anthrop., 17, 246-248.

1932B. Early man in Java. Nature, 130, 20.

1933. The shape and size of the brain in Sinanthropus and Pithecanthropus. Proc. Sect. Sci. Akad. Wet. Amsterdam, **36**, pt. 1, 415-423, I fig., 4 pl. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., Review: Vallois in L'Anthrop., 44, 348.

Dubois, Georges

1928A. Marte de la tourbe de Marquion, Ann. Soc. Géol. Nord, 52, 280-285, 5 figs.

1928B. Additions à la connaissance de la briche a lemmings de Maubeuge. Ann. Soc. Géol. Nord, 52, 315-322, 3 figs.

1928C. Notes crâniologiques sur quelques espèces de citelles eurasiatiques. Ann. Soc. Roy. Zool. Belg., 58, 13-30, 7 figs.

1929. Remarques sur la faune de Voegtlinshofen (Haut-Rhin). C. R. Soc. Géol. France, 1929, 176-177.

See: Pontier and Dubois, 1928.

Dudycha, George J. 1929. What is evolution? Sci. Monthly, 29, 317-332.

1931A. Present tendencies in the philosophy of biological evolution. Ohio Jour. Sci., 31, 129-142.

1931B. LeConte's epitome of evolution. Ohio Jour. Sci., 31, 107-114.

Dunbar, Carl Owen See: Schuchert and Dunbar, 1933.

Duncan. George S.

1929. The birthplace of man. Sci. Monthly, 29, 359-362.

Prehistoric man. An introduction to anthropology. Boston: Stratford 1931. Co., 143 pp.

Dunn, Emmett Reid

Results of the Douglas Burden expedition to the island of Komodo. 1. Notes on Varanus komodoensis. Amer. Mus. Novit., no. 286, 1-10. 1927.

The herpetological fauna of the Americas. Copeia, 1931, 106-119, 6 maps. 1931.

Dunnington. Francis P.

Is evolution science? Christian Faith and Life, September, 1931. 1931.

Dutertre, A.-P. 1929A. Découverte d'ossements de poissons dans le dévonien du Boulonnais. C. R. Acad. Sci. Paris, 188, 1116–1118. Abstracts in La Nature, 57, 567; Rev. Sci. Paris, 67, 316.

1929B. Ossements de poissons découverts dans le dévonien du Boulonnais. Ann. Soc. Géol. Nord, **54**, 80-81.

1929C. A sketch of the Tertiary formations of the Bordelais. Proc. Geolog. Assoc. London, 40, 153-169.

1930A. Les poissons dévoniens du Boulonnais. Bull. Soc. Géol. France, (4) 30, 571-587, 2 pls.

1930B. Remarques sur les variations laminaires des dents de mammouth du nord de la France. C. R. Congr. Soc. Savantes, Paris, 1928 [1930], 144-151.

du T[oit], A. L.

1929. Gondwanaland. Enc. Brit., 14th ed., 10, 514-515.

See: Watson, D., et al., 1929.

Duvergier, J. See: Chaine and Duvergier, 1928, 1931.

Dyer, W. S. See: Williams, M. Y., and Dyer, 1930.

Eales. Nellie B.

1931. The development of the mandible in the elephant. Proc. Zool. Soc. London, 1931, 115-125, 9 figs., 1 pl.

Eames, Arthur J.

1930. Report on a ground sloth coprolite from Dona Ana County, New Mexico. Amer. Jour. Sci., (5) 20, 353–356.

Eastman, Charles Rochester See: Zittel, Eastman and Woodward, 1932.

Easton, Nicholas Wing

1932. Opgave van geschriften over geologie en Mijnbouw van Nederlandsch-Oost-Indië. Negentiende vervolg. Geol. Mijn. Bibliog. Ned.-Indië, 3, 175-194.

1933. Opgave van geschriften over Geologie en Mijnbouw van Nederlandsch-Oost-Indië. Twintigste vervolg. Geol. Mijn. Bibliog. Ned.-Indië, 3, 195-208.

Eaton, Joseph Edmund

1928. Divisions and duration of the Pleistocene in southern California. Bull. Amer. Assoc. Petrol. Geolog., 12, 111-141, 6 figs.

Eberle, Georg

1929. Ein einfaches Mittel um Tierspuren zu erhalten. Ber. Senck. Nat. Ges., 59, 200-204, 5 figs.

Ebert, Max [Editor]

1924 Reallexikon der Vorgeschichte. Berlin: Walter de Gruyter & Co., 15 vols.

1930. [Contains articles on human paleontology, and on collecting and museum technique.]
Reviews: Martinez Santa-Olalla in Soc. Españ. Antrop., Actas Mem., 9,

55-59; C. Schuchhardt in Praéhist. Zeit., 21, 333-335. Echt, Adolf Bachofen von See: Bachofen von Echt, A.

Edinger, Tilly

1928A. Skleralring und Periorbitalring. Bemerkungen zu den Arbeiten von A. Dabelow (1). Anat. Anz., 66, 172-183, 13 figs. See also: Dabelow 1928B.

1928B. Wie man früher im wilden Westen versteinerungen Sammeln ging. Ber. Senck. Naturf. Ges., 58, 89-94, 2 figs.

1928C. Das Zentralnervensystem von *Placodus gigas* Ag. Abh. Senck. Naturf. Ges., 38, 311-318, 3 figs., 1 pl.

1929A. Ein "fossiles Gehirn" aus den Mosbacher Sanden. Jahrb. Nassau Ver. Naturk., 80, pt. 2, 15-23, 7 figs.

1929B. Die fossilen Gehirne. Ergebn. Anat., 28, 1-249, 203 figs.
Reviews: Boule in L'Anthrop., 40, 121; Dietrich in Naturwiss., 18, 68-70;
Kappers in Jour. Anat., 64, 254-256; Thorpe in Amer. Jour. Sci., (5)
19, 325; VanderVeen in Nature, 125, 738.

1929C. Scleralring-Probleme. Pal. Zeit., 11, 197-199.

1929D. Über knocherne Scleralringe. Zool. Jahrb., 51, (Anat.), 163-226, 61 figs.

1930A. "Hirnausguss des Plesiosaurus". Pal. Zeit., 12, 135-136.

1930B. Homeosaurus und Sphenodon. Ber. Senck. Naturf. Ges., 60, 20.

1930C. Kreisförmige Elefanten-Stoffzähne. Ber. Senck. Naturf. Ges., 60, 45-47, 4 figs.

1930D. Von der Stellerschen Seekuh. Ber. Senck. Naturf. Ges., 60, 221-225, 3 figs.

1930E. Zeitfaktor der Entwicklung. Ber. Senck. Naturf. Ges., 60, 143.

1931A. Diluviale Ovibus von Mühlheim-Ruhr. (Mitteilung Nr. 32 aus dem Museum der Stadt Essen für Natur und Völkerkunde.) Centralbl. Min. Geol. Pal., 1931, Abt. B, 136-143, 7 figs.

1931B. Über jungdiluviale Säugetiere aus dem Emschergebiet. Pal. Zeit., 13, 119-133, 9 figs.

1931C. Zwei Schadelhohlen-Steinkerne von *Pannonictis pliocaenica* Kormos. Évkön. Kir. Föld. Intézet, **29**, 179–183, 3 figs.

1931D. [Obituary of: Louis] Dollo. Ber. Senck. Naturf. Ges., 61, 283-284.

1931E. Tanystropheus aufgeklärt. Naturwiss., 19, 846-847. See also: Peyer 1931C.

1932. Verkrümmte Wirbelsaulen bei Fischen. Ber. Senck. Naturf. Ges., 62, 167-172, 5 figs.

1933A. Die Foramina parietalia der Säugetiere. Zeit. Anat., 102, 266-289, 28 figs.

1933B. Die Konkrement-Steine der Wirbeltiere als potentielle Fossilen. Geol. Rund., 23A (Salomon-Calvi Festschrift), 248-256, 6 figs. See also: Edinger and Liesgang, Ber. Senck. Naturf. Ges., 62, 246-251, 6 figs.

1933C. Über Gehirne tertiärer Sirenia Ägyptens und Mitteleuropas sowie der 20, 1-36, 11 figs., 3 pls.

1933D. Harnsteine eines Höhlenbären. Pal. Zeit., 15, 349-355, 3 figs.

Edwards, Wilfred Norman

Guide to an exhibition illustrating the early history of paleontology. 1931. Brit. Mus. Nat. Hist. Special Guide no. 8. Review: Amer. Jour. Sci., (5) 23, 285.

Efremov, I. A. [= Efremoff]

[Contributions to the Permo-Triassic fauna of the Volga-Dvinan variegated beds.] Proc. Third Congr. Russ. Zoolog. Anatom. Histolog., 1928. Leningrad, 1927 [1928], 116-117, (in Russian).

1929A. Benthosaurus sushkini, ein neuer Labyrinthodont der permo-triasischen Ablagerungen des Scharschenga Flusses, Nord-Düna Gouvernment. Bull. Acad. Sci. URSS, Cl. Math.-Nat. 1929, 757-770, 6 figs.

1929B. Gisements de stegocephales dans le nord-est de la partie Europeenne de l'URSS. C. R. Acad. Sci. URSS, (A) 1929, no. 1, 15-20, (in Russian).

Sur les restes de stegocephales des bords de la Kama. Trav. Mus. Géol. Acad. Sci. URSS, 7, 173-178, 3 figs., 1 pl., (in Russian). 1930.

Gisements de vertébrés terrestres permiens dans les grès cuprifères des abords sud-ouest de l'Oural. Bull. Acad. Sci. URSS, Cl. Math.-Nat. 1931. 1931, 691-704, (in Russian).

1932A. On the Permo-Triassic labyrinthodonts from USSR. I. The labyrinthodonts of the Campylian beds of mountain Great Bogdo. II. On the morphology of Dvinosaurus. Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932], 57-67, 2 pls., (Russian with English summary).

1932B. Dinosauria in the red beds of Middle Asia (East Turkestan). Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932], 217-221, (Russian with English

summary).

1933A. Über die Labyrinthodonten der U. d. S. S. R. II. Permische Labyrinthodonten des früheren Gouvernements Wjatka. Trav. Inst. Pal. Acad. Sci. URSS, 2, 1932 [1933], 117-163, 20 figs., 5 pls., (German with Russian summary).

1933B. Zwei leichenfelder vergangener geologischer Epochen in der USSR. Pri-

roda, 1933, 61-63, (in Russian).

Efremov, I. A., and Kuzmin, F. M.

1932A. Permotrias of the northern part of the Russian plain and its labyrinthodont localities. Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932], 207-215, 2 figs., (Russian with English summary).

1932B. Die Präparierung der in harten Gesteinen eingeschlossenen Reste der ältesten Tetrapoda. Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932], 223-234, (Russian with German summary).

Eggeling, H. v.

1928. [Review of:] "Xenia honoribus illustrissimi domini Professoris Dr. Caroli Gorjanovic-Krambergers dedicata." Anat. Anz., 64, 399.

Éhik, Julius

1928. Der Steppeniltis (Mustela eversmanni Less.) in Ungarn. Ann. Mus. Nat. Hungarici, 25, 1-38, 6 figs., (in Magyar and German).

1930. Prodinotherium hungaricum n.g., n. sp. Geol. Hungarica, Ser. Pal., fasc. 6, 1-18, 1 fig., 4 pl. See also: Szalai 1930B.

1932. Eine interessante Angabe zum Vorkommen des Moschusochsen in Asien. Zeit. Säugetierk., 7, 258-259.

Ehrenberg, Kurt

1928A. Betrachtungen über den Wert variationsstatistischer Untersuchungen in der Paläozoologie nebst einigen Bemerkungen über eiszeitliche Bären. Pal. Zeit., 10, 235-257.

1928B. J. Weigelt's Untersuchungen an rezenten und fossilen Wirbeltierleichen und die Biostratonomie. Palaeobiol., 1, 377-380.

1928C. Über Art-Wandlung und Art-Benennung. Biol. Generalis, 4, 695-712, pl. 23.

1928D. Ursus deningeri v. Reich. und Ursus spelaeus Rosenm. Anz. Akad. Wiss. Wien, 65, 96-98.

1929A. Ausgrabungen bei Winden (Burgenland). Pal. Zeit., 11, 274.

1929B. Die Ergebnisse der Ausgrabung in der Schreiberwandhöhle am Dachstein. Pal. Zeit., 11, 261–268.

1929C. Die Erscheinungen der Fossilization; Wege und Ziele ihrer Erforschung. Verh. Zool.-Bot. Ges. Wien, 79, (18)-(22).

1929D. Gedanken zur Stammesentwicklung der Bären im Plistozän. Pal. Zeit., 11, 68-76.

1929E. Neue Ausgrabungen in österreichischen Höhlen. Verh. Zool.-Bot. Ges. Wien, 79, (71)-(75).

1929F. Zur Frage der systematischen und phylogenetischen Stellung der Bärenreste von Hundsheim und Deutsch-Altenburg in Niederosterreich. Palaeobiol., 2, 213-221, 2 pls.

1929G. Erhaltungszüstand und Vorkommen der Fossilreste und die Methoden ihrer Erforschung. Handb. Biol. Arbeitsmeth., Abt. 10, Heft 7, 131 pp., 30 figs.
Review: Lebzelter in Mitt. Anthrop. Ges. Wien, 61, 135.

1930. Rassenkreisforschung und Paläobiologie. Palaeobiol., 3, 325-336.

1931A. Die Knochenreste in der Kulturschichte. Speläol. Monog., 7-8, 863-866.

1931B. Die Darstellung der Fossilisationserscheinungen I. Palaeobiol., 4, 356-396, 1 fig.

1931C. Die plistozänen Bären Belgiens. 1. Vorläufige Mitteilung: Der Bär von Hastiere. Bull. Mus. Hist. Nat. Belg., 7, no. 3, 1-3.
Discussion: O. Abel in Verh. Zool.-Bot. Ges. Wien, 80, 100.

1931D. Über die ontogenetische Entwicklung des Höhlenbären. Speläol. Monog., 7, 8, 9, 624–710, 19 pls.

1931E. Über Symbiose und Parasitismus bei den Tieren der Vorzeit. Verh. Zool.-Bot. Ges. Wien, 81, (51)-(58).

1931F. Die Variabilität der Backenzähne beim Höhlenbären. Speläol. Monog., 7, 8, 9, 537-573, 5 pls.

1931G. Vorkommen, Bergung und Konservierung der Fossilreste. Speläol. Monog., 7, 8, 9, 295-325, 3 figs., 2 pls.

1931H. Neuere Untersuchungen über Krankheitserscheinerungen bei vorzeitlichen Tieren und ihre Ergebnisse. Med. Klinik, 1931, 8 pp.

1931I. Der Höhlenbär. Aus der Heimat, 44, 65-80, 14 figs.

1931J. Paläontologische Grabungen in einer Höhle bei Winden im Burgenland. Forseh. u. Fortschr., 7, no. 4, 55-56.

1932A. Die bisherigen Ergebnisse der Grabungen in der Bärenhohle bei Winden im Burgenland. Pal. Zeit., 14, 37-45. See also: Anz. Akad. Wiss. Wien, Math.-Nat. Kl., 5, xii, 1929; Anz. Akad. Wiss. Wien, Math.-Nat. Kl., 23, iv, 1931; Burgenländ., 3, 2, 33-36, 1930.

1932B. Über die letzten Ergebnisse der windener Grabung und einige Probleme der Diluvial-Paläontologie. Verh. Zool.-Bot. Ges. Wien, 82, (41)-(52). See also: Kormos 1933B.

1932C. Das biogenetische Grundgesetz in seiner Beziehung zum biologischen Tragheitsgesetz. Biol. Generalis, 8, 547-566, 6 pls.

1933A. Neue Beobachtung zur Deutung der Knochenanhäufung im "Abelgang" der Mixnitzer Drachenhöhle. Verh. Zool.-Bot. Ges. Wien, 83, (52)-(54).

1933B. Ein fast volständiges Bärenskelett aus dem Alt-Diluvium von Hundsheim in Niederösterreich. Verh. Zool.-Bot. Ges. Wien, 83, (48)-(52).

1933C. Über Knochenartefakte aus eiszeitlichen höhlen Ablagerungen. Verh. Zool.-Bot. Ges. Wien, 83, (44)-(45).

1933D. Die Darstellung der Fossilizationserscheinungen II. Palaeobiol., 5, 349-370.

See: Sickenberg and Ehrenberg, 1929.

Ehrenfreud, -. See: Mochi 1928.

Ehrhardt, Sophie

1932A. Eine Karte der wichtigsten Fundorte menschlicher Skelett aus dem Alt- und Jung paläolithikum. Anthrop. Anz., 9, 307-308, pl. 4 (map).

1932B. Das Basion und die Fronton-Occipiton-Gerade am Schadel von Le Moustier. Anthrop. Anz., 8, 294-296.

Eichhorn, A. See: Pax, F., and Arndt, 1930.

Eickstedt, Egon Freiherr von

1932. Hominiden und Simioiden. Über den derzeitigen Stand der Abstammungsfrage. Zeit. Ärzt. Fortbild., 29, 608-613.
Abstract: H. V. V[allois] in L'Anthrop., 43, 377.
Review: Lebzelter in Mitt. Anthrop. Ges. Wien, 63, 266-267.

1933. Rassenkunde und Rassengeschichte der Menschheit. Stuttgart: Ferdinand Enke, 936 pp., 613 figs.
 Reviews: Brandt in Biol. Zentralbl., 53, 446-447; ibid., 54, 109-110.

Eifertinger, L.

1933. Die Entwicklung des knöchernen Unterkiefers von Hypogeophis. (Beitrag zur Kenntniss der Gymnophionen XX.) Zeit. Anat., Abt. I, 101, 534-552, 24 figs.

Eigenmann, Carl H., and Myers, G. S.

1929. The American Characidae. Part V. Mem. Mus. Comp. Zool. Harvard, 43, 429-588, 11 pls.

E[kblaw], W. E.

1929. United States of America—Geology. Enc. Brit., 14th ed., 22, 723-728, 2 tables.

Elftman, Herbert Oliver

1929. Functional adaptations of the pelvis in marsupials. Bull. Amer. Mus. Nat. Hist., 58, 189-232, 10 figs., 7 pls.

1931. Pleistocene mammals of Fossil Lake, Oregon. Amer. Mus. Novit., no. 481, 1-21, 10 figs.

Elias. Maxim Konradovich

1931. The geology of Wallace Co., Kansas. Bull. Univ. Kansas, 32, no. 7, (= Bull. State Geol. Surv. Kansas, no. 18), 1-254, 7 figs., 42 pls.

Elliot-Smith, G. See: Smith, G. E.

Emelianov, S. V.

1931. [The development of ribs in terrestrial vertebrates.] Proc. Fourth Congr. Zoolog. Anatom. Histolog., USSR., Kiev, 1930 [1931], 75-76.

Engel, Heinrich

1931. De afstamming van den mensch. Natuur en Techniek, 1, part 3, 99-101, 1 map, portrait [of E. Dubois], 6 figs.

Engels, William Louis

1931. Two new records of the Pleistocene beaver Castoroides ohioensis. Amer. Mid. Nat., 12, 529-532, 1 pl.

1932. A probable second record of the extinct deer, Odocoileus dolichopsis (Cope). Amer. Mid. Nat., 13, 12-15, 1 pl.

1933. Notes on the mammals of St. Joseph County, Indiana. Amer. Mid. Nat., 14, 1-16, 3 figs.

Ennouchi. Émile

1930. Contribution a l'étude de la faune du Tortonien de La Grive-St. Alban, Isère. (Révision générale. Étude ornithologique.) Thèses Fac. Sci. Paris, (Ser. A), no. 1266, 1-135, 4 figs., 6 pls.

Enriques, Paolo

1929. L'evoluzione secondo le recenti richerche. Atti Accad. Sci. Padova, 17, 1–19 [of reprint]. Also in: Zoologia, Padova, 2, art. 1.

Epps, Fr. J., and Priest, S.

1933. Report of field meeting at Abbey Wood, Kent. Proc. Geolog. Assoc. London, 44, 417-421, 1 pl.

Erasmo, Geremia d'

1929. Il Tetrabelodon (Trilophodon) angustidens Cuv. sp. della Pietra leccese. Rend. Accad. Sci. Napoli, (3a) 34, 220-235, 2 figs. Abstract in: Riv. Ital. Pal., 35, 3.

1930A. L'ittiofauna fossile di Senigallia. Atti Accad. Sci. Napoli, (2a) 18, no. 1, 1–83, 13 figs., 4 pls.

1930B. L'ittiofauna fossile del Gabbro [in Provincia di Livorno]. Atti Accad. Sci. Napoli, (2a) 18, no. 6, 1-118, 4 pls. Abstract in: Rend. Accad. Sci. Napoli, (3a), 36, 124.

1931. L'Elephas meridionalis nell'Abruzzo e nella Lucania. Atti Accad. Sci. Napoli, (2a) 18, no. 8, 1-25, 1 pl. Abstract in: Riv. Ital. Pal., 37, 4-5.

1932A. Avanzi di pesci della "Serie di Lugh" in Somalia. Pal. Ital., 32, 29-34, 4 figs.
Abstract in: Riv. Ital. Pal., 39, 3.

1932B. La fauna della grotta di Loretello presso Venosa. Atti Accad. Sci. Napoli, (2a) 19, no. 4, 1-18, 3 pls.

1933. Sui resti di vertebrati terziari raccolti nella Sirtica dalla Missione della Reale Accademia d'Italia (1931). Atti Accad. Lincei, Rend., (6) 17, 656-658.
Abstract in: Riv. Ital. Pal., 39, 111-112.

See also: Lorenzo and Erasmo, 1931.

Erdmann Klingner, Fritz See: Klingner, Fritz-Erdmann.

Erhardt, Alb.

1930. [Relationships of reptiles and ratites.] Jour. Ornithol., 78, 214-234.

Erhardt, Henri

1932. Sur la nature et la genèse des paléo-sols du loess ancien d'Alsace. C. R. Acad. Sci. Paris, 194, 554-556.
Review: R. V[aufrey] in L'Anthrop., 43, 349.

Es, L. J. C. Van See: Van Es, L. J. C.

Escher, Berend George

1931. K. Martin als directeur van het Rijksmuseum van geologie en mineralogie. Leid. Geol. Meded., 5, 1-16, portrait.

Etienne de Gaál, S. See: Gaál, Istvan.

Evans, John William

1929. Devonian System. Enc. Brit., 14th ed., 7, 288-292.

Evans, J. W., and Stubblefield, C. J.

1929. Handbook of the geology of Great Britain. Thomas Murby & Co., 556 pp., 67 figs and maps.
Review: North in Discovery, 11, 33-34.

Evans, Oren Frank

1930A. The antiquity of man as shown at Frederick, Oklahoma: a criticism. Jour. Wash. Acad. Sci., 20, 475-479.
Abstracts in: Nature, 127, 32; Proc. Oklahoma Acad. Sci., 10, 77-79.

1930B. Probable history of the Holloman gravel pit at Frederick, Okla. Proc. Oklahoma Acad. Sci., 10, 77-79, (abstract).

Evermann, Barton Warren

1930. David Starr Jordan, the man. Copeia, 1930, no. 4, 93-105, 4 portraits.

Exsteens, Maurice

1933. Préhistoire. Paris, 527 pp., 800 figs. [not seen]. Review: Anonymous in Rev. Anthrop., 44, 90-91.

Fabiani, Ramiro

1928. Cenni sulle raccolte di mammiferi quaternari del Museo Geologico della R. Universita di Palermo e sui risultati di nuovi assaggi esplorativi. Assoc. Min. Siciliana, Boll. 4, 25–34, 4 figs.

Fabiani, Tina

1928. Il tipo Proto-Etiopico nel paleolitico Europeo, secondo il Giuffrida-Ruggeri. Arch. Antrop. Etnol., **58**, 201-205.

Fairchild, Herman LeRoy

1928. Ward's natural science establishment. Sci. Monthly, 26, 468-471, 2 figs.

Fang, P. W., and Mangven, L. Y. C.

1932. Notes on Tylototriton kweichowensis, sp. nov., and asperimus Unterstein, with synopsis to species. Sinensia, 2, 111-122, 2 figs.

Faranda, Mario

1928. Principali sistemi di regioni zoogeografiche terrestri. Atti Soc. Toscana Sci. Nat., Mem. 38, 153-180.

Farnsworth, H. R. See: Woodring, et al., 1932.

Farguhar, Francis Peloubet [Editor]

1930. Up and down California in 1860-1864. The journal of William H. Brewer, professor of Agriculture in the Sheffield Scientific School from 1864 to 1903. New Haven: Yale Univ. Press, xxx + 601 pp., illustr. With preface by Russell H. Chittenden.

Farr, Marcus Stults See: Sinclair and Farr, 1932.

Farrington, Oliver Cummings

1931. Memorial of Alja Robinson Crook. Bull. Geol. Soc. Amer., 42, 19-25, portrait and bibliog.

Farrington, O. C., and Field. H.

1929. Neanderthal (Mousterian) Man. Field Mus. Nat. Hist. Geol. Leaflet no. 11, 1–14, 8 pls., map.

Farris, Edmond J.

1932. Aloxite as an abrasive for grinding bone sections for histological purposes. Science, (n.s.) 75, 389-390.

Fasten, Nathan

1929. Origin through evolution. New York: Alfred A. Knopf, xiii + 456 pp., 75 figs.

Review: Lull in Amer. Jour. Sci., (5) 18, 275.

Fejérváry, Geza Gyula [= Baron G. J. de = Geza Gyula Imre Fejérváry von Komlós-Keresztes = G. J. Freiherr von Fejervary]

1927. Élet szerelem és halál. Biol. Hungarica, 1927.

Review: Soós in Állat. Közlem., 25, 78-80, (in Hungarian).

1928A. "Evolució. Darwinizmus. Lamarckizmus." Állat. Közlem., 25, 173-174.

1928B. [Review of:] K. Lambrecht, "Az ösember elodei (Az osällatok)." (Budapest, 1927.) Allat. Közlem., 25, 75–78.

1929A. Audiatur et altera pars: evolution—Darwinism, Lamarckism. (Remarks on Sir A. Keith's British Association Presidential Address.) Biol. Generalis, 5, 501-540. Also in Hungarian, in: Pótfüz Természettud., 1928, 75-93.

1929B. On some biological, especially bionomical terms. X Congr. Internat. Zool., Budapest, 1927 [1929], pt. 1, 466-483.

1930A. [Obituary of: István Jozef] Bolkay (1887 Marcius 29—1930 Augusztus 17). Állat. Közlem., 27, 208–211, portrait.

1930B. A Megalania prisca Ow. Csigolyáiról (bemutatással). Állat. Közlem., 27, 212.

1931. Nachbemerkungen zu meinem phylogenetisch-mechanistischen Erklärungsversuch der Morphologie des "klassischen" Menschenfusses. Verh. Zool.-Bot. Ges. Wien, 80, 139-163.

Review: Dudich in Allat. Közlem., 28, 183-184.

1932. [Obituary of:] Stephan J[osef] Bolkay. Verh. Zool.-Bot. Ges. Wien, 82, 34-51.

Einführung in die Zoologie. Fragment des Werkes: Handbuch der gesam-1933. ten Zoologie. [Posthumously edited and with a foreword by Dr. Baronin A. M. von Fejérváry-Lángh.] Copyright 1932, by Baron G. J. de Fejérváry: Dunátul-Pécsei Universitäts Verlags-und Buchdruckerei A. G. Pécs, 112 + [2] pp., 2 pls. Review: Laszlo in Állat. Közlem., 30, 190-191, (in Hungarian).

Feldhaus, Franz M.

Die Technik der Antike und der Mittelalters. [In:] "Museum der Welt-1931.geschichte. Die staatliche, wirtschaftliche, soziale, geistige und kulturelle Entwicklung der Völker in Einzeldarstellungen. Herausgegeben von Paul Herre." Potsdam: Athenaion, 442 pp., 452 figs., 15 pls. Review: Sarton in Isis, 16, 167-169.

Fenton, Carroll Lane

A message from paleontology. Pan-Am. Geol., 53, 241-254. 1930.

1932. Opening out of palecology. Pan-Am. Geol., 57, 269-277.

1933. The world of fossils. New York: D. Appleton Co., x + 183 pp., 35 figs.

Fewkes. Vladimir J.

The Paleolithic period in Central Europe. Bull. Amer. School Prehist. 1929. Res., no. 5, 20-26.

Fiedler, Feodor

Zusamenstellung der auf das Vogtland bezüglichen naturwissenschaftlichen 1930. Literatur. III. Mineralogie, Geologie, Palaeontologie. Mitt. Vogtländ. Ges. Naturk., Plauen, 6, 7-18.

Field, Henry

1933. The antiquity of man in southwestern Asia. Amer. Anthrop., (n.s.) 35. 51 - 62.

See: Farrington and Field, 1929.

Field, Richard Montgomery

The use of the term fossil. Science, (n.s.) 51, 634-635. 1920.

Further remarks on "The use of the term fossil." Science, (n.s.) 53, 117-1921. 118. See also: Miller, A. M., 1920.

Figgins, Jesse D.

Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1915 [1916], 21. 1916.

Paleontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1916 [1917], 19-23. 1917.

Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1917 [1918], 18-20. 1918. 1 pl.

1919. Fossils. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1918 [1919], 17-18, 2 pls.

Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1919 [1920], 18-19. 1920. 1923.

Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1922 [1923], 25-26. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1925 [1926]. 17. 1926.

1927A. The antiquity of man in America. Nat. Hist., 27, 229-247, 7 figs., 1 pl.

1927B. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1926 [1927], 16-17,

1928. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1927 [1928], 13, 1 pl.

Preparatory Department of Vertebrate Fossils. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1928 [1929], 17, 1 pl. 1929.

1930. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1929 [1930], 15-17.

1931A. An additional discovery of the association of a "Folsom" artifact and fossil mammal remains. Proc. Colo. Mus. Nat. Hist., 10, 23-24, 1 fig.

1931B. A proposed standard of viewpoint from which to illustrate horned and antiered mammal skulls. Proc. Colo. Mus. Nat. Hist., 10, 22, 4 figs.

1931C. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1930 [1931], 13, 15. Palaeontology. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1931 [1932], 1932. 13-15, 2 pls.

1933A. The bison of the western area of the Mississippi basin. Proc. Colo. Mus. Nat. Hist., 12, 16-42.

1933B. A further contribution to the antiquity of man in America. Proc. Colo. Mus. Nat. Hist., 12, 4-10, 2 pls.

1933C. Division of Fossil Vertebrates. [In:] Ann. Rept. Colo. Mus. Nat. Hist., 1932 [1933], 19, 1 pl.

Fikentscher, R.

1933. Koproporphyrin im tertiären Krokodilkot. Zool. Anz., 103, 289-295, 4 figs. Finke. H. See: Obermaier 1931B

Fischer, Alton K.

1932. Why bother about bones? Year Book, Milwaukee Pub. Mus., 10, 303-309, 4 figs.

Fischer, Eugen

1931. Anthropogenese. Handworterb. Naturwiss., 1, 348-354, 1 fig. See also: 4, 510-513, 15 figs., (fossil man).

1933A. Genetik und Stammesgeschichte der menschlichen Wirbelsäule. Biol. Zentralbl., 53, 203-220, 6 figs.

1933B. Rassen und Rassenbilding [in man]. Handworterb. Naturwiss., 8, 198-214, 1 fig.

Fisher, R. A.

1930. The genetical theory of natural selection. Oxford: Clarendon Press, xiv

Reviews: S. Wright in Jour. Heredity, 21, 349-356; Fenton in Pan-Am. Geol., 55, 161-174, entitled "Paleontology and mathematical evolution."

Flerov, C.

1931. A trunk of mammoth (Elephas primigenius Blum.) found in the Kolyma District (Siberia). Bull. Acad. Sci. URSS, Class Math.-Nat., 1931, 863-870, 4 figs., 2 pls., (English with Russian summary).

Fleszarowa, R. Danysz See: Danysz-Fleszarowa, R.

Fleure, Herbert John

1928. [Review of:] Josef Bayer, "Der Mensch im Eiszeitalter. I u. II. Teil." (Leipzig: 1927, x + 452 pp., 220 figs., 1 pl.) Man, 28, 32-33.

1929. Gibraltar. Enc. Brit., 14th ed., 10, 334.

1932. An early chapter of the story of Homo sapiens. Bull. John Ryland's Lib., 16, 413-427.

See: Peake and Fleure, 1927.

Flint, Richard Foster

1930. The glacial geology of Connecticut. Conn. Geol. Nat. Hist. Surv., Bull., 47, 1-294, 42 figs., 74 pls.

Floericke, Curt

1930A. Wisent und Elch: Zwei urige Recken. Stuttgart: Francklische Verlags., 78 pp., 15 figs.

1930B. Der Riesenhirsch. Kosmos (Stuttgart), 27, 71, 1 pl.

Flynn, T. Thompson

1932. A new species of fossil cetacean from Tasmania. Geol. Mag., 69, 327-329.

Foerste, August F.

1931. Presidential address: Ancient life of the Arctic. Ohio Jour. Sci., 31, 243-254.

Föller, Georg

1930. [Notice of a small lizard from the Island of Santa Marina.] Umschau, 34, 119, (in German).

Fontana, Mario A. See: Company, Mario A. Fontana.

Foote, James S.

1928. Bone as a measure of development. When and how we acquired our teeth. Chicago: American Dental Association (Press of the Douglas Printing Company, Omaha, Nebraska), [xx] + 182 + [vi] pp., figs. and front. (portrait of Foote), 4°. [Includes biographical and critical remarks in letters by W. K. Gregory, A. Hrdlička, and others. Posthumous editorial supervision by Dr. C. F. Crowley.]

Forbin, Victor

1931. Paléontologie africane. La Nature, 59, 522.

1932. Un peintre paléontologiste, Charles R. Knight. La Nature, 60, 315-320, 11 figs.

Forrer, Robert

1928. Quelques problèmes posés par l'abri entre roches du Paleolithique ancien de Burbach en Basse-Alsace. Bull. Assoc. Philomath. Alsace Lorraine, 7, 209-220, 1 fig., 2 pls.

1933. Un nouvelle défense de mammouth découverte a Holtzheim, 1932. Bull. Soc. Préhist. Paris, 30, 563-564.

Forster-Cooper See: Cooper, C. F.

Fotheringham, Augustus C. [= Lester Whyland Sharp]

1928. Eoörnis pterovelox gobiensis. "London: The Buighleigh Press" [= Ithaca, N. Y.] 34 pp., 38 figs., [3d ed. 1938], (satirical).

Fournier, Grégoire, and Pruvost, P.

1928. Description des poissons élasmobranches du marbre noir de Denée. Mém. Soc. Géol. Nord., 9, 1-23, 2 figs., 6 pls.

Fowke, Gerard

1928. Archeological investigations. Ann. Rept. Bur. Amer. Ethnol., 44, 399-540, 13 figs., pls. 64-98.

Fowler, Henry Weed

1930. Strand's new fish names. Copeia, 1930, 21.

Fox, Cyril S.

1931. The Gondwana system and related formations. Mem. Geol. Surv., India, 58, iv + 241, 8 pls., 4 maps.

Fox, Leon A.

1932. Teleological factors in evolution. Function determines structure. [Ph.D. thesis, American Univ., Wash., D. C.] Baltimore: Waverly Press, ix + 71 pp.

Fraipont, Charles

1930. [Critical review of:] George Montandon, "L'ologenese humaine." Rev. Anthrop., 40, 207-209.

1931A. Notes de paléontologie humaine. Ann. Soc. Géol. Belg., 54, 249-250.

1931B. L'evolution cérébrale des primates et en particulier des hominiens. Arch. Inst. Pal. Humaine, Mém. 8, 1-87, 112 figs., 4 pls. Review: W. Le Gros Clark in Man, 32, 263.

1931C. L'intelligence humaine et la loi de correlation des organes. Mém. Soc. Roy. Sci. Liège, (3) 16, no. 19, 1-12.

1932A. Races humains, métissages et caractères collectifs. C. R. Assoc. Franç. Avance Sci., 56, 306-308.

1932B. Caractères collectifs métissages et paléontologie humaine. Ann. Soc. Géol. Belg., **55**, B232-B240.

1933A. Sur les caractères microscopiques différentiels des os chez les primates. C. R. Acad. Sci. Paris, 196, p. 1925.

1933B. Adaptations et mutations. Congr. Internat. Anthrop. Archeol. Préhist., 1931 [1933], 189-195.

1933C. Anthropologie et mutations. Rev. Anthrop., 43.

Fraipont, C., and Leclercq, S.

1932A. La paleontologie et les grands problèmes de la biologie générale. L'évolution, adaptations et mutations. In: Actualities Scientifiques et Industrielles, nos. 47-48. Paris: Hermann & Cie. Pt. I. Berceaux et migrations (no. 47), pp. 1-38, 9 figs. Pt. II. Position du problème (no. 48), pp. 1-26.

Review: Cuenot in Année Biol., 38 (1934), pt. 2, 209-210.

1932B. Généalogies du cheval et migrations. Ann. Soc. Géol. Belg., 55, 210-218.

Francé, R. H.

1933. Überraschende Funde vorweltlicher Tiere in der mittel deutschen Braunköhle. Kosmos (Stuttgart), 30, 95-97, 5 figs.

Franchet, L.

1928. L'Abbe Bourgeois et la question de l'Homme tertiare. Rev. Sci. Paris, 66, 751-759, 7 figs.

1933. La coloration des os dans le sol. Le bouillage des cadavres an moyen-age. L'incinération et ses phénomènes. Rev. Sci. Paris, 71, 483-495, 4 figs.; and 520-532, 14 figs.

Frank, Manfred

1928. Fossile Tierfährten in sölnhofner Plattenkalken. Kosmos (Stuttgart), 25, 339-346, 8 figs.

1931. Zur Stratigraphie und Bildungsgeschichte des unteren Keupers zwischen Mittelwürttemberg und Kraichgau. Neues Jahrb. Min. Geol. Pal., Abt. B, 65, 469-520, 6 figs.

Franz, Viktor

1929. [Review of:] E. A. Stensiö, "The Downtonian and Devonian vertebrates of Spitzbergen. Part I. Family Cephalaspidae." (Skrift. Svalbard og Ishavet., no. 12, Oslo, 1927.) Biol. Zentralbl., 49, 60-64.

1931. Systematik und Phylogenie der Wirbeltiere. In: Bolk, L., et al., 1931, "Handbuch der vergleichenden Anatomie der Wirbeltiere." Berlin: Urban & Schwarzenberg.

1932. Zum Ausgleich zwischen verschiedenen phyletischen Forschungswegen. Biol. Zentralbl., 52, 584-598.

Frassetto, Fabio

1928. [Review of:] M. W. Hauschild, "Grundriss der Anthropologie." [Berlin: Borntraeger, 1926.] Rev. Biol., 10, 205-206.

1930. Standardisation des méthods anthropologiques. Caractères descriptifs. II. Les formes normales du crâne humaine. Rev. Anthrop., 40, 229-232, 1 pl.

1933. [Review of:] O. Abel, "Americafährt. Eindrücke, Beobachtungen und Studien eines Naturforschers auf einer Reise nach Nordamerika und Westindien." [Jena: Gustav Fischer, 1926, viii + 462 pp., 273 figs.] Rev. Biol., 15, 416.

Frebold, Hans

1930. Die Altersstellung des Fischhorizontes, des Grippianiveaus und des unteren Saurier Horizontes in Spitzbergen. Skrift. Svalbard og Ishavet, 28, 1-36, 6 pls., map.

Frechkop, Serge

1930. Notes sur les mammifères. II. Charactéres distinctifs et phylogénie du wombat (*Phascolomys*) et du koala (*Phascolarctus*) Bull. Mus. Hist. Nat. Belg., **6**, no. 12, 1-34, 9 figs.

1932A. Notes sur les mammifères. VIII. De la forme des molaires ches les insectivores. Bull. Mus. Hist. Nat. Belg., 8, no. 6, 1-23, 14 figs.

1932B. Notes sur les mammifères. IX. De la forme des dents molaires des rongeurs sciuromorphes. Bull. Mus. Hist. Nat. Belg., 8, no. 12, 1-41, 12 figs.

1933A. Notes sur les mammifères. XV. Bull. Mus. Hist. Nat. Belg., 9, no. 41, 1-35, 18 figs.

1933B. Notes sur les mammifères. XIII. Note préliminaire sur la similitude des molaires superieures et inférieures. Bull. Mus. Hist. Nat. Belg., 9, no. 7, 1-11, 5 figs.

Free, Edward Elway

1926. ["Human" tooth from the Eocene of Bearcreek, Montana; found by Dr. J. C. F. Siegfriedt.] Literary Digest, Dec. 18, 1926. [Figured in: S. Hubbard, 1927.]

Frenguelli, Joaquin

1928. A proposito di alcune incisioni sull'omero di uno squalodontide del Miocene superiore della Patagonia. Boll. Soc. Geol. Ital., 47, 1-9, 1 pl.

1929. Canis (Macrocyon) chapalmalensis n. sp. An Soc. Cien. Argent., 107, 58-65, 3 figs.

1932. A propósito del género "Ctenomys." Physis, 11, 143-144.

1933. Sobre la presencia de "Canidae" en el chapalmalense de Miramar. An. Soc. Cien. Argent., 115, 331-334, 1 fig.

Frentzen, Kurt

1928. Zwei bemerkenswerte Cervidenreste aus dem Diluvium des Oberrheingebietes. Centralbl. Min. Geol. Pal., 1928, Abt. B, 381-387, 2 figs.

1931. Die Bildungsgeschichte des oberen Buntsandsteins Südwestdeutschlands im Lichte der Paläontologie. Zeit. Deutschen Geol. Ges., 83, 517-541.

1932. Über Durol, ein neues Konservierungsmittel für fossile und subfossile Knochen und andere murbe oder leicht zerfallende Fossilien. Centralbl. Min. Geol. Pal., 1932, Abt. B, 65-66.

Frentzen, K., and Schelenz, M.

1929. Zwei Abformverfahren für paläontologische und prähistorische Objekte. Centralbl. Min. Geol. Pal., 1929, Abt. B, 89-94, 3 figs.

Frentzen, K., and Speyer, K.

1929. Riesenhirsche aus dem Diluvium des Oberrheingebietes. Mitt. Badischen Geol. Landesanst., 10, 177-233, 3 figs., 5 pls.

Freudenberg, Wilhelm

- 1928. Hipparion gracile im oberbayrische Flinz und das pontischer Alter des Schotterzuges von Wilffertshausen bei Augsburg. Zeit. Deutschen Geol. Ges., 80, 207-214, 2 figs.
- 1929A. Die altquartäre Hominidenfundstelle von Bammenthal a.d. Elsenz. Zeit. Deutschen Geol. Ges., 81, 290-291, (abstract).
- 1929B. Ein Säbeltiger und ein grosser Anthropoide (?) aus den Sanden von Mauer a.d. Elsenz. Zeit. Deutschen Geol. Ges., 81, 291, (abstract).
- 1929C. Vorlage von Schadelfragmenten und Scapularest des Hemianthropus osborni gen. et spec. nov. Nebst anderen Primatenresten aus Bammenthal a.d. Elsenz. Anat. Anz., 67 (Erganzungsheft), 240-245, 5 figs., 1 pl. Review: Vallois in L'Anthrop., 39, 465-467.
- 1929D. Die ersten Primatenfunde von Bammental bei Mauer a.d. Elsenz aus praeglacialen Neckarkiesen. Verh. Ges. Phys. Anthrop., 3, 68-82, 1 fig., 2 pls.
- 1930. Zum Frage der Rechtshändigkeit des Menschen und der Gliedmassenasymmetrie der Primaten. Zeit. Säugetierk., 4, 36-46, 1 fig., pl. 1.
- 1931. Der gegenwärtige Stand meiner Untersuchungen an den Primatenresten aus den "Elsenzschichten" (nom. nov.) um Heidelberg, insbesondere über Skeletteile gigantischer Primaten. Zeit. Deutschen Geol. Ges., 83, 642-645, 5 figs.
- 1932. Die Heppenlochfauna und ein weiterer Beleg des *Inuus suevicus* Hedinger. Pal. Zeit., 14, 126-132, 1 fig.

Friant, Madeleine

- 1931A. Un cas de persistance de l'incisive moyenne supérieure des proboscidiens primitifs chez l'éléphant d'Afrique. (Loxodonta africana Blum.) C. R. Assoc. Anatom., 26, 191-197, 3 figs. See also: Bull. Mus. Hist. Nat. Paris, (2) 3, 576-578, 2 figs.
  - 1931B. Note préliminaire sur les dents tribulées des rongeurs et leur explication. Arch. Anat. Histol. Embryol., 13, 255-268, 6 figs.
- 1932. La théorie de la trituberculie et l'influence de la taille sur la forme des dents. Arch. Mus. Hist. Nat. Paris, (6) 9, 83-93, 2 figs., 1 pl.
- 1933A. Contribution a l'etude de la differenciation des dents jugales chez les mammifères. Essai d'une theorie de la dentition. Publ. Mus. Hist. Nat. Paris, 1, ix + 132 pp., 71 figs.

  Critique by G. G. Simpson in Jour. Dental Res., 13, 1933.
- 1933B. L'Issiodoromys a-t-il des affinites avec les rongeurs sud-americains? Publ. Mus. Hist. Nat. Paris, 3, 95-106, 7 figs. See also: Friant, 1933C.
- 1933C. Sur les affinites de l'Issiodoromys, rongeur de l'oligocene d'Europe. C. R. Acad. Sci. Paris, 197, 1059-1061, 1 fig.
- 1933D. A propos de la dentition d'un représentant eocene du groupe des Tubulidentata. Bull. Mus. Hist. Nat. Paris, (2) 5, 101-103, 2 figs.
- 1933E. Les primates et l'homme fossiles en Amérique du Sud. Terre et Vie, 3, 276-281, 8 figs.
- Frick, Childs
- 1929. Childs Frick, Tertiary-Quaternary explorations, 1928. Nat. Hist., 29, 106-108.
- 1930. Alaska's frozen fauna. Nat. Hist., 30, 71-80, 10 figs., 1 pl.

1931A. Childs Frick's explorations, 1930. Nat. Hist., 31, 668-669.

1931B. [Recent discoveries of skeletons of camels, mastodons, etc.] Nat. Hist., 31, 102-103.

1932. [Obituary of:] Joseph Rak. Nat. Hist., 32, 552-553.

1933. New remains of trilophodont-tetrabelodont mastodons. Bull. Amer. Mus. Nat. Hist., 59, 505-652, 38 figs.

Friedenthal, H.

1931. Die moderen Anschauungen über die Abstammung des Menschengeschlechts. Sitz.-Ber. Ges. Naturf. Freunde, 1931, 3-16, 3 pls. See also: Internat. Clinics, (41) 4, 282-307.

1932. Der Abgrund um die Tierform Mensch. Zeit. Säugetierk., 7, 1-10.

Friederichs, Heinz F.

1932A. Schädel und Unterkiefer von Piltdown ("Eoanthropus dawsoni Woodward") in neuer Untersuchung. Zeit. Anat., 98, 199-262, 40 figs. With a foreword by Frazz Weidenreich.

Review: Vallois in L'Anthrop., 43, 106-108.

1932B. Die morphologische Einreihung des 1925 in London City gefunden paläolithischen Schädels. Zeit. Anat., 98, 475–486, 8 figs.

Friedmann, Herbert

1928. The earliest restoration of Archaeopteryx. Sci. Monthly, 26, 178-179, 1 pl. See: Wetmore and Friedmann, 1933.

Friedrich, Hermann

1932. Kritische Studien zur Geschichte und zum Wesen des Begriffes der Homologie. Ergebn. Anat., 29, 25-86.

Fritel, P. H.

1932. Paleontologie. Histoire Naturelle France, Paris: Deyrolle, (2nd ed.), part 24, 394 pp., 566 figs., 26 pls.

Frizzell, Donald Leslie

1933. Terminology of types. Amer. Mid. Nat., 14, 637-668.
Abstract in: Geol. Soc. Amer., Program 32d Ann. Meeting, April, 1933, p. 25.

Fröhlicher, H.

1931. Nachweis von Fischschiefern mit *Meletta* in der subalpinen Molasse des Entlebuchs (Kt. Luzern). Eclog. Geol. Helvetiae, **24**, 241-242.

Frost, G. Allan

1928. Otoliths of fishes from the Tertiary formations of New Zealand, and from Balcombe Bay, Victoria. Trans. Proc. New Zealand Inst., 59, pt. 1, 91-97, 15 figs., table.

1930. A comparative study of the otoliths of the neopterygian fishes. Ann. Mag. Nat. Hist., (10) 5, 231-239, 1 pl.

1933A. Otoliths of fishes from the Lower Tertiary formations of southern England.
I. Isospondyli, Apodes, Berycomorphi. Ann. Mag. Nat. Hist., (10) 12, 387-396, pl. 12.

1933B. Otoliths of fishes from the Tertiary formations of New Zealand. Trans. Proc. New Zealand Inst., 63, pt. 2, 133-141, 46 figs.

See: White and Frost, 1931.

Fuchs, Hugo

1931. Über das Os Articulare Mandibulae Bipartitum einen Echse (*Physignathus lesueurii*). Ein Beitrage zur vergleichenden Anatomie des Unterkiefers und sur Kiefergelenksfrage. Morphol. Jahrb., **67**, 318–370, 9 figs.

Funkhouser, William Delbert, and Webb, W. S.

1928. Ancient life in Kentucky. Publ. Kentucky Geol. Surv., (6) 34, 1-349, 176 figs.

Furlong, Eustace Leopold

1930. Capromeryx minor Taylor from the McKittrick Pleistocene, California. Publ. Carnegie Instn. Wash., no. 404, 49-53, 2 figs.

1932A. Distribution and description of skull remains of the Pliocene antelope Sphenophalos from the northern Great Basin province. Publ. Carnegie Instn. Wash., no. 418, 27-36, 1 fig., 5 pls.

1932B. A new genus of otter from the Pliocene of the northern Great Basin province. Publ. Carnegie Instn. Wash., no. 418, 93-103, 2 pls. Abstracts in: Bull. Geol. Soc. Amer., 44, 219; and Pan-Am. Geol., 58, 150.

See: Stock and Furlong, 1929; Stock, Patterson and Furlong, 1929.

Furon, Raymond

La préhistoire les âges de la Pierre, les Métaux. Paris: Albert Blanchard. 1928. 187 pp., 52 figs., 10 pls., [not seen]. Review: R. V[aufrey] in L'Anthrop., 38, 143.

Bibliographie geologique de l'Afrique occidentale française. Bull. Agence 1932. Gén. Colon. Melun, 1089-1119.

Furst, Carl M.

1930. Vorschlag zu einer einheitlichen internationalen Veroffentlichung aller präneolithischen Schädel. Verh. Ges. Phys. Anthrop., 4, 65-66.

G., J. S. 1928. [Obituary of:] Dr. H. F. Gadow, F. R. S. [1855-1928]. Nature, 121, 874.

Gaál, István [= Stefan von = Etienne de]

1928. Diluviale Säugetierfauna aus der Höhle des "Kosköoldal" bei Bajot. Állat. Közlem., 25, 151-154; 204-205, (Magyar with German summary).

1929. Les restes mammifères diluviennes de la caverne de Bajót jusqu'à present inconnue. Ann. Hist.-Nat. Mus. Nation. Hungarici, 26, 1-21, 1 fig.. (in Magyar and French).

1931A. Erdekes harmadkori rinocerosz csontlelet Rákoskereszturról. Állat. Közlem., 28, 200, (abstract).

1931B. Knochenreste der neolithischen Ansiedelung von Hodmezövársórhely. Ann. Hist.-Nat. Mus. Nation. Hungarici, 27, 259-277, 3 figs., (in Magyar and German).

Das Aussterben der Arten. Allat. Közlem., 30, 1-11, (Magyar with Ger-1933. man summary).

Gadow, Hans Friedrich

The evolution of the vertebral column. Cambridge (England): University 1933. Press. Edited by J. F. Gaskell and H. L. H. H. Green, xiv + 356 pp., Review: Anonymous in Jour. Anat., 68, 575.

Gagnière, Sylvain See: Hugues and Gagnière. 1930.

Gaillard, Claude

1928A. L'art prehistorique à la genière, commune de Serrières-Sur-Ain. Ipek, 1928, 1-12, pl. 1.

1928B. Nouveaux mammifères dans les dépôts miocene de la Grive-Saint-Alban (Isère). Bull. Soc. Linn. Lyon, 7, 110-111.

1929. Nouveaux mammifères dans les dépôts miocene de la Grive-St. Alban (Isère). Bull. Soc. Nat. Archeolog. Ain, 1929, 1-17 [of reprint]. See: Gaillard 1928B.

1931. Contribution a l'étude des chèvres et des moutons pléistocènes. C. R. Assoc. Franc. Avance Sci., 55, 303-306, 5 figs.

1932. Contribution a l'étude des chèvres et des moutons pléistocènes. L'Anthrop., 42, 80, (abstract).

Galiano, E. Fernández See: Abel, O., [and Galiano], 1928.

Ganss, Ortwin

1933. Über einen Fährtenfund im unteren Oberkarbon von Kiowitz. Lotos, 81, 67-69, 1 fig.

Gapanovich, J. J. The Asiatic origin of South American man. Jour. N. China Branch, Roy. 1931. Asiatic Soc., 62, 172-198.

Garde, Gilbert

Les anciens cours d'Allier et de ses affluents, sur la feuille de Gannot, pen-1931. dant le pliocene supérieur et durant le quaternaire. C. R. Acad. Sci. Paris, 192, 572-575.

Gardiner, C. I., and Bate, D.M. A.
1933. The occurrence of elk and other Mammalia in the alluvium of the Stroud and Nailsworth valleys. Proc. Cotteswold Nat. Field Club, 25, 77-82, 2 pls.

Garrod, Dorothy Annie Elizabeth

Excavation of a palaeolithic cave in western Judea. Quart. Statement, 1928. Palestine Explor. Fund, 60th year, 1928, 182-185.

1929A. Excavation of a Palaeolithic cave in western Judea. Rept. Brit. Assoc. Adv. Sci., 1928 [1929], 594, (abstract).

1929B. Excavations in the Mugharet el-Wad, near Athlit. April-June, 1929. Quart. Statement, Palestine Explor. Fund, 61st year, 1929, 220-222.

1930A. The Palaeolithic of southern Kurdistan: excavations in the caves of Zarzi and Hazar Merd. Bull. Amer. School Prehist. Res., 6, 8-43, 18 figs. Review: R. V[aufrey] in L'Anthrop., 41, 579-580.

1930B. Fouilles paleolithiques en Palestine 1928-1929. Bull. Soc. Préhist. Paris. 27, 151-160, 5 figs.

1930C. Palaeolithic cave near Athlit. Quart. Statement Palestine Explor. Fund, 62nd year, 1930, 81.

1931A. Mesolithic burials from caves in Palestine. Man. 31, 145-146, 1 fig., 1 pl.

1931B. Excavations in the caves of the Wady-el-Mughara, 1929-1930. Bull. Amer. School Prehist. Res., 7, 5-11, 4 figs.

1931C. Excavations at the Mugharet el-Wad. 1930. Quart. Statement. Palestine Explor. Fund, 63rd year, 1931, 99-103, 3 pls.

1932A. Excavations at the Wady el-Mughara. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 444-445.

1932B. Excavations in the Wady el-Mughara [Palestine], 1931. Bull. Amer. School Prehist. Res., 8, 6-11, 6 figs. Review: A[lex.] D[onici] in Arch. Suiss. Anthrop. Gén., 6, 207-208.

1932C. Nuevos descubrimientos prehistoricos en Palestina. Invest. y Progr. Madrid, 6, 62-67, 3 figs.

1932D. Excavations in the Wady el-Mughara, 1931. Quart. Statement, Palestine Explor. Fund, 64th year, 1932, 46-51, 5 pls.

See: Keith, Myres, et al., 1931, 1932, 1933,

Garstang, W.
1931. The phyletic classification of Teleostei. Proc. Leeds Philos. Lit. Soc.,

Garwood, Edmond Johnston

[Eulogy of Josef Felix Pompeckj. In:] Anniversary address of the president. Quart. Jour. Geol. Soc. London, 87, lx-xcvii.

Gatujew, S. A. [= Gatuev]

Die taxonomische Position des Indricotherium asiaticum Boriss. Bull. Soc. Nat. Moscou, Sec. Géol., 11, 181–192, (in Russian).

Gautier, C. See: Beauverie, J., et al., 1933.

Gazin, Charles Lewis

A Tertiary vertebrate fauna from the upper Cuvama drainage basin. Cali-1930. fornia. Publ. Carnegie Instn., Wash., no. 404, 55-76, 5 figs., 4 pls. Abstracts in: Bull. Geol. Soc. Amer., 41, 214; and Pan-Am. Geol., 52, 158-159.

1932. A Miocene mammalian fauna from southeastern Oregon. Publ. Carnegie Instn., Wash., no. 418, 37-86, 20 figs., 6 pls. Abstracts in: Bull. Geol. Soc. Amer., 42, 367; and Pan-Am. Geol., 54, 236-237.

1933A. New felids from the Upper Pliocene of Idaho. Jour. Mammal., 14, 251-256, 3 figs.

1933B. A new shrew from the Upper Pliocene of Idaho. Jour. Mammal., 14, 142-144, 1 fig.

1933C. The status of the extinct American "Eland." Jour. Mammal., 14, 162-164.

1933D. [Obituary of:] William Jacob Holland. Jour. Mammal., 14, 290.

See: Gidley and Gazin, 1933.

Gear, J. H. S.

The fossil baboons from Taungs. Rept. Brit. Assoc. Adv. Sci., 97th meeting, S. Africa, 1929 [1930], 372.

See: Laing and Gear, 1930.

Geddes. Patrick See: Thomson and Geddes, 1931.

Gee. E. R.

1930. New fossil localities within the Panchet series of the Ranigani coalfield. Rec. Geol. Surv. India, 63, 205-207.

Geer, G. De See: De Geer, G.

Gellert, Johannes F.

1929. Die Neogenbucht von Varna und ihre Umrandung, Geologie der Varnenska-, Provadijska und Novoselska-, Arrenska- und Nordostlichsten Kamcijska Planina in Nordost-Bulgarien. Abh. Sachs. Akad. Wiss., Math.-Phys., 41, no. 2, 1-90, 6 figs., 2 pls., 3 maps.

Die Oberflachengestaltung des Balkans in Ostbulgariens. Neues Jahrb. Min. Geol. Pal., Abt. B, 70, 159-214, 2 figs., 2 pls. 1933.

Genna, Giuseppi

1933. A propos d'une pretendue facette articulare du femur qu'on attribue a la position accroupie. C. R. 15th Congr. Internat. Anthrop. Archeol. Préhist., 5th Sess. Paris, 1931 [1933], 115-122, 3 figs. See also: Riv. Antrop., 29, 355-373, 6 figs.

Geological Society of London

Geological literature added to the Geological Society's library during the vear ended December 31st, 1928. Geol. Soc. London, 237 pp.

Georg, Eugen

Verschollene Kulturen des Menschheitserlebnis Ablauf und Deutungsversuch. Leipzig: R. Voightlander, 3 + 329 pp., 5 pls.

Translated into English by Robert Beck-Gran. Title "The adventure of 1930. mankind." New York: E. P. Dutton, 1931, xx + 325 pp.

Review: Anonymous in Quart. Rev. Biol., 7, 221-222.

George, Thomas Neville

1933. Palingenesis and paleontology. Biol. Rev., 8, 107-135, 8 figs.

Gerber, Edward

1928. Über quartare Säugetierreste aus dem Kanton Bern. Eclog. Geol. Helvetiae, 21, 218.

1932A. Über den Fund eines Rhinoceriden aus der untern Susswassermolasse von Langenthal und dessen stratigraphische Stellung. Eclog. Geol. Helvetiae, 25, 274-275.

1932B. Über die Tierreste aus dem Schnurenloch bei Oberwil im Simmental. Eclog. Geol. Helvetiae, 25, 275, (abstract).

1932C. Über die Tierreste der vierten Ausgrabung in Schnurenloch bei Oberwil im Simmental im Jahr 1931. Verh. Schweiz. Naturf. Ges., 113, 363. See also: 1932A.

Über diluviale Murmeltiere aus dem Gebiet des eiszeitlichen Aare und 1933. Rhone gletschers. Eclog. Geol. Helvetiae, 26, 221-224, 1 fig., 1 table. Abstract in: Verh. Schweiz. Naturf. Ges., 114, 369.

Gerould, John Hiram

[Obituary of:] William Patten [1861-1932]. Science, (n.s.) 76, 481-482. 1932.

Ghidini. Luigi

Curiosita nella vita degli animali. Milan: Ulrico Hoepli, xii + 461 pp., 1931. many figs. and pls. See also: Vinassa de Regny 1931.

Gibson, R. J. Harvey See: Harvey-Gibson, R. J.

Gidley. James Williams

A new species of bear from the Pleistocene of Florida. Jour. Wash. Acad. Sci., 18, 430-433.

1929A. Ancient man in Florida: further investigations. Bull. Geol. Soc. Amer., **40,** 491–502, 2 pls. Abstracts in: ibid., 237; and Pan-Am. Geol., 51, 236.

1929B. Further study of the problem of early man in Florida. Explor. Field Work, Smithson. Instn., 1928 [1929], 13-20, 5 figs.

1930A. Hunting fossils on the old Oregon Trail. Explor. Field Work Smithson. Instn., 1929 [1930], 31-36, 4 figs.

1930B. Investigations of early man in Florida. Explor. Field Work Smithson. Instn., 1929 [1930], 37-38.

1930C. A new Pliocene horse from Idaho. Jour. Mammal., 11, 300-303, 1 pl.

1931A. Continuation of the fossil horse round-up on the old Oregon Trail. Explor. Field Work Smithson. Instn., 1930 [1931], publ. 3111, 33-40, 6 figs.

1931B. Further investigations on evidence of early man in Florida. Explor. Field Work Smithson. Instn., 1930 [1931], publ. 3111, 41-44, 4 figs.

Gidley, J. W., and Gazin, C. L.

New Mammalia in the Pleistocene fauna from Cumberland Cave. Jour. Mammal., 14, 343-357, 9 figs.

See: Wetmore, Miller and Gidley, 1930.

Gieseler, Wilhelm 1928A. Neuere Forschungen zum Pithecanthropusproblem. Forsch. u. Fortschr., 4, 150-151, 2 figs.

1928B. Anthropologie. Die ältesten diluvialen Menschenformen und die Rassenverbreitung des Menschen in der Jetztzeit. In: Die neue Volkshochschule [8th ed.], Bd. 2, Leipzig, 1-64 pp., figs., [not seen].

1931. Tatsächliches und Umstrittenes über den fossilen Menschen. Erdball-**5**, 291–300, pls. 76–77.

Gieseler, W., and Mollison, T.

1929. Untersuchungen über den Oldoway fund. a. Fundstelle, Lagerung des Skeletes und Morphologie des Extremitätenskeletes. Von W. Gieseler. b. Der Fossilzustand und der Schädel. Von. Th. Mollison. Verh. Ges. Phys. Anthrop., 3, 50-67, 3 figs., 3 pls.

Giffen, A. E. Van See: Van Giffen, A. E.

Gignoux, Maurice

1928. Sur la découverte d'un rhinocéridé (Aceratherium cf. filholi Osborn) dans les couches pétrolifères oligocèns de Pechebronn (Bas-Rhin). Bull. Serv. Carte Géol. Alsace Lorraine, 1, 145–152, 3 figs., 1 pl.

[Obituary of:] Charles Depéret. 1854-1929. Bull. Soc. Géol. France, (4) 30, 1043-1073, 1 pl. 1930.

Gilbert, - See: Horne and Gilbert, 1930.

Gildersleeve, Benjamin

Pharyngeal plates of *Phyllodus* from the Virginia Eccene. Jour. Wash. Acad. Sci., 23, 380-389, 19 figs. See also: Virginia Acad. Sci., Proc., 1932-1933 [1933], 53-54. 1933.

Giles, Albert William

1930. Pennsylvanian climates and paleontology. Bull. Amer. Assoc. Petrol. Geolog., 14, 1279-1299.

Gillies, C. D.

The origin of the os pisiforme. Jour. Anat., 63, 380-383, 1 fig. 1929.

Gillingham. Donald W.

Hunting fossils in the badlands of Alberta. Museum Notes, Art, Hist., 1928. Sci. Assoc., Vancouver, 3, no. 4, 13-18, 5 figs.

Gillman, Joseph

A review of some Bush and Bantu sacra, with special reference to the sacra of Rhodesian Man and Boskop Man. S. African Jour. Sci., 26, 602-622, 1 pl., 2 graphs, 3 tables.

Gilmore, Charles Whitney

Hunting dinosaurs in Montana. Explor. Field Work Smithson. Instn., 1929. 1928 [1929], 7-12, 4 figs.

1930A. Fossil hunting in New Mexico. Explor. Field Work Smithson. Instn., 1929 [1930], 17-22, 4 figs.

1930B. A nearly complete shell of the extinct turtle Trachemys sculpta. Proc. U. S. Nation. Mus., 77, art. 10, 1-8, 2 figs., 3 pls.

1930C. On dinosaurian reptiles from the Two Medicine formation of Montana. Proc. U. S. Nation. Mus., 77, art. 16, 1-39, 18 figs., 10 pls.

1930D. Pseudo-fossils fool the inexpert. Nature Mag., Sept. 1930, 186-187, 4 figs. See also: Kuentz 1933.

1931A. Fossil hunting in the Bridger Basin of Wyoming. Explor. Field Work Smithson. Instn., 1930 [1931], publ. 3111, 13-20, 6 figs.

1931B. Fossil turtles of Mongolia. Bull. Amer. Mus. Nat. Hist., 59, 213-257. 29 figs., 11 pls.

1931C. Zerstörung von Dinosaurierknochen durch Wind und Wetter, Ber-Senck. Naturf. Ges., 61, 284-285, 1 fig.

1931D. A new species of troodont dinosaur from the Lance formation of Wyoming. Proc. U. S. Nation. Mus., 79, art. 9, 1-6, 5 pls. See also: Nopcsa 1931C.

1932A. Fossil hunting in Montana and Wyoming. Explor. Field Work Smithson. Instn., 1931 [1932], 13-18, 4 figs.

1932B. A new fossil lizard from the Belly River formation of Alberta. Trans. Roy. Soc. Canada, (3) 26, sect. 4, 117-120, 1 pl.

1932C. On a newly mounted skeleton of Diplodocus in the United States National Museum. Proc. U. S. Nation. Mus., 81, art. 18, 1-21, 3 figs., 6 pl.

1933A. Hunting fossil animals in Nebraska, Wyoming, and South Dakota. Explor. Field Work Smithson. Instn., 1932 [1933], 5-8, 3 figs.

1933B. A new species of extinct turtle from the Upper Pliocene of Idaho. Proc. U. S. Nation. Mus., 82, art. 9, 1-7, 5 figs., 2 pls.

1933C. On the dinosaurian fauna of the Iren Dabasu formation. Bull. Amer. Mus. Nat. Hist., 67, 23-78, 40 figs., 8 pls.

1933D. Two new dinosaurian reptiles from Mongolia with notes on some fragmentary specimens. Amer. Mus. Novit., no. 679, 1-20, 12 figs.

1933E. "Concerning dragons." Sci. Monthly, 36, 267-269.

See: Chestnut 1931; Hubbard, S., 1927.

Gilmore, C. W., and Cochran, D. M. 1930. Cold-blooded vertebrates. Part 2, amphibians; Part 3, reptiles. Smithson. Sci. Ser., 8, 157-358, 38 figs., 50 pls.

Giltay, Louis

Note sur la presence, en Belgique, de Siluris glanis L., durant le quater-1931. naire. Bull. Mus. Roy. Hist. Nat., Belg., 7, no. 21, 1-7, 3 figs.

Observations tératologiques sur des squelettes du genre Elephas. Bull. 1933. Mus. Hist. Nat., Belg., 9, no. 11, 1-7, 6 figs.

Given, J. C. M.

Palaeopathology and evolution. Lancet, 1, 164-166. 1928.

Gladstone, R. J., and Wakeley, C. P. G.

The morphology of the sternum and its relation to the ribs. Jour. Anat., 1932. **66,** 508–564, 29 figs.

Glaessner, Martin F.

Eine neue Schildkröte aus dem italienischen Miozän. Ann. Naturhist. 1930. Mus. Wien, 44, 413-418, 2 figs.

Neue Zähne von Menschenaffen aus dem Miozän des Wiener Beckens. 1931. Ann. Naturhist. Mus. Wien, 46, 15-27, 1 pl.

Die Tertiärschildkroten Niederösterreichs, Neues Jahrb. Min. Geol. 1933. Pal., Abt. B, 69, 353-387, 2 figs., 3 pls.

Gobert, E. G., and Vaufrey, R.

Deux gisements extrêmes d'Ibéromaurusien. L'Anthrop., 42, 449-490, 19 figs.

Goetz, W. See: Propyläen Weltgeschichte (in Serial List).

Goldbachova, Ld.

Preliminary report on the otolithes from the Miocene of Zelezné, N. E. 1931. of Tišnov (Morava). Věst. Stát. Geol. Českosl. Republ., 7, 52-55.

Goldring, Winifred

1929-31. Handbook of paleontology for beginners and amateurs. Part I. The fossils. N. Y. State Mus., Handbook no. 9, 1-356, 97 figs. (1929). Part I. The fossils. II. The formations. N. Y. State Mus., Handbook no. 10, 1-488, 62 figs. (1931).

Goldthwait, J. W. See: Antevs 1928.

Golomshtok, Eugene A.

La trompe du mammouth sibérien. L'Anthrop., 42, 548-550, 1 fig. See 1932. also: Flerov 1931.

1933. Trois gisements du paléolithique supérieur russe et sibérien. L'Anthrop., 43, 333-346, 7 figs.

Gómez, Royo y See: Royo v Gómez

Gonsalves, Alpheu Diniz

Bibliographia da geologia mineralogia e paleontologia do Brasil. Minist. Agric. Industr. Comm., Serv. Geol. Min. Brasil, Bol. 27, 1-205, 10 portraits.

Goodrich, Edwin S.

1928.Polypterus a palaeoniscid? Palaeobiol., 1, 87-91.

1929A. Living organisms. An account of their origin and evolution. New York: Oxford Univ. Press, 200 pp., 60 figs.

1929B. The Theory of Evolution. Enc. Brit., 14th ed., 8, 916-929, (geological testimony 927-929).

1930A. [Obituary of:] Edwin Ray Lankester-1847-1929. Proc. Roy. Soc. London, (B) **106**, x-xv, portrait.

1930B. Studies on the structure and development of vertebrates. London: Macmillan & Co., Ltd., xxx + 837 pp., 754 figs. Reviews: Anonymous in Jour. Anat., 66, (1931), 128-129; F. W. R. B. in

Sci. Progress, 25, 548; W. J. Gregory in Eug. Rev., 22, 286-288; Marcus in Biol. Zentralbl., 50, 638.

1931. On the relationship of the ostracoderms to the cyclostomes. Proc. Linn. Soc. London, 142, 45-49.

Goodrich, E. S., et al.

1929. Sir E. Ray Lankester, K. C. B., F. R. S. Nature, 124, 309-314. Also in Amer. Jour. Sci., (5) 18, 460.

Goodwin, Astley John Hilary 1929A. The Stellenbosch industry. S. African Jour. Sci., 27, 9-51, 5 figs., pls. 1-5. 1929B. The Wilton industry. S. African Jour. Sci., 27, 251-268, 2 figs., pls. 41-43.

Goodwin, A. J. H., and Lowe, C. v. R.

The Stone Age cultures of South Africa. Ann. S. African Mus., 27, 1-289, 1929. illustr.

Göppert, Ernst, et al. See: Bolk, et al., 1931.

Gordon, William Thomas See: Haughton 1932B.

Gorjanović-Kramberger, D.

1929A. Einige Ergebnisse meiner neuren Untersuchungen der diluvialen Menschenreste von Krapina. X. Congr. Internat. Zool., Budapest, pt. 2, 1249-1250, 1256-1261.

1929B. Die Halswirbel des diluvialen Menschen von Krapina. Rad (Zagreb), 236, 99-120, 10 figs., 2 pls. [Translated from the Croatian in: Acad. Sci. Zagreb, Math.-Nat. Cl., 23, 24-48, 10 figs., 2 pls.]

Gothan, Walter See: Seitz and Gothan, 1928.

Gould, Charles Newton

The fossil glyptodon in the Frederick gravel beds. Proc. Oklahoma Acad. 1928. Sci., 8, 148-150.

1929A. Comanchean reptiles from Kansas, Oklahoma and Texas. Bull. Geol. Soc. Amer., 40, 457-462. See also: Bull. Amer. Assoc. Petrol. Geolog., 11, 633-634, 1927. Abstracts in: Bull. Geol. Soc. Amer., 40, 113 and 250; and Jour. Pal., 4, 73-87.

1929B. Fossil bones and artifacts at Frederick. Proc. Oklahoma Acad. Sci., 9, 90-92, (= Univ. Oklahoma Bull. (n. s.) no. 456).

Grabau, Amadeus William

1930A. Asia and the evolution of man. China Jour., 12, pt. 3, 152-163, 1 fig.

1930B. An outline of the geological history of north China. Peking Nat. Hist. Bull., 5, pt. 1, Ī-13.

How ancient is the Peking Man? Nat. Hist., 31, 107-108, 1 fig.

See also: Andrews, R., 1932.

Graf, George Engelbert

Von Moses bis Darwin. Zur Geschichte des Entwicklungsgedankens. 1929. Jena: Urania-Verlags-Ges., 39 pp., (4th ed.).

Graf, Karl Krejci- See: Krejci-Graf, K.

Grandidier, Guillaume

1929. Une variété du Cheiromys Madagascariensis actuel et un nouveau Cheiromys subfossile. Bull. Acad. Malgache, 1928 [1929], 101-107, 2 figs., 1 pl.

Granger, Walter

1931A. [Obituary of:] William Diller Matthew (1871-1930). Jour. Mammal., 12, 189-194, portrait.

1931B. [Prefatory note in:] Matthew, W. D., 1931B, "Genera and new species of ground sloths from the Pleistocene of Cuba." Amer. Mus. Novit., no. 511.

See: Andrews, R., 1932; Berkey, Granger and Morris, 1929; McSpadden 1931; Matthew, W. D., Granger, and Simpson, G. G., 1929; and Osborn and Granger, 1931A, B, 1932A, B.

Granger, W., and Simpson, G. G.

1929. A revision of the Tertiary Multituberculata. Bull. Amer. Mus. Nat. Hist., 56, 601-676, 43 figs.

Grant, Ulysses Simpson, IVth

1933. Methods of presenting synonymy and references in paleontologic literature. Geol. Soc. Amer., Program 32d Ann. Meeting (April, 1933), p. 25, (abstract).

Grant, U. S., and Soper, E. K.

1932. Geology and paleontology of a portion of Los Angeles, California. Bull. Geol. Soc. Amer., 43, 1041–1068, 7 figs.

Graves, William Washington

1930. The arcometer: a new instrument. Amer. Jour. Phys. Anthrop., 14, 483-486, 1 fig.

Graziosi, Paolo

1928. La Grotta di Talamone. Arch. Antrop. Etnol., 58, 122-152, 5 pls.

1929. [Review of:] Cosimo de Giorgi, "Descrizione geologica e idrografica della Provincia de Lecce." (Lecce: edited by L. Salomi, 1922.) Arch. Antrop. Etnol., **59**, 155-158.

1933. Sull' Equus (Asinus) hydruntinus Reg. Riv. Ital. Pal., 39, 35-39, 1 fig.

Green, H. L. H. H. See: Gadow 1933.

Greenly, Edward

1928. The Earth: its nature and history. Watts & Co., 54 pp. Review: North in Discovery, 9, 30.

Greenway, James Cowan, Jr. See: Caullery 1932.

Gregory, John Walter

1928. The nature of species. In: Mason, F., 1928, "Creation by Evolution," pp. 112-123, 3 figs.

1929A. The geological history of the Atlantic Ocean. Quart. Jour. Geol. Soc. London, 85, lxviii-cxxii.

1929B. Africa-Geology. Enc. Brit., 14th ed., 1, 298-300.

1930. The geological history of the Pacific Ocean. Quart. Jour. Geol. Soc. London, 86, lxii-cxxxvi.

See: Leakey, et al., 1931; Simpson, G. C., Seward, A. C., et al., 1930; Sollas, W. J., 1930.

Gregory, J. W., and Barrett, B. H.

1931. General stratigraphy. London: Methuen & Co., Ltd., xii + 285 pp., 10 maps, 285 figs.
 Review: J. P. in Nature, 128, 945-946.

Gregory, J. W., and Currie, E. D.

1928. The vertebrate fossils from the glacial and associated post-glacial beds of Scotland in the Hunterian Museum, University of Glasgow, and their evidence on the classification of the Scottish glacial deposits. Monog. Geol. Dept. Hunterian Mus., 2, 1-25, 6 figs., 3 pls. Review: Lull in Amer. Jour. Sci., (5) 16, 550.

Gregory, William King

1927A. The present status of the origin of man. Nat. Hist., 27, 187, (abstract).

1927B. Dawn man or ape? Was our ancestor a dawn man, or did we descend directly from an anthropoid ape of an ancient geologic epoch? Sci. Amer., 137, 230-232, 8 figs.

1928A. [Obituary of:] Bashford Dean, 1867-1928. Science, (n. s.) 68, 635-636.

1928B. The body-forms of fishes and their inscribed rectilinear figures. Palaeobiol., 1, 93-100, 1 pl.

1928C. The lineage of man. In: Mason, F., 1928, "Creation by Evolution," pp. 270-292.

Reprinted by Macmillan in 1928.

1928D. Studies on the body-forms of fishes. Zoologica, N. Y., 8, 325-421, 39 figs.

1928E. The upright posture of man: A review of its origin and evolution. Proc. Amer. Philos. Soc., 67, 339-376, 15 figs., 2 pls.

1928F. Were the ancestors of man primitive brachiators? Proc. Amer. Philos. Soc., 67, 129-150, 5 figs., 4 pls. See also: Eug. News, 13, 54-59.

1928G. Letter in regard to work of D. J. S. Foote on studies of histology of bone and teeth. In: Foote, 1928 (Appendix, p. [iv]).

1928H. Reply to Professor Wood-Jones' note: "Man and the anthropoids." Amer. Jour. Phys. Anthrop., 12, 253-256, 2 figs.

1929A. Is the pro-Dawn Man a myth? Human Biol., 1, 153-165. Review: Piveteau in L'Anthrop., 42, 357.

1929B. Our face from fish to man. . . . with a foreword by William Beebe. New York: G. P. Putnam's Sons, xl + 295 pp., 118 figs., 1 pl.
Reviews: Crew in Eug. Rev., 21, 139; Lebzelter in Mitt. Anthrop. Ges. Wien, 60, 55; Lull in Amer. Jour. Sci., (5) 18, 89-90; O'Donoghue in Sci. Progress, 25, 156-157.

1929C. The palaeomorphology of the human head: Ten structural stages from fish to man. Part II. The skull in Norma Basalis. Quart. Rev. Biol.,

**4,** 233–247, 3 figs.

1929D. Restudy of the skull of *Portheus molossus* Cope. Bull. Geol. Soc. Amer.,
40, 220, (abstract).
Abstract in: Pan-Am. Geol., 51, 234.

1929E. The muscular anatomy and the restoration of the titanotheres. In: Osborn, 1929O, "Titanotheres of ancient Wyoming, Dakota and Nebraska." U. S. Geol. Surv. Monog. 55, 703-725 and 727-731.

1929F. Mammalia. Enc. Brit., 14th ed., 14, 748-754.

1929G. Marsupialia. Enc. Brit., 14th ed., 14, 975-981.

1929H. Perissodactyla. Enc. Brit., 14th ed., 17, 529-531.

1929I. Ungulata. Enc. Brit., 14th ed., 22, 699-702.

1930A. Basic patents in evolution. Sci. Amer., 143, 112-113, 5 figs.; 200-202, 5 figs.; 286-288, 5 figs.

1930B. A comparison of the limbs, hands, and feet of man, anthropoid apes, and primitive Eocene mammals. Anat. Rec., 45, 289-290, (abstract).

1930C. A critique of Professor Frederic Wood-Jones' paper: "Some landmarks in the phylogeny of the primates." Human Biol., 2, 99-108, (for corrections see: Gregory 1930E).

1930D. A critique of Professor Osborn's theory of human origin. Amer. Jour. Phys. Anthrop., 14, 133-161, 3 pls. Review: Vallois in L'Anthrop., 41, 368-369.

1930E. Erratum. Human Biol., 2, 440, (corrections for: Gregory 1930C).

1930F. A fossil teleost fish of the snapper family (Lutianidae) from the Lower Oligocene of Florida. Bull. Florida Geol. Surv., no. 5, 7-17, 2 figs., 4 pls. Abstracts in: Bull. Geol. Soc. Amer., 40, 220, 1929; and Pan-Am. Geol., 51, 234.

1930G. [Review of:] Keith, 1930, "New discoveries of fossil man," (Nature, June 21, 1930). Nat. Hist., 30, 555-557.

1930H. Some stages in the adaptive radiation of the teleostome skull. Copeia, 1930, no. 2, 56, (abstract).

1930I. [Obituary of:] William Diller Matthew. Nat. Hist., 30, 664-666, portrait.

1930J. William Diller Matthew, paleontologist (1871-1930). Science, (n. s.) **72.** 642–645.

1930K. The origin of man from a brachiating anthropoid stock. Science, (n. s.) **71.** 645–650.

1930L. Memorial of Bashford Dean. Dean Mem. Vol., art. 1, 5-42, 8 pls. See also: Heintz 1932A; and Bull. Geol. Soc. Amer., 41, 16-25, portrait. Review: G. S[arton] in Isis, 16, 555-556.

1930M, "Irreversibility of evolution" and the origin of man. Amer. Jour. Phys. Anthrop., 14, 84, (abstract).

1930N. The animal ancestry of man. In: Cowdry 1930.

1931A. The African anatomical expedition of Columbia University and the American Museum of Natural History. Columbia Univ. Quart., 23, 79-89.

1931B. A review of William Diller Matthew's contributions to mammalian palaeontology. Amer. Mus. Novit., no. 473, 1-23.

1931C. Certain critical stages in the evolution of the vertebrate jaws. Internat. Jour. Orthodontia, 17, 1138-1148, 6 figs.

1932A. The natural history of man. Nat. Hist., 32, 440-442, 2 pls.

1932B. Progress on the Bashford Dean memorial volume on archaic fishes. Copeia **1932.** 182–183.

1932C. Some strange teleost skulls and their derivation from normal forms. Copeia, 1932, 53-60, 3 figs.

1933A. Basic patents in nature. Science, (n. s.) 78, 562-566.

1933B. Fish skulls: a study of the evolution of natural mechanisms. Trans. Amer. Philos. Soc., 23, 75-481, 302 figs., 1 pl. Review: Romer in Copeia, 1933, 110.

1933C. The master builder: Henry Fairfield Osborn. Nat. Hist., 33, 251-256, 6 figs.

1933D. The new anthropogeny: twenty-five stages of vertebrate evolution from Silurian chordate to man. Science, (n. s.) 77, 25-40.

See: Osborn 1923; and Osborn and Gregory, 1931.

Gregory, W. K., and Cook, H. J.

New material for the study of evolution. A series of primitive rhinoceros 1928. skulls (Trigonias) from the Lower Oligocene of Colorado. Proc. Colo. Mus. Nat. Hist., 8, 1-39, 6 figs., 6 pls., 5 graphs, 8 tables.

Gregory, W. K., and McGregor, J. H. 1929. Primates. Enc. Brit., 14th ed., 18, 485-490, 2 pls.

Gregory, W. K., and Hellman, M.

Paleontology of the human dentition. Internat. Jour. Orthodontia, 1929. **15,** 642–652, 11 figs.

Gregory, W. K., and Raven, H. C.

The spermaceti organ and nasal passages of the sperm whale (Physeter 1933. catodon) and other odontocetes. Amer. Mus. Novit., no. 677, 1-17, 9 figs.

Greig, David M.

A Neanderthaloid skull presenting features of cleidocranial dysostosis and other peculiarities. Edinburgh Med. Jour., 40, 497-557, 12 figs., 14 pls.

Grigor, G. 1930. Trouvailles d'ours fossils aux environs de Krasnodar. Trav. Mus. Géol. URSS, 6, 31-36, 1 fig., (in Russian).

Grigorovitch-Beresovski, N. A.

1928. Les dépôts tertiaires du Daghestan. C. R. Congr. Géol. Internat., 14th Sess., 1997–2002.

Grimshaw, Percy H.

1933. The Royal Scottish Museum, Edinburgh. Nat. Hist. Mag., 4, 1-12, 7 figs.

Grinnell, Joseph 1923. The burrowing rodents of California as agents in soil formation. Jour. Mammal., 4, 137-149, pls. 13-15.

1926. Geography and evolution in the pocket gopher. Univ. Calif. Chronicle, 28, 247-262, 2 figs., 1 pl.
Reprinted in: Ann. Rept. Smithson. Instn., 1926, [1927], 343-355, 2 figs., and a different plate.

1932. Some inferences from the new check-list [of the A.O.U.]. Auk, (o.s.) 57, 9-13. See also: Wetmore 1931D.

Grochmalicki, J.

1930. Benedykt de Natecz Dybowski (1833-1930). Kosmos (Lwów), **55**, 1-16.

Grodiński, Z.

1929. Über die Lymphherzen von fossilen Reptilien. Bull. Internat. Acad. Polonaise, (B II) 1928, 433-439, 4 figs. Abstract in: Anat. Rec., 42, 18.

Gromov, V.

- 1928. Sur l'âge du Paléolithique de Sibérie. C. R. Acad. Sci. URSS, 1928A, 171-176, (in Russian).
- 1932. On the geology and fauna of the Paleolithic of the USSR. Bull. Assoc. Study Europ. Quat., 3-4, 33-49, 2 figs., 1 map, 4 tables.
- 1933. The problem of multiplicity of glaciation in conjunction with the study of Quaternary Mammalia. Problems Soviet Geol., 3, no. 7, 33-48, 1 fig., 1 pl., (Russian with English summary).

Gromova, Vera I.

- 1929. Sur les restes des mammifères de l'âge de la Pierre en Transcaucasie. Ann. Mus. Zool. Acad. Sci. URSS, 30, 427-446, 3 pls., (in Russian).
- 1930A. Note préliminaire sur le *Bos primigenius* Boj., de URSS. C. R. Acad. Sci. URSS, 1930A, 85-90, map, (in Russian).
- 1930B. Note sur le spécimen typique du Bison priscus Bojanus. C. R. Acad. Sci. URSS, 1930A, 459-462, 1 fig., (in Russian). See also: Gromova 1932.
- 1931A. Contribution a la connaissance de l'ure (Bos primigenius Boj.) de l'Europe orientale et de l'Asie septentrionale. Ann. Mus. Zool. Acad. Sci. URSS, 32, 293-366, 5 figs., 5 pls., 1 map, (in Russian).
- 1931B. Sur une espèce nouvelle d'antilope fossile (*Parabubalis capricornis* n. gen. n. sp.) provenant de Transbaicalie. Ann. Mus. Zool. Acad. Sci. URSS, **32**, 127-134, 2 figs., (in Russian).
- 1932. Über den Typus des Bison priscus Bojanus. Zool. Anz., 99, 207-221, 5 figs. See also: Gromova 1930B.
- 1933. Die Saugetierfauna der mittelpaläolithischen Station bei Ilskaja im nordlichen Kaukasus. Trav. Inst. Zool. Acad. Sci. URSS, 1, 305-346, 4 pls., (German with Russian summary).

Gros Clark, W. E. Le See: Clark, W. E. LeGros

Gross, Josef C.

- 1929. Die paläolithische Jagerstation in der Potočnikhöhle auf der Uschowa in den Karawanken. Centralbl. Min. Geol. Pal., 1929, Abt. B, 586-591, 1 fig.
- 1931A. Die fötalen Knochenfunde von *Ursus spelaeus* R. aus dem "I. Höhlenlehm (licht)" der Potočnikhöhle auf der Uschowa in den Karawanken. Nach den Ausgrabungen in den Jahren 1926–1928. Centralbl. Min. Geol. Pal., 1931, Abt. B, 258–266, 4 figs.
- 1931B. Kiefer- und Zahnerkrankungen bei *Ursus spelaeus* R. (Nach den Funden aus der Potočnikhöhle in der Uschowa.) Centralbl. Min. Geol. Pal., 1931, Abt. B, 187-190, 3 figs.

Gross, Walter

- 1930. Die Fische des Mitteleren Old Red Süd-Livlands. Geol. Pal. Abh., (N. F.)

  18, 121-156, 5 pls.
- 1931. Asterolepis ornata Eichw. und das Antiarchi-Problem. Palaeontogr., 75, 1-62, 24 figs., 12 pls.
- 1932A. Antiarchi. Fossilium Catalogus, Animalia. Pars 57, 1-40.
- 1932B. Die Arthrodira Wildungens. Geol. Pal. Abh., (N. F.) 19, Heft 1, 5-61, 26 figs., 2 pls.

1932C. Über Fische aus dem rheinischen Unterdevon. Zeit. Deutschen Geol. Ges., 84, 572.

1932D. Ein wildunger Arthrodire in Nord-Amerika. Pal. Zeit., 14, 46-48, 1 fig.

1933A Die Fische des baltischen Devons. Palaeontogr., 79, Abt. A. 1-74, 34 figs., 7 pls., 1 map.

1933B. Die phylogenetische Bedeutung der altpaläozoischen Agnathen und Fische. Pal. Zeit., 15, 102-137, 5 figs.

1933C. Die unterdevonischen Fische und Gigantostraken von Overrath. Abh. Preuss. Geol. Landesanst., (N. F.) 145, 41-77, 16 figs., 7 pls.

1933D. Die Wirbeltiere des rheinischen Devons. Abh. Preuss. Geol. Landesanst. (N. F.) 154, 1-83, 20 figs., 11 pls.

Grosse, M., and Trausche, N. von 1929. Verzeichnis der Wirbeltiere des ostbaltischen Gebietes. Arb. Naturf.-Ver. Riga, 18, I-IV + 75 pp.

Grove, Wilson

Great men of science. Their lives and discoveries. New York: Garden City, xi + 397 pp., 11 portraits. [1929 ed. entitled, "The human side of 1932. science. Review: C. A. K[ofoid] in Isis, 19, 587.

Gruenberg, Benjamin C.

The story of evolution. Facts and theories on the development of life. New York: D. Van Nostrand Co., xvi + 473 pp., 101 figs., 10 pls., front.

The story of evolution. Facts and theories on the development of life. London: Chapman & Hall, xvi + 473 pp., 13 pls. Review: Castaldi in Scritti Biol., 6, 363; Frassetto in Riv. Biol., 12, 194. 1930.

Grüss, Johann

Zwei altgermanische Trinkhörner mit Bier und Metresten. Forsch. u. 1932. Fortschr., 8, 189-291, 2 figs.

Grynfeltt. E.

Obituary of: Louis Vialleton (1859-1929). Montpellier Méd., 73, 157-167. 1930.

Gudger, Eugene Willis

Some early and late illustrations of comparative osteology. Ann. Med. Hist., (n. s.) 1, 334-355, 15 figs.

The opah or moonfish, Lampris luna, on the coast of California and of 1931. Hawaii. Amer. Nat., 65, 531-540, 1 fig.

Abnormal dentition in rays, Batoidei. Jour. Elisha Mitchell Sci. Soc., 1933. 49, 57-95, 21 figs., 1 pl.

Guillaume, Louis

Dépôts monastiriens et flandriens de Saint-Côrne de Fresné et Asnelles-1932. Belle Plage (Calvados). C. R. Soc. Géol. France, 1932, 118-120.

Gunnell, Frank H.

Conodonts and fish remains from the Cherokee, Kansas City, and Wabaunsee groups of Missouri and Kansas. Jour. Pal., 7, 261–297, 3 pls. 1933.

Günther. Konrad

1928. Die Entwicklung der Tierwelt. Berlin: Verlag Ullstein, 135 pp., 16 figs.

1931. Unsere Tierwelt im Drama des Lebens. [2d ed.] Neudamm: Neumann. 470 pp., 86 illustr.

Gupta See: Das Gupta

Gürich, Georg

1928A. Erdgestaltung und Erdgeschichte eine Einfuhrung in die Geologie. Leipzig: Max Jänecke, vii + 274 pp., 59 figs. Review: J. Bayer in Eiszeit u. Urgesch., 5, 113.

1928B. Acrolepis lotzi und andere Ganoiden aus den Dwyka-Schichten von Ganikobis, Südwestafrika. Beitr. Geol. Erforsch. Schutzgebiete, 19, 26-74, figs., 3 pls., [not seen].

1931. Versuche zur formalen Systematik. Pal. Zeit., 13, 30-34, 4 figs.

Guyénot, Émile

1930. La variation et l'évolution. [Vol. 2, "L'évolution."] Paris: Gaston Doin et Cie, "Encyclopédie Scientifique," vii [+4] + 414, + vi pp. Review: L. G[uinet] in Isis, 17, 584.

See: Caullery, Guyénot, and Rivet, 1929.

Haas, F.

1930. Nachruf. Hermann von Ihering. Arch. Mollusk., 62, 136.

Hacker, H. S. See: Pearson, Helga S.

[Hadley, A. H.]

1929. [Obituary of:] Frederic A. Lucas [1853-1929]. Bird-Lore, 31, 161, portrait.

Haldane, John Burdon Sanderson

1932. The causes of evolution. London, New York and Toronto: Longmans, Green & Co., vii + 235 pp., illustr.
Review: Anonymous in Brit. Med. Jour., 1933:1, 148.

Haldane, J. B. S., and Huxley, J.

1927. Animal Biology. London: Oxford Univ. Press, xvi + 344 pp., 122 illustr. Review in Nat. Hist. Mag., 1, 270.

Hall, Arthur Lewis

1931. A bibliography of S. African geology for the years 1926 to 1930 (inclusive). Author's index. Union S. Africa Geol. Surv., Mem. 27, 1-160.

See: Rogers, Hall, Wagner and Haughton, 1929.

Hall, Eugene Raymond

1929. A second new genus of hedgehog from the Pliocene of Nevada. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 18, 227-231, 1 fig.

1930A. A bassarisk and a new mustelid from the later Tertiary of California. Jour. Mammal., 11, 23-26, 1 fig., 2 tables.

1930B. A new genus of bat from the later Tertiary of Nevada. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 319-320, 1 pl.

1930C. Rodents and lagomorphs from the Barstow beds of southern California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 313-318, 7 figs.

1930D. Rodents and lagomorphs from the later Tertiary of Fish Lake Valley, Nevada. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 295-312, 29 figs., 1 pl.

1930E. Three new genera of Mustelidae from the later Tertiary of North America.

Jour. Mammal., 11, 146-155, 2 pls.

1931. Description of a new mustelid from the later Tertiary of Oregon, with assignment of *Parictis primaevus* to the Canidae. Jour. Mammal., 12, 156-158, 1 pl.

See: Stock and Hall, 1933.

Hall, E. R., and Martin, H. T.

1931. A skull of *Nothocyon* from the John Day Oligocene. Kansas Univ. Sci. Bull., 19, 283-287, 1 pl.

Hall, Frank Gregory See: Pearse and Hall, 1928.

H[all], H. R. H.

1929. Egypt-Geology. Enc. Brit., 14th ed., 8, 34-35.

Hamlett, George Whitfield Deluz

1933. An embryologist's conception of vertebrate phylogeny. Amer. Nat., 67, 135-153, 5 figs.

Review: Pictet in Année Biol., 38, pt. 2, 386-387.

Handmann, P. R., S. J. See: Killermann and Handmann, 1930.

Hanna, George Dallas 1924. Gigantic amphibian from Kansas Coal Measures. Pan-Am. Geol., 42,

285-236. 1925A. The extraction of fossils from refractory rocks. Jour. Geol., 33, 545-547.

1925B. Miocene marine vertebrates in Kern County, California. Science, (n. s.) 61, 71-72.

1928. The Monterey shale of California at its type locality, with a summary of its flora and fauna. Bull. Amer. Assoc. Petrol. Geolog., 12, 969-983, 3 pls.

1929. Mammoth tusks found near Oroville, California. Calif. Div. Mines, 25th Rept. State Mineralog., no. 1, 88-90, 2 figs. See also: *ibid.*, 26th Rept., 366.

1930. Geology of Shark-tooth Hill, Kern County, California. Proc. Calif. Acad. Sci., (4) 19, 65-83, 3 figs.

1931. Illustrating fossils. Jour. Pal., 5, 49-68, 2 figs., 1 pl.

1933. Desmostylus tooth dredged in Monterey Bay. Bull. Geol. Soc. Amer., 43, 291, (abstract).

Hansen, George Henry

1928. Hairy mammoth skeleton in Utah. Science, (n. s.) 68, 621. Also in: Proc. Utah Acad. Sci., 6, 7-8, 1929.

Hanstein, R. von See: Hempelmann 1929.

Harmer, Sidney F.

1929. Cetacea. Enc. Brit., 14th ed., 5, 166-174, 10 figs., 2 pls.

1931. [Obituary of:] Sir Edwin Ray Lankester [1847-1929]. Proc. Linn. Soc. London, no. 142, 200-211.

Harms, Jürgen Wilhelm

1932. Sir Richard Owen. Handworterb. der Naturwiss., 7, 510.

Harnly, Henry Jacob

1932. Vertebrate fossils from McPherson Equus beds. Trans. Kansas Acad. Sci., 35, 209.

Harrington, Mark Raymond

1930. The mystery of Gypsum Cave. Sci. Amer., 143, 34-36, 5 figs., (also: p. 57, telegram from Harrington).

1932. When was America discovered? Sci. Amer., 147, 6-10, 4 figs., 1 pl., 1 chronological chart, 1 diagram, 1 map.

1933. Gypsum Cave, Nevada. Southwest Mus. Papers, no. 8, ix + 197 pp., 77 figs., 19 pls.
Review: Anonymous in Quart. Rev. Biol., 8, 473.

Harrington, M. R., and Scherer, J. A. B.

1930. How old is the Pleistocene? Science, (n. s.) 71, 585-586.

Hartmann, M.

1933. Allgemeine Biologie: eine Einfuhrung in die Lehre von Leben. [2d ed.] Jena: Gustav Fischer, xii + 792 pp.

Hartmann-Weinberg, Mrs. A. P.

1928A. [A comparative study of the Amalitzky North-Dvina fauna with the analogous fauna from the Pre-Stormberg Karroo.] Proc. Third Congr. Russ. Zoolog. Anatom. Histolog., Leningrad, 1927 [1928], 109-111, (in Russian).

1928B. On palaeontologic finds from the R. Ili (Kazakstan), collected by the expedition of the Academy of Sciences of USSR, in 1927. Proc. Third Congr. Russ. Zoolog. Anatom. Histolog., Leningrad, 1927 [1928], 111-112, (in Russian).

1929. Über Carpus und Tarsus der Pareiasauriden. Anat. Anz., 67, 401-428, 22 figs.

1930. Zur Systematik der Nord-Düna-Pareiasauridae. Pal. Zeit., 12, 47-59, 9 figs.

1931. [The evolution of Pareiasauridae during Lower Perm and Permo-Trias.]
Proc. Fourth Congr. Zoolog. Anatom. Histolog., Kiev, 1930 [1931],
74-75.

1933A. Die Evolution der Pareiasauriden, Trav. Inst. Pal. Acad. Sci. URSS, 3, 1-66, 16 pls., (Russian summary).

1933B. Das Neurocranium und seine Evolution. Bull. Acad. Sci. URSS, Cl. Math.-Nat., no. 10, 1539-1547, (Russian summary).

Harvey-Gibson, R. J.

Two thousand years of science. New York: Macmillan Co., viii + 362 1929.pp., 121 figs. Review: Anonymous in Discovery, 12, 406.

Hatfield, E. J. See: Rádl and Hatfield, 1930.

Hatfield, H. S. S. See: Bavink 1932.

Hauff, Bernhard

1930. Wie ein Ichthyosaurus das Licht der Welt wieder erblickt. Monatsschr. Württemberg, 1930, 9-19, 5 figs.

Haughton, Sidney Henry

On some reptilian remains from the dinosaur beds of Nyassaland. Trans. Roy. Soc. S. Africa, 16, 67-75, 2 figs., pls. 2-5.

1929A. Pareiasaurian studies. Pt. II. Notes on some parieasaurian brain cases. Ann. S. African Mus., 28, 88-96, 6 figs.

1929B. Notes on the Karroo Reptilia from Madagascar. Trans. Roy. Soc. S. Africa, 18, 125-136, 4 figs.

1929C. On some new therapsid genera. Ann. S. African Mus., 28, 55-78, 18 figs.

1930A. Pareiasaurian studies. Pt. 6. The osteology and myology of the locomotor apparatus. A. Hind limb. Ann. S. African Mus., 28, 297-367, 60 figs., 1 pl. See also: Pt. 5, Haughton and Boonstra, 1930; also B. Fore limb; Boonstra 1932B.

1930B. Origin and age of the Karroo Reptilia. 15th Internat. Geol. Congr. Pretoria, 1929 [1930], 2, 252-262.

On a collection of fossil frogs from the clays at Banke. Trans. Roy. Soc. 1931. S. Africa, 19, 233-249, 10 figs., 2 pls.

1932A. The fossil Equidae of South Africa. Ann. S. African Mus., 28, 407-427, 6 figs.

1932B. On a collection of Karroo vertebrates from Tanganyika Territory. Quart. Jour. Geol. Soc. London, 88, 634-668, 20 figs. [With "Discussion" by Watson, Thomas, Parrington, Hobley, Gordon and Cox, pp. 658-671.] Abstract in: Ann. Mag. Nat. Hist., 9, 340.

1932C. On some South African fossil Proboscidea. Trans. Roy. Soc. S. Africa, 21, 1-17, 8 figs., 4 pls.

See: Rogers, Hall, Wagner and Haughton, 1929.

Haughton, S. H., and Boonstra, L. D.
1929. Pareiasaurian studies. Pt. I. An attempt at a classification of the Pareiasauria based on skull features. Ann. S. African Mus., 28, 79-87.

Pareiasaurian studies. Part 5. On the pareiasaurian mandible. Ann. S. 1930. African Mus., 28, 261-289, 13 figs., 5 pls. See also: Haughton 1930; Boonstra 1932B.

Haughton, S. H., [and MacGregor, A. M.]

1929. Report on fossil remains from Glenn Curragh Farm, Hyamandhlova district, southern Rhodesia. Proc. Rhod. Sci. Assoc., 29, 6-9, 1 pl. Introduction by MacGregor, pp. 6-7.

Haupt, Arthur W.

Fundamentals of biology. New York: McGraw Hill Co., xii + 358 pp., 1928. 256 figs.

Haupt, Oskar

Das Alter der Braunkohlen vom Hessenbrücker Hammer und von Schlecht-1931. enwegen im Vogelsberg. Notizbl. Ver. Erdk., (5) 13, 62-66.

Hauser. O. Der Erde Eiszeit und Sintflut. Ihre Menschen, Tiere und Pflanzen. 1928. Weimar: Verlag für Urgeschichte und Menschforschung, 370 pp., 195 figs., 23 pls., 2 maps.

Hausman, Leon Augustus The ovate bodies of the hair of Nothrotherium shastense. Amer. Jour. 1929. Sci., (5) 18, 331-333, 3 figs.

Hay, Oliver Perry

1928A. An extinct camel from Utah. Science, (n.s.) 68, 299-300.

1928B. Correlation on the basis of fossil vertebrates. Bull. Geol. Soc. Amer., 39. 278-279, (abstract).

1928C. On the antiquity of relics of man at Frederick, Oklahoma. Science, (n.s.) 67, 442-444.

1929A. On the recent discovery of a flint arrowhead in early Pleistocene deposits at Frederick, Oklahoma. Jour. Wash. Acad. Sci., 19, 93-98.

1929B. On some recent excursions into Pleistocene geology and paleontology. Jour. Wash. Acad. Sci., 19, 463-469.

1930A. Second bibliography and catalogue of the fossil Vertebrata of North America. Washington: Carnegie Institution, Publ. 390. Vol. 1, (1929), vii + 916 pp.; vol. 2, (1930), xiv + 1074 pp.

Reviews: G. S. Miller in Jour. Mammal., 11, 246-247; Romer in Jour. Geol., 38, 190-191; Thorpe in Amer. Jour. Sci., (5) 18, 528-529; also, (5) 19, 207, 307, 308

325-326.

1930B. On a long-known occurrence of a musk-ox at Natchez, Mississippi. Jour. Mammal., 11, 505-507.

1930C. Remarks on Dr. George G. Simpson's work [1929H] on the Pleistocene paleontology of Florida. Jour. Wash. Acad. Sci., 20, 331-340.

1930D. On the fossil Mammalia of the first interglacial stage of the Pleistocene of the United States. Jour. Wash. Acad. Sci., 20, 501-509.

Hay, O. P., and Cook, H. J.

1928. Preliminary descriptions of fossil mammals recently discovered in Oklahoma, Texas and New Mexico. Proc. Colo. Mus. Nat. Hist., 8, 33.

1930. Fossil vertebrates collected near, or in association with, human artifacts at localities near Colorado, Texas; Frederick, Oklahoma; and Folsom, New Mexico. Proc. Colo. Mus. Nat. Hist., 9, 4-40, 14 pls. Review: Thorpe in Amer. Jour. Sci., (5) 21, 465.

Hayasaka, Ichiro

1930A. A note on some recent discoveries of fossil mammals in Japan. Proc. Fourth Pac. Sci. Congr., 3, 405-412.

1930B. On the occurrence of fossil Stegodon from Taiwan. Jour. Geol. Soc. Tokyo. 37, 113-117.

On the Stegodon newly found in Taiwan. Rec. Geol. Surv. Formosa, 4. 1933. 25-28, (in Japanese with brief English summary).

Headstrom, B. R.

The origin of man. Princeton Univ. Press, 100 pp. 1921.

Heard, Gerald

1931. The emergence of man. New York: Harcourt Brace & Co.; London: Jonathan Cape, 303 pp.

Heberer, Gerhard

Das Abstammungsproblem des Menschen im Lichte neuerer paläontolo-1931. gischer Forschung. Forsch. Völkerpsychol., Sozial., 10:2, 141-208, 13 figs. Review: Muhlmann in Arch. Biol. Berlin, 26, 70-76.

Heck, Herbert Lothar

Beiträge zur Talgeschichte der oberen Leine. Jahrb. Preuss. Geol. Landesanst., 49, 427-453, 5 figs., 6 pls.

Hedin, Sven

1932. Rätsel der Gobi-Die Fortsetzung der grossen Fahrt durch Innerasien in den Jahren 1928-1930. Leipzig: Brockhaus, x + 335 pp., 74 figs., 2 maps.

1933. Riddles of the Gobi Desert. London-New York: Dutton, x + 382 pp., 24 pls., 1 map. Review: J. L. M. in Man, 34, 79.

Heidsieck, E.

1933. Appendix [to article on histology of dinosaur ribs by F. Nopesa, 1933]. Proc. Zool. Soc. London, 1933, 223-226, 1 pl.

Heilmann, Gerhard

1928. A restoration of *Iguanodon bernissartensis*. Palaeobiol., **1**, 101-102, 1 fig., 1 pl.

1929. Über hypothetische Proavis-Phantasien. Anat. Anz., 68, 195-197. See: Nopesa 1929D.

Heim, Arnold

1933. Observations on Paleolithic remains in Chinese Tibet. Eclog. Geol. Helvetiae, 26, 177-182, 2 figs., 1 pl.

Heintz, Anatol

1929A. Ein neue Rekonstruction von *Heterostius* Asmuss. Sitz.-Ber. Naturf. Ges. Dorpat., **36**, 167-173, 2 figs.

1929B. Die downtonischen und devonischen Vertebraten von Spitzbergen. Skrift. Svalbard og Ishavet, 22, 1-81, 37 figs., 24 pls., 1 map.

1929C. Die downtonischen und devonischen Vertebraten von Spitzbergen. III. Acanthaspida. Nachtrag. Skrift. Svalbard og Ishavet, **23**, 1-20, 8 figs., 3 pls., 1 map.

1929D. Einige Bemerkungen über den Panzerbau bei Homosteus und Heterosteus. Skrift. Norsk. Videnskaps-Akad., Oslo, (Math.-Nat. Kl.) 1928, no. 1, 1-12, 7 figs., 1 pl.

1930A. Fortegnelse over Professor Dr. Johan Kiaers videnskapelige Arbeider. Norsk Geol. Tidsskrift, 11, 435-436.

1930B. Professor Kiaer som Ichtvolog. Norsk Geol. Tidsskrift. 11, 421-425.

1930C. Oberdevonische Fischreste aus Ost-Groenland. Skrift. Svalbard og Ishavet, 30, 31-46, 4 figs., 4 pls.

1931A. The anterior-lateral plate in *Titanichthys*. Ann. Mag. Nat. Hist., (10) 8, 208-212, 3 figs.

1931B. A new reconstruction of *Dinichthys*. Amer. Mus. Novit., no. 457, 1-5, 3 figs.

1931C. A new reconstruction of Dinichthys. Nat. Hist., 31, 220-221.

1931D. A reconstruction of Stenognathus gouldi (Newberry). Ann. Mag. Nat. Hist., (10) 8, 242-249, 5 figs.

1931E. Revision of the structure of *Coccosteus decipiens* Ag. Norsk Geol. Tids-skrift, 12, 291-313, 12 figs., 2 pls.

1931F. Untersuchungen über den Bau der Arthrodira. Acta Zool., 12, 225-239, 11 figs., 2 pls.

1932A. The structure of *Dinichthys*, a contribution to our knowledge of the Arthrodira. Dean Mem. Vol., art. 4, 115-224, 91 figs., pls. 1-9.
Reviews: W. K. Gregory in Nat. Hist., 33, 114; Nature, 130, 369.

1932B. Über einige Fischreste aus dem Hunsrück-Schiefer. Centralbl. Min. Geol. Pal., 1932, Abt. B, 572-580, 6 figs.

1932C. Beitrag zur Kenntnis der devonischen Fischfauna Ost-Grönlands. Skrift. Svalbard og Ishavet, **42**, 1–27, 12 figs., 6 pls., 1 map.

1933A. Professor Dr. Johan Kiaer. Palaeobiol., 5, 1-6, 1 pl.

1933B. Neuer Fund von Archegonaspis in einem obersilurischen Geschiebe. Zeit. Geschieb. Flachlands Geol., 9, 123–131, 5 figs. See also: Weigelt 1930D.

1933C. En Haitann fra permavleiringene i Asker. Naturen, 57, 221-226, 5 figs.

1933D. Some remarks about the structure of Phlyctaenaspis acadica Whiteaves.

Norsk Geol. Tidsskrift, 14, 127-144, 6 figs., 3 pls.

See: Kiær and Heintz, 1932, 1933.

Heinz, Rudolf

1932A. Ein vorzeitlicher Tränkplatz auf den Diamantfeldern bei Lüderitzbucht in Deutsch-Südwest-Afrika und seine Bedeutung fur die Geschichte der Namibwüste. Zeit. Deutschen Geol. Ges., 84, 569.

1932B. Die Säurierfährten bei Otjihaenamaparero im Hereroland und das Alter des Etjo-Sandsteins in Deutsch-Südwest-Afrika. Zeit. Deutschen Geol. Ges., 84, 569.

Heiss, Elwood D. See: Atwood and Heiss, 1928.

Heissel. Werner

1933. Fund eines Mammutzahns bei Kufstein (Tirol). Zeit. Gletscherk., 21, 196-197.

Helbing, Hermann

1928A. Zur Carnivorenfauna süddeutscher Miocänfundorte. Verh. Schweiz. Naturf. Ges., 109, 221–222, (abstract).

1928B. Carnivoren aus der miocänen Molasse der Schweiz. Eclog. Geol. Helvetiae, 21, 232-244, 12 figs.

1928C. Carnivoren des oberen Stampien. Abh. Schweiz. Pal. Ges., 47, 1-83, 81 figs., 4 pls.

1928D. Carnivoren aus dem Miocän von Ravensburg und Georgensgmünd. Eclog. Geol. Helvetiae, 21, 377-385, 5 figs.

1929A. Pseudocyon sansaniensis Lartet, von Steinheim am Albuch. Eclog. Geol. Helvetiae, 22, 180–184, 3 figs.

Abstract in: Verh. Schweiz. Naturf. Ges., 110, 192.

1929B. Zur Osteologie von Amphicyon crassidens Pomel. Verh. Naturf. Ges. Basel, 40, 280-294, 6 figs.

1930A. Zur Kenntnis der miocänen "Mustela" zibethoides Blainville. Eclog. Geol. Helvetiae, 23, 637-644, 4 figs.
Shorter note in Verh. Schweiz. Naturf. Ges., 111, 351-352.

1930B. Zwei oligocaene Musteliden (*Plesictis genetloïdes Pomel.—Paleogale angustifrons Pomel*). Abh. Schweiz. Pal. Ges., **50**, no. 3, 1-35, 14 figs., 4 pls.

1931. Bemerkungen zum Genus Indarctos. Eclog. Geol. Helvetiae, 24, 245-246. Abstract in: Verh. Schweiz. Naturf. Ges., 112, 322.

1932. Über einen Indarctos-Schädel aus dem Pontien der Insel Samos. Nebst einem Anhang: Hyaenarctos spec. aus der Pliocaen von Vailette (Haute-Loire). Abh. Schweiz. Pal. Ges., 52, 1-18, 9 figs., 1 pl.

1933. Ein Orycteropus-Fund aus dem unteren Pliocaen des Roussillon. Eclog. Geol. Helvetiae, **26**, 256-267, 4 figs. Abstract in: Verh. Schweiz. Naturf. Ges., **114**, 374.

Heller, Florian

1929. Beiträge zur fossilen Mikrofauna der Steinkirche bei Scharzfeld am Harz. Mitt. Höhlen. Karstf., **1929**, 12–13.

1930A. Eine Forest-Bed-Fauna aus der Sackdillinger Höhle (Oberpfalz). Neues Jahrb. Min. Geol. Pal., Abt. B, **63**, 247–298, 27 figs., 4 pls., tables.

1930B. Die Säugetierfauna der mitteleozänen Braunkohle des Geiseltales bei Halle a.S. Jahrb. Hallescher Verb., (n.s.) 9, 13-41, 5 pls.

1930C. Murmeltierreste aus dem jüngeren Löss von Nebra. Leopoldina, 6, 581-586, 2 pls.

1930D. Jungstpliocäne Knockenfunde in der Moggaster-Höhle (Frankische Schweiz). Centralbl. Min. Geol. Pal., 1930, Abt. B, 154-159, 4 figs.

1930E. Geologische Untersuchungen im Bereiche des fränkischen Grundpipses. Abh. Naturhist. Ges. Nürnberg, 23 (3), 45-114, 6 pl.

1931. Eine fossile Mikrofauna mit Alactaga saliens foss. Nhrg. aus der Felslindlhöhle bei Saas (Oberpfalz). Centralbl. Min. Geol. Pal., 1931, Abt. B, 336-349, 5 figs., 1 plan.

1932A. Ein Milchgebiss von Lophiodon munieri Filhol aus der eozänen Braunkohle des Geiseltales bei Halle-Saale. Acta Acad. Leop.-Carol., (n.s.) 1, 47-53, 2 pls.

1932B. Fossile Eischalenreste aus der eozänen Braunkohle des Geiseltales bei Halle-Saale. Acta Acad. Leop.-Carol., (n.s.) 1, 55-58, 1 pl. See also: Die Wirbeltierfundstellen im Geiseltal. Halle, 1931.

1932C. Fossile Kleinfaunenreste aus der Raumgrotte im Hersbrucker Jura. Centralbl. Min. Geol. Pal., 1932, Abt. B, 349-362, 5 figs.

1932D. Lophiodon munieri Filh. aus der eozänen Braunkohle des Geiseltales bei Halle-Saale. Acta Acad. Leop.-Carol., (n.s.) 1, 37-45, 3 pls.

1932E. Die Säugetierreste aus der Mittelkohle der Grube Cecilie im Geiseltal bei Halle (Mitteleozän). Pal. Zeit., 14, 25–30, 2 figs.

1932F. Die eozäne Säugetierfauna des Geiseltale bei Halle. In: Weigelt 1932A, pp. 15-16.

1933A. Diaceratherium florsheimense n. sp., ein neuer Rhinocerotide aus dem Mainzer Becken. Senck., 15, 295-302, 1 pl., 1 table.

1933B. Ein Nachtrag zur Forest-Bed-Fauna aus der Sackdillinger Höhle (Oberpfalz). Centralbl. Min. Geol. Pal., 1933, Abt. B, 60-68, 4 figs.

1933C. Ein Schädelfund von Lophiodon munieri Filh. in der eozänen Braunkohle des Geiseltales bei Halle (Saale). Pal. Zeit., 15, 46-57, 2 pls.

1933D. Fossile Sicista-Reste aus dem Frankischen Jura. Pal. Zeit., 15, 63-72, 4 figs.

1933E. Die Wühlmaüse der Mosbacher Sande. Notizbl. Ver. Erdk., (5) 14, 108-116, 1 pl.

1933F. Wirbeltierreste aus der obermiozänen Maar-Ausfüllung von Homberg a.d. Ohm. Ber. Oberhess. Ges. Giessen, Nat. Abt., **15**, 248–254, 1 pl.

Hellman, Milo

1928. Racial characters in human dentition. Part I. A racial distribution of the *Dryopithecus* pattern and its modifications in the lower molar teeth of man. Proc. Amer. Philos. Soc., 67, 157-174, 7 figs.

See: Gregory and Hellman, 1929.

Helmich, Felix

1931. Urgeschichtliche Theorien in der Antike. Mitt. Anthrop. Ges. Wien, 61, 29-73.

Hempelmann, Friedrich

1929. Biologie der Tiere von Prof. R. von Hanstein. [2d ed., revised and extended.] Leipzig: Quelle und Meyer, ix + 435 [+ 2] pp., 219 figs.

Hemprich, A.

1932. Fossile Gelege der Sumpfschildkröte in den diluvialen Susswasserkalken bei Halberstadt. Naturschutz, **13**, 7, 146-147, 3 figs.

Henckel, Karl Otto

1928A. Das Primordialkranium von *Tupaja* und der Ursprung der Primaten. Zeit. Anat., **86**, 204–227, 22 figs.

1928B. Studien über das Primordialkranium und die Stammesgeschichte der Primaten. Morphol. Jahrb., 59, 105-178, 36 figs.

1930A. Remarks on the papers by Professor F. Wood-Jones and Professor W. K. Gregory concerning the phylogeny of the Primates. Human Biol., 2, 555-557

1930B. Zur Entwicklungsgeschichte des Fussskelletts von Tarsius spectrum. Morphol, Jahrb., 64, 636-650, 9 figs.

Henderson, I. F., and Henderson, W. D.

1929. A dictionary of scientific terms. [2d ed.] Edinburgh and London: Oliver & Boyd, 351 pp.
Review: Anonymous in Brit. Med. Jour., 1929: 2, 1060.

Henderson, Junius

1926. Sources of material from which petroleum may have been derived. Proc. Calif. Acad. Sci., 15, 269-278.

1927. The relation of organic acids to the presence of shells and opercula in sediments. Nautilus, 40, 134-135.

Henderson, Keith

1928. Prehistoric man. New York: E. P. Dutton, xv + 276 pp.

Hennig, Edwin

1928. [Obituary of:] Geh. Bergrat Prof. Dr. Wilhelm von Branca. Jahresh.
Ver. Vaterländ. Naturk. Württemberg, 84, xxv-xxix.

1929A. [Celebration of the sixty-fifth birthday of Otto Jaekel.] Centralbl. Min. Geol. Pal., 1929, Abt. B, 268-271.

1929B. Zur Herkunft des Menschen. Aus der Heimat, 42, 257, 270, figs. 1-17.

1929C. Vom Werdegang des Säugetierstammes. Aus der Heimat, 42, 1-5.

[Obituary of Josef Felix Pompeckj, 1867-1930.] Centralbl. Min. Geol. Pal., 1930, Abt. B, 353-366, 1 fig. 1930.

1931 A Neue Aufschlüsse im Untergrunde Tübingens, Centralbl. Min. Geol. Pal., 1931, Abt. B, 7-14, 4 figs.

1931B. Aus den Kindheitstagen des Wirbeltierstammes. Aus der Heimat. 44. 129-141, 19 figs.

1931C. Herkunft und Entfaltung des Menschengeschlechtes. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 87, xliii-xlv, (abstract).

1932A. Wesen und Wege der Paläontologie. Berlin: Borntraeger, iv + 512 pp., Review: Edinger in Naturwiss., 21, 791.

1932B. Paläontologie. Handworterb. der Naturwiss., 7, 628-640.

1932C. Fortschritte der Altsteinzeit-Forschung in der Alten Welt. Petermanns Mitt., 78, 134-137.

1932D. Aufsteig und Niedergang der Saurier-Dynastie. Aus der Heimat, 45, 97-110, 16 figs.

Hernández-Pacheco, Eduardo

1930A. Fisografía, geología y paleontología del território de Valladolid. Mem. Com. Invest. Pal. Madrid, 37, 1-205, figs., pls.

1930B. Las grandes fieras de los yacimientos paleontológicos de Concud (Teruel). Bol. Soc. Españ. Hist. Nat., 30, 149-158, 12 figs.

1930C. Un suido y un neuvo cérvido del yacimiento paleontológico de Concud (Teruel). Bol. Soc. Españ. Hist. Nat., 30, 331-344, 5 figs., 2 pls.

Hernández-Pacheco. Francisco

Nota sobre la estratigrafía y los mamíferos miocenos de Nombreville (Zaragoza). C. R. Congr. Géol. Internat., 14th Sess., (4), 2003-2008. 1 fig., 5 pls., 1 map.

1929. Pistas de aves fósiles en el oligocene de Peralta de la Sal (Lérida). Mem. Soc. Españ. Hist. Nat., 15, 379-382, 3 pls.

Hernon, Robert

1930A. Unborn twins of ten million years ago. Black Hills Engineer, 18, 259-264, illustr. See also: O'Harra 1930A.

1930B. A skeleton of Leptomeryx. Black Hills Engineer, 18, 256-258, illustr.

Heron-Allen, E.

[Obituary of:] John Arthur Thomson, Kt., M.A., etc. Jour. Roy. Micros. 1933. Soc., (3) **33,** 35–38.

Herpin, A.

1933. Un point particulier de la morphologie des molaires des éléphants expliqué par l'action des causes méchaniques. Arch. Mus. Hist. Nat. Paris, (6) 10, 125-128, 1 pl.

Hertwig, Richard

1931. Lehrbuch der Zoologie, [15th ed.] Jena: Gustav Fischer, xii + 656 [+4] pp., 588 figs.

Heschler, Karl 1929. Über die Sicherheit der Voraussage in der vergleichenden Morphologie. Verh. Naturf. Ges. Basel, 40, 441–451.

1930. Aus der Vorgeschichte der Säugetiere der Schweiz. Jahrb. St. Gallischen Naturwiss. Ges., 65, 17-46.

Ein ungewöhnliches Fundstück vom Mammut aus dem Kanton Aargau. 1931. Eclog. Geol. Helvetiae, 24, 260-266, 6 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 112, 323.

Hess von Wichdorff, H. See: Wichdorff, H. Hess von.

Hesse, Curtis Julian

1932. Age and relations of the Ogalalla formation. Bull. Geol. Soc. Amer., 43, 290-291, (abstract). Abst. in: Pan-Am. Geol., 56, 70-71.

Hesse, Richard

Biologie. Handworterb. Naturwiss., 1, 988-995, [Paleontology, p. 995].

1933. Die Überlegenheit der Wirbeltiere. Sitz.-Ber. Preuss. Akad. Wiss., 1933, 153-163.

Hibbard, Claude W.

1933A. A new *Bassariscus* from the Lower Pliocene of Nebraska. Kansas Univ. Sci. Bull., **21**, 273-278, 1 pl.

1933B. Two new species of *Coelacanthus* from the Middle Pennsylvanian of Anderson County, Kansas. Kansas Univ. Sci. Bull., 21, 279-283, 2 pls.

Hildebrand, Samuel Frederick

1930. Cold-blooded vertebrates. Part I. Fishes. Smithson. Sci. Ser., 8, 1-155, 49 figs., 30 pls.

Hildén, Kaarlo

1930. L'homme de Néanderthal et sa distribution géographique. Fennia, 42, 45-76, (Finnish with French summary).

1931. Sinanthropus-Loydot-Kiinassa. Fennia, 43, 17-23, 3 figs.

Hill, James P.

1932. [Croonian Lecture.] The developmental history of the Primates. Philos. Trans. Roy. Soc. London, (B) 221, 45-178, 16 figs., 21 pls. Review: Anonymous in Current Sci., 1, 5-6.

Hillers, W.

1931. Menschen der Vorzeit. Ein Überblick über die altsteinzeitlichen Menschenreste. Naturwiss. Monatsh., 11, 218-230.

Hillier, W. T.

1932. A theory of the formation of animals. Bristol: John Wright; London: Simpkin Marshall, vii + 166 pp., 7 pls. Review: Anonymous in Lancet, 223, 56.

Hills, Edwin Sherbon

1928. The geology and paleontography of the Cathedral Range and the Blue Hills, in north-western Gippsland. Proc. Roy. Soc. Victoria, (n.s.) 41, pt. 2, 176-201, 3 figs., 3 tables, 2 pls., (incl. geol. map).

1929. Note on the evidence of age of the dacites and associated igneous rocks in the Marysville-Taggerly district, Victoria. Proc. Roy. Soc. Victoria,

(n.s.) **42**, pt. 1,  $36-\overline{40}$ .

1981. The Upper Devonian fishes of Victoria, Australia, and their bearing on the stratigraphy of the state. Geol. Mag., 68, 206-231, 8 figs., 1 pl.

1932. Upper Devonian fishes from New South Wales. Quart. Jour. Geol. Soc. London, 88, 850-857, 1 fig., 2 pls.
 Abstract in: Ann. Mag. Nat. Hist., (10) 9, 338-339.

1933. On a primitive dipnoan from the Middle Devonian rocks of New South Wales. Ann. Mag. Nat. Hist., (10) 11, 634-643, 5 figs., 2 pls.

Hill-Tout, Charles

1921. The phylogeny of man from a new angle. Proc. Trans. Roy. Soc. Canada, (3) 15, sect. 2, 47-82, 6 pls.

1928. Some recent phases and trends in anthropology. Mus. Notes, Art, Hist. Sci. Assoc., Vancouver, 3, no. 4, 19-23.

Hilzheimer, Max

1928. Ein Lendenwirbel von Mammuth mit Periostitis. Zeit. Säugetierk., 3, 23, 24, (abstract).

1930A. Vorlage eines Zahnes von *Elephas pachyganalis* Schröder. Zeit. Säugetierk., **5**, 14, (abstract).

1930B. Saurichthys Ag. aus dem Röt von Rudersdorf. Brandenburgia, 39, 18-20, 1 fig.

1932. Über diluviale Biberreste aus der Mark Brandenburg. Zeit. Säugetierk., 7, 241–250, 1 pl.

1933A. Vorlage von Knochenbrüchen bei subfossilen Bären und Vielfrass. Zeit. Säugetierk., 8, 2, (abstract).

1933B. Das Aussterben der grossen Säugetiere Mitteleuropas am Ende der Eiszeit. Forsch. u. Fortsch., 9, 204–205.

Hindze, Boris

1928. Les cerveaux pétrifiés fossiles. Inst. Internat. d'Anthrop., 3d Sess. Amsterdam, 1927 [1928], 155-160.

Hinton, Martin A. C.

1928. Note on the fossil voles. Appendix B, in: "Excavation of a Mousterian rock-shelter at Devil's Tower, Gibraltar," (by D. M. A. Bate). Jour. Roy. Anthrop. Inst., 58, 110-111.

1932A. Note on "Cosomys" Wilson, from the Pliocene of California. Jour. Mammal., 13, 280-281.

1932B. The mammalian remains from Minchin Hole, Gower, South Wales. Appendix C, in: "Quaternary beaches of Gower," (by T. Neville George). Proc. Geolog. Assoc. London, 43, 318-320.

1933. Diagnoses of new genera and species of rodents from Indian Tertiary deposits. Ann. Mag. Nat. Hist., (10) 12, 620-622.

See: Palmer, L., and Hinton, 1929.

Hintze, Egon

1933. Ein Palaeoniscide aus dem Rotliegenden von Meisdorf-Opperode am Harz. Zeit. Naturwiss., 90, 4/6 Heft, 53-60, 2 figs.

Hirsch, G. Chr.

1928. Index Biologorum. Investigatores, laboratoria, periodica. Berlin: Julius Springer, vi + 545 pp.

Hirst, P. See: Schaffer and Hirst, 1930.

Hitchcock, Margaret R.

1931. The mastodon of Thomas Jefferson. Jour. Wash. Acad. Sci., 21, 80-86, 2 figs.
 Abstract in: Virginia Acad. Sci., Proc., 1930-1931, [1931], 58.

Hobley, Charles William See: Haughton 1932B.

Hodge, Edwin T.

1932. New evidence of the age of the John Day formation. Bull. Geol. Soc. Amer., 43, 695-702.

Abstract in: ibid., 44, 220.

Hoepen, E. C. N. Van See: Van Hoepen, E. C. N.

Hofker, J.

1928. Archegosaurus Decheni Goldf. Pal. Hungarica, 2, 1927 [1928], [not seen].

Hofmeyr, Jan H.

1929. Africa and science. Science, (n.s.) 70, 269-274; 294-299.

1930. Africa and science. Brit. Assoc. Adv. Sci., 97th meeting, 1929 [1930], 1-21.
 Abstract in Nature, 124, 135-145.

Hogben, Lancelot T.

1930. Principles of animal biology. London: Christophers, xxiv + 332 pp., 125 figs.

Holland, William Jacob

1927. [Obituary of:] Arnold Edward Ortmann [1863-1927]. Ann. Carnegie Mus., 17, 207-209.

1931. Earl Douglass. A sketch in appreciation of his life and work. Ann. Carnegie Mus., 20, 279-292, 2 portraits.

Hollick, Arthur

1931. Records of Triassic fossils on Staten Island, New York, with descriptions of specimens. Proc. Staten Island Inst. Arts, Sci., 6 (1), 5-22, 9 pls.

Holmes, Arthur See: Knopf, Schuchert, Kovarik, Holmes and Brown, 1931.

Holmes, Samuel Jackson See: Mason 1928.

Holmes, Walter W., and Simpson, G. G.

1931. Pleistocene exploration and fossil edentates in Florida. Bull. Amer. Mus. Nat. Hist., 59, 383-418, 21 figs.

Holmgren, Nils

1928. Some observations about the growth of the tail in *Lepidosiren*. Acta Zool., 9, 321-325, 4 figs. See also: Miller, A. E., 1930.

1933. On the origin of the tetrapod limb. Acta Zool., 14, 185-295, 106 figs.

Holtedahl, Olaf

1933. Minnetale over Professor Dr. Johan Kiaer. Årbok Norsk Vidensk.-Akad., 1932 [1933], 45-51, portrait.

Hoof, V. L. V. See: VanderHoof, V. L.

Hooton, Earnest Albert

1930. Doubts and suspicions concerning certain functional theories of primate evolution. Human Biol., 2, 223-249.

1931. Up from the ape. New York: The Macmillan Company, xvii + 626 pp., 58 figs., 28 pls. [Also] London: Allen & Unwin, Ltd.

Reviews: Anonymous in Quart. Rev. Biol., 7, 101; and Discovery, 13, 100-101; W. L. Clark in Man, 32, 262-263; Frassetto in Riv. Biol., 14, 569-570, 1932; Hrdlička in Amer. Jour. Phys. Anthrop., 16, 98; H. L. W. in Antiq., 7, 248-249.

Hoppe, Karl Heinz

1931A. Die Coelolepiden und Acanthodier des Obersilurs der Insel Ösel. Ihre Paläobiologie und Paläontologie. Palaeontogr., **76**, 35-94, 4 pls., 1 geol. map.

1931B. Über die Acanthodier der obersilurischen Beyrichienkalkgeschiebe. Zeit.

Geschieb. Flachlands Geol., 7, 117-121, 2 figs.

1933. Phlebolepis elegans Pander, aus dem Obersilur von Ösel. Bemerkungen zu dem von A. Heintz beschriebenen vollstandigen Exemplar von "Coelolepis luhai." Centralbl. Min. Geol. Pal., 1933, Abt. B, 124-130, 3 figs. See also: correction, ibid., 368.

Hopwood, Arthur Tindell

1928A. Gyrinodon quassus, a new genus and species of toxodont from western Buchivacoa (Venezuela). Quart. Jour. Geol. Soc. London, 84, 573-583, 6 figs.

1928B. [Exhibition and description of vertebrate remains from the Miocene of Kenya Colony.] Proc. Linn. Soc. London, 140th Sess., p. 10. See also: 1933C.

1929A. Hylochoerus grabhami, a new species of fossil pig from the White Nile. Ann. Mag. Nat. Hist., (10) 4, 289-290.

1929B. New and little-known mammals from the Miocene of Africa. Amer. Mus. Novit., no. 344, 1-9, 6 figs.

1929C. A review of the fossil mammals of Central Africa. Amer. Jour. Sci., (5) 17, 101-116.

1931A. Fossil ivory. Nat. Hist. Mag., 3, 12-14, 1 fig.

1931B. Correlation of the East African Pleistocene. Man, 31, 55-56.

1931C. Pleistocene Mammalia from Nyasaland and Tanganyika Territory. Geol. Mag., 68, 133-135.

1932A. The Olduvai expedition. Nat. Hist. Mag., 3, 214-225, 11 figs.

1932B. The age of "Oldoway Man." Man, 32, 222-226.

1932C. The age of Oldoway Man. Man, **32**, 192-195, 2 figs. See also: Boswell, P. G. H., 1932C; and Smith, G. E., 1932C.

1933A. Miocene primates from British East Africa. Ann. Mag. Nat. Hist., (10) 11, 96-98, tables. See also: Hopwood 1933C.

1933B. The Olduvai (Tanganyika Territory) expedition, 1931. Proc. Linn. Soc. London, 1932 [1933], 53-55.

1933C. Miocene primates from Kenya. Jour. Linn. Soc. London, 38, 437-464, 1 pl.

See: Leakey, et al., 1931; Leakey, Hopwood and Reck, 1931A, B, 1933; Pilgrim and Hopwood, 1928; Pycraft, et al., 1928.

Hopwood, A. T., [and Swinton, W. E.]

1928. Gyrinodon quassus, a new genus and species of toxodont from western Buchivacoa (Venezuela). Note on the reptilian remains by William Elgin Swinton. Ann. Mag. Nat. Hist., (10) 2, 536.

Hora, Sunder Lal
1930. [Convergent and divergent evolution.] Proc. Linn. Soc. London, no.
141, 12-14, (abstract).

Hörmann, K.
1929. Mesolithicum und Neolithicum in Mittelfranken? Die Kirchtalhöhle und Anderes. Abh. Naturf. Ges. Nürnberg, 21, 293-359.

Horne and Gilbert

1930. An interesting comparison, a study of the skulls of early Maori and Rhodesia Man. New Zealand Dental Jour., 25, 199, [not seen].

Hosmer, Ralph S., et al.

[Obituary of:] Louis Agassiz Fuertes, 1874-1927. Jour. Forestry, 25, 1927. portrait.

Hotchkiss, William Otis

1932. The story of a billion years. Baltimore: Williams & Wilkins, 137 pp., 8 Review: Bassin in Bull. Amer. Assoc. Petrol. Geolog., 17, 566-568.

Houston, Sam H., Jr.

Fossil footprints in Comanchean limestone beds, Bandera County, Texas. 1933. Jour. Geol., 41, 650-653, 2 figs.

Howard, Hildegarde

The beak of Parapavo californicus (Miller). Bull. S. Calif. Acad. Sci., 1928. **27,** 90-91.

1929. Additional bird records from the Pleistocene of Rancho La Brea. Condor. **31**, 251–252.

1930. A census of the Pleistocene birds of Rancho La Brea from the collections of the Los Angeles Museum. Condor, 32, 81-88, figs. 29-31.

1931A. Cryptoglaux funerea in New Mexico. Condor, 33, 216.

1931B. A new species of road-runner from Quaternary cave deposits in New Mexico. Condor, 33, 206-209, figs. 48-50. See also: ibid., 172.

1931C. Pliocene bird remains from Santa Barbara, California. Condor, 33, 30-31.

1932A. Eagles and eagle-like vultures of the Pleistocene of Rancho La Brea. Publ. Carnegie Instn. Wash., no. 429, 1-81, 3 figs., 29 pls. Review: Stone in Auk, (o.s.) 58, 137.

1932B. A new species of cormorant from Pliocene deposits near Santa Barbara, California. Condor, 34, 118-120, fig. 19.

A new species of owl from the Pleistocene of Rancho La Brea, California. 1933. Condor, 35, 66-69.

Howard, H., and Miller, A. H.

1933. Bird remains from cave deposits in New Mexico. Condor, 35, 15-18. Review: Anonymous in Ibis, (13) 3, 573.

Howchin, Walter
1928. The building of Australia and the succession of life: with special reference to South Australia. Pt. 2. Mesozoic and Cainozoic. Brit. Sci. Guild, S. Austral. Branch, Adelaide, 1928, 205-448, 11 figs.

Howell, Alfred Brazier

Aquatic mammals. Their adaption to life in the water. Springfield, Ill.: 1930. C. C. Thomas; London: Bailliere, Tindall & Cox, 338 pp., 54 figs., frontis. Review: Anonymous in Jour. Anat., 65, 280-281.

1932. Further evidence of the distinctness of the monotreme from the therian stock. Anat. Rec., 52, 58.

1933A. The paired fins of fishes. Anat. Rec., 55, 60, (abstract).

1933B. Homology of the paired fins in fishes. Jour. Morphol., 54, 451-457, 2 figs.

1933C. Morphogenesis of the shoulder architecture. Part I. General considerations. Quart. Rev. Biol., 8, 247-259, 4 figs. Part II. Piscae. Ibid., 434-456, 13 figs.

Howell, Benjamin Franklin, et al.

Third report of special committee on marking of type specimens. Bull. 1929. Geol. Soc. Amer., 40, 215-220, 1 chart. See also: Bull. Geol. Soc. Amer., 39, 287-288. Reprinted, with additions, in Mus. News, 8, no. 11, 9-11, 1930.

Howell, B. F., and Plummer, H. J.

"Neoparatype," a new term. Bull. Geol. Soc. Amer., 43, 266, (abstract).

[Howell, Edwin E.] 1933. An enigma of New Zealand. Ward's Nat. Sci. Bull., 6, no. 3 (Apr. 1933). p. 3. Summary of article on the Moa; in: ibid., 2, no. 1, Jan. 1883.

Hrdlička, Aleš

1926. The peopling of the earth. Proc. Amer. Philos. Soc., 65, 150-156.

1928A. The evidence bearing on man's evolution. Ann. Rept. Smithson. Instn., **1927** [1928], 417–432. Review: Fleure in Eug. Rev., 21, 67.

1928B. Field studies of early man in Europe. Explor. Field Work Smithson. Instn., 1927 [1928], 121-124, 3 figs.

1928C. [Letter in regard to work of Dr. J. S. Foote on studies of histology of bone and teeth. In: Foote 1928 (appendix, p. [i]).

1929A. The Neanderthal phase of man. Ann. Rept. Smithson. Instn., 1928 [1929] 593-621, 6 figs., 4 pls. Also in: Jour. Roy. Anthrop. Inst., 57 (1927), 249-274, 5 figs., pls. 6-9.
Review: Fleming in Eug. Rev., 22, 78; Vallois in L'Anthrop., 39, 289-291.

1929B. Man's future in the light of his past and present. Proc. Amer. Philos. Soc., 68, 1-11.

1930A. The skeletal remains of early man. Smithson. Misc. Coll., 83, x + 379 pp., 39 figs., 93 pls.

Reviews: Anonymous in Quart. Rev. Biol., **8**, 368-369; MacCurdy in Amer. Jour. Sci., (5) **20**, 480-481; G. M. M. in Man, **32**, 150; Malý in Anthrop. Prague, **9**, 194-197; V. in Rev. Gén. Sci., **42**, 318; Vallois in L'Anthrop., **41.** 564–565.

1930B. Human races. In: Cowdry 1930, "Human biology and racial welfare."

1930C. Organic evolution. Its problem and perplexities. Science, (n.s.) 71, 230-233.

1932A. The coming of man from Asia in the light of recent discoveries. Proc. Amer. Philos. Soc., 71, 393-402, 1 map.

1932B. The humerus: septal apertures. Anthrop. Prague, 10, 31-96.

Hubbard, George D.

New mastodon finds in European Turkey. Science, (n.s.) 73, 527-528. 1931.

Turkish grottoes of Yarim Burgaz. Pan-Am. Geol., 57, 321-328, 1 fig., 3 1932. pls. See also: Science, (n.s.) 73, 527.

Hubbard, Samuel
1927. The Doheny scientific expedition to the Hava Supai Canyon, northern Arizona, October and November, 1924. Oakland, Calif.: privately published for the author; (Sunset Press, Los Angeles), 39 pp., illustr. 2d. ed. [The first edition, published Jan. 26, 1925, lacks the "Supplement," pp. 21–39. Cover title of 2d ed.: "Discoveries relating to prehistoric man by the Doheny scientific expedition in the Hava Supai Canyon, northern Arizona. With supplement."]
Review: Boule in L'Anthrop., 38, 390-392.

Huber, Ernst

Conclusions as to the genetic relationship of the three phyla of the mam-1930. mals, Anat. Rec., 45, 223, (abstract).

1931A. Evolution of facial musculature and facial expression. Johns Hopkins Univ. Press, 196 pp. Review: Anonymous in Amer. Med. Assoc. Jour., 98, 1024.

1931B. Studies on the organization of the monotremes, contrasted with the marsupials and placentals. Morphol. Jahrb., 66, 46-61, 7 figs.

Hucke, K., und Voigt, E. Beiträge zur Kenntnis der Fauna des norddeutschen Septarientones. Zeit. 1929. Deutschen Geol. Ges., 81, 159-168, 2 pls.

Hueber, A. See: Marcus, Winsauer and Hueber, 1933.

Huene, Erika von

Zur Kenntnis des württembergischen Rätbonebeds mit Zahnfunden neuer 1933. Säuger und säugeränlicher Reptilien. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 89, 65-128, 3 pls.

Huene, Friedrich von 1928A. Aphorismen über die Stratigraphie des brasilianischen States Sao Paulo. Centralbl. Min. Geol. Pal., 1928, Abt. B, 524-531, 2 figs.

- 1928B. Ein Cynodontier aus der Trias Brasiliens. Centralbl. Min. Geol. Pal., 1928, Abt. B, 250-270, 14 figs. Abstract in: Physis, 10, 222.
- 1928C. Ein neuer Eurhinosaurus aus dem oberen Lias von Holzmaden. Neues Jahrb. Min. Geol. Pal., Abt. B, **59**, 471–484, 4 figs., 1 pl.
- 1928D. Lebensbild der Saurischier-Vorkommens im obersten Keuper von Trossingen in Württemberg. Palaeobiol., 1, 103-116, 2 figs., pls. 10-11.
- 1928E. Ueberblick über die Schichtenfolge der jüngeren Kreide und ihre Verbreitung in Patagonien. Centralbl. Min. Geol. Pal., 1928, Abt. B, 103-110.
  Abstract in: Physis, 10, 355.
- 1929A. Die Besonderheit der Titanosaurier. Centralbl. Min. Geol. Pal., 1929, Abt. B, 493-499, 1 pl. Abstract in: Physis, 10, 355-356.
- 1929B. Eine paläontologische Expedition in Südbrasilien. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 85, XC-XCII.
- 1929C. Kurze Übersicht über die Saurischia und ihre natürlichen Zusammenhange. Pal. Zeit., 11, 269–273. Discussion by M. Frank, *ibid.*, 273.
- 1929D. Los Saurisquios y Ornitisquios del Cretáceo Argentino. An. Mus. La Plata, (2a) 3, 1-196, 91 figs., 20 pp. + 44 pls. in atlas. See also: Schuchert 1930A.
  Abstract in: Physis, 10, 222-224.
- 1929E. Die Plateosaurier von Trossingen. Umschau, 33, 880-882, 6 figs.
- 1929F. Terrestrische Oberkreide in Uruguay. Centralbl. Min. Geol. Pal., 1929, Abt. B, 107-112, 1 map.
  Abstract by Kraglievich in Physis, 10, 221.
- 1929G. Ueber Rhynchosaurier und andere Reptilien aus den Gondwana-Ablagerungen Südamerikas. Geol. Pal. Abh., (N.F.) 17, 1-62, 14 figs., 8 pls.
- 1929H. Ein Plesiosaurier im Keuper. Centralbl. Min. Geol. Pal., 1929, Abt. B, 556-558, 5 figs.
- 1929I. Versuch einer Skizze der paläogeographischen Beziehungen Südamerikas. Geol. Rund., 20, 81-96.
- 1930A. Eine neue Trias fauna in Brasilien. Verh. Schweiz. Naturf. Ges., 111, 352, (abstract). Also in Portugese in: Ann. Acad. Brasil. Sci., 2, 189-190
- 1930B. Palaeochamaeleo und Coelurosauravus. Centralbl. Min. Geol. Pal., 1930, Abt. B, 440-441.
- 1930C. Terrestrische Oberkreide im zentralen Südamerika. Centralbl. Min. Geol. Pal., 1930, Abt. B, 177-181.
- 1930D. Über zwei Fälle von Nearthrose bei fossilen Ichthyosauriern. Anat. Anz., 70, 108-109, 2 figs.
- 1930E. Nota preliminar sobre os fosseis vertebrados do Sul do Brasil. Ann. Acad. Brasil. Sci., 2, 4.
- 1931A. Beitrag zur Kenntnis der Fauna der südafrikanischen Karrooformation. Geol. Pal. Abh., (N.F.) 18, 157–228, 46 figs., 7 pls.
- 1931B. Briefliche Mitteilung uber Pseudosuchia und Saurischia. Centralbl. Min. Geol. Pal., 1931, Abt. B, 655.
- 1931C. Die fossilen Fährten im Rhät von Ischigualasto in Nordwest-Argentinien. Palaeobiol., 4, 99-112, 1 pl.
- 1931D. II. Ichthyosaurier von Seran und Timor. Neues Jahrb. Min. Geol. Pal., Abt. B, 66, 211-214, 3 figs.
- 1931E. Neue Ichthyosaurier aus Württemberg. Neues Jahrb. Min. Geol. Pal., Abt. B, 65, 305-319, 20 figs., 1 pl.
- 1931F. Neue Studien über Ichthyosaurier aus Holzmaden. Abh. Senck. Naturf. Ges., 42, 345-382, 2 figs., 3 pls.
- 1931G. Personalia. [Obituary of Dr. Oliver P. Hay.] Centralbl. Min. Geol. Pal., 1931, Abt. B, 192.

1931H. Verschiedene mesozoische Wirbeltierreste aus Südamerika. Neues Jahrb. Min. Geol. Pal., Abt. B, 66, 181-198, 21 figs

1931I. Ergänzungen zur Kenntnis des Schädels von Placochelys und seiner Bedeutung. Geol. Hungarica, Ser. Pal., fasc. 9, 1-17, 3 pls.

1931J. Amphibia (Paläontologie). Handworterb. Naturwiss., 1, 299-312, 29 figs.

1932A. Die fossile Reptil-Ordnung Saurischia, ihre Entwicklung und Geschichte. Monog. Geol. Pal., (1) 4, pts. 1 and 2, viii + 361 pp., 41 figs., 56 pls.

1932B. Namenänderung: Carlesia in Dicarlesia. Centralbl. Min. Geol. Pal., 1932, Abt. B, 192.

1932C. Ein neuartiger Stegocephalen-Fund aus dem oberhessischen Buntsandstein. Pal. Zeit., 14, 200-229, 12 figs., 2 pls.

1932D. Über Tanystropheus und verwandte Formen. Neues Jahrb. Min. Geol. Pal., Abt. B, 67, 65-86, 18 figs.

1933A. Ein Versuch zur Stammesgeschichte der Krokodile. Centralbl. Min. Geol. Pal., 1933, Abt. B, 577-585, 2 figs.

1933B. Kurzer Überblick über die terrestrischen Wirbeltier-Faunen der jungeren Gondwanazeit. Centralbl. Min. Geol. Pal., 1933, Abt. B, 345-353, 2 tables.

1933C. Die Placodontier. 4. Zur Lebensweise und Verwandtschaft von Placodus. Abh. Senck. Naturf. Ges., 38, 367-382, 5 figs.

1933D. Zur Stratigraphie Brasiliens. Centralbl. Min. Geol. Pal., 1933, Abt. B, 418-423.

1933E. Berichtigung. Centralbl. Min. Geol. Pal., 1933, Abt. B, 480.

1933F. Die südamerikanische Gondwana-Fauna. Forsch. u. Fortsch., 9, 129-130, 2 figs.

1933G. Auffindung und Behandlung eines fossilen Saurierskeletts. Aus der Heimat, 46, 129-135, 10 figs.

Huene, F. v., and Matley, C. A.

1933. The Cretaceous Saurischia and Ornithischia of the central provinces of India. Pal. Indica, 21, 1-74, 33 figs., 24 pls.

Huene, F. v., and Stahlecker, R.

1931. Geologische Beobachtungen in Rio Grande do Sul. Neues Jahrb. Min. Geol. Pal., Abt. B, 65, 1-82, 22 figs., 1 pl.

Huene, F. v., and Watson, D. M. S.

1928. Diskussion [of Kirchner, Hch., "Über die Tierfährten im oberen Buntsandstein Frankens."] Pal. Zeit., 9, 122.

Hugues, Camille, and Gagniére, S.

1930. La grotte Moustérienne de l'Esquicho-Grapaou. Bull. Soc. Étud. Sci. Nat. Nimes, 45, 7-10, 1 fig.

Humbert, Jean See: Bastin and Humbert, 1929.

Hummel, Karl

1928. Allgemeine Ergebnisse von Studien über fossile Weichschildkröten (Trionychia). Pal. Zeit., 10, 53-58. Discussed by: Pompeckj in Pal. Zeit., 10, 59; and Schmidtgen, ibid.

1929. Die fossilen Weichschildkröten (Trionychia). Eine morphologisch-systematische und stammesgeschichtliche Studie. Geol. Pal. Abh., (N.F.)

**16,** 357–488, 34 figs.

1932. Trionychia fossilia. Fossilium Catalogus, Animalia. Pars 52, 1-106.

Hundt, Rudolph

1932. Tierreste in Asphaltgruben. Naturforscher, 9, 272.

Hupier, Charles

1933. Découverte d'un os d'oiseau dans le Cénomanien de Villers-sur-Mer (Calvados). C. R. Soc. Géol, France, 1933, 148-149.

Hurst, C. C.

1932. The mechanism of creative evolution. Cambridge: Univ. Press, xi + 365 pp., 199 figs.
Reviews: Anonymous in Jour. Amer. Med. Assoc., 100, 769; J. L. M. in Man, 34, 61.

Hürzeler, Joh.

1932. Die Helvétien-Tortonien Grenze im aarganischen Mittelland. Eclog. Geol. Helvetiae, **25**, 266–269.

1933. Vorlaufige Mitteilung zur Osteologie von Caenotherium Bravard. Eclog. Geol. Helvetiae, 26, 235-237.

Hussakof, Louis

1929. A new teleostean fish from the Niobrara of Kansas. Amer. Mus. Novit., no. 357, 1-4, 2 figs.

1930A. Dental elements in the arthrodire Titanichthys. Bull. Geol. Soc. Amer., 41, 196, (abstract).

1930B. Some fish remains from the Permian and Triassic of Brazil. Serv. Geol. Min. Brasil, Bol., 49, 1-13, 4 figs.

1932. The fossil fishes collected by the Central Asiatic Expedition. Amer. Mus. Novit., no. 553, 1-19, 26 figs.

Hussey, Russell Claudius

1930. [Fossils of sea-going whales discovered in Michigan.] Science, (n.s.) 72, 1871, xiv.

Huxley, Julian S. See: Mason, F., 1928; Beer and Huxley, 1928; Haldane and Huxley, 1927; Wells, Huxley and Wells, 1929.

Hyde, Jesse Earl

1928. Fossil fishing in Cleveland shale. Cleveland Mus. Nat. Hist., Popular Publ., 1, no. 1, 12 pp. Also in: Our Garden, (Aug.-Sept., 1928).

Ihering, Hermann von

1931. Land-bridges across the Atlantic and Pacific oceans—during the Kaino-zoic era. Quart. Jour. Geol. Soc. London, 87, 376-391, map.

Ingalls, Albert G.

1932. New notes on ancient man. Sci. Amer., 147, 156, 1 diagram.

Ingersoll, Ernest

1928. Dragons and dragon lore. New York: Payson & Clarke, Ltd., 203 pp., 20 figs. Introduction by Osborn 1928E.

Isberg, Orvar

1930A. Das Vorkommen des Renntiers (Rangifer tarandus L.) in Schweden während der postarktischen Zeit nebst einem Beitrag zur Kenntnis über das dortige erste Auftreten des Menschen. Ark. Zool,., 21, Hafte 2, no. 12, 1-26, 5 figs.

1930B. Zur Frage der organogenen Färbungen im fossilen Zustande. Ark. Zool., 21, Hafte 4, no. 33, 1-10, 1 pl.

Issupov, V.

1933. La plastéinisation du tissu musculaire du mammouth. C. R. Acad. Sci. URSS, (A) 1933, no. 7, 99-103, (Russian with French summary).

Jackson, John Wilfrid

1929A. Note on the animal remains from Garratt Morrissey's Cave. Univ. Bristol, Proc. Spelaeol. Soc., 3, 153.

1929B. Note on the animal remains from Ballynamintra, August 3, 1928, under stalagmite in inner chamber. Univ. Bristol, Proc. Spelaeol. Soc., 3, 153.

1929C. Report on the animal remains found in the Kilgreany Cave, Co. Waterford. Univ. Bristol, Proc. Spelaeol. Soc., 3, 137-152, 1 fig.

1933. Prehistoric domestic animals. Man, 33, 87.

Jacobi, Arnold

1929A. Die Verbreitung der Renntiere und die Kontinenten-Verschiebung. X Congr. Internat. Zool., Budapest, pt. 2, 1372–1381, 7 figs. See also: Jacobi 1931.

1929B. [Review of:] H. Sanielevici, "La vie des mammifères et des hommes fossiles, déchiffrée a l'aide de l'anatomie et de la physiologie comparées de l'appareil masticateur," (Bucarest, 1926). Sitz.-Ber. "Isis," 1929, xix.

1931. Das Renntier. Eine zoologische Monographie der Gattung Rangifer. Zool. Anz., Erganzungsband zu Band 96, vii + 264 pp., 25 figs., 6 pls., 7 maps. 1933. Ovibos pallantis Ham. Smith, der Moschusochs des altweltlichen Glazials, nach einem dritten Funde aus Sachsen. Sitz,-Ber. "Isis," 1933, 187-197, 2 figs., 1 pl.

Jacobshagen, Ed.

Studien am Oberkiefergebiss des wollhaarigen Nashorns Rhinoceros 1933. lenensis Pallas (antiquitatis Blumenb.). Pal. Zeit., 15, 246-279, 25 figs.

Jacot, Arthur Paul 1932. The status The status of the species and the genus. Amer. Nat., 66, 346-364.

Jacquin-Chatellier, L. See: Beauverie, J., et al., 1933.

Jaeger, Edmund Carroll

A dictionary of Greek and Latin combining forms used in zoological names. [2d ed.] Springfield, Ill.: Charles C. Thomas, 157 pp. (London: Bailliere, Tindall & Cox). [1st ed., 1930, viii + 101 pp.] 1931.

Jackel, Otto

1928A. Aussen- und Innenskelett. Zool. Anz., 78, 329-333.

1928B. Zur Urgeschichte des Menschen. Mitt. Geol. Pal. Inst. Univ. Greifswald, 6, 1-20, 1 pl. Review: Weinert in Mannus, 20, 430.

1929A. Die Spur eines neuen Urvogels (Protornis bavarica) und deren Bedeutung für die Urgeschichte der Vögel. Pal. Zeit., 11, 201-238, 20 figs., 1 pl. See: Richter 1929B.

1929B. Die Morphogenie der ältesten Wirbeltiere. Monog. Geol. Pal., (1) 3, 1-98, 130 figs., 14 pls. Review: Aldinger in Neues Jahrb. Min. Geol. Pal., Ref. III, 1931, 276-280.

Jägerskiöld, L. A.

Renfynd i Göteborgstrakten och i Bohuslan. Göteborg Mus., Arstryck, 1933. **1933**, 5–12, 6 figs.

Jakovlev, N. N.

1933. [Obituary of Louis Dollo.] Ann. Soc. Pal. Russie, 10, 1931-1933 [1935?] 7-9, portrait.

James, E. O.

The beginnings of man. Garden City, N. Y.: Doubleday, Doran & Co., 1929. xvii + 237 pp.

Janda, Viktor

1928. Vergleichende Untersuchungen über die Dimensionen der Flossenstrahlenglieder bei rezenten und fossilen Fischen. Zeit. Morphol. Ökol., **12,** 174–190.

Vergleichende Untersuchungen über den feineren Bau der schwung-, 1929. steuer- und kleineren Deckfedern bei wilden, domestizierten und künstlichen einflussen ausgesetzten Vögeln. Zool. Jahrb., 46 (Physiol.), 214-296, 6 figs.

Janensch, Werner

1929A. Material und Formengehalt der Sauropoden in der Ausbeute der Tendaguru-Expedition. Palaeontogr., Supp. 7 (1), Teil 2, Lief. 1, 1-34, 27 figs.

1929B. Die Wirbelsaule der Gattung Dicraeosaurus. Palaeontogr., Supp. 7 (1), Teil 2, Lief. 1, 37-133, 79 figs., 7 pls., 6 tables.

1929C. Magenstein bei Sauropoden der Tendaguru-Schichten. Palaeontogr., Supp. 7 (1), Teil 2, Lief. 1, 137-143, 1 pl.

1929D. Ein aufgestelltes und rekonstruiertes Skelett von Elaphrosaurus bambergi. Mit einem Nachtrag zur Osteologie dieses Coelurosauriers. Palaeontogr., Supp. 7 (1), Teil 1, Lief. 3, 279–286, 6 figs., 1 pl.

1929E. Ein Plesiosaurier-Rest mit Magensteinen aus mittlerem Lias von Quedlinburg. Sitz.-Ber. Ges. Naturf. Freunde, 1928 [1929], 89-94, 1 fig.

1931A. [Obituary of:] Joseph Felix Pompeckj. Sitz.-Ber. Ges. Naturf. Freunde, **1930** [1931], 281–286.

1931B. Ein neu aufgestelltes Dinosaurier-Skelett vom Tendaguru in Deutsch-Ostafrikas. Forsch. u. Fortschr., 7, 85-86.

Das Zungenbein der Dinosaurier. Sitz.-Ber. Ges. Naturf. Freunde. 1932. 1932, 229-234, 2 figs.

Janse, A. J. T.

1928. Continuous archigony and its bearing on evolution and classification. S. African Jour. Nat. Hist., 6, 204-215, 1 pl.

Jaroš, Zdeněk

1929. Fauna nejvyššího horizontu ve svrchním devonu na Húdech u Brno. [Fauna at top of the Devonian at Hády Hill near Brno, Czecho Slovakia.] Věst. Stat. Géol. Českosl. Republ., **5**, 257–265, 1 fig.

Jaworski, Eric

1931A. Bibliographica Palaeontologica für die Jahre 1914–1926. Erste Lieferung. Leipzig: Max Weg, 222 pp.

1931B. Neue Literatur. (b) Palaeontologisch. Zeit. Indukt. Abstamm. Vererbungsl., 57, (76)-(153).

1932. Neue Literatur. (b) Palaeontologisch. Zeit. Indukt. Abstamm. Vererbungsl., 60, (1)-(102).

1933. Neue Literatur. (b) Palaeontologisch. Zeit. Indukt. Abstamm. Vererbungsl., 64, (96).

Jaworski, Hélan, et al.

1933. Après Darwin (L'arbre biologique). Paris: J. B. Baillière et Fils, iii + 332 pp., 1 pl. With collaboration of R. D'Abadie and M. DeNicolay; and a preface by Edmond Perrier.

Jeannel, R. See: Arambourg and Jeannel, 1933.

Jeannet, Alph.

1928. Les poissons fossiles orginaux conservés à l'Institut de Géologie de l'Université de Neuchâtel. Soc. Neuchât. Sci. Nat., Bull. 52, 1927 [1928], 102-124.

Jegorov, N. M.

1933. Zur Frage über das Alter des sogenannten Podkumok-Menschen. Anthrop. Anz., 10, 223-225.

Jenkins, Olaf Pitt

1932. Report accompanying geologic map of northern Sierra Nevada. Calif. Div. Mines, 28th Rept. State Mineralog., nos. 3 and 4, 279-298, 8 figs., 1 map.

Jenks, Alfred Ernest

 1932. Pleistocene man in Minnesota. A preliminary announcement. Science, (n. s.) 75, 607-608.
 Abstract in: ibid., 546-547.

1933. Minnesota Pleistocene *Homo*. An interim communication. Proc. Nation. Acad. Sci., 19, 1-6, 3 figs.

Jenness, Diamond [Editor]

1933. The American aborigines; their origin and antiquity. A collection of papers by ten authors, assembled and edited by... Published for presentation at the Fifth Pacific Science Congress, Canada, 1933. Univ. of Toronto Press, 396 pp., 2 figs.

Jenny, W. A. von

1931. [Obituary of:] Josef Bayer. Prachist. Zeit., 22, 291-292, 1 fig.

Jepsen. Glenn Lowell

1926. Fossil collecting in the badlands. Black Hills Engineer, 14, 77-86, 12 figs. 1930A. Complete Paleocene section in Wyoming. Bull. Geol. Soc. Amer., 41, 200, (abstract).

Abstract in Pan-Am. Geol., 53, 155-156.

1930B. New vertebrate fossils from the Lower Eocene of the Bighorn Basin, Wyoming. Proc. Amer. Philos. Soc., 69, 117-131, 4 pls.

1930C. Stratigraphy and paleontology of the Paleocene of northeastern Park County, Wyoming. Proc. Amer. Philos. Soc., 69, 463-528, 4 figs., 10 pls. Reviews: Romer in Jour. Geol., 39, 302-303; G. G. Simpson in Pal. Zentralbl., 1, 287-288.

1931. Dinosaur egg shell fragments from Montana. Science, (n. s.) 73, 12-13. See also: Discovery, 12, 181-183, 3 figs.

1932. Tubulodon taylori, a Wind River Eocene tubulidentate from Wyoming. Proc. Amer. Philos. Soc., 71, 255-274, 1 fig., 1 pl.

1933. American eusmiloid sabre-tooth cats of the Oligocene epoch. Proc. Amer. Philos. Soc., 72, 355-369, 1 fig., 4 pls., 2 tables. See also: Anonymous 1932U.

See: Sinclair and Jepsen, 1929.

Jessen, Knud

1929A. Bjørnen (Ursus arctus L.) i Danmark. Meddel. Dansk Geol. Foren. 7, 273-286, (Danish with English summary).

1929B. Et Fund af interglacial Urokse i Danmark. Meddel, Dansk Geol. Foren., **7**, 321–322.

Jillson, Willard Rouse

The geology and mineral resources of Kentucky. Publ. Kentucky Geol. Surv., (6) 17, 1-409, 251 figs.

The paleontology of Kentucky. Publ. Kentucky Geol. Surv., (6) 36, 1928.

1931. xi-xiv + 469 pp., 33 figs., 78 pls.

Paleontological beginnings in Kentucky. Pan-Am. Geol., 57, 38-44. 1932.

Jodot, Paul

Sur une molaire d'un jeune Elephas primigenius trouvée à Brienne-le-château (Aube) et sur des restes d'éléphants signalés dans la haute 1933. valée de la Voire (Haute-Marne). Bull. Soc. Géol. France, (5) 3, 45-47.

Johnson, Jesse Harlan

1923. Tertiary man: a partial summary of present opinion and knowledge on the subject. Colo. School Mines, Alumni Mag., 13, no. 7, 8-10.

1924. Pleistocene man. Colo. School Mines, Alumni Mag., 13, no. 11, 8-13.

1929A. The geological antiquity of man in America. Colo. School Mines, Alumni Mag., 19, no. 3, 15-16.

1929B. Contribution to the geology of the Sangre de Cristo Mountains of Colorado. Proc. Colo. Sci. Soc., 12, 3-21, 1 map.

The paleontology of the Denver quadrangle, Colorado. Proc. Colo. Sci. 1931. Soc., 12, 355-378.

Johnson, J. H., and Behre, C. H.

1933. Ordovician and Devonian fish horizons in Colorado. Amer. Jour. Sci., (5) **25**, 477–486.

Johnson, John C.

Educational biology. The contributions of biology to education. A 1930. textbook for teachers' colleges and university schools and colleges of education. New York: The Macmillan Co., xx + 360 pp., 123 figs.

Johnston, William Alfred

Quaternary geology of North America in relation to the migration of man. In: Jenness, 1933, "The American Aborigines," pp. 11-45, 3 figs. 1933.

Johnstone, James

1932. The essentials of biology. New York: Longmans, Green & Co., v + 328 pp. Review: Anonymous in Lancet, 222, 1155.

Joleaud, Leonce

1928A. Eléphants et dinothériums pliocène de l'Ethiopie: contribution à l'étude paléogéographique des proboscidiens africains. C. R. Congr. Géol. Internat., 14th Sess., 1001-1007, 3 pls. Also in: C. R. Soc. Géol. France, 1929, 26-27, (abstract).

1928B. Observations sur un crane de crocodilien sténéosaure decouverte dans les argiles du Kimmeridgien supérieur d'Octeville-sur-Mer, prés du Havre. C. R. Assoc. Franç. Avance. Sci., 52, 331-332.

Abstract in: C. R. Soc. Géol. France, 1930, 10.

1928C. Les cerfs quaternaires à machôires épaisses d'Afrique et d'Asie. Rev. Sci. Paris, 66, 542, 1 fig.

1928D. Études de geographie zoologique sur la Berbérie (1) les rongeurs. A. Les léporinés. B. Les lièvres. C. R. Assoc. Franç. Avance. Sci., 52,

1929A. [Review of:] F. Ameghino, "Obras completas y correspondencia cientifica de Florentino Ameghino. V. Faraná y Monte Hermoso." (Official ed., La Plata, 1916.) Rev. Gén. Sci., 40, 121.

1929B. Remarques sur l'evolution des primates sud-americains, à propos du grand singe du Venezuela. Rev. Sci. Paris, 67, 269-273, 4 figs. Abstract in: C. R. Soc. Géol. France, 1930, 10.

1929C. [Presidential address.] C. R. Soc. Géol. France, 1929, 94-105.

1929D. Le laboratoire de paléontologie humaine de la Quina et les récentes découvertes prehistoriques du docteur Henri Martin dans les Charentes. Ann. Univ. Paris, 4, 292-302, 3 pls.

1930A. On the "Pachygenes" or "Pachygnathes" (thick-jawed Quaternary deer from Africa and Asia). Bull. Geol. Soc. China, 9, 195-203.

Abstract in: C. R. Soc. Géol. France, 1931, 154.

1930B. Le transformisme en paléontologie. Rev. Sci. Paris, (6) 68, 161-167. Abstract in: C. R. Soc. Géol. France, 1930, 50-51.

1930C. La conservation des restes organiques dans les dépôts géologiques. Bull. Assoc. Franç. Avance. Sci., 60, 1930 [1931], 233-246. Abstract in: C. R. Soc. Géol. France, 1931, 197.

1930D. La paléontologie, science de l'evolution de la vie aux temps géologiques. Assoc. Franç. Avance. Sci., Confer. Station Radiotéléphon. École Super. Postes Télégr. Les mardes 6 et 13 mai, 1930, 191-202.

1930E. Les crocodiliens du pliocene d'eau douce de l'Omo (Ethiopie). Livre Jubilaire, Cent. Soc. Géol. France, 1930, 411-430, 2 pls.

1931A. A propos de la persistance tardive du *Dinotherium* et de la très grande ancienneté d'outillages et de restes d'*Homo sapiens* dans l'Afrique orientale. C. R. Soc. Géol. France, 1931, 275-276.

1931B. Un nouveau primate paléohominien fossile: le Sinanthrope de Pékin. Rev. Sci. Paris, 69, 438-439, 3 figs.

Abstract in: C. R. Soc. Géol. France, 1931, 196.

1931C. L'expansion geographique des hommes de Neanderthal au quaternaire moyen dans les régions Méditerranéennes. Rev. Sci. Paris, 69, 466-469, 10 figs.
Abstract in: C. R. Soc. Géol. France, 1931, 196.

1931D. Études de geographie zoologique sur la Berbérie. Les Proboscidiens. Bull. Soc. Zool. France, **56**, 483-499.

1931E. Études de geographie zoologique sur la Berbérie. Les Perissodactyles. I. Les Rhinocéros. Arch. Zool. Ital., 16, 680-686.

1932A. Sur les nouvelles découvertes d'ethnologie préhistoriques en Afrique orientale. L'Anthrop., 42, 673-676.

1932B. Les progrès récents de la géologie. Rev. Sci. Paris, 70, 33-44, 26 figs.

1933A. Progrès récents de nos connaissances sur la géologie du quatérnaire et sur la préhistoire de l'Egypte. Rev. Gén. Sci., 44, 601-608.

1933B. Découverte d'une vertèbre de baleinoptère a Quilleboeuf (Seine-Inférieure).
Bull. Soc. Géol. Normandie, 62, 20. See also: La Nature, no. 2878, 327, (1932).

1933C. Un nouveau genre d'équidé quaternaire de l'Omo (Abssinie): Libyhipparion ethiopicum. Bull. Soc. Géol. France, (5) 3, 7-28, 1 pl. Abstract in: C. R. Soc. Géol. France, 1933, fasc. 13-14.

1933D. Études de géographie zoologique sur la Berbérie. C. R. Assoc. Franç. Avance. Sci., 57, 488-492.

Joleaud, L., and Lombard, J.

1933A. Conditions de fossilisation et de gisement des mammifères quaternaires d'Ounianga Kebir (Tibesti Sud-Oriental). Bull. Soc. Géol. France, (5) 3, 239-243, 1 fig.

1933B. Mammiferes quaternaires d'Ounianga Kebir (Tibesti Sud-Oriental). C. R. Acad. Sci. Paris, 196, no. 7, 497-499.

Joleaud, L., and Malavoy, J.

1931. Découverte d'une dent subfossile d'*Elephas africanus* dans le Sahara sud-Occidental. C. R. Soc. Géol. France, 1931, 118-119.

Jollos, Victor

1931. Genetik und Evolutionsproblem. Zool. Anz., Supp. Bd. 5, 252-295, 13 figs. Also separately; Leipzig: Akademische Verlags., 44 pp., 13 figs.

Jones, Frederic Wood

Man and the anthropoids. Amer. Jour. Phys. Anthrop., 12, 245-252, 2 figs. See also: Gregory, W. K., ibid., 253-255, 1 pl.

1929A. Man's place among the mammals. London: Edward Arnold & Co., xi + 372 + 8 pp., 160 figs., 12 pls.

Reviews: Anonymous in Brit. Med. Jour., 1:1, 159; Anonymous in Jour. Anat., 64, 531-534; Anonymous in Lancet, 218, 28; Harrison in Man, 31, 30; Keith in Nature, 125, 6-8; O'Donoghue in Sci. Progress, 25, 357-359; G. Sergi in Riv. Antrop., 28, 579-582; Straus in Jour. Mammal., 12, 171-173; Weinert in Zeit. Morphol. Anthrop., 29, 190-191.

1929B. Some landmarks in the phylogeny of the primates. Human Biol., 1, 214-228, 6 figs.

1931A. The external meatal notch as a primitive character. Nature, 128, 458.

1931B. A re-examination of the skeletal characters of Wynyardia bassiana, an extinct Tasmanian marsupial. Papers, Proc. Roy. Soc. Tasmania, **1930**, 96–115, 10 figs., 1 pl.

1931C. Measurements and landmarks in physical anthropology. Bishop Mus. Bull., 63, 67 pp., 9 figs.

Jones, Walter Bryan See: Aldrich and Jones, 1930.

Jongmans, Wilhelmus Josephus

1928. Stratigraphische Untersuchungen im Karbon von Limburg (Niederlande). C. R. Congr. Avance. Étud. Strat. Carbonifère, Heerlen, Juin 1927 [1928], 335-397.

Joos, G. See: Dittler, et al., 1931-1933.

Jooss, Carlo H. See: Mattheus 1928.

Jordan, David Starr

1928A. Evolution—its meaning. In: Mason, F., 1928, "Creation by Evolution," pp. 1-12.

1928B. Note on Kindleia and Stylomyleodon (Fossil fish from the Cretaceous deposits of Alberta). Canadian Field Nat., 42, 47.

1929A. Amia from the Cretaceous. Science, (n.s.) 89, 271-272.

1929B. Agassiz, Jean Louis Rodolphe (1807-1873). Enc. Brit., 14th ed., 1, 339-340, 1 fig.

See: Evermann 1930.

Jordan, D. S., and Kimball, S. L.

Your family tree. New York: D. Appleton Co., xi + 346 pp.

Jourdain, F. C. R. See: Kleinschmidt 1930.

Jüngst. H.

Zur vergleichenden Stratigraphie des Rhät zwischen Harz und Elsass. 1929. Notizbl. Ver. Erdk., 5, 130-193.

Junker, H. See: Obermaier 1931B.

Kadić, Ottokar

Die geologischen Verhältnisse der Mussolinihöhle in Ungarn. Föld. Közlöny, **63**, 177-182, map., (summary in Hungarian). See also: Barlangvilág, **3**, 11-17; and Priroda (Brno), **25**, 317-318. 1933.

Kadić, O., and Kretzoi, M.

Ergebnisse der weiteren Grabungen in der Esterházyhöhle. Mitt. Höhlen. 1930. Karstf., 1930, 45-49.

Kadletz, Maximilian

Anatomischer Atlas der extremitaten Gelenke von Pferd und Hund, zug-1931. leich eine Unterweisung zum fachgemässen Sezieren für Tierärzte und Studierende der Tierheilkunde. Berlin, Wien: Urban & Schwarzenberg, 1932 [1931], 71 pp., 56 pls.

Kahrs-Essen, Ernst Höhlen des bergischen Landes. (a) Die Höhlen des Neandertals. Nach-1933. richtenbl. Rhein. Heimatpfl., 4, 321-326, figs. 4-13.

Kaisin, M. F. Découverte d'un gisement ossifère pleistocène d'un type special a Claminforge (Aisemont). Ann. Soc. Sci. Bruxelles, (B) 53, 273-275, 2 figs.

Kälin, Josef Alois

1931A. Über die Stellung der Gavialiden im System der Crocodilia. Rev. Suisse Zool., 38, 379-388, 5 figs.

1931B. Zur vergleichenden Anatomie des Sternum. Rev. Suisse Zool., 38, 389–393.

1933A. Beitrage zur vergleichenden Osteologie des Crocodilidenschädels. Zool. Jahrb., 57 (Anat.), 535-714, 29 figs., 6 pls.

1933B. Über Altersvariationen am Crocodilidenschädel. Rev. Suisse Zool., 40, 237-241.

Kallins, Erich See: Bolk, Göppert, Kallins and Lubosch, 1931.

Kappers, Cornelius Ubbo Ariëns

1929A. The evolution of the nervous system in invertebrates, vertebrates and man. Haarlem: De Erven F. Bohn, vi + 335 pp., 146 figs., 8 pls. [1st ed. 1921.] Review: Boule in L'Anthrop., 40, 120; Van den Broek in Mensch en Maatsch., 6, 510-511.

1929B. The fissures on the frontal lobes of *Pithecanthropus erectus* Dubois compared with those of Neanderthal men, *Homo recens* and chimpanzee. Proc. Akad. Wet. Amsterdam, 32, pt. 1, 182-195, 5 figs., 1 pl. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 37, 924-936, 5 figs.

Review: Boule in L'Anthrop., 40, 119-120.

1929C. The frontal fissures on the endocranial casts of some Predmost men. Proc. Akad. Wet. Amsterdam, 32, pt. 1, 552-561, 2 figs., 1 pl., 1 table. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 38, 49-50.

1929D. Further communication on the fissures of the frontal lobes in Neanderthal men. Proc. Akad. Wet. Amsterdam, 32, pt. 1, 196-205, 1 fig., 2 pls. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 38, 11-12.
Review: Boule in L'Anthrop., 40, 119-120.

1931A. Demonstration zur Morphologie des Zentralnervensystems bei prähistorischen Rassen. Zentralbl. Neurol. Psychiatr., 61, 495. See also: Rev. Neurol., 38, II, 512, (1931).

1931B. The brain of prehistoric and recent races. Acta Psychiatr. et Neurol., 6, 505-528, 12 figs.

1932. [David Ferrier Lecture.] On some correlations between skull and brain. Philos. Trans. Roy. Soc. London, (B) 221, 391-426, 3 figs., 13 pls.

1933. The fissuration on the frontal lobe of Sinanthropus pekinensis Black, compared with the fissuration in Neanderthal men. Proc. Akad. Wet. Amsterdam, 36, pt. 2, 802-812, 2 pls., 1 table. Also in Dutch in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 42, 122; and Jahrb. Psychiatr. Neurol., 51, 79-90, 6 figs.

Karpinskii, A. A. [= A. P. Karpinskii]
 1930. A problematical fossil from the Paleozoic of the northern Urals. C. R. Acad. Sci. URSS, (A) 15, 387-390.

Kate, H. Ten See: Ten Kate, H.

Kawada, Michio

1932. On Bison occidentalis Lucas from Manchuria. Jour. Geol. Soc. Tokyo, 39, no. 463, 5-7, 1 pl.

Kay, J. LeRoy See: Peterson and Kay, 1931.

Kazeeff, W.

1933. Nouvelle antilope fossile de Transbaikalie. La Nature, 61, 364-365, 3 figs.

Keilhack, Konrad

1933. Eiszeiten. Handworterb. Naturwiss., 3, 80-98, 3 figs.

Keith, Sir Arthur

1928A. Concerning man's origin. New York: G. P. Putnam's Sons, 188 pp., portrait.

Review: in Osborn 1928H.

1928B. Darwinism and what it implies. London: Watts & Co.; New York: G. P. Putnam's Sons, vii + 56 pp.

1929A. The fossil man of Peking. Lancet, 217, 683-684.

1929B. The history of the human foot and its bearing on orthopaedic practice. Jour. Bone and Joint Surgery, 11, 10-32, 12 figs. Review: Anonymous in Brit. Med. Jour., 1929:1, 463-464.

1929C. Evolution of man. In: Enc. Brit., 14th ed., 14, 758-767, 3 figs.

1930. Recent discoveries of fossil man. Nature, 125, 935-942. See also: Gregory, W. K., 1930G.

1931A. The construction of man's family tree. Rept. Brit. Assoc. Adv. Sci., 100th meeting [London], 1931, 545-551. See also: Nature, 128, 590-591.

1981B. New discoveries relating to the antiquity of man. London: Williams & Norgate, Ltd., 1-512 pp., frontispiece, 186 figs. Also published by W. W. Norton & Co., New York, 1931.

Reviews: Anonymous in Discovery, 12, 164-165; in Lancet, 221, 871-872; in Quart. Rev. Biol., 7, 105-106; H[rdlička]in Amer. Jour. Phys. Anthrop., 16, 97-98; O'Donoghue in Sci. Progress, 26, 533; G. E. Smith in Nature, 127, 963-967; and in Brit. Med. Jour., 1931:1, 908-909; Vaufrey in L'Anthrop., 42, 554-559.

1931C. Evolutionary tendencies in the jaws. (A lecture given before the International Orthodontic Congress 1931), [not seen].
Review: Anonymous in Brit. Med. Jour., 1931:2, 191.

1931D. The evidence of palaeontology with regard to evolution. Rept. Brit. Assoc. Adv. Sci., 100th meeting [London], 1931, 369-371.

1932. Oldoway teeth. Man, 32, 247.

See: Smith, Keith, Parsons, et al., 1931; also McCown and Keith, 1932.

Keith, Sir A., Broom, R., and Lang, H.

1929. The "Springbok" Man: New light on South African prehistory. Illustr. London News, 1929, 426-428, 11 figs.

Keith, Sir A., Myres, J. L., Burkitt, M. C., Favell, R. V., Garfitt, G.A., Garrod, D.A. E., and Sollas, W. J.
 1931. Kent's Cavern. Report of committee appointed to co-operate with the

1931. Kent's Cavern. Report of committee appointed to co-operate with the Torquay Natural History Society in investigating Kent's Cavern. Rept. Brit. Assoc. Adv. Sci., 1930 [1931], 266-267, (abstract).

1932. Kent's Cavern. Report of committee appointed to co-operate with the Torquay Antiquarian Society in investigating Kent's Cavern. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 273–274, (abstract).

Keith, Sir A., Myres, J. L., Burkitt, M. C., Favell, R. V., Garfitt, G. A., Garrod, D. A. E., and Lacaille, Mr.

1932. Kent's Cavern, Torquay. Report of committee appointed to co-operate with the Torquay Natural History Society in investigating Kent's Cavern. Rept. Brit. Assoc. Adv. Sci., 1932, 289-290, (abstract).

1933. Kent's Cavern. Report of committee appointed to co-operate with the Torquay Natural History Society in investigating Kent's Cavern. Rept. Brit. Assoc. Adv. Sci., 1933, 301-302, (abstract).

Keith, Sir A., Osborn, H. F., Lang, W. D., Trueman, A. E., Swinnerton, H. H., and Watson, D. M. S.

1932. Discussion: The evidence of palaeontology with regard to evolution. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 369-374, (abstract).

Kellaway, G. A.

1932. The Rhaetic and Liassic rocks of Henleaze and Southmead [England].
Ann. Rept. Proc. Bristol Nat. Soc., 7, 285-302, 2 figs., 3 maps.

Keller, A. G.

1932. Man's rough road. Background and bearings from mankind's experience. New York: Frederick A. Stokes, viii + 450 pp.

Keller, R.
1928. Die Säugetiere der Lokalfauna von Winterthur im Wandel der Zeiten.
Winterthur: Geschw. Ziegler, 72 pp.

Kellogg, Arthur Remington
1928A. The history of whales—their adaptation to life in the water. Quart.
Rev. Biol., 3, 29-76, 174-208, 24 figs.

1928B. [Review of:] Weigelt, J., 1927, "Rezente Wirbeltierleichen und ihre paläobiologische Bedeutung." Jour. Mammal., 9, 159-160.

1929A. Extinct ocean-living mammals from Maryland. Explor. Field Work Smithson. Instn., 1928 [1929], 27-32, 4 figs.

1929B. A new cetothere from southern California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 18, 449-457, 2 figs.

1929C. A new fossil toothed whale from Florida. Amer. Mus. Novit., no. 389, 1-10, 3 figs.

1931A. Ancient relatives of living whales. Explor. Field Work Smithson. Instn., 1930 [1931], 83-90, 5 figs.

1931B. Pelagic mammals from the Temblor formation of the Kern River region, California. Proc. Calif. Acad. Sci., (4) 19, 217-397, 134 figs.

1932. A Miocene long-beaked porpoise from California. Smithson. Misc. Coll., 87, no. 2, 1-11, 4 pls.

Kelly, M. et Mme.

1928. Sur un gisement Moustérien nouvellement découvert à La Cave (Vilhoneur) (Charente). [Notice presented by P. Teilhard de Chardin.] L'Anthrop., 38, 348.

K[endall], P[ercy] F.
1929. Glacial period or Pleistocene ice age. Enc. Brit., 14th ed., 10, 374-381.

Kerner von Merilaun, Fritz 1930. Paläoklimatologie. Berlin: Gebrüder Borntraeger, viii + 512 pp.

Kerr, J. Graham

1982. Archaic fishes—Lepidosiren, Protopterus, Polypterus—and their bearing upon problems of vertebrate morphology. Jenaische Zeit. Naturwiss., 67, 419-433.

Kerschner, Theodor, and Schadler, J.

1933. Geschichte der naturwissenschaftlichen Sammlungen des oberosterreichischen Landesmuseums. Jahrb. Oberösterreich. Musealver., 85, 347-479, many figs.

Kesteven, H. Leighton 1931A. Contributions to the cranial osteology of the fishes. VII. The skull of Neoceratodus forsteri: A study in phylogeny. Rec. Austral. Mus., 18, 236-265, 8 figs.

1931B. The evolution of the Anamniota. Rec. Austral. Mus., 18, 167-200.

Keves. Charles Rollin

1930. Cope and American geology. Pan-Am. Geol., 54, 1-16.

1931. Esmeralda formation of California. Pan-Am. Geol., 56, 158-160.

Khabakov, Aleksandr V. See: Chabakov, A. W.

Khomenko, J. P.

1928A. Bemerkung zu: E. Pfizenmayer, "Ein Desmostylidenzahn von den neusibirischen Insel Kotelnyi." (Centralbl., Min. Geol. Pal., 1927, Abt. B, 492-496.) *Ibid.*, 1928, Abt. B, 519-520.

1928B. Neue Ergebnisse über die Familie der Desmostylidae. Mém. Soc. Russ. Mineral., (2) 57, 140-147, 2 pls.

1932. Hyaena borissiaki n. sp. aus der Russilon-Fauna Bessarabiens. Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932], 81-134, 9 pls., (Russian with German summary).

Kiær, Johan

1930A. Utvikling og utdøen i livets Historie. Det manglende Mellenledd [the missing link]. Radioforedrag, 1930, 24-53, 11 figs.

1930B. Ctenaspis, a new genus of cyathaspidian fishes. Skrift. Svalbard og Ishavet, 33, 3-7, 4 figs.

1931. Hemicyclaspis murchisoni—Faunaen i den downtoniske Sandstein på Jeløen i Oslofjorden. Norsk Geol. Tidsskrift., 12, 420-433, 3 figs., 1 pl., (English summary).

1932. The Downtonian and Devonian vertebrates of Spitzbergen. IV. Suborder Cyathaspida, by Johan Kiaer, a preliminary report edited by A. Heintz. Skrift. Svalbard og Ishavet, **52**, 26 pp., 12 figs., 11 pls.

Kiær, J., and Heintz, A.

1932. New coelolepids from the Upper Silurian on Oesel (Esthonia). Arch. Naturk. Estlands, (1) 10, 169-174, 2 pls.

1933. Revision of the Estonian Arthrodira. Part I. Family Homostiidae Jaekel. Arch. Naturk. Estlands, (1) 10, 180-291, 51 figs., 23 pls.

Kiderlen, Helmut

1928. Zur Kenntnis der süddeutschen Molasse. Centralbl. Min. Geol. Pal., 1928, Abt. B, 601-607.

1931. Beiträge zur Stratigraphie und Paläogeographie des süddeutschen Tertiärs. Neues Jahrb. Min. Geol. Pal., Abt. B, 66, 215-288, 15 figs., 2 pls.

Killermann, S., and Handmann, P. R.

1930. Die Erde und ihre Geschichte. [2d ed.] Regensburg: G. J. Manz, viii + 1056 pp., 1268 figs. [Vol. 2, by Killermann, Wasmann, P. E., Handmann, P. R., Pohle, J., and Weber, A., is entitled, "Das Buch der Nature," and contains a section on paleontology and fossil man].

Review: Pitiani in Wien Prähist. Zeit., 18, 80.

Kimball, Sarah L. See: Jordan and Kimball, 1929.

Kindersley, Henry R.

1932. The Bible and evolution: The evidence of history and science. Jour. Trans. Victoria Inst., 64, 191-208.

Kindle, Edward Martin

 Notes on dinosaur collecting in North America. Canadian Mining Jour., 50, 1106-1109, 7 figs.

1930. The role of fossils in geology. Canadian Mining Jour., 51, 588-592, 3 figs.

1931. The story of the discovery of Big Bone Lick. Publ. Kentucky Geol. Surv., (6) 41, pt. III, 195-212, 1 fig., 2 pls.

1932. Footprints. Canadian Mining Jour., 53, 247-249, 3 figs.

Kintner, Edward

1929. Notes on unearthing parts of a mastodon skeleton. Proc. Indiana Acad. Sci., 39, 237–239, 3 figs.

Kireev, A.

1932. Post-Tertiary fossils of the Lower Volga. Jour. Lower Volga Region Mus., 1932, 76-86, 4 figs., (in Russian).

Kirk, Edwin

1930. The Harding sandstone of Colorado. Amer. Jour. Sci., (5) 20, 456-465.

Kirk, Stuart Raeburn

1928. Preliminary note on the association of conodonts with ostracoderm plates in Ordovician rocks. Trans. Roy. Soc. Canada, 22 (3), CX, (abstract).

1929. Conodonts associated with the Ordovician fish fauna of Colorado—a preliminary note. Amer. Jour. Sci., (5) 18, 493-496, 14 figs.

Kirkham, Virgil Raymond Drexel

1931. Revision of the Payette and Idaho formations. Jour. Geol., 39, 193-239, 13 figs.

Kitchin, F. L.

1929. On the age of the upper and middle deinosaur deposits at Tendaguru, Tanganyika Territory. Geol. Mag., 66, 193-220.

Klaauw, C. J. van der See: Van der Klaauw, C. J.

Klähn, Hans

1929A. Die Genese lakustrer Dolomite und Kieselausscheidungen (Fall Garbenteich bei Giessen) und ihre Übertragung auf die Entstehung mariner Dolomite und Kieselausscheidungen. Neues Jahrb. Min. Geol. Pal., Abt. B, 61, 243-315, 9 figs.

1929B. Ist der "Dinotheriensand" Rheinhessens ein einheitlicher oder zusammengesetzter Komplex? Centralbl. Min. Geol. Pal., 1929, Abt. B,

601-605.

1929C. Mastodon longirostris-arvernensis von Leopoldsdorf in Niederosterreich. Verh. Geol. Bundesanst., 1929, 235-240, 5 figs.

1929D. Was nützt die Variationsstatistik der Paläontologie? Zeit. Deutschen Geol. Ges., 81, 23-35, 5 figs.

1930. Der Urrhein, seine Ablagerungen und deren paläozoologischer Inhalt. Sitz.-Ber. Abh. Naturf. Ges. Rostock, 2, 149-155.

1931. Rheinhessisches Pliozän, besonders Unterpliozän, im Rahmen des mitteleuropäischen Pliozän. Geol. Pal. Abh., (N. F.) 18, 277–340, 19 figs., 5 pls.

1932A. Mastodon arvernensis Croiz. und Job. aus dem Mittelpliocän von Willershausen und die Bedeutung des Vorkommens fur Pliocän-Fragen. Neues Jahrb. Min. Geol. Pal., Abt. B, 68, 149–178, 4 figs., 4 pls.

1932B. Sedimentdruck und seine Beziehung zum Fossil. Jahresh. Ver. Vaterländ. Naturk. Württemberg, 88, 52-80, 12 figs.

Klatt, Berthold

1928. Vergleichende Untersuchungen an Caniden und Procyoniden. Zool. Jahrb., 45 (Physiol.), 217-292, 8 figs.

Klebelsberg, Raimond von

1928. Ein Mammutzahn-Fund bei Innsbruck. Zeit. Gletscherk., 16, 261-262. 1932. Ein Fisch Fund in den Bändertonen des Inntals (Tirol). Zeit. Gletscherk.,

20, 137-138. Kleinschmidt, Otto

1929. Formenkreislehre und Paläontologie. Falco, 25, 9-10.

1930. The Formenkreis theory and the progress of the organic world. A recasting of the theory of descent and race-study to prepare the way for a harmonious conception of the universal reality... Translated [from the German ed. of 1926] by the Rev. F. C. R. Jourdain. London: H. F. & C. Witherby, 192 pp., 53 figs., 16 pls.

& C. Witherby, 192 pp., 53 figs., 16 pls.

Reviews: Anonymous in Ibis, (13) 1, 121-124; and Sci. Progress, 26, 164;

Boetticher in Anz. Ornithol. Ges. Bayern, 2, 158-162; Dawson in Man,

32, 150; Stone in Auk, 56, 286-288.

1931A. Die Berührungen der Ornithologie mit anderen Gebieten der zoologischen Wissenschaft. Proc. VII. Internat. Ornithol. Congr., 109-116.

1931B. Der Urmensch. [2d ed.] Leipzig: Quelle und Meyer, 156 pp., 44 figs., 16 pls.
Reviews: E. Fischer in Zeit. Morphol. Anthropol., 31, 278; Keiter in Mitt. Anthrop. Ges. Wien, 63, 127.

Kleiweg de Zwaan, J. P.

1928. Wat weten wij van den voorhistorischen mensch in den Indischen Archipel en op het naburig Aziatisch continent. Kon. Ned. Aardrijk. Genoot., Tijdschr., (2) 45, 551-576, 1 pl.
Review: Nippgen in L'Anthrop., 40, 494-496.

1930. Het vraagstuk van den tertiaren mensch. Samenvattend overzicht. Mensch en Maatsch., 6, 37-47.

Klimek, Stanisław

1928. O czaszkach paleoazjatyckich i eskimoskich. (Analiza statystyczna materjałow G. Montandona.) Kosmos (Lwów), **52**, 759-781, (in Polish).

Klinghardt, Franz

1930A. Gehirn- und Schädelstudien, 1-11. Pal. Zeit., 12, 120-129, 5 figs.

1930B. Aufgaben und Probleme der Gehirnforschung besonders vom Standpunkt des Palaeontologen. Sitz.-Ber. Ges. Naturf. Freunde, 1930, 107-118, 5 figs.

1931. Vergleichende Untersuchungen über das Gehirn und Gehirnrelief einiger rezenter und fossiler Raubtiers nebst Bemerkungen über die Schädel. Palaeontogr., 74, 135–176, 1 fig., 2 pls.

1933. Der innere Aufbau von Versteinerungen. Sitz.-Ber. Ges. Naturf. Freunde, 1933, 1-22, 7 figs., 3 pls.

Klingner, Fritz-Erdmann

1928. Bemerkungen zu einer Fährtenplatte aus dem Cornberger Sandstein. Centralbl. Min. Geol. Pal., 1928, Abt. B, 641-646, 1 fig.

Kluger, Joseph

1932. Rätselhafte Sandsteinkuggeln. Umschau, 36, 172-173, 4 figs.

Klüpfel, Walther

1930. Die Burdigal- und Helvettransgression im Rheintalgraben zwischen Basel und Giessen. Geol. Rund., 21, 163-174.

Knauer, Joseph See: Mattheus 1928.

Knight, Charles Robert

- 1929. Giant inhabitants of our continent more than 100,000,000 years ago. Sci. Amer., 141, 115.
- Extinct because of too much evolution. Sci. Amer., 144, 152. 1931.

Knopf, Adolph; Schuchert, C., Kovarik, A., Holmes, A., and Brown, E.
1931. Physics of the earth. IV. The age of the earth. Bull. Nation. Res.
Council, no. 80, iv + 487 pp.

Koch, Franz

- Ursprung und Verbreitung des Menschengeschlechts. Eine Neubegrün-1929.dung des Darwinismus auf Grund der Polwanderungen und im Anschluss an den Theorie Wegeners. Jena: Gustav Fischer, vi + 174 pp., 42 figs., 15 pls., 14 charts. See also: Med. Welt, 6, no. 26, 8 pp., (1932). Reviews: Wastl in Mitt. Anthrop. Ges., 60, 49-50; Van den Broek in Mensch en Maatsch., **6,** 353-354.
- Die Entwicklung und Verbreitung der Kontinente und ihrer höheren pflanzlichen und tierischen Bewohner. Braunschweig: F. Vieweg & 1931. Son, viii + 96 pp., 21 figs. Review: Plate in Arch. Biol., Berlin, 26, 325.

Koch, Lauge

- 1929.Stratigraphy of Greenland. Meddel. om Grønland, 73, nr. 2, 205-320, 8 figs.
- Carboniferous and Triassic stratigraphy of east Greenland. Meddel. om Grønland, 83, nr. 2, 1-99, 19 figs., 6 pls. [All names nomina nudae 1931. anticipating descriptions by Stensiö 1932B.]
- Koenigswald, Gustav Heinrich Ralph von Ictitherium aus dem Unterpliocän von Eppelsheim und Frohnstetten. 1928.Centralbl. Min. Geol. Pal., 1928, Abt. B, 646-649, 5 figs.
  - Bemerkungen zur Säugetierfauna des rheinhessischen Dinotheriensandes. 1929. Senck., 11, 267-279.
  - 1930. Die Tapirreste aus dem Aquitan von Ulm und Mainz. Palaeontogr., 73, 1-30, 4 pls.
  - 1931A. Die Bedeutung der Equiden für die Altersstellung des rheinhessischen Dinotheriensandes. Centralbl. Min. Geol. Pal., 1931, Abt. B, 42-48,
  - 1931B. Ein neuer Flugsaurier der Gattung Rhamphorhynchus aus dem Lithographischen Schiefer Frankens. Neues Jahrb. Min. Geol. Pal., Abt. B, **65,** 363–374, 2 pls.
  - 1931C. Sinanthropus, Pithecanthropus en de Ouderdom van de Trinillagen. Aanteekeningen bij de nieuwere literatuur over het Pithecanthropusvraagstuk. Mijningenieur, 1931, 198-202, 1 fig. Review: Kr. in Kon. Ned. Aardijk. Genoot., Tijdschrift, 49, 622.
  - 1932A. Versteinerungen als Arzneimittel bei den Chinesen auf Java. Ber. Senck. Naturf. Ges., 62, 292-295, 1 fig.
  - 1932B. Reste von Anthracotheriiden aus Süd- und West-Deutschland. Centralbl. Min. Geol. Pal., 1932, Abt. B, 217-221.
  - 1932C. Over het gebruik van fossielen en mineralen als Geneesmiddel bij de Chineezen in Insulinde. Pharmaceut. Tijdscrift, Ned.-Indië, 9, 4 pp., 1 pl. See: 1932A.
  - 1932D. Metaschizotherium Fraasi N. G., N. Sp., ein neuer Chalicotheriide aus dem Overmiocan von Steinheim a. Albuch. Palaeontogr., Supp. Bd. 8, pt. 8, 1-24, 1 fig., 3 pls.
  - Beitrag zur Kenntnis der fossilen Wirbeltiere Javas. Dienst Mijn. Ned.-1933. Indië, Wet. Meded., Teil I, no. 23, 1-178, 9 figs., 28 pls.

Koerner, Harold E.

- Jurassic fishes from New Mexico. Amer. Jour. Sci., (5) 19, 463. 1930.
- Fossil birds and mammals of Colorado. Univ. Colo. Studies, 18, 163-176. 1931.

Kolbe, Hermann

Tiergeographie und Morphologie, neue Untersuchungen zur Entwicklungs-1928. geschichte der Tiergattungen. Zool. Anz., 77, 195-209.

1931. Ueber thermophile Relikte aus der Tertiärzeit und der Postglazialzeit. Zool. Anz., 95, 113-136.

Koopmans, R. G.

1928. Celluloidpräparat anstatt Dünnschliff. Geol. Bur. Ned. Mijn. Heerlen, Jaarversl., 1928, 131-132.

Köppel, R.

1930. Urgeschichte des Menschen. Natuurhist. Maandbl., 19, 36, 1 pl.

1932. Die Neuentdeckten Neandertalmenschen von 'Athlît. Biblica, 13, 358–362.

Köppen, W., and Wegener, A.

1924. Die Klimate der geologischen Vorzeit. Berlin: Gebrüder Borntraeger, iv + 256 pp., 41 figs., chart.

Koppers, W. See: Abel and Koppers, 1933.

Kormos, Theodor [= Tivadar]

1930A. Desmana thermalis n. sp. ein neue präglaziale Bisamspitzmaus aus Ungarn. Ann. Hist.-Nat. Mus. Nation. Hungarici, 27, 1-19.

1930B. Diagnosen neuer Säugetiere aus der Oberpliozänen Fauna des Somlyóberges bei Püspökfürdö. Ann. Hist.-Nat. Mus. Nation. Hungarici, 27, 237-246.

- 1930C. "Uj adatok a püspökfürdői Somlyóhegy preglaciális faunájához." Állat. Közlem., 27, 40-56, (German summary: Beiträge zur Präglazialfauna des Somlyóberges bei Püspökfürdő, 57-61; bibliog. of 41 titles, 61-62). Abstract in: *ibid.*, 118.
- 1930D. "Uj ragadozó a Magyar pliocénböl." Állat. Közlem., 27, 212, (abstract).
- 1931A. Die ersten Spuren einer Forestbed-Fauna in Dalmatien. Ällat. Közlem., 28, 72-79. See also: Kormos 1931B.
- 1931B. Über eine neuentdeckte Forestbed-Fauna in Dalmatien. Palaeobiol., 4, 113-136, 7 figs. See also: Kormos 1931A. Abstract in: Allat. Közlem., 28, 119-120.
- 1931C. Oberpliozane Wühlmäuse von Senèze (Haute-Loire) und Val d'Arno (Toscana). Abh. Schweiz. Pal. Ges., 51, 1-14, 12 figs.
- 1931D. Pannonictis pliocaenica n.g., n. sp., a new giant mustelid from the late Pliocene of Hungary. Evkön. Kir. Föld. Intézet, **29,** 167-177, 1 pl. Abstract in: Kormos 1930D.
- 1932A. "Baranomys n. gen. egy uj rágcsaló a magyaronszági pliocénböl." Állat. Közlem., **29**, 96–97, (abstract).
- 1932B. "A brassói preglaciális fauna pocok-fajai." Állat. Közlem., 29, 207, (abstract).
- 1932C. Neue pliozäne Nagetiere aus der Moldau. Pal. Zeit., 14, 193-200, 2 figs. Abstract in: Kormos 1932E.
- 1932D. Neues Wühlmäuse aus dem Oberpliocän von Püspökfürdö. Neues Jahrb. Min. Geol. Pal., Abt. B, **69**, 323-346, 8 figs. Abstract in: Kormos 1932F.
- 1932E. "Prospalax Méh. es Pliospalax nov. gen." Állat. Közlem., 29, 205, (abstract). See: Kormos 1932C.
- 1932F. "Uj pockok a püspökfürdöi Somlyohegyrol." Allat. Közlem., 29, 205, (abstract). See: Kormos 1932D.
- 1932G. Die Fuchse des ungarischen Oberpliozäns. Folia Zool. Hydrobiol., 4, 167-188, 1 pl., (summary in Lettish).
- 1932H. Die präglazialen Feliden von Villány (Südungarn). Folia Zool. Hydrobiol., 4, 148-161, 1 pl.
- 1933A. Baranomys Lóczyi n.g. s. sp. ein neues Nagetier aus dem Oberpliocän Ungarns. Ällat. Közlem., 30, 45-54, 3 figs., (in Hungarian and German). Abstract in: Kormos 1932A.
- 1933B. Die Eiszeit im Lichte der Biologie. Palaeobiol., 5, 251-274.
- 1933C. Revision der präglazialen Wühlmäuse vom Gesprengberg bei Brassó in Siebenbürgen. Pal. Zeit., **15**, 1-21, 3 figs.

  Abstract in: Kormos 1932B.

1933D. Nuove tracce di una "Forest Bed" fauna nella regione Adriatica. Grotte Ital., 7, 69-71, 2 figs.

1933E. Die Wölfe des ungarischen Oberpliozäns. Folia Zool. Hydrobiol., 5, 13–35, 1 pl.

1933F. Zur Altersfrage der Fauna des Lateiner Berges (Stránská Skála) bei Brünn. Verh. Naturf. Ver. Brünn, **64**, 151-160, 3 figs.

1933G. Fragments d'os de petits Vertébrés, trouvés dans l'argile diluviale de Starunia. C. R. Acad. Polonaise Sci., no. 9, p. 5.

Korn, Hermann

1933. Eine für die Kenntnis der Cotylosaurier des deutschen Perms bedeutsame Schwimmfährte von Tambach. Palaeobiol., 5, 169-200, 4 figs., 1 pl.

Korschelt, E. See: Dittler, et al., 1931-1933.

Kos, F.

1931. Studien über den Artefaktcharakter der Klingen aus Höhlenbärenzähnen und der Knochendurchlochungen an den Funden aus der Potočka Zijalka und einigen anderen Höhlen. Prirod. Rasprave, 1, 89-106, 6 pls., (German with Slovenian summary).

Koslov, A.

1928. Thrissops volgensis sp. n. from the Lower Volgian of the Government of Ulianovsk. Bull. Géol. Leningrad, 47, 573-580, 1 fig., pl. 41, (Russian with English summary).

Koslowski, Leon See: Breuil and Koslowski, 1931.

Koslowski, Roman

1932. Sur un procédé simple et précis d'effectuer les coupes sérielles des fossiles. Pal. Zeit., 13, 316-318, 1 fig.

Kotsovsky, D.

1928. L'evolution de la vie et l'humanité contemporaine. Riv. Biol., 10, 1-20.

Kovarik, Alois See: Knopf, Schuchert, Kovarik, Holmes, and Brown, 1931.

Krabbe, Knud H.

1929. Recherches sur l'existence d'un oeil pariétal rudimentaire (le corpuscule pariétal) chez lez mammifères. Dansk. Videnskab. Selskab., Biol. Meddel., 8, 1-35, 11 pls. Also: Copenhagen: Andr. F. Host & Son, 1929.

Kraglievich, Lucas

1928A. Contribución al conocimiento de los grandes cánidos extinguidos de Sud America. An. Soc. Cien. Argent., 106, 25-66, 9 pls.

1928B. Descripción de los astrágalos de dos gravigrados terciarios de la subfamilia Nothrotherinae. An. Soc. Cien. Argent., **106**, 332–342, 3 figs.

1928C. "Mylodon Darwini" Owen, es la especie genotipo de "Mylodon" Ow. Rectificacion de la nomenclatura genérica de los milodontes. Physis, 9, 169-185, 1 fig., 2 pls.
Abstract in: An. Soc. Cien. Argent., 107, (1929), 461-462.

 1928D. Apuntes para la geología y paleontología de la Republica Oriental del Uruguay. Rev. Soc. Amigos Arqueol., 2, 5-61, 23 figs. Abstracts in: Physis, 9, 254-255; An. Soc. Cien. Argent., 107, (1929), 461.

1928E. Substitución del nombre generico de dos mamiferos fósiles argentinos. An. Soc. Cien. Argent., 105, 43-45.

1928F. Singular concordancia del sabio inglés Pilgrim con las ideas antropogénicas de Florentino Ameghino. Semana Médica, 1928, no. 36, 1-30 (of reprint). Abstract in: An. Soc. Cien. Argent., 107, 462.

1928G. Sobre el supuesto Astrapotherium Christi Stehlin, descubierto en Venezuela [Xenastrapotherium n. gen.] y sus relaciones con Astrapotherium magnum y Uruguaytherium Beaulieui. Buenos Aires: Editorial Franco, 1-16 pp., 5 figs.

1928H. Resumen de las investigaciones geológico-paleontológicas realizadas el año 1927 en los departmentos centrooccidentales de la Republica Oriental del Uruguay. "El Día" (Mercedes, Uruguay), Oct. 24, 1928. Also in: "La Mañana" (Montevideo), Nov. 21, 1928.

1929A. Sobre la ausencia natural de metacónido en el M<sub>1</sub> de "Canis Moreni" Lydek. y otras cuestiones. Réplica al Doctor Joaquin Frenguelli. An. Soc. Cien. Argent., 107, 243-254.

1929B. Los grandes roedores terciarios de la Argentina y sus relaciones con ciertos géneros pleistocenos de las Antillas. An. Mus. Nacion. Buenos Aires, 34, 121-135, 7 pls.

1929C. Sobre el conducto humeral en las vizcachas y paquirucos Chapadmalenses con descripción del *Paedotherium imperforatum*. An. Mus. Nacion. Buenos Aires, **34**, 45-88, 8 pls.

1930A. Craneometriá y clasificación de los cánidos sudamericanos especialmente los argentinos actuales y fosíles (extracto de uno monographía del autor). Physis, 10, 36-73, 12 figs., 7 pls. Abstract in: An. Soc. Cien. Argent., 110, 412-413.

1930B. Darwin. Algo sobre su labor cientifica en nuestro país. An. Soc. Cien. Argent., 109, 353-376.

1930C. La formación Friaseana del rio Frias, rio Fénix, Laguna Blanca, etc., y su fauna de mamíferos. Physis, 10, 127-161, 6 figs., 1 pl. Abstract in: An. Soc. Cien. Argent., 110, 411-412.

1930D. Los más grandes carpinchos actuales y fósiles della subfamilia "Hydro-choerinae." An. Soc. Cien. Argent., 110, 233-250, 340-358, 4 figs., 9 pls.

1930E. Un nuevo y interessante roedor de la fauna terciaria de Entre Rios. Caviodon (Lelongia) paranensis, n. subgen., n. sp. An. Soc. Cien. Argent., 110, 178-184, 1 fig.

1930F. Nuevos megalonicidos gigantescos de los generos "Megalonychops" Kragly "Diheterocnus" Kragl. Rev. Mus. La Plata, 32, (1929), 9-21, 7 pls.

1930G. 75° aniversario del natalico de Florentino Ameghino. Physis, 10, 210-213. 1930H. Descripción de un interesante roedor eumegámido descubierto en el Uru-

guay: Gyriabrus Teisseirei n. sp. Rev. Soc. Amigos Arqueol., 4, 219–224, 1 fig.

1930I. [Obituary of:] Santiago Pozzi [1859?-1929]. Physis, 10, 213-215.

1930J. Hallazgo de un proterotérido en la República del Uruguay. Rev. Soc-Amigos Arqueol., 4, 199-203, 1 fig.

1930K. Diagnosis osteológico-dentaria de las géneros vivientes de la subfamilia "Caviinae." An. Mus. Nacion. Buenos Aires, **36**, 59-96, 5 figs., pls. 1-11.

1930L. Los datos de la paleontología como testimonios de la evolución biológica. "Positivismo" (Buenos Aires), 4, 53-68.

1930M. [Review of:] "Reivindicação de Carolibergia de Mercerat, por Miranda-Ribeiro." Physis, 10, 227-228.

1931A. Caracteres craneodentarios del roedor viviente "Monticavia (Nanocavia) shiptoni" Thom. An. Soc. Cien. Argent., 112, 337-342, 4 figs.

1931B. Contribución al conocimiento de las aves fósiles de la épocha araucoentrerriana. Physis, 10, 304-315, 5 figs.

1931C. Cuatro notas paleontológicas. (Sobre "Octomylodon aversus" Amegh., "Argyrolagus Palmeri" Amegh., "Tetrastylus montanus" Amegh., y "Muñizia paranensis" n. gen. n. sp.). Physis, 10, 242-266, 4 figs.

1931D. Un notroterio pampeano gigantesco: Nothrotherium roveri Kragl. An. Mus. Nacion. Buenos Aires, 36, 503-513, 2 pls.

1931E. Nuevos géneros de roedores eumegámidos. Physis, 10, 392-394.

1931F. El despertar de los estudios paleontológicas en la República de Uruguay. Arch. Biol. Montevideo, 3, 32-39.

1931G. Sobre la presencia de toxodontes haplodontéridos en el piso araucanense de Catamarca "Toxodontherium andinum" n. sp. An. Soc. Cien. Argent., 111, 93-96, 1 fig.

1931H. Nuevas informaciones sobre el género "Dolicavia" C. Amegh. Physis, 10, 400.

1931I. Sobre la simplificación de los molares en los haplodontéridos. Physis, 10, no. 37, [not seen].

1931J. Sobre Trigodonops Lopesi (Roxo) Krag. Rev. Soc. Amigos Arqueol., 5, 195-200, 1 fig.

1931K. Megatherium Lundi Scijoi. Nueva subespecia pleistocena del Uruguay. Rev. Soc. Amigos Arqueol., **5**, 81-89, **2** figs. 1931L. Los paleontólogos Kraglievich y Berro: importantes investigaciones que realizan. "La Mañana" (Montevideo), Feb. 25, 1931.

1931M. Los trabajos del profesor Kraglievich. Habla el doctor Devincenzi. "El Ideal'' (Montevideo), March 23, 1931.

1931N. El Museo de Berro. "El Día" (Mercedes, Uruguay), April 22, 1931, poitrait of Kraglievich.

1932A. Contribución al conocimiento de los ciervos fósiles del Uruguay. An-Mus. Hist. Nat. Montevideo, (2) 3, 355-438, 10 figs., 10 pls.

1932B. Diagnosis de nuevos géneros y especies de roedores cávidos y eumegámidos fosiles de la Argentina. Rectificatión genérica de algunas especies conocidas y adiciones al conocimiento de otras. An. Soc. Cien. Argent., 114, 155-181, 1 fig., 211-237, 3 figs., 5 pls.

1932C. Una gigantesca ave fósil del Uruguay. Devincenzia Gallinali n. gen., n. sp., tipo de una neuva familia Devincenziidae del orden Stereornithes An. Mus. Hist. Nat. Montevideo, (2) 3, 323-353, 4 pls.

Abstract in: An. Soc. Cien. Argent., 116, 142-143.

1932D. Nuevos apuntes para la geología y paleontología Uruguayas. An. Mus. Hist. Nat. Montevideo, (2) 3, 257-321, 17 figs., 11 pls. Abstract in: An. Soc. Cien. Argent., 116, 142-143.

See: Cabrera and Kraglievich, 1931.

Kraglievich, L., and Parodi, L. J.

Morfología normal y variaciones de los molares del carpincho ("Hydro-1929. choerus hydrochoeris''). Physis, 9, 454-455.

1931. "Theosodon Pozzii" n. sp., el mayor teosodonte santa-cruceano. Physis, 10, 326-327.

Kraglievich, L., and Rusconi, C.

Restos de vertebrados vivientes y extinguidos hallados por los señores E. R. Wagner y hermano en túmulos pre-colombianos de Santiago del Estero. Physis, 10, 229-241, 5 figs.

Kraitschek, Gustav, and Capeller, F.

Der Mensch und seine Entwicklung. Berlin and Leipzig: de Gruyter, xi + 422 pp., 243 figs. (Vol. 3 of "Natur und Mensch.")

Kramberger, D. Gorjanović See: Gorjanović-Kramberger, D.

Kranz, Walter; Berckhemer, F., and Wagele, H.
1930. Die "Seelberg"—Ablagerungen in Cannstatt, ihre geologischen Verhältnisse, Fossilfunde und Naturdenkmale. Veröff. Staatl. Stelle, Naturschutz, Württemberg, Landesamt. Denkmalpflege, 1930, fasc. 7, 95-126, 5 figs., (= Jahresh. Ver. Vaterländ. Naturk. Württemberg, 86, 1930, 3d pagination). Review: P. W[ernert] in L'Anthrop., 42, 99-100.

Kraus, Ernst

Über Schwimmspuren im Sediment. Part VII of "Studien zur ostbal-1930. tischen Geologie." Korrespondenzbl. Naturf. Ver. Riga., 60, 191-193,

See: Mattheus 1928.

Krause, Paul Gustaf

[Obituary of:] Emanuel Kayser 1845-1927. Jahrb. Preuss. Geol. Landesanst., 49, xcvi-cxix, portrait.

Krejci-Graf, Karl

1932A. Definition der Begriffe Marken, Spuren, Fährten, Bauten, Hieroglyphen und Fucoiden. Senck., 14, 19-39, 5 tables.

1932B. Scientific nomenclature and the preparation of papers. Geol. Surv. Kwangtung and Kwangsi, Spec. Publ. 12, 1-130.

1933. Parallelisierung des südosteuropäischen Pliozäns. Geol. Rund., 23, 300-

See: Menzel, Weiler, and Krejci-Graf, 1930.

Krejci-Graf, K., and Weiler, W.

1928. Fische aus dem rumanischen Tertiar. Senck., 10, 55-80, 18 figs.

Kretzoi, Nikolaus [= Kretzoi, Miklós] 1928. "A csákvári Hipparion-fauna." Állat. Közlem., 25, 85-86, (abstract). 1929. Materialien zur phylogenetischen Klassifikation der Aeluroïdeen. X Cong. Internat. Zool., Budapest, pt. 2, 1293-1355, 2 pls.

1930. Feliden-Studien. Föld. Intézet Hăziny., 24, 1929 [1930], 1-22, 9 figs., 1 table.

See: Kadić and Kretzoi, 1930.

Kriegler, Karl

1928. Über photographische Aufnahmen prähistorischer Gräber. Mitt. Anthrop. Ges. Wien, 58, nos. 1 and 2, 113–116, 2 figs., 1 diagram.

Krijnen, W. F.

1931. Die palaeontologie en stratigraphie van Nederlandsch Oost-Indië. II. De vindplaatsen der fossielen. 17. Annotations to the map of the more important fossil localities in the Netherlands East Indies. Leid. Geol. Meded., 5, 509-551, fold. map.

Kripp, D.

1933. Die Kaubewegung und Lebensweise von Edmontosaurus spec. auf Grund der mechanischkonstruktiven Analyse. Palaeobiol., 5, 409-422, 5 figs.

Kroeber, Alfred Louis, and Waterman, T. T.

1931. Source book in anthropology. [Rev. ed.] New York: Harcourt, Brace & Co., viii + 571 pp.
Review: L. H. D[udley] B[uxton] in Man, 31, 74.

Krogman, Wilton Marion

1932. The morphological characters of the Australian skull. Jour. Anat., 66, 399-413, 7 figs.

Krüger, F.

1931. Otto Jaekel als Persönlichkeit [1863–1929]. Mitt. Naturwiss. Ver. Neuevorpommern u. Rügen, 57-58, 10-17.

Krumbiegel, I.

1933. Art Kenntnis und—Erkenntnis in der Säugetierkunde, ein Beitrag zur Geschichte der zoologischen Systematik. Sitz.-Ber. Ges. Naturf. Freunde, 1933, 110-125, 12 figs.

Kubacska, Andreas [= Tasnádi-Kubacska, András]

1928. Die Grundlagen der Literatur über Ungarns Vertebraten-Paläontologie. Band I. Vom Mittelalter bis 1847. Hefte des Collegium Hungaricum in Wien, 4, 1-97, 5 figs., 10 pls.

1929. Hazánk barlandjaiból ismeretes ösgerinces maradványok es kutatáauk története. [Pleistocene mammals.] Acta Biol., 1, 115-126, 4 pls., (in Magyar).

1930A. Aus höhlenbaren-eckzähnen verfertigte Werkzeugtypen aus dem ungarischen Paläolithikum. Palaeobiol., 3, 21-39, 9 figs., 2 pls.

1930B. Pathologische Untersuchungen an ungarländischen Versteinerungen-Palaeobiol., 3, 365-370, 1 fig.

1930C. A magyar irodalum legré gibb adatai az ösélettudomány köreből. Acta Biol., 1, 276–285, 1 fig., 1 pl., (Magyar with German summary).

1932A. Paläobiologische Untersuchungen aus 'Ungarn.' Geol. Hungarica, Ser. Pal. no. 10, 64 pp., 8 pls.

1932B. Über Schlifflachen der Penisknochen des Hohlenbaren aus dem ungarischen Paleolithikum. Acta Biol., 2, 135-140, 1 fig., (in German and Hungarian).

1932C. Bibliographica spelaeologica Hungarica. Barlangvilág, 2, 26-30.

1933. Pathologische Untersuchungen an ungarländischen Versteinerungen II. Palaeobiol., 5, 159-168, 2 pls.

Kuenen, H.

1931. K. Martin als docent. Leid. Geol. Meded., 5, 17-20.

Kuentz, L.

1933. Les pseudo-fossiles. La Nature, **61**, 126-127, 3 figs. See also: Gilmore, 1930D.

Kühn, Herbert
1929. Kunst und Kultur der Vorzeit Europas. Das Paläolithikum. Berlin
...d Lainzig: W de Gruvter & Co., 529 pp., 169 figs., 126 pls.

Reviews: Comte Begouen in Rev. Anthrop., 42, 394; Beninger in Mitt. Anthrop. Ges. Wien, 62, 157; MacCurdy in Amer. Anthrop., (n.s.) 32, 541-542; Obermaier in Praehist. Zeit., 20, 325-326; Olalla in Soc. Españ. Antrop. Actas Mem., 8 (A), 94-95; Vallois in L'Anthrop., 40, 477-478; Wiegers in Wien Prähist. Zeit., 18, 68-70; Zotz in Mannus, 23, 323.

1930. Die Höhlen Trais-Freres und Tuc D'Audoubert. Ipek, 1930, 115-116

pl. 1-3 der Mitt.

See: Bossert 1930.

Kuhn, Oskar

1932. Labyrinthodonten und Parasuchier aus dem mittleren Keuper von Ebrach in Oberfranken. Neues Jahrb. Min. Geol. Pal., Abt. B, **69**, 94-144, 6 figs., 3 pls.

1933A. Thecodontia. Fossilium Catalogus, Animalia, Pars 58, 1-32.

1933B. Labyrinthodontia. Fossilium Catalogus, Animalia, Pars 61, 1-14.

1933C. Placodontia. Fossilium Catalogus, Animalia, Pars 62, 1-15.

1933D. Über Reste proceeler Crocodilier aus der obersten Kreide von Patagonien-Pal. Zeit., 15, 81-93, 1 pl.

Kühn, Othmar

1928. Das Alter des braunkohlenfuhrenden Tertiärs von Bosnien, der Herzegowina und Dalmatien. Centralbl. Min. Geol. Pal., 1928, Abt. B, 569-571.

1930. Das Danien der ausseren Klippenzone bei Wien. Geol. Pal. Abh., (N.F.) 17, 493-576, 18 figs., 2 pls.

Kükenthal, Willy See: Handb. Vergl. Anat. Wirbeltiere (in List of Serials).

Kulling, Oskar

1931. An account of the localities of the Upper Devonian vertebrate finds in East Greenland in 1929. Meddel. om Grønland, 86, pt. 2, [3] + 14, 5 figs.

Kung-Moh-Wang See: Wang, K. M.

Kuntze, Roman

1932. Benediktus Dybowski als Säugetierforscher. Zeit. Säugetierk., 7, 39-54, 2 pls.

Kusmin, F. M. See: Kuzmin, F. M.

Küthe, K.

1933. Sus scrofa mosbachensis. Notizbl. Ver. Erdk., (5) 14, 117-124, 1 fig., 1 pl.

Kuzmin, F. M.

1931. [Isometric reconstruction in the study of paleontology.] Proc. Fourth Congr. Zoolog. Anatom. Histolog., Kiev, 1930 [1931], 79, (in Russian).

1933A. Die Fundorte der Labyrinthodonten in der buntfarbigen Serie des nördlichen Teiles der Oksko-Zninschen Antiklinale. Trav. Inst. Pal. Acad. Sei. URSS, 2, 1932 [1933], 283-287, (Russian with German summary).

1933B. Lower Triassic Stegocephalia from the northern part of the Oka-Tsna ridge. Ann. Soc. Pal. Russie, 10, 1931–1933[1935?], 39–48, 3 figs., (Russian with English summary).

See: Efremov and Kuzmin, 1932A, 1932B.

Kwaschnin-Ssamarin, N. [= M. Kvašninas-Samarinas]

1930. Studien über die Herkunft des osteuropäischen Pferdes, Haupsächlich auf Grund des baltischen Materials. Acta et Comment. Univ. Tartu, (A) 21, no. 1, 1–138, 30 figs., 4 pls.

Kyrle, Georg

1931. Die Höhlenbärenjägerstation. Speläol. Monog., **7-8, 9,** 804-862, 16 figs., 36 pls.

See: Abel and Kyrle, 1931.

Laatsch. Willy

1931. Die Biostratonomie der Ganoidfische des Kupferschiefers. Palaeobiol., 4, 175–238, 7 figs., 6 pls.

La Baume, Wolfgang
1930. Die weiblichen Schädel vom Ur (Bos primigenius) im Danziger Museum.
Schrift. Naturf. Ges. Danzig, (N.F.) 19, no. 3, 10-19, 4 pls. (9 figs.).

Lacoste, Jean
1929. Un moulage naturel représentatif de la moëlle épinière chez un reptile du lias. Bull. Soc. Géol. France, (4) 29, 31-33, 2 pls.

Lafetéur, R.

1930. IV. Additions diverse à la paléontologie jurassique de l'Aunis. Ann. Soc. Sci. Nat. Charente-Inférieure, 1, pt. 4, 101, fig. A., pl. 3.

Laguë, A. Sainte See: Magnan and Sainte-Laguë, 1933.

Laing, Gordon D., and Gear, J. H. S.

1930. A further report on the Strandlooper skulls found at Zitzikama. Rept. Brit. Assoc. Adv. Sci., 97th meeting, S. Africa, 1929 [1930], 370.

Lalande, André

1930. Les illusions évolutionnistes. (Biblioth. de philosophie contemporaine.)
Paris: Alcan, xii + 466 pp.
Review: L. G[uinet] in Isis, 19, 310.

Lamberton, C.

1929. Sur les Archaeoindris de Madagascar. C. R. Acad. Sci. Paris, 188, 1572–1574, 2 figs.

1931. Contribution a l'étude anatomique des Aepyornis. Bull. Acad. Malgache, 13, 151-174, 15 pls.

Lambrecht, Kálmán

1928A. Die Verwendung der Fluorographie in der paläontologischer Forschung. Verh. Zool.-Bot. Ges. Wien, 78, (62)-(70), 3 figs.

1928B. Fluorographische Beobachtungen an den "Elastischen Fasern" des Pterosaurier-Patagiums. Arch. Mus. Teyler., (3) 6, 40-50, 2 pls. See also: Lambrecht 1929D.

1928C. Paleotis Weigelti n. g., n. sp., ein fossile Trappe aus der mitteleozänen Braunkohle des Geiseltales. Jahrb. Hallescher Verb., (n. s.) 7, 20-29, 7 figs., 1 pl.

1929A. Mesozoische und tertiäre Vogelreste aus Siebenburgen. X Congr. Internat. Zool., Budapest, pt. 2, 1250, 1262-1275, 16 figs.

1929B. Neogaeornis wetzeli n. g., n. sp., der erste Kreidevogel der südlichen Hemisphäre. Pal. Zeit., 11, 121-129, 4 figs.
Discussed by: Marinelli, Pal. Zeit., 11, 129; Wetzel, ibid., 11, 129.

1929C. Stromeria fayumensis n. g., n. sp., die kontinentale Stammform der Aepyornithiden. Pal. Zeit., 11, 6. See also: Lambrecht 1929E.

1929D. Über die "Elastischen Fasern" des Pterosaurier-Patagiums. Palaeobiol., 2, 57-59. See also: Lambrecht 1928B; Abel, O., 1929A.

1929E. Stromeria fajumensis, n. g., n. sp., die kontinentale Stammform der Aepyornithidae, mit einer Übersicht über die fossilen Vögel Madagaskars und Africas. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., (n. s.) 4, 1-18, 2 pls. See Lambrecht 1929C for original description.

1930A. A Protoplotus beauforti a Szumátrai tertier ből (bemutatással). Állat. Közlem., 27, 211, (abstract). See also: Lambrecht 1931F.

1930B. Studien über fossile Riesenvögel. Geol. Hungarica, Ser. Pal., fasc. 7, 1-37, 7 figs., 3 pls.

1931A. Cygnopterus und Cygnavus, zwei fossile Schwäne aus dem Tertiar Europas. Bull. Mus. Hist. Nat. Belg., 7, no. 31, 1-6, 2 pls.

1931B. Die fossile Ornis. Speläol Monog., 7-8, 790-794.

1931C. Fortschritte der Palaeo-Ornithologie. Proc. VII Internat. Congr., 1930 [1931], 73-99.

1931D. Gallornis straeleni, n. g., n. sp. Ein Kreidevogel aus Frankreich. Bull. Mus. Hist. Nat., Belg., 7, no. 30, 1-6, 2 figs.

1931E. [Obituary of:] Louis Dollo, 1857 december 7—1931 április 19. Állat. Közlem., 28, 123-131.

1931F. Protoplotus beauforti, n. g., n. sp., ein Schlangenhalsvogel aus dem Tertiär von W. Sumatra. Dienst Mijn. Ned.-Indië, Wet. Meded., 17, 15-24, 4 figs., 2 pls. See also: Lambrecht 1930A.

1932A. Edgar Dacqué metafizikai paleontologiaja. Allat. Közlem., 29, 206–207. 1932B. Die neuen fossilen Vogelreste des Geiseltales. In: Weigelt 1932A, p. 14.

1932C. Planmässiges Sammeln oder: Die Tragödie des Strausses von Samos. Ber. Senck. Naturf. Ges., **62**, 19-25, 2 figs. 1933A. [Obituary of:] Franz Baron Nopcsa†, der Begründer der Paläophysiologie, 3 Mai 1877 bis 25. April 1933. Pal. Zeit., **15**, 201–221, 1 pl.

1933B. Handbuch der Palaeornithologie. Berlin: Borntraeger, xix + 1024, 209

Reviews: Bate and Lowe in Ibis, (13) 3, 793-797; Pongrácz in Állat. Közlem., 30, 194-195; Stresemann in Biol. Zentralbl., 54, 216-217; Wetmore in Auk, 59, 261-262.

Lameere, Auguste

1928. L'Année zoologique 1.—1927. Recueil Inst. Zool. Torley-Rousseau [Bruxelles], 1, 179-234, 21 figs.

Abrégé de la classification zoologique. Recueil Inst. Zool. Torley-Rous-1931. seau. 3, 167-283.

LaMonte, Francesca Raimonde

Memorial of Bashford Dean. Arch. Zool. Ital., 16, 323-325.

Lane, Henry Higgins

1932A. A new stegocephalian from the Pennsylvanian of Arkansas. Kansas Univ. Sci. Bull., 20, 313-317, 1 pl.

1932B. Variation in Paleosyops. Kansas Univ. Sci. Bull., 20, 319-326.

[Lang. Herbert]

New and astonishing light on prehistoric man. Masterly petroglyphs of the extinct mastodon prove the enormous antiquity of *Homo sapiens* in 1929. South Africa. Illustr. London News, July 13, (1929), 70-73, 100.

See also: Abel, O., 1933A.

See: Keith, Broom, and Lang, 1929.

Lang, W. D.

Form in fossils. Proc. Geolog. Assoc. London, 39, 429-444, 7 figs. 1928.

Palaeontology and the public: a curator's aspirations. Proc. Geolog. Assoc. 1930. London, 41, 175-179, 1 fig.

See: Keith, Osborn, Lang, Trueman, and Swinnerton, 1932.

Langelier, Gustave 1933. L'oiseau à queue de lézard. Nat. Canadien, (3) 60, 341-342.

Languine, Antonin

Le premier Congrès International des Sciences Préhistoriques et Protohistoriques (Londres 1932). L'Anthrop., 42, 525-545, 1 fig. Abstract in C. R. Soc. Géol. France, 1933, 53.

Lapage, Enid Oldham

1928A. The septomaxillary. I. In the Amphibia Urodela. Jour. Morphol. Physiol., 45, 441-458, 7 pls.

1928B. The septomaxillary of the Amphibia Anura and of the Reptilia. II. Jour. Morphol. Physiol., 46, 399-430, 9 pls.

Lapham, Macy Harvey

Fossil remains in the loess of eastern Washington. Science, (n. s.) 65, 1927. 446-447.

Lapparent, Abbé Albert F. de See: Chardin and Lapparent, 1933.

Larson, Leigh Marion

Osteology of the California road-runner, Recent and Pleistocene. Univ. Calif. Publ. Zool., 32, 409-428, 3 figs. Reviews: Anonymous in Ibis, (13) 1, 124; Stone in Auk, 56, 150.

Lattey, Cuthbert See: Messenger 1931.

Laubmann, Heinrich, et al. See: Mattheus 1928.

Lavauden, L.

Animaux disparus et légendaires de Madagascar. Rev. Sci. Paris, 69, 297-1931. 308, 2 figs.

Laverdière, Joseph-Willie

Description d'une plaque dentaire de dipneuste, Palaedaphus ferquensis, 1929. nov. sp., du dévonien supérieur du Boulonnais. Ann. Soc. Géol. Nord., **54**, 94–99, 2 figs., 1 pl.

Description d'une plaque osseuse d'Heterosteus (groupe des Arthrodira) 1930. du Frasnien de Trèlon (Nord de la France). Ann. Soc. Géol. Nord., 55, 61-70, 7 figs., 1 pl.

Leakey, L. S. B.

The Oldoway skull. Nature, 121, 499-500. 1928.

Prehistoric man in Kenya. Nature, 127, 814-815. With note by A. Keith. 1931.

1932A. The Oldoway human skeleton. Nature, 130, 578. See also: Watson and Cooper, 1932.

1932B. The Oldoway skeleton. Nature, 129, 721-722. See also: Watson and Cooper, 1932.

1932C. Fossil remains of large anthropoid apes from Lower Miocene deposits of Rusinga Island. In: Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. I, Human Pal., (Pres. Sir A. S. Woodward). Abstracts: Man, 32, 208; Riv. Antrop., 29, 666.

1933A. A reported ancestor of the human species. Science, (n. s.) 78, 8.

1933B. Early remains in East Africa. Man, 33, 65-68.

1933C. The status of the Kanam mandible and the Kaniera skulls. Man. 33. 200-201.

Discussions by: G. E. Smith, W. L. H. Duckworth, Sir A. S. Woodward. P. G. H. Boswell, and Dr. Leakey.

1933D. Fossiliferous deposits in the Horna-Kendu area, Kenya Colony. Quart. Jour, Geol. Soc. London, 69, exii-exiii.

1933E. Die Menschenrest von Kanam und Kanjera, Kenya-Kolonie. Mit Bericht der Konferenz des Roy. Anthrop. Inst. London und Nachwort von Th. Mollison. Anthrop. Anz., 10, 238-243, [not seen].

Leakey, L. S. B., et al.

The Stone Age cultures of Kenya Colony. [With appendices by (a) Solomon, J. D.; (b) Brooks, C. E. P.; (c) Hopwood, A. T.; (d) Connolly, M.; (e) Gregory, J. W.; (f) Beck, H. C.; (g) Macdonald, J. A.] Cambridge: Univ. Press, xiii + 288 pp., 47 figs., 31 pls., 1 map.
Reviews: Quiring in Prachist. Zeit., 23, 346-347; R. V[aufrey] in L'Anthrop. 49, 112-118

throp., 42, 113-118.

Leakey, L. S. B., Hopwood, A. T., and Reck, H. 1931A. Age of the Oldoway bone beds, Tanganyika Territory. Nature, 128. 724, 3 figs. See also: Leakey, Reck, Boswell, Hopwood, and Solomon,

1931B. New yields from the Oldoway bone beds, Tanganyika Territory. Nature, 128, 1075. See also: Leakey, Reck, Boswell, Hopwood, and Solomon.

Leakey, L. S. B., Reck, H., Boswell, P. G. H., Hopwood, A. T., and Solomon, J. D. The Oldoway human skeleton. Nature, 131, 397-398.

Lebkuchner, Richard, and Riek, G.

Über Fährtenfunde im mittleren Buntsandstein des Nordschwarzwaldes. Centralbl. Min. Geol. Pal., 1928, Abt. B, 633-641, 12 figs.

Lebling, A. See: Stromer and Lebling, 1929.

Le Buffe, Francis P.

1929.These missing links; comments on human evolution. New York: America Press, 32 pp.

1931A. But if it be a fossil! America, 46, 158-159.

1931B. "God" and some scientists. New York: America Press, 32 pp.

1931C. Human evolution and science. New York: America Press, 48 pp., (7th ed. revised).

1931D. Misguided evolutionists. New York: America Press, 24 pp.

1931E. So this is evolution! New York: America Press, 32 pp.

Lebzelter, Viktor

Plastische Rekonstruktionen der Mammuthjäger von Lautsch und Préd-1933. most. Mitt. Anthrop. Ges. Wien, 63, (5)-(7), 2 figs.

Leclercq, Suzanne

1931. Quelques faits paléontologiques montrant la concentration centripète de formes jadis cosmopolites. Ann. Soc. Géol. Belg., 54, 307-325, 7 figs.

1932. Paléontologie et migrations. C. R. Assoc. Franç. Avance. Sci., 56, 477-482.

See: Fraipont and Leclercq, 1932A, B.

Lees, James H.

1932. Memorial of Abram Owen Thomas. Bull. Geol. Soc. Amer., 43, 108-114, portrait.

Le Gros Clark, W. E. See: Clark, W. E. Le Gros.

Lehmann, Wl.

1933. Ursus spelaeus rossicus Borissjak und Ursus spelaeus minor v. Nordmann. Bull. Comm. Géol. Finlande, 101, 14-22, 2 figs.

Lehne, Richard

1931. Klimatisch-alimentär bedingte pathologische Väranderungen eines fossilen Kiefers. Beitrag zur Pathogenese der krankhaften Veränderungen des Ehringsdorfer Kiefers. Zeit. Stomatol., 1931, 883-891, 12 figs.

Leidy, Joseph, II.

1932. Leidy's Cretaceous reptiles of the United States. Science, (n. s.) 75, 583-584.

Leighton, Henry

1933. [Memorial of:] William Jacob Holland. Bull. Geol. Soc. Amer., 44, 347-352, portrait.

Lemoine, Eugene

1932. [Obituary of:] Charles Depéret, 1854–1929. Bull. Soc. Hist. Nat. Savoie, **22**, 45–46, 106–113, portrait.

Lenard, Philipp

1933. Great men of science. A history of scientific progress. Translated from the second German edition by H. Stafford Hatfield. New York: The Macmillan Co., xx + 389 pp.

Lenoir, Ernest

1933. Reflexions sur l'hiatus Moustiero-Aurignacien. Congr. Internat. Anthrop. Archeol. Préhist., 1931, 416-421.

Leonardi, Piero

1933. Nuovi resti di ippopotamo nelle ligniti del Mercure. Studi. Trentini,
19, fasc. 1, 1 pl.
Abstract in: Riv. Ital. Pal., 39, 117.

Lepierre, C.

1930. Análise de ossos do mastodonte do Terciario superior. Bol. Acad. Sci. Lisboa, (n. s.) 2, 696-700.

Leriche, Maurice

1928A. Les poissons de la molasse Suisse. Part 12. Mém. Soc. Pal. Suisse, 47, 57-119, 5 pls.

1928B. Sur une forme nouvelle du genre "Chlamydoselachus" ("C. Tobleri") rejetée par le volcan de boue de Chagonary (île de la Trinité, Petites-Antilles). Bull. Soc. Géol. Belge, 38, fasc. 1, 55-58, 7 figs. Abstract in: C. R. Soc. Géol. France, 1930, 99.

1929A. Sur la répartition des facies lagunaires et fluviatile du Landénien, dans les bassins belge et parisien. Bull. Soc. Géol. Belge, 38, fasc. 1, 69-91, 1 fig., map.

Abstract in: C. R. Soc. Géol. France, 1930, 99-100.

1929B. Les poissons du crétacé marin de la Belgique et du Limbourg hollandais. Bull. Soc. Géol. Belge, **37**, 199–286, 18 figs. Abstract in: C. R. Soc. Géol. France, **1930**, 98–99.

1930A. Notes de paléontologie stratigraphique. II. Fossiles trouvés a Frameries (Hainaut), dans la craie de Saint-Vaast. (Senonien inférieur). Bull. Soc. Géol. Belge, 40, fasc. 1, 70-71.

1930B. Rectifications de nomenclature au sujet du grand Cérithe du Tuffeau de Ciply (Montien) et de "Hybodus" de la Glauconie de Lonzée (Santonien). Bull. Soc. Géol. Belge, 39, fasc. 1, 102-105.

1931. Les poissons Famenniens, de la Belgique. Les facies du Famennien dans la région gallo-belge. Les relations entre les formations marines et les formations continentales du dévonien supérieur sur la bordure méridionale du continent Nord-Atlantique. Mém. Acad. Roy. Belg., (Cl. Sci.), 10, 1-72, 7 figs., 8 pls.
Abstract in: C. R. Soc. Géol. France, 1931, 202.

1932A. Les poissons éocènes du bassin de Paris (deuxieme note additionelle). Bull. Soc. Géol. France, (5) 2, 357-374, 10 figs., 1 pl.

1932B. Sur des vestiges d'une formation estuarienne, d'âge Ypresien, remaniés a la base du Lutétien de la bordure occidentale du bassin de Paris. C. R. Acad. Sci. Paris, 194, 2147-2149.

1932C. Sur un myliobate (Myliobates bellardi Issel) du Calcaire à Astéries (Rupélien) des environs de la Réole (Gironde). Bull. Soc. Géol. France, (5) 2, 375-378, 1 fig., 2 pls.

Le Riche, Phillip J.

1929. Scientific proofs of a universal deluge. Jour. Trans. Victoria Inst., 61, 86-102.

Le Roy, Edward

1928. Les origines humaines et l'évolution de l'intelligence. Paris: Bowin et Cie, 371 pp.
Review: L. G[uinet] in Isis, 13, 243-244.

Leuchs, Kurt

1928. Beiträge zur Lithogenesis kalkalpiner Sedimente. 2 Teil. Gesteinsausbildung und Fossilen in der bayrischnordtiroler Fazies der norischen Trias. Neues Jahrb. Min. Geol. Pal., Abt. B, 59, 409-430, 1 pl.

1932. Lepidotus-Reste aus dem norischen Plattenkalk Nordtirols. Centralbl. Min. Geol. Pal., 1932, Abt. B, 252-254, 1 fig.

Leuthardt, F.

1929. Neue Funde von Resten grosser Huftiere aus dem Diluvium der Umgebung von Liestal. Eclog. Geol. Helvetiae, 22, 162–165.
Abstract in: Verh. Schweiz. Naturf. Ges., 110, 191–192.

1930. Ueber eisenzeitliche Knochenreste (Küchenabfälle) von der Sissacherfluh (Baselland). Eclog. Geol. Helvetiae, 23, 588-593.

Abstract in: Verh. Schweiz. Naturf. Ges., 111, 347-348.

Leverett, Frank

1929. Pleistocene glaciations in the northern hemisphere. Science, (n. s.), 69, 231-239.

1930. [National Academy of Sciences—meetings.] II. Relative values of physiographic and paleontologic criteria in Pleistocene correlations. Science, (n. s.) 71, 544.

Lewis, F. Park

1928. Fossil eggs in Bermuda. Hobbies (Buffalo Mus. Sci.), 8, no. 11, 19-23, 2 figs.

Lewis, G. Edward

1933A. Notice of the discovery of *Plesiogulo brachygnathus* in the Siwalik measures of India. Amer. Jour. Sci., (5) **26**, 80.

1933B. Preliminary notice of a new genus of lemuroid from the Siwaliks. Amer. Jour. Sci., (5) 26, 134-138, 2 figs.

Licent, E.

1930. The Nan Ye Li Sanmenian fossiliferous deposit. Bull. Geol. Soc. China, 9, 101-104, 2 figs.

See: Boule, Breuil, Licent, and Chardin, 1928.

Liebus, Adalbert

1928. Verzeichnis der geologisch-paleontolog. Literatur über das Gebiet von Böhmen, Mähren und Schlesien aus dem Jahre 1927 mit Nachträgen aus den Früheren Jahren. Lotos, 76, 365-374.

1929A. Grabung in der oberen Tuffna-Höhle (Slowakei). Pal. Zeit., 11, 339. See also: Sudeta, 9, part 2, 41-58, 1933.

1929B. Neue Andrias-Reste aus dem böhmischen Tertiär. Pal. Zeit., 11, 102-120, 1 fig., 2 pls. See also: Věst. Stát. Geol. Českosl. Republ., 5, 284-286, 1 pl.

1929C. Über die Säugetierfauna der Quartärablagerungen aus der Umgebung von Aussig. a. d. E. Lotos, 77, 117–146, 4 figs., map.

1929D. Verzeichnis der geologisch-paläontologischen Literatur über das Gebiet von Böhmen, Mähren und Schlesien im Jahre 1928. Lotos, 77, 238-247.

1930. Verzeichnis der geologisch-paläontologischen Literatur über das Gebie<sup>t</sup> von Böhmen, Mähren, und Schlesien im Jahre 1929 mit Nachträgen aus früheren Jahren. Lotos, **78**, 179–192.

1931. Verzeichnis der geologisch-paläontologischen Literatur über das Gebiet der Sudetenländer aus dem Jahre 1930 mit Nachträgen. Lotos, 79, 143-150.

1932. Verzeichnis der geologischen und paläontologischen Literatur der Sudetenländer aus dem Jahre 1931 mit Nachträgen. Lotos, 80, 105-115.

1933A. Verzeichnis der geologischen und paläontologischen Literatur der Sudenenländer aus dem Jahre 1932 mit Nachträgen. Lotos, 81, 34-43.

1933B. Beitrage zur Kenntnis der Wirbeltierfauna des böhmischen Quartärs. Lotos, 81, 17-34, 3 pls.

Liesgang, —, — See: Edinger 1933B.

Linck, G. See: Dittler, et al., 1931-1933.

Linckenheld, Emile

1928. Notice sur les chevaux sauvages, bisons, aurochs et élans dans les Vosges. L'Anthrop., 38, 245-254.

Linders, F. J.

1928. Über das Summenverfahren und dessen Anwendung bei anthropometrischen Berechnungen. Anthrop. Anz., 5, 327-334.

Lindsey, Arthur Ward

1929. Textbook of evolution and genetics. New York: The Macmillan Co., xii + 459 pp.

1931. The problems of evolution. New York: The Macmillan Co., xii + 236 pp. Review: Anonymous in Discovery, 12, 306.

Lips, R.

1930. Modifikationen in Zusammenhang von Funktion und Gelenkflächen aus bildung am Carpalsegment arctoider Carnivoren. Zeit. Säugetierk., 5, 105-240, 126 figs., 5 pls.

Little, Malcolm Edgeworth

1932. Structure of the vertebrates. New York: Ray Long & Richard Smith, Inc., xiv + 392 pp., 168 figs.
Review: Anonymous in Quart. Rev. Biol., 7, 487.

Livingstone, J. E.

1929. List of publications bearing on the geology of Bristol district for the years 1914–1928. Ann. Rept. Proc. Bristol. Nat. Soc., 7, 58-70.

Llueca, F. Gomez

1929. El professor Charles Depéret (1854-1929). Conf. Res. Cien. Soc. Españ. Hist. Nat., 4, 137-150, 4 figs., portrait.

See: Depéret and Llueca, 1928.

Lodge, Sir Oliver

1929. The making of man; a study in evolution. London: Hodder & Stoughton, 186 pp.

Loel, Wayne, and Corey, W. H.

1932. The Vaqueros formation, Lower Miocene of California. I. Paleontology. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 22, 31-440, 61 pls., 2 maps.

Lombard, J.

1928. Notes préliminaires sur la géologie de l'Afrique équatoriale française.—
4. Description de deux dents de Lamnidae provenant de la falaise de Pointe Noire. C. R. Soc. Géol. France, 1928, 283-285.

See: Joleaud and Lombard, 1933A, B.

Longley, William Harding

1932. The law of organic evolution and its place among the laws of kinetic systems. Jour. Wash. Acad. Sci., 22, 276-278.

1933. Evolution in light of the incidental records of taxonomy. Proc. Linn. Soc. London, 1933, 107-112.

Longman, Heber A.

1928. A large jaw of Pallimnarchus pollens. Mem. Queensland Mus., 9, 158-159, 1 pl.

1929. Palæontological notes. Mem. Queensland Mus., 9, 247-251, 1 pl.

1930. Kronosaurus queenslandicus, a gigantic Cretaceous pliosaur. Mem-Queensland Mus., 10, 1-7, 5 figs.

1932A. A new Cretaceous fish. Mem. Queensland Mus., 10, 89-97, 3 figs., 2 pls.

1932B. Restoration of Kronosaurus queenslandicus. Mem. Queensland Mus., 10, 98, 1 pl.

1933. A new dinosaur from the Queensland Cretaceous. Mem. Queensland Mus., 10, 131-144, 3 figs., 3 pls.

Longnecker, Oscar M. See: Reed, L. C., and Longnecker, 1932.

Longworth-Dames, F.

1928. Kent's Cavern. Mr. Northmore's account of his discoveries. Geol. Mag., 65, 168-169.

Lönnberg, Einar

1928. Notes on Varanus komodoensis Ouwens and its affinities. Ark. Zool., 19, no. 27, Häfte 4, 1–11, 1 fig., 1 pl.

1930. [Obituary of:] Jakob Wilhelm Leche, 1850-1927. Proc. Linn. Soc. London, 141, 143-145.

1933A. The Natural History Museum (Naturhistoriska Riksmuseum) Stockholm. Nat. Hist. Mag., 4, 77-93, [12] figs.

1933B. Description of a fossil buffalo from East Africa. Ark. Zool., 25A, no. 17, Häfte 3, 1-23, 2 figs., 3 pls.

Loomis, Frederic Brewster

1928A. The evolution of the horse and the elephant. In: Mason, F., 1928, "Creation by Evolution," 225-241, 4 figs.

1928B. Phylogeny of the deer. Amer. Jour. Sci., (5) 16, 531-542, 10 figs.

1931. A new Oligocene dog. Amer. Jour. Sci., (5) 21, 100-102, 4 figs.

1932A. The small carnivores of the Miocene. Amer. Jour. Sci., (5) 24, 316-329, 10 figs.

1933A. The skeleton of Nannotragulus. Amer. Jour. Sci., (5) 25, 390-398, 6 figs-

1933B. Three oreodont skeletons from the Lower Miocene of the great plains Bull. Geol. Soc. Amer., 44, 723-734, 9 figs.
Abstract in: Bull. Geol. Soc. Amer., 44, 199-200.

Loomis, F. B., and Bump, B.

1930. Variation in the species of *Merycoidodon*. Amer. Jour. Sci., (5) 20, 17-21, 2 figs.

Lôpez Aranguren, Dolores J. See: Aranguren, Dolores J. López.

Lorenzo, Guiseppe de, and Erasmo, G. d'

1931A. Nuove osservazioni su l'*Elephas antiquus* dell'Italia meridionale. Atti Accad. Sci. Napoli, (2a) **18**, no. 5, 1-15, 12 figs. Abstract in: Riv. Ital. Pal., **36**, 29.

1931B. Ancora su l'Elephas antiquus di Pignataro Interamna. Rend. Accad-Sci. Napoli, (4) 1, 16-19.

1932. L'uomo paleolitico e l'*Elephas antiquus* nell'Italia meridionale. Atti Accad. Sci. Napoli, (2a) 19, 1-107, 42 figs., 9 pls.

Abstracts in: Riv. Ital. Pal., 39, 46-48; also Rend. Accad. Sci. Napoli, (4) 2, 40-44.

Löscher, Wilhelm

1928. Der geologische Alter der neuen, paläolithischen Funde im Neandertal. Centralbl. Min. Geol. Pal., 1928, Abt. B, 438-443, 1 fig.

Lotsy, J. P.
1928A. What do we know of the descent of man? Genetica, 9, 289-328, 10 figs., 1 pl.
Cawthron Lectures, Cawthron, New 1928B. A popular account of evolution. Cawthron Lectures, Cawthron, New Zealand, 3, 3-22, 7 figs., 2 pls.

Louderback, George Davis

Notes on the geologic section near Columbia, California, with special 1933. reference to the occurrence of fossils in the Auriferous gravels. Publ. Carnegie Instn. Wash., no. 440, 7-13.

Loukashkin, A. S.

1932. Recent discoveries of remains of Pleistocene mammals in northern Manchuria. China Jour., 16, 345-350, 4 pls., 2 maps.

Lowe, Clarence van Riet

1929A. Notes on some stone implements from Twinplaats, Springbok Flats. S. African Jour. Sci., 26, 623-630, 3 figs.

1929B. Further notes on the archaeology of Sheppard Island. S. African Jour. Sci., 26, 665-683, 5 figs., 1 table. Review: Boule in L'Anthrop., 40, 484-485.

See: Goodwin and Lowe, 1929.

Lowe, E. E.

1928. A report on American museum work. Carnegie United Kingdom Trustees (Edinburgh: T. & A. Constable), 50 pp., 12 pls. Review: Sir Frederick Kenyon in Discovery, 9, 266.

Lowe, Percy Roycroft

1928A. [Review of:] B. Petronievics, "Nouvelles recherches sur l'ostéologie des Archæornithes." (Ann. Pal., 16, 1927, 39-55, 17 figs., 3 pls.) Ibis, (12) **4**, 344–345.

1928B. Studies and observations on the phylogeny of the ostrich and its allies. Proc. Zool. Soc. London, 1928, 185-247, 22 figs., 1 pl. Reviews: Anonymous in Ibis, (12) 4, 798-799; Dehorne in Année Biol., 33 pt. 2, 142; Stone in Auk, (o. s.) 53, 402.

1929. Some remarks on Hypselornis sivalensis Lydekker. Ibis, (12) 5, 571-576, pl. 18.

1930A. On the relationships of the Aepyornithes to other Struthiones as revealed by a study of the pelvis of Müllerornis. Ibis, (12) 6, 470-490, figs. 5-9, pls. 15-18.

1930B. Hybridization in birds in its possible relation to the evolution of species. Bull. Brit. Ornith. Club, 50, no. 37, 22-29.

1933A. The differential characters in the tarso-metatarsi of Gallus and Phasianus as they bear on the problem of the introduction of the pheasant into Europe and the British Isles. Ibis, (13) 3, 332-343, figs. 4, 5.

1933B. On some struthious remains: 1. Description of some pelvic remains of a large fossil ostrich, Struthio oldawayi, sp. n., from the Lower Pleistocene of Oldaway (Tanganyika Territory); 2. Egg-shell fragments referable to Psammornis and other Struthiones collected by Mr. St. John Philby in southern Arabia. Ibis, (13) 3, 652-658.

1933C. On the primitive characters of the penguins, and their bearing on the phylogeny of birds. Proc. Zool. Soc. London, 1933, 483-538, 16 figs., 6 pls.

Lowe, P. R., [and Bate, D. M. A.]

Struthious remains from northern China and Mongolia; with descriptions of Struthio wimani, Struthio andersoni and Struthio mongolicus. With a note on remains of carinate birds (by Dorothea M. A. Bate). Pal. Sinica, (C) 6, fasc. 4, 1-47, 7 figs., 4 pls.

Reviews: Anonymous in Ibis, (13) 2, 372-373; Vaufrey in L'Anthrop.,

42, 356.

Lozano, Enrique Diaz Los restos fósiles de "Elephas" encontrados en terrenos de la hacienda de Tepexpan, Estado de Mexico. An. Inst. Geol. Mex., 2, 201-202, 2

Lozano, Nicolás, and Molfino, J. F.

1932. [Obituaries of Lucas Kraglievich. By R. Senet, N. Lozano, A. Cabrera, C. Dassen, C. V. Dominguez, and an anonymous article from "La Prenza," March 15, 1932.] An. Soc. Cien. Argent., (4) 113, 179-190, 2 portraits.

Lubosch, Wilhelm

1929. Über den streptognathen Schädel von Caprimulgus, nebst Bemerkungen über seine Bedeutung für die Reichertsche Theorie. Morphol. Jahrb., 63, 96-151, 9 figs., pl. 1.

See: Bolk, Göppert, Kallins and Lubosch, 1931.

Lucas, Frederic Augustus

1928. Some mistakes of scientists. Nat. Hist., 28, 169-174, 5 figs.

1933. Fifty years of museum work. Autobiography, unpublished papers, and biography of Frederic A. Lucas, Sc. D. [1852–1929]. New York: Amer. Mus. Nat. Hist., x + 81 pp., portrait, 4 pls.

Lucas, Jannette May See: Osborn 1930I.

Lull, Richard Swann

1924. Probable reptilian footprints from the Maryland Carboniferous. W. Virginia Geol. Surv., Mineral and Grant Counties, 731-734, 6 pls.

1925. The ways of life. New York: Harper & Brothers, xiii + 365 pp., 24 figs. 1928A. Connecting and missing links in the ascent to man. In: Mason, F., 1928, "Creation by Evolution," pp. 255-269.

1928B. Ancient man. New York: Doubleday, Doran & Co., x + 152 pp., 7 figs. 1929A. Organic evolution. New York: The Macmillan Co. Rev. ed., xix + 743 pp., 265 figs., 31 pls.

1929B. A remarkable ground sloth. Mem. Peabody Mus., 3, pt. 2, ix + 21 pp., 5 figs., 9 pls.

Abstracts in: Bull. Geol. Soc. Amer., 40, 246-247; Pan-Am. Geol., 51, 238. Reviews: Drevermann in Ber. Senck. Naturf. Ges., 60, 553-556; 2 figs.; Romer in Jour. Geol., 38, 576.

1929C. The pulse of life. In: Baitsell, 1929, "The evolution of Earth and man," pp. 110-147, illustr.

1929D. The antiquity of man. In: Baitsell, 1929, "The evolution of Earth and man," pp. 148-186, illustr.

1930A. The ground sloth, Nothrotherium. Amer. Jour. Sci., (5) 20, 344-352, 6 figs.

1930B. Skeleton of Camarasaurus lentus recently mounted at Yale. Amer. Jour. Sci., (5) 19, 1-5, 2 figs.

1930C. Report of the Director of Peabody Museum [for 1928-1929]. Bull. Yale Univ., pp. 3-24, (Vert. Pal., pp. 14-16).

1931A. Memorial of Oliver Perry Hay. Bull. Geol. Soc. Amer., 42, 30-48, portrait.

1931B. The evolution of the horse family. Peabody Mus. Nat. Hist., Special Guide no. 1, rev. ed., 31 pp., 22 figs.

1931C. The evolution of the elephants and mastodons. Peabody Mus. Nat. Hist., Special Guide no. 2, rev. ed., 40 pp., 33 figs.

1931D. Report of the Director of Peabody Museum [for 1929-1930]. Bull. Yale Univ., pp. 1-23, (Vert. Pal., pp. 13-14).

1932A. The centenary of Othniel Charles Marsh. Sci. Monthly, 34, 95-96, portrait.

1932B. Memorial of James William Gidley. Bull. Geol. Soc. Amer., 43, 57-68.

1932C. Fossils. What they tell us of plants and animals of the past. The University Series, IV. New York: The University Society, iv + 114 pp., frontis., 58 figs.
Reviews: Dunbar in Amer. Jour. Sci., (5) 25, 186-187; W. K. Gregory in

Nat. Hist., 32, 223-224.

1932D. Report of the Director of Peabody Museum [for 1930-1931]. Bull. Yale Univ., pp. 3-30, (Vert. Pal., pp. 20-22).

1933A. A revision of the Ceratopsia or horned dinosaurs. Mem. Peabody Mus., 3, pt. 3, xii + 135 pp., 42 figs., 17 pls.

1933B. Report of the Director of Peabody Museum Ifor 1931-1932l. Bull. Yale Univ., pp. 3-32, (Vert. Pal., pp. 18-20).

Luquet, Georges Henri

Review of: J. Bayer, "Das jungpaläolitische Alter des Ochoskiefers." (Die Eiszeit, 2, 1925, 35-40, 2 figs.) L'Anthrop., 38, 145-146. 1928.

The art and religion of fossil man. Translated by J. Townsend Russell, Jr. 1930. New Haven: Yale Univ. Press, xiv + 213 pp. Review: M. C. B[urkitt] in Man, 30, 164.

Lutkevich, E.

1931. To the stratigraphy of the Tartarian in the region of Sukhona River. Bull. Geol. Leningrad, 50, 29-39, 1 map, (Russian with English summary).

Lynn, William Gardner

A nearly complete carapace of a fossil turtle Amyda virginiana (Clark). 1929. Proc. U. S. Nation. Mus., 76, art, 26, 1-4, 2 pls.

Lyon, Marcus Ward, Jr.

A small collection of Pleistocene mammals from Laporte County, Indiana. 1931. Amer. Mid. Nat., 12, 406-410, 1 pl.

Presidential address: Origin of Indiana's mammals. Proc. Indiana 1933. Acad. Sci., 43, 27-43.

Macarovici, Niculai Gh.

1930. Sur une Testudo bessarabica Riab. trouvée dans les couches méothiques de Cioburciu (dép. Tighina-Roumanie). Acad. Română, Bull. Sect. Stiin., 13, 26-30, 2 figs., 1 pl.

MacBride, E. W.

Natural selection. Nature, 124, 689-690. 1929.

1930. Reversibility of evolution. Nature, 125, 166.

Habit—the driving force in evolution. Proc. Roy. Instn. Gt. Brit., 26. 1931. 518-552. Also in: Nature, 127, Suppl. 933-944.

1932. Recent work on the development of the vertebral column. Biol. Rev., 7, 108-148, 48 figs.

McCabe, Joseph

The new science and the story of evolution. London: Hutchinson & Co., 1931. Ltd., 310 pp., 16 illustr., 4 maps. Review: Anonymous in Discovery, 13, 33-34.

McCartney, Garnet Chester

1933. The bentonites and closely related rocks of Patagonia. Amer. Mus. Novit., no. 630, 1-16, 4 figs.

McClellan, William H.

1932. A recent Catholic book on evolution. America, 47, 87-89.

McClung, Clarence Erwin

Martinichthys, a new genus of Cretaceous fish from Kansas, with descrip-1926. tions of six new species. Proc. Amer. Philos. Soc., 65, no. 5, (suppl.), 20-26, 2 pls.

McCormack, J. T. See: Romer and McCormack, 1928.

McCown, Theodore Doney

1932A. A note on the excavation and the human remains from the Mugharet es-Sukul (Cave of the Kids), season of 1931. Bull. Amer. School Prehist. Res., no. 8, 12-15. See also: McCown and Keith, 1932. Review: A[lex] D[onici] in Arch. Suiss. Anthrop. Gén., 6, 207-208.

1932B. Discovery of a Mousterian cemetery on Mount Carmel. Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. 1, Human Paleontology, 48 - 50.

Fossil men of the Mugharet es-Sukul, near Athlit, Palestine, season of 1933. 1932. Bull. Amer. School Prehist. Res., no. 9, 9-15, 5 pls.

McCown, T., and Keith, Sir A.
1932. The skeleton of a child from a Mousterian deposit on Mt. Carmel. Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. 1, Human Paleon-Abstracts in: Man, 32, 208; Riv. Antrop., 29, 665.

McCreery, James L.

1933. Exploring the earth and its life in a natural history museum. New York: F. A. Stokes & Co., 262 pp., 116 figs.

MacCurdy, George Grant

1924. Human origins—a manual of prehistory. New York & London: D. Appleton & Co., 2 vols.; vol. 1 = xxviii + 440 pp., 255 figs.; vol. 2 = xvi + 516 pp., 157 figs.

1928A, Prehistoric man. Chicago: Amer. Lib. Assoc., 45 pp., 4 figs.

1928B. Report by the Director on the work of the seventh season. Bull. Amer. School Prehist. Res., no. 4, 3-8.

1929A. Report by the Director on the work of the eighth season. Bull. Amer. School Prehist. Res., no. 5, 5-8.

1929B. The past, present, and future of Old-World prehistory. Bull. Amer. School Prehist. Res., no. 4, 11-19.

1930. Report by the Director on the work of the ninth summer session. Bull. Amer. School Prehist. Res., no. 6, 5-7.

1931A. The Abri des Merueilles at Castel-Merle near Sergeac (Dordogne). Bull. Amer. School Prehist. Res., no. 7, 12-23, figs. 5-11. Review: R. V[aufrey] in L'Anthrop., 42, 106-107.

1931B. Recent progress in the field of Old World prehistory. Ann. Rept. Smithson. Instn. for 1930 [1931] 495-509, 8 pls. See also: Proc. Amer. Philos. Soc., 69, no. 4, 1930.

1932A. The coming of man: pre-man and prehistoric man. The University Series. New York: The University Society, vi + 157 pp., frontispiece, 58 figs. Reviews: W. K. Gregory in Nat. Hist., 32, 334-335; Hrdlička in Amer. Jour. Phys. Anthrop., 16, 391; Thorpe in Amer. Jour. Sci., (5) 23, 560.

1932B. The Neanderthal race in Palestine. Amer. Jour. Phys. Anthrop., 16, 515.
1933. Prehistoric research in the Near East. Proc. Amer. Philos. Soc., 72, 121-135, 12 figs.

MacDonald, James Alexander See: Leakey, et al., 1931.

McDougall, William

1929. Modern materialism and emergent evolution. London: Methuen & Co., Ltd.; New York: Van Nostrand & Co., xi + 295 + 8 pp.

McDowall, S. A.

1931. Biology and mankind. New York: The Macmillan Co., x + 229 pp., 46 figs.

Macfarlane, John Muirhead

1923A. The evolution and distribution of fishes. New York: The Macmillan Co., 564 pp., 72 figs.

1923B. Fishes the source of petroleum. New York: The Macmillan Co., 451 pp., 51 figs.

MacGregor, A. M. See: Haughton and MacGregor, 1929.

McGregor, James Howard

1930. The Peking Man. New Republic, **63**, 364–366. See also: Calverton 1931. See: Gregory, W. K., and McGregor, 1929.

McGuire, I.

1930. General bibliographies for paleontology. Bull. Geol. Soc. Amer., 41, 188-195.

M'Intosh, - See: Osborn, Bidder and M'Intosh, 1928.

McKee, Edwin Dinwiddie

1933. The Coconino sandstone—its history and origin. Publ. Carnegie Instn., Wash., no. 440 (preprint), 77-115, 5 figs., 14 pls. [Issued separately in 1933 as above; and also in Publ. 440, 1934, with seven other papers, under title: "Contributions to Palaeontology." Pp. 106-109: "Fossil footprints and trails."]

MacKenzie, D. A.

1933. Ancient man in Britain. London: Blackie, xvi + 257 pp.

McLearn, Frank Harris

1928. Stratigraphy, structure, and clay deposits of Eastend area, Cypress Hills, Saskatchewan. Canada Dept. Mines, Geol. Surv., Summ. Rept., 1927 [1928], pt. B, 21B-23B, map.

1931. Environment of dinosaur tracks in the Peace River Canyon. Bull. Geol. Soc. Amer., 42, 362, (abstract).

McSpadden, J. Walker

1931. To the ends of the world and back. Scouting for a great museum. New York: Crowell Co., xv + 362 pp., portrait, 59 figs.

MacTaggart, Malcolm

1933. The general theory of evolution. Cambridge: W. Heffner, vi + 50 pp.

McWilliams, Stewart A.

1929. A trail that led to Mongolia. Nat. Hist., 29, 208-209, 2 figs.

Magnan, A., and Sainte-Laguë, A.

1933. De quelques methodes en morphologie. Ann. Sci. Nat. Zool., (10) 16, 361-529, 50 figs.

Magne de la Croix, P.

1928. Sobre la evolución del galope de carrera y la consecutiva de la forma; causa de la evolution en perisodactiles y artiodactiles. An. Soc. Cien. Argent., 106, 317-331, 5 figs.

Magnol, A.

1929. Di una caverna ossifera del Monte Castellana (Golfo di Spezia). Mem. Accad. Lunigian., Capellini. Anno X, fasc. 1, La Spezia 1929 (VII), 37-44, 3 figs.

Abstract in: Riv. Ital. Pal., 35, 49-50.

Maier, Hugo See: Osborn 1924.

Maier, Istvan [= Stephan Maier von Mayerfels = Mayerfesi Istvan Maier]

1928. Die stammesgeschichtliche Stellung vom *Ursus böckhi* Schl. Föld. Közlöny, **58**, 58-65; 197-200, 1 fig. See also: Föld. Szemle, **1**, 273-286, 1 pl., (Magyar, with German summary).

1929. Zur Stammesgeschichte der europäischen Bären. Neues Jahrb. Min. Geol. Pal., Abt. B, 62, 325-332. 1 fig., 1 pl. See also: Allat. Közlem., 26, 124-125.

1931. Das definitive Gebiss des Höhlenbären (*Ursus spelaeus* Ros.). Állat. Közlem., **28**, 147-170, (Magyar with German summary).

Maillieux, Eugene

1933. Terrains, roches et fossiles de la Belgique. (2d ed.) Brussels: Mus. Roy. Hist. Nat. Belg., 217 pp., 252 figs.

Maillieux, E., and Demanet, F.

1929. L'échelle stratigraphique des terrains primaires de la Belgique. Bull. Soc. Géol. Belge, (2) 38, 124-131, 1928 [1929].

Malavay, J. See: Joleaud and Malavay, 1931.

Malcolm, L. W. G.

1931. Sulla posizione evolutiva di alcuni crani preistorici dell'Inghilterra.
Arch. Antrop. Etnol., 60-61, 382-407, 1 fig.

Malik, Ahmet See: Nafiz and Malik, 1933.

Malycheff, Vera See: Agafonoff and Malycheff, 1929.

Mangven, L. Y. Chang See: Fang and Mangven, 1932.

Man, Ludovic McL.

1933. Preservation of fossil bones. Nature, 131, 366.

Mansfield, Wendell Clay See: Cook, H. J., and Mansfield, 1933.

Marchand, Henri Francois André

1932. Faune préhistorique de la grotte du Chenoua. Bull. Soc. Hist. Nat. Afrique Nord, 23, 73-75.

Marchand, H., and Aymé, A.

1932. La station préhistorique des gorges de Palestro. Bull. Soc. Hist. Nat. Afrique Nord, 23, 11-22, 5 pls.

Marcus, H.
1933. Zur Entstehung des Unterkiefers von Hypogeophis. Beitrag zur Kenntnis der Gymnophionen XX. (Vorlauf. Mitteil.) Anat. Anz., 77, 178184, 7 figs.

Marcus, H., Winsauer, O., and Hueber, A.

1933. Der kinetische Schädel von Hypogeophis und die Gehörknochelchen.
Beitrag zur Kenntnis der Gymnophionen XVII. Zeit. Anat., 100,
149-193, 30 figs.

Marilaun, Fritz Kerner See: Kerner von Merilaun, Fritz.

Marinelli. Wilhelm

Grundriss einer funktionellen Analyse des Tetrapodenschädels. Palaeo-1929. biol., 2, 128-141, 6 figs., 4 pls.

Der Schädel des Höhlenbären. Speläol. Monog., 7-8, 9, 332-497, 23 figs., 1931. 17 pls.

Die funktionelle Bedeutung der Postorbitalspange bei Giraffe und Pferd. 1933. Biol. Generalis, 9, 2 Hälfte, 201-222.

Markus. M. B.

The paleontology, evolution, embryology and postnatal development of 1933. the human face, jaws and teeth. A synopsis. Internat. Jour. Orthodontia, 19, 459-473.

Marliere, René

Sur la presence d'un poisson arthrodire du genre Dinichthys Newberry dans 1930. le Frasnien moyen de la Belgique. Ann. Soc. Géol. Belg., **53**, (1929–1930), 154-164, 1 fig., 1 pl. See: Marlière 1931. Abstract in: C. R. Soc. Géol. France, **1931**, 231.

Observations complementaires sur *Dinichthys* sp. ind. du Frasnien de Mazy (Belgique). Ann. Soc. Géol. Belg., **54**, 251-262, 4 figs. Brief note in C. R. Soc. Géol. France, **1931**, 232. 1931.

Découverte de restes de Pteraspis dans les psammites Cauderlo. Ann. 1932. Soc. Géol. Belg., 55, 195-197.

Marro, Giovanni

Cranio "neandertaloide" del Gargano. Mem. Ist. Geol. Univ. Padova, 1930. 8, Mem. 12, 1-16, 2 figs., 1 pl.

Marshall, Eli Kennerly, Jr., and Smith, Homer W.

The glomerular development of the vertebrate kidney in relation to habitat 1930. Biol. Bull., 59, 135-153, pls. 1-4.

Martin, George Curtis

The Mesozoic stratigraphy of Alaska. U. S. Geol. Surv. Bull., 776, 1-493. 1926. 13 figs.

Martin, Handel Tongue See: Elias 1931; Adams and Martin, 1928, 1929, 1931; Hall and Martin, 1931; and, Wetmore and Martin, 1930.

Martin, Harold

1930Á. Prospecting, collecting and preparing fossils. Black Hills Engineer, 18, 226-233, illustr.

1930B. Fossil turtle skulls and jaws. Black Hills Engineer, 18, 254-256, illustr.

Martin, Henri

1928A. La frise sculptée et l'atelier solutréen du Roc (Charente). La sépulture paléolithique du Roc. Arch. Inst. Pal. Humaine, 5, 1-87, 37 figs., 5 pls. Reviews: H. K[ühn] in Ipek, 1930, 138; G. H. L[uquet] in L'Anthrop., **39.** 158–159.

1928B. Etude sur le solutréen de la vallée du Roc. 1. Les troglodytes quaternaires de la vallée du Roc. 2. Caractères des squellettes humaines de la vallée du Roc. 3. L'atelier solutréen du Roc. Angouleme, 64 pp., [not seen].

The solutrean sculptures of LeRoc. Antiq., 3, 45-48, 3 pls. 1929.

Les sculptures du Roc. Préhist., 1, 1-8, 2 figs., pls. 1-3.

See: Joleaud. 1929D.

Martin, Rudolf

1928. Lehrbuch der Anthropologie. Jena: Gustav Fischer, [2d ed.] 3 vols., 1816 pp., 547 figs., 3 pls. Reviews: Anonymous in Anthrop. Prague, 6, 167-168, (Czech); Frassetto

in Riv. Biol., 11, 567-568; Lebzelter in Mitt. Anthrop. Ges. Wien, 59, 40; Lenz in Arch. Biol., Berlin, 21, 325-331; Otteburg in Amer. Anthrop.,

31, 537-540; Sergio Sergi in Riv. Anthrop., 28, 584-587; Vallois in L' Anthrop., 38, 589-593.

Marwick, J.

Geological evidence of past land connections of New Zealand. New Zea-1929. land Jour. Sci. Technol., 11, 202-206.

Maschke, ·

1930. Troissinger Saurierfunde. Schwarzwald, 38, 70-72, 3 figs.

Mason, Frances [Editor]

Creation by evolution. A concensus of present-day knowledge as set 1928. forth by leading authorities in non-technical language that all may understand. [Contributing authors: Bather, F. A., Berry, E. W., Conklin, E. G., Gager, C. S., Gregory, J. W., Gregory, W. K., Holmes, S. J., Huxley, J. S., Jennings, H. S., Jordan, D. S., Loomis, F. B., Lull, R. S., McBride, E. W., Newman, H. H., Osborn, H. F., Parker, G. H., Scott, W. B., Smith, G. E., Thompson, J. A., Watson, D. M. S., and Woodward, A. S.] New York: The Macmillan Co., xx + 392 pp. Abstract by: L. Cuénot in Année Biol., 33, pt. 2, 79.

Reviews: Ball in Amer. Jour. Sci., (5) 17, 191; Thompson in Eug. Rev., 22, 53-55

**22.** 53-55.

Massari, Claudia

- 1928. Osservazioni sull'apertura piriforme di alcuni reperti fossili umani. Arch. Antrop. Etnol., 58, 103-106.
- 1931. Frammento di cranio umano fossile della Grotta Romanelli (Terra d' Otranto). Arch. Antrop. Etnol., 60-61, 338-351, 2 figs.

Massingham, H. J.

The close of the Age of Mammals. Discovery, 9, 213-215, 2 figs. 1928.

Mathieu, M. Gilbert

Présentation d'ossements provenant d'un gisement Moustiérien à Origny-1932. Ste-Benoite (Aisne). Ann. Soc. Géol. Nord., 57, 36-37.

Matiegka, J. [= H?]

- Kapitel aus der physisch-anthropologischen Philosophie. III. Die phylogenetische Evolution des Menschen. Der Ausgangspunkt seiner Evolution. Anthrop., Prague, **8**, 69-85. 1930.
- Sinanthropus Pekinensis Blackii von Chou Kou Tien bei Peking in China. 1931. Anthrop., Prague, 9, 198-201, 1 pl., (in Czech).

Matley, Charles A.

- The Cretaceous dinosaurs of the Trichinoply district, and the rocks associ-1929. ated with them. Rec. Geol. Surv. India, 61, 337-349.
- 1931, Recent discoveries of dinosaurs in India. Geol. Mag., 68, 274-282, 1 fig.
- 1932. The old basement of Barbados; with some remarks upon Barbadian geology. Geol. Mag., 69, 366-373, 2 figs. See also: White, E. I., 1933A.

See: Huene and Matley, 1933,

Matsumoto. Hikoshichiro

- 1928. On Leith-Adamsia siwalikiensis, a new generic and specific name of archetypal elephants. Jap. Jour. Geol. Geog., 5, 214.
- 1929A. On Parastegodon Matsumoto and its bearing on the descent of earlier elephants. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 1, 13-16, 1 pl.
- 1929B. On Loxodonta (Palaeoloxodon) Tokunagai Matsumoto, with remarks on the descent of loxodontine Elephants. Tôhoku Imp. Univ., Sci. Rept., (2) **13**, no. 1, 7–13, 1 pl.
- 1929C. On a new fossil land turtle from the Eocene of Kyushu. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 1, 17-22, 1 pl.
- 1929D. On Loxodonta (Palaeoloxodon) namadica (Falconer and Cautley) in Japan. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 1, 1-5, 6 pls.
- 1930A. Evidences of the post-glacial cycle of climatic change in northeastern Japan, based upon a study of the marine molluscs and mammals from the sites at Daigi, Miyagi District, at Hibiku, Monô district, and at Miyato Island, ditto; all Province of Rikuzen. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 3, 35-43, pls. 11-15.

1930B. On a new race of Sus from the type-site of Atsuteau. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 3, 49-50, pl. 16.

1930C. Brief notes on the racial types of the fossil to subfossil human skeletons in Japan. Tôhoku Imp. Univ., Sci. Rept., (2) 13, no. 3, 111-114.

1930D. On the remains of swordfish obtained from the sites of Osozawa, Otomomura, Kesen district, and at Miyato Island, Monô district, both Province of Rikuzen. Tôhoku Imp. Univ., Sci. Rept., (2) 13, 51-52, 1 pl.

1930E. On the type material of Sus nipponicus sendai. Tôhoku Imp. Univ., Sci. Rept., (2) 13, 57, 12 pls.

1930F. Report of mammalian remains obtained from the sites at Aoshima and Hibiku, Province of Rikuzen. Tôhoku Imp. Univ., Sci. Rept., (2) 13, 59-93, 9 pls.

1933. Four notes on fossil Mammalia. Jour. Geol. Soc. Tokyo, 40, 550, (in Japanese).

Matsumura, Akira

1930. Fossil man [Sinanthropus] recently discovered in China. Jinrui Z., Tokyo,
45, 118-120, (in Japanese).
Abstract in: Jap. Jour. Med. Sci. I. Anat., 3, (1933), no. 2, 159.

Mattheus, Schuster

1928. Abriss der Geologie von Bayern r. d. Rh. in sechs Abteilungen. Munchen:
R. Oldenbourg und Piloty und Loehle, 184 pp., 28 figs., 1 map. [Abt. II contains: "Geologischer Überblick über die Alpen zwischen dem Bodensee und dem Tegernsee und ihr Molassevorland." The authors of this section are: Knauer, J., Kraus, E., Simon, L., Schmidt, A., Joos, C. H., and Laubmann, H.]

Matthew, William Diller

1917. Prehistoric animal life. Mentor, **5**, Aug. 15, 1917, vi + 11, 14 figs., 6 pls.

1927. Siwalik beds. Natural History, 27, 187, (abstract).

1928A. The Ape-Man of Java. Nat. Hist., 28, 576-588, 3 figs., 5 pls.

1928B. Outline and general principles of the history of life. Univ. Calif. Syllabus Ser. no. 213, 1-253, 21 figs. [1st ed.] See: Matthew 1930F for 2d ed. Review: Schuchert in Amer. Jour. Sci., (5) 17, 93.

1929A. Critical observations upon Siwalik mammals. Bull. Amer. Mus. Nat-Hist., 56, 437-560, 55 figs.

Review: Chardin in L'Anthrop., 41, 154-156.

1929B. A new and remarkable hedgehog from the later Tertiary of Nevada. Univ-Calif. Publ., Bull. Dept. Geol. Sci., 18, 93-102, 2 pls.

1929C. On the phylogeny of horses, dogs, and cats. Science, (n. s.) 69, 494-496-See also: Clark, A., 1929A, B.

1929D. The phylum in zoology and paleontology. Science, (n. s.) 70, 142-143.

1929E. Preoccupied names. Jour. Mammal., 10, 171.

1929F. Reclassification of artiodactyl families. Bull. Geol. Soc. Amer., 40, 403-408.
Abstract in: ibid., 40, 246.

1929G. [Report of the Director of the Museum of Paleontology.] Univ. Calif-Bull., (3) 22, no. 8, 183-186.

1929H. Machaerodus. Enc. Brit., 14th ed., 14, 574.

1929I. Megatherium. Enc. Brit., 14th ed., 15, 214-215, 1 fig.

1929J. Mylodon. Enc. Brit., 14th ed., 16, 42.

1929K. Palaeotherium. Enc. Brit., 14th ed., 17, 112.

1929L. Phenacodus. Enc. Brit., 14th ed., 17, 698, 1 fig.

1929M. Toxodontia. Enc. Brit., 14th ed., 22, 337, 1 fig.

1929N. Tylopoda. Enc. Brit., 14th ed., 22, 641-642, 2 figs.

1929O. Amblypoda. Enc. Brit., 14th ed., 1, 740, 1 fig.

1929P. Creodonta. Enc. Brit., 14th ed., 6, 667-668, 1 fig. 1929R. Equidae. Enc. Brit., 14th ed., 8, 670-672, 1 chart.

1929S. Glyptodon. Enc. Brit., 14th ed., 10, 449.

1929T. Horse-fossil horses. Enc. Brit., 14th ed., 11, 757.

1930A. Range and limitations of species as seen in fossil mammal faunas. Bull. Geol. Soc. Amer., 41, 271-274.

Abstracts in: Bull. Geol. Soc. Amer., 41, 210-211; and Pan-Am. Geol., 52, 156.

1930B. Credit or responsibility in scientific publication. Science, (n. s.) 71, 662-663.

1930C. The dispersal of land animals. Scientia, 48, 33-42.

1930D. A Pliocene mastodon skull from California. Pliomastodon vexillarius n. sp. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 335-348, 2 figs., 4 pls. [First described in: Standard Oil Bull., May, 1930, 18, 12-14, 3 figs.]

1930E. The phylogeny of dogs. Jour. Mammal., 11, 117-138, 3 figs., 1 table.

1930F. Outline and general principles of the history of life. Univ. Calif. Syllabus Ser., no. 230, 1-276, 26 figs. [2d revised ed.] [1st ed., Matthew 1928B].

1930G. The pattern of evolution. Sci. Amer., 143, 192-196, 2 figs., 4 diagrams.

1931A. Critical observations on the phylogeny of the rhinoceroses. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 1-9, 2 figs.

Abstracts in: Bull. Geol. Soc. Amer., 42, 366-367; and Pan-Am. Geol. 54, 236.

230.

1931B. Genera and new species of ground sloths from the Pleistocene of Cuba. Amer. Mus. Novit., no. 511, 1-5. Prefatory note by W. Granger, 1931B.

1932A. New fossil mammals from the Snake Creek quarries. Amer. Mus. Novit., no. 540, 1-8, 7 figs.

1932B. A review of the rhinoceroses with a description of Aphelops material from the Pliocene of Texas. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 411-480, 12 figs., 19 pls. [Edited by R. A. Stirton.]

1932C. A skeleton of *Merycoidodon gracilis* and its adaptive significance. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 22, 13-20, 2 pls.

1932D. Relations of vertebrates to sediments and sedimentary environments. In: Twenhofel, "Treatise on Sedimentation," 2d ed., pp. 183-186. [In: Twenhofel, *ibid.*, 1926, pp. 146-150.]

See: Edinger 1928B; Castellanos 1928D; Osborn and Matthew, 1909.

Matthew, W. D., Granger, W., and Simpson, G. G.

1929. Additions to the fauna of the Gashato formation of Mongolia. Amer. Mus. Novit., no. 376, 1-12, 13 figs.

Matthew, W. D., and Mook, C. C.

1933. New fossil mammals from the Deep River beds of Montana. Amer. Mus. Novit., no. 601, 1-7, 2 figs.

Matthew, W. D., and Siegfriedt, J. C. F.

1928. New fossil mammals from the Fort Union of Montana. Bull. Geol. Soc. Amer., 39, 300, (abstract).

Matthew, W. D., and Stirton, R. A.

1930A. Equidae from the Pliocene of Texas. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 349–396, 14 pls.

1930B. Osteology and affinities of *Borophagus*. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 171-216, 2 figs., 14 pls.

Mátyás, Jenö

1929. Die mikroanatomische Knochenstruktur und die Abstammungsgeschichte einzelner Wirbeltiergruppen. X Congr. Internat. Zool., Budapest, pt. 1, 666-704, 42 pls.

Mátyás, J., and Mihály, S.

1932. Das nähere Verwandschafts-Verhältnis zwischen dem Menschen und den Anthropoiden auf Grund mikroosteoligischer Untersuchungen auch mit Rücksicht auf die feinere Knochenstruktur der Carnivoren und Ungulaten. Zeit. Anat., 97, 169-209, 5 figs., 17 pls.

Mátyás, J., and Stiller, J.

1932. Die verwandschaftlichen Beziehungen der Säugetierordnungen mit besonderer Berücksichtigung der näheren Verwandten der Anthropoideen.

XI Congr. Internaz. Zool., Padova, 3, 1169-1229, 18 figs. Also in: Arch. Zool. Ital., 16, 1169-1229, 18 figs.

Maurer, Friedrich

1928. Der Mensch und seine Ahnen. Das Werden des Menschen im Lichte der Naturforschung. Berlin: Ullstein, 359 pp., 338 figs., 78 pls. Reviews: Eugen Fischer in Zeit. Morphol. Anthropol., 28, 377; Muhlmann

Reviews: Eugen Fischer in Zeit. Morphol. Anthropol., 28, 377; Munimann in Arch. Biol. Berlin, 25, 76-79; Pongracz in Allat. Közlem., 26, 108-110; Wastl in Mitt. Anthrop. Ges. Wien, 59, 138-139.

1930. Lorenz Oken, sein Leben und sein Wirken. Jenaische Zeit. Naturwiss., 64, 531-550, portrait.

Maurer, M. A. See: Vaufrey and Maurer, 1929.

Maury, Carlotta J.

1930. O cretaceo da Parahyba do Norte. Monog. Serv. Geol. Min. Brasil, 8, [crocodile, 74-79; fishes 80-105, pls. 1 and 2].

Maxson, John Haviland

1930. A Tertiary mammalian fauna from the Mint Canyon formation of southern California. Publ. Carnegie Instn. Wash., no. 404, 77-112, 18 figs. Abstracts in: Bull. Geol. Soc. Amer., 41, 214-215; Pan-Am. Geol., 52, 159.

May, Raoul M.

1928. [Review of:] Henry Daudin, "Études d'histoire des Sciences naturelles. II. Cuvier et Lamarck. Les classes zoologiques et l'idée de serie animale," (Paris: Felix Alcan, 1926, xiii + 460 + 338 pp.). Isis, 10, 502-505.

Mayerfels, S. Maier von See: Maier, Istvan.

Mazenot, Georges

1931. L'ilot jurassique de Préty et de Lacrost (Saône-et-Loire). C. R. Soc. Géol. France, 1931, 99.

Mehl, Maurice Goldsmith

1929. Evidence of vertebrate fossils on lower limits of the Mesozoic in western interior states. Pan-Am. Geol., 51, 235-236, (abstract).

1930. A new genus of mosasaurs from Mexico, and notes on the pelvic girdle of *Platecarpus*. Dennison Univ. Bull., Jour. Sci. Lab., **24**, 383-400, 5 figs., 4 pls.

1931A. Additions to the vertebrate record of the Dakota sandstone. Amer. Jour. Sci., (5) 21, 441-452, 5 figs.

1931B. Aquatic dinosaur from the Niobrara of western Kansas. Bull. Geol. Soc. Amer., 42, 326-327, (abstract). Also in: Pan-Am. Geol., 55, 235-236.

1931C. New bird record from the Dakota sandstone of Colorado. Bull. Geol. Soc. Amer., 42, 331, (abstract). Also in: Pan-Am. Geol., 55, 239.

See: Branson and Mehl, 1929A, B, 1930A, B, 1931A, B, 1932A, B.

Meier, Lois See: Meier, W., and Meier, L., 1931.

Meier, William Herman Diedrich, and Meier, L.

1931. Essentials of biology. Boston: Ginn & Co., 529 pp., 332 figs.

Meisel, Max

1929. A bibliography of American natural history. The pioneer century, 1769–1865. Vol. 3. New York: The Premier Publishing Co., xii + 749 pp. Review: Sarton in Isis, 13, 376-378.

Melichar, Joseph

1928. Fosilní a recentí kopytníci na Oravi. [Fossil and recent ungulates in Orava, Czecho-Slovakia.] Věda Přírodní, 9, 65-70, 2 figs.; 107-112, 3 figs.

Melmore, Sidney

1930A. A description of the type-specimen of *Ichthyosaurus crassimanus*, Blake (Owen MS). Ann. Mag. Nat. Hist., (10) 6, 615-619, 1 pl.

1930B. A reptilian egg from the Lias of Whitby. Proc. Yorkshire Philos. Soc., 1930, 3-5, 1 pl., 1 diagram.

Mendes-Corrêa, Antonio Augusto Esteves

1933A. Les migrationes préhistorique, le témoignage spécial de la péninsule Ibérique. Rev. Anthrop., 43, 267-292. Also in: Invest. y. Progr., Madrid, 6, 19-20.

1933B. Les nouvelles fouilles à Muge. Inst. Internat. d'Anthrop., 5th Sess., Paris, 1931, 357-372, 6 figs.

Menge, Edward John von Komorowski

1930. A survey of national trends in biology. Milwaukee: Bruce Publ. Co., 156 pp.

Menghin, Oswald

1931. Weltgeschichte der Steinzeit. Wien: Anton Schroll, 648 pp., 50 pls. Review: Kendrick in Man, 31, 138-139.

Mennell, Frederic Philip

The evidence for the age of Homo rhodesiensis. S. African Jour. Sci., 1929. **26.** 659–664.

Menner, V. V.

Paleogene selachians from Mangyshlak, Emba and the eastern Ural. Bull. 1928. Soc. Nat. Moscou, Sect. Géol., 6, 292-338, 2 figs., 2 pls., (Russian with French summary).

1932. [The remains belonging to the family Lamnidae from the Paleogene deposits in the Akmolinsk Province.] Bull. Géol. Leningrad, 51, 169-172, 3 figs., (in Russian).

Menzbier, M.

Characteristique de P. P. Suškin comme savant. Ann. Mus. Zool. Acad. Sci. URSS, 29, 1–12, i–xviii, portrait. 1928.

1930. On the combination of factors, to which is due the origin and development of terrestrial vertebrates. C. R. Acad. Sci. URSS, (A) 1930, 589-594. In Russian in Priroda (USSR), 1930, 718-723.

Menzel, Paul; Weiler, W., and Krejci-Graf, K.

Pflanzen und Tiere aus dem Tertiär von Leoben. Senck., 12, 51-64, 6 figs

Mercier, Jean

Contribution a l'étude des métriorhynchidés (crocodiliens). Ann Pal., 1933. 22, 99-119, 5 figs., 1 pl.

Merle, P. See: Beauverie, J., et al., 1933.

Merriam, Charles Warren

Allocyon, a new canid genus from the John Day beds of Oregon. Univ. 1930. Calif. Publ., Bull. Dept. Geol. Sci., 19, 229-244, 5 figs., 2 pls.

Merriam, John Campbell 1929A. The place of geology among the sciences. Science, (n. s.) 70, 491-493.

1929B. Lessons of the past as guides for the future. Carnegie Instn. Wash., News Serv. Bull., no. 38, (7), 49-54.

1930A. The National Academy of Sciences. II. Critical elements in study of early man in southwestern United States. Science, (n. s.) 72, 405, (abstract).

1930B. The past as living. Sci. Monthly, 31, 340-343. See also: Carnegie Instn. Wash., News Serv. Bull., 2, 81-84, 7 figs., 1930.

1930C. The living past. New York: Charles Scribner's Sons, xi + 144 pp., 15 pls., and frontis. Reviews: Anonymous in Discovery, 11, 356; Sarton in Isis, 14, 456-458.

1930D. The practical significance of studies in early human history. Amer. Anthrop., (2) 32, 196-198.

1931. [The National Academy of Sciences. New Haven meeting.] The cats of Rancho La Brea; a climax in evolution. Science, (n. s.) 75, 566-577, (abstract).

1932. Die Vergangenheit lebt. Umschau, 36, 108-110, 6 figs.

1933A. Present status of the problem of the antiquity of man in North America. Science, (n. s.) 78, 524, (abstract). Also in: Pan-Am. Geol., 60, 377; Eug. News, 18, no. 4, 69.

1933B. Symposium on climatic cycles: introductory remarks. Proc. Nation. Acad. Sci., 19, 349-350.

See: Anonymous 1928-0.

Merriam, J. C., and associates

1928. [Report on] continuation of paleontological researches. Carnegie Instn. Wash., Year Book, no. 27, 384-389. [Appears also in the years 1929, 1930, 1931, 1932 and 1933.]

Merriam, J. C., et al.

- 1915. Preliminary program and outline of excursions for Meeting of the Paleontological Society to be held in conjunction with the San Francisco Meeting of the American Association for the Advancement of Science, August 2nd to August 7th, 1915. [Berkeley] 30 pp., 5 figs. Contains the following articles relating to vertebrates: (1) "Faunas of the San Pablo Bay Syncline. Leader, Prof. John C. Merriam." (2) "Mesozoic and Cenozoic of the Mount Diablo region. Leader, Dr. B. L. Clark." (3) "Faunas of the Coalinga Region. Leader, Dr. Ralph Arnold." (4) "Ricardo Pliocene of the Mohave Desert. Leader, Dr. John P. Buwalda." (5) "Pleistocene asphalt deposits of Rancho La Brea. Leaders, Frank S. Daggett and John C. Merriam."
  - 1929. The twenty-fifth anniversary of the initiation of research in the Carnegie Institution of Washington. Science, (n. s.) 69, 585-592.

Merriam, J. C., and Stock, C.

- 1932. The Felidae of Rancho La Brea. Publ. Carnegie Instn. Wash., no. 422, xvi + 231 pp., 152 figs., 42 pls. See also: Carnegie Instn. Wash., News Serv. Bull., 3, 11-16, 11 figs. Reviews: Anonymous in Quart. Rev. Biol., 8, 359; J. B. M. in Rev. Gén. Sci., 44, 446; Thorpe in Amer. Jour. Sci., (5) 25, 345-346.
- 1933. Tertiary mammals from the auriferous gravels near Columbia, California. Publ. Carnegie Instn. Wash., no. 440, 1-6, 2 figs.

Merrill, Melvin Clarence

1930. What is the best system of presenting bibliographies? Science, (n. s.) 71, 38-39.

Mertens, A.

- 1929A. Ein Ei des "Vogels Rok" Aepiornis maximus in Magdeburger Museum für Natur- und Heimatkunde. Abh. Ber. Mus. Magdeburg, **6**, 61.
- 1929B. Ein alluvialer Wisentrest in Magdeburger Museum für Natur- und Heimatkunde. Abh. Ber. Mus. Magdeburg, 6, 59-60.

Meserve, Frank G.

1932. Association of an arrow point with Bison occidentalis in Nebraska. Bull. Neb. State Mus., 1, 239-242.

Messenger, Ernest C.

1931. Evolution and theology. London: Burns, Oates & Washbourne, xxiv—308 pp. Preface by Cuthbert Lattey, and Introduction by Souvay. Review: Anonymous in Quart. Rev. Biol., 7, 474.

Metcalf. Maynard Mayo

1930. A fossil frog, *Indobatrachus* Noble, from the Eocene of southwestern India. Science, (n. s.) 72, 602-603.

Meyer, Adolf See: Osborn 1930H.

Michael. Paul

1932. Ein neues Vorkommen von Labyrinthodonten in Thüringen. Beitr. Geol. Thüringen, 3, 211-214.

Michaelis, Lorenz

1930. Vergleichende mikroskopische Untersuchung an rezenten, historischen und fossilen menschlichen Knocken. Jena: G. Fischer, ix + 92 pp., 3 figs., 63 pls. Also in: Veröff. Kriegs.-Konstit.-Pathol., 6, Heft 1. Reviews: Pittioni in Wien. Prähist. Zeit., 17, 155; Vallois in L'Anthrop., 40, 308-309.

Mieli, Aldo

- 1928A. [Review of:] J. Chaine, "Histoire de l'anatomie comparative," (Bordeaux: E. Daguerre, 1925). Riv. Biol., 10, 222-223.
- 1928B. [Review of:] Louis Roule, "Cuvier et le science de la nature," (Paris: E. Flammarion, 1926). Riv. Biol., 10, 222.

Miers, Henry

A report on the public museums of the British Isles (other than the National museums). Edinburgh: T. & A. Constable, 376 pp. 1928. Review: Sir Frederick Kenyon in Discovery, 9, 266.

Miethe, A., and Born, A.

Die Fluorographie von Fossilen. Pal. Zeit., 9, 343-356, 6 pls. 1928.

Migeod, F. W. H.

Report on the British Museum East Africa expedition. Season 1929. 1930. Nat. Hist. Mag., 2, 185–198, map. See also: Kitchin in Geol. Mag., May, 1929.

1931A. British Museum East Africa expedition. Nat. Hist. Mag., 9, 87-103, 3

1931B. Digging for dinosaurs. Discovery, 12, 142-145, 4 figs. See also: Forbin 1931.

Aspects of evolution. London: Heath Crampton, Ltd., 127 pp.

Mihály, Szabó See: Mátyás and Mihály, 1932.

Mijsberg, W. A.
1928. De Afstämming van den Mensch. 1. Handel. Vijfde [5th] Ned.-Ind. Natuurwet. Congr., Soerabaja 1928, 87-103.

1930A. The evolution of the human chin. Proc. Akad. Wet. Amsterdam, 33, pt. 2, 1161-1169, 2 figs., 2 tables. Abstract in: Kon. Akad. Wet. Amsterdam, Versl. Afdeel. Natuurk., 39, 169.

1930B. The place of *Pithecanthropus* among the primates. Proc. Fourth Pacific Sci. Congr., 3, 369-373.

Miller, Agnes E.

Note on the tail skeleton of Lepidosiren paradoxa, with remarks on the 1930. affinities of Palaeospondylus. Proc. Zool. Soc. London, 1930, 783-789, 5 figs., 1 pl. Abstract in: Année Biol., 36, pt. 2, 149.

Miller, Alden Holmes

1929A. Additions to the Rancho La Brea avifauna. Condor, 31, 223-224.

1929B. The passerine remains from Rancho La Brea in the paleontological collections of the University of California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 19, 1-22, 1 pl. Abstract by Stone in Auk, (o. s.) 55, 278.

An auklet from the Eocene of Oregon. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 23-26, 1 fig.

1932A. An extinct icterid from Shelter Cave, New Mexico. Auk, (n. s.) 49, 38-41, Review: Anonymous in Ibis, (13) 2, 705-706.

1932B. The fossil passerine birds from the Pleistocene of Carpinteria, California. Univ. Calif. Publ., Bull. Dept., Geol. Sci., 21, 169–194, pls. 12–14. Review: Anonymous in Ibis, (13) 2, 705–706.

See: Howard and Miller, 1933.

Miller, Arthur McQ.

Professor Field's use of the term fossil. Science, (n. s.) 52, 408. See also: 1920. Field 1920.

Fossils—are they merely "prehistoric" or must they also be "geologic"? 1921. Science, (n. s.) 53, 258-259.

1922A. Glacial man in America? Pan-Am. Geol., 37, 107-108.

1922B. Licks and caves of the lower Ohio Valley as repositories of mammalian remains, including those of man. Bull. Geol. Soc. Amer., 33, 156-159.

Recent cave explorations in Kentucky for animal and human remains. 1923. Publ. Kentucky Geol. Surv., (6) 10, 107-113, 2 figs.

Miller, Gerrit Smith, Jr.

1929A. The controversy over human missing links. Ann. Rept. Smithson. Instn., 1928, 413-465, 1 fig., 5 pls. Reviews: G. Allen in Jour. Mammal., 11, 91; Fleming in Eug. Rev., 22, 78.

1929B. A second collection of mammals from caves near St. Michel, Haiti. Smithson. Misc. Coll., 81, no. 9, 1-30, 10 pls.

1930. The supposed occurrence of an Asiatic goat-antelope in the Pleistocene of Colorado. Smithson. Misc. Coll., 82, no. 14, 1-2, 2 pls.

1933. The genotype of *Dicoelophorus* Ameghino. Jour. Mammal., 14, 259-260. See: Wetmore, Miller and Gidley, 1930.

Miller, Loye Holmes

1927. The falcons of the McKittrick Pleistocene. Condor, 29, 150-152, 1 fig.

1928. Generic re-assignment of Morphnus daggetti. Condor, 30, 255-256.

1929A. A new cormorant from the Miocene of California. Condor 31, 167-172, figs. 58-59.

1929B. The fossil birds of California. Faculty Research Lecture at the University of California at Los Angeles. Delivered May 20, 1925. "University of California Printing Office 1929." [Univ. Calif. at Los Angeles, Fac. Res. Lectures, 1], 1-14.

1930A. A fossil goose from the Ricardo Pliocene. Condor, 32, 208-209, fig. 74.

1930B. Further bird remains from the upper San Pedro Pleistocene. Condor, 32, 116-118, fig. 45.

1931A. Bird remains from the Kern River Pliocene of California. Condor, 33, 70-72, fig. 16.

1931B. The California condor in Nevada. Condor, 33, 32.

1931C. Pleistocene birds from the Carpinteria asphalt of California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 361-374, 4 figs.

1932A. The Pleistocene storks of California. Condor, 34, 212-216, fig. 23.

1932B. Two Pleistocene avifaunas from the Carpenteria asphalt. Bull. Geol. Soc. Amer., 43, 291, (abstract).

1932C. Royal vulture from the Kern River Pliocene, California. Bull. Geol. Soc. Amer., 43, 291-292, (abstract).

1933A. The Lucas Auk of California. Condor, 35, 34-35.

1933B. A Pleistocene record of the flammeolated screech owl. Trans. San Diego Soc. Nat. Hist., 7, 209-210.

Miller, Paul Christian See: Clark, N., 1927.

Miller. Ruth A.

1932. Evolution of the pectoral girdle and fore-limb in primates. Amer. Jour. Phys. Anthrop., 17, 1-56, 10 pls.

Miller, W. Maskelyne

1930. The moon; how and when did it come here? Vancouver, B. C.: Woodward's Ltd., copyright by the author, 28 pp., 1 pl.

Milojevič, P. Sreten

1933. Bibliographie géologique de la péninsule balkanique. Ann. Géol. Pén. Balkan., 11, 285-306.

Milon, Yves

1931. Note préliminaire sur la faune quaternaire du littoral de la baie Saint-Brieuc (Côtes-du-Nord). C. R. Soc. Géol. France, 1931, 95-96.

Minoux, G. See: Corroy and Minoux, 1932.

Mitchell, Peter Chalmers

1930. Materialism and vitalism in biology. (The Herbert Spencer Lecture, Oxford, 1930.) New York: Oxford Univ. Press, 30 pp.

See: Simpson, G. C., et al., 1930.

Mitchell, Robert Hamilton

1931. Fossil footprints from the Pennsylvanian of Ohio. Ohio Jour. Sci., 31, 501-504, 1 pl.
Abstract in: ibid., 281-282.

1933. Notes on another Pennsylvanian footprint from Ohio. Ohio Jour. Sci., 33, 48-49, 2 figs.

Mochi, Aldobrandino

1928. Schema di proposta sulla nomenclatura paletnologica italiana. Arch. Antrop. Etnol., **58**, 31-36. [With discussions by R. Battaglia, Novarese, G. Stefanini, Antonielli, Breuil, Ehrenfreud, and E. Pittard.]

1929. A proposito di una nuova classificazione preistorica proposta dal Prof. Ugo Rellini. Arch. Antrop. Etnol., 59, 135-138. [Critique of Rellini's article, "Sulla nomenclatura delle culture quaternaire," (Bull. Paletnol. Ital., 47, 1927), Answer by Rellini 1929B.]

1931A. Nuove osservazioni sul cranio fossile dell'Olmo. Il trovamento e la sue vicende storiche. Arch. Antrop. Etnol., 60-61, 76-79.

1931B. Terza relazione sull'attività dell'Istituto [Italiano di Paleontologica Umano]. Arch. Antrop. Etnol., 60-61, 478-488.

1931C. Quarta relazione sull'attivita dell'Istituto [Italiano di Paleontologica Umano]. Arch. Antrop. Etnol., 60-61, 492-500.

Mohr, Erna

1931. Die Säugetiere Schleswig-Holsteins. Altona: Naturwiss. Verl., 136 pp., 74 figs.

Moir, James Reid

1930. Tertiary man. Nature, 125, 167.

1931A. Paleolithic flint implements. Nature, 128, 767-768.

1931B. The Oldoway human skeleton. Nature, 128, 797.

1932A. Some recent contributions to the Pleistocene succession in England. Geol. Mag., 69, 83-85.

1932B. How ancient is "Homo sapiens"? Sci. Progress, 27, 313-316. See also: Sci. Amer., 146, 356-357.

1932C. Crude eoliths? Man, 32, 55.

Molfino, José F. See: Lozano, N., and Molfino, 1932.

Mollison, Th.

1930A. Orthogenese und ihre Bedeutung für den Menschen. Arch. Biol. Berlin, 24, 121-132.

1930B. Eine neue Rekonstruktion des Homo primigenius. Anthrop. Anz., 7, 285-288, 1 fig., [not seen].

1931. Neue Untersuchungen an der Oldoway-Fundstelle. Anthrop. Anz., 8, 296-297. [not seen].

1933. Phylogenie des Menschen. Handb. der Vererbungswiss., 3, Lief. 18, iv + 104 pp., 101 figs.
Reviews: Drzewina in Année Biol., 38, pt. 2, 210; Goldschmidt in Biol. Zentralbl., 54, 106-107.

See: Gieseler and Mollison, 1929.

Moltoni, Edgardo

1929. Rinvenimento di uova fossili di Struthiolithus. Atti Soc. Ital. Mus. Civico Milano, 68, 221–224, 1 pl. Abstract in: Riv. Ital. Pal., 35, 50.

Monchanin, Abbé See: Beauverie, J., et al., 1933.

Monestier, Joseph

1928. Considérations sur les théories de l'évolution et sur certaines données de préhistoire et de protohistoire. Rodez, France: P. Carrere, 1928, [not seen].

Monheimer, B.
1928. Das Röntgenbild des Unterkiefers in anthropologischer Bedeutung. Leipzig: Thieme, 54 pp., 23 figs. Also in: Deutsche Zahnheilk., 72, 1-54, 23 figs.

Montanaro-Gallitelli, Eugenia See: Stefanini, Bassoli and Montanaro, 1930.

Montandon, Georges

1928A. [Review of:] W. L. Straus, Jr., "Growth of the human foot and its evolutionary significance." (Carnegie Instn. Wash., Contrib. Embryol., 1927, 19, fasc., 101). L'Anthrop., 38, 173-175.

1928B. [Review of:] A. Castellanos, "Contribucion al estudio de la paleo-antropologia Argentina. Apuntes sobre el *Homo chapadmalensis* n. sp., (Trab. Soc. Port. Antrop. Etnol., **3**, 1927). L'Anthrop., **38**, 392-393.

1928C. L'ologenèse humaine. Paris: Felix Alcan, xi + 478 pp., 2 figs., 14 pls., 23 maps. See also: Rosa 1929.

Abstract in: L'Anthrop., 39, 103-122.

Reviews: Anonymous in Anthrop., Prague, 6, 307; Fraipont in Rev. Anthrop., 40, 207-209; Hooton in Antiq., 4, 390; Joleaud in Rev. Gén. Sci., 40, 483; Labouret in Africa, 3, 247-248; Lebzelter in Mitt. Anthrop. Ges. Wien, 59, 42-43; Verneau in L'Anthrop., 38, 593-594.

1929A. L'ologénisme ou ologenèse humaine. L'Anthrop., 39, 103-122, 2 diagrams, 1 map.

Review: Haddon in Man, 29, 144-146.

1929B. L'ologénisme. Rev. Sci. Paris, 67, 45-56, figs. 17-27.

Creation, évolution, transformisme. Rev. Mondiale, 31, 234-249. Review: Vallois in L'Anthrop., 40, 489-490.

Montandon, Raoul

Bibliographie générale des travaux palethnologiques et archéologiques de la France. Tomes 1-4, Supplements 1-3, Paris-Genf-Lyon, 1917-1931. 1931.

Montcheuil, R. P. de See: Beauverie, J., et al., 1933.

Monterin, Umberto
1929. Nuove osservazione sul Lophiodon di Gonnesa (Sardegna). Palaeontogr. Italica, 29-30, 31-39, 1 fig., 1 pl.

Moodie, Roy Lee

1928A. The study of paleopathology in France. Ann. Med. Hist., 10, 86-89, 1 fig.

1928B. The evidences of pyorrhea, dead teeth, and gingival infections in the mandibles of the Pleistocene giant wolf (Aenocyon dirus) from Rancho La Brea. Pacific Dent. Gaz., 36, 414-419, 4 figs. See also: Ann. Med. Hist., 10, 199-201, 2 figs.

1928C. Studies in paleopathology, XXIII. Surgery in pre-Columbian Peru. Ann. Med. Hist., 10, 698-728, 20 figs.

1928D. The paleopathology of Patagonia. Ann. Med. Hist., 10, 314-315.

1929A. Dinosaur tendons. Science, (n. s.) 70, 99.

1929B. Excess callus in a Pleistocene bird. Amer. Jour. Sci., (5) 17, 81-84, 1 fig.

1929C. Vertebrate footprints from the Red Beds of Texas. Amer. Jour. Sci., (5) **17**, 352–368, 9 figs.

1929D. The California sabre-tooth; the mandibular teeth and associated structures. Pacific Dent. Gaz., 37, 317-321, 6 figs.

1929E. An alveolar abscess in a fossil mammal. Pacific Dent. Gaz., 37, 428-433, 4 figs.

1929F. The teeth and jaws of Nothrotherium. Pacific Dent. Gaz., 37, 677-680, 3 figs.

1929G. A deformed molar of a mammoth from the Pleistocene of Texas. Pacific Dent. Gaz., 37, 683-686, 3 figs.

1929H. The California sabre-tooth, two impactions, and an abscess. Pacific Dent. Gaz., 37, 767-770.

1929I. The California sabre-tooth, facial asymmetry following loss of a sabre. Pacific Dent. Gaz., 37, 764-766.

1929J. The geological history of the vertebrates of Indiana and their position in the ancient North American fauna. Indiana Dept. Conserv., Publ. 90, 1–115, 96 figs.

1930A. The ancient life of Yuma County, Arizona. Sci. Monthly, 31, 401-407, 9 figs.

1930B. Ancient trails in the valley of the Clear Fork, Texas. Sci. Monthly, 30, 51-58, 11 figs.

1930C. Vertebrate footprints from the Red-Beds of Texas. II. Jour. Geol., 38, 548-565, 16 figs.

1930D. The dinosaurs of Wyoming. Wyoming Geol. Surv. Bull. no. 22, xiii + 119 pp., 47 [+ 3 unnumbered] figs. Preface by John C. Marzel, State Geologist.

1930E. Hypertrophy in the sacrum of the sabre-tooth, Pleistocene of southern California. Amer. Jour. Surgery, (n. s.) 8, 1313-1315, 2 figs.

1930F. Dental abscesses in a dinosaur millions of years old, and the oldest yet known. Pacific Dent. Gaz., 38, 435-440, 4 figs.

1930G. A suggestion of rickets in the Pleistocene. Amer. Jour. Surgery, (n. s.) 10, 162-163, 1 fig.

1930H. The phenomenon of sacralization in the Pleistocene sabre-tooth. Amer. Jour. Surgery, (n. s.) 10, 587-589.

1930I. Apical closure of root canals in adult Pleistocene Carnivora. Pacific Dent. Gaz., 38, 1-4, 4 figs.

1930J. Pleistocene luxations. Amer. Jour. Surgery, (n. s.) 9, 348-362.

1930K. Mandibular and maxillary grooves in a dinosaur. Pacific Dent. Gaz., 38, 441-443, 3 figs.

1931A. The geological succession of life in Kentucky. Publ. Kentucky Geol, Surv., (6) **36**, 1-46.

1931B. Pennsylvanian vertebrate fauna. Publ. Kentucky Geol. Surv., (6) 36, 353-385.

1931C. On a new specimen of a paleoniscid brain from Iowa. Iowa Geol. Surv., Ann. Rept., 1929, 35, 489-498, 4 figs.

1933. A popular guide to the nature and the environment of the fossil vertebrates of New York. N. Y. State Mus., Handb. no. 12, 1-122, 49 figs.

Mook, Charles Craig

1980. A new species of crocodilian from the Torrejon beds. Amer. Mus. Novit., no. 447, 1-11, 7 figs.

1931A. Discovery of fossil crocodile bones in New Jersey. Nat. Hist., **31**, 221–222. See: Mook 1931B.

1931B. New crocodilian remains from the Hornerstown marls of New Jersey. Amer. Mus. Novit., no. 476, 1-15, 4 figs.

1931C. Research on fossil Crocidilia. Nat. Hist., 31, 221, (abstract).

1932A. A new species of gavial from the Siwalik beds. Amer. Mus. Novit., no. 514, 1-5, 2 figs.

1932B. A study of the osteology of Alligator prenasalis (Loomis). Bull. Mus. Comp. Zool. Harvard, 74, 19-41, 10 figs., 3 pls.

1933A. A crocodilian skeleton from the Morrison formation at Canyon City, Colorado. Amer. Mus. Novit., no. 671, 1-8, 4 figs.

1933B. Skull characters of *Teleorhinus browni* Osborn. Amer. Mus. Novit., no. 602, 1-6, 2 figs.

1933C. A skull of *Crocodilus clavis* Cope, in the United States National Museum. Amer. Mus. Novit., no. 678, 1-7, 3 figs.

1933D. A skull with jaws of *Crocodilus sivalensis* Lydekker. Amer. Mus. Novit., no. 670, 1-10, 5 figs.

See: Matthew and Mook, 1933.

Moore, Bernard See: Buwalda and Moore, 1930.

Moore, Nathan Grier

1928. The theory of evolution as applied to man. An inquiry: from a lawyer's point of view. Chicago: The Lakeside Press, "For private circulation," 154pp., illustr. [2d ed., same imprint, 1929, vii + 374pp., illustr., author's name on title page.]

Moore, Raymond Cecil

1929A. A large fish spine from the Pennsylvanian of North Central Texas. Dennison Univ. Bull., Jour. Sci. Lab., 24, 237-243.

1929B. Environment of Pennsylvanian life in North America. Bull. Amer. Assoc. Petrol. Geolog., 13, 459-487, 1 fig.

1933. Historical geology. New York: McGraw-Hill Book Co., xiii + 673 pp., 413 figs.

Morant, G. M.

1928. Studies of paleolithic man. 3. The Rhodesian skull and its relations to Neanderthaloid and modern types. Ann. Eug., 3, 337-360, 3 figs., 6 pls. Review: M. B[oule] in L'Anthrop., 40, 121-122.

1931. Studies of Paleolithic man. IV. A biometric study of the Upper Paleolithic skulls of Europe and of their relationships to earlier and later types. Ann. Eug., 4, 109-214, 63 figs., 12 pls.

Moreau, R. E.

1930. On the age of some races of birds. Ibis, (12) 6, 229-239.

Morel, M. See: Baudouin and Morel, 1928.

Morgan, Thomas Hunt

1932. The scientific basis of evolution. London: Faber & Faber; New York: W. W. Norton, 1-286 pp., 42 figs. [2d ed., 1933, xiii + 306 pp., 45 figs.]

Morosan, Nicolai N.

1931A. Le Moustérien dans le nord de la Moldavie. L'Anthrop., 41, 234-235.

1931B. Contribution a l'étude du quaternaire de la Moldavie N. E. Acad. Română, Bul. Sect. Știin., 14, 35-45.
Review: R. V[aufrey] in L'Anthrop., 42, 111-112.

Morris, Frederick Kuhne See: Berkey, Granger, and Morris, 1929; Andrews, R., 1932.

Mossom, Donald Stuart See: Cooke and Mossom, 1929.

Mottl. Maria

1933A. Die arctoiden und spelaeoiden Merkmale der Bären. Föld. Közlöny, **63**, 165-177, 23 figs.

1933B. Zur Morphologie der Höhlenbärenschädel aus der Igric-Höhle. Evkön. Kir. Föld. Intézet., 29, 189-246, 35 figs.

Mov-Thomas, J. A.

1933A. Anatomy and affinities of Tarrasius problematicus. Nature, 132, 171-172.

1933B. Notes on the types of fossil fishes in the Leeds City Museum; 1. Elasmobranchi. Proc. Leeds Philos. Lit. Soc., Sci. Sect., 2, 451-454, 4 figs.

Müller, Leopold

1928. Sind die Dinosaurier durch Vulkanausbrüche ausgeratet worden? Unsere Welt, 20, 144-146, 2 figs.

Müllerried, Frederico K. G.

1931. Un reptil y algunos invertebrados fósiles de Rayón, Estado de Tamaulipas. An. Inst. Biol. Mex., 2, 171–178, 5 figs.

1932A. Primer hallazgo de un sirénido fósil en la República Mexicana. An. Inst. Biol. Mex., 3, 71-73, 2 figs.

1932B. Nota relativa a los antecesores de los Gymnophiona. An. Inst. Biol. Mex., 3, 371-374, 1 fig.

1933. Nota preliminar acerca de hallazgo de un gravigrado en capas diluviales de villa F. Madero, D. F. Valle de México. An. Inst. Biol. Mex., 4, 143.

Munthe, Henry

Notes on the interglacial beds of Phöben near Berlin. Geol. Fören. Förh.,
 52, 589-602, 1 fig.

1933. Ett fynd av sill i Yoldialera vid Nora i Västmanland. Geol. Fören. Förh., 54, (1932), 60-64, 4 figs.

Murphy, Robert Cushman

1929. [Obituary of:] Frederic Augustus Lucas, 1852-1929. Nat. Hist., 29, 211-214, 1 fig.

Mushketov, Dmitri I.

1931. On the organization of the International Glacial and Fossil Man's Commissions. Bull. Assoc. Study Europ. Quat., 1, 22-25.

Myers, George Sprague See: Eigenmann and Myers, 1929.

Myres. John Linton See: Smith, G. E., Keith; Parsons; Burkitt, M. C., Peake, and Myres, 1931; also Keith; Myres, et al., 1931, 1932, 1933.

1930A. Die Erdpechfallen vom Rancho La Brea. Umschau. 34, 460.

1930B. Ein Nashornkadaver in Ostgalizien. Umschau. 34, 276.

Nahours, Robert Kirkland

A third alternative: emergent evolution. Sci. Monthly, 31, 453-456. 1930.

Naef, Adolf

1928A. Notizen zur Morphologie und Stammesgeschichte der Wirbeltiere. 15. Dreissig Thesen über Wirbelsäule und Rippen, insbesondere bei den Tetrapoden. Zool. Jahrb., 50 (Anat.), 581-600, 2 figs.

1928B. Was der Röntgenfilm über den Mageninhalt des Axolotis erzählt und über den Mageninhalt fossiler Tiere. Ber. Senck. Naturf. Ges., 58, 184-190.

5 figs.

Phylogenie der Tiere. Handb. Verebungswiss., 3. Lief, 13, 200 pp., 77 figs. 1931. Abstract by C. Perez in Année Biol., 36, pt. 2, 653.

Morphologie der Tiere. Handwörterb. Naturwiss., 7, 3-17, 4 figs. 1932.

Die Vorstufen der Menschwerdung. Eine auschauliche Darstellung der 1933 menschlichen Stammesgeschichte und eine kritische Betrachtung ihrer allgemeinen Voraussetzungen. Jena: Gustav Fischer, viii + 232 pp., 129

Review: Weinert in Zeit. Morphol, Anthrop., 32, 524-525.

Nafiz, Hamit, and Malik, A.

Vertebrés fossiles de Küçükçekmece. Publ. Inst. Géol. Univ. Istanbul, no. 8 (= Bull. Fac. Sci. Istanbul, 3-4), 120 pp., 16 pls., (Turkish with French summary). Also in: C. R. Soc. Géol. France, 1933, 64, 66.

Nagao, Takumi

A summary of the Palaeogene stratigraphy of Kyûshû, Japan, with some 1928. accounts of the fossiliferous zones. (Parts 1 and 2.) Tohoku Imp. Univ., Sci. Repts., 12, 1-152, 18 pls., 1 table.

Nagasawa, Jôji

On accessory columns, anterior outer folds, and cusps developed in the 1930. molar teeth of cervids. Jour. Geol. Soc. Tokyo, 37, 608-611, (in Japanese).

1931A. Supplements to my note, "On accessory columns, anterior outer folds and cusps developed in the molar teeth of Cervidae." Jour. Geol. Soc.

Tokyo, 38, 87, 446, 641, (in Japanese).

1931B. On a fossil mammalian remain from Nakajima, Higashiamamura, Haibaragun, Province of Tötömi. Jour. Geol. Soc. Tokyo, 38, 480-483, (in Japanese).

1931C. Differences between the molar teeth of cervidae and antelopes. Jour.

Geol. Soc. Tokyo, 38, 188, (in Japanese).

1931D. On some remains of Cervus found in a fissure in limestone at Shimoda, Inabu-mura, Nagaoka-gun, Province of Tosa. (Preliminary note.) Jour. Geol. Soc. Tokyo, **38**, 484–488, (in Japanese).

1932A. Variation in size of molar teeth of Sika since the Pleistocene. Jour. Geol. Soc. Tokyo, 39, 71-84, 6 figs., (in Japanese).

1932B. A fossil cervid tooth obtained from Hiramakimura, Mino. Jour. Geol. Soc. Tokyo, 39, 219-224, 1 fig., (in Japanese).

Fossil Père David's Milou deer from Province of Harima. Jour. Geol. Soc-1933. Tokyo, 40, 210-212, 1 fig., (in Japanese).

Nagy, Eugen

Die paläographische Entwicklung der europaischen Avifauna. X Congr. Internat. Zool., Budapest, pt. 2, 1282-1292.

Naora, Nobuo See: Tokunaga and Naora, 1933A, B.

Nauck, E. T.

Beiträge zur Kenntnis des Skeletts der paarigen Gliedmassen der Wirbel-1928. tiere. V. Die Entwicklung des ventralen Schultergürtel Abschnittes bei Alytes obstetricans. Morphol. Jahrb., 60, 61-77, 6 figs., 1 pl.

1929. Beiträge zur Kenntnis des Skeletts der paarigen Gliedmassen der Wirbeltiere. VI. Das Schlüsselbein der Säugetiere und die Coracoprocoracoidplatte. Morphol. Jahrb., 62, 203-242, 15 figs.

Naumann, E.

1930. Vorzeitliche Säugetiere. Sitz.-Ber. "Isis", 17, 18-19.

Naumberg, Elsie Margaret Binger

1931. The Senckenberg Museum, Frankfort-on-Main, Germany. Auk, (n. s.) 48, 379-384.

Neaverson, Ernest

1928. Stratigraphical palaeontology. A manual for students and field geologists.
London: Macmillan & Co., Ltd., xiii + 525, 70 figs.
Reviews: Anonymous in Discovery, 10 (114), 206-207; Croneis in Jour.
Geol., 38, 188-189; Dunbar in Amer. Jour. Sci., (5) 18, 275.

1930. The Carboniferous rocks around Prestatyn, Dyserth, and Newmarket (Flintshire). Proc. Liverpool Geol. Soc., 15, 181-212, 1 pl., map.

See: Smith, B., et al., 1930.

Negri, Giovanni

1928. Riflessi delle ultime ocillazioni glaciali nell' attuale distribuzione della vegetazione in Toscana. Arch. Antrop. Etnol., 58, 206-233.

See: De Vecchi, et al., 1930.

Nelson, Nels Christian

1928A. [Review of:] Allison, Vernon C., "The antiquity of the deposits in Jacob's Cavern," (Anthrop. Papers, Amer. Mus. Nat. Hist., 19, 293-335, 1926).

Amer. Anthrop., (a. s.) 30, 329-335. See also: V. C. Allison 1928; also N. C. Nelson, Amer. Anthrop., 30, 547-548.

1928B. Pseudo-artifacts from the Pliocene of Nebraska. Science, (n. s.) 67, 316-317.

1933. The antiquity of man in America in the light of archaeology. In: Jenness, 1933, "The American aborigines," Univ. Toronto Press, pp. 87-130.

See: Andrews, R., 1932.

Nesbitt, Paul H. See: Romer and Nesbitt, 1930.

Neuberg, A.

1928. Urentwicklung des Menschen. Tatsachen und Gedanken. Gütersloh:
Bertelsmann, 426 pp.
Reviews: Anonymous in Unsere Welt, 20, 382-383; Menghin in Wien.
Prähist. Zeit., 16, 64-65.

Neumayer, L.

1929. Ein viviparer Fisch aus dem lithographischen Schiefer von Kehlheim. Centralbl. Min. Geol. Pal., **1929**, Abt. B, 499-507, 4 figs.

Neuville, Henri

1928. Remarques sur le Steno Gastaldii Brandt et sur l'évolution de la dentition des Cétodontes. Bull. Mus. Hist. Nat. Paris, 34, 135-139.

1932A. Recherches comparatives sur la dentition des Cétodontes. Étude de morphologie et d'ethologie. Ann. Sci. Nat. Zool., (10) 15, 185-361, 63 figs., 16 pls.

1932B. Remarques odontologiques sur quelques mammifères. Arch. Anat., Histol., Embryol., 14, 125-164, 24 figs.

Neuville, René See: Vaufrey 1931D.

Newman, Horatio Hackett

1928. Cumulative evidence for evolution. In: Mason. F., 1928, "Creation by Evolution," pp. 355-371.

1932A. Evolution, genetics and eugenics. 3d ed. Chicago: University of Chicago Press, xxiv + 620 pp., 100 figs.

1982B. Evolution yesterday and today. Baltimore: The Williams & Wilkins Co-[etc.], x + 171 pp.; London: Baillere, Tindale & Cox. Reviews: Anonymous in Quart. Rev. Biol., 7, 475; A. H[rdlička] in Amer. Jour. Phys. Anthrop., 17, 238.

1932C. The gist of evolution. New York: Macmillan, ix + 154 pp.

Nichols, Henry Windsor, and Orr, P. C.

1932 Bakelite impregnation of fossil bones. Mus. Jour., London, 32, 47-53, 1 pl.

Nichols, John Treadwell

1930. Speculation on the history of the Ostariophysi. Copeia, 1930, 148-151. See: Andrews, R., 1932.

Nickles, John M.

1928. Bibliography of North American geology, 1925 and 1926. U. S. Geol. Surv., Bull. 802, 1-286.

1931A. Bibliography of North American geology, 1919-1928. U. S. Geol. Surv., Bull. 823, 1-1005.

1931B. Bibliography of North American geology, 1929 and 1930. U. S. Geol. Surv., Bull. 834, 1-280.

Nicolas, Frank

1930. Index to palaeontology (geological publications 1917–1926). Canada Dept. Mines, Geol. Surv., Misc. Ser. no. 2, 385–482.

Nielsen, Eigil

1932. Permo-Carboniferous fishes from East Greenland. Meddel. om Grønland, 86, Nr. 3, [6] + 63, 7 figs., 16 pls.

Niezabitowski, Edward Lubicz

1931. [The fossil remains of Bison bonasus in Poland.] Roczniki Nauk, Lésnych, **26**, 7-50, 18 figs.

1932. Lagopus lagopus L. et Lagopus mutus Montin ainsi que la faune qui les accompagne dans le quaternaire de la Pologne. Ann. Soc. Géol. Pologne, 8, 179-192, 1 pl.

Nininger, Harvey Harlow

1928. Pleistocene fossils from McPherson County, Kansas, 1921-1924. Trans. Kansas Acad. Sci., 31, 96-97.

Nitsche, Max

1929. Untersuchungen über fossile Pferdereste Böhmens und ihre Beziehnung zu einigen rezenten und fossilen Pferderassen. Zeit. Induct. Abstamm. Vererbungsl., **51**, 146-244, 10 figs.

Abstract by A. Pictet in Année Biol., **34**, pt. 2, 756-757.

Noble, Gladwyn Kingsley

1928. Two new fossil Amphibia of zoögeographic importance from the Miocene of Europe. Amer. Mus. Novit., no. 303, 1-13, 6 figs.

1929. Amphibia. Enc. Brit., 14th ed., 1, 832-840, 7 figs.

1930. The fossil frogs of the Intertrappean beds of Bombay, India. Amer. Mus. Novit., no. 401, 1–13, 3 figs. See also: Parker, H. W., 1930.

1931. The biology of the Amphibia. London and New York: McGraw-Hill, xii + 577 pp., 174 figs., map. Reviews: Anonymous in Jour. Amer. Med. Assoc., 97, 1733; Copeia, 1931, 145.

Noir, J.

1929. A la Conférence Broca de la Société d'Anthropologie. Quelle est l'attitude normale de la tete chez l'homme? Concours Méd., Paris, **51**, 3675–3676.

Nomland, Gladys Ayer

1932. Proboscis statue from the Isthmus of Tehuantepec. Amer. Anthrop., 34, 591-593, 2 pls.

Nopcsa, Ferenc [= Baron Franz Nopcsa = Francis Baron Nopcsa = F. Freiherr von Nopcsa]

1928A. Fejlődéstőrténeti és örökléstani következtetések a hüllök tanulmányozásából. Állat, Közlem., **24**, 125–143, 6 figs., (English summary on p. 206).

1928B. The genera of reptiles. Palaeobiol., 1, 163-188.

1928C. Palaeontological notes on reptiles. Geol. Hungarica, Ser. Pal., 1, fasc. 1,

1-84, 14 figs., 9 pls.
[Subtitles:] I. Redescription of Palaeohatteria; II. On some fossil reptiles from the copper-bearing [Kazan] Permian strata of Russia; III. On some nothosaurian reptiles from the Trias; IV. Helochelydra and Hylaeochelys, two little known tortoises from the Wealden and Purbeck formations;

V. On the skull of the Upper Cretaceous dinosaur *Euoplocephalus*; VI. *Scolosaurus cutleri*, a new dinosaur; VII. On the classification of the Crocodilia.

1928D. [Foreword to:] Kubacska, A., 1928, "Die Grundlagen der Literatur über Ungarns Vertebratenpalaeontologie."

1928E. Dinosaurierreste aus Siebenburgen. IV. Die Wirbelsäule von Rhabdodon und Orthomerus. Pal. Hungarica, 1, 273-302, 6 figs., 1 pl. [Publication date questionable, see D. Watson 1929K.]

1928F. Festrede [on paleophysiology]. Föld. Intézet Haziny., pp. 1-15 [of reprint]

1929A. Festrede. Pal. Zeit., 11, 5, (abstract of, 1928F).

1929B. Sexual differences in ornithopodous dinosaurs. Palaeobiol., 2, 187-201, 3 figs.

1929C. Dinosaurierreste aus Siebenbürgen, V. Geol. Hungarica, Ser. Pal., [1], fasc. 4, 1-76, 6 figs., 6 pls.

1929D. Noch einmal Proavis. Anat. Anz., 67, 265-300, 6 figs.

1930A. Notizen über Macrochemus Bassanii nov. gen. et spec. Centralbl. Min. Geol. Pal., 1930, Abt. B, 252-255, 1 fig. See also: Peyer 1931A; and Nopcsa 1931A.

1930B. Über prozöle und opisthozöle Wirbel. Anat. Anz., 69, 19-25, 1 fig.

1930C. Über die Orientierung konvexo-konkaver Gelenkflacken. Anat. Anz., 70, 401-416, 3 figs.

1930D. Zur Systematik und Biologie der Sauropoden. Palaeobiol., 3, 40-52.

1930E. Zur systematischen Stellung dreier von Wiman aus China beschriebener fossiler Schildkroten. Centralbl. Min. Geol. Pal., 1930, Abt. B, 510-512. See: Wiman 1930B.

1931A. Macrochemus nicht Macrochemus. Centralbl. Min. Geol. Pal., 1931, Abt. B, 655-656. See also: 1930A; also Peyer 1931A.

1931B. Notes on Stegocephalia and Amphibia. Proc. Zool. Soc. London, 1930 [1931], 979-995.

1931C. On Troödon, a reply to Dr. C. W. Gilmore. Ann. Mag. Nat. Hist., (10) 8, 70-72. See also: Gilmore 1930C, 1931D.

1931D. Osteologia reptilium fossilium et recentium II: Appendix. Fossilium Catalogus, Animalia, Pars 50, 1-62.

1932A. Sur des nouveaux restes de tortues du Danien du Midi de la France. Bull. Soc. Géol. France, (5) 1, 223-235, 1 fig., 2 pls. Preliminary note in: Ann. Mus. Hist. Nat. Marseille, 22, 5-7, figs.

1932B. The influence of geological and climatological factors on the distribution of non-marine fossil reptiles and Stegocephalia. Abst. Proc. Geol. Soc., London, 1931-1932, p. 96. See also: Quart. Jour. Geol. Soc. London, 90, 76-140, 4 figs., 1934.

1933A. On the histology of the ribs in immature and half-grown trachodont dinosaurs. Proc. Zool. Soc., London, 1933, 221-223. See also: Heidsieck 1933.

1933B. On the biology of the theromorphous reptile *Euchambersia*. Ann. Mag. Nat. Hist., (10) **12**, 125-126.

Nordenskiöld, Erik

1928. The history of biology. Translated from the Swedish by Leonard Bucknall Eyre. New York and London: Alfred A. Knopf, xii + 629 + xv pp., 16 pls.

Review by Sarton in Isis, 12, 326-340.

Nordmann, Valdemar

1930. Ein Backenzahn von *Elephas antiquus* aus Dänemark. Meddel. Dansk Geol. Foren., 7, 435–438, 2 figs.

Nordmann, V., and Degerbøl, M.
1930. En fossil Kæbe af Isbjørn (*Ursus maritimus* L.) fra Danmark. Vidensk.
Meddel. Dansk Naturhist. Foren., 88, 273-286, 2 figs., 1 table (Danish with English summary). Also in: Publ. Univ. Zool. Mus. Køb., no. 65, 273-286, 2 figs., 1 pl.

Norman, J. R.

1932. A history of fishes. London: Ernest Benn; New York: Frederick A. Stokes Co., xv + 463 pp., 147 figs., 9 pls. Reviews: Anonymous in Discovery, 12, 270; Hubbs in Copeia, 1932, 41–42.

See: Pycraft 1931.

North, Frederick J.

1928A. Types and figured fossils in the National Museum of Wales. Geol. Mag., **65.** 193-210.

1928B. An episode in the history of geology. Discovery, 9, 155-159, 1 portrait, 1

Noszky, Eugen

Die Oligocen-Miocen Bildungen in dem N. O. Teile des ungarischen Mit-1930. telgebirges. II. Miocen. Ann. Hist. Nat. Mus. Nation. Hungarici, 27, 159-236.

Novarese, Vittorio, et al. See: Mochi 1928.

Nowak, Jan, Panow, E., Tokarski, J., Szafer, W., and Stach, J.
1930. The second woolly rhinoceros (*Coelodonta antiquitatis* Blum.) from
Starunia, Poland. Bull. Internat. Acad. Polonaise (3) 1930, suppl., 1-47, 2 figs., 10 pls., map. See also: *ibid.*, **1930**, 3-4. Review: Vaufrey in L'Anthrop., **41**, 566-569.

Nowikoff, M.

Das Prinzip der Analogie und die vergleichende Anatomie. Jena: Gustav 1930. Fischer, 155 pp., 24 figs.

Nürnberger, Ludwig

Koproporphyrin im tertiären Krokodilkot. Act. Acad. Leop.-Carol., 1933. (n. s.) 1, 324-325, (abstract). See also: Fikentscher 1933; and Forsch. u. Fortschr., 9, 39-40.

Oates, F. See: Stockley and Oates, 1931.

Obata, Tadahiro See: Yabe and Obata, 1930A, B.

Obermaier, Hugo

1928A. Altamira. Forsch. u. Fortschr., 4, 283-284, 2 figs. See also: Nat. Hist., 30, 426-434, illustr.

1928B. Die ältere Steinzeit. In: J. Schranil, "Die Vorgeschichte Böhmens und Mährens." Berlin, Leipzig: 1-34 pp., 7 figs.

1928C. Ein vorgeschichtlicher Skelettfund nächst der Altamira-Höhle (Nordspanien). Anthrop. Anz., 5, 249. See also: Invest. y Progr., Madrid, 3, 9-11, 2 figs.

1931A. L'age de l'art repestre Nord-Africain. L'Anthrop., 41, 65-74.

1931B. Urgeschichte der Menschheit. In: H. Finke, H. Junker, and G. Schnürer, "Geschichte der führenden Völker." Freiburg: Herder u. Co., 1, 147-347, 14 figs., 6 pls.

Reviews: H[erbert] K[ühn] in Ipek, 1931, 74-75; Menghin in Wien Prähist. Zeit., 21, 60-61; Nieuwenhuis in Internat. Arch. Ethnog., 31, 159-160.

1931C. Die diluvialen menschlichen Skelettfunde Nordafrikas. Anthrop. Anz., 7, 259-265, [not seen].

1932A. Oeuvres d'art du Magdalenien final de La Grotte du "Pendo" près Santander (Espagne). Préhist., 1, 9-18, 10 figs.

1932B. El hombre prehistorico y los origines de la humanidad. Madrid: 260 pp., 27 figs., 18 pls.

Obrutschew, D. M. [= Obrutschev]

1928A. [Orbital ossifications of Bothriolepis panderi.] Ann. Soc. Pal. Russie, 7, 142-144, 1 fig., (in Russian).

1928B. [Abnormal specimen of the dentition of Myliobatis.] Ann. Soc. Pal. Russie, 7, 139-141, 1 fig.

1931A. [The importance of the ichthyofauna for the stratigraphy of North-Western Devonian.] Bull. Géol. Leningrad, 49, 1930 [1931], 92-99, (in Russian).

1931B. Über Coccosteus trautscholdi (Eastmann). Trav. Mus. Géol. Acad. Sci. URSS, 8, 285-310, 4 figs., 5 pls.

1932A. Holonemidae des russischen Devons, Tray, Inst, Pal, Acad. Sci. URSS, 2, 97-115, 27 figs., 4 pls., (German with Russian summary).

1932B. [List of fishes from the Middle Devonian sandstone on the river Slavvanka (near Leningrad). Bull. Géol. Leningrad, 51, 175-177, (in Russian).

Zur Stratigraphie des mittelern Devons der Provinz Leningrad. Mém. 1933 Soc. Russ. Mineral.. (2) 62, 405-420, 14 figs.. (Russian with German summary).

O'Donoghue. Charles Henry

New light on the primitive vertebrates. Sci. Progress, 24, 534-538. 1930.

Oertle, G. F.

Das Vorkommen von Fischen in der Trias Württembergs. Neues Jahrb. 1928. Min. Geol. Pal., Abt. B. 60, 325-472, 3 pls.

Cleithrolepsis brückneri n. sp., der erste Vertreter der Gattung aus der europäischen Trias. Centralbl. Min. Geol. Pal., 1931, Abt. B, 297-300, 1931 1 fig.

O'Harra, Cleophas Cisney

1930A. A fossil mammal with unborn twins. Science, (n. s.) 71, 341-342. See also: Ber. Senck. Nat. Mus., 62, 96.

1930B. The Big Badlands, the wonderland of the great plains. Black Hills Engineer. 18, 191-205, 17 illustr.

Ohaus, F.

1929. Ein Beitrag zur Frage nach den Ursachen des gehäuften Vorkommens von Tierleichen. Palaeobiol.. 2, 61.

Oliveira, Euzebio Paulo de

O que realizou o Servico Geologico na Amazonia. Serv. Geol. Min. Brasil. 1929. **1929.** 1-20.

Fosseis marinhos na serie Itararé no Estado de Santa Catharina. Ann. 1930. Acad. Brasil Sci., 2, 17-21, 1 pl.

Notas paleontologicas. Ann. Acad. Brasil Sci., 4, pt. 2, 67-71. 1932.

Oliver, W. R. B.

New Zealand birds. Wellington: viii + 541 pp., 166 figs., 35 pls.

Oltmanns, F. See: Dittler, et al., 1931-1933.

Oppenheimer, Josef

Fossil Funde aus dem Löss von Brünn. Verh. Naturf. Ver. Brünn, 64 1933. (1932), 113-114, 1 fig.

Oppenoorth, William F. F.

1932A. Ein neuer diluvialer Urmensch von Java. Ber. Senck. Naturf. Ges., 62, 269-279, 10 figs. See also: 1932D; and Mijingenieur, 1932, 106-115, 9 figs., (English summary). Reviews: Anonymous in Jour. Geol. Soc. Tokyo, 39, 542; Weinert in Um-

schau. 37, 830-833.

1932B. Solo man—A new fossil skull. Sci. Amer., 147, 154-155, 4 figs. See also: ibid., 75.

1932C. Homo (Javanthropus) soloensis, een Plistoceene mensch van Java. Voorloopige Mededeeling. Dienst. Mijn. Ned.-Indië, Wet. Meded., 20, 49-63, 2 figs., 6 pls., (English summary).

Reviews: A. H[rdlicka] in Amer. Jour. Phys. Anthrop., 17, 244-246; Kr. in Kon. Ned. Aardrijk. Genoot., Tijdschrift, 49, 619; S. Sergi in Riv. An-

trop., 29, 610-613.

1932D. Een nieuwe fossiele mensch van Java. Kon, Ned, Aardrijk, Genoot., Tijdschrift, (2) 49, 704-707, 1 fig., 1 pl.

Opitz, R. 1933. Aufbereitung von Versteinerungen. Naturforscher, 10, 85-91, 10 figs.

Orlov, J. Über die Reste eines fossilen Kamels aus dem Gouvernement Akmolinsk 1928. (Westsiberien). Ann. Mus. Zool. Acad. Sci. URSS, 28, 1927 [1928], 496-538, 4 pls., (in German).

1929. Ueber die Reste der fossilen Cameliden aus dem Gouvernement Akmolinsk (Westsiberien). Ann. Mus. Zool. Acad. Sci. URSS, 30, 549-587, 4 pls.,

(in German). See also: Orlov 1928; and C. R. Acad. Sci. URSS, (A) 16, 247-251, 1927, (in Russian).

1930A. Neue Funde fossiler Säugetiere in Siberien. Trav. Mus. Géol. Acad. Sci. URSS, 7, 159-166, map, (in German).

1930B. [The Hipparion fauna in the Irtysh River (Siberia).] Priroda, 1930, 47-58, 5 figs., (in Russian).

1930C. Über die Reste der fossilen Camelidae aus dem Gouvernement Semipalatinsk (Westsiberien). Ann. Soc. Pal. Russie, 8, 99-116, 3 pls.

1930D. Einiges über tertiäre und posttertiäre Ablagerungen im nördlichen Teil des Kirgisenhochlandes. Bull. Géol. Leningrad, 49, 1149-1163, 1 fig., (Russian with German summary).

1931A. Über die Reste eines primitiven Pinnipediers aus den neogenen Ablagerungen Westsiberiens. C. R. Acad. Sci. URSS, (A) 67-70, (Russian with German summary). See also: Orlov 1933; and Priroda, 1931, 91-94, (in Russian).

1931B. New collections of fossil vertebrates in North America. Priroda, 1931, 886-895.

1933. Semantor macrurus (ordo Pinnipedia, fam. Semantoridae fam. nova) aus den Neogen-Ablagerungen Westsiberiens. Trav. Inst. Pal. Acad. Sci. URSS, 2, 1932 [1933], 165-262, 21 figs., 10 pls., (German with Russian summary).

Orr, Phil. C. See: Nichols and Orr, 1932.

Osborn, Henry Fairfield

1898A. [Preface to:] Fossil Vert. Amer. Mus. Nat. Hist., 1, iii-vi.

1898B. Casts, models, photographs, and restorations of fossil vertebrates. Amer. Mus. Nat. Hist., Dept. Pal. [a catalogue], 1-21, 8 figs.

1903. [Preface to:] Fossil Vert. Amer. Mus. Nat. Hist., 2, iii-xix.

1907. Discovery of a supposed primitive [human] race in Nebraska. Century, 73, 371-375, 7 figs. Also in: Nature, 75, 255.

1910. Great horses that were. N. Y. Eve. Post, Nov. 7, 1910, p. 9.

1911. A review of the Museum's exploration work. Amer. Mus. Jour., 11. 267-269.

1912. [Address before Groton School on fossils and exploration.] The Grotonian, 28, 1-5.

1923. The Hall of the Age of Man. Amer. Mus. Nat. Hist., Guide Leaflet, no. 52 [2d ed.], 1-33 pp., 8 figs., 15 pls., (with: "The family tree of man" by W. K. Gregory). [1st ed., 1921, has 20 pp., 1 fig., 12 pl.]

1924. [Introduction to:] Hugo Maier, "Fossil Man in Spain." New Haven: for the Hispanic Society of America, Yale University Press, pp. iv-xv

1926. J. L. Wortman—a biographical sketch. Nat. Hist., 26, 652-653, portrait. 1927A. Epitome of recent research with regard to the antiquity of man. Nat.

Hist., 27, 187.

1927B. Orthogenesis [as illustrated by a mastodon skull]. Nat. Hist., 27, 187.

1927C. The Samos and Siwalik collections of fossil mammals and reptiles. Nat. Hist., 27, 297.

1927D. The origin and antiquity of man: a correction. Science, (n. s.) 65, 597.

1927E. Recent discoveries relating to the origin and antiquity of man. Proc. Amer. Philos. Soc., 66, 373-389, 2 figs. See also: Long Island Med. Jour., 21, 3-7.

1927F. Fundamental discoveries of the last decade in human evolution. Bull. N. Y. Acad. Med., (2) 3, 513-521, 1 chart.

1927G. Man rises to Parnassus: critical epochs in the prehistory of man. (Lectures at Princeton University.) Princeton: University Press, 217 pp., 183 figs. and pls. [2d ed., 1928, 251 pp., 83 figs.]
Reviews: Anonymous 1928D; Halliday in Discovery, 9, 166.

1928A. The influence of bodily locomotion in separating man from the monkeys and apes. Sci. Monthly, **26**, 385–399, 12 figs., 2 tables.

1928B. The plateau habitat of the pro-Dawn man. Science, (n. s.) 67, 570-571.

1928C. Present status of the problem of human ancestry. Proc. Amer. Philos. Soc., 67, 151-155.

1928D. Fifty years of Princeton '77. A fifty-four year record of the Class of 1877 Princeton College. Princeton: University Press, xiv + 389 pp. Includes biographies of W. B. Scott and H. F. Osborn.

1928E. [Introduction to:] E. Ingersoll, 1928, "Dragons and dragon lore," pp. v-vii. 1928F. Recent discoveries relating to the origin and antiquity of man. Palaeobiol., 1, 189-202, 3 figs. (Reprinted from Proc. Amer. Philos. Soc., 56, 373-389.)

1928G. [Foreword to:] F. Tilney, 1928, "The brain from ape to man."

1928H. The origin of man. Forum, 80, xviii-xx. (Reviews of: Mary E. Boyle, 1928, "In search of our ancestors"; and Sir Arthur Keith, 1928A, "Concerning man's origin.")

1928I. [Foreword to:] F. Mason, 1928, "Creation by evolution," pp. ix-x.

1928J. Moir on the antiquity of man. Science, (n. s.) 67, 273-275. (Review of J. Reid Moir, "The Antiquity of man in East Anglia." University Press, 1927.)

1928K. The influence of habit in the evolution of man and the great apes. Bull. N. Y. Acad. Med., (2) 4, 216-230.

1929A. Ancient migration routes of Central Asia. [Abstract of paper read before the National Academy of Science, at Princeton, November, 1929.] Science, (n. s.) 70, 638-639, 2 figs. Also in: N. Y. Times, Nov. 19, 1929, and other newspapers.

1929B. [Obituary of:] Bashford Dean. Nat. Hist., 29, 102-103, portrait.

1929C. [Obituary of:] Charles Depéret. Science, (n. s.) 69, 636-637.

1929D. Embolotherium, gen. nov., of the Ulan Gochu, Mongolia. Amer. Mus. Novit., no. 353, 1-20, 11 figs.

1929E. From the Greeks to Darwin. The development of the evolution idea through twenty-four centuries. [2d ed. "revised and extended"] New York: Charles Scribner's Sons, xvi + 398 pp. Review: Sarton in Isis, 13, 386-388.

1929F. Influence of the glacial age on the evolution of man. Bull. Geol. Soc. Amer., 40, 589-596, 3 figs. Abstract in: *ibid.*, 199-201.

1929G. Interruption of Central Asiatic exploration by the American Museum of Natural History. Science, (n. s.) 70, 201-294. See also: N. Y. Herald-Tribune, July 16, 1929.

1929H. Is the Ape-Man a myth? Human Biol., 1, 4-9. See also comment in: N. Y. Times, Dec. 28, 1929, and other newspapers.

1929I. The Miocene gibbon of France and Germany. Nat. Hist., 29, 670.

1929J. New Eurasiatic and American proboscideans. Amer. Mus. Novit., no. 393, 1-22, 22 figs.

1929K. Note on the geologic age of Pithecanthropus and Eoanthropus. Science, (n. s.) 69, 216-217.

1929L. The origin of man. Science, (n. s.) 69, x-xii, (abstract).

1929M. Paleontological monographs of the national geological surveys. Science, (n. s.) 70, 315-317.

1929N. The revival of Central Asiatic life. Nat. Hist., 29, 3-16, 14 figs., 4 pls. Translated into German by W. Ahrens: Naturforscher, 6, 6-16.

1929-O The titanotheres of ancient Wyoming, Dakota, and Nebraska. U.S. Geol-Surv., Monog., 55, (2 vols.), 1-953, 797 figs., 236 pls.
Reviews: Anonymous in Quart. Rev. Biol., 7, 100; Dietrich in Neues Jahrb. Geol. Pal., 1931, Referata, 815-839; F. H. A. M[arshall] in Geol. Mag., 67, 477-480; Romer in Science, (n. s.) 72, 92-95; Thorpe in Amer. Jour. Sci., (5) 20, 229-231; Woodward in Nature, 130, 149-150.

1929P. [Introduction to:] W. R. Brown, "The horse of the desert." New York: Derrydale Press, 1929, (pp. xxv-xxviii).

1929Q. Thomas Jefferson, the pioneer of American paleontology. Science, (n. s.) **69,** 410-413.

1929R. [Address at Union Theological Seminary.] Daily Express (London), Jan. 7, 1929.

1930A. The ancestry of man. Nature, 125, 745.

1930B. The discovery of Tertiary man. Science, (n. s.) 71, 1-7, 2 figs. Also in:
Nature, 125, 53-57, 2 figs.; and in Russian in Priroda, 1930, 699-715. See
also; Moir 1930. Abstract by Varigny in Année Biol., 34, pt. 2, 384.
Discussion by Varigny in Rev. Gén. Sci., 41, 231-237, 2 figs.

1930C. Mediterranean land bridges. Nat. Hist., 30, 444-445.

1930D. Paleontology vs. genetics. Science, (n. s.) 72, 1-3.

1930E. Parelephas floridanus from the Upper Pleistocene of Florida compared with P. jeffersonii. Amer. Mus. Novit., no. 443, 1-17, 9 figs.

1930F. Renewal of the American Museum explorations in the Gobi desert. Science, (n. s.) 71, 481-482.

1930G. The romance of the woolly mammoth. Nat. Hist., 30, 227-241, 17 figs., 2 pls.

1930H. Ursprung und Entwicklung des Lebens, aus Grund einer Theorie von der Wirkung, Gegenwirkung und Zwischenwirkung der Energie dargestellt. Ubersetzt von Dr. Adolf Meyer. Stuttgart. Reviews: Arldt in Umschau, 35, 400; Eugen Fischer in Zeit. Morphol.

Anthrop., 30, 438-439; Pongrácz in Állat. Közlem., 28, 108-109; Rauther in Jahresh. Ver. Vaterländ. Naturk. Württemberg, 86, 95-96; Sieber in Verh. Zool.-Bot. Ges. Wien, 83, 166-167; Wetzel in Naturwiss., 19, 234.

1930I. Fifty-two years of research, observation and publication, 1877-1929. New York: Charles Scribner's Sons, xii + 160 pp., 10 pls. Reviews: J. R. in Nature, 128, 625; C. A. Klofoid in Isis, 16, 508-509.

1930J. Biographical memoir of Edward Drinker Cope, 1840-1897. Biog. Mem. Nation. Acad. Sci., 13, (third memoir), 125-137.

1930K. Ancient vertebrate life of Central Asia. Discoveries of the Central Asiatic expeditions of the Museum of Natural History in the years 1921-1929. Livre Jubilaire, Cent. Soc. Géol. France, 1930, 519-543, 8 figs. and maps. Reviews: Dal Piaz in Riv. Ital. Pal., 37, 8-18; Thorpe 1931A.

1931A. Arrest of the geologic, archeologic and paleontologic work in Central Asia. Science, (n. s.) 74, 139-142.

1931B. The principles of evolution revealed by paleontology. Nature, 128, 894-897. Abstract in: Nat. Hist., 31, 675-677.

1931C. Paleontology versus Devriesianism and genetics in the factors of the evolution problem. Science, (n. s.) 73, 547-549.

1931D. Explorations, researches and publications of Pierre Teilhard de Chardin, 1911-1931. Amer. Mus. Novit., no. 485, 1-13, 1 fig., map.

1931E. United States Geological Survey unpublished lithographic plates of vertebrate fossils for distribution. Science, (n. s.) 74, 43-44.

1931F. Lower Pleistocene age of Peking Man. Nat. Hist., 31, 446.

1931G. New concept of evolution based upon researches on the titanotheres and proboscideans. Science, (n. s.) 74, 556-559.

1931H. New conceptions of species and genera, and of classification, discovered in the evolution of the titanotheres. Jour. Mammal., 12, 1-12, 7 figs.

1931I. Nine new principles of evolution revealed by paleontology. Rept. Brit. Assoc. Adv. Sci., 1931, 394-395. See also: Osborn 1932C

1931J. Palaeoloxodon antiquus italicus subsp. nov., final stage in the "Elephas antiquus" phylum. Amer. Mus. Novit., no. 460, 1-24, 17 figs. and maps.

1932A. Biological inductions from the evolution of the Proboscidea. Science, (n. s.) 76, 501-504. Also in: Proc. Nation. Acad. Sci., 19, 159-163. Review: Caullery in Année Biol., 37, pt. 2, 511.

1932B. The "Elephas meridionalis" stage arrives in America. Proc. Colo. Mus. Nat. Hist., 11, 1-3, 3 figs., 2 pls.

1932C. The nine principles of evolution revealed by paleontology. Amer. Nat., 66, 52-60. See also: Osborn 1931I.

Abstracts: Cuénot in Année Biol., 36, pt. 2, 183; Varigny in ibid., 298.

1932D. Trilophodon cooperi, sp. nov., of Dera Bugti, Baluchistan. Amer. Mus. Novit., no. 585, 1-6, 2 figs.

1932E. [Reply to letter of Chang Chi (1932) on controversy of Central Asiatic expeditions and Chinese government.] Science, (n. s.) 76, 539-540.

- 1932F. New estimate of the length of Pleistocene time and means of dating the Stone Age man by the elephant-enamel method. Rept. Brit. Assoc. Adv. Sci., London, 1931 [1932], 372-373. See: Osborn and Colbert, 1931, for a fuller statement.
- 1932G. The geologic age of Pithecanthropus, Eoanthropus, and other fossil men determined by the enamel-ridge-plate-grinding-tooth-measurement of the Proboscidea with which they were geologically contemporaneous. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 451-453.

1932H. Continental migrations of the Jurassic Sauropoda and the Tertiary Mammalia. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 389.

1932I. American Museum exploration and research. Amer. Mus. Nat. Hist., 63d Rept. of Trustees, 1931 [1932], 1-18, pls. 1-9.

1933A. Aristogenesis, the observed order of biomechanical evolution. Proc. Nation. Acad. Sci., 19, 699-703, 1 fig. Also in French in: Rev. Gén. Sci.. 44, 495-505, 8 figs. Abstract by Caullery in Année Biol., 37, pt. 2, 511-512.

1933B. Biological inductions from the evolution of the Proboscidea. Proc. Nation. Acad. Sci., 19, 159-163. See also: Science, (n. s.) 76, 501-504. Abstract by Caullery in Année Biol., 37, pt. 2, 511.

1933C. Des principes qui ont présidé à l'évolution biomécanique des mammifères. C. R. Acad. Sci., Paris, 196, 1760-1763.

1933D. Serbelodon burnhami, a new shovel tusker from California. Amer. Mus. Novit., no. 639, 1-5, 2 figs.

1933F. Recent revivals of Darwinism. Science, (n. s.) 77, 199-202. See: Andrews 1932; Keith, Osborn, Lang, et al., 1932; McSpadden 1931; Matthew

Osborn, H. F., [et al.]

1917; Willey 1906.

Cope: master naturalist. Princeton University Press, xvi + 740 pp., 30 figs. See also: Science, (n. s.) 73, 225-227.

Reviews: W. H. Davis in Amer. Anthrop., 34, 341-342; Dietrich in Centralbl. Min. Geol. Pal., 1931, Abt. B, 510-511; W. K. Gregory in Nat. Hist., 31, 450-452; C. A. Kofoid in Isis, 20, 291-293; F. H. A. M[arshall] in Geol. Mag., 69, 42; Myers in Copeia, 1932, 39-41; Romer in Jour. Geol., 40, 88, 01, Stone in Aul. 56, 457; Woodward in Nature 190, 200 40, 88-91; Stone in Auk, 56, 456-457; Woodward in Nature, 129, 299.

Osborn, H. F., Bidder, G. P., and M'Intosh [Obituary of:] Sir E. Ray Lankester, K. C. B., F. R.S. Nature, 124, 345-347.

Osborn, H. F., and Colbert, E. H. The elephant-enamel method of measuring Pleistocene time. Also stages in the succession of fossil man and Stone Age industries. Proc. Amer. Philos. Soc., 70, 187-191.

Abstract in: Pan-Am. Geol., 57, 238-239. Review: Girmounsky in Bull. Assoc. Study Europ. Quat., 3-4, 88.

Osborn, H. F., and Granger, W.

1931A. Coryphodonts of Mongolia, Eudinoceras mongoliensis Osborn, E. kholobol-chiensis sp. nov. Amer. Mus. Novit., no. 459, 1-13, 11 figs. See also: Nat. Hist., 31, 565-566, 1 fig.

1931B. The shovel-tuskers, Amebelodontinae, of Central Asia. Amer. Mus. Novit., no. 470, 1-12, 3 figs.

1932A. Coryphodonts and uintatheres from the Mongolian expedition of 1930. Amer. Mus. Novit., no. 552, 1-16, 18 figs.

1932B. Platybelodon grangeri, three growth stages, and a new serridentine from Mongolia. Amer. Mus. Novit., no. 537, 1-13, 8 figs.

Osborn, H. F., and Gregory, W. K.

1931. Memorial of William Diller Matthew. Bull. Geol. Soc. Amer., 42, 54-94, 2 portraits.

Osborn, H. F., and Matthew, W. D.

[Preface to:] Fossil Vert. Amer. Mus. Nat. Hist., 3, iii-viii.

Osgood, Wilfred Hudson

Louis Agassiz Fuertes. Science, (n. s.) 66, 469-472. 1927.

Osler, William

Bibliotheca Osleriana. London: Oxford University Press, 786 pp. 1929.

Ossat, Gioacchino de Angelis d' See: Angelis d'Ossat, Gioacchino de.

Osswald, Kurt

1929A. Raineria nov. gen. Ein Selachier-Rostrum aus dem alpinen Rhät. Zeit. Deutschen Geol. Ges., 80, 496-510, 1 pl.

1929B. Über einige Ratfossilien aus dem Risserkogelgebiet (sudlich Tegernsee). Jahrb. Preuss. Geol. Landesanst., 50, 733-750, 3 figs., 1 pl.

Ozaki, Kin-Emon See: Yabe, H., and Ozaki, 1929.

Pacheco. F. Hernandez See: Hernandez-Pacheco. F.

Pales, Léon

1929A. Maladie de Paget préhistorique. L'Anthrop., 39, 263-267, 2 figs.

1929B. La paléopathologie. Généralités matériaux et méthodes de recherche. Actes Soc. Linn. Bordeaux, 81 (Proc.-verb.), 30-45, 11 figs.

1929C. Nouvelles decouvertes de Cuon dans la région de Malarnaud (Grotte de Las Maretas). Bull. Soc. Hist. Nat. Toulouse, 58, 634-636, 2 figs.

1929D. Panthéres fossiles de la région de Malarnaud (Ariège). Bull. Soc. Hist. Nat. Toulouse, 58, 235-240, 5 figs.

1929E. Un radius pathologique d'Ursus spelaeus. Bull. Soc. Hist, Nat. Toulouse, **58,** 117–124, 5 figs.

1930.

Paléopathologie et pathologie comparative. Paris: Masson & Cie, viii + 352 pp., 63 pls. [Thesis, Ph.D.] Preface by Paul Rivet.
Reviews: LeGros Clark in Man, 34, 45; A. H[rdlička] in Amer. Jour. Phys. Anthrop., 17, 440-441; Lawrence in Antiq., 7, 241-242; Lebzelter in Mitt. Anthrop. Ges. Wien, 63, 269-270; Regnault in Bull. Soc. Préhist. Paris, 28, 246-248; Regnault in Rev. Anthrop., 43, 259-261; Willvorseder in Wien. Prähist. Zeit., 21, 167-168.

1931. La paléopathologie au Muséum de Toulouse. Bull. Soc. Hist. Nat. Toulouse, 61, 135-155, 14 figs., 4 pls.

1933A. Un cas de pseudarthrose de la mandibule chez l'ours des cavernes. Bull. Soc. Hist. Nat., Toulouse, 65, 597-598, 1 fig.

1933B. La paléopathologie au Musée de Pujol (Collection Begouen). Bull. Soc. Hist. Nat. Toulouse, 65, 526-528, 1 fig.

Palmer, E. G.

1928. The origin of man. London: Rider, 160 pp.

Palmer, Ephraim Laurence

1926. Rock stories. Cornell Rural School Leaflet, 19, no. 3, 1-50, 116 figs.

Palmer, L. S.

On the Pleistocene succession of the Bristol District. Proc. Geolog. 1931. Assoc. London, 42, 345-361.

Palmer, L. S., and Hinton, M. A. C.

Some gravel deposits at Walton near Clevedon. Univ. Bristol, Proc. Spelaeol. Soc., 3, 154-161, 2 pls.

Palmer, Theodore Sherman

1928A. [Obituary of:] Hans Friedrich Gadow. Auk, 53, 538-539.

1928B. Notes on persons whose names appear in the nomenclature of California birds. Condor, 30, 261-307, 5 figs.

1929A. [Obituary of:] Peter Petrovich Sushkin. Auk, 54, 149.

1929B. [Obituary of:] Frederick Augustus Lucas. Auk, (n. s.) 46, 281-282.

[Obituary of:] Hermann von Ihering, 1850-1930. Auk, (n. s.) 47, 452-453. 1930.

[Obituary of:] Benedict Ivanovich Dybowski [1833-1930]. Auk, (n. s.) 1931. **48.** 328–329.

Pan, Fernandez Ishmael del

1929. Notas paleogéographicas acerea del oso de las cavernas y del oso pardo. Mem. Soc. Españ. Hist. Nat., 15 (1), 426-436, 2 maps.

P'an, M. T.

1931. Sinanthropus material from the Chou Kou Tien deposit (Peking). Anat. Rec., 46, 29-30.

Panow, Eugenjusz See: Nowak, et al., 1930.

Parent, Henri

1928. Un gisement d'ossements de l'"Âge du Renne," en Provence. C. R. Soc. Géol. France, 1928, 286-288.

Parker, H. W.

1929. Two fossil frogs from the Lower Pliocene of Europe. Ann. Mag. Nat. Hist., (10) 4, 270-281, 2 figs.

1930. The status of the extinct frog, Lithobatrachus. Ann. Mag. Nat. Hist., (10) 6, 201-205.

See: Pycraft 1931.

Parkinson, John

1928. The dinosaurs of Tendaguru. Nat. Hist. Mag., 1, 275-286, figs. 1-4, map.

1929A. The deinosaur deposits at Tendaguru, Tanganyika Territory. Geol. Mag., 66, 558-560.

1929B. Preservation of animal remains. Nature, 124, 56. Review: Varigny in Année Biol., 33, pt. 2, 741-742.

1930. The dinosaur in East Africa. London: H. F. & G. Witherby, 192 pp., 8 figs., 12 pls.
Reviews: Lull in Amer. Jour. Sci., (5) 21, 192; Woodward in Nature, 126, 523-524.

Parks. William Arthur

1919. The great fossil reptiles of Alberta. Jour. Proc. Hamilton Assoc., no. 29, 131-140.

1921. The head and fore limb of a specimen of Centrosaurus apertus. Trans. Roy. Soc. Canada, (3) 15, 53-63, 4 pls.

1922. Presidential address. The development of stratigraphic geology and palaeontology in Canada. Trans. Roy. Soc. Canada, sect. 4, (3) 16, 1-46.

1926A. Struthiomimus brevetertius, a new species of dinosaur from the Edmonton formation of Alberta. Trans. Roy. Soc. Canada, (3) 20, 65-70, 1 fig., 1 pl.

1926B. Presidential address. Time and life. Trans. Roy. Soc. Canada, (3) 20, Appendix, lxvii-lxxxv.

1928A. Albertosaurus arctunguis, a new species of therapodous dinosaur from the Edmonton formation of Alberta. Univ. Toronto Studies, Geol. Ser., 25, 3-42, 20 figs., 1 pl.

1928B. Struthiomimus samueli, a new species of Ornithomimidae from the Belly River formation of Alberta. Univ. Toronto Studies, Geol. Ser., 26, 3-24, 5 pls.

1931. A new genus and two new species of trachodont dinosaurs from the Belly River formation of Alberta. Univ. Toronto Studies, Geol. Ser., 31, 1-11, 3 pls.

1933A. New turtles from the Belly River formation of Alberta. Bull. Geol. Soc. Amer., 44, 207.

1933B. New species of dinosaurs and turtles from the Upper Cretaceous formations of Alberta. Univ. Toronto Studies, Geol. Ser., 34, 3-33, 2 figs., 10 pls.

1933C. New species of *Champsosaurus* from the Belly River formation of Alberta, Canada. Trans. Roy. Soc. Canada, (4) 27, 121–137, 5 pls.

1933D. Dinosaurs of the Red Deer Valley. Discovery, 14, 29-30.

Parodi, Lorenzo J.

1930. Sobre nuevos restos de mammíferos de la fauna pampeana en Patagonia. Physis, 10, 21-34, 1 fig., 5 pls.

1931. Huesos de los miembros de los macroquénidos neoterciarios. Physis, 10, 294-304, 1 fig.

See: Kraglievich and Parodi, 1931.

Parodi. Rodolpho

1932. Lucas Kraglievich; su vida y su obra. [A folio of 14 pages, Buenos Aires.] Summary in An. Soc. Cien. Argent., 114, 317.

Parona, Carlo Fabrizio

1930. Resti di un "Physeter" scoperti nel Pliocene (Astiano) di Vigliano d'Asti in frazione Val Montasca. Atti Accad. Sci. Torino, 65, 240-245.

Parrington, F. R.

1933. On the cynodont reptile *Thrinaxodon liorhinus* Seeley. Ann. Mag. Nat. Hist., (10) 11, 16-24, figs.

See: Haughton 1932B.

Parry, R. F.

1929. Excavation of the caves, Cheddar. Somerset. Archaeol. Nat. Hist. Soc., Proc., 74, 102-121. Also: Nature, 122, 735-736.

Parsons, F. G. See: Smith, G. E., Keith, Parsons, Burkitt, et al., 1931.

Passemard, Emmanuel Pierre Joseph See: Deperet, et al., 1928.

Patané, G. Maugeri

1932. Interessante rinvenimento d'ossami con oggetti d'industria prestorica in un antico bacino lacustre nel territorio di Lentini (Sicilia). Boll. Accad. Gioenia Sci. Nat. Catania, fasc. 64, ser. 2, 31-49. Review: Graziosi in Arch. Antrop. Etnol., 62, 159-161.

Patrini, P.

1930. Chlamys septemradiatus Müll. var. subclavata Cantraine. Natura, Riv. Sci. Nat., 22, 102-104. Abstract in Riv. Ital. Pal., 37, 48.

Patte, Etienne

1928. Comparison des faunes de mammifères de Lang Son (Tonkin) et du Se Tchouen. Bull. Soc. Géol. France, (4) 28, 55-63, 3 figs. Abstract in C. R. Soc. Géol. France, 1928, 62.

1931A. A propos d'un Elephas namadicus signale en Annam. Quelques mots sur la frequence laminaire. Bull. Soc. Géol. France, (5) 1, 743-750, 1 pl. Also in: C. R. Soc. Géol. France, 1931, 213.

1931B. Pithecanthropus, Sinanthropus, et homme de Neanderthal. La Grand' Gaule (Poitiers), Dec. 1931, 8 pp.
 Abstract in: C. R. Soc. Géol. France, 1932, 57.

Patten, William

1929. The structure of *Drepanaspis gemündenensis*. Anat. Rec., **42**, 32, (abstract).

1930. The ways of man, apes, and fishes. Sci. Monthly, 31, 289-300, 3 figs.

1931A. New ostracoderms from Oesel. Science, (n. s.) 73, 671-673.

1931B. The mosaic pattern of the head in vertebrates and arachnids. Arch. Zool. Ital., 16, 771.

1932. Foundations of the face. Sci. Monthly, 35, 511-521, 9 figs. Portrait of author, p. 567. See also: Anat. Rec., 52 (suppl.), 30-55.

Patterson, Bryan

1931. Occurrence of the alligatoroid genus Allognathosuchus in the Lower Oligocene. Field Mus. Nat. Hist., Geol. Ser., 4, 223-226, 1 pl.

1932A. The auditory region of the Toxodontia. Field Mus. Nat. Hist., Geol. Ser., 6, 1-27, 5 figs.

1932B. Upper molars of *Canis armbrusteri* Gidley from Cumberland Cave, Maryland. Amer. Jour. Sci., (5) 23, 334-336, 1 fig.

1933. A new species of the amblypod *Titanoides* from western Colorado. Amer. Jour. Sci., (5) **25**, 415–425, 4 figs.

Patterson, J. W. See: Stock, Patterson and Furlong, 1929.

Patty, Ernest Newton

1929. The search for the first American. Sci. Amer., 140, 514-515, 6 figs., map.

Paucă, Mircea

1929A. Vorlaüfige Mitteilung über eine fossile Fischfauna aus den Oligozänschiefern von Suslänesti (Muscel). Acad. Română, Bul. Sect. Știin., 12, 112-120.

1929B. Fossile Fische aus dem rumänischen Tertiär. Acad. Română, Bul. Sect. Stiin., 12, 206-212. See also: C. R. Inst. Géol. Rumâniei, 17, (1928-1929).

1930A. Revision der fossilen Lepidopus- und Capros-Arten, Acad. Română, Bul. Sect. Stiin., 13, 177-183.

1930B. Die sogen "Meletta" und "Meletta crenata"-Schuppen. Centralbl. Min. Geol. Pal., 1930, Abt. B, 337-338.

1931A. Neue Fische aus dem Oligozän von Piatra-Neamt. Acad. Română, Bul. Sect. Știin., 14, 29-34, 4 figs. See also: C. R. Inst. Géol. României, 19, 89-97, 1 pl. (1933).

1931B. Alosa nordmanni Antipa aus dem Pontien von Târgu-Jiu. Acad. Română, Bull. Sect. Stiin., 14, 106-107, 2 pls.

Zwei Fisch Faunen aus den oligozaenen Menilitschiefern von Mahren. Ann. Naturhist. Mus. Wien, 46, 147-152. See also: 1931A. 1933.

Paulo de Oliveira, Euzebio See: Oliveira, E. P. de

Pavlow, A. P.

1928A. Robert Hooke. Un évolutionniste oublié du XVIIe siècle. Palaeobiol., 1. 203-210. See also: Boule 1928E.

1928B. Dépôts continentaux pliocènes et pleistocènes de l'Europe orientale. C. R. Congr. Géol. Internat., 14th Sess., 1989-1992.

Pavlow, Marie [= M. B. Pavlova]

Cervus euryceros Aldr. trouvé dans le gouvernement de Raizan. Bull. Soc. Nat. Moscou (Sect. Géol.), 36 (6:2), 213-224, 1 fig., 1 pl., (French with Russian summary).

1931. [Fossil elephants from the south of Russia.] Proc. Fourth Congr. Zoolog., Anatom. Histolog. USSR, Kiev, 1930 [1931], 85-86. Also in: Ukranian Acad. Sci., 2, (Symposium to Tutkowsky), 67-85, 2 pls., (French with Russian summary).

1932. Les restes des ossements des mastodontes provenant de l'ancien gouvernment de Kherson. Trav. Inst. Pal. Acad. Sci. URSS, 1, 1931 [1932]. 69-79, 2 pls., (French with Russian summary).

1933A. Faune des mammifères fossiles trouvés dans l'ancien gouvernment de Saratov prés de la ville de Khvalinsk au bord du Volga. Trav. Comm. Quat. Acad. Sci. URSS, 3, 167-172, 2 pls.

1933B. Camelopardalis parva Weith. des couches Sarmatique du Caucase. Trav. Inst. Pal. Acad. Sci. URSS, 2, 269-271, 1 fig., (French with Russian summary).

1933C. Les restes dauphins provenant des bords de la Mer Noirs. Bull. Soc. Nat. Moscou, Sect. Géol., 41, 40-45, 1 pl.

Pax, Ferdinand, and Arndt, W. 1930. Die Rohstoffe des Tierreichs. Berlin: Gebrüder Bornträger, 1928-1930. Lief. 1-5, 448 pp.

Peabody, Charles

1930. [Obituary of:] Louis Capitan. Amer. Anthrop., 32, 567-568.

Peake, Harold, and Fleure, H. J.

The corridors of time. I. Apes and men. New Haven: Yale University 1927. Press, vi + 138 pp.

Peake, H. J. E. See: Smith, G. E., Keith, Parsons, Burkitt, Peake, and Myres, 1931. Pearl, Raymond

1932. An explanatory note regarding a more detailed classification of recent literature useful in the study of human biology. Human Biol., 4, 131-153

Pearse, Arthur Sperry, and Hall, F. G.

Homoiothermism: the origin of warm-blooded vertebrates. London and New York: John Wiley & Sons, 119 pp.

Pearson, Helga S. [Mrs. H. S. Hacker]

Chinese fossil suidae. Pal. Sinica, (C) 5, fasc. 5, 1-75, 37 figs., 4 pls.

1929A. The hinder end of the skull in Merycopotamus and in Hippopotamus minutus. Jour. Anat., 63, 237-241, 4 figs.

1929B. Artiodactyla. Enc. Brit., 14th ed., 2, 479-482, 6 figs.

1929C. Pecora. Enc. Brit., 14th ed., 17, 429-430.

Pei, Wen Chung

An account of the discovery of an adult Sinanthropus skull in the Chou 1929. Kou Tien deposit. Bull. Geol. Soc. China, 8, 203-205.

On a collection of mammalian fossils from Chiachiashan near Tangshan. 1930. Bull. Geol. Soc. China, 9, 371-377, 5 figs.

1931A. The age of the Choukoutien fossiliferous deposit: a tentative determination by comparison with other later Cenozoic (Phychozoic) deposits in China. Bull. Geol. Soc. China, 10, 166-178, 1 fig., 2 tables.

1931B. Mammalian remains from locality 5 at Chouk'outien. Pal. Sinica, (C)

7, fasc. 2, 1-16, 1 fig., 1 pl.

1931C. Notice of the discovery of quartz and other stone artifacts in the Lower Pleistocene hominid-bearing sediments of the Choukoutien cave deposit. Bull. Geol. Soc. China, 11, 109-139, 15 figs., 3 pls. Reviews: O. G. S. C[rawford] in Antiq., 6, 507-509; Vaufrey in L'Anthrop., **42,** 570-571.

1932. Preliminary note on some incised, cut and broken bones found in association with Sinanthropus remains and lithic artifacts from Choukoutien. Bull. Geol. Soc. China, **12**, 105–108, 2 pls. See: Black, Davidson, *et al.*, 1933; Chardin and Pei, 1932; Young and Pei, 1933A, B.

Penck, Albrecht See: Mochi 1928.

Penrose, Richard Alexander Fullerton, Jr.

Geology as an agent in human welfare. Bull. Geol. Soc. Amer., 42, 393-406.

Perbal, Louis

Quelques aperçus sur l'utilisation de la charpente osseuse par les ani-1932. maux vertebres. Paris: Gaston Doin et Cie, 98 pp. Review: Anonymous in Quart. Rev. Biol., 7, 476.

Perez de Barradas, Jose

1929A. La coleccion prehistorica Rotondo. Soc. Españ. Antrop., Actas Mem., 8, 161-204, 37 figs.

1929B. Los yacimientos prehistoricos de los alrededores de Madrid. Bol. Inst. Geol. Min. España, (3) 11, 153-322, 53 figs., 9 pls. Review: R. V[aufrey] in L'Anthrop., 41, 157-159.

Perrier, Edmond

Traité de Zoologie. Paris: Masson et Cie, Fasc. 8-10, and index, 2885-3610, & 163, figs. 1972-2352. [Series published in the years 1928-1932; fasc. 8, Reptiles, 1928; fasc. 9, Birds, 1931, fasc. 10, Mammals, 1932.]

Péterfi, Tibor

Jahresbericht über die wissenschaftliche Biologie. Zugleich bibliographi-1928. sches Jahresregister zu den Berichten über die wissenschaftlichen Biologie. Berlin: Julius Springer, 600 pp.

Peters,

Das Aussterben der Saurier. Umschau, 36, 735. 1932.

Peters, E.

Die Altsteinzeitliche Kulturstätte Peterfels. Monographier zur Ur-1930. geschichte des Menschen. Augsburg: Benno Filser, 1929, 76 pp., 10 figs., 27 pls., 1 map.
Reviews: Andree in Mannus, 23, 213-214; H. K[ühn] in Ipek, 1930, 137;

Vaufrey in L'Anthrop., 41, 166-167; Wiegers in Praehist. Zeit., 21, 347-348, Menghin in Wien Prähist. Zeit., 20, 150-151.

Peters, James Lee

Check-list of birds of the world. Cambridge, Mass.: Harvard University 1931. Press, vol. I, xviii + 345 pp.

Peters, Nicolaus

Einige bemerkenswerte Fälle natürlicher Mummifikation bei Säugetieren. 1932. Zool. Garten, (N. F.) 5, 15-33, 12 figs.

Petersen, Jes.

1929. Erde und Mensch. Eine gemeinverständliche kurze Entwicklungsgeschichte der Erde und des Menschen. Berlin-Lichterfelde: Columbus-Verl., 185 pp., figs. and charts.

Peterson, Houston

1932. Huxley, prophet of science. New York: Longmans, Green & Co., xiv + 338 pp., 4 pls.

Reviews: Anonymous in Quart. Rev. Biol., 7, 351; C. A. Kofoid in Isis, 20, 297-298.

Peterson, Olof August

1931A. New mesonychids from the Uinta. Ann. Carnegie Mus., 20, 333-339, 4 figs., 2 pls.

1931B. New species of the genus *Teleodus* from the Upper Uinta of northeastern Utah. Ann. Carnegie Mus., 20, 307-312, 2 figs., 4 pls.

1931C. Obituary of Earl Douglass [1862-1931]. Science, (n. s.) 73, 486-487.

1931D. Two new species of agriochoerids. Ann. Carnegie Mus., 20, 341-354, 9 figs., 2 pls.

1932. New species from the Oligocene of the Uinta. Ann. Carnegie Mus., 21, 61-78, 12 figs., 1 pl.

Peterson, O. A., and Kay, J. L.

1931. The upper Uinta formation of northeastern Utah. Ann. Carnegie Mus., 20, 293-306, 3 pls.

Petit, G.

1933. Remarques suggérées par la découverte d'un crâne de chat dans les dépôts subfossiles de Madagascar. C. R. Acad. Sci., Paris, 197, 1349-1351.

Petrbok, Jar.

1928A. Nové nálezy ssavců v českém plistocaenu. [New discoveries of mammals in the Czech Pleistocene.] Věda Přírodní, 9, 5-7.

1928B. Nález kozorožce (a ostatní fauny) ve III. plistocaenní terase Vltavy v Holešovicich. [Discovery of ibex fossils in the Pleistocene near Prague.] Věda Přírodní, 9, 94.

1930A. Mastodon angustidens Cuv. v. andesitofých tufech u Bánovců na Slovensku. Věda Přírodní, **11**, 3-6, 1 fig., 1 pl.

1930B. Stratigrafická chronologie sedimentů ceských jeskyň Krasových. 1:
 Jeskyně "pod silnicí" u Srbska. 2: Turské Maštale pod Tetínem.
 [Stratigraphy of solution deposits in caves in Bohemia. 1: Silnici cave near Srbsko. 2: Turské Maštale cave near Tetín.] Věst. Stát. Géol.
 Českosl. Republ., 6, 58-63, 1 fig.; 169-176, (Czech with French summary).

1930C. Kritické poznámky ke stratigrafii Podbabské lebky. Čas. Národ. Musea, 103, 152-153, (Podbaba skull).

1931. Nález nosoržce v Čelákovicíchnad Labem. [Discovery of Rhinoceros in Čelákovicích on the Elbe.] Cas. Národ. Musea, 105, 163–164.

1933. Stratigrafická chronologie sedimentů českých jeskyň krasových. 3: (Chronologie stratigraphique des sédiments des cavernes de la Bohême). Vêst. Stát. Géol. Českosl. Republ., 9, 129-135, 1 fig., (Czech with French summary).

Petronievics, Branislav [= Petronievich]

1928A. Bemerkungen über Anurognathus, Döderlein. Anat. Anz., 65, 214-222, 1 fig.

1928B. Zur Pubisfrage der Archaeornis. Anat. Anz., 65, 342-349, 6 figs. Also in Serbian, with French summary, in: Bull. Acad. Roy. Serbe Sci. Arts, 131 (no. 62), 35-40, 1 pl.

1928C. [A note on Anurognathus Döderlein.] Ann. Géol. Pén. Balkan., 9, 75-77, 2 figs., (Russian with French summary). See: 1928A.

1931A. Sur le crâne et la mâchoire inférieure de *Cynognathus crateronotus*. Bull. Acad. Roy. Serbe Sci. Arts. **141** (no. 68), 1-8, 6 figs., (summary in French).

1931B. Note sur le coracoide de l'Archaeopteryx. Bull. Acad. Roy. Serbe Sci. Arts, 141 (no. 68), 15-16, 8 figs.

Peyer, Bernhard

1928A. Rochen-Eikapseln aus den Horwerschichten (unteres Stampien) von Grisigen, Kt. Luzern. Eclog. Geol. Helvetiae, 21, 407, 1 pl.

1928B. Scarus baltringensis Probst aus der marinen Molasse von Benken am Kohlfirst, Kt. Zürich. Eclog. Geol. Helvetiae, 21, 413-417, 1 fig.

1928C. Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. V. Tertiäre Wirbeltiere. 2. Die Welse des ägyptischen Alttertiärs nebst einer kritischen Übersicht über alle fossilen Welse. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., 32, no. 3, 1-62, 16 figs., 6 pls.

1929A. Über Fischreste aus dem Tertiär von Iquitos, Dep. Loreto, Peru. Verh. Schweiz. Naturf. Ges., 110, 196, (abstract).

1929B. Das Gebiss von Varanus niloticus L. und von Dracena guianensis Daud. Rev. Suisse Zool., **36**, 71–102, 9 figs.

1929C. Ceresiosaurus calcagnii, ein neuer Nothosauridae aus der Trias der Tessiner Kalkalpen. Verh. Schweiz. Naturf. Ges., 110, 196, (abstract). See also: Peyer 1931E.

1930. Tanystropheus longobardicus Bass. Sp. Vorlaufige Mitteilung. Centralbl. Min. Geol. Pal., 1930, Abt. B, 336-337. See also: Peyer 1931C.

1931A. Macrocnemus, nicht Macrochemus. Centralbl. Min. Geol. Pal., 1931, Abt. B, 190-192, 1 fig. See also: Nopcsa 1930A, 1931A.

1931B. Die Triasfauna der Tessiner Kalkalpen. 1. Einleitung. Abh. Schweiz. Pal. Ges., 50, 1-5, 1 map.

1931C. Die Triasfauna der Tessiner Kalkalpen. II. Tanystropheus longobardicus Bass. sp. Abh. Schweiz. Pal. Ges., **50**, 7-110, 28 figs., 14 pls. See also: Peyer 1930; and Vierteljahrsschr. Naturf. Ges. Zurich, **76**, vi, 1931.

1931D. Die Triasfauna der Tessiner Kalkalpen. III. Placodontia. Abh. Schweiz. Pal. Ges., 51, 1-25, 5 figs., 3 pls.

1931E. Die Triasfauna der Tessiner Kalkalpen. IV. Ceresiosaurus calcagnii nov. gen. nov. sp. Abh. Schweiz. Pal. Ges., 51, 1-67, 31 figs., 7 pls.

1931F. Über einen Placodontierzahn aus dem Lias von Arzo. Eclog. Geol. Helvetiae, 24, 271-274, 2 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 112, 325.

1931G. Paraplacodus broilii nov. gen. nov. sp., ein neuer Placodontier aus der Tessiner Trias. Centralbl. Min. Geol. Pal., 1931, Abt. B, 570-573, 5 figs.

1931H. Hartgebilde des Integumentes. In: Handb. Vergl. Anat. Wirbeltiere, 1, 703-752, 84 figs.

1932A. Saurierwirbel aus der Lettenkohle der Schambelen. Eclog. Geol. Helvetiae, 25, 277-282, 1 fig.

1932B. Die Triasfauna der Tessiner Kalkalpen. V. Pachypleurosaurus edwardsi Corn. spec. Abh. Schweiz. Pal. Ges., **52**, 1-18, 7 figs., 5 pls. Abstract in: Verh. Schweiz. Naturf. Ges., **109**, 219.

1933A. Die Triasfauna der Tessiner Kalkalpen. VII. Neubeschreibung der Saurier von Perledo. Abh. Schweiz. Pal. Ges., 53, 1-58, 12 figs., 6 pls.

1933B. Über einen Acrodus-Zahn aus dem basler Dogger, mit Bemerkungen über das Selachiergebiss im allgemeinen. Eclog. Geol. Helvetiae, 26, 237-241, 1 pl.

Peyrony, D.

1929. L'industrie et l'art de la couche des pointes en os a base a biseau simple de Laugerie-Haute. L'Anthrop., 39, 361-371, 4 figs.

1930. Le Moustier, ses gisements, ses industries, ses couches géologiques. Rev. Anthrop., 40, 48-76; 155-176, 19 figs.
 Review: Boule in L'Anthrop., 41, 161-164.

See: Capitan and Peyrony, 1928.

Peyrony, Elie

1933. Le Solutréen et le Magdalénien du Pech de la Boissière-de-La Boissière, pres Sarlat (Dordogne). Congr. Internat. Anthrop. Archéol. Préhist., Paris, 1931 (1933), 430-435, 3 figs.

Pfannenstiel, Max

1932A. Gehirnkapsel und Gehirn fossiler Amphibien, eine anatomisch-biologische Studie. Monog. Geol. Pal., (2) 6, viii + 85 pp., 26 figs.

1932B. Der kinetische Schädel karbonischer Stegocephalen. Fortschr. Geol. Pal., 11, 278-305, 5 figs.

1932C. Das Gehirn und die Sinnesorgane fossiler Amphibien. Jahresb. Mitt. Oberrhein, Geol. Ver., (N. F.) 21, x-xi.

Pfeffer, Georg

1927. Die Frage der Grenzbestimmung zwischer Kreide und Tertiär in zoogeographischer Betrachtung. Jena: Gustav Fischer, iv + 103 pp.

Pfizenmayer, E. W.

[Remarks on Siberian Mammoth hunting trip.] Jahresh. Ver. Vaterländ. 1928. Naturk, Württemberg, 84, LII-LIII.

Ein neues Mammut Model. Aus der Heimat, 43, 338-339. 1930.

Phaup, A. E.

Fossil reptilian remains from Chelmer Farm, Nyamandhlovu District. 1932. Proc. Rhod. Sci. Assoc., 31, 37-39.

Pia. Julius

1930A. Eine neue quartäre Warzenschwein-Art aus Südwestafrika. Centralbl. Min. Geol. Pal., 1930, Abt. B, 76-83, 2 figs.

1930B. Nachtrag zu der Mitteilung über eine neue quartäre Warzenschwein-Art aus Südwestafrika. Centralbl. Min. Geol. Pal., 1930, Abt. B, 205-206. See also, Pia 1930A.

Die Kalkbildung durch Tiere. Eine Übersicht der Fragen, vorzüglich 1933. der Chemischen. Pal. Zeit., 15, 154-195.

Piaz. G. B. Dal See: Dal Piaz. G. B.

Picard. F.

[Abstract of:] P. Teilhard de Chardin, "Quelques données nouvelles sur la mise en place de la faune moderne (mammifères), en Chine septen-1928. trionale." (C. R. Soc. Biogéog.) Année Biol., 32, pt. 2, 557-558.

Picová, Olga

1933. Paléobiologie. Terre et Vie. 3, 67-80, 9 figs.

Piiper, Johannes

1928. On the evolution of the vertebral column in birds, illustrated by its development in Larus and Struthio. Philos. Trans. Roy. Soc. London, (B) 216, 285-351, 32 figs., 1 pl.

1929. Die Evolution der Wirbelsäule des Vogels, illustriert auf Grund ihrer Entwicklung bei Sturmmöve und Strauss. Sitz.-Ber. Naturf. Ges. Dorpat, **35** (1928), 380-381, 384. See also: Piiper 1928.

Pike, Frank Henry

1928. A further note on the difficulties encountered by land vertebrates in their development. Science, (n. s.) 68, 378-379.

Pilgrim, Guy Ellcock

1928. The Artiodactyla of the Eocene of Burma., Pal. Indica, (n. s.) 13, 1-36,

1931. Catalogue of the Pontian Carnivora of Europe in the Department of Geology. London: Trustees, Brit. Mus. Nat. Hist., vi + 174 pp., 30 figs., 2 pls. Reviews: F. H. A. M[arshall] in Geol. Mag., 69, 186-187; Thorpe in Amer.

Jour. Sci., (5) 23, 379.

The fossil Carnivora of India. Pal. Indica, (n. s.) 18, 1–232, 2 figs., 10 pls. Reviews: F. H. A. M[arshall] in Geol. Mag., 70, 381–382; Wadia in Current 1932. Sci., 1, 114-115.

1933A. A fossil skunk from Samos. Amer. Mus. Novit., no. 663, 1-15, 6 figs.

1933B. The genera Trochictis, Enhydrictis and Trocharion, with remarks on the taxonomy of the Mustelidae. Proc. Zool. Soc. London, 1932 [1933], 845-867, 2 figs., 2 pls.

Pilgrim, G. E., and Aiyengar, N. K. N.

The lower canine of an Indian species of Conohyus. Rec. Geol. Surv. India, 61, 196-202, 1 pl.

Pilgrim, G. E., and Hopwood, A. T.

Catalogue of the Pontian Bovidae of Europe in the Department of Geology. B. M. (N. H.). London: British Museum of Natural History, viii + 106 pp., 3 figs., 9 pls. Reviews: Lull in Amer. Jour. Sci., (5) 16, 550; F. H. A. M[arshall] in Geol.

Mag., 65, 558-559,

Ping, Chi [= Py C. Ping]

1930A. A new fossil land turtle from Honan. Bull. Geol. Soc. China. 8, 231-238. 2 figs., 2 pls.

1930B. On the remains of a turtle from Chouk'outien. Bull, Geol. Soc. China. 9. 205-212, 3 pls.

On a fossil Clemmys. Bull. Geol. Soc. China, 11, 97-100, 3 pls. 1931.

Ping, C., and Yen. T. C.

1933. Descriptions of two new fossil fishes from Chekiang. Bull. Geol. Soc. China, 12, 269-273, 2 figs., 1 pl.

Pingch'ang, Sin

1930. [The Central Asiatic expedition.] Science, (n. s.) 71, 129-130.

Pinto. R. de Serpa See: Serpa Pinto. R. de

Piton, L.

Monographie de la perche tertiare des Schiste de Menat (P.-d.-D.) suivée 1933. d'une note sur deux hémiptères-homoptères provenant du même gisement. Rev. Sci., Moulins, 1933, pts. 3-4, 60-66, 1 fig.

Pittard, Eugène Ami, and Donici, A.

1930. Les grandeurs principales du crâne comparées a la stature chez les hommes fossiles. Verh. Schweiz. Naturf. Ges., 111, 342-344. Also in: Bull. Schweiz, Anthrop., Ethnol., 7, 21-23. See: Mochi 1928.

Piveteau, Jean

Études sur quelques amphibiens et reptiles fossiles. (Deuxieme Mémoire). 1928. Ann. Pal., 17, 23-47, 5 figs., 2 pls.

Sur un type de poisson fossile provenant du nord de Madagascar. C. R. 1929. Acad. Sci. Paris. 189, 1017-1019.

1930A. Contributions a l'étude des poissons ganoides fossiles; la famille des Catopterides. C. R. Acad. Sci. Paris, 191, 528-530.

1930B. Particularités structurales d'un type nouveau de poisson fossile des formations permo-triassiques du nord de Madagascar. C. R. Acad. Sci. Paris. **191.** 456-458. Abstract in: Rev. Sci. Paris, 68, 637.

1930C. Sur la distribution des poissons téléostomes en grands groups naturels. C. R. Acad. Sci. Paris, 191, 1470-1471. Abstract in: Rev. Sci. Paris, 69, 95.

1931A. Observations sur un mammifère artiodactyle, le Dacrytherium ovinum. C. R. Soc. Géol. France, 1931, 277-279.

1931B. Le passage de la vie aquatique à la vie terrestre chez les vertébrés. Terre et Vie. 1, 122-124, 2 figs.

1931C. Le plus ancien mammifères connu. Terre et Vie, 1, 57-58, 3 figs.

1932A. Les chats des phosphorites du Quercy. Ann. Pal., 20, 105-164, 15 figs., 7 pls.

1932B. Remarques sur la structure et les affinités d'un poisson du trias inférieur de Madagascar. C. R. Soc. Géol. France, 1932, 194-195.

1933A. Remarques préliminaires sur le *Dyrosaurus*, crocodilien de l'eocène inférieur de l'Afrique du Nord. C. R. Soc. Géol. France, **1933**, 236-237.

1933B. Contribution à la géologie de l'Angola. Le tertiare de Loanda. Bol. Mus. Lab. Min. Geol., Univ. Lisboa, 2, 2 pls., (fishes pp. 66-72). See: Arambourg and Piveteau, 1929A; Chardin and Piveteau, 1930.

Plieninger, Felix Pterosauria. Fossilium Catalogus, Animalia, Pars 45, 1-84.

Plummer, Frederick Byron See: Sellards, Adkins and Plummer, 193.

Plummer, Helen Jeanne See: Howell, B. F., and Plummer, 1932.

Plunkett, Charles Robert

1931. Outlines of modern biology. New York: Henry Holt & Co., viii + 711 pp., 198 figs.

Pocock, Reginald Innes

1929. Edentata. Enc. Brit., 14th ed., 7, 949-951.

The homologies between the branches of the antlers of the Cervidae based 1933 on the theory of dichotomous growth. Proc. Zool, Soc. London, 1933. 377-406, 13 figs.

Pohle, Hermann

1928A. Über die Raubtiere von Oldoway. Zeit. Säugetierk., 3, 18-19, (abstract).

1928B. Die Raubtiere von Oldoway. Wiss. Ergebniss, Oldoway Exped. Berlin:

Borntraeger, 3, 45-54, 3 pls. 1928C. Wilhelm Leche's Schriften [1851-1927]. Zeit. Säugetierk., 2, 149-155, portrait.

Pohle, J. See: Killermann and Handmann, 1930.

Poile, Nestor

Crânes de boyidés et bois de cerf de la Balastière de la Grande-Paroisse 1930. Seine-et-Marne. Bull. Soc. Préhist. Paris, 27, 255-256, 1 fig.

Poller. Alphons

Das Pollersche Verfahren zum Abformen an Lebenden und Toten sowie an 1931. Gegenstanden. ... Berlin und Wien: Urban und Schwarzenberg, 216 pp.

Pompeckj, Josef Felix

1928A. Fritz Frech. Gedächtnisworte an seinem Todestage. Pal. Zeit.. 10. 109-111.

1928B. Gedächtnisrede auf Wilhelm von Branca, Sitz-Ber. Preuss. Akad. Wiss., 1928, exiv-exxxvii. See also: Forsch. u. Fortschr., 4, 108.

Pongrācz, Sándor [= Alexander] 1928. "Magyar törzsfejlödéstani (filogeniai)." Állat. Közlem., 25, 87.

1929. Dem Andenken Otto Jackels. Allat. Közlem., 26, 139-145.

1931. Über Evolutionsprobleme und das evolutionistische Denken der Gegenwart. Biol. Generalis, 7, 591-604.

[Obituary of: ] G. J. Freiherr von Feiervary (1894–1932). Allat, Közlem... 1932. 29, 199-204, portrait, (Hungarian with German abstract).

Pontier, Georges

1928A. Les éléphants fossiles d'Abbeville. Ann. Soc. Géol. Nord., 53, 20-46. 4 figs., 4 pls.

1928B. Les éléphants fossiles du Nord de la France. 61st Congr. Soc. Say. Paris et Lille; Jour. Offic. Republ. Franç., no. 90, p. 4406.

1929A. Suite de l'étude sur les molaires d'éléphants quaternaires de la vallée de la Seine provenant de la collection Émile Rivière. Bull. Soc. Préhist. Paris, 26, no. 1, 62-68, 1 fig.

1929B. Les éléphants fossiles d'Angleterre, le mammouth en Angleterre et dans la Mer du Nord. C. R. Acad. Sci. Paris, 177, p. 830.

1930A. A propos d'anomalies dentaires observées chez les proboscidiens. Ann. Soc. Géol. Nord, 55, 2-10, 2 pls.

1930B. A propos de la dentition du mammouth à l'époque Magdalénienne. Bull. Soc. Préhist. Paris, 27 (3), 179-183, 1 fig.

1931A. Les éléphants quaternaire de la Charente. Bull. Soc. Préhist. Paris, 28, 124-133, 4 figs.

1931B. Réponse aux critiques formulees dans le travail de Mile. Doize et de M. Morosan, paru dans le Bulletin d'Octobre, 1931, de la Société Préhistorique Française. Bull. Soc. Préhist., Paris, 28, 540-544.

1932. A propos de la representation d'une tête de mammouth sur une dalle calcaire provenant de la Dordogne. Bull. Soc. Préhist. Paris, 29, 123-125, 1 pl. Review: R. V[aufrey] in L'Anthrop., 43, 117.

1933A. Etude du bulbe de la défense du Dinotherium giganteum Kaup. Ann. Soc. Géol. Nord., 58, 127-134, 2 figs.

1933B. Nouvelle contribution a l'étude des éléphants quaternaires de la Charente. Bull. Soc. Préhist. Paris, 30, 68–80, 8 figs., 2 pls.

1933C. Étude sur la dentition de l' Elephas (Archidiskodon) imperator Leidy (1858). Ann. Soc. Géol. Nord., **58**, 127-134, 2 figs.

Pontier, G., and Anthony, R.

1929. Sur la présence de quatre incisives superieures chez le Mastodon (Tetrabelodon) turicensis Schinz. C. R. Acad. Sci. Paris, 189, 1006-1008, 2 figs.

1933. Présence d'une prémolaire chez l'*Elephas imperator* Leidy. C. R. Acad. Sci. Paris, **196**, 1686-1687.

Pontier, G., et Dubois, G.

1928. Description de la molaire de lait d'Elephas primigenius trouvée à St.-Druon, près Cambrai. Ann. Soc. Géol. Nord, 53, 112-115, 1 pl.

Poole, Arthur J.

1930. Explorations in Haitian caves. Explor. Field Work, Smithson. Inst., 1929, 63-76, 6 pls.

Pope, Clifford Hillhouse See: Andrews, R., 1932.

Poplewski, Roman

1933. Metoda przedstarvlania stosunków palcomých u ssaków. [Method of representation of digital relationships in Mammalia.] Wiadomósci Weterynaryjne, **15**, 470–475.

Poppelbaum, Hermann

1931. Man and animal. Their essential difference (considered in five aspects).

Translated from the German by Edith Rigby and Owen Barfield. London: Anthroposophical Publishing Co., xvi + 174 pp., 17 figs., 1 pl.

Popping, H. J.

1931. Nederlandsche praehistorie. Levende Natuur., 35, [not seen]. Review: Kleiweg De Zwaan in Kon. Ned. Aardrijk., Genoot. Tijdschrift, 48, 512.

Portier, P.

1930. Notice nécrologique sur M. Louis Vialleton. Bull. Acad. Méd. Paris, 103, 17-20.

Potonié, Robert

1928. Die Krise des Darwinismus im Lichte der Palaeontologie. Naturforscher, 1928/1929, 12-15.

Poulton, Sir E. B.

1932. A hundred years of evolution. Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 71-95, 2 pls.

Poulton, Sir E. B., et al.

1932. Huxley Memorial Lectures. London: The Macmillan Co., 172 pp.

Power, Francis William, S. J.

1933. Chimpanzee buddy: What of it? America, 49, 9-11.

Pradenne, A. Vayson de

1929. La station paléolithique du Mont-Dol. L'Anthrop., 39, 1-42, 6 figs., 12 pls., map.

Praeger, R. Lloyd

1932. Recent views bearing on the problem of the Irish flora and fauna. Proc. Roy. Irish Acad., 41, Sect. B, no. 8, 125-144.

Prantl, Ferdinand

1933. Sur le genre *Palaeoxyris* Brognt. en Bohême. Bull. Internat. Acad. Sci. Prague, **34**, 37-41, 1 pl.

Pratje, A.

1929. Neuere Funde zur Urgeschichte des Menschen. Deutsche Med. Wochenschr., **55**, 363-365, 4 figs.
Review: Anonymous in Jour. Amer. Med. Assoc., **93**, 318.

Preda, David M. See: Athanasiu and Preda, 1929.

Prenant, Marcel

 Géographie des animaux. Paris: A. Colin, 103 pp., 4 figs. Review: Remy in Année Biol., 38 [1934], pt. 2, 85-86. Price, George McCready

1931. The Geological-Ages hoax. A plea for logic in theoretical geology. New York: Fleming H. Revell Co., 126 pp. Critical anonymous review in Quart. Rev. Biol., 7, 218-221, portrait of G. M. Price.

Price, Paul Holland, and Wells, D.

1933. Mastodon remains in river gravels at Point Marion, Pa. Proc. W. Virginia Acad. Sci., 6, 81-83, 1 pl.

Priest, Simeon See: Epps and Priest, 1933.

Procházka, Jan Svatopluk

1930. Mineralogicko-geologická bibliografie Českslovenski republiky za rok 1928 a 1929. Sborník Přirodřednecký, 7, 70-106.

Proell, F.

1932. Untersuchungen an fossilen Funden und primitiven Völkern und ihrer Auswertung für die praktische Medizin und Zahnheilkunde. Forsch. u. Fortsch., 8, 360-361.

Prokhorov, M. G.

1929. [Instructions for excavating, preparing and mounting fossil vertebrates.]
Trav. Mus. Géol., Acad. Sci. URSS., 1929, 1-75, 6 figs., 7 pls., (in Russian).

Proteaux, M. See: Anthony and Proteaux, 1929.

Pruvost, Pierre

1928A. Sur un poisson fossile trouvé dans le terrain houiller de l'Escarpelle. Ann. Soc. Géol. Nord, **53**, 296-298.

1928B. La faune continentale et la division stratigraphique des terrains houillers. C. R. Congrès Avance. Étud. Strat. Carbonifère, Heerlen, 1927 [1928], 519-534, 1 pl.

1930. La faune continentale du terrain houiller de la Belgique. Mém. Mus. Hist. Nat. Belg., 44, 105-283 [113-134 includes fish], 13 figs., 14 pls., [plate 1 = fish].

See: Fournier and Pruvost, 1928.

Puccioni, Nello

1928. Significato cronologico delle faune del Mousteriano in Italia. Arch. Antrop. Etnol., 58, 39-47.

1931. Il primo Congresso Internazionale di Scienze Preistoriche e Protostoriche. Arch. Antrop. Etnol., **62**, 138-142.

See: De Vecchi, et al., 1930.

Puzanov, I. I.

1931A. [An essay on the graphical representation of the genealogy of man from the point of view of the development of specifically human characteristics.]

Proc. Fourth Congr. Zoolog. Anatom. Histolog., Kiev, 1930 [1931], 317-318, (in Russian).

1931B. New finds of fossil man in Asia. Priroda (USSR), 1931, 58-66, 3 figs.

Pycraft, William Plane

1928A. New light on Rhodesian Man. Illustr. London News, 173, 412, 3 figs.

1928B. Some suggestions for the analysis of the Os Coxa in man. Man, 28, 201-205, 2 figs.

1929A. Archaeopteryx. Enc. Brit., 14th ed., 2, 360-362, 2 figs.

1929B. Odontornithes. Enc. Brit., 14th ed., 16, 707.

1930A. Darwinism versus Lamarckism. Sci. Progress, 24, 441-450.

1930B. The pelvis of Rhodesian Man. Man, 30 (7), 117-121, 4 figs., 1 pl.

Pycraft, W. P. [Editor]

1931. The Standard Natural History: from amoeba to man. London: Warne & Co., Ltd., xlv + 942 pp., 900+ figs., 12 pls. Includes contributions on Pisces by J. R. Norman; on Amphibia and Reptilia by H. W. Parker; on Aves by Pycraft; and on Mammalia by J. G. Dollman. Review: Anonymous in Nat. Hist. Mag., 3, 168-169.

Pycraft, W. P., Smith, G. E., Yearsley, M., Carter, J. T., Smith, R.A., Hopwood, A.T., Bate, D. M. A., and Swinton, W. E.

1928. Rhodesian Man and associated remains. London: Brit. Mus., (iii)-xiii +

(76) pp., 23 figs., 5 pls., tables. Reviews: Boule in L'Anthrop., 39, 467-469; Harker in Geol. Mag., 66, 91-92; Hooton in Antiq., 3; Lull in Amer. Jour. Sci., (5) 16, 548-550; Parsons in Nature, 122, 798-800.

Quelle, F.

[Obituary of:] Hermann von Ihering [1850-1930]. Mitt. Deutsche Ento-1930. mol. Ges., 1, 34-35.

Quenstedt, Werner; [Frech, F., and Pompeckj, J. F.] [Editors]
1913+ Fossilium Catalogus I: Animalia. Pars 1-75. [Berlin, and] 's-Gravenhage: W. Junk.

For those parts dealing with vertebrates and issued during the period 1928–1933, See: Gross, W., 1932A; Hummel 1932; Kuhn, Oskar, 1933A, B, C; Nopcsa 1931D; Plieninger 1930; and Simpson, G. G., 1930E.

1929A. Neue und alte Richtungen in der Paläontologie. Forsch. u. Fortschr., **5**, 322-323.

1929B. Die Entwicklungsgeschwindigkeit des Lebens in der geologischen Zeitfolge. Centralbl. Min. Geol. Pal., 1929, Abt. B, 513-532.

1930. Über den paläontologischen Begriff der Anpassung. Centralbl. Min. Geol. Pal., 1930, Abt. B, 110-118.

1932A. Zufall, Gunst und Grenzen paläozoologischer Ueberlieferung. Sitz.-Ber. Ges. Naturf. Freunde, 1932, 131-192.

1932B. Riesen der Vorzeit. Med. Welt, 1932, no. 32, (separate of 10 pp., 1 fig.).

Quiring, Heinrich

Die zeitlichen Beziehungen der Flussterrassen Europas und Nordafrikas 1930. zu den Menschheitskulturen. Stuttgart: F. Enke. 34 pp. Review: Sestini in Arch. Antrop. Etnol., 60-61, 507-510.

R., J. Evolution in its course. Nature, 123, 570-571. 1929.

R., M. [= Martin Ramstrom?]

Une grotte à ossements les environs d'Alger. Rev. Gén. Sci., 44, 65-66. 1933.

Rabaud, Etienne

Le transformisme. Paris: Les Presses Universitaires de France, xii + 1931. 106 pp., 29 figs.

Radcliffe-Brown, A. R.

The antiquity of man. Austral. Mus. Mag., 4, 28-36, 7 figs. 1930.

Rademacher, Carl

Prähistorische Tierzeichnungen aus dem Rheinland. Ipek, 1928, 100-1928. 102, 4 figs. on pl. 4.

Rádl, Emanuel [and Hatfield, E. J.]
1930. The history of biological theories. Translated and adapted from the
German by E. J. Hatfield. London: Oxford University Press, xii + Reviews: R. R. G. in Man, 31, 139-140; G. S[arton] in Isis, 15, 195-196.

Radley, E. G.

1929A. The preservation of pyritized and other fossils. Naturalist, 1929, 143-146, 167-173.

1929B. [Exhibit of a series of pyritized and phosphatized fossils.] Ann.Mag.Nat. Hist., (10) 3, 215.

Raistrick, A.

The glacial and post-glacial periods in west Yorkshire. Proc. Geolog. 1933. Assoc., London, 44, 263-269, 1 fig.

Rakovec, Ivan

Coelodonta mercki Jag. iz Dolarjeve jame pri Logatcu. Prirod. Razprav., 1933. 2, 5-41, 4 pls.

Ramaswami, L. S. See: Seshachar, B. R., Rao, A. N., and Ramaswami, 1932.

Rambaud, G. See: Baquié-Rambaud, G.

Range, Paul

Beiträge zur Fauna und Flora der Karrooformation in Südwestafricas. 1930. C. R. 15th Internat. Geol. Congr. Pretoria, 2, 111-114, 1 fig.

Rao, A. Narayana See: Seshachar, Rao, and Ramaswami.

Rao, C. Rama Narayan

Dinosaurian and mammalian remains in south India. Nature, 124, 227. 1929.

On a new fossil hyaena. Half-Yearly Jour. Mysore Univ., 6, 99-105, 5 figs. 1932.

Rao, C. R. N., and Rao, L. R.

(1) Some dinosaurian vertebrae; (2) The limb bones of a sauropodous 1930. dinosaur; (3) A preliminary account of a fossil jaw bone of a carnivore. Proc. Indian Sci. Congr., 17, 329-330, (abstracts).

Rao, L. Rama

1932A. On a reptilian vertebra from the south Indian Cretaceous. Amer. Jour. Sci., (5) 24, 221-224, 2 figs.

1932B. Recent discoveries of dinosaurs in India. Geol. Mag., 69, 324-325.

See: Rao, C. R. N., and Rao, L. R., 1930.

Rautenfeld, Paul von

Über einen Schädel von Tapirus (Megatapirus) augustus Granger, aus Yen-1928. Ching-Kao, Szechuan, China. Acta. Zool., 9, 425-444, 12 figs.

Rauther, M. 1927-1933. Echte Fische. In: H. G. Bronn's Klassen und Ordnungen des Tierreichs. . . . Bd. 6, Abt. 1, Buch 2, Lief 1-4, 1-628, 551 figs.

Raven, Henry Cushier

Kangaroo. Enc. Brit., 14th ed., 13, 254-255, 1 fig. See: Gregory, W. K., and Raven, 1933.

Ray, Cyrus N.

The Red Hill artifacts. Sci. Amer., 138, 49, 2 figs. 1928.

New evidences of ancient man in America. Sci. Amer., 140, 430-431, 6 figs. 1929.

Raymond, Percy Edward

Memorial tribute to Johan Kiaer. Bull. Geol. Soc. Amer., 44, 415-419. 1933.

Reagan, Albert B.

Pleistocene mollusks from Hopi Buttes. Pan-Am. Geol., 51, 337-338, 1 pl. 1929.

Reche, Otto

Die Schädel aus der Ancyluszeit vom Pritzerber See und ihre Beziehungen 1928. zu den steinzeitlichen Rassen Europas. Arch. Anthrop., 21, 122-190, 35 figs., 7 pls.

Reck, Hans

1928A. Pelorovis oldowayensis, n. g., n. sp. Wiss. Ergebniss. Oldoway Exped., 3, 57-67, 1 fig., 1 pl.

1928B. [Obituary of:] Wilhelm von Branca. Geb. 9 Sept. 1844 zu Potsdam, Gest. 12 Marz 1928 zu München. Zeit. Vulk., 12, 1-7, portrait.

1931A. Die deutschöstafrikanischen Flugsaurier. Centralbl. Min. Geol. Pal., 1931, Abt. B, 321-336, 5 figs. Review: Schuchert in Amer. Jour. Sci., (5) 21, 468-469.

1931B. The Oldoway skeleton from Tanganyika Territory. Man, 31, 10-11, (abstract).

1932A. Meine zweite Oldoway Expedition 1931. Forsch. u. Fortschr., 8, 235-236.

1932B. Der Mensch und die Kultur von Oldoway. Umschau, 36, 707-711, 12 figs.

1932C. Eine palaeontologische Forschungsreise durch Südafrika. Forsch. u. Fortschr., 8, 299-300.

1932D. Älteste Menschheit in Ostafrika. Naturwiss., 20, 631-635, 3 figs.

1932E. Die englisch-deutschen Forschungen in Ostafrika 1931. Africa, 5, 359-362.

1932F. Oldoway. Koloniale Rund., Sondernummer, 50-Jahrfeier (Berlin), 514-522, 3 figs. See also: 1933B.

1933A. Auf der Suche nach Saurier-Skeletten in der Karru Natals. Umschau, 37, 324-328, 7 figs.

1933B. Oldoway, die Schlucht des Urmenschen. Die Entdeckung des altsteinzeitlichen Menschen in Deutsch-Ostafrica. Leipzig: F. A. Brockhaus, 308 pp., 76 figs., 1 map.

Reviews: Anonymous in Quart. Rev. Biol., 9 (1934), 92; Dietrich in Centralbl. Min. Geol. Pal., 1933, Abt. B, 479-480.

See: Leakey, L. S. B., Hopwood, A. T., and Reck, H., 1931A, B; Leakey, L. S. B., Reck, H., Boswell, P. G. H., Hopwood, A. T., and Solomon, J. D., 1933.

Reed. Frederick Richard Cowner

A Permo-Carboniferous marine fauna from the Umaria coal-field. Rec. Geol. Surv. India, 60, 367-398, 7 pls.

Faunas triassicas do Brasil. Monog. Serv. Geol. Min. Brasil, 9, [fishes 1929. 68-70, 1 pl.].

A new Permo-Carboniferous fauna from Brazil. Monog. Serv. Geol. Min. 1930. Brasil, 10, 45 pp., 8 pl.

Reed, Lyman C., and Longnecker, O. M.

The geology of Hemphill County, Texas. Univ. Texas, Bull. no. 3231, 1-98, 9 figs., 1 pl.

Reed, Ralph Daniel

1933A. Pleistocene history in the Carpenteria district. Geol. Soc. Amer., Program 32d Ann. Meeting (April, 1933), 7-8, (abstract).

1933B. Geology of California. Tulsa, Oklahoma: The American Association of Petroleum Geologists, xxiv + 355 pp., 60 figs., 1 pl.

Reed, W. Maxwell

The earth for Sam; the story of mountains, rivers, dinosaurs, and men. New York: Harcourt, Brace & Co., vii + 390 pp., 207 figs.

Reepen, H. von Buttel See: Buttel-Reepen, H. von.

Reeside, John Bernard, Jr.
1929. Triassic-Jurassic "Red Beds" of the Rocky Mountain region: a discussion. Jour. Geol., 37, 47-63, 1 fig.

1930. The preparation of paleontologic illustrations. Jour. Pal., 4, 299-308, 1 pl.

Stratigraphic nomenclature in the United States. 16th Internat. Geol. 1932. Congr., Guide Book 29, 7 pp., 10 pls., (tables).

Regan, C. Tate

1929A. Cyclostomata or Marsipobranchii. Enc. Brit., 14th ed., 6, 921-923, 6 figs.

1929B. Selachians. Enc. Brit., 14th ed., 20, 291-294, 6 figs.

1930A. The classification of the Primates. Nature, 125, 125-126. See also: Clark, W. E., 1930; and Smith, G. E., 1930D.

1930B. The evolution of the Primates. Ann. Mag. Nat. Hist., (10) 6, 383-392, diagram. Abstract in: Rept. Brit. Assoc. Adv. Sci., 1930, 337.

Review: Vaufrey in L'Anthrop., 41, 327-328. See: Simpson, G. C., Seward, A. C., Gregory, J. W., et al., 1930.

Reger, David Bright See: Tilton 1931B.

Regnault, Felix

Terminologie préhistorique l'homme paléolithique et l'homme méso-1929. lithique. Bull. Soc. Préhist. Paris, 26, 259-261.

Regny, P. Vinassa de See: Vinassa de Regny.

Reichardt, Albert

Der Fund eines spiralgekrümmten Mammut-Stosszahns bei Erfurt. 1931. Akad. Gemeinnütz. Wiss., Erfurt, 50, 55-58, 1 pl.

Reid Moir, J. See: Moir, J. Reid.

Reimann, Irving G.

How the world has changed. New mural shows geologic history. Hob-1933. bies (Buffalo Mus. Sci.), 13, 67-73, 1 fig.

Reinhardt, Aloys

Über die Form der Scapula bei Säugetieren. Dissert. München, 67 pp. 1929.

Rellini, Ugo

1929A. L'origini della cività Italica. Rome: Liberia di Scienze e Letteres, 117 pp., 22 pls. Review: Baumgärtel in Praehist. Zeit., 20, 331-333.

1929B. Riposta ad una critica del Prof. Aldobrandino Mochi. Arch. Antrop. Etnol., 59, 138-140. See: Mochi 1929.

Remeš, Mauric

1929. Jeskyně v devonském vápenci hranického kopce. [The caves of the Devonian limestone of Hranic Hills.] Čas. Vlast. Spol. Mus. Olomouci, 41/42, 101-104, 1 fig., (in Czech).

Renaud, Etienne Bernardeau

1933. L'antiquité de l'homme dans L'Amérique du Nord. L'Anthrop., 38, 23-49, 7 figs., 3 diagrams, 1 map.

Rensch, Bernard

1928. Die stammesgeschichtliche Bedeutung geographischer Rassenkreise. Zool. Anz., Suppl. Bd. 3, 79-88, 2 figs.

1929. Das Prinzip geographischer Rassenkreise und das Problem der Artbildung.
 Berlin: Borntraeger, iii + 206 pp., 27 figs. See also: Geog. Zeit., 36, 157-166.

 Reviews: Kurella in Anz. Ornithol. Ges. Bayern, 2, 135-138; McCabe in

Condor, 32, 168.

Reverdin, L.

1930. Le faune néolithique de la station de Port-Conty (St. Aubin, Neuchâtel) d'après le materiel recueille de 1928 à 1930. C. R. Soc. Phys. Hist. Nat. Geneve, 47, 83-86.

Revilliod, Pierre

1928. A propos de la dentition d'Archaeonycteris. Verh. Schweiz. Naturf. Ges., 109, 222-223, (abstract).

1931. Sur un mastodon de Bolivie. Abh. Schweiz. Pal. Ges., 51, 1-21, 9 figs., 2 pls.

Reyes, A. E.

1931. El paso de la vida acuatica a la vida aera en los vertebrados. Acad. Nacion. Cien. "Antonio Alzate," Mex., Mem. 51, 1-10.

Reygasse, M.

1931. L'interpretation des gravures rupestres sahariennes. L'Anthrop., 41, 115-116.

Reynolds, Edward

1931. The evolution of the human pelvis in relation to the mechanics of erect posture. Peabody Mus. Papers, 11, 255-334.

Reviews: Anonymous in Quart. Rev. Biol., 7, 357-358; Augier in L'Anthrop., 43, 157-158.

Reynolds, Sidney Hugh

1929. A monograph on the British Pleistocene Mammalia. The giant deer. Pal. Soc. Monog., London, 3, pt. 3, 1-62, 31 figs., 2 pls. Review: Boule in L'Anthrop., 40, 296.

Reynolds, Thomas Emmett, S. J.

1931. New insectivores from the Lower Paleocene. Bull. Geol. Soc. Amer., 42, 368, (abstract).

Also in: Pan-Am. Geol., 54, 237-238.

Rhumbler, Ludwig

1931. Bewegungsorgane der Tiere. Handworterb. Naturwiss., 1, 961-975.

Riabinin, A. N.

1928. [A fossil frog from Transcaucasia.] Ann. Soc. Pal. Russie, 7, 87-97, 2 pls., (Russian with German summary).

1929A. Une tortue du paléogène des environs de Vladikavkaz. Mém. Soc. Russ. Minéral., (2) 58, 193-198, 3 figs., 1 pl., (Russian with French summary).

1929B. Faune de mammifères de Taraklia. I. Carnivora Vera Rodentia, Subungulata. Trav. Mus. Géol. Acad. Sci. URSS, 5, 75-134, 13 pls., (Russian with French summary).

1930A. Note sur des castors fossiles des dépôts post-tertiaires de l'Oural, du Timan et de la région de la Volga moyenne. Mém. Soc. Russ. Minéral., (2) 59, 187-195, 1 fig., 1 pl., (Russian with French summary).

1930B. On the age and fauna of the dinosaur beds on the Amur river. Mém. Soc. Russ. Minéral., (2) 59, 41-51, 1 pl., (Russian with English summary).

1930C. A labyrinthodont stegocephalian Wetlugasaurus angustifrons nov. gen., nov. sp. from the Lower Triassic of Vetluga-Land in northern Russia.

Ann. Soc. Pal. Russie, 8, [1928-1929, Leningrad 1930], 49-76, 5 pls., (Russian with English summary).

1930D. Mandschurosaurus amurensis nov. gen., nov. sp. A hadrosaurian dinosaur from the Upper Cretaceous of Amur river. Mém. Soc. Pal. Russie, 2, 1-36, 4 figs., 2 pls., map, (Russian with English summary).

1931A. Notes sur les oiseaux du tertiare supérieur de la Transcaucasie. I. Sterna Milne-Edwardsii n. sp. du diatomite de Kissatibi pres d'Akhalzykh (Georgie). Mém. Soc. Russ. Minéral., (2) 60, 273-279, 1 fig., (Russian with French summary).

1931B. Two dinosaurian vertebrae from the Lower Cretaceous of Transcaspian Steppes. Mém. Soc. Russ. Minéral., (2) 60, no. 1, 110-113, 1 pl., (Russian with English summary).

1931C. Dinosaurian remains from the Upper Cretaceous of the lower Amu-Daria river. Mém. Soc. Russ. Minéral., (2) 60, 114-118, 1 pl., (Russian with English summary).

1932. On some remains of a cave lion and hyaena from Quaternary deposits of Siberia. Bull. Assoc. Study Europ. Quat., 2, 1-15, 2 figs., 3 pls.

1933. Note sur la trouvaille d'une vertèbre de lion des cavernes dans la Sibérie occidentale. Trav. Inst. Pal. Acad. Sci. URSS, 2, 1932 [1933], 273-276, 1 pl.

Ribot, -

1931. Nouvelles gravures repestres du cercle de Geryville (Haggar). L'Anthrop., 41, 115.

Rice, D. Talbot See: Buxton and Rice, 1931.

Richard, Camillo

1930. Di una peculiare asimmetria dei fiseteridi (asimmetria emapofisaria) e delle sur relazioni con l'asimmetria cranica. Atti Accad. Lincei, Rend., (6a) 12, 165-172, 1 fig.

Richard, Marguerite

1931. Mammifères fossiles des terrains oligocènes du Montalbanias. Bull. Soc. Hist. Nat. Toulouse, **61**, 199-248, 3 figs.

Richards, Horace Gardiner

1930. Fossils from New Jersey, indicating a warm interglacial period. Bull. Geol. Soc. Amer., 41, 207-208, (abstract).

Richarz, Stephen

1928. Carl Diener and modern paleontology [1862-1928]. Pan-Am. Geol., 50, 1-4, 1 pl.

1931. The age of the human race in the light of geology. Ann. Rept. Smithson. Instn., 1930, 451-464 1 fig., 3 pls.

Riche, Phillip J. Le See: Le Riche, Phillip J.

Richet, Charles

1929. Apologie de la biologie. Paris: Gaston Doin & Cie., 84 pp.

Richter, Rudolph

1928A. Aktuopaläontologie und Paläobiologie, eine Abgrenzung. Senck., 10, 285-292.

1928B. Zugänge an Typen und Typoiden in der paläontologischen Abteilung des Senckenberg-Museums. I. Senck., 10, 231-234.

1929A. Nomenklatur und Nomenklatur. Senck., 11, 380-386.

1929B. Die Schriftleitung zu nachstehender Arbeit Jackel's "Die Spur eines neuen Urvogels." Pal. Zeit., 11, 200. See also: Jackel 1929A.

1930A. Fröliche Naturwissenschaft. Ber. Senck. Naturf. Ges., **60**, 92–96, 9 figs. 1930B. "Nomenklatur und Ethik": der Fall Embrik Strand. Senck., **12**, 304–315.

1930C. Zugänge an Typen und Typeiden in der paläontologischen Abteilung des Senckenberg-Museums, II. Senck., 12, 171-174.

1932A. [Obituary of:] Fritz Drevermann. Ber. Senck. Naturf. Ges., 62, 142-149.

1932B. F. Drevermann und die palaeontologische Gesellschaft. Pal. Zeit., 14, 133-136.

1932C. Fritz Drevermann's Schriften. Senck., 14, 193-197.

Rick, Gustav

1931. Ergrabung paläolithischer Kulturen bei Stetten ob Lontal. Biologe, 1, 46-49. See also: Blätter Schwäb. Albver, 43, 267-272, 5 figs.

1932. Diluviale Menschen- und Plastikreste bei Stetten ob Lontal. Forsch. u. Fortschr., 8, 29-30, 1 fig. See also: Germania, 16, Heft. 4, 257-264, 3 figs., 1 pl.

1933. Les civilisations paléolithiques du Vogelherd près de Stetten-ob-Lonetal (Wurtemberg). Préhist., 2, 149-181, 13 figs.

See: Lebküchner and Riek, 1928.

Riesman, David

1933. Man before the dawn of history. Sci. Monthly, 37, 553-562.

Riet Lowe, C. van See: Lowe, C. Van Riet,

Rieth, A.

1931A. Ein neuer Anchitherium-Fund. Centralbl. Min. Geol. Pal., 1931, Abt. B, 39-42, 10 figs.

1931B. Zur Entwicklung von Grabschnauzen bei wühlenden Reptilien und Insektivoren. Palaeobiol., 4, 397-404, 6 figs.

1932. Schädelstacheln als Grabwerkzeuge bei fossilen und rezenten Reptilien. Pal. Zeit., 14, 182–193, 10 figs.

1933. Der Lebensraum grabender Tiere in seiner Beziehung zu den Köppenschen Klimaprovinzen. Palaeobiol., 5, 211–242, 3 maps.

Rigby, Edith See: Poppelbaum 1931.

Riggs, Elmer S.

1933A. The geological history and evolution of the horse. Field Mus. Nat. Hist., Geol. Leaflet no. 13, 1-54, 4 figs., 19 pls.

Reviews: Anonymous in Quart. Rev. Biol., 8, 214; Lull in Amer. Jour. Sci., (5) 25, 269-270.

1933B. Preliminary description of a new marsupial sabertooth from the Pliocene of Argentina. Field Mus. Nat. Hist. Geol. Ser., 6, 61-66, 1 fig. Abstract in: Bull. Geol. Soc. Amer., 40, 117.

Ringström, T. J.

1928. Vertelnatfynd i Finiglaciala Skalbankar vid Uddevalla. Göteborg. Kungl. Vetensk. Vitterhets. Handl., (4) 33, no. 6, 1-18, 4 figs.

Rispoli, Giuseppe Checchia See: Checchia-Rispoli, G.

Ritchie. James

1928. Remains of the great extinct ox (Bos primigenius) in Perthshire. Scottish Nat., 1928, 38.

1929A. The fauna of Scotland during the Ice Age: Presidential Address. Proc. Roy. Phys. Soc. Edinburgh, 21, 185-194.

1929B. Palaeolithic man in Scotland—the evidences from the caves at Inchnadamph, Sutherland. Rept. Brit. Assoc. Adv. Sci., 1928 [1929], 593, (abstract).

1930. Scotland's testimony to the march of evolution. Scottish Nat., 1930, 161-169.

Rivet, Paul See: Caullery, Guyènot, and Rivet, 1929; also, Pales 1930.

Robson, G. C.

1928. The species problem. An introduction to the study of evolutionary divergence in natural populations. London: Oliver & Boyd, vi + 283 pp. Review: Anonymous in Lancet, 215, 17.

Rochette, J. See: Depéret, Passemard, and Rochette, 1928.

Rode, Karl

1930A. Über den ersten Unterkiefermolaren der Bären. Centralbl. Min. Geol Pal., 1930, Abt. B, 83-90, 2 charts. Remarks: Ehrenberg in *ibid.*, 230-237.

1930B. Über eine merkwürdige Gebissanomalie am Unterkiefer eines fossilen Bären. Morphol. Jahrb., 65, 164-177, 1 pl.

1931. Über die Bären von Taubach und Ehringsdorf. Pal. Zeit., 13, 61-72, 2 figs.

1933. Über die Bärenreste von Steinheim an der Murr. Zeit. Säugetierk., 8, 73-86, 1 pl.

Roedel, Hugo

1930. Fischotolithen aus Paläozängeschieben. Zeit. Geschieb. Flachlands Geol., 6, 49-77, 1 pl.

Roethe, O.

[Obituary of:] Josef Felix Pompeckj. Berlin: 1-29 pp., portrait [not seen]. 1930.

Rogers, Arthur William; Hall, A. L., Wagner, P. A., and Haughton, S. H.

The Union of South Africa. Handb. Regional. Geol., 7, (7a), 1-232, 53 figs., 1929. 3 pls.

Rohleder, H. P. T.

[Obituary of:] Wilhelm von Branca. Born 9th September, 1844. Died 1928. 12th March, 1928. Geol. Mag., 65, 334-335.

Roman, Frédéric

Sur quelques restes de mammifères découverts par le R. P. Longinus Navás 1928. dans les argiles pontiques de Libros (provincia de Teruel, Espagne). Bol. Soc. Iber. Cien. Nat., 27, 198-204, 2 figs.

1929A. La vie et l'oeuvre du professeur Charles Depéret. Rev. Univ. Lyon, 4, 303-322. See also: Depéret 1929D; and portrait in Ann. Soc. Linn, Lyon,

(n. s.) 77, opp. p. V.

1929B. Découverte d'une mandibule d'Elephas primigenius a Limas près Villefranche. C. R. Soc. Géol. France, 1929, 239.

La stratigraphie paléontologique et l'histoire de la géologie à Lyon. Ann. 1930. Soc. Linn. Lyon, (n. s.) 75, 125-144.

Description de la faune pontique du Djerid (El Hamma et Nefta [Tunisia]). 1931. Ann. Univ. Lyon, (n. s. 1) 48, 30-42, 2 pls. See also: Solignac, 1931. See: Beauverie, J., et al., 1933.

Roman, F., and Dareste de la Chavanne, J.

Sur la présence d'un élan (Alces latifrons Johnson) dans le pliocène supérieur de Senèze (Haute-Loire). C. R. Acad. Sci. Paris, 192, 1256-1257. Abstract in: Rev. Sci. Paris, 69, 378.

Romer, Alfred Sherwood

1928A. Pleistocene mammals of Algeria. Fauna of the paleolithic station of Mechta-el-Arbi. Bull. Logan Mus., 1, no. 2, 80-163.

1928B. Vertebrate faunal horizons in the Texas Permo-Carboniferous red beds. Univ. Texas, Bull. no. 2801, 67-108, 7 figs.

1929A. A fresh skull of an extinct camel. Jour. Geol., 37, 261-267, 5 figs.

1929B. Taxonomy and morphology of some Pennsylvanian amphibians. Bull. Geol. Soc. Amer., 40, 243 (abstract).

1930A. Australopithecus not a chimpanzee. Science, (n. s.) 71, 482-483.

1930B. Fossil hunting in the Karroo, South Africa. Sci. Monthly, 31, 134-144, 15 figs.

1930C. Errata [sheet to be added to Romer, 1930D]. Bull. Amer. Mus. Nat. Hist., 59, Art. II. [1 unnumbered page.]

1930D. The Pennsylvanian tetrapods of Linton, Ohio. Bull. Amer. Mus. Nat. Hist., 59, 77-147, 26 figs.

Abstract of paper surveying Pleistocene fauna. Science, (n. s.) 74, 117.

1933A. Eurypterid influence on vertebrate history. Science, (n. s.) 78, 114-117.

1933B. Man and the vertebrates. Chicago: University of Chicago Press, vii + 427 pp., 278 figs. Reviews: Camp in Amer. Anthrop., 36, 473-474; LeGros Clark in Man, 34, 166; A. D[onici] in Arch. Suiss. Anthrop. Gén., 5, 266-267.

1933C. Vertebrate paleontology. University of Chicago Press, vii + 491 pp., 359 figs. Reviews: Anonymous in Quart. Rev. Biol., 8, 465; Hubbs in Copeia; 1933, 110-111; Lull in Amer. Jour. Sci., (5) 26, 532; Stock in Jour. Geol.,

1933D. Pleistocene vertebrates and their bearing on the problem of human antiquity in North America. In: D. Jenness, 1933, "The American Aborigines," pp. 49-83.

Romer, A. S., and Byrne. F.

The pes of Diadectes: notes on the primitive tetrapod limb. Palaeobiol.. 4, 25-48, 9 figs.

Romer, A. S., and McCormack. J. T.

A large Palaeocastor from the Lower Miocene. Amer. Jour. Sci., (5) 15, 1928. 58-60, 1 fig.

Romer, A. S., and Nesbitt, P. H.

An extinct cane-rat (Thryonomys logani sp. n.) from the central Sahara. Ann. Mag. Nat. Hist., (10) 6, 687-690, 1 fig.

Ronhaar, Jan Herman

Trepanatie en Moederrecht. Kon. Ned. Aardrijk. Genoot., Tijdschrift, 1930. 47, 971-984.

Röpke, Walter

Mentosaurus waltheri n. g. n. sp. Ein neuer Stegozephale aus dem Unteren 1930. Muschelkalk von Nietleben bei Halle a. S. Leopoldina, 6, 587-599, 2 pls.

Ein Bisonschädel aus dem II Interglacial von Unterrissdorf bei Eisleben. 1931. Zeit. Naturwiss., 89, 94-103, 1 fig.

Rosa, Daniele

1928. Il valore della legge biogenetica. Scientia, 44, 317-326.

L'antropologia ologenetica. (A proposito di un libro di G. Montandon [L'ologenèse humaine, 1928]). Riv. Biol., 11, 452-458. 1929.

L'ologénèse, nouvelle théorie de l'évolution et de la distribution géo-1931. graphiques des êtres vivants. [Translated from the Italian by the author.] Paris: Librairie Felix Alcan, xii + 368 pp.
Reviews: A. K[eith] in Nature, 128, 429-430; Holmes in Amer. Anthrop., 34, 141; Montandon in Rev. Sci., 69, 339-340; Routil in Mitt. Anthrop.

Ges. Wien, 63, 126.

Ross, B. R., and Wooldridge, S. W.

The Pleistocene succession in England. Geol. Mag., 69, 286-287.

Rossel. P. M.

1930. La razas animales en relacion con la etnologia de Cataluña. Mém. Acad. Cien. Art. Barcelona, (3) 22, 1-27. Review: Wernert in L'Anthrop., 42, 122-123.

Rostand, Jean

1931. L'état présent du transformisme. Paris: Librairie Stock, 187 pp.

1932. L'evolution des espèces. Histoire des idées transformistes. Paris: Librairie Hachette, 203 pp. Review: Anonymous in Quart. Rev. Biol., 7, 474.

Roule, Louis

1929A. Lamarck: sa vie et son oeuvre. Bull. Mém. Soc. Anthrop., (7) 10, 46-61.

1929B. Le Professeur Léon-Louis Vaillant [1834-1914]. Arch. Mus. Hist. Nat. Paris, (6) 4, 1-14, portrait.

1932. La vie, la carrière et la mort de Cuvier. Arch. Mus. Hist. Nat. Paris, (6) 9, 13-20.

Roundy, P. V. See: Woodring, et al., 1932.

Rousseau. Lucien

1929. Le Magdalénien dans la Vienne. Découverte et fouille d'un gisement du Magdalénien inférieur là Angles-sur-l'Anglin (Vienne). Bull. Soc. Préhist. Paris, 26, 495-496.

Rouwe, Paul B.

A large fragment of a proboscidean tusk found near Glenwood, Iowa, and 1931. notes of similar finds. Proc. Iowa Acad. Sci., 37, 1930 [1931], 274. Abstract in: Pan-Am. Geol., 54, 147.

Roy, Sharat Kumar

1929. Contributions to paleontology. Field Mus. Nat. Hist., Geol. Ser., 4, 203-220, 9 pls.

Royo y Gómez, José

Les vertébrés du faciès Wealdien en Espagne. C. R. Congr. Géol. Internat., 14th Sess., 2039-2042.

1930. Descubrimiento de restos de Mastodon en las cercanías de Léon. Bol. Soc. Españ Hist. Nat., 30, 395-398.

Ruckes, Herbert

Studies in chelonian osteology. Ann. N. Y. Acad. Sci., 31, 31-120. 1929.

Ruedemann, Rudolf

Fossils from the Permian tillite of São Paulo, Brazil, and their bearing on the origin of the tillite. Bull. Geol. Soc. Amer., 40, 417-426, 2 pls. Abstract in: ibid., 40, 243.

Guide to the fossil exhibits of the New York State Museum. N. Y. State 1932. Mus., Circular 9, 1-53 pp., 16 figs.

Rüger, Ludwig

- Beiträge zur Kenntnis der altdiluvialen Fauna von Mauer a.d. Elsenz und 1928. Eberbach am Neckar. Carnivora et Rodentia. Geol. Pal. Abh., (N. F.) 16, 197–232, 8 figs., 3 pls.
- 1929A. Über Fährtenfunde aus dem obern Buntsandstein von Neckarburken bei Mosbach (Baden). Badische Geol. Abh., 1, 83-96, 3 figs., 1 pl.

1929B. Machairodus latidens Owen aus den altdiluvialen Sanden von Mauer a. d. Elsenz. Sitz.-Ber. Akad. Wiss. Heidelberg, 1929, no. 7, 1-6, 1 fig.

- 1930. Menschliche Reste aus dem Altdiluvium von Bammental und Mauer a. d. Elsenz. Nach Arbeiten von W. Freudenberg, Schlierbach. Badische Geol. Abh., 2, 86-91.
- 1931. Ein Lebensbild von Mauer. Badische Geol. Abh., 3, 121-136.

Rüschkamp, F.

Gab es einen Urmenschen schon im Tertiär? Die Kultur des Pekingmenschen macht es wahrscheinlich. Umschau, 36, 641-642.

Rusconi, Carlos

- 1928A. Nueva especie fosil de tapir de la Argentina, Tapirus australis n. sp., con una nota sobre Tapirus Tarijensis, Ameghino. Buenos Aires: privately printed, M. L. Raño, 1-12 pp., 3 figs. Abstract in: An. Soc. Cien. Argent., 107, 332.
- 1928B. Dispersión geográfica de los tuco-tucos vivientes (Ctenomys) en la región neotropical. "Gæa," An. Soc. Argent. Estud. Geog., 3, 233-250, table, map.
- 1929A. Anatomia craneodental de los tayassuinos vivientes (pecaries). An. Soc. Cien. Argent., 107, 66-82, 177-233, 21 figs., 9 pls., "Erratas," p. 402.
- 1929B. Enumeración sistematica de las especies de mamíferos procedentes del piso ensenadense halladas por el autor. Buenos Aires: privately printed, M. L. Rañó, 1-15 pp. Abstract in: An. Soc. Cien. Argent., 109, 50.

1929C. Revisión de las especies fósiles argentinas del género "Mycastor," con descripción de nuevas especies. "Gæa," An. Soc. Argent. Estud. Geog., 3, 505-518, 4 figs.

Abstract in: An. Soc. Cien. Argent., 109, 164.

- 1930A. Evolutión craneodental de la nutria (Myocastor coypus bonariensis) a través de su desarrollo postembrionario. An. Soc. Cien. Argent., 110, 5-31, 49 figs.
- 1930B. Nueva especie de paleolama del pleistoceno argentino, "Palaeolama brevirostris" n. sp. Rev. Chilena Hist. Nat., 34, 338-345, 1 pl.
- 1930C. Una nueva especie de roedor del subgénero "Paractenomys." An. Soc. Cien. Argent., 110, 153-158, 3 figs.
- 1930D. Observaciones geopaleontológicas en el sur de Villa Lugano (Capital Federal). Physis, 10, 109-126, 3 figs.
- 1930E. Sobre anomalías dentarias numéricas en algunos guanacos vivientes ("Lama guanicoe" Müller). Physis, 10, 199-203, 3 figs.
- 1930F. Sobre un neuvo género de roedores del plioceno inferior de la Argentina. An. Soc. Cien. Argent., 110, 251-254, 2 figs.
- 1930G. Las especies fósiles argentinas de pecaries (Tayassuidae) y sus relaciones con las de Brasil y Norte America. An. Mus. Nacion. Buenos Aires, 36, 121-241, 32 figs., 18 pls.
  Abstract in: An. Soc. Cien. Argent., 110, 226-227.

1930H. Sobre un incisivo anómalo de nutria ("Mycastor coypus"). Physis, 10, 162-166, 4 figs.

1930I. Sobre una nueva subespecie de camélido del pleistoceno santafesino, Hemiauchenia paradoxa elongata, n. subesp. Rev. Chileña Hist. Nat., 34, 208-219, 4 figs.

1931A. La dentadura de *Palaeolama* en relacion a la de otros Camelidos. Rev. Med. Veterinar., **13**, 250-273, 10 figs.

1931B. Las especies fósiles del género "Ctenomys" con descripción de nueva especies. An. Soc. Cien. Argent., 112, 129-142, 217-236, 12 figs., (summary in French).

1931C. Noticias acerca de un esqueleto juvenil perteneciente a los grandes carnívoros extinguidos: "Smilodon bonaërensis." An. Soc. Cien. Argent.,

111, 147–156, 8 figs.

1931D. Sobre un diente de un gigantesco cocodriliano extinguido, procedente de territorio Boliviano. Semana Médica, 1931, no. 8, 1-8 pp. [of reprint], 1 pl.

1931E. Restos de mamíferos fósiles hallados en las excavaciones del nuevo Mercado de Abastos Proveedor de la Capital Federal. Ingenieria, no. 684, 501–508, [1–8 pp. of reprint], 11 figs.

1931F. Sobre un húmero de pinípedo fósil hallado en el cauce del Río de la Plata. Notas Prelim., Mus. La Plata, 1, 355-359, 2 figs.

1931G. La presencia del genero Palaeolama en los yacimientos pleistocenicos de la Provincia de Santa Fé. Publ. Mus. "Florentino Ameghino," 1931, 1-16 pp. [of reprint], 5 figs., 2 pls.

1931H. Nota preliminar sobre la geologia del Puerto Nuevo, Capital Federal y sus proximidades. Ingenieria, no. 686, 618-622, 5 figs.

1931I. Lista de los vertebrados fósiles del plioceno superior de Buenos Aires, piso ensenadense. Semana Médica, 1931, no. 53, 1-19 [of reprint, dated 1932].

1931J. Nuevos restos de *Brachynasua Meranii* C. Amegh. y. Kragl. Rev. Soc. Amigos Arqueol., **5**, 151-155, 1 fig.

1931K. Dos nuevas especies de roedores del piso ensenadense de Buenos Aires. Notas Prelim., Mus. La Plata, 1, 333-338, 2 figs.

1932A. Anomalía dentaria en un roedor extinguida del género "Dicoelophorus." An. Soc. Cien. Argent., 114, 147-149, 1 fig.

1932B. Dos nuevas especies de mustélidos del piso ensenadense. "Grisonella hennigi" n. sp. et "Conepatus mercedensis praecursor" subsp. n. An. Soc. Cien. Argent., 113, 42-45, 2 figs.

1932C. Una nueva especie de comadreja fosil "Didelphys Seneti" n. sp. An. Soc. Cien. Argent., 113, 213-215, 1 fig.

1932D. La presencia de anfibios ("Ecaudata") y de aves fósiles en el piso ensenadense de Buenos Aires. An. Soc. Cien. Argent., 113, 145-149, 1 fig.

1932E. La presencia del género "Lontra" en la fauna ensenadense de Buenos Aires. An. Soc. Cien. Argent., **114**, 149–151, 1 fig.

1932F. Sobre reptiles cretáceos del Uruguay (*Uruguaysuchus Aznarezi* n. g. n. sp.) y sus relaciones con los notosúquidos de Patagonia. Bol. Inst. Geol. Uruguay, no. 19, 1-64, 53 figs., 8 pls. See also: "El Plata" (Montevideo), July 3, 1932, where this form was originally described.

1932G. Sobre una mandíbula de Arctotherium descubierta en las excavationes del Subterráneo Lacroze. Rev. Med. Veterinar., **15-19**, 1932 [1933?], 1-8 pp. [of reprint], 2 figs.

Abstract in: An. Soc. Cien. Argent., 115, 273.

1932H. Nuevos restos de Scalabrinitherium del terciario de Paraná y apuntes relativos a su anatomía craneana. Rev. Med. Veterinar., **15-19**, 1932 [1933?], I-18 pp. [of reprint], 5 figs.

1932I. Data sobre una capa marina de edad pampeana descubierta en Olivos, provincia de Buenos Aires, con una nota sobre la ingresión interensenadense. "Gæa," An. Soc. Argent. Estud. Geog., 4, 29-39, 3 figs.

1932J. A proposito de "Ctenomys latidens" y "Dicoelophorus latidens." An. Soc. Cien. Argent., 114, 198-200.

1932K. Huesos fósiles róidos y huesos trabajados. Publ. Mus. Antrop. Etnog. (Buenos Aires), (A) 2, 149-157, 5 figs., pls. 1-5. Abstract in: An. Soc. Cien. Argent., 115, 340.

1932L. Probable posición estratigrafica de la calota de "Diprothomo Platensis" Amegh. Publ. Mus. Antrop. Etnog. (Buenos Aires), (A) 2, 177-186, Abstract in: An. Soc. Cien. Argent., 115, 340.

1932M. Los yacarés actuales y fósiles de la Argentina. In: "El Libro de la Cruz Roja Argentina," pp. 197-198, (Buenos Aires).

1933A. Apuntes preliminares sobre las arenas puelchenses y su fauna. An. Soc. Cien. Argent., 116, 169-193, 8 figs.

1933B. New Pliocene remains of diprotodont marsupials from Argentina. Jour. Mammal, 14, 244-250, 11 figs.

1933C. Nuevas especies de mamíferos terciarios procedentes del piso chapadmalense (plioceno medio). An. Soc. Cien. Argent., 115, 105-113, 3 figs.

1933D. Observaciones criticas sobre reptiles terciarios de Paraná (Familia Alligatoridae). Rev. Univ. Nacion. Córdoba, 20, nos. 7-8, 1-52 pp. [of reprint], 16 figs.

1933E. Nuevos restos de monos fósiles del terciario antiguo de la Patagonia. An. Soc. Cien. Argent., 116, 286-289.

1933F. Apuntes sobre algunos restos de mamíferos fósiles procedentes del Brasil. Bol. Soc. Geol. Peru, **5**, 23–26, 2 figs.

1933G. La vida animal a fines del terciario superior de Buenos Aires. El Monitor Educ. Común. (Buenos Aires), 53, 3-65, 31 figs.

See: Ameghino, C., and Rusconi, 1932, 1933: Kraglievich, L., and Rusconi, 1931.

Russell, Henry Norris

1930. Life in space and time. In: Cowdry 1930.

Russell. James Townsend

A summer of prehistoric research in the "Pays Ciuraisien". Bull. Amer. School Prehist. Res. no. 4, 9-25. See: Luquet 1930.

Russell, Loris Shano

1928A. Didelphiidae from the Lance Beds of Wyoming. Jour. Mammal., 9, 229-232, 4 figs.

1928B. The genera Kindleia and Stylomyleodon. Amer. Jour. Sci., (5) 15, 264.

1928C. A new fossil fish from the Paskapoo beds of Alberta. Amer. Jour. Sci., (5) **15,** 102, 4 figs.

1929A. Paleocene vertebrates from Alberta. Amer. Jour. Sci., (5) 17, 162-178, 5 figs.

1929B. The validity of the genus Stylomyleodon. Amer. Jour. Sci., (5) 17, 369-371.

1930A. Early Tertiary mammal tracks from Alberta. Trans. Roy. Canadian Inst., 17, 217–221, 5 figs.

1930B. A new species of Aspideretes from the Paskapoo formation of Alberta. Amer. Jour. Sci., (5) 20, 27-32, 3 figs.

1930C. Upper Cretaceous dinosaur faunas of North America. Proc. Amer. Philos. Soc., 69, 133-159, 1 fig.

1931A. Devonian fishes of eastern Canada. Bull. Geol. Soc. Amer., 42, 361, (abstract).

1931B. Fresh water plesiosaurs. Canadian Field Nat., 45, 135-137, 5 figs. Abstracts in: Bull. Geol. Soc. Amer., 41, 198; Pan-Am. Geol., 53, 153.

1932A. The Cretaceous-Tertiary transition of Alberta. Trans. Roy. Soc. Canada, (3) 26, sect. 4, 121-156, 5 pls., 1 diag., 2 tables, map.

1932B. New data on the Paleocene mammals of Alberta, Canada. Jour. Mammal., 13, 48-54, 12 figs.

1932C. On the occurrence and relationships of the dinosaur Troodon. Ann. Mag. Nat. Hist., (10) 9, 334-337.

A new species of Merychippus from the Miocene of Saskatchewan. 1933. Canadian Field Nat., 47, 11, 6 figs.

Russell, L. S., and Rutherford, R. L.

Mammal tracks from the Paskapoo beds of Alberta. Amer. Jour. Sci.. (5) **15**, 262-264, 1 fig.

Russell, L. S., and Wickenden. R. T. D.

The Upper Eocene vertebrate fauna from Saskatchewan. Trans. Rov. Soc. Canada, (3) 27, sect. 4, 53-66, 1 fig., 1 pl. Abstract in: Bull. Geol. Soc. Amer., 44, 199.

Russell, Richard Dana, and VanderHoof, V. L.

A vertebrate fauna from a new Pliocene formation in northern California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 11-21, 7 figs.

Rutherford, Ralph L. See: Allan, J. A., and Rutherford, 1932; Russell, L. S., and Rutherford, 1928.

Ruthven, Alexander Grant

David Starr Jordan, an appreciation. Biologist, 13, 34-36.

Rutten, Louis Marten Robert

1931. De palaeontologie en geologie van Nederlandsch West-Indië. I. De palaeontologie van Nederlandsch West-Indië. 21. Our paleontological knowledge of the Netherlands West-Indies in 1930. Leid. Geol. Meded... **5.** 651-672.

Růžička, Robert [= Vladislaw Růžička]

Psammosteus (Ganosteus) perneri n. sp. Příspěvek ku pozání ryb česjého 1929. paleozoika. [Fishes of the Paleozoic of Bohemia.] Vest. Stat. Geol. Českosl. Republ., 5, 166-171, 1 pl., (Czech with French summary).

Ein Fall von Polydactylie des Pferdes nebst Bemerkungen zur Definition 1933. des Atavismus. Biol. Generalis, 9, 2 Hälfte, 253-270, 1 pl.

Ryley, Caroline 1932. The an The antiquity of man. Antiq., 6, 87-89.

Ovibos recticornis, n. sp. Ein Beitrag zur Systematik der Unterfamilie Ovibovinae. Bull. Internat. Acad. Polonaise, (Ser. B, II), 1933, 71–87, Abstract in: C. R. Acad. Polonaise Sci., no. 4 (1932), p. 6.

Sackrewsky, Hanna

[A gigantic deer (Cervus megaceros) from the Ukraine.] Proc. Fourth Congr. Zoolog. Anatom. Histolog., Kiev, 1930 [1931], 76-78. 1931.

Saez, Mathilde Dolgopol de See: Dolgopol de Saez.

Saheki, Shirô

On some new Tertiary fossil fishes from Tanegashima, Kogoshima Prefecture, Kyushu, Japan. Jour. Geol. Soc. Tokyo, 36, 21-24, 1 pl. 1929.

On Parelephas protomammonteus (Matsumoto) recently found in the province of Kazusa. Jap. Jour. Geol. Geog., 8, 125-129, 1 fig., 1 pl. 1931.

Săhleanu, Emilian

Mamiferele stinse din Bucovina. Bul. Fac. Stiin. Cernăuti, 5, 357-359, 1932. 8 figs., (Rumanian with German summary).

Fossile Spalax-Reste aus der Bukowina (Spalax fossilis). Bul. Fac. Știin. 1933. Cernauti, 6, 145-160, 5 figs., (in German).

St. John, James Leonard

A unified system of presenting bibliographies. Science, (n. s.) 70, 217.

Saint-Just, François de

Les grottes de Sansat. Rev. Anthrop., 39, 173-177, 2 figs.

Sainte-Lague, A. See: Magnan and Sainte-Lague, 1933.

Salée, Achille

L'exemplaire de Louvain de Dorygnathus banthensis Theodori sp. Mém. Inst. Géol. Univ. Louvain, 4, 289-344, 26 figs., 2 pls.

Salomon, M. I.

Considerations sur l'homologie de l'os lacrymal chez les vertebres 1930. superieurs. Acta Zool., 11, 151-183, 27 figs. Abstract by C. Perez in Année Biol., 34, pt. 2, 510.

Salomon-Calvi, Wilhelm

Geologische Beobachtungen des Leonardo da Vinci. Sitz.-Ber. Akad. 1928. Wiss. Heidelberg, 1928, no. 8, 1-13.

1932A. [Obituary of:] Fritz Drevermann. Geol. Rund., 23, 283-288, portrait.

1932B. Das Vorkommen, die Bergung und Präparation diluvialer Säugetierreste (nach W. Deecke). Badische Geol. Abh., 4, 58-63.

Salomonsen, Finn

Diluvial Isolation und Artenbildung. Proc. VII Internat. Ornithol. Congr., 1930 [1931], 413-438, 5 figs. 1931.

Samarinas See: Kwaschnin-Ssamarin.

Samsonowicz, J.
1929. [The Zechstein, the Triassic, and the Liassic on the northern side of the Ste. Croix Massif.] Bull. Serv. Géol. Pologne, 5, 1-281, 5 figs., 7 pls., (Polish with French summary).

Samuel, H. C.

1932. Theory of evolution. London: J. Bale Sons & Danielsson, 48 pp.

Sandford, Kenneth Stuart

The Pliocene and Pleistocene deposits of Wadi Qena and of the Nile Valley between Luxor and Assiut (Qua). Quart. Jour. Geol. Soc. London, 85, 493–548, 4 figs., 5 pls. Review: R. V[aufrey] in L'Anthrop., 41, 586-587.

1932A. Some recent contributions to the Pleistocene succession in England. Geol. Mag., **69**, 1–18. Review: R. V[aufrey] in L'Anthrop., 43, 351-353.

1932B. Some recent contributions to the Pleistocene succession in England. Geol. Mag., 69, 191-192. Reply to Boswell 1932A.

Sandford, K. S., and Arkell, W. J.

Paleolithic Man and the Nile-Faiyum divide. A study of the region during 1929. Pliocene and Pleistocene times. Univ. Chicago Oriental Inst. Publ., 10, xv + 77 pp., 25 figs., 11 pls., map. Review: A. S. W[oodward] in Nature, 128, 287-288.

Sanford, John Theron

Fossil trails and geological sketches. Hobbies (Buffalo Mus. Sci.), 11, 1930. 19-20, 51-53, 66, 89-90, 105, 118-119, 136, 5 figs., (mostly invertebrates).

The Richmond mastodon. Hobbies (Buffalo Mus. Sci.), 11, 184-187, 202, 1931. 4 figs. See also: Dressler 1931.

1932. The Richmond mastodon. Hobbies (Buffalo Mus. Sci.), 12, 106-107, 1 fig.

Sanglé, Dr. Binet See: Binet-Sanglé. Sanielevici, H. See: Jacobi 1929B.

Sarasin, Fritz

1932. Die variation im Bau des Handskeletts verschiedener Menschenformen. Zeit. Morphol. Anthropol., 30, 252-316, 7 figs., 3 pls.

Sarra, Raffaele

Ittiodontoliti del Cretaceo e del Miocene rinvenuti in Basilicata. Riv. 1929. Ital. Pal., 35, 10-14.

Ittiodontoliti ed altri avanzi fossili del Cretaceo e del Terziario rinvenuti 1930. in Basilicata. Riv. Ital. Pal., 36, 47-52, 1 pl.

Denti di pesci del Cretaceo e di mammiferi del Pliocene rinvenuti in 1933. Basilicata. Riv. Ital. Pal., 39, 29-34.

Sarton, George

[Review of:] Alex L. du Toit, "A geological comparison of South America 1928. with South Africa. With a palaeontological contribution by J. R. Cowper Reed," (Carnegie Instn. Publ. no. 381, 1927, viii + 158 pp., 16 pls.). Isis, **11**, 542–543.

[Review of:] Bassett Digby, "The mammoth and mammoth-hunting in 1929. northeast Siberia," (London: Witherby, 1926, 224 pp.). Isis, 12, 425.

The teaching of the history of science. Isis, 13, 272-297. 1930.

Introduction to the history of science. Publ. Carnegie Instn. Wash., no. 1931. 376, vol. 2, pts. 1 and 2, pp. xxxy + xyi + 1251.

Säve-Söderbergh, Gunnar

1932A. Notes on the Devonian stratigraphy of East Greenland. Meddel. om Grønland, 94, nr. 4, [5]-40, 16 figs. Review: Schuchert in Amer. Jour. Sci., (5) 25, 269.

1932B. Preliminary note on Devonian stegocephalians from East Greenland. Meddel. om Grønland, 94, nr. 7, [6] + [107], 22 figs., 22 pls. Reviews: Bulman in Geol. Mag., 70, 138-139; Schuchert in Amer. Jour. Sci., (5) 25, 187-188.

1933A. The dermal bones of the head and the lateral line system in Osteolepis macrolepidotus Ag. with remarks on the terminology of the lateral line system and the dermal bones of certain other crossopterygians. Nova Acta Reg. Soc. Sci. Upsal., (4) 9, no. 2, 1-129, 22 figs., 16 pls. [Includes

1933B. A Diplopterax from East Greenland and the stratigraphical position of the Osteolepis-Diplopterax fauna. Nova Acta Reg. Soc. Sci. Upsal., (4) 9, 103-107, 2 figs., 1 pl. [Included in: 1933A.]

Sawtell, R. 1931. Azilian skeletal remains from Montardit, Ariège (France). Peabody Mus. papers, 11, 213-254, 1 pl.

Schadler, Josef

1929. Der Erhaltungszungstand fossiler Knochen in Höhlenablagerungen. Palaeobiol., **2**, 283–286. See: Kerschner and Schadler, 1933.

Schaffer, Franz Xaver

1932. Neozoikum [Caenozoic]. Handwörterb. Naturwiss., 7, 184-210, 67 figs.

Schaffer, R. J., and Hirst, P.

The preparation of thin sections of friable and weathered materials by impregnation with synthetic resin. Proc. Geolog. Assoc. London, 41, 32-43.

Schaub, Samuel
1928A. Die Antilopen des toskanischen Oberpliocäns. Eclog. Geol. Helvetiae,
21, 260-266, 4 figs.

1928B. Bemerkungen über Schädelbau, Gebiss und systematische Stellung des Genus Lophiomys. Eclog. Geol. Helvetiae, 21, 267-272, 2 figs.

1928C. Der Tapirschädel von Haslen. Ein Beitrag zur Revision der oligocänen Tapiriden Europas. Abh. Schweiz. Pal. Ges., 47, 1-28, 7 figs., I pl.

Über eocäne Ratitenreste in der osteologischen Sammlung des Basler Museums. Verh. Naturf. Ges. Basel, 40, 588-598, 13 figs. 1929. Abstract in: Verh. Schweiz. Naturf. Ges., 110, 195.

1930A. Fossile Sicistinae. Eclog. Geol. Helvetiae, 23, 616-637, 17 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 111, 350-351. Review: Wernert in L'Anthrop., 42, 99.

1930B. Quartare und jungtertiare Hamster. Abh. Schweiz. Pal. Ges., 49, no. 6, 1-49, 27 figs., 2 pls.

1931A. Säugetierfunde aus Venezuela und Trinidad. Eclog. Geol. Helvetiae, 24, 288. See also: Verh. Schweiz. Naturf. Ges., 112, 326-327.

1931B. Cricetulus simionescui sp. nova. Acad. Română, Bul. Sect. Stiin., 14, 243-244, 2 figs.

1932. Die Ruminantier des ungarischen Praeglacials. Eclog. Geol. Helvetiae, **25,** 319-330. Abstract in: Verh. Schweiz. Naturf. Ges., 113, 363-365.

1933.Neue Funde von Melissiodon. Eclog. Geol. Helvetiae, 26, 241-247, figs. Abstract in: Verh. Schweiz. Naturf. Ges., 114, 372-373.

Schaum, K. See: Dittler, et al., 1931-1933.

Schaxel, Jul.

1928. Das Leben auf der Erde. Jena: Urania Verlagsges, M. b. H. 80 pp., 41 figs. Schelenz, M. See: Frentzen, K., and Schelenz, 1929.

Schenk, Jakob [= Jacob] [Obituary of:] Petrovics Peter Szuskin (= Sushkin). Aquila, 35, 492, (in Hungarian).

Scherer, James Augustin Brown See: Harrington and Scherer, 1930.

Schevill, William Edward

1932. Fossil types of fishes, amphibians, reptiles and birds in the Museum of Comparative Zoölogy. Bull. Mus. Comp. Zool. Harvard, 74, 59-105.

Schiller, Walther

1932. Primer centenario de la salida de Charles Darwin en el bergantín "Beagle" para el viaje al rededor del mund. Con bibliografia geográfico-geológica. Rev. Mus. La Plata, 33, 299–325.

Schindewolf, Otto H.

1928A. Studien aus dem marburger Buntsandstein. III-VII. Senck., 10, 16-54, 14 figs.

1928B. Das Problem der Menschwerdung, ein paläontologischer Lösungsversuch. Jahrb. Preuss. Geol. Landesanst., 49, 716-766, 30 figs. Abstract in: Sitz.-Ber. Preuss. Geol. Landesanst., 3, 211-212.

1929. Ontogenie und Phylogenie. Pal. Zeit., 11, 54-67.

1930A. Zur Abstammung des Menschen. Forsch. u. Fortschr., 6, 79-80.

1930B. Das Rätsel der Menschwerdung. Arbeitsgemeinschaft, 11, 51-58, 6 figs.

1931. Neuere Ergebnisse der Palaeontologie. Naturwiss., 19, 984-987.

Schlaikjer, Erich Maren

1931. Description of a new species of Mesohippus from the White River formation of South Dakota. Proc. New England Zoöl. Club, 12, 35-36.

1932. The osteology of Mesohippus barbouri. Bull. Mus. Comp. Zool. Harvard, 72, 391-410.

1933. A detailed study of the structure and relationships of a new zalambdodont insectivore from the Middle Oligocene. Bull. Mus. Comp. Zool. Harvard, 76, 1-27, 8 figs., 1 pl.

Schlosser, Max

1928A. Über Alces latifrons aus einer Schlotausfüllung bei Tuttlingen. Centralbl. Min. Geol. Pal., 1928, Abt. B, 124–128.

1928B. Über Tertiär und obere Kreide aus Portugiesisch-Ostafrika. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., (2) 32, 1-25, 1 fig.

1930. Die Abstammung des Menschen. Monist. Monatsh., 15, 265-272.

Schmid, Günther

1930. Goethe und die Nova Acta der Leopoldinisch-Carolinischen deutschen Akademie der Naturforscher. Leopoldina, 6, 15-61.

Schmidt, Axel See: Mattheus 1928.

Schmidt, C. W.

1928. Wörterbuch der Geologie, Mineralogie und Paläontologie. Berlin and Leipzig: Walter de Gruyter & Co., vi + 290 pp., 296 figs.
Reviews: Anonymous in Naturwiss., 17, 139; Leuchs in Umschau, 32, 529.

Schmidt, Hermann

1927. Fährten der ältesten Saurier. Ber. Senck. Naturf. Ges., 57, 517-526, 9 figs.

1928. Neue Hilfsmittel für den geologisch-paläontologischen Unterricht. Geol. Rund., 19, 423-424.

1929A. Ein den Edestiden ahnliches Haigebiss aus dem Kulm des Harzes, Dicrenodus cf. major (Agassiz). Pal. Zeit., 11, 82-85, 2 figs.

1929B. Tiersche Leitfossilien des Karbon. Sechste Lieferung [of:] Georg Gürich, Leitfossilien. Ein Hilfsbuch zum Bestimmen von Versteinerungen bei geologischen Arbeiten in der Sammlung und im Felde. Berlin: Gebrüder Borntraeger, 6, 1-107, 26 figs., 23 pls. [Fishes, Amphibians and Reptiles, pp. 88-94, figs. 23-26, pl. 23.]

1930A. Ein Skelett von Alces latifrons aus der Gegend von Göttingen. Pal. Zeit., 12, 135.

1930B. Gewinnung devonischer Fische bei Wildungen. Pal. Zeit., 12, 135.

1930C. Normierung oder Fortleben? Ein Entegegnung auf Stromer's Leitsatze von 1929. Pal. Zeit., 12, 164-169, 2 figs.

1933. Fischreste aus dem Tanusquarzeit. Pal. Zeit., 15, 228-245, 6 figs.

Schmidt, Karl Patterson

1927. New reptilian generic names. Copeia, no. 163, 58-59.

1931A. A fossil turtle from Peru. Field Mus. Nat. Hist., Geol. Ser., 4, 251-254, 2 pls.

1931B. On the zoogeography of the Holarctic Region. Lingnan Sci. Jour., 10, 441-449.

Schmidt, Martin

1928. Die Lebewelt unserer Trias. Öhringen: Ferdinand Rau, 461 pp., 1220 figs. Reviews: Edinger in Naturwiss., 17, 136-137; Lambrecht in Allat. Közlem., 26, 111-112; Laeser in Umschau, 33, 177.

1931. Labyrinthodonten und Reptilien aus den thüringischen Lettenkohlenschichten. Geol. Pal. Abh., (N. F.) 18, 229-276, 8 figs., 5 pls.

Schmidtgen, Otto

1928A. Eine neue Fährtenplatte aus dem Rotliegenden von Nierstein am Rhein. Palaeobiol., 1, 245–252, 2 figs., 2 pls.

1928B. Ein Vogelei aus jungdiluvialen Sandlöss bei Mainz. Notizbl. Ver. Erdk., (5) 10, 111-112, 1 pl.

1928C. Fährten von Insekten und Wirbeltiere im Perm von Nierstein am Rhein. Verh. Zool.-Bot. Ges. Wien, 78, (35)-(39).

1929A. Knochenartefakte? aus den Mosbacher Sanden. Jahrb. Nassau. Ver. Naturk., 80, pt. 2, 1-6, 1 fig.
Review: Quiring in Mannus, 25, 247.

1929B. Von der altpaläolithischen Jagdstelle bei Wallertheim in Rheinhessen. Pal. Zeit., 11, 339-340. See also: Notizbl. Ver. Erdk., (5) 11, 59-89, 10 pls., 2 diagrams, 1 plan. [With W. Wagner.]

1930. Eine Unterkieferhälfte vom Damhirsch aus dem Mosbacher Sand. Notizbl. Ver. Erdk., (5) **12**, 114-118, 1 table, 1 pl.

1931A. Die Drachenhöhle bei Mixnitz. Palaeobiol., 4, 305-320.

1931B. Weitere Knockenartefakte aus dem Mosbacher Sand. Jahrb. Nassau. Ver. Naturk., 81, 123-129, 2 pls.

1932A. Ein Lebensbild aus der Eiszeit. Ber. Senck. Naturf. Ges., 62, 184-186, 1 pl.

1932B. Ein Skelett von Equus mosbachensis v. Reich. Ber. Senck. Naturf. Ges., 62, 229-231, 1 fig.

Schmierer, Theodor

1928. [Obituary of:] Henry Schroeder [1859-1927]. Jahrb. Preuss. Geol. Landesanst., 48, LVI-LXVII, portrait, 1 fig. See: Schroeder, Schmierer, and Dienemann, 1929.

Schneiderhöhn, Hans

1931. Ein Besuch der Fundstelle des "Homo rhodesiensis" in Broken Hill, Nordrhodesia. Ber. Senck. Naturf. Ges., **61**, 363-366, 3 figs.

Schnürer, B. See: Obermaier 1931B.

Schoewe, Walter Henry

1930. Significance of fossil fish found in the Lykins formation in Garden Park, Colorado. Bull. Geol. Soc. Amer., 41, 203, (abstract). Also in: Pan-Am. Geol., 53, 158.

Schonwetter, M.

1929. Fossile Vogeleischalen. Novit. Zool., 35, 192-203.

Schött, Harald

1931. Några intressanta Däggdjursfossil från Östergötland. I. Zoologisk Undersokning. Fauna och Flora, 1931, 49-57, 5 figs.

Schou, Axel

1931. Om Pekingmennesket-Sinanthropus pekinensis. Geog. Tidskrift, **34**, 229-234, 1 fig.

Schrammen, Anton

1930. Die gesetzmässigen Ursachen der Umbildung und des Menschen. Leipzig: August Lax, x + 176 pp., 81 figs.

Schranil, Josef See: Obermaier 1928B.

Schreuder, Antje

1928A. Bemerkungen zu "Trogontherium soergeli Rüger". Pal. Zeit., 10, 297.

1928B. Humerus von Steneofiber depereti Mayet. Pal. Zeit., 10, 125-129, 9 figs.

1928C. Castor praefiber Depéret in der Fauna von Roussillon. Pal. Zeit., 9, 374-378, 2 figs.

1929. Conodontes (Trogontherium) and Castor from the Teglian Clay compared with the Castoridae from other localities. Arch. Mus. Teyler, (3) 6, 99-321, 16 figs., 16 pls.

1931. Conodontes, Trogontherium and the other Castoridae. Pal. Zeit., 12, 148-176, 6 figs.

1932. In memoriam Dr. J. J. A. Bernsen O. F. M. 1888-1932. Vakbl. Biologen, 13, no. 11, 1 page.

1933A. Microtinae (Rod.) in the Netherlands, extinct and recent. Kon. Akad. Wet. Amsterdam, Verh. Afdeel. Natuurk., (Sect. 2), 30, no. 1, [3]-37, 17 figs., 1 pl., 2 tables, 1 map.

1933B. Skull remains of Amblyrhiza from St. Martin. Tijdschrift Ned. Dierk. Ver., (3) 3, 243-266, 6 figs., 2 pls.

Schriel, Walter

1932. Über Vorlage einer Plakodermenfauna aus dem rheinischen Unterdevon. Zeit. Deutschen Geol. Ges., 83, 731-732.

Schroeder, Henry

1928. Über Elephas antiquus und trogontherii aus dem Diluvium der Mittelmark. Jahrb. Preuss. Geol. Landesanst., 48, 699-723, 1 fig., 3 pls.

1930. Über Rhinoceros mercki und seine nord- und mittel deutschen Fundstellen. Abh. Preuss. Geol. Landesanst., (N. F.) 124, 1-111, 1 fig., 26 pls.

Schroeder, H., Schmierer, T., and Dienemann, W.

1929. Zwei diluviale Faunen von Sondenhausen. 1. Th. Jahrb. Preuss. Geol. Landesanst., 49, 785–794.

Schtylko, B. A.

1928A. [Sur une méthode de determination des restes fossiles des téléostéens.] C. R. Acad. Sei. URSS, (A) 1928, 491–496, 6 figs., (in Russian).

1928B. Restes de brochet fossile provenant du gouvernment d'Akmolinsk (Sibérie Occidentale). C. R. Acad. Sci. URSS, (A) 1928, 521-524, 2 figs.

1929. New data on the nearest ancestors of the horse. Priroda (USSR), 6, 523-540, 15 figs.

1930. Restes de brochets [= pikes] fossiles provenant de la Sibérie Occidentale.
Trav. Mus. Géol. Acad. Sci. URSS, 7, 153-157, 2 figs., (in Russian). See also: 1928B.

Schuchert, Charles

1928. Review of the late Paleozoic formations and faunas, with special reference to the ice-age of Middle Permian time. Bull. Geol. Soc. Amer., 39, 769-886, maps, tables.

1929A. [Obituary of:] Frederick Augustus Lucas, 1852-1929. Amer. Jour. Sci., (5) 17, 568.

1929B. [Obituary of:] Thomas Chrowder Chamberlain, 1843-1928. Amer. Jour. Sci., (5) 17, 568.

1930A. Cretaceous and Cenozoic continental connections according to von Huene. Amer. Jour. Sci., (5) 19, 55-66.

1930B. William Diller Matthew. Feb. 19, 1871-Sept. 24, 1930. Biographical notice. Amer. Jour. Sci., (5) 20, 483-484.

1930C. [Obituary of:] Hermann von Ihering, 1851-1930. Amer. Jour. Sci., (5) 19, 482.

1931. Outlines of historical geology. [2d ed.] New York: J. Wiley & Sons, iv + 348 pp., 157 figs.
 Review: Tyrell in Sci. Progress, 26, 355.

1932A. Gondwana land bridges. Bull. Geol. Soc. Amer., 43, 875-915, 2 figs., 1 pl. 1932B. [Obituary of:] Hugh Gibb, 1860-1932. Amer. Jour. Sci., (5) 23, 564.

See: Knopf, Schuchert, et al., 1931.

Schuchert, C., and Dunbar, C. O.

A text book of geology, part 2, Historical geology (3rd ed., largely rewritten). New York: John Wiley & Sons, Inc., vi + 551 pp., 332 figs. Review: Rich in Bull. Amer. Assoc. Petrol. Geolog., 17, 1148-1153. 1933.

Schultz, Bruno Kurt

1931A. Abstammungskundliche Untersuchungen am Schädelinnenraume. Forsch. u. Fortschr., 7, 56-58, 3 figs.

1931B. Der Innenraum des Schädels in stammesgeschichtlicher Betrachtung mit besonderer Berücksichtigung des Rhodesiafundes. Verh. Ges. Phys. Anthrop., 5, 30-39, 10 figs., 1 pl.

1931C. Der Hominidenfund bei Peking. Eugenik, 1, 227-228. Also in: Arch. Biol. Berlin, 25, 58-62, 3 figs.

Schultz, Charles Bertrand

Association of artifacts and extinct mammals in Nebraska. Bull. Neb. 1932. State Mus., 1, 271-282, 3 figs.

See: Barbour and Schultz, 1932A, B, C.

Schultz, J.

De palaeolitische mensch. Fossielen von den laalsten tijd. Natuurhist. 1930. Maandbl., 19, 125-127, 1 fig., [not seen].

Nieuwe vondsten omtrent den fossilen mensch. Natuurhist, Maandbl... 1931. 20, 52-54, [not seen].

Schultze (†), F. E., Kukenthal (†), W., and Heider, K., [—continued by] Hesse, R., and Kuhlgatz, Th. [Editors]

Nomenclator animalium generum et subgenerum; im Auftrage der Preussischen Akademie der Wissenschaften zu Berlin. Bd. 2, (pp. 477-1298, 1933. Ca-Ez); 3, (pp. 1299-2248, Fa-Nesost); 4, (pp. 2249-2566, Nesosus-Penes).

Schurmann, H. M. E.

Kjokkenmoddinger und Palaolithicum in Nord-Sumatra. Kon. Ned. Aardrijk. Genoot., Tijdschrift, 48, 905-923, 15 figs., 3 pls.

Schuster, Erich See: Weidenreich, Weigers, and Schuster, 1928.

Schuster, Julius

Geschichte und Idee des naturwissenschaftlichen Museums. Arch. Gesch. 1928.

Math. Naturwiss. Technik., (N. F.) 2, 178–192. Die Anfänge der wissenschaftlicher Erforschung der Geschichte des Lebens 1930. durch Cuvier und Geoffroy Saint Hilaire. Arch. Gesch. Math. Naturwiss. Technik, (N. F.) 12, 269-336, 14 figs., 1 pl.

Schutz, Heinrich

When mammoths roamed the frozen Earth. (Translated from the German 1929.by Frank Barnes.) London: Jonathan Cape; and New York: Harrison Smith, 198 pp Review: F. Balfour-Brown in Discovery, 11, 139.

Schwabe, Otto

1933. Ein kleiner Diluvialfund in Mergentheim und seine Lehren. Mergentheimer Heimathl., 3, no. 1.

Schwangart, F.

Stammesgeschichte, Rassenkunde und Zuchsystem der Hauskatze. Leipzig: A. Heber, 59 pp.

Schwarz, Ernst

1928. Über diluviale Pferde der Equus caballus Gruppe. Jahrb. Preuss. Geol. Landesanst., 48, 429-476, 4 figs., 5 pls.

1932A. "... Er unter dem ihn übergebenen Huftiermaterial von Oldoway ein Kannonenbein von Hipparion gefunden habe." Zeit. Säugetierk., 7,

1932B. Neue diluviale Antilopen aus Ostafrika. Centralbl. Min. Geol. Pal., 1932, Abt. B, 1-4, 2 figs.

Schwarz, Rudolf

1930. Anthropologie. Fortschr. Zahnheilk., 6, 697-714, figs. 228-331.

1931A. Anthropologie. Das Abstammungsproblem des Menschen. Fortschr. Zahnheilk., 7, 753-766, figs. 320-333.

1931B. Neue Forschungen an fossilen Zähnen und Kiefern des Menschen und der Anthropoiden. Verh. Schweiz. Naturf. Ges., 112, p. 348. Also in: Bull. Schweiz. Ges. Anthrop. Ethnol., 8, 8.

Anthropologie. Fortschr. Zahnheilk., 8, 681-698, figs. 348-372. 1932.

Schwidetzky, Georg

Schimpansisch, Urmongolisch, Indogermanisch. Leipzig: Deutschen Ver-1933. lag., 94 pp.

Schytlko, B. A. See: Schtylko, B. A.

Scott, Gayle, and Armstrong, J. M.

The geology of Wise County, Texas. Univ. Texas Bull., no. 3224, 1-77, 7 figs., 2 pls.

Scott, George Gilmore

The science of biology. An introductory study. [Revised ed.] New 1930. York: Thos. Y. Crowell Co., 633 pp., 390 figs.

Scott, William Berryman

1927. Development of American paleontology. Proc. Amer. Philos. Soc., 66, 409-429.

1928A. Astrapotheria of the Santa Cruz beds. Primates of the Santa Cruz beds. Rept. Princeton Univ. Exped., Patagonia, 6, pts. 4 and 5, 301-351, 7 pls. Abstract in: Physis, 10, 225-227.

1928B. The geographical distribution of animals. In: Mason, F., 1928, "Creation by Evolution," pp. 81-111.

1928C. Reports of the Princeton University expeditions to Patagonia, 1896-1899. Proc. Amer. Philos. Soc., 67, 119-122. Review: Osborn in Science, (n. s.) 67, 575.

1928D. Some applications of paleontology. Science, (n. s.) 67, 327-333.

1930A. Extinction of Pleistocene mammals. Bull. Geol. Soc. Amer., 41, 104-105. (abstract). Also in: Pan-Am. Geol., 53, 140, 303-304.

1930B. On certain Silurian fish-like forms from Norway. Proc. Amer. Philos. Soc., 69, 391-396.

1930C. A partial skeleton of Homalodontotherium. Field Mus. Nat. Hist., Geol. Mem. 1, 7–34, 7 pls. Reviews: Romer in Jour. Geol., 39, 303; Thorpe in Amer. Jour. Sci., (5) **21,** 185-186.

1932A. An introduction to geology. Vol. 2. Historical geology. [3d ed.] New York: The Macmillan Co., vii + 485 pp., 124 figs., 27 pls.

1932B. Nature and origin of the Santa Cruz fauna, pt. 3. With additional notes on the Entelonychia and Astrapotheria. Rept. Princeton Univ. Exped., Patagonia, 7, 193-238, pls. A-K.

Seegert, Bruno

Fluoreszenzphotographie von Fossilien. Umschau, 32, 134-136, 6 figs. 1928.

Seeley, Sylvia Prehistoric adventures. The work of a Canadian school in France. 1930. Canadian Geog. Jour., 1, 176-184, 14 figs.

Seemann, Richard Verlauf und Ergebniss der Trossinger Sauriergrabung. Jahresh. Ver. 1932. Vaterländ. Naturk. Württemberg, 88, LII-LIV.

Der Saurischierlager in den Keupermergeln bei Trossingen. Jahresh. 1933. Ver. Vaterländ. Naturk. Württemberg, 89, 129-161, 3 pls.

Seemann, R., and Berckhemer, F.

Eine Spaltenfüllung mit reicher aquitaner Wirbeltier Fauna im Massenkalk des Weissen Jura bei Tomerdingen (Ulmer Alb). Pal. Zeit., 12, 14-25, 2 figs.

Seidlitz, Wilfried von 1933A. Pompecki, Josef Felix. Handwörterb. Naturwiss., 8, 30-31.

1933B. Cope, Edward Drinker. Handwörterb. Naturwiss., [2d ed.], 2, 799.

Seitz, Otto, and Gothan, W.

Paläontologisches Praktikum. Berlin: iv + 173 pp., 48 figs. Review: Edinger in Naturwiss., 17, 136.

Sellards, Elias Howard

1932. Geologic relations of deposits reported to contain artifacts at Frederick. Oklahoma. Bull. Geol. Soc. Amer., 43, 783-796, 2 figs., 1 pl.

Sellards, E. H., Adkins, W. S., and Plummer, F. B. 1933. The geology of Texas. Vol. I. Stratigraphy. Univ. Texas Bull. no. 3232, 1-1006, 54 figs., 11 pls.

Senet, Rondolfo See: Lozano, N., and Molfino, 1932.

Senn, E.

1933. Die geographisch-naturkundliche Literatur über die Hohenzollernschen Land nebst Ansichten und Karten 1495-1928. Unterrichts Beiträge zur Pflege der Geographie und der geografischen Landeskunde mit besonderer Berücksichtigung Württembergs. Veröff. Geog. Seminars Tech. Hoch-schule, Stuttgart, Reihe B, H 12/13, 119 pp.

Sera. Giocchino Leone

Nuovi osservazioni sul cranio fossile dell'Olmo. Esame morfologico del cranio dell'Olmo. Arch. Antrop. Etnol., 60-61, 79-94, 2 figs., 4 pls. 1931.

Sergi, Guiseppe

- 1928. Gli indigeni Americani. Recherche antropologiche. Roma: Anonima Romana Editorale (Soc. degli. Americanisti d'Italia), 262 pp., 25 pl. See also: Proc. 23d Internat. Congr. Americanists, 1928 [1930], 857-865.
- 1929A. Uno studio sopra i caratteri della faccia umana. I. Le forme dell'arcata alveolopalatina nell'uomo e negli antropoidi. Riv. Antrop., 28, 1-23, 2

1929B. Il posto dell'uomo nella natura. Nuovi principi dell'evoluzione organica. Torino: Fratelli Bocca, 239 pp.

Review: Castaldi in Scritti Biol., 5, 571.

La più antica umanità vivente. Ovvero la mirabile riconstruzione di un 1930. arcaico tronco umano i cui rami si distesero dall'Africa in Europa, Oceania, America. Torino: Fratelli Bocca (Bibl. Sci. Moderne no. 106), 280 pp., 125 figs.

Review: Boule in L'Anthrop., 40, 291-292.

Sergi, Sergio

ergi, Sergio
1929A. La scoperta di un cranio del tipo di Neandertal presso Roma. Riv. Antrop., 28, 457-462, 1 map, 2 pls. See also: Anthrop. Anz., 6, 359-360; Zeit. Morphol. Anthrop., 28, 199-204, 1 fig., 1 pl.; Atti Soc. Ital. Progr. Sci., Riun. 19, 1930, I, 471-489, 1 pl.; C. R. 15th Congr. Internat. Anthrop. Archaeol. Préhist., 4th Sess. Portugal 1930, 191-197, 2 figs.; Boll. Assoc. Internaz. Studi Mediterranei, 2, 4-8, 1 fig., 1 pl.; Rept. Brit. Assoc. Adv. Sci., 1931, 453-454; and Sergi, G. 1930, pp. 273-280.

Reviews: M. B[oule] in L'Anthrop., 40, 292-294; Mochi in Arch. Antrop. Etnel. 59, 150-152; W in Ray Anthrop., 39, 416

Etnol., 59, 150-152; W. in Rev. Anthrop., 39, 416.

- 1929B. II Sinanthropus di Chou Kou Tien. Riv. Antrop., 28, 627-632, 3 pls. See also: Atti Soc. Ital. Progr. Sci., Riun. 19, 1930, II, 294-297, 2 pls.
- 1930. Il primo cranio del tipo Neanderthal scoperto in Italia nel suolo di Roma. Boll. Soc. Geol. Ital., 49, xxxvii–xlv, 2 pls. Abstract in: Riv. Ital. Pal., 36, 30–31.
- 1931A. Le crâne néanderthalien de Saccopastore (Rome). L'Anthrop., 41, 241-247, 2 figs. See also: Sergi, S., 1930. Abstract in: Rept. Brit. Assoc. Adv. Sci., 1931 [1932], 453-454.
- 1931B. L'homme de Néanderthal en Italie in Comptes Rendus des communications. L'Anthrop., 41, 110-111, (abstract).
- Saccopastore and Gibraltar skulls. Sect. Proc. Internat. Congr. Prehist. 1932. Protohist. Sci., Sect. 1, Human Pal., (Pres. Sir Arthur Smith Woodward). Abstracts in: Man, 32, 209; Riv. Antrop., 29, 666.
- 1933A. La posizione e la inclinazione del forame occipitale nel cranio neandertaliano di Saccopastore. Riv. Antrop., 29, 563-567, 1 pl.
- 1933B. Studio comparativo di crani fossili umani. R. Accad. Ital., Fondaz. Alessandro Volta, 1, 47-58, 3 figs.

1933C. Le genti del suolo di Roma attravérso i tempi. Atti Soc. Ital. Progr. Sci., Riun 21, 1932, III, 32-54.
Abstract in: Riv. Antrop.. 29, 650-653.

1933D. Qualche comparazione tra il cranio di Saccopastore ed il cranio di Gibraltar. Atti Soc. Ital. Progr. Sci., Riun. 21, 1932, III, 367-371, 1 fig. Abstract in: Riv. Antrop., 29, 662.

Serpa Pinto, R. de

1932. Sốbre Elephas meridionalis cfr. antiquus do Casal do Torquato (Alenquer).
Anais Fac. Ciên. Porto, 17, 104-106, 1 fig.

Serra, Giselda

1933. Di una nuova specie di *Schizorhiza* del maestrichtiano della Tripolitania. Riv. Ital. Pal., **39**, 103-108, pl. 3.

Seshachar, B. R., Rao, A. N., and Ramaswami, L. S.

1932. Further notes on Ariyalur fossils. Current Sci., 1, 39-40, 2 "pls."

Sestini. Aldo

1931. Considerazioni sui rapporti cronologici fra il paleolitico superiore e l'ultima glaciazione. Arch. Antrop. Etnol., 60-61, 70-80.

Seton, Henry

1931. A new Heptodon from the Wind River of Wyoming. Proc. New England Zoöl. Club, 12, 45-48.

Severcov, A. H. See: Sewertzoff, A. N.

Seward, A. C. See: Simpson, G. C., Seward, et al., 1930; also Watson, D. M. S., Seward, et al., 1929.

Sewell, R. B. Seymour

1929. A study of recent changes of sea-level based largely on a study of coralgrowths in Indian and Pacific seas. X Congr. Internat. Zool., Budapest, pt. 2, 1483-1496, 4 figs.

1931. The problem of evolution. Jour. Bombay Nat. Hist. Soc., 35, 131-142, 347-358.

1933. The problem of evolution. II. The trend of evolution under natural conditions. Jour. Asiatic Soc. Bengal, 27, x-xxiii, 1 pl.

Sewertzoff, A. N.

1928A. Éinige Bemerkungen über die systematischen Beziehungen der Anaspida zu den Cyklostomen und Fischen. Pal. Zeit., 10, 111-125, 5 figs.

1928B. The head skeleton and muscles of Acipenser ruthenus. Acta Zool., 9, 193-319, 53 figs., 9 pls.

1929. Directions of evolution. Acta Zool., 10, 59-141, 9 figs. See also: Sewertzoff, 1931B.
 Abstract by C. Perez in Année Biol., 35, pt. 2, 270-271.

1931A. Über die Bedeutung des Prinzips der Substitution und einiger anderer Prinzipen in der Phylogenese. Arch. Zool. Ital., 16, 128-140, 3 figs.

1931B. Morphologische Gesetzmassigkeiten der Evolution. Jena: Fischer, xiv + 371 pp., 131 figs., 24 charts.

Reviews: Beer in Nature, 129, 490-491; Camp in Science (n. s.) 76, 411-412; Gelei in Allat Közlem., 30, 197-198; Goldschmidt in Biol. Zentralbl., 54, 669-670; Plate in Arch. Biol. Berlin, 26, 318-325.

1932. Les lois morphologiques de l'évolution. C. R. Acad. Sci. URSS, 1932A, 205-214, (in Russian).

1933. Evolution der Bauchflossen der Fische und das Prinzip des Ausfalls der intermediären Funktionen. Priroda (USSR), 22, 30-40, 3 figs.

Sharp, L. W. See: Fotheringham, A. C.

Shaw, Daphne
1930. A catalogue of British scientific and technical books. [3d ed.] London:
British Science Guild, xxi + 734 pp.

Shaw, John Cecil Middleton
1928. Taurodont teeth in South African races. Jour. Anat., 62, 476-498, 6 figs.,
1 pl.

1931. The teeth, the bony palate and the mandible in Bantu races of South Africa.

London: John Bale Sons, & Danielsson, Ltd., xvi + 137 pp., 54 figs.

Reviews: Anonymous in Lancet, 221, 689; and Jour. Anat., 66, 126-127.

Sheak, W. H.

1928. The ancestors of the elephants. Bull. Wagner Free Inst., 3, 43-45.

Shedd, Solon

1931A. Bibliography of the geology and mineral resources of California to the end of 1929. Calif. Div. Mines, Bull. 104, 205 pp.

1931B. Obituary: James Perrin Smith. Science, (n. s.) 73, 382-383.

Sheppard, Thomes

1929. Bibliography of Yorkshire geology, 1927 and 1928. Proc. Yorkshire Geol. Soc., 21, 288-300.

1931. Bibliography—Papers and records relating to the geology of the north of England (Yorkshire excepted), published during 1930. Naturalist, 1931, 185-188, 215-220.

Sherborn, Carolo Davies [= Charles Davies Sherborn]

1928- Index animalium sive index nominum quae ab A.D. MDCCLVIII generibus et speciebus animalium imposita sunt. Second section, 1801–1851, M-Z and Index to Trivialia under Genera A-Z and Addenda, A-V, pts. 15-33. Trustees of the British Museum, 1-1098 pp.

Sherlock, R. L. See: Smith, Bernard, Sherlock, et al., 1930.

Shimer. Hervey Woodburn

1929. Evolution and man. Boston: Ginn & Co., vi + 273 pp., 28 figs. Review: Lull in Amer. Jour. Sci., (5) 18, 90.

1933. An introduction to the study of fossils (plants and animals). New York:
The Macmillan Co., xviii + 496 pp., 207 figs.
Reviews: Decker in Bull. Amer. Assoc. Petrol. Geolog., 17, 1539-1540;
Dunbar in Amer. Jour. Sci., (5) 26, 531-532.

Shipley, Maynard

1930. The key to evolution. Girard, Kansas: Haldeman-Julius Co., 8 vols. [including vols. 4-8 on vertebrate evolution], 64 pp. in each "double vol."

Short, A. Rendle

1929. Some recent literature concerning the origin of species. Jour. Trans. Victoria Inst., **61**, 141-159.

Shtyl'ko, B. A. See: Schtylko, B. A.

Shuler, Ellis William

1933. Frequency of vertebrate fossils in river deposits. Science, (n. s.) 77, 368-369.

Shushkin, P. See: Sushkin, P.

Sicher, Harry

1932. Orthogenese und Genetik. Centralbl. Min. Geol. Pal., 1932, Abt. B, 253-255.

Sickenberg, Otto

1928A. Eine Sirene aus dem Leithakalk des Burgenlandes. Denk. Akad. Wiss. Wien, 101, 293-323, 6 figs., 2 pls.

1928B. Säugetierreste aus der Umgebung Oberhollabrun. Verh. Geol. Bundesanst., 1928, 205-210, 1 fig.

1929A. Ein Schädelstuck von Manatherium delheidi Hartl. Pal. Zeit., 11, 86-101, 3 figs., 2 pls.

1929B. Eine neue Antilope und andere Säugetierreste aus dem Obermiozän Niederösterreichs. Palaeobiol., 2, 62–86, 4 figs.

1930. Eine Wildziege der Capra prisca-Gruppe aus dem Plistozän Niederösterreichs. Palaeobiol., 3, 92-102, 1 fig., 1 pl.

1931A. Morphologie und Stammesgeschichte der Sirenen. Palaeobiol., 4, 405–444. Review: Kubacska in Föld. Közlöny, 61, 116. Discussion: O. Abel in Verh. Zool.-Bot. Ges. Wien, 80, 100.

1931B. Die Gross-Säugetiere der Begleitfauna. Speläol. Monog., 7-8, 9, 747-762, 5 figs., 4 pls.

1932. Eine neue Antilope, *Parurmiatherium rugosifrons* nov. gen. nov. spec. aus dem Unterpliozän von Samos. Anz. Akad. Wiss. Wien, **69**, 10-11. See also: 1933B.

1933A. Neue Ausgrabungen im Altplistozän von Hundsheim. Verh. Zool.-Bot. Ges. Wien, 83, (46)-(48).

1933B. Parurmiatherium rugosifrons, ein neuer Bovide aus dem Unterpliozän von Samos. Palaeobiol., 5, 81–102, 6 figs., 2 pls. See also: 1932.

1933C. Die Säugetierfauna der Fuchs- oder Teufelslucken bei Eggenburg. Verh. Zool.-Bot. Ges. Wien, 83, (31)-(38).

Sickenberg, O., and Ehrenberg, K.

1929. Eine plistozäne Höhlenfauna aus der Hochgebirgsregion der Ostalpen. Ergebnisse der Ausgrabungen in der Schreiberwandhöhle am Dachstein. Palaeobiol., 2, 303-364, 5 figs., 8 pls.

Sieber, Rudolf

1929. Der Anpassungstypus von Hand und Fuss der Anthracotheriidae. Palaeobiol. 22, 87–127, 10 figs., 2 pls.

Siegfriedt, J. C. F. See: Matthew, W. D., and Siegfriedt, 1928.

Siemon, R.

1929. Jungertertiäre Molluskenfauna aus Niederlandisch-Ost-Indien. Ber. Naturf. Ges. Freiburg, 29, 309-369, 2 maps, 4 figs.

Silnický, K.

1931. Zpráva o zbytcích kostry mastodonta v pliocénních vrstvách topolčanských. Věda přírodní, 12, 1-4, 5 figs., 1 pl.

Simionescu, Ion [= Jon]

1930A. Arctomys bobac in cvaternarul din Romania. Acad. Română, Mem. Sect. Stiin., (3) 7, Mem. 1, 1-6, 3 figs., (Rumanian with French summary).

1930B. Elephas trogontherii Pohl. in România. Acad. Română, Mem. Sect. Stiin., (3) 7, Mem. 3, 1-7, 4 figs., 1 pl. (Rumanian with French summary).

1930C. Vertebratele Pliocene dela Mălusteni (Corvurlui). Acad. Română, Publ. Fondul. Vasile Adamachi, 9, no. 49, 83-151, 81 figs., 5 pls., (Rumanian with French summary).

1931. Mammifères marins du Sarmatien de Balcic (Roumanie). Acad. Română, Mem. Sect. Știin., (3) 8, no. 2, 1-13, 14 figs., (Rumanian with French summary).

1932A. Tertiäre und pleistozäne Camelidae in Rumänien. Acad. Română, Bul. Sect. Știin., 15B, 1-8, 6 figs.

1932B. Les vertébrés pliocènes de Beresti. Bul. Soc. Română Geol., 1, 213-288, 18 figs.

Simon, Ludwig See: Mattheus 1928.

Simpson, G. C.

1930. The climate during the Pleistocene period. Proc. Roy. Soc. Edinburgh, 50, 262-296, 6 figs.

Abstract in: Scottish Geog. Mag., 46, 155-159.
Review: Vaufrey in L'Anthrop., 41, 323-325.

Simpson, G. C., Seward, A. C., Gregory, J. W., Mitchell, P., Brooks, C. E. P., Regan, C. T., and Thomas, H. [D.]
1930. Discussion on geologic climates. Proc. Roy. Soc. London, (B) 106, 299–317.

Abstract by: Varigny in Année Biol., 34, pt. 2, 629-630.

Simpson, George Gaylord

1928A. Mesozoic Mammalia. XI. Brancatherulum tendagurense Dietrich. Amer. Jour. Sci., (5) 15, 304-308, 2 figs.

1928B. A new mammalian fauna from the Fort Union of southern Montana.

Amer. Mus. Novit., no. 297, 1-15, 14 figs.

Abstract in: Bull. Geol. Soc. Amer., 39, 300-301.

1928C. A catalogue of the Mesozoic mammalia in the geological department of the British Museum. London: British Museum (Nat. Hist.), x + 215 pp., 12 pls.
Reviews: Broom in Nat. Hist., 29, 559-560; Lull in Amer. Jour. Sci., (5)

16, 365-366; F. H. A. M[arshall] in Geol. Mag., 65, 421.

1929A. American Mesozoic Mammalia. Mem. Peabody Mus., 3, pt. 1, pp. i-xv + 171, 62 figs., 32 pls.
Review: Kellogg in Jour. Mammal., 11, 245-246.

1929B. A collection of Paleocene mammals from Bear Creek, Montana. Ann. Carnegie Mus., 19, 115-122, 4 figs.

1929C. The dentition of *Ornithorhynchus* as evidence of its affinities. Amer. Mus. Novit., no. 390, 1-15, 2 figs.

1929D. The extinct land mammals of Florida. Florida Geol. Surv., 20th Ann. Rept., 229-278, 1 fig., 11 pls., 3 maps.

1929E. Hunting extinct animals in Florida. Nat. Hist., 29, 506-518, 13 figs., 2 pls.

1929F. A new Paleocene uintathere and molar evolution in the Amblypoda. Amer. Mus. Novit., no. 387, 1-9, 9 figs.

1929G. Paleocene and Lower Eccene mammals of Europe. Amer. Mus. Novit., no. 354, 1-17.

1929H. Pleistocene mammalian fauna of the Seminole field, Pinellas County, Florida. Bull. Amer. Mus. Nat. Hist., **56**, 561-599, 22 figs. See also: Hay 1930C.

1929I. Some Cretaceous mammals from the Lance formation. Ann. Carnegie Mus., 19, 107-113, 6 figs.

1929J. Third contribution to the Fort Union fauna at Bear Creek, Montana. Amer. Mus. Novit., no. 345, 1-12, 5 figs.

1929K. Hyracoidea. Enc. Brit., 14th ed., 12, 25.

1929L. Multituberculata. Enc. Brit., 14th ed., 15, 953.

1929M. Tillodontia. Enc. Brit., 14th ed., 22, 215-216, 1 fig.

1930A. Additions to the Pleistocene of Florida. Amer. Mus. Novit., no. 406, 1-14, 7 figs.

1930B. Allognathosuchus mooki, a new crocodile from the Puerco formation. Amer. Mus. Novit., no. 445, 1-16, 6 figs.

1930C. Holmesina septentrionalis, extinct giant armadillo of Florida. Amer. Mus. Novit., no. 442, 1-10, 5 figs.

1930D. A new specimen of *Eodelphis cutleri* from the Belly River formation of Alberta. Bull. Nation. Mus. Canada, no. 63, 29-32, 1 pl., (= Canada Dept. Mines, Geol. Ser. no. 51).

1930E. Post-Mesozoic Marsupialia. Fossilium Catalogus, Animalia, Pars 47, 1-87.

1930F. Rodent giants. Nat. Hist., 30, 305-313, 11 figs.

1930G. Sea sirens. Nat. Hist., 30, 41-47, 6 figs.

1930H. Tertiary land mammals of Florida. Bull. Amer. Mus. Nat. Hist., 59, 149-211, 31 figs.

1931A. Metacheiromys and the Edentata. Bull. Amer. Mus. Nat. Hist., 59, 295-381, 23 figs.
Abstract in Nature, 127, 796.

1931B. A new classification of mammals. Bull. Amer. Mus. Nat. Hist., 59, 259–293. See also: Cockerell 1931.
Abstract in: Nature, 127, 795.

1931C. A new insectivore from the Oligocene, Ulan Gochu horizon, of Mongolia. Amer. Mus. Novit., no. 505, 1-22, 5 figs.

1931D. American Museum expeditions to Patagonia. Nat. Hist., 31, 104, 1 fig.

1931E. Origin of mammalian faunas as illustrated by that of Florida. Amer. Nat., 65, 258-276.

Abstract by: Cuénot in Année Biol., 36, pt. 2, 650.

1932A. Cochilius volvens from the Colpodon beds of Patagonia. Amer. Mus. Novit., no. 577, 1-13, 6 figs.

1932B. Enamel on the teeth of an Eocene edentate. Amer. Mus. Novit., no. 567, 1-14, 1 fig.

1932C. Fossil Sirenia of Florida and the evolution of the Sirenia. Bull. Amer. Mus. Nat. Hist., 59, 419-503, 23 figs. 1932D. Miocene land mammals from Florida. Florida Geol. Surv., Bull. no. 10, 7-41. 23 figs.

1932E. The most ancient evidence of disease among South American mammals. Amer. Mus. Novit., no. 543, 1-4, 3 figs.

1932F. Mounted skeletons of Eohippus, Merychippus, and Hesperosiren. Amer. Mus. Novit., no. 587, 1-7, 3 figs.

1932G. New or little known ungulates from the Pyrotherium and Colpodon beds of Patagonia. Amer. Mus. Novit., no. 576, 1-13, 9 figs.

1932H. A new Paleocene mammal from a deep well in Louisiana. Proc. U. S. Nation. Mus., 82, art. 2, 1-4, 1 fig.

1932I. Scarritt Patagonian expedition. Nat. Hist., 32, 559.

1932.I. Skulls and brains of some mammals from the Notostylops beds of Patagonia. Amer. Mus. Novit., no. 578, 1-11, 6 figs.

1932K. Some new or little known mammals from the Colpodon beds of Patagonia. Amer. Mus. Novit., no. 575, 1-12, 8 figs.

1932L. The supposed association of dinosaurs with mammals of Tertiary type in Patagonia. Amer. Mus. Novit., no. 566, 1-21, 7 figs.

1932M. The supposed occurrences of Mesozoic mammals in South America. Amer-Mus. Novit., no. 530, 1-9, 1 fig.

1933A. Braincasts of Phenacodus, Notostylops, and Rhyphodon. Amer. Mus. Novit., no. 622, 1-19, 3 figs.

1933B. Braincasts of two typotheres and a litoptern. Amer. Mus. Novit., no. 629, 1-18, 3 figs.

1933C. Critique of a new theory of mammalian dental evolution. Jour. Dental Res., 13, 261-272.

1933D. A day in Patagonia. Nat. Hist., 33, 187-198, 18 figs.

1933E. The ear region and the foramina of the cynodont skull. Amer. Jour. Sci., (5) 26, 285-294, 5 figs.

1933F. Glossary and correlation charts of North American mammal-bearing horizons. Bull. Amer. Mus. Nat. Hist., 67, 79-121, 8 figs.

1933G. Late Mesozoic and early Tertiary of Patagonia. Bull. Geol. Soc. Amer., 44, 100, (abstract).

1933H. A Nevada fauna of Pleistocene type and its probable association with man. Amer. Mus. Novit., no. 667, 1-10, 5 figs.

1933I. A new crocodilian from the Notostylops beds of Patagonia. Amer. Mus. Novit., no. 623, 1-9, 2 figs.

1933J. A new fossil snake from the Notostylops beds of Patagonia. Bull. Amer. Mus. Nat. Hist., 67, 1-22, 6 figs.

1933K, A gigantic fossil snake. Nat. Hist., 33, 557-558, 2 figs.

1933L. The supposed fossil marsupial from Africa. Nat. Hist., 33, 106-107.

1933M. Paleobiology of Jurassic mammals. Palaeobiol., 5, 127-158, 6 figs.

1933N. The "plagiaulacoid" type of mammalian dentition. A study of convergence. Jour. Mammal., 14, 97-107, 2 figs.

1933O. A simplified serial sectioning technique for the study of fossils. Amer. Mus. Novit., no. 634, 1-6, 1 fig.

1933P. Skull of the extraordinary Patagonian Eocene Ungulate, Trigonostylops. Bull. Geol. Soc. Amer., 44, 198, (abstract).

1933Q. Stratigraphic nomenclature of the early Tertiary of central Patagonia. Amer. Mus. Novit., no. 644, 1-13, 2 figs.

1933R. Structure and affinities of Trigonostylops. Amer. Mus. Novit., no. 608, 1-28, 10 figs. Abstract in: Bull. Geol. Soc. Amer., 44, 198. See: Granger and Simpson, 1929; Matthew, W. D., Granger and Simpson, 1929; Holmes, W. W., and Simpson, 1931.

Simpson, Henry H. The fish bed in the Denbighshire Coalfield. Geol. Mag., 70, 275. Simpson, Paul F.

The Garrett mastodon. Proc. Indiana Acad. Sci., 43, 154-155, 1 fig. 1933.

Sinclair. William John

New mounts in the Princeton Geological Museum. Bull. Geol. Soc. 1920. Amer., 31, 223, (abstract).

Stratigraphy of the lower Oreodon beds of the South Dakota Big Badlands. 1922. Bull. Geol. Soc. Amer., 33, 155-156, (abstract).

New carnivorous marsupials from the Deseado formation of Patagonia. Field Mus. Nat. Hist., Geol. Mem. 1, 35-39, 1 pl. Reviews: Romer in Jour. Geol., 39, 303; Thorpe in Amer. Jour. Sci., (5) 1930. 21, 185-186.

Sinclair, W. J., and Farr, M. S.

Aves of the Santa Cruz beds. Rept. Princeton Univ. Exped. Patagonia. 1932. 7, pt. 2, 157-191, 15 pls.

Sinclair, W. J., and Jepsen, G. L.

A mounted skeleton of Paleonictis. Proc. Amer. Philos. Soc., 68, 163-1929. 173, 4 figs., 1 pl.

Sinéty, R. de

La vie de la biosphere. Arch. Philos., 6, 110-132. 1928.

Singer, Charles

The story of living things. A short account of the evolution of the bio-1931. logical sciences. New York and London: Harper & Brothers, xxxy + 572 pp., 194 figs. Review: Anonymous in Quart. Rev. Biol., 7, 102.

Sinitsin, F.

1932. Gastropodes, digenetic trematodes and vertebrates, as a biological series in the evolution of organisms. XI Congr. Internaz. Zool., Padova, 1, pt. 2, 395-397.

Sivers, W. von

1931. Die Struktur der Hand- und Fusswurzel des Höhlenbären von Mixnitz. Palaeobiol., 4, 257-304, 15 figs., 6 pls.

Skinner, Charles Edward See: Caldwell, Skinner, and Tietz, 1931.

Skutil, Joseph

1928A. Les restes de l'homme quaternaire sont-ils connus de Bohême? L'Anthrop. 38, 446-447. See also: pp. 616-617.

1928B. Une ancienne trouvaille paléontologique à Dijon. L'Homme Préhist., **15,** 241–242.

Skutil, J., and Stehlik, A.

Moraviae fauna diluvialis (A. Mammalia). Sbornik Klub Přírod. Brně. 14, 102-178, 7 figs., (Czech with German summary). See: Absolon, K., Zapletal, Skutil and Stehlik, 1933.

Slodkewitsch, Wsewolod S.

1930. Zur Osteologie der Handwurzel von Elasmotherium caucasicum Borissiak. Ann. Soc. Pal. Russie, **8**, 83-90, 1 pl. Also in: Trav. Mus. Géol. Acad. Sci. URSS, **6**, 9-30, 2 pls.

1933. Über die Reste des Cuon aus den Quartären Ablagerungen der Höhle von Nishneudinsk. Trav. Inst. Pal. Acad. Sci. URSS, 2, 1932 [1933],277-282, 1 pl., (German with Russian summary).

Sluster, Ludwig

Neue Höhlenbilder in den Pyrenaen. Kosmos (Stuttgart), 30, 54-61, 1930. 4 figs., 1 pl., 1 map.

Slyper, E. 1931.

Über Verletzungen und Erkrankungen der Wirbelsaule und Rippen bei den Cetaceen. Anat. Anz., 71, 156-185, 17 figs. Smirnow, W.

Die Fischreste des nordkaukasischen Oligocäns. Centralbl. Min. Geol. 1932. Pal., 1932, Abt. B, 363-364.

Smith, Bernard

1929A. Permian. Enc. Brit., 14th ed., 17, 536-538.

1929B. Triassic system or Trias. Enc. Brit., 14th ed., 22, 462-465, 3 tables.

Smith, Bernard; Sherlock, R. L., Trechmann, C. T., Watson, D. M. S., Versey, H. C., and Neaverson, E.

1930. Validity of Permian as a system. Pan-Am. Geol., 54, 179-186.

Smith, Burnett

1929. Recent finds of Quaternary mammals at Syracuse, New York. Bull. N. Y. State Mus. Nat. Hist., no. 281, 21-23, 1 pl.

Smith, Grafton Elliot

1928A. Conversion in science. In: Huxley Memorial Lectures 1925-1932. London: The Macmillan Co., 38 pp. [Also published in 1928 by the Imperial College of Science and Technology.]

Review: Anonymous in Jour. Amer. Med. Assoc., 91, 408.

1928B. Neanderthal Man not our ancestor. An early controversy, once apparently settled, has been revived by a recent utterance. Sci. Amer., 139, 112–115, 7 figs., 1 diagram. See also: Nature, 121, 141.

1928C. The evolution of the brain. In: Mason, F., 1928, "Creation by Evolution," pp. 311-326, 4 figs.

1928D. Neanderthal Man a distinct species. Nature, 121, 141.

1929A. [Obituary of:] Sir Charles Sissmore Tomes, 1846-1928. Proc. Roy. Soc. London, (B) 104, xii-xix, portrait.

1929B. The subdivisions of the order Primates. Nature, 124, 876-877.

1929C. The Peking Man: a new chapter in human history. Illustr. London News, 175, 672-673, 8 figs.

1929D. Human history. New York: W. W. Norton & Co., xviii + 472 pp. [Also, London-Edinburgh: J. Cape, 509 pp., 67 figs.]
Reviews: Fallaize in Eug. Rev., 22, 208-210, and in Discovery, 11, 209-210.

1930A. [Abstract of lectures before the Chinese Geological Society. Fossils of Sinanthropus are most valuable clue in solving riddle of early man.] Science, (n. s.) 72, no. 1868, xiv.

1930B. The ancestry of man. Bull. Geol. Soc. China, 9, 191-194.

1930C. Another Peking skull discovered. Sci. Amer., 143, 363, 2 figs. [Reprint of Smith, G. E. 1930K]

1930D. The classification of the Primates. Nature, 125, 270-271, 1 fig. See also: Regan 1930A.

1930E. Early man in China. Nature, 125, 448-449, 2 figs.

1930F. [Exhibition and remarks upon a series of photographs of the skull of Sinanthropus.] Proc. Zool. Soc. London, 1930, 548.

1930G. A new basis for the study of evolution. Illustr. London News, 176, 210–211, 7 figs.

1930H. More about the Peking Man. Sci. Amer., 143, 188-189, 10 figs., 3 diagrams.

1930I. The Peking skull. Science, (n. s.) 72, 92.

1930J. The story of evolution. Peking Nat. Hist. Bull., 5, pt. 2, 37-38.

1930K. The discovery of a second braincase of Sinanthropus. Nature, 126, 210-211.

1930L. Sinanthropus, the Peking Man. Sci. Amer., 142, 440-441, 5 figs.

1930M. The revelatory brain-case of Sinanthropus. (The Peking Man.) Illustr. London News, 176, 769-771, 810, 15 figs.

1930N. The cradle of mankind. Scientia, 47, 401-408.

1931A. The discovery of primitive man in China. Antiq., **5**, 21-36, 1 fig., 7 pls. [Reprinted in: Ann. Rept. Smithson. Instn., **1931** (1932), 531-547, 3 figs., 9 pls.]

1931B. [Exhibition of casts, photographs and bones of Sinanthropus.] Proc. Zool. Soc. London, 1931, 348.

1931C. The Peking skull. Nature, 127, 819-821, 3 figs.

1931D. Evolutionary tendencies in the jaws and teeth. Nature, 128, 501.

1931E. The search for man's ancestors. London: Watts & Co., vii + 56 pp., 6 figs., 6 pls. (The Forum Series, no. 16.)
Reviews: Anonymous in Brit. Med. Jour., 1932:1, 889-890; Anonymous in Lancet, 222, 842; Anonymous in Antiq., 7, 126; Anonymous in Discovery,

13, 135; LeGros Clark in Man, 32, 263; Fallaize in Eug. Rev., 23, 368;
 G. S. Miller in Jour. Mammal., 13, 373-374.

1931F. The significance of Peking Man. The Henderson Trust Lectures, no. 11.

London and Edinburgh: Oliver & Boyd, 20 pp.

Summary in Nature, 127, 202-204, 2 figs.

1931G. The Peking Man. Eug. News, 16, 13-16.

1931H. Peking Man. Chem. News, 142, 68-69.

1931I. Sinanthropus—Peking Man. Its discovery and significance. The Harvey Lectures, Ser. 26, 68-87, figs. 1-13. See also: Sci. Monthly, 33, 193-211, 13 figs.; and note in Jour. Amer. Med. Assoc., 95, 1358.

1931J. Validity of the genus Sinanthropus. Nature, 127, 304-305.

1931K. [Comments on:] Anonymous, 1931H, "Peking Man and stone implements." Nature, 128, 823.

1932A. The industries of Sinanthropus. Man, 32, 7-10, 5 figs.

1932B. The industries of Sinanthropus. Man, 32, 103-104.

1932C. The Oldoway skeleton. Man, 32, 199-200, 1 fig.

1932D. Evolutionary tendencies in the jaws. Internat. Jour. Orthodontia, 18, 918-926. Summary in: Nature, 128, 501.

1932E. New discoveries in human palaeontology. Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. 1, Human Pal., (Pres. Sir Arthur Smith Woodward).

Abstracts in: Man, 32, 208; Riv. Antrop., 29, 666.

See: Sonntag, C. F., 1931; Pycraft, W. P., Smith, G. E., et al., 1928.

Smith, G. E., Keith, A., Parsons, F. G., Burkitt, M. C., Peake, H. J. E., and Myres, J. L.

1931. Early man: his origin, development and culture. Lectures delivered for the Royal Anthrop. Inst. London: Ernest Benn, xii + 176 pp., 32 figs., 12 pls.

Reviews: Anonymous in Discovery, 12, 334; Fallaize in Eug. Rev., 23, 341.

Smith, Hay Watson

1928. Some facts about evolution. Little Rock, Arkansas: privately published (Miss Sara Draper, Third and Gaines St.), 23 pp.

1929. Comments on the letters of Dr. W. M. McPheeters and Dr. J. P. Robertson. Little Rock, Arkansas: privately published by author, 20 pp.

Smith, Homer William

1932. Water regulation and its evolution in the fishes. Quart. Rev. Biol., 7, 1-26.

See: Marshall, E. K., and Smith, Homer W., 1930.

Smith, Maurice G.

1930. Some problems concerning the antiquity of man in the New World. Proc. Oklahoma Acad. Sci., 10, 79-82.

Smith, Ralph Clifton

1928. A bibliography of museums and museum work. Washington, D. C.: The American Association of Museums, [4] + vi + 302 pp.

Smith, Reginald Allender See: Pycraft, Smith, et al., 1928.

Smith, William ("Strata") See: North 1928B.

Smuts, J. C.

1932. Climate and man in Africa. S. African Jour. Sci., 29, 98-131, 6 tables.

Snider, Luther Crocker

Earth history. (In: The Century Earth Science Series.) New York: The Century Co., xvi + 683, 334 figs.
 Review: Dott in Bull. Amer. Assoc. Petrol. Geolog., 16, 1045.

Snouckaert van Schanberg, Baron R. C. E. G. J.

1929. [Obituary of:] Peter Petrovitch Sushkin. Organ Club Ned. Vogelkund, 1, 206.

Söderbergh See: Säve-Söderbergh.

Soergel, Wolfgang

1917. Das Problem der Permanenz der Ozeane und Kontinente. Habilitationsvortrag. Stuttgart: E. Schweizerbart, 53 pp.

- 1928A. Apodiden aus dem Chirotherium-Sandstein. Die Geschichte eines fossilen Tümpels. Pal. Zeit., 10, 11-42, 4 pls.
- 1928B. Das geologische Alter des Homo heidelbergensis. Pal. Zeit., 10, 217-234, 2 figs., (with discussion).
- Das Alter der Sauerwasserkalke von Cannstatt. Jahresb. Mitt. Oberr-1929. hein. Geol. Ver., 18, 93-153, 10 figs., 2 pls.
- Die Bedeutung variationsstatistischer Untersuchungen für die Säugetier-1930. Palaeontologie. Neues Jahrb. Min. Geol. Pal., Abt. B, 63, 349-450, 3 figs., 3 pls. Reviews: Wernert in L'Anthrop., 42, 98.
- Emil Wepfert ein Nachruf. Jahresb. Mitt. Oberrhein. Geol. Ver., 20, 1931. xiii-xx, portrait.
- Solá, P. J. See: Bataller, J. R., and Solá, 1928.
- Solignac, Marcel
  - Le Pontien dans le Sud Tunisien. Ann. Univ. Lyon, (n. s. 1), 48, 1-42, 1931. 9 figs., 4 pls. See also: Roman 193.
- Sollas, William Johnson
  - Review of: Neville Jones, "The Stone Age in Rhodesia." (Oxford Uni-1928. versity Press, 1926, xiv + 120 pp.) Man, 28, 15-18.
  - [Obituary of:] Charles Depéret. [Included in anniversary address of the 1930. President, J. W. Gregory.] Quart. Jour. Geol. Soc. London, 86, no. 344, lvi-lviii.
  - 1933. The sagittal section of the human skull. Jour. Roy. Anthrop. Inst., 63, 389-431, 22 figs. Summary in: Man, 32, 166.
- See: Keith, Myres, et al., 1931, 1932.
- Solomon, John David See: Leakey, et al., 1931; also Leakey, Reck, H., Boswell, et al., 1933.
- Sonntag, Charles F.
  - The morphology and evolution of the apes and man. (Foreword by G. 1931. Elliot Smith.) London: John Bale Sons & Danielsson, Ltd., 59 pp., illustr.
- Soper, Edgar Kirke See: Grant and Soper, 1932.
- Sos. Vicente
  - 1932. La cueva de Prádena (Segovia). Bol. Soc. Españ. Hist. Nat., 32, 261-263.
- Los fósiles triásicos españols del Museo Nacional de Ciencias Naturales 1933. de Madríd. Bol. Soc. Españ. Hist, Nat., 33, 287-302.
- Souchkine, Peter See: Sushkin, P.
- Soulsby, B. H.
- A catalogue of the works of Linnaeus (and publications more immediately 1933. relating thereto) preserved in the libraries of the British Museum (Bloomsburg) and the British Museum (Natural History). [2d ed.] London: Trustees of the British Museum, xii+246 pp., 6 pls., 65 portraits.
- Souvay, -See: Messenger 1931.
- Sowerby, Arthur de Carle 1929A. The egg-laying dinosaur. China Jour., 11, 147-150, 3 pls.
  - 1929B. The Baluchitherium, the largest land mammal that ever lived. China Jour., 11, 95-98, 4 pls.
  - The missing link. China Jour., 12, 125-127, 1 pl. 1930.
- Soyer, Robert
- Présence des genres Vespertilio et Hyaenodon dans le Calcaire de Brie. 1929. Remarque sur la position stratigraphique de cette formation. Bull. Soc. Géol. France, (4) 29, 423-426. Abstract in: C. R. Soc. Géol. France, 1929, 256.
- Sparn, Enrique
- Bibliografía de la geología mineralogía y paleontología de la Republica 1928. Argentina. Acad. Nacion. Cien. Córdoba, Misc. no. 17, 3-44.
- Medio siglo de Boletin de la Academia Nacional de Ciencas. Ensayo 1929. bibliográfico. Bol. Acad. Nacion. Cien. Córdoba, 30, 1-115.

Spearing, Herbert Green

The childhood of art or the ascent of man. [2d ed.] London: Ernest Benn. 1930. 2 vols., xxxvi + 548 pp., 417 figs. [1st ed. 1912.] Review: M. Bloulel in L'Anthrop., 40, 122.

Speyer, Karl W.

1929. Wirbeltierreste aus dem Lias α der Laugenbrückener Senke. Mitt. Badischen Geol. Landesanst., 10, 547-560, 2 pls.

See: Frentzen, K., and Speyer, 1929.

Spiller, G.

The origin and nature of man. An enquiry into fundamentals. Recon-1931. ciling man's proud achievements with man's humble descent. London: Williams & Norgate, xiv + 400 pp. Reviews: Anonymous in Quart. Rev. Biol., 7, 222; Frassetto in Riv. Biol.. 14, 569-570.

Spillmann, F.

1928A. Tetrabelodon nov. spec. Ayora-Spillm. El Ecuador Comercial, año VI. no. 57, [unsigned].

1928B. El mastodonte de Alangasi. El Ecuador Comercial, año VI, no. 57, 74-75. [unsigned].

1929A. Das letzte Mastodon von Südamerika. Ber. Senck. Naturf. Ges., 59. 119-123, 4 figs., 1 pl.

1929B. Das südamerikanische Mastodon als Zeitgenosse des Menschen majoiden Kulturkreises. Pal. Zeit., 11, 170-177, 4 figs. Discussion: Steinmann in ibid., 11, 177.

Die Saugetiere Ecuadors im Wandel der Zeit. Quito, Ecuador: Universidad Central, Teil I, 112 pp., 25 figs. 1931.

Spock, Leslie Erskine

1929. Pliocene beds of the Iren Gobi. Amer. Mus. Novit., no. 394, pp. 1-8, 6 figs.

New Mesozoic and Cenozoic formations encountered by the Central Asiatic 1930. expeditions in 1928. Amer. Mus. Novit., no. 407, pp. 1-8, 6 figs.

Spocker, Richard G.

Die jungpliocänen Ablagerungen in der Sackdillinger Höhle und ihre 1933. Beziehungen zur Landschaft. Neues Jahrb. Min. Geol. Pal., Abt. B, 70, 215-226, 1 fig.

Sprecher, Heinrich

Morphologische Untersuchungen an der Fibula des Menschen unter Berücksichtigung anderer Primaten. Zürich: Orell Füssli, 162 pp., 1932. 114 figs., 85 pls. Reviews:Bouchal in Mitt. Anthrop. Ges. Wien, 63, 271; H. V. V[allois] in L'Anthrop., 43, 610-611.

Ssamarin. N. See: Kwaschnin-Ssamarin, N.

Stach, Jean See: Nowak, et al., 1930.

Stadtmüller, Franz

Studien am Urodelenschädel. II. Nachweis eines Basioccipitale bei 1929. einem rezenten Amphibium (Triton alpestris). Zeit. Anat., 90, 144-152, 7 figs.

Über die postorbitalen Fortsätze und die postorbitale Spange (Orbitotemporalspange) am Säugetier-Schädel. Zeit. Morphol. Anthrop., 30, 1932. 222-251, 28 figs., 5 pls.

Staesche, Karl

1928. Sumpfschildkröten aus hessichen Tertiärablagerungen. Abh. Hess. Geol. Landesanst., 8, 1-72, 1 fig., 9 pls.

1929. Schildkrötenreste aus der oberen Kreide Patagoniens. Palaeontogr., 72, 103-123, 17 figs., 4 pls.

1931. Die Schildkröten des Steinheimer Beckens. Palaeontogr., Supp. Bd. 8, part 2, 1-17, 5 figs., 4 pls.

Stahlecker, R. See: Huene, F., and Stahlecker, 1931.

Stallybrass, C. O.

1932. Early man and his geological setting. Proc. Liverpool Geol. Soc., 16, 2-17. [President's address.]

Stamp, Laurence Dudley

1929A. Eocene. Enc. Brit., 14th ed., 8, 631-634.

1929B. Miocene. Enc. Brit., 14th ed., 15, 583-584.

1929C. Oligocene. Enc. Brit., 14th ed., 16, 771-772.

1929D. Pliocene. Enc. Brit., 14th ed., 18, 80-81.

1929E. Quaternary. Enc. Brit., 14th ed., 18, 833-834.

1929F. Tertiary. Enc. Brit., 14th ed., 21, 973-974, 3 figs.

Standing, Herbert F.

1928. Rapport sur les ossements sub-fossiles provenant d'Ampasambasima. Bull. Acad. Malgache, 4, 95-100, 2 pls.

Steen, Margaret C.

1931A. The British Museum collection of Amphibia from the Middle Coal Measures of Linton, Ohio. Proc. Zool. Soc. London, 1930 [1931], 849-891, 21 figs., 6 pls.

1931B. Note on a parasphenoid of Conchopoma from the Middle Coal Measures of Linton, Ohio. Ann. Mag. Nat. Hist., (10) 8, 608, 1 pl.

Stefanini, Giuseppe

1929. L'Instituto Geologico della R. Universita de Modena e il suo recente riordinamento. Atti Soc. Nat. Mat. Modena, **60**, 120-146, 1 fig., 2 pls. See: Mochi 1928.

See: Mochi 1928.

Stefanini, G., Bassoli, G. G., and Montanaro, E.
1930. Catalogo dei tipi paleontologici figurati che si conservano nel Museo Geologico della R. Universita di Modena. Atti Soc. Nat. Mat. Modena, 61, 87-122.

Stehlík, Alois

1931A. Nález mastodonní stoličky ve Střelicich u Jevišovic. Od Horácka k. Podykí, 8, 350-353, 2 figs., (in Czech).

1931B. Elephas primigenius aus dem Höhlen-Diluvium der Stránska Skála bei Brno. Acta Soc. Sci. Nat., Moravicae, 5, 1-24.

1931C. Člověk a nejdůležitější fauna ssaučí v moravskem dilůviu. Priroda (Brno) 24, 210–214, 2 figs., (in Czech). See: Skutil, J., and Stehlík, 1932; Absolon, Zapletal, Skutil and Stehlík, 1933.

Stehlin, Hans Georg

1928A. Bemerkungen über die Hirsche von Steinheim am Aalbuch. Eclog. Geol. Helvetiae, 21, 245-256, 7 figs.

1928B. Ein Astrapotheriumfund aus Venezuela. Eclog. Geol. Helvetiae, 21, 227-232, 5 figs., 1 pl.

1928C. Über die systematische Stellung des Genus Leptobos. Eclog. Geol. Helvetiae, 21, 217-218.

1928D. Ueber eine altpleistocäne Säugetierfauna von der Insel Pianosa. Eclog. Geol. Helvetiae, 21, 433-469, 14 figs.
Abstract in: Verh. Schweiz. Pal. Ges., 109, 218-219.
Review: Vaufrey in L'Anthrop., 39, 481.

1928E. Die Säugetierfunde von Unter-Staudach bei Bildstein. Vierteljahrsschr. Naturf. Ges. Zürich, 73, 61-64.

1928F. Die Wirbeltierreste. In: Zotz, L. G., "Die palaeolithische Besiedlung der Teufelküchen am Oelberg beim Kuckucksbad." Praehist. Zeit., 19, 20-24.

1929A. Bemerkungen zu der Frage nach der unmittlebaren Ascendenz des Genus Equus. Eclog. Geol. Helvetiae, 22, 186-201, 4 figs.
 Abstract in: Verh. Schweiz. Naturf. Ges., 110, 195.
 Reviews: Kormos in Allat. Közlem., 27, 109-111; Kormos in ibid., 30, 197-198.

1929B. Artiodactylen mit fünffingriger Vorderextremität aus dem europäischen Oligocan. Verh. Naturf. Ges. Basel., 40, 599-625, 13 figs.

1929C. [Obituary of:] Dr. Carl Ternetz (13 August 1870-3 Oktober 1928). Verh. Naturf. Ges. Basel, 40, 28-34, portrait.

1929D. [Obituary of:] Eduard Greppin, 1856-1927. Verh. Schweiz. Naturf. Ges.. **110**, 15-19.

1930A. Bemerkungen zur Vordergebissformel der Rhinocerotiden. Eclog. Geol. Helvetiae, 23, 644-648, 3 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 111, 350.

1930B. Die Säugetierfauna von Leffe (Prov. Bergamo). Eclog. Geol. Helvetiae. 23, 648-681, 9 figs. Abstracts in: Verh. Schweiz. Naturf. Ges., 111, 349; Riv. Ital. Pal., 37, 18. Review: Wernert in L'Anthrop., 42, 98-99.

1931A. Bermerkungen zu einem Bisonfund aus den Freibergen (Kt. Bern). Eclog. Geol. Helvetiae, 24, 279-288, 3 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 112, 326.

1931B. Une mandibule de giraffidé de Tokoum (Perse). Eclog. Geol. Helvetiae. 24, 275-279, 3 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 112, 326.

Über die Säugetierfauna der Westerwälder Braunkohlen. Eclog. Geol. 1932. Helvetiae, 25, 314-319. Abstract in: Verh. Schweiz. Naturf. Ges., 113, 363.

1933A. Ein Ovibosfund aus dem Kanton Bern. Eclog. Geol. Helvetiae, 26, 225-229, 3 figs. Abstract in: Verh. Schweiz. Naturf. Ges., 114, 369.

1933B. Über die fossilen Asiniden Europas. Eclog. Geol. Helvetiae, 26, 229-232. Abstract in Verh. Schweiz. Naturf. Ges., 114, 369-370.

Stehlin, H. G., and Dubois, A.

La grotte de Cotencher, station moustérienne. (Pt. 1) Abh. Schweiz. Pal. Ges., 52, 1-178, 27 figs., 9 pls. 1932.

La grotte de Cotencher, station moustérienne. (Pt. 2) Abh. Schweiz. Pal. Ges., 53, 179-292, 10 figs., 6 pls. 1933. Review: Vayson de Prodenne in Rev. Anthrop., 44, 261-262.

Stehn, Ch. E., and Umbgrove, J. H. F.

Bijdrage tot de geologie der Vlakte van Bandoeng. Kon. Ned. Aardrijk. Genoot., Tijdschrift, 46, 301-314, 2 figs., 3 pls.

Steiger, Rudolph

Verzeichnis des wissenschaftlichen Nachlasses von Jakob Johann Scheuchzer (1672-1733). Vierteljahrsschr. Naturf. Ges. Zurich, Beibl. no. 21, 78, 1-76, 2 pls.

Stejneger, Leonhard See: Wetmore 1929B.

Stelfox, A. W.

1933. Irish elk remains in Co. Limerick. Irish Nat. Jour., 4, 243-244.

Stensiö, Erik Helge Osvalt Andersson [= E. A:son Stensiö]

Upper Devonian vertebrates from East Greenland, collected by the Danish Greenland expedition in 1929 and 1930. Meddel om Grønland, 86, Nr. 1,  $[6] + 2\overline{12}$ , 95 figs., 36 pls. Review: Schuchert in Amer. Jour. Sci., (5) 23, 474-475.

1932A. The cephalaspids of Great Britain. London: British Museum (Nat. Hist.), v-xiv + 220 pp., 70 figs., 66 pls.
Review: Anonymous in Quart. Rev. Biol., 8, 360.

1932B. Triassic fishes from East Greenland, collected by the Danish expeditions in 1929-1931. Meddel. om Grønland, 83, nr. 3, [6] + 305 pp., 94 figs., 39 pls. [in a separate volume.] Names published as nomina nudae by L. Koch 1931.

Review: Schuchert in Amer. Jour. Sci., (5) 25, 187.

Sternberg, Charles Hazelius

1918. Sternberg's expedition to the Red Deer River, Alberta, 1917. Trans. Kansas Acad. Sci., 29, 88-91.

1922.Explorations of the Permian of Texas and the chalk of Kansas, 1918. Trans. Kansas Acad. Sci., 30, 119-120.

1928. Extinct animals of California. Sci. Amer., 139, 225-227, 6 figs.

1931. The life of a fossil hunter. San Diego: Jensen Printing Co., xiii + 286 pp., 47 figs., 2d ed. [Differs from 1st ed. of 1909 by the addition of a portrait of the author, and a change in three other plates.]

1932. Hunting dinosaurs in the badlands of the Red Deer River, Alberta, Canada. A sequel to "The Life of a Fossil Hunter." San Diego, Calif.: Pub-

lished by the author (2d ed.), xv + 261 pp., 61 figs.

Sternberg, Charles M.

1929A. A new species of horned dinosaur from the Upper Cretaceous of Alberta. Bull. Nation. Mus. Canada, no. 54, 34-37, 2 pls.

1929B. A toothless armoured dinosaur from the Upper Cretaceous of Alberta. Bull. Nation. Mus. Canada, no. 54, 28-33, 4 pls.

1930A. Miocene gravels in southern Saskatchewan. Trans. Roy. Soc. Canada, (3) 24, pt. 1, sec. 4, 29-30.

1930B. New records of mastodons and mammoths in Canada. Canadian Field Nat., 44, 59-65, 1 fig., map.

1931. Two ichthyosaur localities in British Columbia. Bull. Geol. Soc. Amer., 42, 363, (abstract). Also in: Pan-Am. Geol., 55, 157.

1932A. A dinosaur footprint bird bath. Canadian Field Nat., 46, 203-204, 1 fig. 1932B. A new fossil crocodile from Saskatchewan. Canadian Field Nat., 46, 128-133, 2 pls.

1932C. The skull of *Leidyosuchus canadensis* Lambe. Amer. Mid. Nat., 13, 157-168, 2 pls.

1932D. Two new theropod dinosaurs from the Belly River formation of Alberta. Canadian Field Nat., 46, 99-105, 2 figs., 2 pls. Abstract in: Trans. Roy. Soc., Canada, (3) 23, xciii.

1932E. Dinosaur tracks from Peace River, British Columbia. Bull. Nation. Mus. Canada, no. 68, 59-85, 9 figs., 5 pls.
Abstract in: Bull. Geol. Soc. Amer., 42, 362-363.

1933A. Carboniferous tracks from Nova Scotia. Bull. Geol. Soc. Amer., 44, 951-964, 1 fig., 2 pls.
Abstract in: ibid., 198.

1933B. A new Ornithomimus with complete abdominal cuirass. Canadian Field Nat., 47, 79-82, 3 figs.

1933C. Relationships and habitat of Troödon and the Nodosaurs. Ann. Mag. Nat. Hist., (10) 11, 231-235.

1933D. Prehistoric footprints in Peace River. Canadian Geog. Jour., 6, 92-102, 12 figs.

Sternberg, George Friar

1930. Thrills in fossil hunting. Aerend, 1, 139-153.

Stetson, Henry Crosby

1928A. Report on vertebrate palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., Harvard, 1928, 28-29.

1928B. A restoration of the anaspid Birkenia elegans Traquair. Jour. Geol., 36, 458-470, 7 figs.

1928C. A new American Thelodus. Amer. Jour. Sci., (5) 16, 221-231, 6 figs.

1929. Report from the Department of Palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., Harvard, 1929, 24-26.

1930A. Report on vertebrate palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., Harvard, 1930, 34-35.

1930B. Notes on the structure of *Dinichthys* and *Macropetalichthys*. Bull. Mus. Comp. Zool., 71, 19-30, 3 figs., 7 pls.

1931A. Report of the Department of Palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., Harvard, 1931, 32-34.

1931B. Studies on the morphology of the Heterostraci. Jour. Geol., 39, 141-154, 7 figs.

1932. Report on vertebrate palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., Harvard, 1932, 34-36.

Report on vertebrate palaeontology. Ann. Rept. Dir. Mus. Comp. Zool., 1933. Harvard, 1933, 39-42.

See: Barbour, T., and Stetson, 1929, 1931.

Stettner, G

Über Zähne von Equus mosbachensis und Gesteinsproben von Grossgartach 1930. Jahresh. Ver. Vaterland. Naturk. Württemberg, 86, LXXVI, (abstract).

Stibbe, E. P.

An introduction to physical anthropology. London: E. Arnold, vii + 1930.

199 pp., 42 figs., map; New York: Longmans Green & Co. See letter in: Nature, Feb. 22, 1930.

Reviews: Anonymous in Brit. Med. Jour., 1930:2, 473; Anonymous in Lancet, 222, 62; Anonymous in Jour. Anat., 65, 155-156; L. H. D. B[uxton], in Man, 30, 205-206; Fleming in Eug. Rev., 22, 304; Penniman in Antiq. 6, 241.

Stiles, Charles Wardell

What constitutes publication? Science, (n. s.) 67, 471-478. Zoological nomenclature. Nature, 124, 265-266. 1928.

1929.

Stiller, Jolán See: Mátyás, J., and Stiller, 1932.

[Review of:] O. Abel, "Amerikafährt. Eindrücke, Beobachtungen und 1929. Studien eines Naturforschers auf einer Reise nach Nordamerika und Westindien." (Jena, 1926.) Mitt. Anthrop. Ges. Wien, 59, no. 1, 58.

Stirton, Ruben Arthur

1929.Artiodactyla from the fossil beds of Fish Lake Valley, Nevada. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 18, 291-302, 9 figs.

A new genus of Soricidae from the Barstow Miocene of California. Univ. 1930. Calif. Publ., Bull. Dept. Geol. Sci., 19, 217-228, 2 figs.

A new genus of the family Vespertilionidae from the San Pedro Pliocene of Arizona. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 27-30, 2 figs. 1931.

1932A. An association of horn cores and upper molars of the antelope Sphenophalos nevadanus from the Lower Pliocene of Nevada. Amer. Jour. Sci., (5) 24, 46-51, 3 figs.

1932B. Castoridae from the Tertiary of Nevada. Bull. Geol. Soc. Amer., 43, 288, (abstract). Also in: Pan-Am. Geol., 56, 67-68.

1932C. Correlation of the Fish Lake Valley and Cedar Mountain beds of the Esmeralda formation of Nevada. Science, (n. s.) 76, 60-61.

1932D. Foreword [in: Matthew, W. D., 1932B], "A review of the rhinoceroses with a description of *Aphelops* material from the Pliocene of Texas." Univ. Calif. Publ., Bull. Dept. Geol. Sci., 20, 411-480, 12 figs., 19 pls.

1932E. A new genus of Artiodactyla from the Clarendon Lower Pliocene of Texas. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 21, 147-168, 3 figs., 5 pls. Abstract in: Nature, 130, 64.

1933. A critical review of the Mint Canyon mammalian fauna and its correlative significance. Amer. Jour. Sci., (5) 26, 569-576.

Abstract in: Proc. Geol. Soc. Amer., 1933 [1934], 392; and in Pan-Am. Geol., 59, 377.

See: Matthew, W. D., and Stirton, 1930A, B.

Stirton, R. A., and VanderHoof, V. L.
1933. Osteoborus, a new genus of dogs, and its relations to Borophagus Cope.
Univ. Calif. Publ., Bull. Dept. Geol. Sci., 23, 175-182, 3 figs.

Stirton, R. A., and Weddle, H. W.

The California tapir, Tapirus haysii californicus Merriam from Santa Barbara County, California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 1929. 18, 225-226, 1 fig.

Stock, Chester

1924A. Some mammalian forms common to the Pliocene of America and Asia. Proc. Pan-Pac. Sci. Congr., Australia, 1923, 1, 881.

1924B. Mammalian forms occurring in association with marine invertebrates in Western North America. Proc. Pan-Pac. Sci. Congr., Australia, 1923, **1,** 880-881.

1928. A tooth of *Hipparion mohavense* from the Puente formation, California. Publ. Carnegie Instn. Wash., no. 393, 49-53, 1 fig.

1929A. A census of the Pleistocene mammals of Rancho La Brea, based on the collections of the Los Angeles Museum. Jour. Mammal., 10, 281-289, 3 figs.

1929B. Significance of abraded and weathered mammalian remains from Rancho La Brea. Bull. S. Calif. Acad. Sci., 28, 1-5, 2 pls.

1930A. Carnivora new to the Mascall Miocene fauna of eastern Oregon. Publ. Carnegie Instn. Wash., no. 404, 43-48, 2 figs., 1 pl.

1930B. Problems of antiquity presented in Gypsum Cave, Nevada. Science, (n. s.) 72, 405, (abstract). See also: 1931E.

1930C. Oreodonts from the Sespe deposits of South Mountain, Ventura County, California. Publ. Carnegie Instn. Wash., no. 404, 27-42, 2 figs., 2 pls.

1930D. Quaternary antelope remains from a second cave deposit in the Organ Mountains, New Mexico. Publ. Los Angeles Mus., no. 2, 1-18, 3 figs.

1930E. Rancho La Brea. A record of Pleistocene life in California. Publ. Los Angeles Mus., no. 1, 1-82, 27 figs.

1930F. Report on horse tooth from the Dalles beds of Oregon. In: Buwalda and Moore, "The Dalles and Hood River formations and Columbia River Gorge." Publ. Carnegie Instn. Wash., no. 404, p. 17.

1931A. Abstract of article on Rancho La Brea mammalian series. Science, (n. s.) 74, 117-118. [Reprinted from Amer. Assoc. Adv. Sci., Program of meetings.]

1931B. Exploration of Gypsum Cave, Nevada. Bull. Geol. Soc. Amer., 42, 364, (abstract). Also in: Pan-Am. Geol., 55, 158-159.

1931C. Upper Eocene vertebrates noted from the Sespe beds of southern California. Science, (n. s.) 74, 577-578, (abstract).

1931D. Occurrence of human remains in Conkling Cavern, New Mexico. Bull. Geol. Soc. Amer., 42, 370, (abstract).

1931E. Problems of antiquity presented in Gypsum Cave, Nevada. Sci. Monthly, 32, 22-32, 7 figs., 1 pl., map, 2 diagrams.

1932A. Additions to the mammalian fauna of the Tecuya Beds, California. Publ. Carnegie Instn. Wash., no. 418, 87-92, 1 pl.

1932B. Eccene land mammals on the Pacific Coast. Proc. Nation. Acad. Sci., 18, 518-523, 4 figs.

1932C. Hyaenognathus from the Late Pliocene of the Coso Mountains, California. Jour. Mammal., 13, 263-266, 1 pl. Abstracts in: Bull. Geol. Soc. Amer., 44, 218; Pan-Am. Geol., 58, 149.

1932D. Is Felis atrox of Rancho La Brea a lion or a tiger? Bull. Geol. Soc. Amer., 43, 290, (abstract). Also in: Pan-Am. Geol., 56, 70.

1932E. An Upper Oligocene mammalian fauna from southern California. Proc. Nation. Acad. Sci., 18, 550-554, 2 figs. Abstract in: Pan-Am. Geol., 58, 71.

1932F. A further study of the Quaternary antelopes of Shelter Cave, New Mexico. Publ. Los Angeles Mus., no. 3, 1-45, 11 figs.

Abstracts in: Bull. Geol. Soc. Amer., 42, 364; Pan.-Am. Geol., 55, 158; and 56, 70.

1933A. An amynodont skull from the Sespe deposits, California. Proc. Nation. Acad. Sci., 19, 762-767, 1 fig.

1933B. Carnivora from the Sespe of the Las Posas Hills, California. Publ. Carnegie Instn. Wash., no. 440 (preprint), 29-41, 3 pls. [Issued separately 1933 as above; and also in Publ. 440, 1934, with seven other papers, under title, "Contributions to Palaeontology."]

1933C. An Eccene primate from California. Proc. Nation. Acad. Sci., 19, 954-959, 1 pl.

1933D. Hyaenodontidae of the Upper Eocene of California. Proc. Nation. Acad. Sci., 19, 434-440, 2 figs., 1 pl.

1933E. A miacid from the Sespe Upper Eccene, California. Proc. Nation. Acad. Sci., 19, 481-486, 1 pl.

Abstracts in: Proc. Geol. Soc. Amer., 1933 [1934], 302; Pan-Am. Geol.. 59, 304.

1933F. On the skull and upper dentition of an American species of Pseudaelurus. Proc. Geol. Soc. Amer., 1933 [1934], 391, (abstract). Also in: Pan-Am. Geol., **59,** 376.

1933G. Perissodactyla from the Sespe of the Las Posas Hills, California. Publ. Carnegie Instn. Wash., no. 440 (preprint), 15-28, 4 pls. [Issued separately 1933 as above; and also in Publ. 440, 1934, with seven other papers, under title, "Contributions to Palaeontology."]

1933H. Upper Eocene mammals from the Sespe, north of Simi Valley, California. Bull. Geol. Soc. Amer., 44, 158, (abstract). Also in: Pan-Am. Geol.,

19331. Upper Oligocene mammalian fauna from the Sespe of the Las Posas Hills. California. Bull. Geol. Soc. Amer., 44, 158, (abstract).

1933J. Carnivora of the Sespe Upper Eocene, Simi Valley region, California. Bull. Geol. Soc. Amer., 44, 199, (abstract).

See: Merriam, J. C., and Stock, 1932, 1933.

Stock, C., and Furlong, E. L.
1929. Pleistocene elephant on Santa Rosa Island, California. Bull. Geol. Soc. Amer., 40, 176 [also page 257], (abstract).

Stock, C., and Hall, E. R.

The Asiatic genus Eomellivora in the Pliocene of California. Jour. Mammal., 14, 63-65, 1 pl.

Stock, C., Patterson, J. W., and Furlong, E. L.

Tertiary mammalian fauna from the Kern River series, California. Bull. Geol. Soc. Amer., 40, 260, (abstract).

Stockley, G. M., and Oates, F.

Report on the geology of the Ruhuhu Coalfields. Tanganyika Geol. Surv. 1931. Dept., Bull., 2, 62 pp., 7 figs., 3 maps, 1 pl.

Stoll, Hermann

Versuch einer stratigraphischen Gliederung des Stubensandsteins im 1929. westlichen Württemberg. Jahresb. Mitt. Oberrhein. Geol. Ver., (n. s.) 18, 1-63, 12 figs.

Stolyhwo, K.

La race Néanderthalienne est-elle homogène? Anthrop. Prague, 6, 61-70. 1928. Reviews: Francisco de las Barras in Soc. Españ. Antrop. Actas Mem., 8 (A), 71-72; Montandon in L'Anthrop., 38, 364-365.

1933. Sur la differentiation des races humaines fossiles. Wiadomósci Archeol., 12, 28-29. Resumé of similar article by Stolyhwo in: Verh. Ges. Phys. Anthrop., 2, (1927), 52-56, 1 table.

S[tone], W[itmer]

[Obituary of:] Dr. William Jacob Holland. Auk, (o. s.) 58, 260. See also: 1933. Wetmore 1931D.

Stovall, John Willis

The protoloph-ectoloph angle and its correlation with the geologic horizons of five genera of North American Equidae. Jour. Geol., 37, 790-794, 1 fig.

1932A. The Jurassic in Oklahoma. Science, (n. s.) 76, 122-123.

1932B. Xiphactinus audax, a fish from the Cretaceous of Texas. Univ. Texas. Bull. no. 3201, 87-92, 1 pl.

Straelen, Victor Van See: Van Straelen, V.

Strand, Embrik

1928. Miscellanea nomenclatoria zoologica et palaeontologica. I-II. Arch. Naturges., Abt. A, 92, 30-75.

Ueber die Bedeutung der Typen für die naturhistorische Nomenklatur. Acta Univ. Latviensis, Matemat., 1, no. 5, 81-100. 1930.

1931. A proposito di edentati fossili Sud Americani. Riv. Ital. Pal., 37, 65-70.

1932A. Miscellanea nomenclatoria zoologica et palaeontologica. III. Folia Zool. Hydrobiol., 4, 133-147.

1932B. Miscellanea nomenclatoria zoologica et palaeontologica. IV. Folia Zool. Hydrobiol., 4, 193-196.

Straus, William Louis, Jr.

1929. Studies on primate ilia. Amer. Jour. Anat., 43, 403-460, 8 figs.

Straw, S. H.

1933. The fauna of the palaeozoic rocks of the Little Missenden boring, with a report on the fish remains by Arthur Smith Woodward. Summ. Prog. Geol. Surv. Gt. Brit., 1932 [1933], 112-142, 2 pls.

Strel'nikov, I. D.

1930. [Peter Paul Sushkin, 1868–1928]. Bull. Inst. Sci. Leshaft, 16, 5–9, portrait, (in Russian).

Stresemann, Erwin

1928. Hans Gadow [1855-1928]. Ornithol. Monatsber., 36, 145-147.

1929. Peter P. Suschkin zum Gedächtnis. Jour. Ornithol., 77, 188-197, portrait.

1933. Aves. Handb. Zool., 7, Zweite Hälfte, Lief. 1-8, xi + 899 [+1], 944 figs. Review: Wetmore in Auk, (o. s.) 54, 560.

Stromer, Ernst

1928A. Bemerkungen über den tertiären Gibbon *Pliopithecus antiquus*. Ber. Naturwiss. Ver. Augsberg, **46**, 64-65, 2 figs.

1928B. Säugetierfunde im Diluvium Bayerns. 1. Diluviale Säugetier-Reste von Windsheim a. A. (Mittelfranken). Centralbl. Min. Geol. Pal., 1928, Abt. B, 363-365.

1928C. Säugetierfunde im Diluvium Bayerns. 2. Ein Ovibos-Schädel im Altdiluvium bayerisch Schwabens. Centralbl. Min. Geol. Pal., 1928, Abt. B, 594-600, 2 figs., 1 pl.

1928D. Wirbeltiere im obermiocänen Flinz Münchens. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., **32**, no. 1, 1-71, 3 figs., 3 pls. [Pisces, pp. 48-53, by Wilhelm Weiler.]

1929A. Vorschriften für die Aufstellung der paläozoologischen Schausammlung in München (Entwurf). Pal. Zeit., 11, 177-181.

1929B. Neuere Ergebnisse meiner Forschungsreisen in den Wüsten Ägyptens. Naturwiss., 17, 859-861.

1930A. Neue Funde fossiler Säugetiere in Obermiozän bayerisch Schwabens. Ber. Naturwiss. Ver. Augsberg, 48, 29-31, 1 fig.

1930B. Neues über die ältesten und primitivsten Wirbeltiere, besonders die Anaspida. Sitz.-Ber. Akad. Wiss. München, **1930**, pt. II, 107–121, 1 fig.

1931A. Beachtenswerte Lücken in der Kenntnis mesozoischer und tertiärer Land und Süsswasser bewohnender Wirbeltiere. Centralbl. Min. Geol. Pal., 1931, Abt. B, 288-296.

1931B. [Obituary of:] William Diller Matthew, 1871-1930. Centralbl. Min. Geol. Pal., 1931, Abt. B, 266-268.

1931C. Reste süsswasser- und land-bewohnender Wirbeltiere aus den diamantfeldern Klein-Namaqualandes (Südwest-africa). Sitz.-Ber. Akad. Wiss. München, 1931, pt. 1, 17-47, 2 pls.

1931D. Wirbeltiere-Reste der Baharijestufe (unterstes Cenoman). Ein Skellett-Rest von Carcharodontosaurus nov. gen. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt. (N. F.), 9, 1-23, 1 pl.

1931E. Die ersten alttertiären Säugetierreste aus den Sundainseln. Dienst Mijn. Ned.-Indië, Wet. Meded., no. 17, 11-14, 2 figs.

1932A. Palaeothentoides africanus, nov. gen., nov. spec., ein erstes Beuteltier aus Afrika. Sitz.-Ber. Akad. Wiss. München, 1931, pt. III, 177-190, 4 figs.

1932B. Sauropsiden, spezial Literatur über Pterosauria in den letzten 10 Jahren. (Sammelreferat) Neues Jahrb. Min. Geol. Pal., Referate III, 678-687.

1932C. Sauropoda. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt. (N. F.), 10, 1-21, 1 fig., 1 pl.

1933. Die procölen Crocodilia. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt. (N. F.), 15, 1-55, 6 figs., 2 pls.

Stromer, E., and Lebling, C.

1929. Fossilführendes Pliocan in Südbayern. Centralbl. Min. Geol. Pal., 1929, Abt. B, 307-314, 1 map.

Stromer, E., and Weiler, W.

1930. Beschreibung von Wirbeltier-Resten aus dem nubischen Sandsteine Oberägyptens und aus ägyptischen Phosphaten nebst Bemerkungen über die Geologie der Umgegend von Mahamid in Oberägypten. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt. (N. F.), 7, 1-42, 4 pls.

Strunz, Ch.

1928. Aus der Werkstatt des Präparators. 2. Die Präparation eines Pleurosaurus-Skeletts. Ber. Senck. Naturf. Ges., 58, 116-121, 6 figs. (= Natur. u. Mus., 11, 534.)

Stubblefield, C. J. See: Evans, J. W., and Stubblefield, 1929.

Suchkin, Peter See: Sushkin, P.

Sudbury, Louise

1928. What is the first fossil collected by man. Science, (n. s.) 68, 135.

Suess, Franz E.

1933. [Obituary of:] Franz Baron Nopcsa. Mitt. Geol. Ges. Wien, 26, 215-221.

Suess, Maurice

1932. Sur la présence de gastropodes et de vertébrés dans les Grés de Bon Hanifa, Feuille de Mascara (département d'Oran). C. R. Acad. Sci. Paris, 194, 1970-1972.

Šuf, Jiří [= Georges Chouff]

1931. La faune quaternaire de Gombasek aus environs de Rožñava en Slovaquuie. Vëst. Stát. Geol. Českosl. Republ., 7, 161-172, (Czech with French summary).

Šulc, Jaraslav

1932A. Les otolithes du Paléogène des environs de Biarritz. Rosp. Stát. Geol. Ceskosl. Republ., 7, 1-94, 3 pls., (Czech, with French translation).

1932B. Preliminary report on the otoliths from the Miocene of Kralice, at Naměšt, Moravia. Věst. Stát. Geol. Českosl. Republ., 8, 168–174, 2 figs., (Czech with English summary).

Sullivan, J. W. N.

1933. The limitations of science. New York: Viking Press, 307 pp.

Sunamoto, Etsujiro

1932. A resume of 'The Elephant.' Osaka: pts. I and II: pp. 1-1151, and 1152-2161, (Japanese with English table of contents).

Sushkin, Peter Paul [= Suschkin = Suskin, etc.]

1928A. [The plateau regions of the earth and the problem of the origin of man.]
Priroda (USSR), 1928, 250-279, (in Russian). See also: Sushkin 1933.

1928B. [Permocynodon, a new genus of Cynodontia.] Proc. Third Congr. Russ. Zoolog. Anatom. Histolog., Leningrad, 1927 [1928], 125-126. See also: Sushkin 1929.

1928C. On the affinities of Parapavo californicus (Loye Miller). Ibis, (12) 4, 135-138.

1928D. Notes on the Pre-Jurassic Tetrapoda from Russia. I. Dicynodon amalitzkii n. sp. II. Contributions to the morphology and ethology of the Anomodontia. III. On Seymouriamorphae from the Upper Permian of North Dvina. Pal. Hungarica, 1, 1926 [1928], 323-344, 19 figs., 1 pl.

1929. Permocynodon, a cynodont reptile from the Upper Permian of Russia. X Congr. Internat. Zool., Budapest, pt. 1, 804-808, 4 figs.

1933. Die Hochlandgebiete der Erde und die Frage über den Ursprung des Menschen. Palaeobiol., 5, 275-306.

Süssmilch, Carl Adolph See: David, T. W. E., and Süssmilch, 1931.

Šusta, Vaclav

1932. Der Fund eines diluvialen Nashornkiefers in Orlová. Sbornik. Prirod. Spolec. Mor. Ostravě, 7, 145–152, 1 pl.

Swinnerton, H. H.

1928. On a new species of Semionotus from the Keuper of Nottingham. Geo Mag., 65, 406-409, 1 fig.

The growth of the world and its inhabitants. London: Constable, 211 pp. 1929. Review: Hentschell in Eug. Rev., 22, 77.

1930A. Outlines of palaeontology. [2d ed.] London: Edward Arnold, xii + 420 pp., 368 figs.; also: New York: Longmans, Green & Co. Reviews: Bather in Nature, 128, 173; Weir in Sci. Progress, 26, 356.

1930B. The growth of the world and its inhabitants. New York: Richard R. Smith, 210 pp., 31 figs.

On a specimen of Phaneropleuron from Gloucestershire. Mem. Proc. 1931. Manchester Lit. Philos. Soc., 75, 43-46, 1 fig.

See: Keith, A.; Osborn; Lang; Trueman; and Swinnerton, 1932.

Swinton, William Elgin

Notes on the fossil Reptilia collected by Mr. Donald Stewart in Venezuela. 1928. Quart. Jour. Geol. Soc. London, 84, 583.

1929A. A Canadian armoured dinosaur. Nat. Hist. Mag., 2, 67-74, 3 figs.

1929B. Ichthyosaur embryos. Nat. Hist. Mag., 2, 8-12, 3 figs.

1930A. Preliminary account of a new genus and species of Plesiosaur. Ann. Mag. Nat. Hist., (10) 6, 206-209.

1930B. On a new species of Eurhinosaurus in the British Museum. Geol. Mag., 67, 275-277.

1930C. A new plesiosaur from Warwickshire. Nat. Hist. Mag., 2, 271-275, 3 figs.

1930D. On fossil Reptilia from Sokoto Province. Geol. Surv. Nigeria, 13, 1-56, 15 pls., map.

1931A. Monsters of primeval days. London: Adelphi, 18 Adam St., 38 pp., 24 plates with foreword and descriptive notes. Réviews: Anonymous in Discovery, 13, 204; F. H. A. M[arshall] in Geol. Mag., 69, 186.

1931B. The plesiosaurs in the Bristol Museum. Rept. Brit. Assoc. Adv. Sci., 1930 [1931], 340-341, (abstract).

1933A. Bakelite and the preservation of fossils. Mus. Jour., London, 33, 76-80.

1933B. A new exhibit of Iguanodon. Nat. Hist. Mag., 4, 66-69, 1 fig. See: Hopwood, A. T., and [Swinton], 1928; Pycraft, W. P., Smith, G. E., Yearsley, M., et al., 1928; Wadia, D. N. and Swinton, 1928.

Szabó, M. See: Mátyás and Mihaly, 1932. Szafer, Władysław See: Nowak, et al., 1930.

Szalai, Tibor [= T. v. Szelenyi]

Kontinentales Sarmatium von Szentendre. Geologische Beobachtungen im Szentendre-Visegrader Gebirge (Ungarn) mit besonderer Rücksicht auf die ungarischen terrestrischen Tertiärbildungen. Neues Jahrb. Min. Geol. Pal., Abt. B, 60, 307-314, 1 pl.

1930A. Bionomische und methodologisch-systematische Untersuchungen an rezenten und fossilen Testudinaten. Palaeobiol., 3, 347-363, 1 fig., 4 pls. Reviews: A. Kubacska in Föld. Közlöny, 61, 116; Dudich in Allat. Közlem., 28, 190.

1930B. On the geological occurrence of Prodinotherium hungaricum Ehik. Geol. Hungarica, Ser. Pal., fasc. 6, 19-22. See also: Ehik 1930.

Über Clemmys hemispherica Gilmore. Föld. Közlöny, 61, 108-110. 1931.

Einige Daten zum fluorgehalt fossiler Knochen. Centralbl. Min. Geol. 1932. Pal., 1932, Abt. B, 405-414, 1 fig.

1933A. Schildkrötenstudien. I. Testudo schafferi nov. sp., eine Riesenschildkröte aus dem Pliozän von Samos. II. Biomechanische Untersuchungen am Schultergürtel der Testudinaten. Ann. Naturhist. Mus. Wien, 46, 153-163, 3 figs., 3 pls.

1933B. Verzeichnis der ungarischen Testudinaten. Föld. Közlöny, 62, 220-222. Szalay, A. B.

1930. Die Farbe des Ures. Zool. Garten, 3, 255-263.

Szelenyi, Tibor v. See: Szalai, T.

Szilády, Zoltan

1930. Magyar reliktumak. Allat Közlem., 27, 121-123.

Szunyoghy, Johann von

1932. Beitrage zur vergleichenden Formenlehre des colubriden Schädels, nebst einer kraniologischer Synopsis der fossilen Schlangen Ungarns, mit nomenklatorischen, systematischen und phyletischen Bemerkungen. Acta Zool., 13, 1-56, 116 figs., 7 pls.

Szushkin (= Szuskin), Peter P. See: Sushkin, P.

Taeger, Harald

1930. Zur Wiederherstellung zerbrochener Schädel mit besonderer Berücksichtigung der Weinert'schen Zusammensetzung des Schädels von Le Moustier. Zeit. Morphol. Anthrop., 28, 313-344. See also: Weinert, H., ibid., 345-346.

Tai. Tse Tsan

1930. Notes on the "Peking Man." The age of the "Loess" deposits and their imbedded fossils. Truth of the great deluge. S. China Morning Post, Sept. 2, 1930.

Tait, John, and Brown, B.

1928. How the Ceratopsia carried and used their head. Trans. Roy. Soc. Canada, (3) 22, pt. 1, sect. 5, 13-23, 1 fig., 1 pl.

Taliaferro, Nicholas Lloyd

1933. An occurrence of Upper Cretaceous sediments in northern Sonora, Mexico. Jour. Geol., 41, 12-37, 7 figs.

Tasnádi-Kubacska, András See: Kubacska, Andreas.

Taverner, Percy Algernon

1933. In the footsteps of its ancestors. Bird-Lore, 35, 205, 1 fig.

Taviani, Siro

1928. Sulla morfogenesi dei molari umani. Monit. Zool. Ital., 39, 18-22.

1929. Sulla morfogenesi del sistema dentario nei mammiferi. Arch. Anthrop. Etnol., 59, 3-12.

1932. Ancora nuovi apporti contro la teoria morfogenetica dentale di Osborn. Scritti Biol., 7, 449-451, 1 fig.

Taylor, H.

1931. Recent work of the Spelaeological Society. Rept. Brit. Assoc. Adv. Sci., 1930 [1931], 366, (abstract).

Tchang, Tchung-lin

1933. Notes on a fossil fish from Shansi. Bull. Geol. Soc. China, 12, 467-468, 1 fig., 1 pl.

Tchernyshev, B.

1931. Preliminary report on the survey performed in the Kuznetsk Coal Basin, in Sheet N-45-78-Г. Bull. Geol. Leningrad, 45, 723-733, 6 figs., (Russian with English summary).

Teilhard de Chardin, Pierre See: Chardin, P. T. de

Ten Kate, Hermann

1930. Der Neandertaler van Rome. Mensch en Maatsch., 6, 130-133.

Teriaev, V. A. [= Teriaew]

1930. Has the Elasmotherium been tridactylous? Ann. Soc. Pal. Russie, 8 [1928-1929], 77-82, 1 fig., (Russian with English summary).

1932. [Continuous growth of molars in Ungulata.] Bull. Soc. Nat. Moscou, Sect. Géol., 10, 170-192, 17 figs., (in Russian).

Termier, Pierre

1929. [Obituary of:] Charles Depéret. C. R. Soc. Géol. France, 1929, 130-132.

Terysev, V. A. See: Teriaev, W. A.

Thatcher, Harvey S.

1928. The identity of the Clear Creek skull. Science, (n. s.) 67, 38-39, 2 figs.

Théobald, Nicolas

1933. Les restes d'éléphants fossiles conservés an Musée de la Société industrielle de Mulhouse. Bull. Soc. Indust. Mulhouse, 324-338, 8 figs., 2 pls. Abstract in: C. R. Soc. Géol. France, 1933, 192.

Thom, Burton Peter

1930. Dust to life: the scientific story of creation. London: Ernest Benn, 410 pp., illustr.

Review: Anonymous in Discovery, 12, 32.

Thomas, Henry Dighton

1929. The late Palaeozoic glaciation. Nature, 123, 946-948.

See: Haughton 1932B; Simpson, G. C., Seward, A. C., Gregory, J. W., et al., 1930.

Thomas, Hugh Hamshaw

1933. The old morphology and the new. Proc. Linn. Soc. London, 1932 [1933], 17-46.

Thomasset, Jean-Jacques

1928A. Sur la position systématique des genres Strophodus et Saurichthys. C. R. Soc. Géol. France, 1928, 159-160.

1928B. Essai de classification des variétes de dentine chez les poissons. C. R. Acad. Sci. Paris, **187**, 1075–1076. See also: *ibid.*, 459–461.

1929. Les calcosphérites des tissus fossiles. C. R. Acad. Sci. Paris, 189, 1296–1297.
Abstracts in: C. R. Soc. Géol. France, 1930, 9; and Rev. Sci. Paris, 68, 90.

1930A. Recherches sur les tissus dentaires des poissons fossiles. Arch. Anat. Histol. Embryol., 11, 5-153, 60 figs. Also in: Thèses Fac. Sci. Paris, (A), 3-145, 60 figs.
Abstract in: C. R. Soc. Géol. France, 1930, 183-184.

1930B. Le bone-bed Rhétien de la vallée de la Dheune. (Inventaire d'un gisement.) Bull. Soc. Géol. France, (4) 30, 1115-1120.

1931A. Structure des dents de Rhizodopsis. C. R. Soc. Géol. France, 1931, 24-25.

1931B. L'histologie fossile. Univers. Méd., 8, 4 pp.

Thomsen, M.

1932. Peking-Mennesket. Naturens Verden, 16, 117-136, 16 figs., (in Danish).

Thomson, John Arthur

1928. Why we must be evolutionists. In: Mason, F., 1928, "Creation by Evolution," pp. 13-23.

1929. Outlines of zoology. (8th ed.) London: Oxford Univ. Press, xxviii + 972 pp., 328 figs.

1931. The outline of natural history. London: George Newnes, 720 pp., illustr.

1932A. Purpose in evolution. Riddel Memorial Lectures, Fourth Series. New York: Oxford Univ. Press, 59 pp.
Review: Anonymous in Quart. Rev. Biol., 7, 475.

1932B. The great biologists. London: Methuen & Co., viii + 173 pp.

Thomson, J. A., and Geddes, P.

1931. Life: outlines of general biology. London: Williams & Norgate Ltd., vol. 1, xxix + 714 pp., 106 figs., 1 pl.; vol. 2, xi + 715-1515 pp., figs. 107-202; also: New York & London: Harper & Brothers, same illustr. Reviews: Hentschell in Eug. Rev., 23, 348; Huxley in Discovery, 12, 207-208.

Thooris, A. See: Beauverie, J., et al., 1933.

Thorndike, Lynn

1929. Science and thought in the fifteenth century. Studies in the history of medicine and surgery, natural and mathematical science, philosophy and politics. New York: Columbia University Press, 387 pp.

Thorpe, Malcolm Rutherford

1928A. [Review of:] Bohlin, B., "Die Familie Giraffidae, mit besonderer Berucksichtigung der fossilen Formen aus China," (1926). Amer. Jour. Sci., (5) 15, 276.

1928B. [Review of:] Chardin, T. de, "Les mammifères de l'eocene infèrieur de la Belgique," (1927). Amer. Jour. Sci., (5) 15, 276-277.

1929. A new Triassic fossil field. Amer. Jour. Sci., (5) 18, 277-300, 9 figs. Abstract in: Bull. Geol. Soc. Amer., 40, 114-115, 251-252, under title: "New Triassic fossil locality."
1931A. [Review of:] Osborn, H. F., 1930K, "Ancient vertebrate life of Central

Asia." Amer. Jour. Sci., (5) 21, 85-87.

1931B. Natural brain casts of merycoidodonts. Amer. Jour. Sci., (5) 21, 193-203. 4 figs.

1931C. The osteology of Eporeodon socialis Marsh. Bull. Peabody Mus. Nat. Hist., 2, 1-43, 23 figs.

Tieje, Arthur Jerrold

New earliest known vertebrates. Bull. Geol. Soc. Amer., 35, 162, (ab-1924.

Tietz, J. Winfield See: Caldwell, W., Skinner, C. E., and Tietz. 1931.

Tikhvinskava, E. J.

The age of the so-called Ufimian stage. Mém. Soc. Russ. Minéral.. 62. 1933. no. 2, 303-345.

Tildesley, Miss M. L. 1931. Bones and the excavator. Man, 31, 100-103.

Tilney, Frederick

The brain from ape to man. A contribution to the study of the evolution 1928. and development of the human brain. . . . foreword by Henry Fairfield Osborn. New York: Paul B. Hoeber, Inc., 2 vols., xvii + 473; xv + 474-1120 pp., 539 figs. London: H. K. Lewis.

Reviews: Anonymous in Brit. Med. Jour., 1928: 2, 989-990; R. Berry in

Eug. Rev., 23, 71-73; DeGaris in Amer. Anthrop., 31, 535-537; W. K. Gregory in Nat. Hist., 29, 215-217, 4 figs.; G. S. Miller in Jour. Mammal., 9, 340-341.

The Master of Destiny: a biography of the brain. Garden City, New 1930.York: Doubleday, Doran & Co., xii + 343 pp.

Fossil brains of some early Tertiary mammals of North America. Bull. 1931. Neurol. Inst., 1, 430-505, 46 figs.

The James Arthur Lecture on the evolution of the human brain. Nat. 1932. Hist., 32, 219, (abstract).

Tilton, John Littlefield

Notes on paleontology, Pocahontas Co. [In: Price, Paul H.:] W. Virginia 1929. Geol. Surv., Pocahontas Co. Repts., xxiv + 531 pp., 2 maps, 21 figs.. 71 pls., 365-403.

1931A. Permian vertebrate tracks in West Virginia. Bull. Geol. Soc. Amer., 42, 547-556, 4 figs. Abstract in: Bull. Geol. Soc. Amer., 42, 362.

1931B. Notes on paleontology. [In: Reger, D. B.:] W. Virginia Geol. Surv., Randolph Co. Rept., 1931, xxiv + 989 pp., 4 figs., 28 maps, 74 pls., 830-851.

Timofeeff-Resosovsky, H. W.

Referate einiger russischen Arbeiten. Zeit. Säugetierk., 7, 37-38. 1932.

Timperley, H. J.

Age of extinct Chinese animals extended millions of years. Science, (n. s.) 72, no. 1868, xii. 1930.

Tindale, N. B.

Tantanoola caves, south-east of South Australia: geological and physiographical. Trans. Proc. Roy. Soc. S. Austral., 57, 130-142.

Tinklepaugh, Otto Leif

A device for measuring contours on profiles. Amer. Jour. Phys. Anthrop., 1930. 14, 487-489, 1 fig.

Tirelli, M. La tendenza evolutiva degli organismi studiata attraverso le curve di 1932. frequenza sistematica. Atti Accad. Pont. Lincei, 85, 224-230, 2 figs.

Toit, -. See: du Toit.

Tokarski, Julian See: Nowak, et al., 1930.

Tokunaga, Shigeyasu [= Yoshiwara, S.]

1929. Mammalian fossils found in limestone caves in Korea. Proc. Imp. Acad. Tokyo, 5, 139-141.

1933A. A list of the fossil land mammals of Japan and Korea with descriptions of new Eccene forms from Korea. Amer. Mus. Novit., no. 627, 1-7, 2 figs.

1933B. Fossil elephants found in Tokyo. Jour. Geog. Tokyo, 45, 419-426, 2 figs., 2 pls., (in Japanese).

1933C. On the geological age of the Hôzan coal field, Chôsen. Jour. Geol. Soc., Tokyo, 40, 179-182, 1 fig., 1 pl.

Tokunaga, S., and Naora, N.

1933A. Fossil mammals and human artifacts excavated near Harbin, Manchukuo. Proc. Imp. Acad. Tokyo, 9, 404-405, 6 figs.

1933B. Further notes on ancient human artifacts found near Harbin. Proc. Imp. Acad. Tokyo, 9, 628-629, 10 figs.

Tolmachoff, Innokenti Pavlovich

1928. Extinction and extermination. Bull. Geol. Soc. Amer., 39, 1131-1148. Reprinted in: Ann. Rept. Smithson. Instn., 1929 [1930], 269-284. Abstract in: Bull. Geol. Soc. Amer., 39, 293-294.

The carcases of the mammoth and rhinoceros found in the frozen ground of Siberia. Trans. Amer. Philos. Soc., 23, 1-74, I map.
Abstract in: Bull. Geol. Soc. Amer., 39, 294-296; see also: Amer. Jour. Sci., (5) 15, 66-69.
Reviews: M. B[oule] in L'Anthrop., 40, 475-477; Kindle in Canadian Field Nat., 45, 93-94.

1932. Miocene fauna and flora from the valley of Atrato River, Colombia, South America. Bull. Geol. Soc. Amer., 43, 281, (abstract).

Topa, D.

1932. La collezione paleolitica Briscese e la Grotta di Loreto presso Venosa in Basilicata. Palmi: 31 pp.

Torcelli, Alfredo J. See: Ameghino, F., and Torcelli, 1932.

Torii, Ryūzo [= Rinzo]

1930. Fossil species of man and their culture. Jour. Geog. Tokyo, 42, (592)-(598).

Tornier, Gustav

1933. Reptilia fossilia. Handwörterb. Naturwiss., 8, 481-511, 45 figs.

Torreggiani, José

1930. Sobre evolución de los equinos de penta a monodactilos. Rev. Med. Veterinar., 12, 47-61, 9 figs.

Torres, L. M.

1928. Memoria del Museo de La Plata correspondiente al año 1927. Rev. Mus. La Plata, 31, 381-404, 3 figs.

1932. Memoria del Museo de La Plata correspondiente a los años 1928-1929. Rev. Mus. La Plata, 33, 1-30, 1 pl.

Tournal, Paul See: Blanquier 1928.

Townsend, Charles Haskins

1929. A master museum builder. Biography of F. A. Lucas. Science, (n. s.) 69, 445-446.

1930. In Memoriam: Frederic Augustus Lucas, 1852-1929. Auk, (o. s.) 55, 147-158, 1 pl.

Tracy, Henry Chester

1930. American naturalists. New York: E. P. Dutton & Co., viii + 282 pp.

Tratman, E. K.

1929. Notes on the human teeth and jaws from Kilgreany. Univ. Bristol, Proc. Spelaeol. Soc., 3, 134-136.

Trausche, N. von See: Grosse, M., and Trausche, 1929.

Treat. Payson J.

1932. David Starr Jordan. Sierra Club Bull., 17, 43-48, portrait.

Trechmann, Ch. T. See: Smith, Bernard; Sherlock, R. L., Trechmann, et al., 1930.

Trelease, Sam Farlow, and Yule, E. S.
1928. Preparation of scientific and technical papers. Baltimore: Williams & Wilkins Co., 117 pp.; also London: Balliere, Tindall & Cox.
Review: Anonymous in Discovery, 9, 369.

Tretjakoff, D.
1929A. Die schleimknorpeligen Bestandteile im Kopfskelet von Ammocoetes.
Zeit. Wiss. Zool., 133, 470-516, 9 figs.

1929B. Ursprung der Chordaten. Zeit. Wiss. Zool., 134, 558-640, 7 figs. Also in Russian in: Bull. Acad. Sci. Kiev, 5, 397-426, (with German summary).

Troighton, Ellis LeG.

1932. Australian furred animals, their past, present, and future. Austral. Zool., 7, 173-193.

Troxell, Edward Leffingwell

1930. Scientific names. Science, (n. s.) 71, 217-218.

1931. Diatryma, a colossal heron. Amer. Jour. Sci., (5) 21, 18-34, 11 figs. Abstract in: Bull. Geol. Soc. Amer., 42, 363, under title: "Diatryma, the giant Eocene bird."

Trueman, Arthur Elijah

1931. The evidence of palaeontology with regard to evolution. Nature, 128, 990-991.

See: Keith, Sir A., Osborn; Lang; Swinnerton, and Trueman, 1932.

Trusheim, F.

1929. Fünfzehige Vogelfährten. Ber. Senck. Naturf. Ges., 59, 63-64, 1 fig.

Tubiá, J. Fuset 1931. Diccio

1931. Diccionario tecnólózico de biologia. Barcelona: Librería Bosch, 588 pp.

Tugarinov, A.

1930. Ein fossiler Strauss in Transbaikalien. C. R. Acad. Sci. URSS, (A) 1930, 611-614, 1 fig., (in German).

Review: J. in Ibis, (13) 1, 392-393.

1932. Zur Charakteristik der quartären Avifauna Siberiens. Trav. Comm. Quat., Acad. Sci. URSS, 1, 115-130, 4 pls. Review: Anonymous in Ibis, (13) 2, 708.

Twenhofel, William Henry

1926. Treatise on sedimentation. Prepared under the auspices of the Committee on Sedimentation, Division of Geology and Geography, National Research Council of the National Academy of Sciences. Baltimore: The Williams & Wilkins Company, xxv + 661 pp., 61 figs. See also: Matthew, W. D., 1932D.

1931. Environment and sedimentation in stratigraphy. Bull. Geol. Soc. Amer., 42, 407-424.

Ubisch, Leopold von

1928. Tiergeographie und Kontinentalverschiebung. Zeit. Indukt. Abstamm. Vererbungsl., 47, 159-179.

Uhle, Max

1930. Späte Mastodonten in Ecuador. Proc. 23d Internat. Congr. Americanists, 247–258, 10 figs.

Umbgrove, J. H. F. See: Stehn, C. H. E., and Umbgrove, 1929.

United States Geological Survey

1931. A list of publications of the United States Geological Survey (not including topographic maps). Washington, D. C.: U. S. Geol. Surv., 231 pp.

Uss, P.

1933. Ueber Mastodon longirostris Kaup aus der Umgebung von Blace. Ann. Géol. Pén. Balkan., 11, fasc. 2, 253-258, 1 fig., 1 pl., (Serbian with German summary).

Vallois, Henri V.

1929A. Les preuves anatomiques de l'origine monophylétique de l'homme. L'Anthrop., 39, 77-101.

1929B. [Review of:] Hrdlička, "The Neanderthal phase of man," (Jour. Roy. Anthrop. Inst., 1927). L'Anthrop., 39, 289-291.

1931A. Les empreintes de pieds humains des grottes préhistoriques du midi de la France. Palaeobiol., 4, 79-98, pls. 2-7. See also: Inst. Internat. d'Anthrop., Third Sess., Amsterdam, 6-12, 3 pls.

1931B. Les recherches sur le crâne du Moustier. L'Anthrop., 41, 428-429.

1931C. Crâne humain prehistorique utilisé comme coupe en Afrique du Sud. L'Anthrop., 41, 435. See also: Drennan, S. African Jour. Sci., 27, (1930). 1931D. Nouveau crâne Paleolithique. L'Anthrop., 41, 662-663.

1931E. Recherches sur les ossements Mesolithiques de Mugem. L'Anthrop., 40, 337-389, 11 figs.

1931F. Necrologie [of Hermann Ten Kate]. L'Anthrop., 41, 649.

1932A. L'anthropologie physique et son orientation actuelle. Rev. Sci. Paris, 70, 390-397, 3 figs., 1 map. Review: Lidio in Riv. Biol., 15, 635-636.

1932B. L'Homo gardarensis était-il acromégali? L'Anthrop., 42, 431-432.

1933A. Les défauts d'ossification du conduit auditif chez l'homme et l'os tympanal du Sinanthrope. L'Anthrop., 43, 195-196.

1933B. Nouveau crâne préhistorique en Afrique du Sud. L'Anthrop., 43, 200.

1933C. Les mutilations dentaires aux époques préhistorique. L'Anthrop., 43, 200-201.

See: Boule, M., and Vallois, 1932.

Van Bemmelen, J. F.

1928. Animaux disparus. Palaeobiol., 1, 281-294.

van Berg, A. K. See: Berg, A. K. van

Van Bonde, Cecil

1928. Comparative zoölogy: an introduction to the study of comparative anatomy, comparative embryology and taxonomy. Cape Town: Juta & Co., Ltd., 240 pp., 84 figs.

Van Cleave, Harley Jones

1933. An index to the International Rules of Zoological Nomenclature. Trans. Amer. Micros. Soc., 52, 322-325.

Van Deinse, A. B.

1929. Fossiele Cetaceabeenderen in het Nederlandsche Mioceen en Plioceen. Handel., 22, Ned. Nat. Congr., Rotterdam 1929, 262-264.

Van den Broek, A. J. P.

1931. [Obituary of:] Louis Bolk. Morphol. Jahrb., 65, 33-516, portrait.

Comparison between the lower jaw of Heidelberg and a Recent lower jaw. Anthrop. Prague, 10, 144-160, 5 figs., pls. 11-12. See also: Sect. Proc. Internat. Congr. Prehist. Protohist. Sci., Sect. I. Human Pal., 1932 (1934), 37-40.
Abstract by J. L. M., in Man, 32, 208.

VanderHoof, Vertress Lawrence

1931. Borophagus littoralis from the marine Tertiary of California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 21, 15-24, 3 pls.

1933A. Additions to the fauna of the Tehama Upper Pliocene of northern California. Amer. Jour. Sci., (5) 25, 382-384.

1933B. A skull of *Pliohippus tantalus* from the later Tertiary of the Sierran foothills of California. Univ. Calif. Publ., Bull. Dept. Geol. Sci., 23, 183-194, 5 figs., 1 pl.
Abstracts in: Proc. Geol. Soc. Amer., 1933 [1934], p. 391; Pan-Am. Geol.,

**59,** 376-377.

See: Russell, R. D., and VanderHoof, 1931; Stirton and VanderHoof, 1933.

Van der Klaauw, C. J.

1930A. On the tympanic region of the skull in the Megatherium. Proc. Zool. Soc. London, 1930, 127-146, 4 figs. Also in Dutch in: Tijdschrift Ned. Dierk. Ver., (3) 2, 77-82.

1930B. On the tympanic region of the skull in the Mylodontidae. Proc. Zool. Soc. London, 1931, 607-655, 7 figs.

1930C. La région tympanique du crâne du Scelidotherium. Tijdschrift Ned. Dierk. Ver., (3) 2, 83-87.

1931A. Plaats, omvang en beteekenis der morphologie in verband met het systeem der biologie. [Place, extent and significance of morphology in relation to the systematic arrangement of the biological sciences.] Leiden: A. W. Lijthoff, 28 pp.

1931B. The auditory bulla in some fossil mammals with a general introduction to this region of the skull. Bull. Amer. Mus. Nat. Hist., 62, 1-352, 18 figs.

Van der Maarel, Franciscus Hendricus

De palaeontologie en stratigraphie van Nederlandsch Oost-Indië. I. Onze palaeontologische kennis van Nederlandsch Oost-Indië in 1930.
 Mammalia. Leid. Geol. Meded., 5, 471-484, map.

1932. Contribution to the knowledge of the fossil mammalian fauna of Java.

Dissertation: University of Utrecht, 208 pages and a folder containing the tables of measurements, 29 figs., 20 pls. Also in: Dienst Mijn. Ned.-Indië, Wet. Meded., no. 15, 1-208, 29 figs., 20 pls.

Review: in Japanese in Jour. Geol. Soc. Tokyo, 39, 667-669.

Van der Vlerk, J. M.

1932. [Obituary of:] Pater Dr. J. J. A. Bernsen, O.F.M.†, 2 Mei 1888—5 Juni 1932. Geol. en Mijn., 11, 56-58, portrait.

Van Es, T.L.J.C.

1931. The age of *Pithecanthropus*. The Hague: Martinus Nijhoff, xii + 142 pp., 4 pls., 11 maps.
Reviews: in Japanese in Jour. Geol. Soc. Tokyo, 39, 189-190; Woodward in Nature, 129, 633.

Van Hoepen, Egbert Cornelius Nicolaas

1930A. Vrystaatse fossiele perde. Pal. Nav. Nasion. Mus. Bloemfontein, 2, no. 1, 1-11, 10 figs., (Afrikaans with summary in German).

1930B. Fossiele perde van Cornelia, O.V.S. 2. Pal. Nav. Nasion. Mus. Bloemfontein, 2, 13-24, 22 figs., (summary in English).

1932A. Die stamlyn van die sebras. Pal. Nav. Nasion. Mus. Bloemfontein, 2, 25-37, 23 figs., (summary in English).

1932B. Vrystaatse wilde varke. Pal. Nav. Nasion. Mus. Bloemfontein, 2, 39-62, 77 figs., (summary in English).

1932C. Voorlopige beskrywing van vrystaatse soogdiere. Pal. Nav. Nasion. Mus. Bloemfontein, 2, 63-65, 5 figs., (in Afrikaans).

Van Riet Lowe, C. See: Lowe, C. van Riet.

Van Straelen, Victor

1928. Les oeufs de reptiles fossiles. Palaeobiol., 1, 295-312, 3 pls.

1933. Louis Dollo (1857-1931). Notice biographique avec liste bibliographique. Bull. Mus. Hist. Nat. Belg., 9, no. 1, 1-29, portrait.

Varigny, Henry de

1930. L'homme est-il d'origine tertiare? Rev. Gén. Sci., 41, 231-237, 2 figs. 1932. De quand date l'"Homo sapiens"? Rev. Gén. Sci., 43, 657-659.

Vaufrey, Raymond

1928A. Sur l'Aprotodon Smith-Woodwardi Forster-Cooper et la phylogénie des hippopotames. Bull. Soc. Géol. France, (4) 28, 227-239, 2 figs. Abstract in: C. R. Soc. Géol. France, 1928, 198.

1928B. Le Paléolithique italien. Paris: Masson, 196 pp., 54 figs., 7 pls. (= Arch. Inst. Pal. Humaine, Mém. 3).
Reviews: Breuil in L'Anthrop., 38, 373-377; Roverto in C. R. Soc. Géol. France, 1928, 238-239.

1928C. [Review of:] De Lorenzo and d'Erasmo, "L'Elephas antiquus nell'Italia meridionale," (Atti Accad. Sci., Napoli, (2) 17, 1927). L'Anthrop., 38, 379-380.

1928D. [Review of:] Goury, "Origine et évolution de l'homme," (Paris, 1927). L'Anthrop., 38, 142-143.

1928E. [Review of:] Mochi, "I sincronismi tra glaciazioni faune e industrie quaternario in Europea e le concordanze italiane," (Archiv. Antrop. Etnol., 57, 1927). L'Antrop., 38, 371-373.

1929. Les éléphants nains des Iles Méditerranéenes et la question des isthmes Pléistocènes. Arch. Inst. Pal. Humaine. Mém. 6, ii + 220 pp., 45 figs. Abstract in: C. R. Soc. Géol. France, 1930, 70-71. Review: Anonymous in Rev. Gén. Sci., 41, 522.

1930. La géologie et la préhistoire. L'Anthrop., 40, 431-452.

1931A. Découverte de squelettes d'ours des cavernes dans les alluvions du Kouban (Russie). L'Anthrop., 41, 431.

1931B. Les progrès de la paléontologie humaine en Allemagne. L'Anthrop., 41, 517-551, 22 figs.
 Abstract in: C. R. Soc. Géol., France, 1931, 231.

1931C. Le noveau Congres international des sciences préhistoriques et protohistoriques. L'Anthrop., 41, 305-315.

Abstract in: C. R. Soc. Géol. France, 1931, 230.

1931D. Paléontologie. [Pt. IV of: Neuville, René, "L'Acheuléen supérieur de la Grotte d'Oumm-Quatafa (Palestine)."] L'Anthrop., 41, 253-263, 3 figs. Abstract in: C. R. Soc. Géol. France, 1931, 231.

1932A. Les fouilles de Bize (Aude). L'Anthrop., 42, 205-207.

1932B. L'homme de Néanderthal en Palestine. L'Anthrop., 42, 645-646.

1932C. De nouveaux hommes de Wadjak (?). L'Anthrop., 42, 650-651.

1932D. Nouvelles découvertes de l'Ecole anglaise d'Archéologie en Palestine. L'Anthrop., **42**, 213.

1932E. Où sont les os longs du Sinanthrope? L'Anthrop., 42, 646-647.

1932F. Point final à la question d'Oldoway. L'Anthrop., 42, 649.

1932G. L'age de l'homme d'Oldoway. L'Anthrop., 42, 213-215.

1932H. Nouvelles réserves sur l'homme d'Oldoway. L'Anthrop., 42, 430.

1932I. Découverte de crânes humains dans un gisement du type de Mossel Bay (Afrique du Sud). L'Anthrop., 42, 650.

1932J. Le premier Congrès International des Sciences prehistoriques et protohistoriques, (London, 1932). L'Anthrop., 42, 525-545, 1 fig.

1932K. Le Commission international pour l'Etude de l'Homme Fossile. L'Anthrop., 42, 638.

1933A. Resurrection inattendue de l'affaire Hauser. L'Anthrop., 43, 201-205.

1933B. Nouvelles précisions sur l'age de l'homme d'Oldoway. L'Anthrop., 43, 431.

1933C. Homo sapiens et Dinotherium: rapport de la Conference de Cambridge. L'Anthrop., 43, 431-432. See also: pp. 199-200.

See: Gobert and Vaufrey, 1932; Neuville, R., and Vaufrey, 1931.

Vaufrey, Raymond, [and Maurer, M. A.]

1929. [Necrology of:] Louis Capitan. Jour. Soc. Amer., Paris, 21, 403-406, 8 pl., portrait; [with] Liste des publications americanistes de L. Capitan, [compiled by] M. A. Maurer, *ibid.*, 407-409.

Vernadsky, Wladimir

1928. Über die geochemische Energie des Lebens in der Biosphäre. Centralbl. Min. Geol. Pal., 1928, Abt. B, 583-594.

Verneau, R.

1929. Addition a la note de M. Pales, [1929A, "Maladie de Paget préhistorique"]. L'Anthrop., **39**, 267–270, 2 figs.

Versey, H. C. See: Smith, Bernard; Sherlock, R. L., Trechmann, et al., 1930.

Versluys, Jan

1929. Über die Entstehung des aufrechten Ganges und des Fussbaues beim Menschen. Mitt. Anthrop. Ges. Wien, 59, 269–292, 5 figs.

1932. Baron Geza Gyula Imre Fejérváry von Komlós-Keresztes. Verh. Zool.-Bot. Ges. Wien, 82, 29-33, portrait.

Vienot, John

1932. Georges Cuvier etait-il allemand? Bull. Mus. Hist. Nat. Paris, (2) 4, 202-207.

Review: G. S[arton] in Isis, 19, 402.

Vigh, Julius

1929. Ein mumifizierter Katzenkadaver aus Ungarn. Palaeobiol., 2, 246–250, 1 fig.
Abstract: Anonymous in Nat. Hist., 29, 667.

Vignati, M. A.
1931A. Un vestigio de la queratotecnia del hombre fósil de Esperanza (provincia de Santa Fe). Notas Prelim., Mus. La Plata, 1, 7–17.

1931B. Descripción de un instrumento tallado en un diente de "Toxodon." Notas Prelim., Mus. La Plata, 1, 189-196.

Villalta, Joseph F. de, and Crusafont, M.

1933. Primera nota sobre vertebrats fòssils miocènics del Vallès. La presència del Dinotherium giganteum Kaup var. laevius Jourdan a Saint Quirze de Galliners. But. Inst. Catalana Hist. Nat., 33, 258-261.

Vinassa de Regny, Paolo

1928. Adattamenti e ambiente. Riv. Ital. Pal., 34, 65-86.

1931. [Paleontological chapter in: Ghidini, 1931, "Curiosita nella vita degli animalia."]

Vinci, Leonardo da See: Leonardo da Vinci.

Viret, Jean

1928. Sur la faune oligocène de Coderet, près Branssat (Allier). C. R. Acad.
 Sci. Paris, 186, 1309-1311.
 Abstract in: Rev. Sci. Paris, 66, 357.

1929A. Tomocyon grivensis n. gen. n. sp. et les canidés de la Grive Saint-Alban (Isère). Bull. Soc. Géol. France, (4) 29, 217-226, 2 figs., 1 pl. Abstract in: C. R. Soc. Géol. France, 1929, 115.

1929B. Cephalogale Batalleri, carnassier du Pontien de Catalogne. Bull. Soc. Hist. Nat. Toulouse, **58**, 565-568, 1 pl.

1929C. Les faunes de mammifères de l'oligocene supérieur de la limagne Bourbonnaise. Ann. Univ. Lyon, (n. s. 1) 47, pp. viii + 328, 32 figs., 32 pls. Abstract by Depéret in C. R. Soc. Géol. France, 1929, 74.

1930. Etat de nos connaissances sur les ancêtres fossiles du cheval. Rev. Gén. Sci. 41, 207-212, 3 figs., 1 table.

1931. Decouverte de Metacordylodon schlosseri a la Grive-Saint-Alban. Bull. Soc. Hist. Nat. Toulouse, 61, 253-257, 3 figs.
 Brief note in C. R. Soc. Géol. France, 1931, 267-268.

1933A. Contribution a l'etude des carnassiers miocenes de la Grive-Saint-Alban (Isere). Trav. Lab. Géol. Univ. Lyon, 21, Mém. 18, 1-30, 8 figs., 2 pls.

1933B. Observations relatives à l'âge des sables pliocènes de Perrier (Puy-de-Dôme). Bull. Soc. Hist. Nat. Toulouse, **65**, 599-602.

See: Beauverie, J., et al., 1933; Depéret, Ch., and Viret, 1928.

Vishnevskii, B. N.

1931. "Sinanthropus." Priroda (USSR), 1931, 563-590, 13 figs.

Voelcker, Ilse

1930. Felis issiodorensis Croizet von Mauer a. d. Elsenz. Sitz.-Ber. Akad. Wiss. Heidelberg, 1930, no. 12, 1-8, 3 figs.

1931. Hippopotamus amphibius von Mauer a. d. Elsenz. Sitz.-Ber. Akad. Wiss. Heidelberg, 1931, no. 3, 4 pp.

1932A. Ein Knockenartefakt? von Mauer a. d. Elsenz. Centralbl. Min. Geol. Pal., 1932, Abt. B, 107-110, 3 figs.

1932B. Rhinoceros Mercki Jäger aus dem Speyerbachtal bei Lambrecht (Rheinpfalz). Heimatkunde, 1932, 59.

1932C. Elsässische Literatur. Badische Geol. Abh., 4, 74-80.

See: Botzong, C., and Voelcker, 1930.

Vogel, Martin

1930. Der Mensch, vom Werden, Wesen, und Wirken des menschlichen Organismus. Leipzig: Johann Ambrosius Barth, 1-420 pp.

Voigt, Ehrhard

1928. Über einen Gadidenotolithen und einige andere unbeachtete Fossilien aus der Schreibkreide von Rügen. Centralbl. Min. Geol. Pal., 1928, Abt. B, 377-379, 1 fig.

1932. Die Fische [Amphibia und Reptilia] aus der Grube Cecilie. In: Weigelt 1932A, pp. 11-12.

1933. Die Übertragung fossiler Wirbeltierleichen auf Zellulose-Filme, eine neue Bergungsmethode für Wirbeltiere aus der Braunkohle. Pal. Zeit., 15, 72-78, 3 figs.

Voigt, E., Brotzen, F., and Bettenstaedt, F.

1932. Die Grabung auf der unteren Sohle der Grube Cecilie im Sommer 1931.
 In: Weigelt 1932A, pp. 8-10.

See: Hucke and Voigt, 1929.

Vollrath, Paul

1928. Zur Stratigraphie des Lias  $\alpha$  in Südwest-deutschland. Centralbl. Min. Geol. Pal., 1928, Abt. B, 83-98, 4 figs.

von Bertolanffy, L. See: Bertolanffy, L. von.

von Boetticher, Hans See: Boetticher, H. von.

von Bonin, G. See: Bonin, G. von.

von Buttel-Reepen, H. See: Buttel-Reepen, H. von.

von Eggeling, H. See: Eggeling, H. von.

von Eickstedt, E. F. See: Eickstedt, E. F. von.

von Gaal, Stefan See: Gaál, István.

von Huene See: Huene.

von Ihering, H. See: Ihering, H. von.

von Koenigswald, R. See: Koenigswald, R. von. von Wichdorff, H. H. See: Wichdorff, H. H. von.

Waage, T. H.

1932. In memoriam Pater Dr. J. J. A. Bernsen O.F.M. 2 Mei 1888—5 Juni 1932. Natuurhist. Maandbl., 21, 73-74, portrait.

Wade, Robert Theodore

1930. The fossil fishes of the Australian Mesozoic rocks. Jour. Proc. Roy. Soc. N.S.W., 64, 115-147, 1 fig.

1932. Preliminary note on *Macroaethes brookvalei*, representing a new family of chondrostean fishes, the Pholidopleuridae. Ann. Mag. Nat. Hist., (10) 9, 473-475, 1 pl.

1933A. On a new Triassic catopterid fish from New South Wales. Ann. Mag. Nat. Hist., (10) 12, 121-125, 3 figs. See also: Wade 1933B.

1933B. The fossil fishes of the Hawkesbury series at Brookvale, New South Wales. Abst. Dissert. Univ. Cambridge, 1931-1932 [1933], 33-34.

Wadia, Drashaw N.

1928. The geology of Poonch State (Kashmir) and adjacent portions of the Punjab. Mem. Geol. Surv. India, **51**, xxxiv + 185-370 pp., 5 figs., 10 pls., 4 maps.

1933. Recent advances in palæontology in India. Current Sci., 2, 200-202.

Wadia, D. N., and Swinton, W. E.

1928. Actinodon risiensis n. sp. in the lower Gondwanas of Vihi District, Kashmir. Rec. Geol. Surv. India, 61, 141-145, 1 pl.

Wagele, H. See: Kranz, Berckhemer, and Wagele, 1930.

Wagner, Ernst

1928A. Zur Fluorographie von Fossilien. Ein neues und einwandfreies Glasfilter. Pal. Zeit., 10, 298.

1928B. Zur Priorität der UV-Untersuchung von Fossilien. Pal. Zeit., 10, 215.

Wagner, Georg

1929. Zur Geologie der sichtigsten Fundstellen diluvialer Säugetiere im Neckarlande. Pal. Zeit., 11, 194-196.

Wagner, P. A. See: Rogers, A. W., Hall, A. L., Wagner, P. A., and Haughton, S. H., 1929.

Wagner, Wilhelm See: Schmidtgen 1929B.

Wahle, E.

1932. Die Bedeutung der Rheinlande für die Entwicklung unserer Kenntnis vom fossil Menschen. Forsch. u. Fortschr., 8, 411-412; 449-450. Also in: Naturwiss., 21, 71-76.

Waitz, Paul See: Burckhardt, C., 1928.

Wakeley, C. P. G. See: Gladstone, R. J., and Wakeley, 1932.

Walk, L.

Der "Sinanthropus pekinensis". Korrespondenzbl. Kathol. Klerus, 51. 1932. 111-114, 4 figs.

Walker, M. V.

Two "herds" of three-toed horses. Trans. Kansas Acad. Sci., 33, 137-143. 1930.

Notes on fossil lagomorphs. Trans. Kansas Acad. Sci., 34, 122-124.

1932A. A dozen eggs ten million years old. Aerend, 3, 81-84.

1932B. A new burrowing lizard from the Oligocene of central Wyoming. Trans. Kansas Acad. Sci., 35, 224-231.

Walkom, A. B. See: Watson, D. M. S., Seward, A. C., et al., 1929.

Wallis, Wilson Dallam

The structures of prehistoric man. In: Calverton, 1931, "The making of 1931. man," 64-76.

Walmsley, Thomas
1933. The vertical axes of the femur and their relations. A contribution to the study of the erect position. Jour. Anat., 67, 284-300, 16 figs.

Walter, Herbert Eugene

Biology of the vertebrates. A comparative study of man and his animal allies. New York: Macmillan Co., 789 pp., 687 figs. Review: by X. in Eug. Rev. 23, 369-370.

Walther, Johannes

Goethe als Lehrer und Erforscher der Natur. Acta Acad. Leop.-Carol., 1930. 1930, 324 pp., 4 figs., 15 pls. Review: Lebzelter in Anthrop. Ges., 61, 237.

Walther, J., and Weigelt, J.

Die Wirbeltierfundstellen im Geiseltal. Halle: 96 pp., 5 figs., 15 pls. Re-1931. printed from: Acta Acad. Leop.-Carol., (n. s.) 1. Handstamped: "Mitt. Geol. Pal. Inst. Univ. Halle, 1, iv, nos. 64-51."

1932. Die eozäne Lebewelt in der Braunkohle des Geiseltals. Acta Acad, Leop.-Carol., (n. s.) 1, 1-27, 3 figs.

Walther, Karl

Über Reste eines grossen Ganoidfisches aus dem Obergondwana von 1932. Uruguay. Centralbl. Min. Geol. Pal., 1932, Abt. B, 530-538, 1 fig. See also: Bol. Inst. Geol. Uruguay, 19, 65-72, 1 pl.

Wanderer, Karl

Ein "Silberfisch" aus dem Mansfelder Kupferschiefer. Sitz.-Ber. "Isis", 1931. 1932, 168-170.

Wang, Kung-Moh

Die obermiozänen Rhinocerotiden von Bayern. Pal. Zeit., 10, 184-212, 3 1928. figs., 4 pls.

Die fossilien Rhinocerotiden des Wiener Beckens. Mem. Inst. Geol. 1929. Shanghai, 7, 53-59, 3 pls. Review: Leuchs in Geol. Rund., 21, 205.

1931A. Die Höhlenablagerungen und Fauna in der Drachen-Maul-Höhle von Kiangsen, Chekiang. Acad. Sinica, Contrib. Nation. Res. Inst. Geol., 1, 41-64, 3 figs., 3 pls.

1931B. Die fossilien Rhinocerotiden von Chou-Koutien. Acad. Sinica, Contrib. Nation. Res. Inst. Geol., 1, 69-84, 4 pls.

Wanner, Johannes

1930. [Obituary of:] Gustav Steinmann, 1856-1929. Centralbl. Min. Geol. Pal., 1930. Abt. B, 1-8, portrait.

Ward, Henshaw

Charles Darwin. The man and his warfare. New York: Bobbs-Merrill 1928. Co., 472 pp., illustr. Review: Anonymous in Brit. Med. Jour., 1929: 1, 1085.

Warden, Carl John

1932. Evolution of human behavior. New York: Macmillan Co., ix + 248 pp., Reviews: Anonymous in Discovery, 13, 271; Coon in Amer. Anthrop., 35,

350-355.

Wark, Arthur Frederic

1928A. Paleontologic sketches. Pt. 1. Prehistoric fauna of Florida. Pt. 2. The evolution of teeth. Florida Nat., 2, 1-8, 2 figs.

1928B. Description of a giant fossil tortoise from the Pliocene of Florida. Florida Nat., 2, 9-10, 1 fig.

1929. New giant tortoise from the Pliocene of Florida. Amer. Jour. Sci., (5) 17, 400-402, 1 fig.

Warren, Helen Ann

1928. Survey of the life of Louis Agassiz. The centenary of the glacial theory. Sci. Monthly, 27, 355-366.

See: Osborn, H. F., et al., 1931.

Warthin, Alfred Scott, Jr.

1928. Fossil fishes from the Triassic of Texas. Contrib. Mus. Pal. Univ. Mich., 3, 15-18, 1 pl.

Wasmann, P. Erich, S. J. See: Killermann and Handmann, 1930.

Waterman, Harriet Cutler

1929. Studies on the evolution of the pelvis of man and other primates. Bull. Amer. Mus. Nat. Hist., 58, 585-642, 10 figs., 1 pl.

Waterman, Thomas Talbot See: Kroeber and Waterman, 1931.

Watson, David Meredith Seares

1928A. The evolution of the bird. In: Mason, F., 1928, "Creation by Evolution," pp. 242-254, 3 figs.

1928B. On some points in the structure of palæoniscid and allied fish. Proc. Zool. Soc. London, 1928, 49-70, 15 figs.

1928C. Palaeontology and the evolution of man: the Romanes Lecture, delivered in the Sheldonian Theatre, May 4, 1928. Oxford: Clarendon Press, 1-28 pp. Reviews: Anonymous in Jour. Amer. Med. Assoc., 90, 1882-1883; Lebzelter in Mitt. Anthrop. Ges., Wien, 59, 234.

1929A. Dinosauria. Enc. Brit., 14th ed., 7, 390-391.

1929B. Elephant. Enc. Brit., 14th ed., 8, 349, 2 pls.

1929C. Mammoth. Enc. Brit., 14th ed., 14, 756-757.

1929D. Mastodon. Enc. Brit., 14th ed., 15, 42-43.

1929E. Orthogenesis. Enc. Brit., 14th ed., 16, 942.

1929F. Plesiosaurus. Enc. Brit., 14th ed., 18, 74, 1 fig.

1929G. Proboscidea. Enc. Brit., 14th ed., 18, 541-543.

1929H. Pterodactyl. Enc. Brit., 14th ed., 18, 730-731. 1929I. Reptiles. Enc. Brit., 14th ed., 19, 180-200, 22 figs.

1929J. Zoological regions. Enc. Brit., 14th ed., 23, 964-973, 5 figs.

1929K. The Carboniferous Amphibia of Scotland. Pal. Hungarica, 1, 219-252, 27 figs., 3 pls., (summary in Hungarian). Date on cover is 1926, and on title page is 1923, but according to Watson's note, in Steen 1931A, was not issued until 1929.

1929L. [Remarks on the mechanism of evolution. In the unsigned article,] "Africa and science." Lancet, 217, 179.

1930A. Obituary notice of Hans Friedrich Gadow (with portrait), 1855-1928. Proc. Roy. Soc. London, (B) 107, i-iii.

1930B. Adaptation. Rept. Brit. Assoc. Adv. Sci., 1929 [1930], 88-99.

1930C. Edestus pringlei sp. nov. Summ. Prog. Geol. Surv. Gt. Brit., 1929 [1930] pt. 2, 69-73, 1 fig.

1931A. Note on the occurrence of fossil fish at Bekkers Kraal, Dist. Rouxville, Orange Free State. In: James Brough, 1931, "On the fossil fishes from Karroo System." Proc. Zool. Soc. London, 1931, 235-236.

1931B. On the skeleton of a bauriamorph reptile. Proc. Zool. Soc. London, 1931, 1163-1205, 27 figs.

1931C. Discussion on the validity of the Permian as a system. Rept. Brit. Assoc. Adv. Sci., 1930 [1931], 317-318, (abstract).

1932A. [Discussion on Tanganyika vertebrates.] In: Haughton 1932B.

1932B. William Diller Matthew—1871-1930. Roy. Soc. Obit. Notices of Fellows, 1, 71-74, portrait.

1932C. On three new species of fish from the Old Red Sandstone of Orkney and Shetland. Summ. Prog. Geol. Surv. Gt. Brit., 1931 [1932], pt. 2, 157-166, 5 figs., 1 pl.

See: Huene, F. v., and Watson, 1928; Smith, B., Sherlock, Trechmann, Watson, et al., 1930; Keith, Osborn, et al., 1932.

Watson, D. M. S., and Forster-Cooper, C.
 1932. The Oldoway human skeleton. Nature, 129, 312, 903. See also: Leakey, ibid., 721-722; and 130, 578.

Watson, D. M. S., Seward, A. C., duToit, A. L., Walkom, A. B., and Broom, R. 1929. Discussion: Gondwanaland. Rept. Brit. Assoc. Adv. Sci., 1929, 326-329.

1930. William D. Matthew—an appreciation. "The Evening Times-Globe," [St. John, New Brunswick], Tuesday, Sept. 30, 1930.

Wayland, E. J.

1932A. Deinotherium in the Pleistocene. Nature, 129, 24.

1932B. The Oldoway human skeleton. Nature, 130, 578. See also: Leakey 1932.

Weaver, Charles Edwin

1931. Paleontology of the Jurassic and Cretaceous of west central Argentina.

Mem. Univ. Wash., 1, xv + 469 pp., 62 pls. [Vertebrata: p. 469.]

Webb, William Snyder See: Funkhouser and Webb, 1928.

Weber, A. See: Killermann and Handmann, 1930.

Weber, Hans

1928. Das Alluvium der Wasserkraftanlage Spichra. Beitr. Geol. Thüringen, 2, 1-22, 3 figs.

Weber, Max

1928A. Die Säugetiere. Jena: Gustav Fisher. Vol. I. Anatomischer Teil, xv +
444 pp., 316 figs. [1927. With collaboration of H. M. de Burlet.] Vol.
II. Systematischer Teil, xxiv + 898 pp., 573 figs. [1928. With collaboration of Othenio Abel.]

Reviews: Dietrich in Naturwiss., 16, 673-675; Dietrich in Centralbl. Min. Geol. Pal., 1928, Abt. B, 650-653; Matthew in Science, (n. s.) 68, 429-430.

1928B. Über indikative oder Führertiere. Palaeobiol., 1, 313-322.

1933. Lieber Freund, (Jan Versluys). Biol. Generalis, 9, Lief. 3, V-VI.

Weddle, Herman W. See: Stirton and Weddle, 1929.

Wegener, A. See: Dacqué, E., and Wegener, 1926; Köppen and Wegener, 1924.

Wegner, Theodor Hubert
1933. Das geologische Museum der Universität Münster. Das schöne Münster,
5, 145-160, 19 figs.

Wehrli, Hans

1931. Die Fauna der Westfälischen Stufen A und B der Tochumer Mulde zwischen Dortmund und Kamen (Westfalen). Paleontogr., 74, 93-134, 13 figs., 3 pls. [Fishes 115-116, 119.]

1932. Die carbonische Süsswasserfauna der Zeche Baldur (Westfalen). Neues Jahrb. Min. Geol. Pal., Abt. B, 69, 172–188, 3 figs., 3 pls.

1933. Bachitheriumfund aus dem Meerssand von Weinheim bei Alzey und kritische Bemerkungen zur Systematik und Stammesgeschichte der Bachitherien. Notizbl. Ver. Erdk., (5) 14, 101-107, 3 figs., 1 pl.

Weidenreich, Franz

1928. Entwicklungs- und Rassetypen des Homo primigenius. Ber. Senck. Naturf. Ges., 58, 1-3, 51-62, 18 figs.

1929A. Waren die Urmenschen Kannibalen? Ber. Senck. Naturf. Ges., 59, 143-150, 5 figs.

1929B. Tatsachen, Legenden, und Theorien über den "Duck"-Menschen von Rhodesia. Naturwiss., 17, 233-238, 3 figs.

1930. Ein neuer *Pithecanthropus*-Fund in China. Ber. Senck. Naturf. Ges., **60**, 546-551, 3 figs.

1931A. Sinanthropus pekinensis und seine Bedeutung für die Abstammungsgeschichte des Menschen. Naturwiss., 19, 817-825, 7 figs. Review: Chardin in L'Anthrop., 43, 564.

1931B. Über die systematische Stellung des Australopithecus africanus Dart. Ber. Senck. Naturf. Ges., 61, 229–234, 6 figs.

1931C. Über Umkehrbarkeit der Entwicklung. Pal. Zeit., 13, 177-186, 2 figs.

1931D. Der primäre Greifcharacter der menschlichen Hände und Füsse und seine Bedeutung für das Abstammungs-Problem. Verh. Ges. Phys. Anthrop., 1931, 97-100. See also: Forsch. u. Fortschr., 6, 393-394. Review: A. H[rdlička] in Amer. Jour. Phys. Anthrop., 17, 240.

1931E. Über einen dem Jung-Paläolithikum zugerechneten Schädel von Berghausen im Kraichgau (Baden) und seine morphologische Einreihung. Verh. Ges. Phys. Anthrop., **5**, 66-85, 10 figs.

1931F. Die Variabilität des Menschen als Grundproblem physisch-anthropologischer Forschung. Erdball, 5, 281-291, pl. 75.

1931G. Menschwerdung. Propyläen Weltgeschichte, 1, 79-90, 10 figs. 1932A, Sinanthropus pekinensis. Ber. Senck, Naturf. Ges., 62, 280.

1932B. Über pithekoide Merkmale bei Sinanthropus pekinensis und seine stammesgeschichtliche Beurteilung. Zeit. Anat., 99, 212-253, 13 figs.

1932C. Typically pithecoid characters in the temporal bone of Sinanthropus pekinensis. Sect. Proc. Internat. Congr. Prehist. Protohist., Sect. 1. Human Pal. (Pres. Sir Arthur Smith Woodward), 40-43. Abstracts in: Man, 32, 208; Riv. Antrop., 29, 666.

1932D. Eine neu entdeckte Übergangsform zwischen dem Neandertaler und dem heutigen Menschen. Ber. Senck. Naturf. Ges., 62, 384-389, 4 figs.

See: Friederichs, H. F., 1932A.

Weidenreich, F., Wiegers, F., and Schuster, E.

Der Schädelfund von Weimar-Ehringsdorf. Die Geologie der Kalktuffe von Weimar, die Morphologie des Schädels, altsteinzeitliche Kultur des Ehringsdorfer Menschen. Jena: Gustav Fischer, 204 pp., 136 figs. Reviews: Gruber-Meninger in Mitt. Anthrop. Ges. Wien, **59**, 139-140; S. Sergi in Riv. Antrop., 28, 570-571.

Weigelt, Johannes

Ganoidfischleichen im Kupferschiefer und in der Gegenwart. Palaeobiol., 1928. 1, 323–356, 16 figs., 4 pls.

1929A. Loricotherium Waltheri nov. gen. nov. sp. Ein altweltliches Gürteltier aus der mitteleozänen Braunkohle des Geiseltals. Jahrb. Hallescher Verb., (n. s.) 8, pt. 1, 5-30, 3 figs., 3 pls.

1929B. Loricotherium Waltheri is doch kein Gürteltier, sondern eine Gürtelechse: Placosaurus Waltheri, n. sp. Jahrb. Hallescher Verb., (n. s.) 8, pt. 2, 187-191, 2 figs.

1930A. Der geologische Bau des Geiseltales. Zeit. Deutschen Geol. Ges., 82, 507-518, 5 figs.

1930B. Vom Sterben der Wirbeltiere. Ein Nachtrag zu meinem Buch "Rezente Wirbeltierleichen und ihre paläobiologische Bedeutung." Leopoldina, **6,** 281–340, 2 pls.

1930C. Zur erdgeschichtlichen Problematik der älteren Braunkohlenformation Mitteldeutschlands. Jahrb. Hallescher Verb., (n. s.) 9, 5-11.

1930D. Onchus windti n. sp. Ein neuer Fischrest aus einem obersilurischen Geschiebe. Zeit. Geschieb. Flachlands Geol., 6, no. 1, 6-10, 1 fig. See also: Heintz, A., 1933B.

1930E. Der Lebensgang von Johannes Walther. Leopoldina, 6, 3-10.

1930F. Über die vermutliche Nahrung von Protorosaurus und über einen körperlich erhaltenen Fruchstand von Archaeopodocarpus germanicus aut. Leopoldina, 6, 269-280, 5 pls.

1930G. Wichtige Fischreste aus dem Mansfelder Kupferschiefer. Leopoldina, 6, 601-624, 6 figs., 8 pls.

1930H. Palaeochamaeleo jaekeli nov. gen. nov. sp. Ein neuer Rhynchocephale aus dem Mansfelder Kupferschiefer. Leopoldina, **6**, 625–642, **7** pls.

1931. Über ein Leichenfeld in der Mittelkohle der Braunkohlegrube Cecilie im Geiseltal (Mitteleozän). Palaeobiol., 4, 49-78, 1 fig., 1 pl.

1932A. Das Lebensbild zur Bildungszeit der mittelozänen Braunkohlen des Geiseltals. Pal. Zeit., 14, 4-24, 1 fig., 1 pl. [For titles of individual articles, see: Heller, F., 1932F; Lambrecht, K., 1932B; Voigt, E., 1932; and Voigt, Brotzen, and Bettenstaedt, 1932.] See also: Umschau, 36, 992-996, 9 figs.; and Biologe, 1, 263-268.

1932B. Ein Reptilkiefer aus dem eislebener Kupferschiefer. Centralbl. Min. Geol. Pal., 1932, Abt. B, 525-530, 3 figs.

1932C. Ein neuer Halbaffe aus der Braunkohle des Geiseltals. Forsch, u. Fortsehr., 8, 357-359, 1 fig.

1932D. Ein neuer Rhinozeroskadaver aus dem polnischen Erdwachsgebeit. Forsch. u. Fortschr., 8, 300. See also: Weigelt 1933C.

1933A. Die Biostratonomie der 1932 auf der Grube Cecilie im mittlern Geiseltal ausgegrabenen Leichenfelder. Acta Acad. Leop.-Carol., (n. s.) 1, 157–174, 2 figs., 4 pls.

1933B. Die geologische Bedeutung des Geiseltales. Acta Acad. Leop.-Carol., (n. s.) 1, 308-309, (abstract).

1933C. Ein neuer Rhinoceroskadaver aus dem polnischen Erdwachsgebiet. Acta Acad. Leop.-Carol., (n. s.) 1, 314-315, (abstract). See also: Weigelt 1932D.

1933D. Neue Primaten aus der mitteleozänen (oberlutetischen) Braunkohle des Geiseltals (geborgen 1932 in den Gruben Cecilie und Leonhardt). Acta Acad. Leop.-Carol., (n. s.) 1, 97-156 [also 321-322], 3 figs., 11 pls.

1933E. Die Funde im Geiseltale. Naturforscher, 10, 14-22, 9 figs.

See: Ampferer 1928; Walther, J., and Weigelt, 1931, 1932.

Weil, Arthur

1928. Comparative studies of the surfaces of endocranial casts of man and prehistoric men. Arch. Neurol., 19, 361-364.

1929. Measurements of cerebral and cerebellar surfaces. Comparative studies of the surfaces of endocranial casts of man, prehistoric men, and anthropoid apes. Amer. Jour. Phys. Anthrop., 13, 69-90, 9 figs. Review: M. B[oule] in L'Anthrop., 40, 468-469.

Weiler. Wilhelm

1928A. Ueber Carcharodon praemegalodon n. sp. aus dem Alttertiär. Notizbl. Ver. Erdk., (5) 10, 106-110, 3 figs.

1928B. Beiträge zur Kenntniss der tertiären Fische des Mainzer Beckens II, (3. Teil. Die Fische des Septarientones). Abh. Hess. Geol., Landesanst., 8, 1-63, 6 pls.

1929A. Über das Vorkommen isolierter Köpfe bei fossilen Clupeiden. Senck., 11, 40-47, 9 figs.

1929B. Scombramphodon benedeni Storms aus dem Rupelton des Mainzer Beckens Notizbl. Ver. Erdk., (5) 11, 123-125.

1929C. Die mittel- und obereocäne Fischfauna Ägyptens mit besonderer Berucksichtigung der Teleostomi. Abh. Bayer. Akad. Wiss., Math.-Nat. Abt., (n. s.) 1, 1-57, 6 pls.

1930A. Über Reste von Haifischen aus den Hydrobienschichten des Mainzer Beckens. Notizbl. Ver. Erdk., (5) 12, 112-113, 2 figs.

1930B. Die Fischreste der oberen Meeressande (Schleichsande) des Mainzer Beckens. Notizbl. Ver. Erdk., (5) 12, 105-109, 13 figs.

1930C. Prolebias praecursor n. sp. aus dem Süsswasserschichten des Cyrenenmergels im Mainzer Becken. Notizbl. Ver. Erdk., (5) 12, 110-111, 1 fig.

1931A. Die diluvialen Terassen der Pfrimm mit einem Anhang über altdiluviale Säuger aus der Umgebung von Worms. Notizbl. Ver. Erdk., (5) 13, 124-145, 3 figs., map.

1931B. Revision der Fischfauna des Septarientones von Weislock bei Heidelberg. Sitz.-Ber. Akad. Wiss. Heidelberg, 1931, no. 11, 1-15, 1 pl.

1932A. Die Fischfauna der unteren und oberen Meeresmolasse Oberbayerns. Neues Jahrb. Min. Geol. Pal., Abt. B, 68, 305-352, 34 figs. 1932B. Gab es einen unterpliocänen "Eppelsheimer Fluss" in Rheinhessen? Centralbl. Min. Geol. Pal., 1932, Abt. B, 168-170.

1932C. Über die fossile Fischgattung Neocybium Leriche. Centralbl. Min. Geol. Pal., 1932, Abt. B, 542-543.

1932D. Über Fischreste aus der Kreide von Timor. Neues Jahrb. Min. Geol. Pal., Abt. B, 67, 287-303, 1 pl.

Review: C. Yabe in Jour. Geol. Soc. Tokyo, 39, 466-467.

1932E. Ein fossiler Cybiide mit Mageninhalt. Palaeobiol., 6, 17-24, 2 figs.

1933A. Zwei oligozäne Fischfaunen aus dem Königreich Ungarn. Geol. Hungarica, Ser. Pal., fasc. 11, 1-54, 23 figs., 3 pls.

1933B. Die Fischreste aus dem Oberpliocan von Willershausen. (Biologie eines jungtertiären Teiches in Südhannover. III.) Arch. Hydrobiol., 25, 291–304, 5 figs., pls. 1–2.

See: Stromer, Ernst, 1928D; Krejci-Graf, K., and Weiler, 1928; Menzel, P., Weiler, W., and Krejci-Graf, K., 1930; Stromer, E., and Weiler, 1930.

Weinberg, A. P. Hartmann See: Hartmann-Weinberg, Mrs. A. P.

Weinert, Hans

1928A. Die fossilen Menschenreste. In: Wiegers, F., 1928; "Diluviale Vorgeschichte des Menschen," Band 1, 199-267, figs. 72-101.

1928B. Pithecanthropus erectus. Zeit. Anat., 87, 429-547, 34 figs. Reviews: Muckermann in Mannus, 22, 160; Vaufrey in L'Anthrop., 39, 143-146.

1928C, Skelettrekonstruktion eines Neandertaler-Menschen, Volksauf, Erbk. Eheberat., 3, 80-82, 1 fig., Also in: Med. Welt, 1929, 803-804, 1 fig.

1928D. Englische Vorstösse für die menschliche Abstammungslehre. Umschau, **32,** 564–567, 6 figs., 1 table.

1929A. Frühformen der Menschheit. Forsch. u. Fortschr., 5, 7-9, 2 figs.

1929B. Früheste Menschenformen. Volksauf. Erbk. Eheberat., 4, 49-51.

1929C. Der "Springbock-Mensch". Ein neuer Fossilfund aus Südafrica. Umschau, **33**, 676-678, 2 figs. Also in: Anthrop. Anz., **6**, 263-264; see also: Volksauf. Erbk. Eheberat., **5**, 1-4, 3 figs.

1929D. Pithecanthropus erectus Dubois. Ein Bericht über die Untersuchung der Original fossilien. Verh. Ges. Phys. Anthrop., 3 (Sonderheft), 3-4.

1929E. Der Pithecanthropus erectus-ein Bericht über die Untersuchung der Originalfossilien. Zeit. Ethnol., 60, 153-154.

1930A. Der Peking-Mensch. Neue Frühmenschenfunde in China. Umschau, 34, 26-29, 7 figs., (figs. published without the author's knowledge).

1930B. Der neue Affenmenschen-Fund von Peking. Umschau, 34, 746-749, 5 figs., (captions for figs. not written by the author).

1930C. Der neue "Urmenschen" Fund aus Südafrika. Volksauf. Erbk. Eheberat., 5, 1-4, 3 figs.

1930D. Sinanthropus pekinensis-ein neuer "Urmenschen" Fund? Erbk. Eheberat., 5, 82-85, 7 figs.

1930E. Der Sinanthropus-ein neuer Frühmenschen-Fund. Forsch. u. Fortschr., **6**, 336–338, 2 figs.

1930F. Das Kinderskelett von "Laugerie haute"—ein eiszeitlicher Skelettfund? Zeit. Morphol. Anthrop., 27, 382–408, 12 figs., pls. 17–18.

1930G. Über die Lage des Basion am neuzusammengesetzen Moustierschädel. Zeit. Morphol. Anthrop., 28, 345-346. See also: Taeger, ibid., 313-344, 13 figs.

1930H. Die menschlichen Knochenreste von Westeregeln. Zeit. Ethnol., 61, 378-385, 3 figs.

1930I. Menschen der Vorzeit. Ein Überlick über die altsteinzeitlichen Menschenrest. Stuttgart: F. Enke, 139 pp., 61 figs. See also: "Der Mensch," Leipzig, 1930, 293-320, figs. 253-267, pls. 53-56.

Reviews: Lebzelter in Eiszeit u. Urgeschichte, 7, 152-153; Lebzelter in Mitt. Anthrop. Ges. Wien, 60, 407-408; S. Sergi in Riv. Antrop., 29, 621-622; Vaufrey in L'Anthrop., 42, 100-102; Verschuer in Biol. Zentralbl., 51, 336; Weidenreich in Umschau, 34, 857; Wiegers in Wien Prähist. Zeit., 18, 70: Wolff in Mannus, 23, 210-212 18, 70; Wolff in Mannus, 23, 210-212.

1931A. Der "Sinanthropus pekinensis" als Bestätigung des Pithecanthropus erectus. Zeit. Morphol. Anthrop., 29, 159-187, 17 figs.

1931B. Das Problem der Menschwerdung im Lichte moderner Forschung. Erdball, 5, 37-39, 70-80.

1932A. Das heutige "missing link". Jenaische Zeit. Naturwiss., 67, 243-259, 7 figs.

1932B. Ursprung der Menschheit. Über den engeren Anschluss des Menschengeschlechts an die Menschenaffen. Stuttgart: Ferdinand Enke, xii + 380 pp., 122 figs.

Reviews: Anonymous in Quart Rev. Biol., 8, 214; Scheidt in Arch. Anthrop., 23, 77; Birkner in Biol. Zentralbl., 53, 221-222; Eickstedt in Zeit. Morphol. Anthrop., 31, 281-282; Lebzelter in Mitt. Anthrop. Ges. Wien, 62, 233-235; MacCurdy in Amer. Jour. Sci., (5) 23, 558-560; Scheidt in Arch. Biol. Berlin, 26, 190; S. Sergi in Riv. Antrop., 29, 622-623; Vaufrey in L'Anthrop., 43, 108-109; Weidenreich in Naturwiss., 31, 180.

1932C. Der Jervois-Schädel aus Australien, wieder ein angeblicher Urmenschenfund. Umschau, 36, 68-70, 4 figs.

1932D. Der "Morgenröte-Mensch" von Piltdown—ein Untersuchung der Orginalfossilien. Forsch. u. Fortschr., 8, 449-450. Also in: Science, (n. s.) 77, 6-7.

1932E. Die neuer Urmenschenfunde von Java. Umschau, 36, 830-833. See also: Kosmos (Stuttgart), 30, 99-100, 2 figs.

1932F. Palaeontological proof of our descent. Sect. Proc. Internat. Congr., Prehist. Protohist. Sci. Sect. I. Human Pal. (President Sir. A. Woodward.)

Abstracts in: Man, 32, 207; Riv. Antrop., 29, 666.

1932G. Ein neuer Stammbaum des Menschen. Eugenik, 2, 180-184, 1 chart.

1932H. Neue Urmenschenfunde. Naturforscher, 9, 241-246, 4 figs.

1933A. Der neue Schädelfund auf Java. Zeit. Ethnol., 64, 371.

1933B. Das problem des "Eoanthropus" von Piltdown. Eine Untersuchungen der Orginalfossilien. Zeit. Morphol. Anthrop., 32, 1-76, 36 [+ 5] figs., 7 pls. See also: L'Anthrop., 44, 349-352, 1 fig.

1933C. Vom Menschenaffen zur Menschenheit. Volk u. Wissen., 4, 1-31, 18 figs., 4 pls.

1933D. Mensch oder Affe? Das Rätsel des "Eoanthropus" von Piltdown. Naturforscher, 10, 311-315, 5 figs.

Weitzel, Karl

1930A. Drei Riesenfische aus den Solnhofner Schiefern von Langenaltheim. Abh. Senck. Naturf. Ges., 42, 85-113, 23 figs. See also: 1930B.

1930B. Drei Riesenfische aus den Solnhofener Schiefern von Langenaltheim. Ber. Senck. Naturf. Ges., 60, 23-31, 8 figs. See also: 1930A.

1931. Neue Amphicyoniden aus dem Mainzer Becken. Notizbl. Ver. Erdk., 13, 80-102, 7 pls.

1932. Cryptopithecus macrognathus Wittich, von Messel, ist kein Primate, sondern ein Creodontier. Centralbl. Min. Geol. Pal., 1932, Abt. B, 617-618. See also: 1933D.

1933A. Pachythrissops macrolepidotus n. sp., ein neuer Leptolepide aus den Solnhofener Schiefern. Pal. Zeit., 15, 22-30, 5 figs.

1933B. Fische aus der Kieselgur von Beuern (Kreis Giessen) und deren Alter. Notizbl. Ver. Erdk., (5) 14, 98-100.

1933C. Amphiperca multiformis n. g. n. sp. und Thaumaturus intermedius n. sp. Knochenfische aus dem Mitteleozän von Messel. Notizbl. Ver. Erdk., (5) 14, 89-97, 1 pl.

1933D. Kopidodon macrognathus Wittich, ein Raubtier aus dem Mitteleozan von Messel. Notizbl. Ver. Erdk., (5) 14, 81-88, 1 pl.

Wells, Dana See: Price, P. H., and Wells, 1933.

Wells, G. P. See: Wells, H. G., Huxley, J. S., and Wells, 1929.

Wells, Harry Gideon

1930. The outline of history, being a plain history of life and mankind. [New edreprinted from ed. of 1927, two vols. in one.] New York: The Macmillan Co., XIX + 1190 pp., illustr., [paleontology, pp. 20-101].

Wells, H. G., Huxley, J. S., and Wells, G. P.

1929. The science of life. London: Amalgamated Press; New York: Doubleday-Doran; Literary Guild of America, variously issued in 4, 2 and 1 vol. editions (pagination unchanged), 1514 pp., 339 figs.

Reviews: Anonymous in Discovery, 12 (135), 100; E. M. in Eug. Rev., 21, 65.

Wells, Lawrence Herbert

1929. Fossil Bushmen from the Zuurberg. S. African Jour. Sci., **26**, 806-834. Also in: Rept. Brit. Assoc. Adv. Sci., **1929** (1930), 370.

1931A. Growth changes in the Bushman mandible. Jour. Anat., 66, 50-63, 6 figs.

1931B. The foot of the South African native. Amer. Jour. Phys. Anthrop., 15, 185-289, 12 figs.

Wenke, H.

1933. Die diluvialen Säugetierreste vom Kitzelberge bei Kaufung. Wanderer im Riesengebirge, 1933, 146-147, 3 figs.

Wenz, Wilhelm

1928. Obermiozan und Unterpliozan bei Okarben. Notizbl. Ver. Erdk., 5, 163-167.

Werner, Franz

1931. Amphibia. Handb. Zool. Bd. 6, Zweite Hälfte, Lief. 1-2, pp. 1-208, 338 figs.

Wernert, Paul

1928. La caractérisation fauntistique du Loess ancien. C. R. Congr. Géol. Internat., 14th Sess., 1975-1987.
 Review: M. B[oule] in L'Anthrop., 40, 297.

Werth, Emil

1928. Der fossile Mensch. Grundzüge einer Paläanthropologie. Berlin: Borntrager, vol. 3, xi + 577-898 pp., 300 figs.

Reviews: Drevermann in Umschau, 32, 964; Liebus in Lotos, 76, 379-380; Scheidt in Arch. Biol. Berlin, 22, 70-71; Wilckens in Geol. Rund., 20,

 Die tertiären Menschenaffen und die Abstammungsfrage. Zeit. Ethnol., 60, 148-151.

West, G. A.
1931. Cave Man in Europe. Yearbook Milwaukee Pub. Mus., 1929 [1931], 175–
202, 18 figs.

Westenhöfer, M.

381-382.

1928. Die Abstammungsfrage des Menschen. Med. Welt, 2, 663-667.

1929A. Die hintere Fusswurzel von Mensch und Gorilla. Zeit. Säugetierk., 4, 186-192, pls. 15-16.

1929B. Die Stellung des menschlichen Beckens in der Wirbeltierreihe. Arch. Frauenk. Konst., **15**, 215-261. See also: Versluys 1929.

1929C. Zur Morphogenese der Anuren. Sitz.-Ber. Ges. Naturf. Freunde, 1929, 81-95, 9 figs.

1930. Über die primitive Stellung der Menschen unter den Säugetieren. Antwort auf die Kritik der Herrn Prof. Dr. Versluys in Wien über zwei meiner Arbeiten über das Problem des menschlichen Fusses (diese Zeitsch., Bd. 59, 1929). Mitt. Anthrop. Ges. Wien, 60, 171-180.

Westersheim, O. Wettstein See: Wettstein, O. v.

Wetmore, Alexander

1927. A method for keeping notes and files dealing with ornithology. Condor, 29, 109-111.

1928. The tibio-tarsus of the fossil hawk Buteo typhoius. Condor, 30, 149-150, 4 figs.

1929A. Birds of the past in North America. Ann. Rept. Smithson. Instn., 1928 [1929], 377-389, 11 pls. [A revised issue of article in Jour. Wash. Acad. Sci., 18, 145-158 (1928).]

1929B. Ornithology—Origin and evolution. Enc. Brit., 14th ed., 16, 930. Review: F. C. L. in Auk, (o. s.) 55, 281-282.

1930A. The age of the supposed Cretaceous birds from New Jersey. Auk, (o. s.) 55, 186-188.

Abstract in: Ibis, (13) 1, 801-802.

1930B. The fossil birds of the A. O. U. check-list. Condor, 32, 12-14.

1930C. The supposed plumage of the Eocene Diatryma. Auk, (o. s.) 55, 579-580. Abstract in: Ibis, (13) 1, 801-802.

1930D. A systematic classification of the birds of the world. Proc. U. S. Nation. Mus., 76, art. 24, 1-8.
 Abstract by W. Stone in Auk, (o. s.) 55, 278.

1930E. Two fossil birds from the Miocene of Nebraska. Condor, **32**, 152-154, figs. 51-56.
Abstract in: Ibis, (13) **1**, 801-802.

1930F. Fossil bird remains from the Temblor formation near Bakersfield, California. Proc. Calif. Acad. Sci., 19, 85-93, 7 figs.

1931A. The avifauna of the Pleistocene in Florida. Smithson. Misc. Coll., 85, 1-41, 16 figs., 6 pls.
Reviews: A. H. Miller in Condor, 33, 173-174; Remy in Année Biol., 36, pt. 2, 441.

1931B. Bones of the great horned owl from the Carlsbad Caverns. Condor, 33, 248-249, 9 figs.

1931C. The California condor in New Mexico. Condor, 33, 76-77. Abstract in Ibis, (13) 1, 801-802.

1931D. The fossil birds of North America. In: "Check-list of North American birds prepared by a Committee of the American Ornithologists Union (4th ed.)." Lancaster, Pa.: American Ornithologists Union [pp. 401-472].

See also: Grinnell 1932.

Perion: W. Grinnell 1932.

Review: W. Stone in Auk, 56, 523-531.

1931E. The Pleistocene avifauna of Florida. Proc. VII Internat. Ornithol. Congr., 1930 [1931], 479-483.

1931F. Two primitive rails from the Eccene of Colorado and Wyoming. Condor, 33, 107-109, figs. 21-29.

1931G. Record of an unknown woodpecker from the Lower Pliocene [of Nebraska]. Condor, 33, 255-256.

1932. Additional records of birds from cavern deposits in New Mexico. Condor, 34, 141-142.

1933A. Bird remains from the Oligocene deposits of Torrington, Wyoming. Bull. Mus. Comp. Zool. Harvard, 75, 297-311, 19 figs.

1933B. Fossil bird remains from the Eocene of Wyoming. Condor, 35, 115-118, fig. 22.

1933C. A fossil gallinaceous bird from the Lower Miocene of Nebraska. Condor, 35, 64-65, figs. 10-14.

1933D. A second specimen of the fossil bird Bathornis veredus. Auk, (o. s.) 58, 213-214.

1933E. Status of the genus Geranoaëtus. Auk, (o. s.) 58, 212.

1933F. The status of *Minerva antiqua*, *Aquila ferox* and *Aquila lydekkeri* as fossil birds. Amer. Mus. Novit., no. 680, 1-4, 1 fig.

1933G. Pliocene bird remains from Idaho. Smithson. Misc. Coll., 87, no. 20, 1-12, 8 figs.

1933H. An Oligocene eagle from Wyoming. Smithson. Misc. Coll., 87, no. 19, 1-9, 19 figs.

1933I. Development of our knowledge of fossil birds. In: "Fifty years' progress of American ornithology, 1883-1933." Lancaster, Pa.: American Ornithologists Union [pp. 231-239].

Wetmore, A., and Case, E. C.
1932. Skull of a fossil bird from the bad lands of South Dakota. Science, (n. s.)
76, 546, (abstract).

Wetmore, A., and Friedmann, H.

1933. The California condor in Texas. Condor, 35, 37-38.

Wetmore, A., and Martin, H. T.
1930. A fossil crane from the Pliocene of Kansas. Condor, 32, 62-63, figs. 23-25.

Wetmore, A., Miller, G. S., and Gidley, J. W.
1930. Warm-blooded vertebrates. Smithson. Sci. Ser., 9, 1-381. [Pt. I. Birds, 1-166. Pt. II. Mammals, 166-381.]

Wettstein, Otto von

1931. Die diluvialen Kleinsäugerreste. Speläol. Monog., 7-8, 769-789, 1 fig.

1932. Rhynchocephalia. Handb. Zool., 7, Erste Hälfte, Lief. 1-2, pp. 1-224, 171 figs.

Wetzel, Walter

1930. Die Quiriquina-Schichten als Sediment und paläontologisches Archiv. Paleontogr., 73, 49-106, 5 figs., 6 pls.

Die "Projektions-Zeichen-Tafel" als Demonstrationshilfsmittel im mineralogischen, geologischen und palaontologischen Unterricht. Cen-

tralbl. Min. Geol. Pal., 1932, Abt. B, 587-592.

Weygandt, W.

1932.

1931. Les relations entre le cerveau et le dévelopment du crâne. Rev. Neurol., 38, II, 513.

Weymouth, A. Allen See: Barbat, W. F., and Weymouth, 1931.

Wheeler, J. M.

1931. Footsteps of the past: Essays on human evolution. London: Pioneer Press, xvi + 225 pp.

Wheeler, William Morton

1927. Emergent evolution. London: Kegan Paul, Trench, Trubner & Co., 57 pp.; also: New York: W. W. Norton & Company, Inc., 1928, 80 pp.

Whelan, C. Blake

1928. Ireland in Pleistocene times. Man, 28, 74-76.

Whipple, Ralph Wheaton

1930A. Note on Castoroides ohioensis; plastotype. Proc. Ohio Acad. Sci., 8, 410, (abstract).

1930B. New reptilian fossil from the Dunkard. Proc. Ohio Acad. Sci., 8, 410, (abstract).

Whipple, R. W., and Case, E. C.

1930. Discovery of Permo-Carboniferous vertebrates in the Dunkard formation of West Virginia. Jour. Wash. Acad. Sci., 20, 370-372. See also: Whipple 1930.

White, David

1929. Flora of the Hermit shale, Grand Canyon, Arizona. Publ. Carnegie Instn. Wash., no. 405, 221 pp., 55 pls.

1932. Memorial of Henry M. Ami. Bull. Geol. Soc. Amer., 43, 23-43, portrait.

White, Errol Ivor

1928. The fish-beds of Dura Den. Nat. Hist. Mag., 1, 146-150, figs. 1-4.

1930. Fossil hunting in Madagascar. Nat. Hist. Mag., 2, 209-235, 21 figs.

1931. [Exhibition and remarks upon the fossil lemur Megaladapis.] Proc. Zool. Soc. London, 1931, 1418.

1932. On a new Triassic fish from north-east Madagascar. Ann. Mag. Nat. Hist., (10) 10, 80-83, 1 fig.

1933A. A fossil fish from Barbados. Geol. Mag., 70, 336. See also: Matley 1932.

1933B. New Triassic palaeoniscids from Madagascar. Ann. Mag. Nat. Hist., (10) 11, 118-128, 4 figs.

See: Woodward, Sir A., and White, 1930.

White, E. I., and Frost, G. A.

1931. The vertebrate faunas of the English Eocene. Vol. 1. From the Thanet sands to the Basement Bed of the London Clay. With appendix on the otoliths by G. A. Frost, and on the Mollusca by Arthur Wrigley. London: British Museum of Natural History, xiv + 123 pp., 34 figs., 16 pls. Reviews: Anonymous in Quart. Rev. Biol., 7, 223; F. H. A. M[arshall] in Geol. Mag., 69, 41-42; Thorpe in Amer. Jour. Sci., (5) 22, 380-381.

Whitehead, George

1933. A modern outline of evolution. London: John Bale Sons, & Danielsson, 324 pp.
Review: Hurst in Eug. Rev., 25, 283.

Whitley, Gilbert P.

1930. The teeth of fishes. Austral. Mus. Mag., 4, 92-99, 12 figs.

1933. New names for fossil fishes. Copeia, 1933, no. 3, 146.

Whittard, W. F.

On the structure of the palate and mandible of Archegosaurus decheni, 1928. Goldfuss. Ann. Mag. Nat. Hist., (10) 1, 255-264, 3 figs., pl. 13.

The structure of Branchiosaurus flagrifer, sp. n. and further notes on Branchiosaurus amblystomus, Credner. Ann. Mag. Nat. Hist., (10) 5, 1930. 500-513, 5 figs., 2 pls.

Wichdorff, H. Hess von

Der Gipsstock von Köstritz und die in seinen Kolken, Klüften und Schlot-1931. ter sowie in seiner Diluviallehm-Decke enthalten diluvial-alluvialen Mischfunde von Tier- und Menschenresten. In: "Die Thüringer Höhlen," Berlin, [pp. 8-22].

Wickenden, Robert Thomas Daubigny See: Russel, L. S., and Wickenden, 1933.

Wiegers, Fritz

Diluviale Vorgeschichte des Menschen. Band I. Allgemeine Diluvial-prähistorie. Mit einen Beitrag: Die fossilen Menschreste von Hans Weinert. Stuttgart: Ferdinand Enke, viii + 299 pp., 101 figs. Reviews: Beninger in Mitt. Anthrop. Ges. Wien, 58, 396-397; Menghin in Wien. Prähist. Zeit., 17, 96; Schuanold in Unsere Welt, 20, 256. 1928.

1929. Über Gliederung und Alter des Magdeburger Diluviums und die Zahl der Eiszeiten in Norddeutschland. Jahrb. Preuss. Geol. Landesanst., 50, 29-124, 22 figs.

Neuere Funde angeblich diluvialer Menschenskelette aus der Provinz 1930. Sachsen und ihr wirkliches Alter. Zeit. Ethnol., 61, 364-377, 2 figs.

See: Weidenreich, Wiegers, and Schuster, 1928.

Wieland, George Reber

A Pierre dinosaur. Science, (n. s.) 69, 599-600. 1929.

Wiesel, Ludwig

Beitrage zur Morphologie der Biberarten. Zeit. Morphol. Ökol., 14, 1929. 421-512, 4 figs.

Wilckens, Otto 1930. Zur Erinnerung an Gustav Steinmann. Pal. Zeit., 12, 1-5, 1 pl.

Wilkerson, Albert Samuel

Some frozen deposits in the goldfields of interior Alaska, a study of the Pleistocene deposits of Alaska. Amer. Mus. Novit., no. 525, 1–22, 11 figs.

Willard, Bradford

Teaching vertebrate paleontology. Jour. Geol., 36, 261-264, 2 figs. 1928.

Willard, B., and Cleaves, A. B.

Amphibian footprints from the Pennsylvanian of the Narragansett Basin. Bull. Geol. Soc. Amer., 41, 321-327, 4 figs. Abstracts in: ibid., 41, 200; Pan-Am. Geol., 53, 155.

Willey, D. A.

Bone cabin quarry. Appleton's Mag., 8, 552-559, 8 figs. Introduction by H. F. Osborn. 1906.

Williams, George Albert

Atavistic human foot. Amer. Jour. Phys. Anthrop., 16, 1-14. 1931.

Williams, Henry Smith

1932. Survival of the fittest. New York: R. M. McBride & Co., xvi + 321 pp., 100 figs., 16 pls.

Williams, Herbert

1929.Human paleopathology. Arch. Pathol., 7, 839-902, 18 figs.

Williams, Merton Yarwood, and Dyer, W. S.

1930. Geology of southern Alberta and southeastern Saskatchewan. Canada Dept. Mines, Geol. Surv., Mem. 163, 160 pp., 5 pls.

Williams, William Alfred

1928. The evolution of man scientifically disproved in 50 arguments: designed (1) as an up-to-date text-book, and a companion to all other text-books on evolution; and (2) as an antidote to books in libraries teaching evolution, infidelity and atheism; and (3) as an aid to all students, parents, teachers, ministers, lawyers, doctors and all other lovers of truth. Camden, New Jersey: privately published by the author, 126 pp.

Wilser, Jul. L.

1931. Lichtreaktionen in der fossilen Tierwelt. Berlin: Geb. Borntraeger, vi + 192 pp. Review: Bogsch in Föld. Közlöny. 62, 224.

Wilson, Robert W.

1932. Cosomys, a new genus of vole from the Pliocene of California. Jour. Mammal., 13, 150-154, 1 pl.

1933A. Pleistocene mammalian fauna from the Carpinteria asphalt. Publ. Carnegie Instn. Wash., no. 440 (preprint), 59-76. [Issued separately 1933 and under the collective title: "Contributions to Paleontology," in 1934, in Publ. 440 with seven other papers.]

1933B. Pleistocene rodent fauna from the Carpinteria asphalt deposits. Bull. Geol. Soc. Amer., 44, 219-220, (abstract). Also in: Pan-Am. Geol,

**58,** 150.

1933C. A rodent fauna from the later Cenozoic beds of southwestern Idaho. Publ. Carnegie Instn. Wash., no. 440 (preprint), 117-135, 8 figs., 2 pls. [Issued separately 1933 and under the collective title: "Contributions to Paleontology" in 1934, in Publ. 440, with seven other papers.] Abstracts in: Proc. Geol. Soc. Amer., 1933 [1934], 391; and in Pan-Am. Geol., 59, 377.

Wiman, Carl

1928A. Einige Beobachtungen an Flugsaurien. Palaeobiol., 1, 363-370, 3 figs.

1928B. Ein Gerucht von einem lebenden Flugsaurien. Ber. Senck. Naturf. Ges., 58, 431-432.

1929. Die Kreide-Dinosaurier aus Shantung. Pal. Sinica, (C) 6, fasc. 1, 1-67, 7 figs., 9 pls.

1930A. Eine neue Reptilien-Ordnung aus der Trias Spitzbergens. Bull. Geol. Instn. Univ. Upsala, 22, 183-196, 8 figs.

1980B. Fossile Schildkroeten aus China. Pal. Sinica, (C) 6, fasc. 3, 1-56, 9 figs., 6 pls. Critical notes by Nopesa, 1930E.

1930C. Notizen über Flugsaurier. Bull. Geol. Inst. Univ. Upsala, 22, 217-222, 2 figs.

1930D. Über Ceratopsia aus der oberen Kreide in New Mexico. Nova Acta Reg. Soc. Sci. Upsal., (4) 7, no. 2, 1-19, 7 pls.

1931. Parasaurolophus tubicen n. sp. aus der Kreide in New Mexico. Nova Acta Reg. Soc. Sci. Upsal., (4) 7, no. 5, 1-11, 3 pls.

1932. Goniopholis kirtlandicus n. sp. aus der oberen Kreide in New Mexico. Bull. Geol. Inst. Univ. Upsala, 23, 181–189, 1 fig., 2 pls.

1933A. Ein neues Lebensbild eines Ceratopsiers. Bull. Geol. Inst. Univ. Upsala, 24, 273-278, 4 figs.

1933B. Über Grippia longirostris. Nova Acta Reg. Soc. Sci. Upsal., (4) 9, no. 4, 1-19, 4 figs., 2 pls.

1933C. Über Schildkröten aus der oberen Kreide in New Mexico. Nova Acta Reg. Soc. Sci. Upsal., (4) 9, no. 5, 1-34, 12 figs., 6 pls.

Winchell, Alexander

1867. Synoptical view of the geological succession of organic types. [2d ed.]
Ann Arbor [Michigan]: Printed at Dr. Chase's Steam Printing House,
10 pp. [1st ed. Ann Arbor, 1858, 7 pp.]

Wing, Monta Eldo

1930. The geology of Cloud and Republic Counties, Kansas. Bull. Geol. Surv. Kansas, 15, 1-51, 2 figs., 18 pls.

Winsauer, O. See: Marcus, Winsauer, and Hueber, 1933.

Winterhalter, W. P.

1931. Untersuchungen über das Stirnorgan der Anuren. Acta Zool., 12, 1-67,
61 figs. Also as: Dissertation, Zurich, 1931.
Abstract in: Rev. Suisse Zool., 38, 377-378.

Wischnewski, B. N. See: Vishnevskii.

Woldstedt, Paul

Das Eiszeitalter. Grundlinien einer Geologie des Diluviums. Stuttgart: 1929.

Ferdinand Enke, xv + 406 pp., 162 figs.

Reviews: Antevs in Amer. Jour. Sci., (5) 19, 246; Flint in Amer. Jour. Sci., (5) 19, 408-409; Hennig in Centralbl. Min. Geol. Pal., 1930, Abt. B, 206-207; Vaufrey in L'Anthrop., 41, 146-150.

Woltereck, Richard

Grundzüge einer allgemeinen Biologie. Die Organismen als Gefüge-1932. Getriebe, als normen und als erlebende Subjekte. Stuttgart: Ferdinand Enke, xvi + 629 pp., 271 figs.

Wolterstorff, W.

Über fossile Frosche aus der Papierkohle von Burgbrohl (Laacher See). 1929. Jahrb. Preuss. Geol. Landesanst., 49, 918-932, 4 figs., pls. 51-52.

Wong, Wen Hao

Proceedings of the Special Meeting on December 28th. Bull. Geol. Soc. 1929. China, 8, 171-172.

Wood, Albert Elmer

1931. Phylogeny of the heteromyid rodents. Amer. Mus. Novit., no. 501, 1-19, 5 figs., 1 table.

New heteromyid rodents from the Miocene of Florida. Florida Geol. 1932. Surv., Bull. no. 10, 45-51, 6 figs.

1933A. A new heteromyid rodent from the Oligocene of Montana. Jour. Mammal., 14, 134-141, 7 figs.

1933B. Pleistocene prairie-dog from Frederick, Oklahoma. Jour. Mammal., 14,

See: Wood, H. E., and Wood, A. E., 1933A, B.

Wood, Casey Albert

1923. The fossil eggs of Bermudan birds. Ibis, (11) 5, 193-207, 3 pls.

An introduction to the literature of vertebrate zoology, based chiefly on 1931. the titles in the Blacker Library of Zoology, the Emma Shearer Wood Library of Ornithology, the Bibliotheca Osleriana and other libraries of McGill University, Montreal. London: Oxford University Press, xix + 643 pp., 1 pl.

Reviews: Anonymous in Nat. Hist. Mag., 3, 172-173; Anonymous in Ann. Med. Hist., (n. s.) 4, 320; C. C. D. in An. Soc. Cien. Argent., 114, 44; Ball in Amer. Jour. Sci., (5) 23, 89-91; Hubbs in Copeia, 1932, no. 1, 41; W. Stone in Auk, (o. s.) 57, 114-116.

W[ood], G[eorge] McL[ane]

Argentina-Geology. Enc. Brit., 14th ed., 2, 316.

Wood, Horace Elmer, II

Hyracodon petersoni, a new cursorial rhinoceros from the Lower Oligocene 1926. Ann. Carnegie Mus., 16, 315-318, 1 fig., 1 pl.

1927. Evolution of mammalian molar teeth. [Discussion of papers by W. K. Gregory and G. G. Simpson.] Nat. Hist. 27, 187.

1929A. American Oligocene rhinoceroses—a postscript. Jour. Mammal., 10, 63-75, 6 figs.

1929B. Prohyracodon orientale Koch, the oldest known true rhinoceros. Amer. Mus. Novit., no. 395, 1-7, 6 figs. Abstracts in: Bull. Geol. Soc. Amer., 40, 221; Pan-Am. Geol., 51, 239; and Nat. Hist., 30, 223.

1929C. Revision of the Hyrachyidae. Bull. Geol. Soc. Amer., 40, 221, (abstract). Also in: Pan-Am. Geol., 51, 238-239.

1930. Priority in family, order and higher group names. Science, (n. s.) 72,

1931. Lower Oligocene rhinoceroses of the genus Trigonias. Jour. Mammal., 12, 414-428, 2 figs.

1932. Status of Epiaceratherium (Rhinocerotidae). Jour. Mammal., 13, 169-171.

1933. A fossil rhinoceros (Diceratherium armatum Marsh) from Gallatin County, Montana. Proc. U. S. Nation. Mus., 82, art. 7, 1-4, 3 pls.

Wood, H. E., and Wood, A. E.

1933A. Daemonhelix in the Pleistocene of Texas. Jour. Geol., 41, 823-824.

1933B. The genetic and phylogenetic significance of the presence of a third upper molar in a modern dog. Amer. Mid. Nat., 14, 36-48, 3 figs.

Wood-Jones, Frederick See: Jones, F. W.

Woodring, Wendell Phillips; Roundy, P. V., and Farnsworth, H. R.

Geology and oil resources of the Elk Hills, California, including Naval Petroleum Reserve no. 1. U. S. Geol. Surv., Bull. 835, v + 82 pp., 7 figs., pls. 1-17.

Woodruff, Lorande Loss

1932. Animal biology. [5th ed.] New York: The Macmillan Co., xii + 513 pp., 297 figs.

Woods, W. C.

Emergent evolution and the incarnation. Milwaukee: Morehouse Publ. 1929. Co., x + 109 pp.

Woodward, Alice

1928. A prehistoric scene in Mongolia. Sci. Amer., 139, 494.

Woodward, Sir Arthur Smith

1928A. The progression of life on earth. In: Mason, F., 1928, "Creation by Evolution," pp. 124-136.

1928B. A new ganoid fish (Heterostrophus phillipsi sp. nov.) related to Dapedius from the Oxford Clay of Peterborough. Precis. Peterborough Nat. Hist. Soc., 56, 59-60, 5 pls.

1929A. The Upper Jurassic ganoid fish Heterostrophus. Proc. Zool. Soc. London, 1929, 561-566, 2 pls.

1929B. [Obituary of:] Prof. Bashford Dean. Nature, 123, 99-100.

1929C. Ichthyosauria. Enc. Brit., 14th ed., 12, 57-58, 1 fig.

1929D. Iguanodon. Enc. Brit., 14th ed., 12, 76, 1 fig.

1930A. The extinct dwarf elephants of Sicily and Malta. Nature, 125, 82-83.

1930B. [Obituary of:] Edwin Tulley Newton. [Included in anniversary address of the President, J. W. Gregory.] Quart. Jour. Geol. Soc., London, 86, lix-lxii.

1930C. [Obituary of:] Mr. E. T. Newton, F.R.S., [1840-1930]. Nature, 125, 280-281 1930D. Note on a specimen of the ganoid fish, Lepidotus elvensis (Blainville), from the Upper Lias near Ilminster. Somerset. Archaeol. Nat. Hist.

Soc. Proc., 75, 91-93, pl. 11.

1930E. [Obituary of:] Prof. W. D. Matthew, F. R. S. Nature, 126, 575.

1931A. Man's place in nature as shown by fossils. Mem. Proc. Manchester Lit. Philos. Soc., 76, 31-43, 1 fig.

1931B. Modern progress in vertebrate palæontology. In: "Huxley Memorial Lectures 1925-1932." London: The Macmillan Co., 1-21. [Also published separately in 1931 by the Imperial College of Science and Technology.] See also: Nature, 127, 745-747.

1931C. On *Urosthenes*, a fossil fish from the Upper Coal Measures of Lithgow, New South Wales. Ann. Mag. Nat. Hist., (10) 8, 365-367, 1 pl.

1931D. [Obituary of:] Dr. Louis Dollo. Nature, 128, 57.

1931E. Dr. Louis Dollo (1857-1931). Proc. Linn. Soc. London, 143, 170-171.

1931F. [Obituary of:] Dr. David Starr Jordan. Nature, 128, 788.

1931G. [Obituary of:] Dr. Henry M. Ami [1858?-1931]. Nature, 127, 136.

1931H. [Obituary of:] Sir William Boyd Dawkins—1837-1929. Proc. Roy. Soc. London, (B) 107, (754), xxiii-xxvi, portrait.

1932A. A Cretaceous pristiophorid shark. Ann. Mag. Nat. Hist., (10) 10, 476-479, pl. 18.

1932B. [Exhibition of photographs of proboscis of mammoth, etc.] Proc. Zool. Soc. London, 1932, 813.

1932C. Implements of Chinese fossil man. Nature, 129, 784-785.

1932D. [Obituary of:] Louis Dollo. [Included in anniversary address of the President, E. J. Garwood.] Quart. Jour. Geol. Soc. London, 88, lxviii-lxix.

1933A. Early man and the associated faunas of the Old World. Science, (n. s.) 78, 89-92.
Abstract in Pan-Am. Geol., 60, 375.

1933B. [Remarks upon excrement of Nothrotherium from Gypsum Cave, Nevada and upon Platybelodon from Pliocene of Mongolia.] Proc. Zool. Soc. London, 1933, 1122.

1933C. The second Piltdown skull. Nature, 131, 242.

1933D. "Sir Arthur Smith Woodward...exhibited the late Prof. Kider's [Kiær's] drawing of the Devonian Ostracoderm fish, Anglaspis, from Spitzbergen, and remarked that in this and many other Devonian Fishes, the primitive fin-folds seem to have developed dermal plates and spines instead of fin-rays." Proc. Zool. Soc. London, 1933, 229.

See: Straw, 1933; also: Zittel, Eastman, and Woodward, 1932.

Woodward, Sir A., and White, E. I.
1930. On some new chimaeroid fishes from Tertiary formations. Ann. Mag.
Nat. Hist., (10) 6, 577-582, 5 figs.

Wooldridge, Sidney William See: Ross, B. R., and Wooldridge, 1932.

Woskoboinikoff, M. M.

1932. Der Apparat der Kiemenatmung bei den Fischen. Ein Versuch der Synthese in der Morphologie. Zool. Jahrb., 55 (Anat.), 315-488, 15 figs.

Wright, Sewall
1931. Statistical theory of evolution. Jour. Amer. Statist. Assoc., 26, 201-208.
Wrigley, Arthur See: White, E. I., and Frost, G. A., 1931.

Wurm, Adolph

1932A. Morphologisch-tektonische Untersuchungen im Fichtelgebirge und Oberpfälzer Wald. Neues Jahrb. Min. Geol. Pal., Abt. B, 69, 257-291, 2 figs., 3 pls.

1932B. Mesozoikum. Handwörterb. Naturwiss., 6, 860-889, 10 figs.

Wüst, Ewald

1930. Die Bedeutung der geographischen Rassen für die Geschichte der diluvialen Säugetierfaunen. Pal. Zeit., 12, 6-13.

Yabe, Hisakatsu

1929. The latest land connection of the Japanese Islands to the Asiatic continent. Proc. Imp. Acad. Tokyo, 5, 167-169, 1 fig.

Yabe, H., and Obata, T.

1930A. Discovery of Ptychodus rugosus Dixon from the Upper Cretaceous of the Japanese Saghalin. Jap. Jour. Geol. Geog., 7, 43-44, 2 figs.

1930B. On some fossil fishes from the Cretaceous of Japan. Jap. Jour. Geol. Geog., 8, 1-7, 2 pls.

Yabe, H., and Ozaki, K.

1929. Fossil chelonian (?) eggs from South Manchuria. Proc. Imp. Acad. Tokyo, 5, 42-45, 1 pl.

Yagi, Teisuke

1928. Elephas namadicus from the Inland Sea (Stouchi) and two other fossil elephants. Jour. Geog., Tokyo, 40, 385-391, 1 fig., 1 pl.

Yakovlev, N. N. See: Jakovlev, N. N.

Yearsley, Macleod See: Pycraft, W. P., Smith, G. E., et al., 1928.

Yen, Teng-Chien See: Ping, C., and Yen, 1933.

Yin, Tsau Hsun

1931. Sur la découverte d'une faune de mammifères quaternaire aux environs de Kharbine. Bull. Geol. Soc. China, 11, 155-159, 2 figs. See also: *ibid.*, p. 104.

Yokoyama, Matajiro

1931. [Sinanthropus, a Chinese fossil ape-man.] Jour. Geog. Tokyo, 43, 545-549, 7 figs., (in Japanese).

1932. Homo sapiens fossilis. I-III. Jour. Geog. Tokyo, 44, 61-67, 181-184, 243-248, 28 figs., (in Japanese).

Yoshiwara, S. See: Tokunaga, S.

Young, Chung-Chien

- 1929. Notes on mammalian remains from Kwangsi. Bull. Geol. Soc. China, 8, 125-128, 1 pl.
- 1930A. On the mammalian remains from Chi Ku Shan near Chou Kou Tien. Pal. Sinica, (C) 7, fasc. 1, 1-19, 1 fig., 2 pls.
- 1930B. Bemerkungen ueber einige abnormale Formen von Fossilien und den Versteinerungsgrad der Knochenablagerungen von Choukoutien. Bull. Geol. Soc. China, 9, 183-188, 5 figs.
- 1930C. On the extinct animals associated with Sinanthropus. Peking Leader Reprints, no. 51, 16-19.
- 1930D. [How to find, collect and classify the fossil vertebrate animals.] Chinese Geol. Surv., Odd Line Volume, 1-30, (in Chinese).
- 1931. Die stratigraphische und paleontologische Bedeutung der fossilen Nagetiere Chinas. Bull. Geol. Soc. China, 10, 159-164, 3 tables.
- 1932A. On a new ochotonid from north Suiyuan. Bull. Geol. Soc. China, 11, 255-258, 1 fig.
- 1932B. On some new dinosaurs from western Suiyuan, Inner Mongolia. Bull. Geol. Soc. China, 11, 259-266, 5 figs.
- 1932C. On the Artiodactyla from the Sinanthropus site at Chouk'outien. Pal. Sinica, (C) 8, fasc. 2, 1-100, 32 figs., 29 pls. Review: Vaufrey in L'Anthrop., 43, 347-348.
- 1932D. On the fossil vertebrate remains from localities 2, 7 and 8 at Choukoutien. Pal. Sinica, (C) 7, fasc. 3, 1-21, 7 figs., 1 pl. Review: McCown in Amer. Anthrop., 35, 78.
- 1932E. On some fossil mammals from Yünnan. Bull. Geol. Soc. China, 11, 384-393, 8 figs.
- 1933. On the new finds of fossil eggs of *Struthio anderssoni* Lowe in North China with remarks on the egg remains found in Shansi, Shensi and in Choukoutien. Bull. Geol. Soc. China, 12, 146-151, 1 map.
- See: Black, D., Chardin, P. T., Young, C. C., and Pei, W. C., 1933; Chardin, P. T., and Young, 1929, 1930, 1931, and 1933.

Young, C. C., and Pei, W. C.

- 1933A. On the Cenozoic geology between Loyang and Sian. Bull. Geol. Soc. China, 13, 73-90, 8 figs., 1 map.
- 1933B. On the fissure deposits of Chingsinghsein with remarks on the Cenozoic geology of the same area. Bull. Geol. Soc. China, 13, 63-71, 4 figs.

Yule, E. S. See: Trelease, S. F., and Yule, 1928.

Zahálka, Čeněk

- 1928. [Cretaceous of the western Anglo-Paris Basin and of Bohemia. Neocomian.] Mém. Soc. Roy. Sci. Bohême, 1928, no. 5, 1-36, (Bohemian, with French summary).
- 1929. [Turonian of Belgium and Bohemia.] Mém. Soc. Roy. Sci. Bohême, 1928, no. 2, 1-88, (Bohemian with French summary).

Zander, Robert

1928. The "Death Trap" of Rancho La Brea. Discovery, 9, 224-225, 2 figs.

Zapletal, Karel See: Absolon, K., Zapletal, et al., 1933.

Zarnik, Boris

1926. Zur Ethologie der Plesiosaurier, nebst Bemerkungen über die Wirbelmechanik einiger rezenter Sauropsiden. Glasnik Prirod., Zagreb., 38-39, 424-479, 22 figs., pl. 15, (with German summary).

Zdansky, Otto

- 1928. Die Säugetiere der Quartärfauna von Chou-k'ou-tien. Pal. Sinica, (C) 5, fasc. 4, 1-146, 16 figs., 16 pls.
- 1930. Die altterti\u00e4ren S\u00e4ugetiere Chinas nebst stratigraphischen Bemerkungen. Pal. Sinica, (C) 6, fasc. II, 1-87, 7 figs., 5 pls.

Želíko, Jan Vratislav [= Josef Václav Zeličko]

Suppléments à la faune diluviale de la region de Volyně. Věst. Stát. Geol. Českosl. Republ., 4, 57-65, (Czech with French summary).

Americké museum přírodních věd v New Yorku. Příroda (Brno), 24. 1931. 360, (in Czech).

1932A. Zwei interessante Wirbeltiermumien. Pal. Zeit., 14, 122-126.

1932B. Nové doklady k existenci pračlověka v Uhrách. [New evidence of the existence of fossil man in Hungary.] Příroda (Brno), 25, 317-318.

Hölen der Eifel. Nachrichtenbl. Rhein. Heimatpfl., 4, 339-351, figs. 22-31. 1933.

Zeuner, Friedrich

Die erdgeschichtliche Entwicklung Südwest-Oberschlesiens. Mit besonderer Berücksichtigung der Umgebung von Gnadenfeld. Jahresb. Geol. Ver. Oberschlesiens, **1932**, 31 pp., 1 fig.

Zimmer, C

Über zwei Bilder des Adamsschen Mammuts. Zeit. Säugetierk., 4, 84-1929. 89, 2 pls.

The Natural History Museum (Das Museum für Naturkunde), Berlin. Nat. Hist. Mag., 4, 37-47, 10 figs. 1933.

Zittel, Karl Alfred von

Text-book of palaeontology. Second English edition: translated and edited by C. R. Eastman and revised with additions by Sir Arthur Smith Woodward. London: Macmillan & Co., vol. 2, xvii + 464 pp., 1932. 533 figs.

Reviews: W. Berry in Ohio Jour. Sci., 33, 211; Edinger in Naturwiss., 21, 792; F. H. A. M[arshall] in Geol. Mag., 70, 476-478; N. Rao in Current Sci., 1, 293-294; C. T. R[egan] in Ann. Mag. Nat. Hist., (10) 11, 518; V[aufrey?] in Rev. Gén. Sci., 44, 348.

Zizka, Wenzel

Vom Tier zum Menschen. Eine philosophische Naturgeschichte des 1931. Menschen. Aussig: St. Tietze, 207 pp. Review: Lebzelter in Mitt. Anthrop. Ges. Wien, 62, 305-306.

Zotz, Lothar F.

1928. Die Fische der typischen Fischschiefer aus den Schächten der Kaliwerke Buggingen. Mitt. Badischen Geol. Landesanst., 10, 147-174, 2 figs., 7 pls. Zotz, L. G. See: Stehlin 1928F.

Zuckerman, Solly

Age-changes in the chimpanzee, with special reference to growth of brain. eruption of teeth, and estimation of age; with a note on the Taungs ape. Proc. Zool. Soc. London, 1928, 1-42, 4 pls.

1933A. Sinanthropus and other fossil men. Their relations to each other and to modern types. Eug. Rev., 24, 273-284.

1933B. Functional affinities of man, monkeys, and apes. A study of the bearings of physiology and behavior on taxonomy and phylogeny of lemurs, monkeys apes and man. New York: Harcourt Brace & Co., xviii + 203 pp., 4 figs., 24 pls.; London: Kegan, Paul, Trench, Trubner & Co.

1933C. Evidence of man's kinship with the primates. Man, 33, 13-16.

Zunini, G.

1933. La morte della specie. Riv. Ital. Pal., 39, 56-102.

Zwaan, J. P. Kleiweg de See: Kleiweg de Zwaan, J. P.

Zych, Wladyslaw 1931. Fauna Fauna ryb Devonu i Downtownu Podola. Pteraspidomorphi: Heterostraci. Czesc (Lwow), 1A, 1-91, 52 figs., 9 pls., (in Polish).

## SUBJECT INDEX

Adaptation—See: aquatic adaptations; dentition; evolution; habits; phylogeny; skeleton; skull; terminology.

ADAPTIVE RADIATION—See: evolution; general works; phylogeny.

Age and Sex Differences—See: variation and heredity.

Analogy—See: terminology.

ANATOMY—Pisces—Norman 1932 (general); Smith, Homer W., 1932 (evolution of excretory system); Marshall and Smith, 1930 (evolution of kidney).

excretory system); Marshall and Smith, 1930 (evolution of kidney).

Reptilia and Aves—Heschler 1929 (Archaeopteryx, Triassochelys).

Craniata—Bolk, et al., 1931 (general); Goodrich 1930B (general); Gregory, W., 1933D (phylogeny, body form); Reyes 1931 (Paleozoic); Thomasset 1931B (general histology); Van der Klaauw 1931A (general).

Mammalia—Flerov 1931, Golomshtok 1932 (proboscis of mammoth); Lull 1929B, 1930A (ground sloth); Woodward, A. S., 1932B (proboscis of mammoth).

See also: circulatory system; coprolites, gastroliths and visceral concretions; dentition; evolution; general works; habits; history of paleontology; integumentary structures; paleomyology; paleonathology; phylogeny; skeleton; skull

tary structures; paleomyology; paleopathology; phylogeny; skeleton; skull. Ancestry—See: phylogeny; evolution. Anniversaries, Memorial Volumes, and Memorials—See: biographies.

ANTHROPOGENY—Gregory, W., 1933D (defined and illustrated). See also: phylogeny. ANTHROPOLOGY-See: cultural remains; dentition; distribution and migration; evolution; faunas, (Quaternary; cave); general works; history of paleontology; skeleton, Mammalia; skull, Mammalia; technique; and (in the systematic catalogue) Hominidae, Mammalia, Primates; and the various genera and species of fossil man.

AQUATIC ADAPTATIONS—Howell, A., 1930 (mammals); Kellogg 1928A (whales);

Orlov 1933 (pinnipeds); Sickenberg 1931A (sea-cows).
Archaeology—See: anthropology. ART—prehistoric and fossil—See: cultural remains; restorations and reconstructions.

ARTIFACTS—See: cultural remains.

AVEOPALEONTOLOGY—Grinnell 1932 (new term, remarks on A. O. U. check list). See also: Paleoörnithology.

Behaviour—See: habits; paleophysiology.

Behaviour—See: habits; paleophysiology.
Bibliographies, Catalogues—Anonymous 1929R (Hrdlička); 1931U (Martin, K.);
Bentwoglio 1929 (in part paleontological); Bosch 1931 (Indian archipelago);
Bourdelle 1929 (Trouessart); Bräuhäuser 1930B (Wepfer);
Castellanos 1929C (Castellanos); Chavardnatzé 1928 (the Caucasus); Coleman, L.,
1932 (American museums); Collin, A., 1930 (index ornithologicus); Company
1932A (Kraglievich), 1932B (Rusconi); Cornelius 1932, 1933 (Austrian publications); Czerny 1929 (Polish societies 1927-1928);
D. 1930 (Zimmerman); Danysz-Fleszarowa 1931, 1932 (Poland and adjoining
regions); Darton 1928 (Walcott); Das-Gupta 1931B (India); Desio 1931 (geology,
Italy); DeVécchi, et al., 1930 (Mochi);
Easton 1932, 1933 (Dutch East Indies); Edwards 1931 (history of paleontology);
Fiedler 1930 (paleontology, geology, mineralogy, Germany); Furon 1932 (geology.

Fiedler 1930 (paleontology, geology, mineralogy, Germany); Furon 1932 (geology, West Africa):

Geological Society of London, 1929 (literature added to library during 1928) Gonsalves 1928 (geology, mineralogy, paleontology, Brazil); Gross, W., 1932A (Antiarchi);

Hall, A., 1931 (geology, South Africa); Hay 1930A (vertebrates of North America); Heintz 1930A (Kiær); Hirsch 1928 (periodicals); Hummel 1932 (Trionychia);

Heintz 1930A (Kigr); Hirsen 1925 (periodicals); Hummer 1952 (1176)lychia), Jaworski, E., 1931A, B, 1932, 1933 (general); Kubacska 1928 (Nopcsa), 1928D, 1932C (vertebrate paleontology, Hungary); Kuhn, Oskar, 1933A, B, C (Thecodontia, Labyrinthodontia, Placodontia); Lambrecht 1931D (Cretaceous birds), 1933B (paleocrinthology); Lameere 1928 (zoology); Liebus 1928 (geology, paleontology, Czecho-Slovakia, 1927), 1929D (1928), 1930 (1929), 1931 (1930), 1932 (1931), 1933A (1932); Livingstone 1929 (geology, paleontology, Bristol region, 1914–1928); Lucas 1933 (Lucas);

McGuire 1930 (list of bibliographies); Meisel 1929 (American Natural History 1590-1865); Merrill 1930 (presentation of bibliographies); Milojevič 1933 (geol-

ogy, Balkan peninsula); Montandon 1931 (paleontology, archaeology, France); Moodie 1928A (paleopathology, France); Moodie 1928A (paleopathology, France); Nickles 1928 (geology, North America 1925 to 1926), 1931A (1919 to 1928), 1931B (1929 and 1930); Nicolas 1930 (paleontology 1917–1926, Canada); Nopesa 1931D (osteology, reptiles and amphibians); North 1928B (William Smith); Noszky 1930 (Miocene, Hungary);

Osborn 1930-I (Osborn); Osborn and Gregory 1931 (Matthew); Osler 1929 (bibli-

otheca Osleriana);
Pearl 1932 (human biology); Péterfi 1928 (biology); Pilgrim 1931 (Pontian carnivores in British Mus. Nat. Hist.); 1932 (Cenozoic carnivores, India); Pilgrim and Hopwood 1928 (Pontian Bovidae of Europe); Pohle 1928C (Leche); Procházka 1930 (mineralogy, geology, paleontology, Czecho-Slovakia, 1928, 1929); Quenstedt 1913 (Fossilium catalogus);

Richter 1932C (Drevermann); Roule 1929B (Vaillant);
St. John 1929 (bibliographic method); Salomon-Calvi 1932A (Drevermann);
Schiller 1932 (Darwin); Schultze, Kükenthal and Heider 1933 (nomenclator animalium); Senn 1933 (geography, natural history, Germany, 1495-1928);
Shaw, D., 1930 (British scientific and technical works); Shedd 1931A (geology snaw, D., 1930 (British Scientific and technical works); Shedi 1931A (geology and mineral resources, California); Sheppard 1929 (geology, Yorkshire, 1927, 1928), 1931 (geology, north of England, 1930); Sherborn 1928–1933 (index animalium); Smith, R. C., 1928 (museums and museum work); Soulsby 1933 (Linnaean MS and publications in British Museum); Sparn 1928 (geology, mineralogy, paleontology, Argentina), 1929 (new names, incl. Ameghino's names, in Academia Nacional de Ciencas); Steiger 1933 (Scheuchzer); Stromer 1932B (ptero-

Théobald 1933 (elephants in Mulhouse Museum); Timofeeff-Resosovsky 1932 (German abstracts of Russian papers); Tokunaga 1933A (land mammals of

Japan and Korea); Torres 1928, 1932 (La Plata Museum);

Voelcker 1932C (Alsatian literature);

Weigelt 1930E (Walther, J.); Wolstedt 1929 (Pleistocene); Wood, C., 1931 (litera-

ture of zoology).

BIOGRAPHIES, BIOGRAPHICAL NOTES, MEMORIAL VOLUMES AND TESTIMONIALS—Agassiz (J [ordan], D. S., 1929B; Warren 1928); Ameghino, F. (Anonymous 1930 AA; Doello-Jurado 1930; Joleaud 1929; Kraglievich 1930G); American Men of Science (Cattell and Cattell 1933); American Naturalists (Tracy 1930); Andrews, R. (McWilliams 1929)

Bather (Anonymous 1928N); Bourgeois (Franchet 1928); Broom (Anonymous

California ornithologists (Palmer, T., 1928B); Cassiere (Brun 1930); Castellanos, A., 1929C; Chardin (Osborn 1931D); Cope (Davis, W., 1932; Keyes 1930; Osborn 1930J; Osborn et al. 1931; Seidlitz 1933B); Cope and American Geology (Keyes 1930); Cuvier (Boule 1932; Bultingaire 1932; Mieli 1928; Roule 1932; Vienot 1932;

see also: Fossilium Catalogus, 1, Pars 72, 98-100);
Dacqué (Lambrecht 1932); Darwin (Dorsey 1928; Ward 1928); Darwin and Owen (Daley 1928); Darwin in South America (Kraglievich 1930B); Dean (Gregory, W., 1928A, 1930L, 1932B; LaMonte 1931); Deperet (Llueca 1929; Roman 1929A); Diener (Diener 1928); Dollo (Abel, O., 1928C, D; Van Straelen 1933); Drevermann (Richter 1932B, C); Dubois, E. (DeJong 1931); Dybowski (Kuntze 1932);

Early paleontologists (Drachman 1930) Fejérváry 1933 (summary of zoologists); Foote (Foote 1928; Gregory, W., 1928G);

Fejervary 1933 (summary of zoologists); Foote (Foote 1928; Gregory, W., 1920G);
Fuhlratt (Bürger 1930);
General (Hirsch 1928; Grove 1932); Gidley (Lull 1932B); Gilmore (Chestnut 1931);
Goethe (Abel, O., 1932A, B; Schmid 1930; Walther, J., 1930); Gorjanovic-Kramberger (Eggeling 1928); Great Biologists (Thomsen 1932B); "Great Men of Science" (Lenard 1933); Greppin (Stehlin 1929D);
Hay (Lull 1931A); Holland (Avinoff 1928; Leighton 1933); Hooke (Boule 1928E; Pavlow, A., 1928A); Hrdlička (Anonymous 1929R); Huxley (Ayres 1932; Peterson H 1039).

H., 1932);

Hering (Anonymous 1930V; Schuchert 1930C); Jaekel (Bubnoff 1931; Drevermann 1929C; Hennig 1929A; Kruger 1931); Jefferson, Thomas (Osborn 1929Q); Jordan (Evermann 1930; Treat 1932); Kiær (Heintz 1930B, 1933A; Raymond 1933); Knight (Forbin 1932); Kowalewsky (Borissiak 1930C); Kraglievich (Anonymous 1932B; Company 1932A);

Lamarck (Anonymous 1930U; Beaulieu 1930; Roule 1929A; see also: Fossilium Catalogus, 1, Pars 72, 248–249); Lankester (Goodrich, et al., 1929; G. C. B. 1930); Leche (Lönnberg 1930); Leidy (Scott, W., 1928); Leonardo [da Vinci] (Blaschke, W., 1928; Bräuhäuser 1930C; Salomon-Calvi 1928); Lucas (Lucas 1933; Palmer, T., 1928B; Townsend 1929);

Marsh (Anonymous 1931-I; Lull 1932A); Martin, K., (Escher 1931; Kuenen 1931); Matthew (Anonymous 1927, 1931W; Gregory, W., 1930-I, 1931B; Osborn and Gregory, W., 1931; Schuchert 1930B); Miller, P. (Clark, N., 1927);

Oregory, W., 1991, Schuchert 1990), While, T. (Glark, H., 1997),
Nopesa (Lambrecht 1933A);
Oken (Maurer 1930); Osborn (Anonymous 1933M; Gregory, W., 1933C; Osborn 1930-I); Owen (Harms 1932);
Pompeckj (Seidlitz 1933A);
Rusconi (Company 1932B);
Sauvage (Cépède 1929); Scheuchzer (Steiger 1933); Sternberg, C. H. (Sternberg, C. H. 1921, 1922); Suskin (Borissiak 1920D; Menzhier 1928); Suskin (Bigly-

C. H., 1931, 1932); Sushkin (Borissiak 1930D; Menzbier 1928); Suskin (Bialynicki-Birula 1928)

Thomas, A. (Lees 1932); Tomes (S[mith], G. E., 1929A); Tournal (Blanquier 1928); Vaillant (Roule 1929B) Versluys (Anonymous 1933-O; Weber, M., 1933); Walcott (Anonymous 1928-O); Walther, J. (Weigelt 1930E); Wetmore (Palmer, T., 1928B); Wortman (Osborn 1926).

Biology—See: biostratonomy; degeneration; ecology; evolution; extinction; general

works; habits; history of paleontology; laws; phylogeny; symbiosis and parasitism; terminology; variation and heredity.

BIOMETRICS—See: variation and heredity.
BIONOMICS—See: terminology.
BIOSTRATONOMY—Ehrenberg 1928B; Weigelt 1933A.

Brain-See: skull.

Burrows, Fossil-See: Daemonhelix (systematic index).

CAVE FAUNAS—See: faunas—Quaternary—cave faunas. CENTER OF ORIGIN—See: distribution and migration. CHEMICAL COMPOSITION OF FOSSILS—See: skeleton; skull.

CHONDROCKANIUM—See: skull. CIRCULATORY SYSTEM—Grodinski 1929 (lymph hearts, dinosaurs); Piveteau 1931A (cephalic vessels of Dacrytherium).

Classification—See: evolution; phylogeny; systematic index; table of classification; terminology.

Сыматолосу—See: paleoclimatology.

COMPARATIVE ANATOMY—See: anatomy. Congresses and Meetings—See: museums, institutions and congresses.

CONTINENTAL DRIFT—See paleogeography.

COPROLITES, GASTROLITHS, AND VISCERAL CONTENTS AND CONCRETIONS—Bonnema 1930 (coprolites, S. Limburg); Eames 1930 (coprolite content, ground sloth, New Mexico); Edinger 1933B (stomach stones, horse and dog), 1933D (kidney stones, Ursus); Fikentscher 1933 (coprolites, spectroscopic examination); Harrington 1933 (ground sloth dung); Janensch 1929C (gastroliths, Dicraeosaurus and Barosaurus), 1929E (gastroliths, ?Thaumatosaurus); Jepsen 1932 (chitin in Tubulodon coprolites); Nürnberger 1933 (porphyrine in crocodile coprolites); Weigelt 1930E (gastroliths, digestive tract of Protorosaurus); Weiler 1932E (mackerel Weigelt 1930F (seeds in digestive tract of *Protorosaurus*); Weiler 1932E (mackerel stomach contents, Oligocene); Woodward, A. S., 1933C (ground sloth dung).

Correlation—See: faunas, general; faunas (various eras, periods, etc.).

Correlation, Stratigraphic and Faunal, Methods of—Klähn 1929D (mastodonts); Osborn 1929K, 1932F; Osbornand Colbert 1931 (elephantenamel method).

CULTURAL REMAINS—Abel, O., 1933A (Africa), 1933B (Austria); Abel, O., and Koppers 1933 (cave bears, cave bear culture, pictographs); Absolon 1928, 1929A, B, C (mammoth-hunters of Predmost); Allison 1928 (Jacob's Cavern); Anderson,

C (mammoth-hunters of Predmost); Allison 1928 (Jacob's Cavern); Anderson, R., 1932 (Algeria); Azais and Chambard 1931 (Africa); Bachofen-Echt 1913E (teeth of cave bear); Barbour, E., and Schultz 1932A, C (Nebraska); Bastin 1932B (poignard of elephant bone); Battaglia 1933B (Grimaldi); Bayer, J., 1928A (mammoth drawings, Europe), 1929 (man, general); Bégouen 1929 (paintings, Mousterian), 1933 (engravings, Magdalenian); Behn 1931 (engravings, paintings, sculpture); Black 1931A, 1932A (use of fire by Sinanthropus); Black, Chardin, Young and Pei 1933 (China); Bossert 1930 (general); Boswell 1932D (associated fauna, Britain); Boule 1928C (charcoal with Piltdown man); Boule and Vallois 1932 (Sahara); Bourdelle 1933 (drawings sculpture,

France); Branchini 1928 (artifacts, Italy); Breuil 1929 (drawings, France), 1931, 1932A, B (Sinanthropus), 1932C (Clactonian); Brown, B., 1928, 1929A (Folsom, New Mexico); Brown, G. B., 1928 (cave paintings, general); Bryan 1929

som, New Mexico); Brown, G. B., 1928 (cave paintings, general); Bryan 1929 (Bishop's Cap, New Mexico); Burchell and Blake 1930 (man, Cervus, Ireland); Burgl 1933 (drawings of cave bears); Burkitt, M., 1929 (general, Europe, North Africa), 1931 (primitive art); Burkitt, M., and Childe 1932 (general); Capitan and Peyrony 1928 (Magdalenian); Casteret 1929 (drawings of cave bears); Chardin 1931 (Clactonian industry); Chardin 1931B, 1932 (Sinanthropus); Chardin and Young 1933 (China); Connery 1932 (arrowhead, found near Elephas); Cook, H., 1927 (western North America), 1928A (Folsom, New Mexico), 1931A (Colorado), 1931B (Oklahoma), 1931D, E (North America), 1931F (Colorado); Cooke, C., and Mossom 1929 (Florida);
Das Gupta 1931 (India); Debetz 1931 (N. Asia), Debruge 1928 (Africa, Cro Magnon); Degerbøl 1928 (domesticated animals, Denmark); Dietrich 1933 (Oldoway, E. Africa); Dressler 1931 (artifacts with American mastodon);
Ebert 1924-1930 (general): Ehrenberg 1931A, 1933A, C (cave bears); Evans 1930

Ebert 1924-1930 (general); Ehrenberg 1931A, 1933A, C (cave bears); Evans 1930 (Oklahoma, critique); Exsteens 1933 (prehistory). Feldhaus 1931 (general); Figgins 1927A, B, 1930, 1931A, 1933B (New Mexico, Okla-

homa, Colorado); Forrer 1928 (implements, associated mammals, Alsace); Furon 1928 (general);

Gaillard 1928A (paintings, France); Golomshtok 1932 (mammoths); Goodwin 1929A (Stellenbosch industry), 1929B (Wilton industry); Goodwin and Lowe 1929 (South Africa); Gould 1928, 1929B (Oklahoma); Gross, J., 1929 (Potočnik Cave,

Jugoslavia); Grüss 1932 (drinking cups of bison horn)

Harrington 1930, 1932, 1933 (Gypsum Cave, Nevada); Harrington and Scherer 1930 (Gypsum Cave, Nevada); Hay 1928C (Frederick, Oklahoma), 1929A (arrowhead, associated mammals, Oklahoma); Hay and Cook 1930 (mammals, Texas, Oklahoma and New Mexico); Heim 1933 (Tibet); Hennig 1931 (Württemberg); Howell, E., 1933 (New Zealand); Hrdlička 1928A, B, 1930, 1932 (early man); Hubbard, S., 1927 (pictographs, pseudofossils, U. S.); Ingalls 1932 (general, recent discoveries); Isberg 1930A (Sweden);

Jacobi 1929B (habits of fossil man); Jenks 1932A, B (man, Minnesota); Joleaud

1932A (Africa), 1933A (Egypt);

Kelly 1928 (Mousterian, new locality); Kos 1931 (bear tooth artifacts); Krumbiegel 1933 (general); Kubacska 1930A, 1932B (bone tools, bear tooth axes, Hun-

Lang 1929 (petroglyphs, manmals, Africa); Leakey, et al., 1931 (Kenya Colony); Lang 1929 (petroglyphs, mammals, Africa); Leakey, et al., 1931 (Kenya Colony); Leuthardt 1930A (domestic and extinct animals, Switzerland); Lorenzo and Erasmo 1932 (Elephas, Italy); Löscher 1928 (Neanderthal); Lowe, C., 1929A (implements, S. Africa), 1929B (S. Africa, Sheppard Island); Lowe, P., and Bate 1931 (ostrich eggs, China); Luquet 1928 ("Ochoskiefers", Germany), 1930 (art and religion of fossil man);

MacCurdy 1928, 1932, 1933 (general); MacKenzie 1933 (man, England); Marchand and Ayme 1932 (associated mammals, N. Africa); Martin, Henri, 1928A, B, 1929, 1932 (drawings, sculpture, mammals, France); Meserve and Barbour 1932 (arrow

point associated with Bison; Mochi 1928, 1929 (nomenclature); Moir 1931A (implements, Palestine), 1932C (coliths); Nelson 1928A ("mastodon engraving", Jacob's Cavern), 1928B (pseudo-artifacts,

Nebraska); Nomland 1932 (sculptured mastodon, Mexico);

Obermaier 1928A (Bison figures, Altamira), 1931A (mammals, drawings, N. Africa), B (general); 1932A (Magdalenian art, Spain, associated with rhinoceros), B

(general)

Palmer, L. S., and Hinton 1929 (artifacts, associated vertebrates, England); Pax and Arndt 1930 (bone ornaments); Pei 1931C, 1932 (Sinanthropus, artifacts, China); Pei and Chardin 1932 (Sinanthropus, artifacts, China); Peters, E., 1930 (mammals, engravings, Germany); Petrbok 1930B, C, D (Aurignacian cultural remains, associated mammals, Czecho-Slovakia); Peyrony, D., 1929 (mammoth engravings, France), 1930 (Mousterian implements); Peyrony, E., 1933 (artifacts

and animal engraving); Pontier 1932 (engraving, elephant head); Pradenne 1929 (associated mammals, France);
Rademacher 1928 (engravings, Rheinland); Ray 1928 (artifacts, Texas); Reck 1932B (Oldoway); Reygasse 1931 (N. African culture periods); Ribot 1931 (engravings, France); Rick 1931, 1932 (artifacts, associated mammals, Germany); Rusconi 1932K (bone artifacts); Russell, J., 1928 (France);

Sandford 1929, Sandford and Arkell 1929 (Paleolithic, Egypt); Sanford 1931 (dart points with Mastodon); Schaffer 1932 (general); Schmidtgen 1929A (questionable points with Mastodon); Schaffer 1932 (general); Schmidtgen 1929A (questionable artifacts, Germany), 1929B (mammals, associated artifacts, Germany), 1931B (artifacts, Germany), 1932A (cave painting, Germany); Schultz, C., 1932 (artifacts, associated mammals, Nebraska); Schurmann 1931 (Sumatra); Schwabe 1933 (artifacts, associated mammals, Germany); Seeley 1930 (France, cave painting) Sellards 1932 (artifacts, associated mammals, Oklahoma); Simpson, G. G., 1933H (mammals, associated "artifacts," Nevada); Sluster 1930 (mammal paintings, Spain); Smith, G., 1932A, B (artifacts with Sinanthropus); Smith, G., et al., 1931 (general); Spearing 1930 (paintings and sculpture, general); Spiller 1931 (general); Spillman 1929A (Ecuador); Stallybrass 1932 (climate); Stock 1930B (Gypsum Cave, Nevada); 1930B (Gypsum Cave, Nevada); Tokunaga and Naora 1933A, B (Manchukuo); Torii 1930 (fossil man);

Uhle 1930 (Mastodon and pottery in Ecuador);
Vallois 1931E (Mesolithic, Portugal), 1933B (S. Africa); Vaufrey 1928B, E (paleolithic, Italy); Vignati 1931A, B (carved Toxodon teeth, S. America); Voelcker 1932A (bone artifacts, Germany);
Wernert 1928 (Loess, Germany); Werth 1928 (general); West 1931 (cave man,

Europe); Wetmore and Friedmann 1933 (Texas cave); Wiegers 1929 (north Ger-

many); Woodward, A. S., 1932C (Sinanthropus, artifacts).

Definitions—See: terminology. Degeneration—Abel, O., 1929C, 1931A; Antonius 1931 (cave bears); Beurlen 1933A, B, C; Ehrenberg 1929E, 1931D (cave bears); Joleaud 1930 (Pleistocene deer);

See also: evolution; phylogeny.

Dentition—Pisces—Thomasset 1928B (classification of dentine), 1929, 1930A, 1931A.

Dentition—Mammalia—Abel, O., 1932E (analogy and homology); Abel, W., 1931A; Adloff 1931, 1932A, B, 1933 (man); Ameghino, F., 1933 (upper molars, ungulates); Anderson, C., 1929B; Anthony, R., 1930A (Stehlinius), 1933A (Proboscidea), 1933B (theory of multituberculy); Anthony, R., and Prouteaux 1929 (tusk anomalies); Artelt 1929 (historical);

Bachofen-Echt 1931A, C (Ursus); Barbour, E., 1929B (Amebelodon), 1929C, 1930A, 1931A (Mastodon); Bergerson 1930 (Elephas); Black 1929A, B (Sinanthropus);

Bode 1931 (Merychippus), 1933A (Equidae); Breuer 1931A, 1933 (Ursus, pathology); Broom 1929B (Australopithecus);
Cabrera 1932 (camels); Cauvet 1929 (dromedaries); Chang 1929 (Proboscidea);
Colbert 1933B (Orycteropus, histology);
Dart 1929A (elephants), 1931C (Australopithecus); Dietrich 1928A (Chalicotherium); Drennan 1932 (Bushman and Neanderthal man); Dubois, G., and

therum); Drennan 1932 (Bushman and Neanderthal man); Dubois, G., and Pontier 1928 (Elephas); Edinger 1930C (elephant tusks); Ehrenberg 1931F (cave bears); Frechkop 1932A (Insectivora), 1932B (Sciuromorpha), 1933A, B (tritubercular theory); Friant 1931 (double-tusked elephant), 1932, 1933A (theory of evolution of teeth), 1933B, C (Oligocene rodent); Frick 1933 (mastodons); Glaessner 1931 (anthropoids); Gregory, W., 1927 (Dryopithecus), 1928G (histology),

1929B (general);

Hellman 1928 (Dryopithecus, man); Hilzheimer 1930 (Elephas); Huene, E., 1933 (Triassic, Württemberg);

Jacobi 1929B (mammals, man); Jepsen 1932 (Tubulidentata, histology); Keith 1932 (Oldoway teeth); Kubacska 1930A (cave bears);

Nagasawa 1930, 1931A, C, 1932A, B (cervids, molar teeth); Neuville 1928, 1932A (dentition, cetodonts), 1932B (dentition, artiodactyls); Osborn 1929K, 1932F; Osborn and Colbert 1931 (elephant enamel); Pontier 1930A (dental anomalies, Proboscidea), 1930B (mammoth), 1933A (Ele-

phas, Dinotherium), C (Archidiskodon); Pontier and Anthony, R., 1929 (Tetra-

belodon), 1933 (Elephas); Pontier and Dubois, G., 1928 (Elephas);
Revilliod 1928 (Eccene bat); Rode 1930A, B, 1931, 1933 (bears); Rusconi 1930E (llama), 1930H (Myocastor), 1931A (Paleolama), 1932A ("Dicoelophorous"), 1932H (camelids); Russell, L., 1933 (Merychippus); Russell, L., and Wickenden

1933 (U. Eocene);

Schtylko 1929 (horses); Schwarz, R., 1931 (man); Shaw, J., 1928 (man, taurodontism), 1931 (Bantu); Simpson, G. G., 1928C, 1929A (Mesozoic), 1929C (Ornithorhynchus), 1929F (molar evolution, Amblypoda), 1931A, 1932B (edentates, enamel), 1931N (plagiaulacoid), 1933C (evolution); Smith, G., 1930D (man, dental histology);

Taviani 1928 (human), 1929, 1932 (man); Teriaev 1932 (ungulata, tooth growth); Théobald 1933 (*Elephas*); Tratman 1929 (human, Ireland); Vallois 1933C (mutilation, man); Van der Maarel 1932 (ganometry of probos-

eideans); Wood, H., 1927 (evolution); Wood and Wood 1933B (dog);

See also: skull, (various groups).

DERMAL SKELETON-See: integumentary structures; skeleton.

DESCENT—See: evolution; phylogeny.

Develorment—See: embryology; evolution; phylogeny; variation and heredity. Digestive System—See: coprolites and gastroliths.

DINOSAUR EGGS—See: eggs and egg shells.

DISEASE—See: paleopathology.

DISTRIBUTION, DISPERSAL AND MIGRATION—Amschler 1931 (domestic animals);

Arambourg 1933B (Ursus); Arldt 1929 (Asiatic origins); Azais and Chambard

1931 (origin of man in Africa);

Barbour, E., 1931C (Castoroides); Barbour, T., 1926 (amphibians and reptiles); Bartenev 1932 (paleontology and zoogeography), 1933 (origin of Tertiary faunas); Bean 1933 (man); Beaufort 1931 (East Indies); Black 1930E (Sinanthropus and hominids); Bolkay 1928 (salamanders); Boonstra 1933A (pareiasaurs); Boule 1928E (Robert Hooke); Broom 1929F, 1933A (origin of man);

Burchard and Ahl 1928 (Testudo on Teneriffe);
Cahn 1929, 1932 (Castoroides); Chardin 1931C (mammals, China); Colbert 1933B (Tubulidentata); Colosi 1931 (general and West Indies), 1932 (critique of theories); Corroy 1928A, B, (Triassic);
Dart 1929C, D, 1931 (fossil man in S. Africa); Davies, A., 1929 (since Cretaceous);

Duncan 1929 (man)

Foerste 1931 (Arctic land bridges and continental drift); Fraipont and Leclercq 1932A, B, C (ologenesis and distribution); Friant 1933B, C (rodents);

Gasparovich 1931 (S. Amer. man); Geiseler 1928B (man); Gilmore 1928D (lizards); Grabau 1930B (vertebrates and man, Asia); Grinnell 1932 (fossil birds); Gross,

W., 1933B (early vertebrates); Hartmann-Weinberg 1928A, 1930 (Permo-Triassic faunas, Europe and S. Africa); Haughton 1929C (reptiles, S. Africa); Hempelmann 1929 (general); Hofmeyr 1929 (faunas, S. Africa); Hrdlička 1932 (man, Asia and N. A.); Huene, F., 1929G (Mesozoic reptiles); Hussey 1930 (whales, Michigan Pleistocene);

(Mesozoic reptiles); Hussey 1930 (whales, Michigan Pleistocene);
Jacobi 1929A (reindeer, Pleistocene); Jägerskiöld 1933 (Rangifer, Pleistocene);
Johnston, W., 1933 (man); Joleaud 1931C (Neanderthal man, migration);
Koch, F., 1929 (tetrapods, man); Kolbe 1928 (general); Kraglievich 1932A (Cervidae); Kuhn, Oskar, 1933D (Cretaceous crocodiles);
Leclercq 1931 (ologenesis), 1932 (general); Longley 1932 (origin and distribution of species); Lönnberg 1928 (Varanus); Lowe, P., 1928B (ostriches), 1933C (penguins); Lull 1929A (general), 1933A (dinosaurs);
Malcolm 1931 (man, Europe); Matthew 1930C, 1932A, B (dispersal of land mammals); Mendes-Correa 1933A (man, general); Metcalf 1930 (bufonidae);
Nagy 1929 (fossil birds, Europe); Nopcsa 1932B (land reptiles and stegocephalians);
Osborn 1929A (Asia), 1930E (Parelephas), 1932H (Jurassic sauropods, Tertiary mammals);

mammals);

mammals);
Penrose 1931 (man); Prenant 1933 (animal geography);
Regan 1929B (fishes); Rieth 1933 (distribution of fossorial mammals); Rusconi 1928B (distribution, Ctenomys), 1931B (distribution, Ctenomys);
Schmidt, K., 1931B (Holarctica); Schtylko 1929 (Equidae); Scott, W., 1928B, (general), 1932B (S. Amer.); Sewell 1929 (effects of changes of sea level); Simonescu 1932 (Camelidae); Simpson, G. G., 1929A (Mesozoic mammals), 1931A (edentates), 1932C (Sirenia), 1933N (Plagiaulacoidea); Smith, G., 1930B, I, N (man); Smith, M. G., 1930 (early man in America); Stromer 1931A (land animals, Mesozoic and Tertiary); mals, Mesozoic and Tertiary);

Tolmachoff 1929 (rhinoceroses and mammoth, Siberia);

Ubisch 1928 (Wegenerian); Watson 1929J (zoological regions); Weidenreich 1928 (early types of *Homo*); Weiler 1932D (Cretaceous fishes).

DRUGS, FOSSILS AS—See: economic paleontology. Dung, Fossil—See: coprolites.

Ecology—Abrard 1928 (paleosociology); Barbour, G., 1930 (Sinanthropus); Boonstra 1933A (pareiasaurs); Fenton 1932, 1933 (paleoecology); Gross, W., 1932B, 1933B (lower vertebrates); Hennig 1932 (general); Howard 1930 (birds, Rancho La-

Brea); Huene, F., 1933C (Placodus); Hummel 1928, 1929 (Trionychia); Laatsch 1931 (Triassic ganoids); Lull 1933 (dinosaurs); McLearn 1931 (dinosaurs); Pearse and Hall 1928 (origin of warm blooded vertebrates); Penrose 1931 (effect of cave life on man); Peters 1932 (Mesozoic Reptilia); Romer 1930D (Pennsylvanian tetrapods); Sickenberg 1931A (influence of marine life on sirenians); Soergel 1928A (Lower Triassic, Germany); Weber, M., 1928B (fossils as indications of geographic and climatic environments); Wilson 1933 (Carpinteria Pleistocene, California).

ECONOMIC AND COMMERCIAL PALEONTOLOGY—Fossils as drugs—Koenigswald 1932C

(teeth, Chinese pharmacy in Java).

Fossils as ornaments—Pax and Arndt 1930 (jewels, armlets, etc.).
Fossil ivory trade—Sarton 1929 (Siberian mammoth ivory), 1931 (Ms. of Al-Māzinī).
Selling of fossils—Vaufrey 1933A.

Fossils used by primitive men—See: faunas, Quaternary; cultural remains.

Eggs, Egg Shells and Egg Capsules—Barber 1930 (Burma); Jepsen 1931 (Cretaceous dinosaurs, Montana); Kluger 1932 (turtle eggs?, Cretaceous, Germany); Lowe, P., 1933B, and Lowe and Bate 1931 (ostrich eggs, Pleistocene, Arabia and China); Mertens 1929A (roc egg); Moltoni 1929 (ostrich, Honan); Peyer 1928A (egg capsule, shark); Pranti 1933 (egg capsule, shark); Schmidtgen 1928B (Pleistocene bird egg, Germany); Schonwetter 1929 (measurements, classification); VanStraelen 1928 (fossil eggs, reptiles, general review); Walker 1932A (Oligocene eggs, Nebraska and Wyoming); Wetmore 1933B (L. Eocene, Wyoming); Wood, C., 1923 (Pleistocene of Bermuda, birds); Yabe and Ozaki 1929 (turtle, Cretaceous, Manchuria); Young 1933 (ostrich, China). Embryology—See: paleoembryology.

ENDOCRANIUM AND ENDOCRANIAL CASTS—See: skull.

Environments—See: ecology; evolution; occurrences.
Ethology [= Paleoethology]—Fejérvary 1933; Hennig 1932A (general); Zarnik 1926 (plesiosaurs); See also: ecology; habits.
EVOLUTION—Allen, E., 1930 (adaptations); Anthony, R., 1930A, B (general remarks);
Avellino 1928 (general); Ayers 1932 (Huxley);
Bartaner 1932 (theory of indicates a control of the cont

Bartenev 1933 (theory of isolation); Bather 1928D, E (popular), 1929B (adaptation); Bavink 1932 (descent); Bean 1933 (man); Beauverie, et al., 1933 (general discussion); Beer 1930 (embryology and evolution); Behm 1929 (man); Berg 1930 (man); Bertaccini 1930 ("theoria atomica"); Bertolanffy 1929 (history of theories); Beurlen 1932 (mammoth); Bill 1932 (metaphysical); Binet-Sanglé 1931 (man); Bolk 1929 (man); Bolsche 1931A (man); Boonstra 1932C, D (pareiasaurs); Borissiak 1929 (man); Bolsche 1931A (man); Bornadas 1928 (man, general); Borissiak 1929A (adaptive radiation, mastodonts); Borradas 1928 (man, general); Borri 1932 (cetaceans); Boubier 1933 (birds); Boyle 1928 (man, general); Bradley 1929 (man), 1930 (general); Bray 1930 (early theories); Bremerkamp 1931 (taxonomy and evolution); Bretz 1926 (man); Briggs 1928 (human face); Broom 1932A (theory); 1933A (origin of man), 1933B (general discussion); Brunelli 1932 (Berg and Rosa theories), 1933 (theory); Bünning 1932 (theory); Burstrow 1933 (genyical vertabrea);

Bystrow 1933 (cervical vertebrae); Caldwell 1931 (man); Calverton 1931 (man); Campbell, H., 1933 (man); Castellanos 1931 (man, general); Caullery 1931 (manmals, "Emergent evolution"), 1932 (genetics and evolution), 1931, 1933 (general, "Emergent evolution"); Caullery, et al., 1928 (man); Chardin 1930F (man, general); Chen 1929 (in Chinese folk-lore); Clark, A., 1928, 1929A, B, C, 1930A, B (zoögenesis); Colosi 1932A (critique of theories), 1932B (hologenesis); Conger 1929 (general); Crile 1933

(orthogenesis);

Dabelow 1931 (brain, mammals); Dakin 1931 (habitat of early vertebrates); Darwin, C., 1933 (voyage of Beagle, original MS.); Darwin, L., 1930 (general); Davies, L., 1930 ("proofs" of the Noachian deluge); Degerbøl 1928C (man); Delphy 1930 (general); Denizot 1930 (mammals, France); Devaux 1928 (general); Dewar 1931, 1932 (controversial); Dorsey 1931 (popular); Dubois, E., 1928, 1930 (Dubois' law); Dudycha 1929, 1931A, B (general); Dunnington 1931 (controversial); Edinger 1930E (time factor); Ehrenberg 1930 (Rassenkreis theory), 1932C (biogenetic law); Enriques 1929 (history of theories);

Fasten 1929 (general); Fejérváry 1928, 1929A (Darwinism, Lamarkism); Fisher 1930 (natural selection); Fox 1932 (teleological factors); Fraipont 1930 (ologenesis), 1931B (Primates, brain), 1933B, C (adaptation and mutation); Fraipont and Leclercq 1932A (ologenesis, Lamarkism and distribution); Franz 1932 (biogenesis); Frechkop 1933A, B (teeth, mammals); Friant 1932, 1933A (new theory, evol. of teeth); Friedrich 1932 (homology):

Gasparovich 1931 (S. American man); Georg 1931 (man); Graf, G., 1929 (history); Gasparovich 1931 (S. American man); Georg 1931 (man); Graf, G., 1929 (listory); Gregory, J. 1928 (species); Gregory, W., 1927, 1928C, E, F, 1929A, B, C, D, E, G, K, 1930M, N, 1932A, 1933D (man, Primates, general), 1928B, D, 1930H, 1931C, 1932C, 1933B (fishes, body form, skull, skull mechanisms); Gruenberg 1929, 1930 (general review); Günther 1928 (general); Guyenot 1930 (variation); Haldane 1932 (factors); Hartmann-Weinberg 1931, 1933A (pareiasaurs); Hauser 1928 (man); Heard 1931 (man); Helmich 1931 (ancient theories); Hennig 1929C, 1932 (general), 1931B (Paleozoic fishes), 1932D (dinosaurs); Hiller 1932 ("Formatical" theory); Hill Tout 1921 (man); hydrogray); Hostor 1939 (1921A)

1932 (general), 1931B (Falcozoft Instes), 1932B (unlosates), 1931B, 1931

Jacot 1932 (species question, orthogenesis); Janse 1928 (archigony); Joleaud 1929B (Primates, S. America), 1930B (theories); Jollos 1931 (genetics and evolution); Jones 1929A, B (man); Jordan 1928A (general); Jordan and Kimball 1929 (man); Kappers 1929A (nervous system); Keith 1928A, 1929B, C, 1930, 1931A, B, C (man), 1931A (primary form); Keith 1928A, 1929B, C, 1930, 1931A, B, C (man), 1931A (primary form); Keith 1932A, 1932B, C, 1930, 1931A, B, C (man), 1931A, C, 1932 (man); Kappers 1932A, 1932B, C, 1930, 1931A, B, C, 1930, 19

1931D (evidence of paleontology), 1928B (Darwinism); Keith, et al., 1932 (paleontological evidence); Keller 1932 (man); Kellogg 1928A (adaptations, whales);

ontological evidence); Keller 1932 (man); Kellogg 1928A (adaptations, whales); Kesteven 1931B (Anamniota); Kindersley 1932 (controversial); Kleinschmidt 1929, 1930, 1931 ("Formenkreis", species concepts); Koch, F., 1929 (man and vertebrates); Köppel 1930 (man); Kotsovsky 1928 (general); Kraglievich 1929C (manmalian digits), 1930G (canids), 1930L (theory);
Laatsch 1931 (Triassic ganoids); Lalande 1930 (illusions of evolutionists); Lang, W., 1928 (form and structure); Larson 1930 (skeleton, recent and Pleistocene bird; Le Buffe 1929, 1931A, B, C, D, E (controversial); Leclercq 1931 (ologenesis); LeRoy 1928 (human, general); Lindsey 1931 (general); Lodge 1929 (man); Longley 1932 (speciation, distribution), 1933 (population growth); Lotsy 1928A (man, descent), 1928B (popular); Lull 1928 (man), 1929A, 1932C (general), 1931B (horses), 1931C (proboscideans);
MacBride 1929 (natural selection), 1930 (Dollo's law), 1931 (general); McCabe 1931 (general); McClellan 1932 (controversial); McDougall 1929 (emergent evolution); McDowell 1931 (biology and man); Macfarlane 1923A (fishes); MacTag-

lution); McDowell 1931 (biology and man); Macfarlane 1923A (fishes); MacTaggart 1933 (general); Magne de la Croix 1928 (evolution of gallop); Marshall and Smith 1930 (kidney); Mason 1928 (general); Matiegka 1930 (man); Matthew Smith 1930 (Ridney); Mason 1928 (general); Mattegka 1930 (man); Matthew 1930G (zoögenesis), 1932C (oreodonts, adaptations); Maurer 1928 (man); May 1928 (Cuvier and Lamarck); Menge 1930 (theories); Menzbier 1930 (terrestrial vertebrates); Messenger 1931 (theology); Migeod 1932 (theory); Mijsberg 1928 (man, ancestry), 1930A (human chin); Miller, G. A., 1929A (human missing links); Miller, R. A., 1932 (pectoral girdle, Primates); Mitchell, P., 1930 (general); Mollison 1930A (orthogenesis); Monestier 1928 (theories); Montandon 1928G, 1930A (percent line); Montandon 1930A (percent line); Montan 1929A, B (ologenesis), 1930 (transformism); Moore, N., 1928 (theory); Morgan 1932 (basis of evolution); Müller, L., 1928 (extinction of dinosaurs); Müllerried 1932B (Gymnophiona, ancestry, theory);

Nabours 1930 (emergent evolution); Naef 1928A, 1931 (general); Newman 1928 (evidence for), 1932A, B, C, D (general); Nopcsa 1928A (heredity and evolution); North 1928B (William Smith's theories); Osborn 1927B, F, G, 1928C, H, J, 1929L, 1930A (man), 1928A (human locomotion), 1928G (Primate brain), 1928-I, 1929E, 1930H, 1931C, G, I, 1932A, C, 1933B, C, F (general), 1928K, 1929F (influence of glacial age), 1931B (natural selection), 1933A

(aristogenesis)

Palmer, E. G., 1928 (origin of man); Parks 1926B (general); Patten 1930 (general), 1932A (faces); Pavlow, A., 1928A (Robert Hooke); Pearse and Hall 1928 (homoiothermism); Piiper 1928, 1929 (vertebral column, birds); Pike 1928 (habitus); Piveteau 1931B (habitus); Pongracz 1931 (Dollo's law); Potonie 1928 (Darwinism); Poulton 1932 (historical); Power 1933 (man, controversial); Price 1931 (controversial); Pycraft 1930A (Darwinism vs. Lamarckism);

Quenstedt 1929A (theory), 1929B (rate of evolution); R., J., 1929 (general); Rabaud 1931 (transformism); Radl [and Hatfield] 1930 (history of Darwinism); Regan 1930B (Primates); Rensch 1928, 1929 (Rassenkreis theory); Reyes 1931 (water to land); Reynolds, E., 1931 (human pelvis); Rieth 1931B (skull and snout in grovelling); Riggs 1933A (horse); Ritchie 1930 (Scotland); Robson 1928 (species problem); Romer 1933A (eurypterid influence); Rosa 1928 (biogenetic law), 1929, 1931 (ologenesis); Rostand 1931, 1932 (transformism);

Salomonsen 1931 (Quaternary); Samuel 1932 (theory); Schindewolf 1928B, 1930A, B (man); Schramme 1930 (theoretical); Sergi, A., 1929B (*Homo*); Sewell 1931, 1933 (theory); Sewertzoff 1929, 1931B, 1932 (general), 1933 (fish fins); Shipley 1930 (popular); Short 1929 (controversial); Sicher 1932 (orthogenesis); Simpson, G. G., 1933C (dental, critical); Sinéty 1928 (biosphere); Smith, G. E., 1928C (brain), 1931D, 1932D (jaws and teeth); Smith, Hay W., 1928, 1929 (controversial); Smith, Homer W., 1932 (fishes, water regulatory apparatus); Sonntag 1931 (Primates); Sullivan 1933 (methods, limitations); Swinnerton 1929, 1930B (general);

Taviani 1928 (human teeth); Thorn 1930 (general); Thomas, H. H., 1933 (phylogeny); Thomson 1928, 1932A (general); Tilney 1932 (human brain); Tirelli 1932 (mathematical methods); Torreggiani 1930 (horse feet); Tretjakoff 1929B (origin

(mathematical methods); Torreggiani 1930 (horse feet); Tretjakoff 1929B (origin of chordates); Trueman 1931 (general); Van Bemmelen 1928 (general); Vernadsky 1928 (geochemical energy); Vinassa de Regny 1928, 1931 (adaptation, natural selection); Vogel 1930 (man, general); Walmsley 1933 (man, femur); Warden 1932 (man, general); Waterman, H., 1929 (pelvis, man); Watson 1928A (birds), 1928C (man), 1929E (orthogenesis), 1930B (adaptation), 1931B (reptiles, S. Africa); Weidenreich 1931C (Dollo's law), 1931G (man); Weinert 1931B, 1932B, F (origin of man); Wheeler, J., 1931 (man) Wheeler, W., 1927 (Emergent evolution): Whitehead 1933 (outline): Williams Wheeler, W., 1927 (Emergent evolution); Whitehead 1933 (outline); Williams, H. S., 1932 (mammals); Williams, W., 1928 (controversial); Wilser 1931 (climatic factors); Woods, W., 1929 (Emergent); Woodward, A. S., 1928A (general), 1931B (fishes); Woskoboinikoff 1932 (fish skull and gill mechanisms); Wright 1931 (statistical theory).

EXCRETORY SYSTEM—See: anatomy.

EXHIBITS—See: reconstructions and exhibits; restorations; technique, field and

museum methods.

EXPEDITIONS, EXPLORATIONS AND EXCURSIONS; REPORTS AND NOTICES OF-Andrews, R., 1928A, B, 1929A, B, C, 1931, 1932 (Asia); Arambourg and Jeannel 1933 (Abys-

Barbour, E., 1931E (Nebraska); Barbour, G., 1930 (N. China); Beckers 1932 (Belgium); Berckhemer 1929A (Württemberg); Berkey 1929 (Asia); Boss 1932 (Pliocene, Idaho); Broom 1927 (South Africa); Brown 1928 (Folsom, New Mexico); Bryan 1929 (Bishop's Cap, New Mexico); Bump, J., 1930A (S. Dakota);

Carthaus 1928A (Trinil, Java); Chandler 1931 (Swanscombe, England); Chardin

1932 (Central Asia); Company 1930 (Nueva Palmira);

Darwin 1933 (voyage of Beagle, ed. from MS.); Dietrich 1928C, D (Andrews, Mongolia); Drevermann 1928C (Andrews, Mongolia); Dunn 1927 (Burden, Komodo); Edinger 1930D (Steller sea cow); Epps and Priest 1933 (Abbey Wood, Kent);

Fabiani 1928 (Italy); Farquhar 1930 (Whitney Geologic Survey); Figgins 1917, 1918, 1919, 1920, 1923, 1928, 1931C, 1932, 1933C (Colorado Museum of Natural History); Forbin 1931 (Migeod's Tendaguru exp., E. Africa); Frick 1929, 1931A, B (North America, Cenozoic);

Gidley 1930A, C (Pliocene, Idaho); Gilmore 1928C (Grand Canyon), 1929 (Montana), 1930A (New Mexico), 1931A (Wyoming), 1932A (Montana and Wyoming), 1932C (Utah), 1933A (Nebraska, Wyoming, South Dakota); Gregory, W., 1931A

(Central Africa);

Hedin 1932, 1933 (riddles of the Gobi Desert); Holmes, W., and Simpson, G. G., 1931 (Florida, Pleistocene); Hopwood 1932A, 1933B (Olduvai, Africa); Hrdlička 1928B (Neanderthal, etc., Europe); Hubbard, S., 1927 (northern Arizona); Huene, F., 1928E (stratigraphy, Patagonia), 1929B (Triassic, Brazil), 1931A (Karroo, S. Africa); Jepsen 1926 (South Dakota School of Mines);

Kellogg 1929A, 1931A (Miocene, Maryland, and Louisiana marine mammals); Lanquine 1932 (congress of protohistoric and prehistoric sciences);

McSpadden 1931 (American Museum, popular); Migeod 1930, 1931A, B (British Museum East Africa expeditions);

Orlov 1931B (North America, Mongolia); Osborn 1929G, N, 1930F, K, 1931A, 1932E

(Asiatic explorations), 1932-I (Amer. Mus.).

Parks 1922 (Canada); Pfizenmayer 1928 (mammoth hunting); Pingchang 1930 (Central Asiatic expedition); Poole 1930 (Haitian cave explorations);

Reck 1932C (South Africa); Romer 1930C (Walker Museum expedition, S. Africa); Scott, W., 1928C (Princeton Univ. expeditions to Patagonia, 1896–1899); Seemann 1932, 1933 (Triassic quarries, Germany); Sickenberg 1933A (excavations at Hundsheim); Simpson, G. G., 1931D, 1932-I, 1933D, G (Scarritt Patagonian expedition); Sternberg, C. H., 1918 (Red Deer River, Alberta), 1922 (Permian of Texas, and Kansas chalk), 1928 (McKittrick, California); Sternberg, G. F., 1930 (North America); Stipek 1929 (Abel's "Amerikafährt"); Thorpe 1931A (review of Osborn 1930);

Voigt, Brotzen and Bettenstaedt 1932 (Grube Cecilie);

Willey 1906 (Bone Cabin Quarry, Wyoming).

Wiley 1900 (Bone Cabin Quarry, Wyoming).

EXPLORATIONS—See: expeditions, explorations and excursions.

EXTINCTION—Anderson, R., 1933 (Miocene fishes); Antonius 1932 (Equus); Audova 1929A, B, (Mesozoic Reptilia); Beurlen 1933A, B, C; Boonstra 1932C, D (pareiasaurs); Drevermann 1932B (causes); Ehrenberg 1929B (cave bears); Gaál 1933 (factors); Joleaud 1930 (thickening of jaws in Pleistocene deer); Laatsch 1931 (Triassic ganoids); Massingham 1928 (mammals); Matthew 1932C (oreodonts); Müller, L., 1928 (dinosaurs); Peters 1932 (reptiles); Scott, W., 1930A (Pleistocene mammals); Simpson, G. G., 1932D (mammals, Florida); Tolmachoff 1928 (mammath and Steller sea-cow), 1929 (rhinoceposes and mammath); Van Repmaler moth and Steller sea-cow), 1929 (rhinoceroses and mammoth); Van Bemmelen 1928 (general); Woodward, A. S., 1931B (general); Zunini 1933 (general).

FAUNAS, GENERAL—Althoff 1928 (Garantian beds, Germany); Ameghino, F., 1932 (Patagonia); Andrews, R., 1929C, 1932 (Mongolia);
Barbour, T., 1926 (amphibians and reptiles); Barbu, I., 1930 (Rumania); Beaufort 1931 (East Indies); Berckhemer 1928B, 1929A, B, 1930C (Württemberg); Berkey, et al., 1929 (Mongolia); Betin 1929 (Brazil); Blondel 1930 (Asia); Campbell 1929 (otoliths); Carroll 1929 (shark teeth); Chardin 1930D, E (China); Color 1931 (distribution of variety are chiefly West Indies) 1922 (distribution)

Colosi 1931 (distribution of vertebrates, chiefly West Indies), 1932 (distribution, theories); Cosijn 1931, 1932 (vertebrates, Java);

Dietrich 1928C (Mongolia); Dixey 1928A (Nyassaland);

Ehrenberg 1928B (vertebrates, Europe); Funkhouser and Webb 1928 (Kentucky);

Grinnell 1932 (aveopaleontology); Gregory, J., and Barrett 1931 (stratigraphy);

Gürich 1928A (hist. geol.); Hay 1928B (correlation methods); Hempelmann 1929 (distribution, general); Hubbard, S., 1927 (North America, controversial); Huene, F., 1929G (Paleo-Mesozoic reptiles and amphibians, Australia), 1933D, É (stratigraphy, Brazil);

Johnson, J. H., 1929 (Colorado); Klähn 1929D (mastodonts, correlation); Klebelsberg 1928 (mammoth, Austria); Koerner 1931 (birds, mammals, Colorado); Kraglievich 1928C, D 1930A (mam-

mals); Krijnen 1931 (fossil localities, Dutch East Indies); Lambrecht 1929A, 1931C, 1933B (birds); Lavauden 1931 (extinct and legendary vertebrates, Madagascar); Lönnberg 1928 (Varanus); Lull 1929A, 1932C (gen-

Maillieux 1933 (Belgium); Maillieux and Demanet 1929 (Belgium); Mattheus 1928 (Bavaria); Mohr 1931 (Schleswig-Holstein); Moodie 1929J (Indiana), 1931A (Kentucky);

Orlov 1931B (North America); Osborn 1930K (central Asia);

Orlov 1931B (North America); Osborn 1950K (central Asia);
Parrington 1932 (Tanganyika); Picard 1928 (mammals, China);
Reeside 1932 (North America); Rogers, Hall, Wagner, and Haughton 1929 (S. Africa); Roman 1930 (Lyons, France);
Schaub 1931A (mammals, Venezuela, Trinidad); Schevill 1932 (types at Harvard);
Schmidt, H., 1929B (guide fossils); Sellards, Adkins and Plummer 1933 (Texas);
Simpson, G. G., 1931E (origin of mammalian faunas), 1933E (North American mammal horizons), 1933Q (Patagonia); Stirton 1932C (mammals, Miocene and Pliocene, Nevada); Stock 1924B (mammals, with invertebrates, California); Troughton 1932 (Australia)

Wark 1928A (Florida); Williams, M. Y., and Dyer 1930 (Alberta and Saskatchewan); Wiman 1930B (turtles, China); Winchell 1867 (World); Wood, G., 1929

(Argentina).

FAUNAS—Paleozoic—Reed, F., 1928 (fish tubercles, India), 1930 (fish scales, Brazil); Schuchert 1928 (general); Straw 1933 (fish); Range 1930 (S. Africa); Ruedemann 1932 (N. Y. State); Thomas, H. D., 1929 (glaciation); Tieje 1924 (ostracoderms, Wyoming).

FAUNAS-Cambrian-Bryant 1927 (?ostracoderm, Vermont).

FAUNAS-Ordovician-Johnson, J. H., and Behre 1933 (ostracoderms, Colorado); Kirk, S., 1928, 1929 (conodonts, ostracoderms, Colorado); Kirk, E., 1930 (Harding sandstone, Colorado); Tieje 1924 (ostracoderms, Wyoming).

FAUNAS—Silurian—Brotzen 1933B (Poland); Heintz 1933B (Archegonaspis versus Onchus); Hoppe 1931A, B (ostracoderms and fishes, Estonia); Kiær 1931 (ostracoderm, Sweden); Kiær and Heintz 1932 (ostracoderms, Estonia); Patten 1931A (ostracoderms, Oesel); Scott, W., 1930B (Norway); Stetson 1928C (Thelodus, Canada).

FAUNAS-Devonian-Aldinger 1932 (fishes, Greenland);

Branson, E., 1929 (fishes, central U.S.); Branson, E., and Mehl 1930B (fish, Wyoming, Utah), 1931B (fishes, Utah); Broili 1930A (Lunaspis, Germany), 1930C, 1933A, B, D (fishes, Germany); Brotzen 1933A, B, C (Poland); Bryant 1929B, C, D, 1932, 1933 (fishes, New York and Wyoming);

Case 1931A (arthrodires, Michigan); Caster 1930 (amphibia, fish, Pennsylvania); Chadwick 1931 (Bothriolepis, Pennsylvania);

Dorf 1932 (Wyoming); Dutertre 1929A, B, 1930A (fishes, France);

Evans, J., 1929 (general); Gross, W., 1931, 1932A, B, C, D, 1933A, C (fishes, chiefly arthrodires); Heintz 1929B, C (Acanthaspida, Spitzbergen), 1930C, 1932C (Phyllolepis, Botriolepis, Greenland), 1932B (Antiarchi, Germany), 1933D (Phlydaenaspis, Canada); Hills 1928, 1929, 1931, 1932, 1933 (fishes, Australia); Hyde 1928 (fishes, North America):

Jaros 1929 (fishes, Czecho-Slovakia); Johnson, J. H., and Behre 1933 (fishes,

Colorado)

Karpinskii 1930 (Proamphibia, Russia); Kiær 1932 (ostracoderms, Spitzbergen); Kiær and Heintz 1933 (arthrodires, Estonia); Kulling 1931 (localities, É. Greenland)

Laverdiere 1929, 1930 (fishes, France); Leriche 1931 (fishes, Belgium);

Maillieux and Demanet 1929 (fishes, Devonian); Marlière 1930, 1931 (Dinichthys, Belgium), 1932 (Pteraspis, Belgium);

Obrutschew 1931A (fishes, correlation, Europe); 1931B (Coccosteus, Russia), 1932A

(arthrodires, Russia), 1932B, 1933 (fishes, Russia); Russell, L., 1931A (fishes, Canada); Růžička 1929 (fishes, Bohemia); Säve-Söderbergh 1932A, B, 1933B (Greenland); Schmidt, H., 1930B, 1933 (fishes, Germany); Schriel 1932 (Europe); Stensiö 1931 (Greenland), 1932A (cephaland); Graenland); Swipparter 1931 (fight Franchis); Swipparter 1931 (figh laspids, Great Britain); Swinnerton 1931 (fish, England);

Tilton 1929 (West Virginia); Watson 1932C, White 1930 (fish, Scotland);

Zych 1931 (ostracoderms)

FAUNAS-Carboniferous-Aldinger 1931B (fishes of Westfalen); Aldrich and Jones 1930 (ichnites, Alabama); Arldt 1931B (Utah); Broili 1932A (amphibian, Saar); Bulman 1928 (amphibians, Bavaria); Claus 1928 (fishes, Germany); Cleaves and Willard 1930 (amphibian tracks, Rhode Island); Hibbard 1933B (Coelacanthus, Kansas); Branson, E., and Mehl 1930A (footprints, Wyoming); Brown, N., 1930 (tracks, Wyoming); Carman 1927 (footprints, Ohio); Chabakov 1928B (fish, Russia); Dahlgren 1933 (tetrapod, general); David 1928 (Helicoprion, Australia); Délepine 1928 (fish, Netherlands); Fournier and Pruvost 1928 (elasmobranchs, Belgium); Ganss 1933 (tracks, Kiowitz); Giles 1930 (amphibia, general); Gunnell 1933 (conodonts, fish, Kansas, Missouri); Hanna 1924 (amphibian, Kansas); Jongmans 1928 (fish, Netherlands); Karpinskii 1930 (Proamphibia, Russia); Koch, L., 1931 (fish, Greenland); Lane 1932A (stegocephalian, Arkansas); Lull Koch, L., 1931 (fish, Greenland); Lane 1932A (stegocephalian, Arkansas); Luli 1924 (probable reptile footprints, Maryland); Mitchell, R., 1931, 1933 (footprints, Ohio); Moodie 1931B (ichnites); Moore, R., 1929A (fish spine, Texas), 1929B (general); Neaverson 1930 (England); Neilson 1932 (fishes, Greenland); Prantl 1933 (elasmobranch egg capsule, Bohemia); Pruvost 1928A, B, 1930 (fishes, Belgium); Romer 1928B (Texas), 1929B (amphibians, taxonomy, morphology), 1930D (tetrapods, Ohio); Roy 1929 (elasmobranch, Iowa); Schmidt, H., 1927 (footprints, general), 1929A (fish), 1929B (guide fossils); Simpson, H. H., 1933 (fishes, England); Steen 1931A (amphibia, Ohio), 1931B (dipnoan, Ohio); Sternberg, C. M., 1933A (tracks, Nova Scotia); Tilton 1931B (fishes, West Virginia); Wehrli 1931, 1932 (fishes, Germany); Willard and Cleaves 1930 (footprints, Rhode Wehrli 1931, 1932 (fishes, Germany); Willard and Cleaves 1930 (footprints, Rhode Island)

FAUNAS—Permian—Abel, O., 1929G (Grödener sandstone, South Tyrol), 1929H (footprints, Italy); Arldt 1931B (Utah); Augusta 1931, 1933 (fish and stegocephalians, Moravia);

Bayer, B., 1933 (Acrolepis gigas, Czecho-Slovakia); Boonstra 1933A (pareiasaurs, S. Africa); Branson, C., 1932A, B, 1933 (Wyoming); Broili 1928 (Amphibia, Saar), 1929 (arthodires, Rhine): Broom 1927B (Anningiamorpha, Africa), 1928C (dinocephalians, S. Africa), 1928D (Dicynodon, S. Africa), 1929D, 1930É (reptiles, S. Africa), 1930D (Texas); Bryant 1929A (fish, Brazil);

Chabakov 1928A (fish, Russia);
Das-Gupta 1929 (batrachians, reptiles, India); David 1928 (Helicoprion, Australia); David and Süssmilch 1931 (Australia);

Efremov 1928, 1929B, 1931, 1932A, B, 1933A, B (reptiles and amphibians, Russia); Efremov and Kuzmin 1932A (amphibians, Russia); Ehrenberg 1928B (fishes, Europe)

Fox 1931 (Gondwana beds, general);

Gee 1930 (fish scales, India); Hartmann-Weinberg 1928A, 1929, 1930, 1931, 1933A (reptiles and amphibia, Russia); Haughton 1929B (Reptilia, Madagascar); 1929C, 1930B (Reptilia, S. Africa), 1932B (Reptilia, Tanganyika); Heintz 1933C (pleuracanth teeth, Norway); Hintze 1933 (palaeoniscid, Germany); Huene, F., 1930B (reptiles, Madagascar), 1931A (S. Africa); Hussakoff 1930B (fish, Brazil); Korn 1933 (cotylosaur tracks, Germany); Kuzmin 1933A (labyrinthodonts, Volga

Lutkevich 1931 (Russia);

McKee 1933 (Coconino sandstone, N. A.); Moodie 1929C, 1930C (footprints,

Nielsen 1932 (fishes, Greenland);

Nielsen 1932 (Ishes, Greenland);
Oliveira 1930, 1932 (fishes, South America);
Romer 1928B (Texas); Ruedemann 1929 (fishes, Brazil);
Schmidt, H., 1927 (footprints, general); Schmidtgen 1928A, C (tracks, Germany);
S[mith], B[ernard], 1929A (general); Smith, Bernard, et al., 1930 (general);
Stockley and Oates 1931 (Reptilia, Tanganyika); Sushkin 1928B, 1929 (Permocynodon, U. S. S. R.);
Cilibrial and 1922 (U. S. S. R.);
Tilton 1921A (tracks, West Virginia);

Tikhvinskaya 1933 (U.S. S. R.); Tilton 1931A (tracks, West Virginia);

Watson 1931C (validity of "Permian"); Weigelt 1930H (Palaeochamaeleo); Whipple

Watson 1931C (validity of "Permian"); Weigelt 1930H (Palaeochamaeleo); Whipple and Case 1930 (West Virginia); White, D. 1929 (footprints, Arizona).

FAUNAS—Paleozoic and Mesozoic—Abel, O., 1929H (tracks), 1930C (Karroo of S. Africa); Branson, E., and Mehl 1932A, B (footprints, U. S.); Broom 1930F (reptiles, S. Africa); Efremov 1929A, B (stegocephalians, W. Russia); Föller 1930 (Island of Santa Marina, Spain); Gilmore and Sturdevant 1928 (tracks, Grand Canyon); Gross, W., 1933B (ostracoderms and fishes; phylogeny; stratigraphy); Huene, F., 1930B (reptiles), 1931A (reptiles, etc., Karroo, S. Africa), 1933B (Gondwana Land), 1933D, E (stratigraphy, Brazil), 1930E, 1933F (anomodont, South America); Klinger 1928 (tracks, Cornberg sandstone, Germany); Kuzmin 1932 (labyrinthodonts, Volga region); Reck 1932C, 1933A (S. Africa); Samsonowicz 1929 (Poland); Schmidt, H.. 1927 (reptile tracks, general); Sushkin 1922D wicz 1929 (Poland); Schmidt, H., 1927 (reptile tracks, general); Sushkin 1928D (Tetrapoda, Russia).

(Tetrapoda, Russia).

FAUNAS—Mesozoic—Audova 1930; Dixey 1928A, B (Nyassaland); duT[oit], A. L., 1929 (Gondwana); Gilmore 1928D (lizards); Haughton 1928 (reptiles, Nyassaland), 1929C (Reptilia, S. Africa), 1932B (Reptilia, Tanganyika); Howchin 1928 (Australia); Huene, F., 1929C (dinosaurs), 1929G (reptiles, distribution), 1931D (ichthyosaurs, Seran and Timor), 1929H (South America), 1932A (Saurischia), 1933A (Crocodilia), 1933B (Gondwana Land); Johnson, J. H., 1931 (reptiles, fish, Colorado); Lambrecht 1929A (birds, Europe); Mehl 1929 (North America); Reck 1931A (reptiles, Africa); Reeside 1929 (vertebrates, dinosaur tracks, North America); Simpson, G. G., 1928C (mammals, England), 1929A (mammals, America), 1932M ("mammals", South America); Stockley and Oates 1931 (Tanganyika); Swinton 1929 (reptiles, fish); Wade 1930 (fishes of Australia); Watson 1932A (Tanganyika); Wurm 1932B (general).

FAUNAS—Triassic—Adams 1925 (Connecticut); Aldinger 1931C (fishes, Alps);

1932A (Tanganyika); Wurm 1932B (general).

FAUNAS—Triassic—Adams 1925 (Connecticut); Aldinger 1931C (fishes, Alps);

Bather 1928A (fishes, N. S. Wales); Bell 1929 (fish, Nova Scotia); Berckhemer 1931,

1933B (reptiles, Keuper); Besairie 1930 (fish, Madagascar); Branson, E., and

Mehl 1928B (Wyoming), 1929 (stegocephalians, Rocky Mt. region), 1931A (fishes,

western U. S.); Broili 1928B (sauropterigian, Austria), 1931D (Mixosauridae,

Timor), 1932C (Hybodus, Germany); Broom 1930C (Stegocephalia, S. Africa),

1932C (Pseudosuchia, S. Africa), 1933B (Galescurus); Brough 1931 (fishes, S.

Africa), 1933 (fishes, Madagascar); Brown, B., 1933C (stegocephalian, Arizona);

Caffi 1930 (reptiles, Italy); Camp 1929, 1930A, B, 1933 (Arizona and New Mexico,

Upper and Lower Chinle); Case 1928 (Texas and Arizona), 1929B (phytosaurs,

North America), 1931B (Beuttneria, Texas), 1932A (phytosaurs, North America), 1932C (stegocephalians, Texas), 1932D, 1933A (Texas); Chabakov 1931 (dipnoans, Russia); Chardin and Young (N. China); Corroy 1928A, B (Lorraine); Das-Gupta 1929 (batrachians, reptiles, India), 1930, 1931A (dinosaurs, India);
Dette 1929A (stegocephalian, Lower Buntsandstein, Bernburg/Salle); Dienst
1933 (Nothosaurus, Germany); Drevermann 1931B (Placodus, Muschelkalk),
1931D (reptiles, Muschelkalk);

Efremov 1928, 1929A, B, 1930, 1932A, B, 1933A, B (reptiles and amphibians, Russia); Efremov and Kuzmin 1932A (same);

Frank 1928 (tracks, Solnhofen), 1931 (Lower Keuper); Frebold 1930 (correlation, Spitzbergen); Frentzen 1931 (reptiles and amphibians, Upper Buntsandstein); Gee 1930 (Amphibia, reptiles, India); Gilmore 1928B (reptile, New Jersey);

Gee 1930 (Amphibia, reptiles, India); Gilmore 1928B (reptile, New Jersey); Hartmann-Weinberg 1928A, 1930, 1931, 1933 (amphibians and reptiles, Russia); Hauff 1930 (ichthyosaur, Germany); Haughton 1929C (reptiles, S. Africa), 1932B (reptiles, Tanganyika); Heinz 1932A (tracks, Stormberg, S.W. Africa); Heller 1930E (fish, reptiles, Bavaria); Hollick 1931 (amphibian footprints, New York); Hubbard, S., 1927 ("man" and dinosaurs, Arizona); Huene, E., 1933 (mammals, Württemberg); Huene, F., 1928D (saurians, Württemberg), 1928A, B, 1929B, G, 1930A, 1931B, C (reptiles, Brazil and Argentina), 1929E, H, 1930B, 1931-I, 1932C, D, 1933C (reptiles, amphibians, Europe), 1931A (S. Africa); Huene, F., and Stahlecker 1931 (southern Brazil); Huene, F., and Watson 1928 (Chirotherium, England); Hussakoff 1930B (fish. Brazil): land); Hussakoff 1930B (fish, Brazil);

Jüngst 1929 (Germany); Kellaway 1932 (fishes, England); Koch, L., 1931 (fishes, Greenland); Kuhn, Oskar, 1932 (labyrinthodonts and parasuchians, Germany); Kuzmin 1933B (Stegocephalia, Russia);

Lebkuckner and Riek 1928 (tracks, Germany); Leuchs 1932 (*Lepidotus*, North Tyrol), 1928 (*Colobodus* [?], North Tyrol); Maschke 1930 (Germany); Michael 1932 (labyrinthodonts, Germany);

Nopcsa 1930A (Macrochemus, Italy); Oertle 1928, 1931 (fishes, Germany); Osswald 1929A (Raineria, S. Bavaria), 1929B

(Placochelys, S. Tergensee);

Parrington 1933 (Thrinaxodon, Africa); Peyer 1929C, 1931E (Ceresiosaurus, Switzerland), 1930, 1931C (Tanystropheus, Switzerland), 1931B, C, D, E, 1932A, B (Switzerland), 1929B, 1931F, G (placodonts, Switzerland); Phaup 1932 (reptiles, Rhodesia); Piveteau 1928 (Stegocephalia, France), 1929, 1930A, B, C, 1932B

(fishes, Madagascar); Reed, F., 1929 (fishes, Brazil); Riabinin 1930C (stegocephalian, Russia); Röpke

1930 (stegocephalian, Germany); Rüger 1929A (footprints, Germany); Schindewolf 1928A (footprints, Germany); Schmidt, H., 1927 (footprints, general); Schmidt, N., 1928, 1931 (Germany); Seemann 1932, 1933 (Germany); S[mith], B[ernard], 1929B (general); Soergel 1928A (environment, Germany); Sos 1933 (Spain); Stensiö 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932 (certific Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sterkler and Octable 1932B (fishes, Greenland); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sternberg, C. M., 1931 (ichthyosaurs, British; Celembra); Sternberg, C. M., 1932 (ich British Columbia); Stockley and Oates 1931 (reptile localities, Tanganyika); Stoll 1929 (fish, Germany); Swinnerton 1928 (fish, England);

Thorpe 1929 (Ichnites, Connecticut);
Wade 1933A, B (fishes, Australia); Walther 1932 (fish, Uruguay); Warthin 1928 (fishes, Texas); Weigelt 1928 (fish, Germany); White 1933B (fish, Madagascar).
FAUNAS—Jurassic—Abel, O., 1930A, 1931E (lithographic slates, Bavaria); Anderson,

C., 1932A (Mystriosaurus, Holzmaden); Astre 1931A (ichthyosaur, France); Berckhemer 1928C, 1930A (Mystriosaurus, Holzmaden); Broili 1931A, B, 1932B (reptiles, Europe), 1932D (general, European Jura); Brown, B., 1932 (Stegosaurus, North America), 1933A, (crocodilian, Arizona), 1933E (dinosaurs of Cret.-Jurassic boundary);

Cret.-Jurassic boundary);
Calkin 1933 (Iguanodon footprints, England); Chardin and Young 1929 (N. China);
Drevermann 1930F (pterodactyl, Solnhofen), 1931A (Homoeosaurus, Solnhofen);
Edinger 1932 (fish, Germany); Erasmo 1932A (fishes, Somaliland);
Haughton and MacGregor 1929 (Thecodontosaurus, Rhodesia); Huene, F., 1928C, 1929A, 1931E, F (reptiles, Europe), 1931A (S. Africa);
Jaekel 1929G (Protornis, bird tracks, Eichstädt); Janensch 1929A, B, C, D (reptiles, Africa); Joleaud 1928B (Steneosaurus, France);
Kellaway 1932 (fish, reptiles, England); Koenigswald 1931B (Rhamphorhynchus, Germany); Koerner 1930 (fishes, New Mexico);
Lacoste 1929 (internal cast, reptile spine, France); Lafetéur 1930 (fish, France);

Lacoste 1929 (internal cast, reptile spine, France); Lafetéur 1930 (fish, France);

Martin, G. C., 1926 (plesiosaur, Alaska); Melmore 1930B (reptile egg, England); Mook 1933A (crocodile, Colorado), 1933B (Teleorhinus, Montana);

Parkinson 1928, 1930 (dinosaurs, E. Africa); Peyer 1933B (selachian tooth,

Switzerland)

Richter 1929B (Protornis, Bavaria);

Schoewe 1930 (fishes, Colorado); Simpson, G. G., 1928A (pantothere, E. Africa); Speyer, C., 1929 (marine reptile, Germany); Stovall 1932A (dinosaur, Oklahoma); Swinton 1930A, C (plesiosaur, England), 1930B (ichthyosaur, Germany); Thomasset 1930B (fish, reptiles, France);

Vollrath 1928 (Germany, general); Weaver 1931 (Tithonian, Argentina); Weitzel 1930A, B (fish, Germany).

FAUNAS-Cretaceous-Adkins 1928 (Texas); Allan and Rutherford 1932 (Laosaurus

minimus, Belly River, Montana); Arldt 1930 (Canada);

Barbour, E., 1931B (dinosaur, Nebraska); Basse 1928 (dinosaur, Madagascar); Brighton 1929 (general); Broili 1930B (mammals and plesiosaurs, Quiriquina Islands); Brown, B., 1933B, D (ceratopsians, Montana); Bump, J., 1926 (Portheus, S. Dakota);

Chabanaud 1930 (fish, France); Checchia-Rispoli 1933 (Pristidae, Tripoli); Cockerell 1933 (fish, Florida); Cook, H., 1930A (fish, Colorado);

Dane 1929 (reptiles, Arkansas); Desfosses 1930 (dinosaur, Canada);

Efremov 1931C (dinosaurs, Turkestan); Elias 1931 (Kansas); Gilmore 1930C (dinosaurs, Montana), 1932B (lizard, Alberta), 1933C (dinosaurs, Mongolia), 1933E (dinosaurs, popular); Gould 1929A (reptiles, Kansas, Okla-

homa, Texas);

Hartmann-Weinberg 1928B (dinosaurs, Kazakstan); Houston 1933 (dinosaur tracks, Texas); Huene, F., 1929D (dinosaurs, Argentina, general); 1929E (dinosaurs, Uruguay), 1930C (South America, terrestrial); Huene, F., and Matley 1933 (dinosaurs, India); Hussakof 1929, 1932 (Kansas and Mongolia);

Jepsen 1931 (dinosaurs, Montana); Joleaud 1932B (iguanodonts, France); Jordan

1928B, 1929A (fishes, Alberta);

1928B, 1929A (fishes, Alberta);
Kitchin 1929 (dinosaurs, E. Africa; age of Tendaguru beds); Kluger 1932 (concretions or "turtle eggs", Germany); Knight 1929 (paintings, North America); Kraglievich 1928D (Uruguay); Kuhn, Oskar, 1933D (Crocodilia, Patagonia, North America, and general); Kühn, Othmar, 1930 (Austria);
Lambrecht 1929A (birds, Europe), 1929B (Neogaeornis, South America), 1931D (birds, France and general); Leidy 1932 (reptiles, United States); Leriche 1930B (Hybodus, France), 1929B (fishes, Belgium, Limbourg), 1930A (Lamna, France); Longman 1929, 1930, 1932A, B, 1933 (Australia);
McClung 1926 (fishes, Kansas); McLearn 1931 (dinosaur tracks, Canada), 1928 (Canada); Matley 1929, 1931 (dinosaurs, India); Maury 1930 (fishes, Brazil); Mehl 1930 (mosasaur, Mexico), 1931A (North America), 1931B (dinosaurs, Kansas), 1931C (birds, Colorado); Müllerried 1931 (mosasaur, Mexico); Nopesa 1932A (turtles, France); Oliveira 1929 (mosasaur, South America);

Nopesa 1932A (turtles, France);
Oliveira 1929 (mosasaur, South America);
Parks 1919, 1921, 1926A, 1928A, B, 1931, 1933B, C, D (dinosaurs, Canada), 1933A,
B (turtles, Canada); Ping and Yen 1933 (fishes, China);
Rao, C. R., 1929 (reptiles, mammals, India); Rao, L. R., 1932A (reptile vertebrae,
India), 1932B (dinosaurs, India); Rao and Rao 1930 (reptiles, India); Riabinin
1930B, D, 1931B, C (dinosaurs, Russia); Royo y Gómez 1928 (Spain); Rusconi
1932F (reptiles, South America); Russell, L., 1928A (didelphids, Wyoming),
1930C (dinosaurs, North America), 1931B (plesiosaurs, Canada), 1932A, C
(Canada); Rutherford and Allan 1932 (Laosaurus, Montana);
Sarra 1929, 1930, 1933 (Tehthyodorulites, Italy); Schlosser 1928B (shark teeth.

Sarra 1929, 1930, 1933 (Ichthyodorulites, Italy); Schlosser 1928B (shark teeth, Africa); Scott, Gayle and Armstrong 1932 (dinosaurs, tracks, Texas); Serra 1933 (fish, Tripoli); Simpson, G. G., 1929-I (mammals, Wyoming); Spock 1930 (Mongolia); Staesche 1929 (turtles, Patagonia); Sternberg, C. H., 1918 (Canada), 1922 (Kansas); Sternberg, C. M., 1929A, B, 1932D, 1933B, D (dinosaurs, Alberta), 1932C (crocodile, Alberta), 1932E (dinosaur tracks, British Columbia); Stovall 1932B (fish, Texas); Stromer 1931D, 1932C (dinosaurs, Egypt), 1933 (Crocodilia, Egypt); Stromer and Weiler 1930 (Egypt); Swinton 1929A (dinosaur, Alberta), 1930D (mosasaur, Nigeria);

Taliaferro 1933 (trachodont teeth, northern Mexico); Weiler 1932D (fish, Timor); Wetzel 1930 (fish, reptiles, Chile); Wiman 1929 (dinosaurs, Shantung), 1930D, 1931, 1932, 1933A (dinosaurs, New Mexico), 1933C

(turtles, New Mexico);

Yabe and Obata 1930B (fishes, Japan); Young 1932B (dinosaurs, Mongolia);

Zahalka 1928, 1929 (reptiles, fishes, Bohemia).

FAUNAS—Cenozoic—Abel, O., 1931E (Primates); Anderson, C., 1933 (Australia); Black, Chardin, Young and Pei 1933 (China); Chardin 1933 (Bovidae, China); Chardin and Young 1930, 1931 (China); Childe 1932 (mammals, England); Clifford 1931 (mammals, Gloucester, Eng.);

Degerbøl 1928A (beaver, Denmark); Delavan 1926 (ground sloths, Iowa); Dolgopol

de Saez 1928A (Microsuchus, Argentine); Grabau 1930B, 1931 ("Polycene", Asia); 1931B (Parabubalis, Transbaikal); Asia); Grigor 1930 (bear, Russia); Gromova

Hayasaka 1930A (mammals, Japan), 1930B (Stegodon, Japan); Howchin 1928 (Australia); Hummel 1929 (turtles, Trionychia);

Ihering 1931A (paleogeography); Joleaud 1931D (Proboscidae, N. Africa);

Kazeeff 1933 (antelope, Transbaikal); Kellogg 1928A (whales); Kraglievich 1932D (mammals, stratigraphy, Uruguay); Merriam, J., et al. 1915 (California); Miller, L., 1929B (birds, California);

Pei and Young 1933A, B (China); Perez de Barradas 1929A (Corsica); Pilgrim 1932

(Carnivora, India); Rao, C. R. N., 1932 (hyaena, India); Rusconi 1929C, 1930N (Myocastor, South America)

Simionescu 1933A (Camelidae, Rumania); Vander Maarel 1931, 1932 (mammals, Java)

Wilson 1933C (mammals, Idaho); Wing 1930 (mammals, Kansas).

FAUNAS—Tertiary—Abrard 1930 (France); Amon 1933 (mammal tracks, Austria);

Andrews 1928B (Mongolia);

Barbour, G., 1928 (N. China); Bartenev 1933 (Holarctic origins); Boghachev 1928 (whale, fish, Russia); Burton 1933 (fishes, Hampshire); Buwalda, Moore and Bernard 1930 (horse tooth, Oregon);

Cabrera 1930 (norse tooth, Oregon);
Cabrera 1929A (astrapothere, Columbia), 1932B (edentate, Argentina); Castellanos 1929, 1932 (glyptodonts, Pliocene and Miocene of South America); Chapman, Frederick 1931 (fish, Australia); Chardin 1928C, D, 1930C, G (China), 1928D (mammals, Orsmael); Chitani 1928 (whale, fish, Japan); Colbert 1931 (Proboscidea, Nebraska), 1933B (Tubulidentata, India); Colliver 1933 (wallaby, N. S. Wales); Condra 1933 (Nebraska); Cook and Cook 1933 (Nebraska); Coulon 1998 (mammals in Marte & Tellourich, Cort. L. B. 1999 (Democratica). 1928B (mammals in Musée d'Elbeuf); Cox, L. R., 1929 (Dæmonelix);

Dutertre 1929C (France);

Eigenmann and Myers 1929 (American Characidae); Elias 1931 (Kansas); Erasmo 1933 (Cirenaica)

Frick 1933 (mastodons, North and Central America);

Gilmore 1931B (turtles, Mongolia); Grigorovitch-Beresovski 1928 (fish, southern Russia)

Hall 1930E, 1931 (mustelids, North America); Haughton 1931 (frogs, S. W. Africa), 1932A (Equidae, S. Africa); Heschler 1930 (Switzerland); Hinton 1933 (rodents, India); Hodge 1932 (mammals, Oregon); Hopwood 1929C (mammals, Africa);

Hussakof 1932 (fishes, Mongolia);
Jenkins 1932 (California); Joleaud 1929A (mammals, South America; review of Ameghino's "Obras completas"); Jones 1931B (marsupial, Tasmania);
Keyes 1931 (California); Kiderlen 1931 (S. Germany); Koenigswald 1932B (Anthra-

cotheriidae, Europe); Kolbe 1931 (mammals, general); Kraglievich 1928E, 1929B, 1930H, J, 1932B, C (birds and mammals, South America); Kraglievich and Cabrera 1931 (ungulates, South America); Krejci-Graf and Weiler 1928 (fishes,

Cabrera 1931 (Ingulates, South America), Riejer-Graf and Weller 1928 (Issies, Rumania); Kühn, Othmar, 1928 (Balkans);
Lambrecht 1929A (birds, Europe), 1930A (Protoplotus, Sumatra), 1930B (giant birds, Europe, Fayum, Brazil); Leriche 1928B (shark, W. Indies); Liebus 1929 (salamanders, Bohemia); Louderback 1933 (mammals, auriferous gravels, California); Lowe, P., and Bate 1931 (birds, Asia);
Matthew 1927, 1929A (Siwaliks, India); Menner 1928, 1932 (Paleogene selachians, Russia); Menzel, Weiler and California); Galifornia); Meriam and Stack 1932 (mammals, California);

Stock 1933 (mammals, California);

Nafiz and Malik 1933 (Turkey); Nagao 1928 (fishes, Paleogene, Japan); Nagasawa

1931B (mammal, Japan);

Osborn 1928C (mammals, reptiles, India); Patterson, Furlong and Stock 1929 (mammals, California); Pauca 1929B, C (fishes, Rumania); Peyer 1929A (fish, Peru); Pfeffer 1927 (North America); Piton 1933 (fishes, France); Piveteau 1933B (fishes, Angola);

Revilliod 1931 (mastodon, Bolivia), Riabinin 1928 (frog, Transcaucasus), 1929A (turtle, N. Caucasus), 1931A (birds, Transcaucasus); Rusconi 1931D (crocodilian

tooth, Bolivia), 1932H (macrauchenids, South America), 1932M (*Proalligator*, South America), 1933F (mammals, South America); Russell, L., 1932A (Alberta); Sarra 1930 (Ichthyodorulites and *Pristiphoca*, Italy); Schaffer 1932; Schaub 1930A, B, 1931A, 1933 (rodents, Europe); Sickenberg 1928B (mammals, Austria); Siemon B, 1931A, 1933 (rodents, Europe); Sickenberg 1928B (mammais, Austria); Siemon 1929 (Carcharias, Dutch East Indies); Simionescu 1932 (Camelidae, Rumania); Simpson, G. G., 1929D, E, 1930H (mammals, Florida), 1932G (mammals, Patagonia), 1933F (North American correlations), 1933Q (mammal horizons, Patagonia); Staesche 1928 (Emydidae, Germany); Stamp] 1929F (general); Stehlin 1928B (astrapotheres, Venezuela), 1931B (giraffe, Persia); Stovall 1929 (Equidae, dentition); Stromer 1931E (mammals, Sunda islands), 1932A (marsupial, S. Africa); Swinton 1928 (reptiles, Venezuela); Szalai 1933B (turtles, Hungary); okungas 1933A (mammals, Japan and Korea);

Tokunaga 1933A (mammals, Japan and Korea); Van Deinse 1929 (cetacea, Holland);

Wadia 1928 (India); Woodward and White 1930 (fishes, England, Australia. Argentina);

Young 1931 (rodents, China) Zdansky 1930 (mammals, China).

Faunas—Paleocene—Dane 1932 (New Mexico); Gilmore 1928D (amphibian footprints, Montana); Granger and Simpson, G. G., 1929 (Multituberculata, New Mexico); Jepsen 1930A, C (mammals, Wyoming; stratigraphy, Ft. Union series, incl. Clark Fork horizon), 1930A (geologic section, Wyoming), 1930C (Wyoming); Lambrecht 1928C (list of birds); Lombard 1928 (Odontaspis, Africa); Matthew, Lambrecht 1928C (list of birds); Lombard 1928 (Odontaspis, Africa); Matthew, Granger and Simpson, G. G., 1929 (Gashato, Mongolia); Matthew and Siegfriedt 1928 (mammals, Montana); Mook 1930 (croccodilian, New Mexico), 1931A, B (crocodiles, New Jersey); Patterson, B., 1933 (amblypod, Colorado); Reynolds, T., 1931 (insectivores, New Mexico); Roedel 1930 (otolith, Germany); Russell, L., 1928B, C (fishes, Canada), 1929A, 1930A (mammal tracks, Canada), 1930B (Chelonian), 1932A, B (Canada); Russell, L., and Rutherford 1928 (mammal tracks, Canada); Simpson, G. G., 1928B, 1929B, J (mammals, Montana), 1929F (uintathere, Wyoming), 1929G (mammals, Europe), 1930B (crocodile, New Mexico), 1930D (Eodelphis, Canada), 1932A (Cochilius, Patagonia), 1932H (mammal, Louisiana); Sternberg, C. M., 1932B (crocodile, Saskatchewan).

FAUNAS—Eocene—Astre 1929F, 1933C (France), 1931C, D (crocodile, France); Burke 1933 (Lagomorpha, Utah);

Burke 1933 (Lagomorpha, Utah);

Chardin 1930A (Szechuan); Chardin and Lapparent 1933 (Paramys, France); Clark, J., 1932A (turtle, Utah); Colbert 1933B (Tubulodon, Wyoming); Cooper, C. F., 1928, 1932A, B (mammals, England); Cuvillier, J., 1930 (fish, Egypt); Dal Piaz 1929A (perissodactyl, Sardinia); Davis, A., 1929 (otolith, Germany), 1932 (fish, England); Dietrich 1929B (mammals, Ulm Alps);

Epps and Priest 1933 (England);

Francé 1933 (frog, crocodile, Germany); Free 1926 ("man", Montana); Frost 1933A (otoliths, England); Frost and White 1931 (fishes, England);

Gilmore 1931A (Wyoming); Heller 1930B, 1932A, B, D, E, 1933C (mammals, Europe); Hubbard, S., 1927 ("human tooth", Montana); Hummel 1928, 1929 (Trionychia); Jepsen 1930B, 1932 (Wyoming);

Kellogg 1931A (whales, Louisiana); Lambrecht 1928C, 1930B (birds, Europe, Brazil); Lane 1932B (Paleosyops, Wyoming); Leriche 1929A, 1932A, B (fishes, France and Belgium); Lombard 1928 (Odontaspis, Africa); Lynn 1929 (Amyda, Virginia); Matsumoto 1929C (turtle, Japan); Metcalf 1930 (frog, India); Miller, A. H., 1931

(auklet, Oregon);

Osborn and Granger 1931A, 1932A (coryphodonts, Mongolia);

Peterson, O. A., 1931A (mesonychids, Utah), 1931D (agriochoerids, Utah); Pilgrim 1928 (artiodactyls, Burma); Ping 1930A (land turtle, China); Piveteau 1931A (artiodactyl, France), 1933 (crocodilian, Africa);

(artiodactyl, France), 1933 (crocodilian, Africa);
Revilliod 1928 (bat, France); Russell, L., and Wickenden 1933 (Canada);
Schaub 1929 (birds, Switzerland); Schmidt, K., 1931A (turtle, Peru); Seton 1931 (Heptodon, Wyoming); Simpson, G. G., 1929G (mammals, Europe), 1933-I (crocodilian, Patagonia), 1933J, K (snake, Patagonia), 1933P, R (mammals, Patagonia); Sinclair 1930 (marsupial, Patagonia); Soyer 1929 (France); S[tamp] 1929A (general); Stock 1931C, 1932B (mammals, California), 1933A (amynodont,

California), 1933C (primate, California), 1933D (Hyaenodon, California), 1933E (miacid, California), 1933H (mammals, California), 1933J (carnivora, California), 1933D (carnivora, California), 1933C (carnivora, Califor fornia); Stromer 1929B (fishes and reptiles, Egypt); Swinton 1930D (reptiles, Nigeria)

Thorpe 1928B (review of Chardin 1927); Tokunaga 1933A (Desmatotherium, Korea);

Troxell 1931 (Diatryma); Voigt 1932 (Grube Cecilie);

Walther, Weigelt, et al., 1931 (Geiseltal, Germany); Walther and Weigelt 1932 (Geiseltal, Germany); Weigelt 1930A (Geiseltal, Germany), 1931 (Cecilie mine, Germany), 1932A, 1933A (Geiseltal, Germany), 1933D (primates, Germany), 1938E (Geiseltal, Germany); Weiler 1929C (fish, N. Egypt); Wetmore 1930 (supposed Cretaceous birds, New Jersey); White and Frost 1931 (fish, England). FAUNAS—Oligocene—Astre 1929B, 1933A (mammals, France)

Bather 1928A (Dyspterna, Isle of Wight); Blanckenhorn 1932 (sharks, mammals,

Germany); Bluntschli 1931 (mammals, mostly primates, Patagonia);

Clark, J., 1932B (turtle, Utah);

Dal Piaz 1929B, C, D, E, 1930A, B, C, 1931, 1932A, B (mammals, Italy); Denizot 1929 (Stampian and Aquitanian); Dette 1929B (sirenian, Septarienton); Dice 1932 (Palaeolagus, Wyoming); Dietrich 1929A, 1930, 1931B (mammals, Swabia); Ehik 1930 (proboscidean, Hungary); Friant 1933B, C (rodent, South America); Frost 1928, 1933B (otoliths, New Zea-

land), 1933A (otoliths, England);

Gignoux 1928 (rhinoceros, France); Gilmore 1933A (Nebraska, Wyoming and South Dakota); Gregory, W., 1930F (fish, Florida); Gregory, W., and Cook, H., 1928 (rhinoceroses, Colorado);

Hall, E. R., and Martin, H., 1931 (Nothocyon, Oregon); Helbing 1928C, 1930B (mammals, Europe); Hernandez-Pacheco 1929 (bird tracks, Spain); Hucke and Voigt 1929 (vertebrates, otoliths, Germany); Hürzeler, 1933 (Caenotherium, Europe)

Jepsen 1933 (Felidae, western North America); Joleaud 1929C (mammals, Africa); Kraglievich 1928D (Uruguay), 1928G (notoungulate, Venezuela); Kraglievich and

Parodi 1931 (Thesodon, Argentina);

Lambrecht 1929C, E (Stromeria, Egypt), 1930B (birds, Fayum); Leriche 1932C (ray, France); Loomis 1928C, 1931 (mammals, Wyoming); McLearn 1928 (Canada);

Noszky 1930 (Hungary)

Osborn 1929D (Embolotherium, Mongolia); Osborn and Granger 1932A (coryphodonts, Mongolia)

Patterson, B., 1931 (Allognathosuchus, S. Dakota); Paucă 1929A, 1931A, 1933 (fishes, Rumania); Peterson, O. A., 1931A (mesonychids, Utah), 1931B (titanothere, Utah), 1932 (mammals, Utah); Peterson, O. A., and Kay (Utah); Peyer

1928A (Switzerland); Richard, M., 1931 (mammals, France); Rusconi 1933E (Homunculus, Patagonia); ichard, M., 1931 (mammais, France); Rusconi 1933E (Hominculus, Patagonia); Schaub 1928C (tapir, Switzerland), 1930A (rodents, Switzerland); Schlaikjer 1931, 1932 (Mesohippus, S. Dakota), 1933 (insectivore, Wyoming); Simpson, G. G., 1931C (insectivore, Inner Mongolia); Sinclair 1922 (mammals, S. Dakota); Smirnow 1932 (fishes, N. Caucasus); S[tamp] 1929C (general); Stehlin 1928E (mammals, Bavaria), 1929B (pentadactyl artiodactyls, Europe), 1930A (rhinocerotid, Switzerland), 1932 (mammals, Germany); Stock 1932A, 1932E (mammals, California), 1933B (carnivora, California), 1933G (perissodactyls, California), 1933-I (mammals, California); Szalai 1931 (turtle, Mongolia); imperley 1930 (mammals, Mongolia); Tokunaga (Desmatotherium, Korea);

Timperley 1930 (mammals, Mongolia); Tokunaga (Desmatotherium, Korea); Viret 1928, 1929C (mammals, France);

Walker 1931 (rabbits); Wehrli 1933 (cervid, Germany); Weiler 1928B, 1930B, 1931B, 1932A (fish, Germany), 1933A (fish, Hungary); Wetmore 1933A, B (birds, Wyoming); Wood, H., 1929A, 1931 (rhinoceroses, North America);

Zotz 1928 (fish, Germany) FAUMAS—Miocene—Abel, O., 1931F (Antwerp); Ahrens 1930 (frogs, Germany); Alekseev 1930 (Russia); Anderson, R., 1933 (Algeria); Arambourg 1928A, 1929B (Sahelian of Oran), 1933A (mammalia from near Lake Rudolph, Africa); Arambourg and Piveteau 1929A (Pontian of Salonika); Astre 1928, 1930A, C, 1932,

1933A, B (mammals, France);
Barbat and Weymouth 1931 (Borophagus, California); Bataller and Sola 1928 (Dinotherium, Spain); Beaufort 1928 (fish, Java); Beckers 1932 (Belgium), Berry, C., 1932 (fish, Maryland); Berry, W., 1930 (Xiphias?, Maryland); Bluntschli 1931 (mammals, mostly primates, Patagonia); Bode 1933A, B (Equidae, western U. S.); Bogsch 1928 (Hipparion, Hungary); Boni 1933 (fish, Italy); Borissiak 1929A (mastodonts, Caucasus), 1933A (mastodon, Turgai); Bourcart 1932 (crocodilian, Morocco); Brown 1929B (camel, Nebraska);

Chaine and Duvergier 1928 (otoliths, Poland); Colbert 1932 (Aphelops, Florida), 1933A, C, D, E, F, G (mammals, India); Cook, H. J., 1932 (Nebraska, popular); Cook, L., 1926 (Agate beds, Nebraska); Cottreau 1928 (sirenians, France); Depéret and Llucca 1928 (Ursidae); Depéret and Viret 1928 (mammals, Burdi-

galian); Dice 1928 (Archaeolagus, Oregon); Dolgopol de Saez 1928C (Jacaretinga, Argentina); Douvillé 1933 (fish, W. Africa);

Ennouchi 1930 (chiefly Aves, France); Erasmo 1930A, B (fishes, Italy)

Farr and Sinclair 1932 (birds, South America); Flynn 1932 (cetacean, Tasmania); Frenguelli 1928 (*Prosqualodon*, Patagonia); Fröhlicher 1931 (fish, Molasse, Switzerland); Frost 1928, 1933B (otoliths, New Zealand);

Gaillard 1928B (mammals, Grive-Saint-Alban); Gazin 1930 (mammals, California),

Gaillard 1928B (mammals, Grive-Saint-Alban); Gazin 1930 (mammals, California), 1932 (mammals, Oregon); Gellert 1933 (mammals, Bulgaria); Gerber 1932A (rhinoceroses, Switzerland); Glaessner 1930 (turtle, Italy), 1931 (primates, Austria), 1933 (turtles, Austria); Goldbachova 1931 (otoliths, Moravia); Gudger 1931 (moonfish, California); Hanna 1925B, 1928, 1930 (marine vertebrates, California), 1933 (Desmostylus, redeposited, California); Haupt, O., 1931 (Germany); Helbing 1928A, B, D, 1929A, B, 1930A (mammals, Europe); Heller 1933A (Diceratherium, Germany), 1933F (Germany); Hernández-Pacheco 1928, 1930B, C (mammals, Spain); Hopwood 1928 (Kenya), 1929B, C, 1933A, C (mammals, Africa); Hopwood and Pilgrim 1928 (Bovidae, Europe); Hürzeler 1932 (Switzerland): 1932 (Switzerland);

Keller 1928 (Switzerland); Kellogg 1931B, 1932 (marine mammals, California, and Maryland); Khomenko 1928A, B (sirenian, Sakhalin and Kotelnyi islands); Kiderlen 1928 (mammals, Germany); Klähn 1929A ("mastodon", Germany), 1929B ("Dinotheriensand", Germany), 1929C ("mastodon", Austria), 1931 (Mastodon, Steinheim); Koenigswald 1929, 1930, 1931A, 1932B, D (mammals, Europe); Kraglievich 1930C, 1931B, E, 1932B (birds and mammals, South America); Kretzoi 1928, 1929 (mammals, Jugoslavia); Kühn, Othmar, 1928 (Balkans)

Lambrecht 1931A (swans, Europe); Leakey 1932C (apes, Ausinga Island); Lewis 1933A, B (mammals, India); Loel and Corey (marine vertebrates, California); Loomis 1932A, B, 1933A, B (mammals, Wyoming, S. Dakota, Nebraska); Matthew 1932A (mammals, Nebraska); Matthew and Mook 1933 (mammals, Mon-

tana); Maxson 1930 (mammals, California); Merriam and Stock 1933 (mammals, California); Miller, L., 1929A (cormorant, California); Nagasawa 1932B (cervid, Japan); Noble 1928 (amphibia, Europe); Noszky 1930

(hungary);

Parker, 1929, 1930 (frogs, Europe); Paucă 1931B (fish, Rumania); Pavlow, M., 1933B (Camelopardalis, N. Caucasus); Petrbok 1930A (Mastodon, Czecho-Slovakia); Pilgrim and Aiyengar 1928 (Conohyus, India); Piveteau and Arambourg 1929 (Salonica); Rieth 1931A (mammals, Europe); Roman 1928 (mammals, Spain); Romer and

McCormack 1928 (beaver, Wyoming); Russell, L., 1933 (Merychippus, Canada); Sarra 1929 (Ichthyodorulites, Italy); Schaub 1930A, 1933 (rodents, Switzerland); arra 1929 (lehthyodorulites, Italy); Schaub 1930A, 1933 (rodents, Switzerland); Scott, W., 1928A, 1930C, 1932B (notoungulates, primates, Patagonia); Seeman and Berckhemer 1930 (Germany); Sickenberg 1928 (sirenian, Austria), 1929B (mammals, Austria); Simionescu 1931 (marine mammals, Rumania); Simpson, G. G., 1932D (mammals, Florida); Solignac 1931 (Pontian of Tunis); Staesche 1931 (turtles, Germany); S[tamp] 1929B (general); Sternberg, C. M., 1930A (Saskatchewan); Stirton 1930 (shrew, California); Stock 1930A (carnivores, Oregon), 1930C (oreodonts, California), 1932A (mammals, California), 1933F (Pseudaelurus, Neyada); Stromer 1928D (mammals, Germany), 1930A (mammals, Germany); Sula 1922B (ctoliths, Crooke Slovelis); Stralei 1928 (found mals, Germany); Sulc 1932B (otoliths, Czecho-Slovakia); Szalai 1928 (faunal lists, Hungary), 1930A (turtle, Hungary), 1930B (Dinotherium, Hungary); Szunyoghy 1932 (snakes, Hungary);
Tolmachoff 1932 (marine, Colombia);
VanderHoof 1931 (dog, California); Villalta and Crusafont 1933 (mammals, Spain); Viret 1929A, 1933A (carnivores, France);
Wang 1928, 1929 (rhinoceroses, Germany); Weitzel 1933B (fish, Germany); Wetmore 1030E (hinde California); Weltzestorff 1030 (from

more 1930E (birds, Nebraska), 1930F (birds, California); Wolterstorff 1929 (frogs, Germany); Wood, A., 1932 (rodents, Florida).

FAUNAS—Pliocene—Adams and Martin 1928, 1929, 1931 (salamander, Kansas); Airaghi 1928 (mammals, Isola di Coo); Ameghino and Rusconi 1932 (Rhea, Argentina); Androussoff 1928 (Russia); Arambourg and Piveteau 1929B (Para-bos, France); Astre 1929A (mammals, Roussillon), 1930B (gazelle, France);

obs, France); Astre 1929 (mammais, Roussinon), 1930D (gazene, France); Athanasiu and Preda 1929 (Elephas, Rumania); Bakalow 1932 (mastodon, Bulgaria); Barbour, E., 1929C, 1930B, 1931G (Torynobelodon, Nebraska), 1930A (Amebelodon, Nebraska), 1932C, D (Platybelodon, Nebraska); Barton 1929 (mammals, Persia); Bergounioux 1933A (turtles, France); Bernsen 1930 (Macacus, Netherlands); Berry, C., 1931 (Equus, N. Carolina); Black, Chardin, Young and Pei 1933 (China); Bogsch 1928 (Hipparion, Hungary); Bordes 1932 (Argentina); Bogs 1939 (Mammals, India) 1939 Hungary); Bordas 1932 (Argentina); Bose 1929A (mammals, India), 1929B (ruminant, India); Boule 1928A (human skull, Australia), 1928T (Hesperopithecus, Nebraska); Broom 1930A (Australopithecus, and associated mammals, S. Africa); Brown, B., 1931A (Colossochelys, India); Bruet 1928, 1929 (mammals, France); Burt 1929 (Branta, Nevada), 1931 (Machaerodus, Texas);

Cabrera 1928A (megatheres, South America), 1928B (borhyaenid, South America) Callaghan 1929 (Persia); Carvajal 1928 (mammals, Spain); Castellanos 1933B (edentates, South America); Chaine and Duvergier 1931 (otoliths, Spain); Chardin 1931A (mammals, N. China); Chardin and Piveteau 1930 (Nihowan fauna, China), 1932 (Campine, France); Chardin and Young 1931 (China); Clark, B., 1933 (central California); Colbert 1933B (tubulidentate, India); Cook, H., 1928C (Trilophodon, Nebraska), 1930B (rhinoceroses, Colorado); Dal Piaz 1930D (suid, Italy); Dart 1929A, B (elephants, South Africa); Depéret 1928 (monkeys, France), 1929A (primates, Sěněze);

Edinger 1931 C (mustelid, Hungary); Elias 1931 (Rhinoceros Hill, Kansas); Erasmo 1929 (Tetrabelodon, Italy);

Freudenberg 1928 (Hipparion, Bavaria); Furlong 1932A (Sphenophalos, Nevada),

1932B (Lutravus, Nevada)

Garde 1931 (Elephas, France); Gazin 1933A, B (mammals, Idaho); Gidley 1930A,

C, 1931A (mammals, Idaho); Gilmore 1933B (turtles, Idaho);
Hall, E. R., 1929 (hedgehog, Nevada), 1930A (mammals, California), 1930B (bat, Nevada), 1930D (rodents, Nevada); Heck 1928 (Germany); Helbing 1931, 1932, 1933 (mammals, Europe); Heller 1930, 1933B (mammals, Europe); Hesse 1932 (mammals, midwest U. S.); Hibbard 1933A (Bassarissus, Nebraska); Hinton 1933A (Missarissus, Nebraska); Hinton 1932A (Mimomys, California); Hopwood 1928A (toxodont, Venezuela); Howard 1931C, 1932B (birds, California)

Joleaud 1928A (proboscideans, Ethiopia), 1930E (crocodilians, Ethiopia);

Kellogg 1929B, C (whales, California and Florida); Khomenko 1932 (Hyaena, Bessarabia); Kirkham 1931 (mammals, Idaho); Klähn 1929B ("Dinotheriensand", Germany), 1931 (Rheinhesse, Germany), 1932A ("Mastodon", Germany; correlation); Koenigswald 1928, 1929, 1932B (mammals, Germany); Kormos 1930A-D, 1931A-D, 1932A-H, 1933A, D, E (Püspökfurdö and Forest beds, Hungary, Italy and Jugoslavia), 1933C (rodents, Saxony); Kraglievich 1928B, 1929A, 1930E, R, 1931C, G, H (mammals, South America); Krejci-Graf 1933 (Rumania); Krejci-Graf and Weiler 1928 (fishes, Rumania); Kuhn, Othmar, 1928 (Balkans); Lebling and Stromer 1929 (Bavaria); Licent 1930 (China); Lowe, P., 1929

(Hypselornis a crocodile [?] Siwaliks, India); Macarovici 1930 (Testudo, Rumania); Matthew 1929B (hedgehog, Nevada), 1930D (mastodon, California); Matthew and Stirton 1930A (Equidae, Texas), 1930B (Borophagus, Texas); Miller, L., 1930A (goose, California), 1931A (birds, mammals, California), 1932C (vulture, California), 1933A (auk, California); Mook

1932A (gavial, India)

Orlov 1930D, 1931A, 1933 (mammals, Siberia); Osborn and Granger 1932B (Serri-

dentinus, Mongolia);

Parodi 1931 (macrauchenids, Argentina); Parona 1930 (whale, Italy); Pavlow, A., 1928B (European Russia); Pei 1930 (mammals, China); Pilgrim 1931, 1933A (skunk, Samos); Ping 1931 (turtle, China); Piveteau and Chardin 1930 (mammals, China);

R cd, L. C., and Longnecker 1932 (mammals, Texas); Riabinin 1929B (mammals, Russia); Riggs 1933B (marsupial, Argentina); Roman 1928 (mammals, Spain) Roman and Dareste de la Chavanne 1931 (Aless, France); Royo y Gomez 1930 (mammals, Spain); Rusconi 1929B, 1930C, D, F, G (peccaries), 1930I, 1931E, I, J (Pampean), 1931K, 1932A, B (Pampean mustelids), 1932C (Didelphys), 1932D (amphibian), 1932E, G, I, 1933A, B (marsupials), 1933C, G (South America); Russell B and Vandar Hoef 1931 (California); Russell, R., and VanderHoof 1931 (California);

Saheki 1931 (Parelephas, Japan); Sahleanu 1932 (mammals, Rumania); Sandford aheki 1931 (Parelephas, Japan); Săhleanu 1932 (mammals, Rumania); Sandford 1929 (Africa); Sarra 1933 (mammal teeth, Italy); Schaub 1928A (antelopes, Tuscany), 1930B, 1931B (rodents, Europe); Seshachar, Rao and Ramaswami 1932 (mammals, India); Sickenberg 1932, 1933B (antelope, Samos); Silnický 1931 (msstodon, Czecho-Slovakia); Simionescu 1930C, 1933B (Rumania); Simpson, G. G., 1933L ("marsupial", Africa); Soper and Grant 1932 (auk, California); Spock 1929, 1930 (Mongolia); S[tamp] 1929D (general); Stirton 1929 (Procamelus, Nevada), 1931 (bat, Arizona), 1932A (antelope, Nevada), 1932B (beavers, Nevada), 1932E (artiodactyl, Texas), 1933 (mammals, California); Stirton and VanderHoof 1933 (Osteoborus, North America); Stock 1924A (mammals, America and Asia), 1928 (Hipparion, California), 1930F (Hipparion, Oregon), 1932C (Hyaenograthus, California); Stock and Hall 1933 (Eomellivora, California); Stock, Patterson, Furlong 1929 (mammals, California); Stromer 1931C (mammals, W. Africa); Stromer and Lebling 1929 (mammals, Bavaria); Szalai 1933A (turtle, Samos); (turtle, Samos);

(turtle, Samos);
Tchang 1933 (fish, China);
VanderHoof 1933A, B (mammals, California); Viret 1933B (mammals, France);
Wetmore 1933G (birds, Idaho); Woodring, et al. 1932 (California).

FAUNAS—Quaternary—Abrard 1931 (man, France); Absolon, et al., 1933 (man, Czecho-Slovakia); Adametz 1933 (Bos); Adams 1923 (Illinois); Adloff 1932A (Australopithecus); Agafonoff and Malycheff 1929 (France); Allen, G., 1930 (walrus, New England), 1932 (bat, Florida); Allyn 1930 (Palestine); Ameghino and Rusconi 1933 (Argentina); Anderson, C., 1928 (Irish elk); Anderson, R., 1932 (Mazouna, Algeria); Anderson 1928 (Sinanthropus); Andree 1930A, B, 1931 (Germany); Andrews, C. W., and Cooper 1928 (Elephas, Upnor); Angelis d'Ossat 1930 (man and mammals, Rome); Anon. 1930R (China); Antevs 1928 (associated with glaciation); Antonius 1933 (Equus, Rancho La Brea); Arambourg 1929A, 1931A, B, C, 1932 (N. Africa), 1933A, B (E. Africa); Arambourg and Jeannel 1933 (Abyssinia); Aranguren 1930 (camels, Argentina); Arditi 1932 (man); Astre 1929C, D, E, 1931B (France);

B., L., 1930 (Elephas, Mediterranean Islands); Bachofen-Echt 1930 (Cervus), 1931A (Ursus), 1931F (Capreolus); Baker 1930 (Castoroides, Illinois); Barbour, E.,

3. L., 1930 (Elephas, Mediterranean Islands); Bachofen-Echt 1930 (Cervus), 1931A (Ursus), 1931F (Capreolus); Baker 1930 (Castoroides, Illinois); Barbour, E., 1931A (Mastodon, Nebraska), 1931C (Castoroides, Nebraska), 1931D (Mastodon, Nebraska), 1931F (musk-oxen, Nebraska), 1932E (Mastodon, Nebraska); Barbour, E., and Schultz 1932A, C (Bison); Barbour, G., 1928, 1930A, B (N. China); Barbour, T., and Stetson 1931 (Terrapene, Florida); Bastin 1928, 1929, 1932A, 1933A, B (France); Bastin and Humbert 1929 (Elephas, France); Bataller 1932 (Spain); Bate 1932A (Erinaceus, Palestine); Bataglia 1933A (man), 1933B (Italy); Bayer, J., 1928B (mammals, Europe); Bégouen, M. 1928 (mammoth); Beliaeva 1933A, B (mammals, Siberia); Bentley 1931 (Homo, North America); Berckhemer 1931B, 1933D, E (Homo and associated faunas, Germany), 1928B, 1929B, 1930D, 1933C (mammals, Steinheim), 1930B (mammals, Heilbronn), 1933A (Steinheim) 1931B, 1933D, E (Homo and associated faunas, Germany), 1928B, 1929B, 1930D, 1933C (mammals, Steinheim), 1930B (mammals, Heilbronn), 1933A (Steinheim man); Berckhemer and Seeman 1930 (Württemberg); Bergerson 1930 (Elephas, Norway); Berlin 1933 (Bos, Europe); Bernsen 1928 (rhinoceros, Holland), 1930A (elephant, Holland), 1931A (Elephas, Holland), 1931B (Sus, Holland), 1932A (Ursus, Holland), 1932B (Hystrix, Holland), 1933 (mammals, correlation, Holland); Berry, J., 1928 (seal, New Zealand); Bialynicki-Birula 1929 (mammals, Europe), 1930A, B (mammals, Europe), 1930C (rodents, Crimea); Black 1928 (man, China); Black, Chardin, Young and Pei 1933 (China); Blackwelder 1929 (Mastodon, California); Bolkay 1929 (gigantism in mammals); Borissiak 1930B (Ursus), 1930E (Trichechus), 1932A (Speluearctos, N. Caucasus); Boswell 1932 (England); Botzong and Voelcker 1930 (mammals, Heidelberg); Boule 1928A (human skull, Australia), 1928D (other primates associated with Heidelberg (human skull, Australia), 1928D (other primates associated with Heidelberg man), 1928G (mammals, Lorraine), 1929B (human skull, Rome), 1929F (China), man), 1928G (mammals, Lorraine), 1929B (human skull, Rome), 1929F (China), 1929-I (man, Africa); Boule, Chardin, et al., 1928 (mammals, China); Bourcart 1933A (Bubalus, Morocco), 1933B (Morocco); Breuner 1931C (disease, mammals, Europe); Breuil 1930 (Clactonian, France); Breuil and Koslowski 1931 (N. France, Belgium, England); Broom 1928A (mammoth, man, S. Africa), 1928B (mammals, Africa), 1929G (Bushveldt man), 1929B, 1930A (Australopithecus), 1931B (Notochoerus, S. Africa); Brown, B., 1928, 1929A (Bison and man, New Mexico); Brunner 1933 (Germany); Buick 1932 (Moa, New Zealand); Bullitt 1933 (man); Burchard and Abl 1928 (giant tortoise Targerifa); Burcharl 1923 (man) (man); Burchard and Ahl 1928 (giant tortoise, Teneriffe); Burchell 1933 (man, England); Buxton 1929 (man, mammals, China); Buxton and Rice 1931 (man, Mesopotamia);

Cable 1932 (elk, Iowa); Cabrera 1930 (mastodons, Argentina), 1932 (camels, South America); Caccia 1928 (Rhinoceros, Italy); Cacciamali (man, Italy); Cahn 1929, 1932 (Castoroides, U. S.,); Castellanos 1928D (Argentine), 1933 (man, mammals, Argentine); Cauderay 1931 (birds, Madagascar); Chakravarti 1931 (Stegodon, India); Chardin 1928B, 1930C, G (China), 1930B, 1931B, 1932 (Sinanthropus); Chardin 1920, 1930C, G (China), 1930B, 1931B, 1932 (Structuropus); Chardin and Young 1930 (China); Charlemagne 1931 (Desman, Russia); Ch-k-1930 (Hemianthropus, Heidelberg); Chr. W. 1930 (rhinoceros, Poland); Christiani 1929 (birds, Norway); Connery 1932 (Elephas, Florida); Cook, H., (Bison, man, New Mexico), 1930A, 1931C, F (mammals, Colorado), 1931E (Nebraska); Cooke, C., 1928, 1929 (Florida); Cooper, C. L., 1931 (Kentucky); Corroy and Minoux 1932 (elephants, France); Courty 1928 (Elephas, France); Crabb 1923

(Elephas, Oklahoma); 1924 (Bison, Oklahoma);

Dal Piaz 1928, 1929C (mammals, Venice), 1932B (mammals, Italy); Dart 1929A B (elephants, S. Africa), 1929C, D, 1931A, B (Australopithecus); Debetz 1931 (man, N. Asia); Decker 1930 (correction on live toads from "Pleistocene" Oklahoma); De Cristo 1928 (Bos, Italy); Deecke 1931, 1932 (mammals, Baden); Okiahoma); De Cristo 1928 (Bos, Italy); Deecke 1931, 1932 (mammals, Baden); De Geer 1928 (mammals, Poland); Degerbøl 1928B (Campignian, Denmark); 1932 (Saiga, Denmark); DeJong 1931 (Java); Delafosse 1929 (Bos, France); Del Campana 1928 (Aves, Italy); Denizot 1930 (mammals, France); Depéret, Passemard and Rochette 1928 (Morocco); Dice 1932A (hares, Arizona); Dietrich 1929C (Bos, Steinheim), 1932A, B (mammals, Berlin diluvium), 1933A (age of Oldoway, E. Africa), 1933B (mammoth, Prussia); Drevermann 1931F (man, Germany); Dubois, E., 1932A, B, 1933 (Pithecanthropus, Sinanthropus); Dubois, G., 1928A (Martes, France), 1928B, 1929 (mammals, France); Dubois, G., and Pontier 1928 (Elephas, Cambrai): Dutertre 1930B (mammoths, N. G., and Pontier 1928 (Elephas, Cambrai); Dutertre 1930B (mammoths, N. France):

Eaton 1928 (mammals, Rancho La Brea); Ebert 1924-1930 (man); Edinger 1931A (Ovibos, Germany), 1931B (mammals, Germany); Ehik 1928 (Mustela, Europe), 1932 (Ovibos, Asia); Ehrhardt, S., 1932A (occurrences of paleolithic man); Elftman 1931 (mammals, Fossil Lake, Oregon); Engels 1931, 1932, 1933 (mammals Indiana); Erasmo 1931 (Elephas, Italy); Erhardt, H., 1932 (mammals, Alsace);

Exteens 1933 (man, prehistory). Fabiani 1928 (Italy); Fejérváry 1930B (Megalania, Australia); Figgins 1927A, 1931A, 1933A, B (mammals, Rocky Mt. area), 1932 (Rancho La Brea); Flerov 1931 (Elephas, Siberia); Flint 1930 (Connecticut); Forrer 1933 (mammoth, Holtzheim); Fowke 1928 (mammoth, Missouri); Fraipont 1931 (Pithecanthropus); Frenguelli 1929, 1933 (Canis, South America); Frentzen 1928 (mammals, Germany); Frentzen and Speyer 1928 (mammals, Germany); Freudenberg 1929A, B, C, 1931, 1932 (mammals, mostly anthropoids, Germany); Frick 1930 (mammals, Alaska); Friederichs 1932A, C (Eoanthropus, England); Furlong 1930 (Capromeryx, California);
Gaal 1931A (proboscideans, Hungary), 1931B (mammals, Hungary); Gaillard 1932

caai 1951A (proposcideans, Hungary), 1951B (mammals, Hungary); Gaillard 1932 (Capra, Solutrean); Gardiner and Bate 1933 (mammals, North America); Gazin 1933C (American 'Eland' Euceratherium); Gear 1930 (baboons, S. Africa); Gerber 1928, 1932B, C, 1933 (Switzerland); Gidley 1928 (Arctodus, Florida), 1929A, B, 1930B, 1931B (man, Florida), 1930A (mammals, Oregon); Giesler and Mollison 1929 (Oldoway fauna); Gillman 1929 (man, S. Africa); Gilmore 1930B (teath turtle Florida); Gillar 1921 (Gillara 1929) (teeth, turtle, Florida); Giltay 1931 (Silurus and associated mammals, Belgium); Gobert and Vaufrey 1932 (Man of Asselar); Golomshtok 1933 (mammals, Beiglum); Gobert and Vaufrey 1932 (Man of Asselar); Golomshtok 1933 (mammals, Russia and Siberia); Gorjanovic-Kramberger 1929 (man, Krapina); Gould 1928, 1929B (mammals, Oklahoma); Grabau 1931 (China); Granger 1931B (ground sloths, Cuba); Grant and Soper 1932 (auk, California); Graziosi 1928, 1929 (mammals, Italy), 1933 (Equus, Europe); Gregory, J., and Currie 1928 (Scotland); Gregory, W., 1930G (critique of Keith's theories on man); Grinnell 1923, 1926 (gophers, Rancho La Brea); Gromov 1928, 1932; Gromova 1929, 1930A, B, 1931A, B, 1933 (mammals, Europe and Transcaucasus); Guillaume 1932 (mammals, France); Günther 1931 (Germany)

Hanna 1929 (Elephas, California); Hansen 1928 (Elephas, Utah); Harnly 1932 (mammals, Kansas); Harrington and Scherer 1930 (Gypsum Cave, Nevada); Haughton 1932C (Proboscidea, S. Africa); Hay 1928A (Camelops, Utah), 1928B, 1929B (correlations, remarks), 1930C (Pleistocene, Florida), 1930D (mammals, U. S.); Hay and Cook 1928 (mammals, Oklahoma, New Mexico and Texas); Hayasaka 1930B, 1933 (Stegodon, Formosa); Heck 1928 (vertebrates, Germany); Heinz 1932A (mammals, S. W. Africa); Heller 1929, 1930A, C, D, 1931, 1932C, 1933D, E (mammals, Europe); Hemprich 1932 (turtle eggs, Germany); Henderson 1928 (prehistoric man); Hennig 1931A (mammals, Württemberg); Heschler 1931 (Elephas, Switzerland); Hilden 1931 (Sinanthropus); Hillers 1931 (man); Hilzheimer 1928, 1930A, 1932, 1933A, B (mammals, Europe); Hitchcock 1931 (Mammut, Kentucky); Holmes and Simpson 1931 (edentates, Florida); Hopwood 1929A, 1931B, C, 1932A, B, 1933B (mammals, Africa), 1931A (Elephas, Siberia); Howard 1928, 1929, 1930, 1932A, 1933 (birds, Rancho La Brea), 1931A, B, thirds, New Mexico); Howard and Miller 1933 (birds, New Mexico); Howard 1940 (Howard 1933) B (birds, New Mexico); Howard and Miller 1933 (birds, New Mexico); Howell, E., 1933 (Moa); Hrdlicka 1930 (early man, and mammals); Hubbard, G., 1931, 1932 (Mastodon, Turkey); Hundt 1932 (asphalt deposits, general); Hussey 1930

1932 (Mastodon, Turkey); Hundt 1932 (asphalt deposits, general); Hussey 1930 (whales, Michigan);
Ingalls 1932 (man); Isberg 1930A (mammals, Sweden);
Jackson 1933 (domestic animals); Jacobi 1929A (reindeer, Europe and North America), 1933 (Ovibos, Europe); Jacobshagen 1933A (rhinoceros, Germany);
Jegorov 1933 (Podkumak Man); Jenks 1932, 1933 (man, Minnesota); Jessen 1929A (Ursus, Denmark), 1929B (Bos, Denmark); Jillson 1928, 1931, 1932 (Kentucky);
Jodot 1933 (Elephas, France); Joleaud 1928C, 1930A (deer, Africa, Asia), 1928D (Lepus, N. Africa), 1929C (mammals, Africa), 1929D (Mousterian man), 1931A (Homo, Dinotherium, Africa), 1931E (rhinoceros, N. and central Africa), 1933A, C (N. Africa), 1933B (whale, France), 1933D (ruminants, Africa); Joleaud and Lombard 1933A, B (mammals, Sahara);
Kaisin 1933 (mammals, France); Kawada 1932 (Bison, Manchuria); Kazeef 1933 (antelope, Transbaikal); Keith 1930, 1931B (man); Keller 1928 (Switzerland); Kintner 1929 (Mastodon, Indiana); Kireev 1932 (mammals, lower Volga region); Kirkham 1931 (mammals, Idaho); Klebelsberg 1928 (mammoth tooth), 1932 (fishes, Austria); Knight 1931 (painting of Irish elk); Koenigswald 1932A, C, 1933 (mammals, Java); Köppel 1932 (Homo galilaeensis, Palestine); Kormos 1932H (Felidae, Hungary), 1933B (general), 1933F (vertebrates, Czecho-Slovakia 1933G (Poland); Kraglievich 1928A, C, D, 1929A, 1930K, 1931D, K (mammals, South America); Kraglievich and Rusconi 1931 (Argentina); Kranz, Berckhemer and Wagele 1930 (Germany); Kubacska 1929 (mammals, Hungary); Küthe 1933 (Sus, Germany); Lambacter 1000 (Januara, Madaessean); Lambacak

(Sus, Germany); La Baume 1930 (Bos, Europe); Lamberton 1929 (lemurs, Madagascar); Lambrecht 1929C (birds, Madagascar), 1931B (birds, Austria); Lang, H., 1929 (mammals, Africa); Lapham 1927 (mammals, Washington); Larson 1930 (bird, California); Leakey 1931, 1932A, B, 1933A, B, C, D, E; Leakey, Hopwood and Reck 1931A, B; Leakey, Reck, Boswell, Hopwood and Solomon 1933 (man, mammals, E. Africa); Lebzelter 1933 (man and mammoth, Predmost); Leonardi 1933 (hippopotamus, Italy); Leriche 1928C (fishes, Switzerland); Leuthardt 1929, 1930 (mammals, Switzerland); Leverett 1930 (correlations, Florida, general); Lewis, F., 1928 (fossil eggs, Bermuda); Liebus 1929C, 1933B (mammals, Czecho-Slovakia); Linckenheld 1928 (sub-recent mammals, Europe); Longman 1928, 1929 (Australia); Loukashkin 1932 (mammals, N. Manchuria); Lönnberg 1933B (buffalo, E. Africa); Lorenzo and Erasmo 1931A, B, 1932 (man and Elephas, Italy); Löscher 1928 (Neanderthal); Lowe, P., 1933B (ostriches, Africa and Arabia); Lowe, P., and Bate 1931 (birds, eastern Asia); Lozano 1927 ("Elephas", Mexico); Lull 1929B, 1930A (Nothrotherium, New Mexico); Luquet 1928 (bovids, Germany) Lyon 1931, 1933 (mammals, Indiana): Lebzelter 1933 (man and mammoth, Predmost); Leonardi 1933 (hippopotamus,

Lyon 1931, 1933 (mammals, Indiana);
MacCurdy 1928A, B, 1932B, 1933 (man, general), 1931A (mammals, France, 1931B (mammals associated with man); MacKenzie 1933 (man, England); Matsumoto 1930A (N. E. Japan), 1930B (Sus, Atsuta), 1930C (Homo, Japan), 1930D (swordfish, Japan); E (Sus, Japan), F (culture sites, Japan); Matsumura 1930 (Sinanthropus, China); Matthew 1931B (ground sloths, Cuba); Melichar 1928 (ungulates, Czecho-Slovakia); Mendes-Corrêa 1933B (man, mammals, Europe); Menghin 1931 (stone age, treatise); Merriam 1930D, 1933A (man, N. A.); Miller, A H 1920B 1932B (birds California); Miller L. H. 1927 (falcons, California) Menghin 1931 (stone age, treatise); Merriam 1930D, 1933A (man, N. A.); Miller, A. H., 1929B, 1932B (birds, California); Miller, L. H., 1927 (falcons, California); 1930B, 1931C, 1932B (birds, California), 1932A (storks, California); Miller, W., 1930 (moon and glaciation); Milon 1931 (mammals, France); Mochi 1929 (stratigraphy); 1931A (skulls, Italy); Moir 1932A (England); Mollison 1931 (Oldoway Man); Moodie 1930A (mammals, Arizona); Morosan 1931A, B (Mousterian fauna, culture, Moldavia); Müllerried 1933 (gravigrade, Mexico); Munthe 1931 (Germany), 1933 (fish);

J., D., 1930A (California), 1930B (woolly rhinoceros, Europe); Nagasawa 1933 (mammals, sharks, Japan); Negri 1928; Nelson 1933; Niezabitowski 1931 (Bison, Poland). 1932 (birds, mammals, Poland). Nininger 1928 (mammals, Kansas):

Poland), 1932 (birds, mammals, Poland); Nininger 1928 (mammals, Kansas);

Nordmann 1930 (elephant molar, Denmark); Nordmann and Degerbøl 1930 (bear, Jutland); Nowak, Panow, Tokarski, Szafer and Stach 1930 (rhinoceros, Poland); Obermaier 1928B (mammals, Bohemia), 1928C (Altamira), 1931C (N. Africa); Oppenheimer 1933 (mammals, Czecho-Slovakia); Oppenoorth 1932A, B, C (man, Java); Orlov 1929, 1930A, B, C, D (mammals, W. Siberia); Osborn 1927C (mammals, reptiles, India), 1929K, 1932F (elephant enamel method of dating); Osborn

and Colbert 1931 (enamel method of dating);

Palmer, L., 1931 (mammals, Bristol district); Parodi 1930 (Megatherium, Patagonia); Patané 1932 (Sicily); Patte 1928 (mammals, Asia); Patty 1929 (Alaska); Pavlow, A., 1928B (European Russia); Pavlow, M., 1933A (mammals, Russia), 1933C (dolphins, Black Sea region); Pei 1929 (Sinanthropus, China), 1930, 1931A, B (mammals, China); Perez de Barradas 1929B (mammals, Spain); Pettit 1933 (mammals, Madagascar); Petrbok 1928A (mammals, Czecho-Slovakia), 1928B (ibex, Czecho-Slovakia), 1931 (rhinoceros, Elbe); Peyer 1928B (fish, Switzerland) Pfizenmayer 1928 (mammoth cadaver, Siberia); Pia 1930A, B (Phacochoerus, S. W. Africa); Ping 1930B (turtle, China); Pohle 1928A, B (mammals, Africa); Poile 1930 (Bos, deer, France); Pontier 1928A, B, 1929A, 1931A, B, 1933B (elephants, France), 1929B (elephants, England); Praeger 1932 (Ireland); Price and Wells 1933 (mastodon, Pennsylvania); Puccioni 1928 (Italy); Pycraft et al.,

1928 (Rhodesian man, associated vertebrates);

Raistrick 1933 (mammals, England); Ray 1929 (man, North America); Reagan 1929 ("mastodon", North America); Reck 1928A (artiodacty), Africa), 1931B, 1932A, ("mastodon", North America); Reck 1928A (artiodactyl, Africa), 1931B, 1932B, 1932B, (Bana, associated vertebrates, Africa); Reed, R., 1933A (California); Reichardt 1931 (Elephas tusk, Germany); Rellini 1929B (stratigraphy); Reverdin 1930 (man, associated vertebrates, France); Reynolds, S., 1929 (Megaceros, Britain); Riabinin 1930A (beavers, Russia), 1932, 1933 (cave lion, hyaena, Siberia); Richards 1930 (New Jersey); Rick 1931, 1932, 1933 (mammals, Germany); Ringström 1928 (Sweden); Ritchie 1928 (Ireland), 1929A, B, 1930 (Scotland); Roman 1929B (Elephas, France); Romar 1928A (memmals, Alexia) 1931 (general), 1933B (Elephas, France); Romer 1928A (mammals, Algeria), 1931 (general), 1933D (ketphas, France); Romer 1928A (mammais, Algeria), 1931 (general), 1931 (vertebrates and antiquity of man, North America); Romer and Nesbitt 1930 (rat, Sahara); Röpke 1931 (Bison, Germany); Ross and Wooldridge 1932 (England); Rossel 1930 (mammals, Spain); Rousseau 1929 (mammals, France); Rowe 1931 (proboscidean tusk, Iowa); Rüger 1928, 1929B, 1930, 1931 (man, mammals, Germany); Rusconi 1928A (tapir, Argentina), 1929C (Myocastoridae), 1930B, D, G (peccaries), 1930-I, 1931B (Ctenomys), 1931G (Paleolama, Argentina), 1931F, H, 1932-I, K, M (South America); Russell, J., 1928 (France); Ryziewicz

1933 (Ovibos, Poland); Sackrewsky 1931 (deer, Russia); Såhleanu 1932, 1933 (mammals, Rumania); Sandford 1929 (Africa), 1932A, B (England); Sanford 1931, 1932 (mastodon, Indiana); Sawtell 1931 (mammals, France) Schaub 1930B (rodents, Europe), 1932 (ruminants, Hungary); Schlosser 1928A (Alces, Europe); Schmidt, H., 1930A (Alces, Germany); Schmidtgen 1928B (bird, Germany), 1930 (deer, Germany); Schött 1931 (Bos, Sweden); Schroeder 1928 (proboscideans, Germany); Schroeder Schmierer and Dienemann 1929 (mammals, Germany); Schrolko Schroeder, Schmierer and Dienemann 1929 (mammals, Germany); Schtylko 1928B, 1930 (Siberia); Schurmann 1931 (Sumatra); Schwarz, E., 1932A (*Hipparion*, Africa), 1932B (antelopes, Africa); Schwarz, R., 1930, 1931A, 1932 (man); parion, Africa), 1932B (antelopes, Africa); Schwarz, R., 1930, 1931A, 1932 (man); Sergi, S., 1929A, 1930, 1931A, B (man, mammals, Italy); Serpa Pinto 1932 (elephant, Portugal); Sestini 1931 (general); Sickenberg 1930 (Capra, Austria), 1933A (Austria); Simionescu 1930A (Arctomys, Rumania), 1930B (Elephas, Rumania), 1932 (Camelidae, Rumania); Simpson, G. G., 1929D, E., H., 1930A, C., 1932D (mammals, Florida); Simpson, P., 1933 (mastodon, Indiana); Skuti and Stehlik 1932 (mammals, Moravia); Smith, Burnett, 1929 (mammals, New York); Soergel 1929 (mammals, Germany); Sollas 1928 (Rhodesia); Spillman 1929A, B, 1931 (mastodon, Ecuador); Spock 1930 (Mongolia); S [tamp] 1929E (general); Standing 1928 (France); Stehlik 1931A, B (proboscidea, Czecho-Slovakia), 1931C (man, vertebrates, Czecho-Slovakia); Stehlin 1928D (mammals, Island of Pianosa), 1928F (mammals, Oelberg), 1931A (Bison, Switzerland). slovakia), 1931C (man, vertebrates, Czecho-Stovakia), Stemini 1923D (manification), 1928F (manmals, Oelberg), 1931A (Bison, Switzerland), 1933A (Ovibos); Stehn and Umbgrove 1929 (Java); Stelfox 1933 (Irish elk, Ireland); Sternberg, C. H., 1928 (McKittrick, California); Stirton & Weddle 1929 (tapir, California); Stock 1929A (mammals, Rancho La Brea), 1930E (birds, mammals, Rancho La Brea), 1931A (general, mammals), 1932D (Felis, California); Stock and Furlong (Elephas, California); Stromer 1928B (mammals, Barcho La Brea), 1931A (general, mammals), 1932D (Felis, California); Stock and Furlong (Elephas, California); Stromer 1928B (mammals, Barcho La Brea), 1932B (mammals, Barcho La Brea) varia), 1928C (muskox, Germany); Suess, M., 1932 (mammals, Africa); Suf 1931 (mammals, Czecho-Slovakia); Šusta 1932 (rhinoceros, Czecho-Slovakia);

Tchernychev 1931 (mammals, U. S. S. R.); Thatcher 1928 (man, Arkansas); Tokunaga 1933B (elephants, Tokyo); Tokunaga & Naora 1933A (man, mammals, Manchukuo); Tugarinov 1932 (avifauna, Siberia); Uhle 1930 (mastodon and man, Ecuador);

Van Es 1931 (Pithecanthropus and associated mammals); Van Hoepen 1930A, B,

Van Es 1931 (Pithecanthropus and associated mammals); Van Hoepen 1930A, B, 1932A (horses, S. Africa), 1932B (suids, S. Africa), 1932C (artiodactyls, S. Africa) Vaufrey 1929 (elephants, other mammals, N. Africa); Wagner, G., 1929 (Neckarlande); Wang 1931A, B (mammals, China); Weber, H., 1928 (mammals, Germany); Weigelt 1932D, 1933C (mammals, tar-pit, Poland); Weiler 1931A (mammals, Germany); Wernert 1928 (mammals, Rhine Valley); Wetmore 1931A, E (birds, Florida); Whelan 1928 (general, Ireland); Wichdorff 1931 (Germany); Wilkerson 1932 (mammals, Alaska); Wilson 1933A (mammals, California); Wolstedt 1929 (general); Woodring et al. 1932 (California); Woodward 1930A (dwarf elephants, Sicily and Malta); Woodward, A. S., 1933A (man and associated faguas, general); and associated faunas, general);

Yin 1931 (mammals, China); Young 1932C (Artiodactyla, China), 1932D, E (mammals, China);

Zdansky 1928 (mammals, China); Zeliźko 1928 (mammals, birds, Bohemia).

Zdansky 1928 (mammals, China); Zeližko 1928 (mammals, birds, Bohemia).

FAUNAS—Quaternary—Cave faunas—Abel, O., 1931A, B, 1932C, D, 1933B, Abel, O., and Koppers 1933, Abel, O., and Kyrle 1931 (Austria); Anderson, C., 1929A, 1932B (Australia); Andree 1928 (Hönnetales); Antonius 1931 (Austria); Arditi 1930 (Sinanthropus); Armstrong, A., 1931 (Pin Hole Cave, England);
Bachofen-Echt 1931A, B, C, D, E (Austria); Baquié-Rambaud 1928 (cave bear, France); Bate 1928 (Gibraltar), 1930 (Kurdistan), 1932B (Palestine); Battaglia 1929 (Italy); Baudouin and Morel 1928 (man, France); Bégouen 1929, 1933 (France); Behn 1931 (Germany); Bialynicki-Birula 1930A (Europe); Black 1929A, B, 1930A, B, C, D, E, F, 1931A, B, D, 1932A, B, 1933A, B, (China); Black, Chardin, Young and Pei 1933 (China); Blanc 1928 (mostly Aves, Italy); Bonarelli 1930 (man, Italy); Bonin 1930 (man, Africa); Boule 1928B (Sinanthropus, China) 1930 (man, Italy); Bonin 1930 (man, Africa); Boule 1928B (Sinanthropus, China), 1929F (China), 1929G (Sinanthropus, China), 1930B, C (man, Africa); Breuer 1931A, B, 1933 (Ursus, Europe); Brunner 1933 (Windloch, Bavaria); Bryan 1929 (man and other mammals, Bishops Cap, New Mexico); Bürgl 1933 (cave bear); Burkitt, M., et al., 1932, 1933 (England); Buttel-Reepen 1930 (man, Germany);

Carthaus 1928B (Bilsteinhöhle); Caterini 1933 (Grimaldi, Italy); Cazedessus 1928, 1929 (mammals, France); Chardin 1931B, 1932 (Sinanthropus); Chardin and Young 1930 (Sinanthropus); Cipriani 1928 (summary, Italy); Conkling 1932

(New Mexico):

Dexler 1931 (skull, cave bears);

Ehrenberg 1928A, C, D, 1929A, B, D, E, F, 1931C, D, E, F, I, J, 1932A, B, 1933B; Ehrenberg and Sickenberg 1929 (mammals, chiefly cave bears, Europe); Engels 1932 (Odocoileus, Indiana); Erasmo 1932B (mammals, Italy); Evans, 1930B

(Oklahoma)

Gaal 1928, 1929 (mammals, Hungary); Gagnebin 1932 (Ursus, France); Garrod 1928, 1929A, B (Neanderthal man, Judea), 1930A (Kurdistan), 1930B, C, 1931A, B, C, 1932A, B, C, D (Palestine); Gidley and Gazin 1933 (mammals, Maryland); Grabau 1930A, B, 1931 (Sinanthropus); Graziosi 1928 (mammals, Italy); Gross, J., 1929, 1931A, B (cave bears and culture, Potoénik cave, Jugoslavia);

Harrington, 1930 (Gypsum Cave, Nevada); Harrington and Scherer 1930 (Gypsum Cave, Nevada); Heller 1930A, D, 1931, 1932C, 1933D (mammals, Europe); Hinton 1928 (voles, Gibraltar), 1932B (mammals, S. Wales); Hörmann 1929 (Kirchtalhöhle, Germany); Howard and Miller 1933 (birds, New Mexico); Hugues and Gagniére 1930 (mammals, France);

Jackson 1929A (England), 1929B, C (mammals, Ireland); Kadić 1933 (mammals, Hungary); Kadić and Kretzoi 1930 (Hungary); Kahrs-Essen 1933 (Neanderthal man, Germany); Keith, et al., 1931, 1932, 1933 (mam-mals, Kent's cavern); Klüpfel 1930 (mammals, Germany); Kühn, H., 1930 (mammals, Europe); Kyrle 1931 (cave bear culture);
Lambrecht 1931B (birds, Mixnitz); Liebus 1929A (Czecho-Slovakia, Tuffna-Höhle); Longworth-Dames 1928 (Kent's Cavern, England);

McCown 1932A, B, 1933 (man, mammals, Palestine); McCown and Keith 1932 (man, Palestine); Magnol 1929 (Italy); Marchand 1932 (fish, mammals, N. Africa); Massari 1931 (man, Italy); Mathieu 1932 (mammals, France); Mazenot 1931 (mammals, France); Miller, A. H., 1932A (icterid, New Mexico); Miller, A. M., 1922A, B (possibility of man, Ohio), 1923 (man, mammals, Kentucky);

Miller, G. S., 1929B (mammals, Haiti), 1930 (antelope, Colorado); Miller, L. H., 1933B (owl, California); Morel and Baudouin 1928 (man, France); Pales 1929C, D, E (mammals, France); Parent 1928 (mammals, France); Prrya

1929 (mammals, birds, artifacts, England); Poole 1930 (Haiti); R., M., 1933 (mammals, Algeria); Raistrick 1933 (mammals, Yorkshire); Rakovec 1933 (Coelodonta, Yugoslavia); Remeš 1929 (mammals, Czecho-Slovakia); Romer 1929A (camel, Utah);

Saint-Just 1929 (mammals, France); Scherer and Harrington 1930 (man, mammals, Nevada); Schmidtgen 1931A ("Drachenhöhle," Mixmitz, Austria); Sickenberg 1931B, 1933C (mammals, Austria); Sickenberg and Ehrenberg 1929 (Austria); Slodkewitsch 1933 (Cuon, Russia); Sos 1932 (mammals, Segovia, Spain); Spocker 1933 (Hungary); Stehlin 1933B (Asinus, Europe); Stehlin and Dubois, A., 1932, 1933 (associated artifacts, Switzerland); Stock 1930B (man and mammals, Nevada), 1930D (antelope, New Mexico), 1931B (Nevada), 1931D (man, mammals, New Mexico), 1931E (mammals, Gypsum Cave, Nevada), 1932F (antelopes, New Mexico);

Taylor 1931 (mammals and man, England); Tindale 1933 (mammals, Australia); Tokunaga 1929 (mammals, Korea); Topa 1932 (mammals, Venosa); Tugarinov

1932 (birds, Palaearctic);

Vallois 1931A (human footprints, France); Vaufrey 1931A (cave bears, U. S. S. R.), 1932A (mammals, France);

Wenke 1933 (mammals, Germany); West 1931 (cave man, Europe); Wetmore 1931B, C, 1932 (birds, New Mexico); Wettstein 1931 (mammals, Austria); Young 1929 (mammals, China); Young and Pei 1933B (mammals, China); Zepp 1933 (mammals, Germany).

FAUNAS-Polycene-Grabau 1930B, 1931 (Asia).

FEATHERS, FOSSIL-See: integumentary structures.

FIELD STUDIES—See: expeditions, explorations and excursions; technique. FLIGHT, ORIGIN OF—Heilmann 1929; Nopcsa 1929D.

FOOTPRINTS, TRACKS AND TRACKWAYS—See: faunas, habits; integumentary structures; restorations and reconstructions; skeleton; Ichnites (systematic index). FORMENKREIS-See: evolution; variation and heredity.

Fossil-Fejérváry 1933 (origin and first use of the word); see also: terminology:

occurrences.

Fossil Ivory Trade—See: economic paleontology.

Fossils Used as Ornaments—See: economic paleontology.

GASTROLITHS—See: coprolites and gastroliths.

GENERAL WORKS, POPULAR WORKS, AND TEXT BOOKS—Abel, O., 1924, 1929E (marine vertebrates); Abel, O., and Galiano 1928 (popular); Adams 1933 (introductory);

vertebrates); Abei, U., and Gallano 1925 (popular); Adams 1933 (introductory); Arldt 1931A (anatomy); Atwood and Heiss 1928 (elementary); Baitsell 1929 (evolution); Bavink 1932 (evolution); Beer and Huxley 1928 (anatomy); Benson 1928 (geology); Berry, E., 1929 (paleontology); Bolk, et al., 1931 (anatomy); Borissiak 1928D, 1933B (paleontology, Russia); Bolsche 1931B (reptiles, popular); Bos 1933 (geology and paleontology); Boule 1931A (man); Boulenger 1932 (fishes); Boyle 1928 (evolution, man); Bradley 1928 (historical geology); Brown 1920 (calculation); Brayester 1928 (popular geology); Brown 1929 (

ogy), 1930 (evolution); Brewster 1928 (popular geology); Broom 1930G (skeleton), 1932B (reptiles, S. Africa); Buchanan 1933 (biology); Burkitt 1933 (stone

Caldwell, et al., 1931 (fossil man); Calverton 1931 (fossil man); Capitan 1931 (prehistory); Caullery 1931 ("Emergent evolution", mammals); Charlesworth 1928 (Ireland in Pleistocene); Chidester 1932 (textbook of zoology); Cleland 1929 (fossil man); Cleveland, et al., 1929 (outline of science, textbook); Cockerell 1927 (zoology of Colorado); Coleman, A., 1929 (ice ages); Conger 1929 (evolution); Coutière 1930 ("Le Monde vivant"); Cowdry 1930 (human biology); Cushman 1928 (uses of fossils);

Dacqué 1928 (paleontology); Dampier-Whetham 1929 (history of science); Daniel 1928 (elasmobranchs, textbook); Diener 1925 (biostratigraphy); Dittler, et al., 1931 (natural sciences); Drennan 1930 (physical anthropology, text); Duncan

1931 (anthropology);

Edinger 1929B (fossil brains); Ehrenberg 1931I (cave bears, popular); Eickstedt 1933 (anthropology); Engel, H., 1931 (fossil man); Evans, J., and Stubblefield 1929 (geology, Great Britain);

F., C., 1930 (Irish elk, popular); Fasten 1929 (evolution); Fejérváry 1933 (zoology); Fenton 1930 (paleontology, popular), 1933 (paleoecology); Fischer 1932 (popular); Foote 1928 (biology; histology of bone and teeth); Fraipont and Leclercq 1932A (evolution, adaptation, distribution); Frassetto 1928 (anthropology); Fritel

1932 (paleontology); Gellert 1929 (geology, Central Europe); Georg 1931 (evolution of man); Ghidini 1931 (curiosities of fossil life); Gillingham 1928 (fossil hunting, popular); Goldring 1929 (paleontology, elementary); Goodrich 1929A (living organisms), 1929B (evolution), 1930B (morphology); Greenly 1928 (popular geology); Gregory, J., 1929B (stratigraphy, Africa); Gregory, J., and Barrett, 1931 (general stratigraphy); Gregory, W., 1929B (skull); Gruenberg 1929, 1930 (evolution); Gürich 1928A (geology);

Haldane and Huxley 1927 (animal biology); H[all], H., 1929 (geology, Egypt); Harvey-Gibson 1929 (2,000 years of science); Hartmann, M., 1933 (biology); Haupt, A., 1928 (biology); Hay 1929, 1930 (bibliography); Heard 1931 (emergence of man); Hempelmann 1929 (faunas, distribution, paleoclimatology); Henderson, K., 1928 (prehistoric man); Henderson, I. F., and Henderson, W., 1929 (dictionary of scientific terms); Hennig 1932A, B (paleontology); Hernandez-Pacheco 1930A (geology, paleontology, Valladolid, Spain); Hertwig 1931 (text, zoology); Hesse, R., 1931 (biology), 1933 (vertebrate ascendancy); Hildebrand 1930 (cold-blooded vertebrates); Hirsch 1928 (index of museums, laboratories, periodicals, investigators); Hofmeyr 1929, 1930 (Africa and science); Hogben 1930 (biology); Hooton 1931A, B (evolution of man); Hotchkiss 1932 (paleontology, popular); Howell, A., 1930 (aquatic mammals); Hyde 1928 (fossil fish, Cleveland shale);

Ingersoll 1928 (dragons);

Jacobi 1929B (mammals and man); Jaeger 1931 (Greek and Latin roots); James 1929 (man); Jaworski, H., et al., 1933 (evolution); Jenness 1933 (American aborigines); Jillson 1931, 1932 (paleontology, Kentucky); Johnson, J. C., 1931 (biology); Johnstone, J., 1932 (biology); Joleaud 1930D (paleontology); Jones

1929 (man and mammals);

Keilhack 1933 (glacial period); Keith 1931B (fossil man); K[endall], P. F., 1929 (glacial period); Kerner-Merilaun 1930 (paleoclimatology); Kiær 1930A (missing link); Killermann and Handmann 1930 (paleontology, geology, anthropology); Kindle 1930 (fossils in geology); Klähn 1930 (Cenozoic mammals); Kleinschmidt 1931B (primitive man); Knopf, Schuchert, Kovarik, Holmes, and Brown 1931 (age of the earth); Koch 1929 (man and vertebrates); Kraitschek and Capeller 1929 (development of man); Kroeber and Waterman 1931 (anthropology); Kubacska 1932A (paleoblology, Hungary);

bacska 1932A (paleobiology, Hungary);
Lambrecht 1931C, 1933B (paleobrithology); Lameere 1931 (zoological classification); Lindsey 1931 (evolution); Little 1932 (structure of vertebrates); Lull 1925, 1928A, 1929A, 1932C (evolution);
McCreery 1933 (natural history); MacCurdy 1924, 1928, 1931B, 1932A (man, mammals); McDowall 1931 (biology and man); MacKenzie 1933 (man, England); Martin, H., 1930A (prospecting, collecting, preparation); Martin, R., 1928 (anthropology); Mattheus 1928 (geology, Bavaria); Matthew 1917 (prehistoric animals), 1928B, 1930F (elementary paleontology); Meier and Meier 1931 (biology); Merriam 1929A, B, 1930B, C ("living past"); Mieli 1928A (comparative anatomy, rev.); Miller, L., 1929B (lecture); Miller, W. M., 1930 (moon and Pleistocene glaciation); Moodie 1930B (Permian ichnites), 1933 (New York); Moore, R., 1933 (historical geology);

Moore, R., 1933 (historical geology); Naumann 1930 (extinct mammals); Neaverson 1928 (stratigraphical, text); Noble

1931 (Amphibia, biology); Nopesa 1929A (geopaleontology); Nordenskiöld 1928 (history of biology); Nowikoff 1930 (comparative anatomy);
O'Harra 1930B (South Dakota); Osborn 1912 (exploration), 1928E ("dragons"),
1930D (paleontology, genetics), 1930G (woolly mammoth);
Pales 1930 (paleopathology); Palmer, E. G., 1928 (origin of man); Palmer, E. L.,
1926 (New York); Patty 1929 (first American); Peake and Fleure 1927 (apes and man); Penrose 1931 (geology and man); Perrier 1928 (zoology, text); Peterson, J., 1929 (astronomy, geology, paleontology); Pfeffer 1927 (zoogeography, North America); Plunkett 1931 (biology, text); Prenant 1933 (animal geography); Pycraft 1931 (natural history);

Quenstedt 1929A (research), 1932A (paleozoology, related sciences), 1932B (gigantic animals)

Radeliffe-Brown 1930 (antiquity of man); Radl 1930 (history of biological theories); Reed, R., 1933B (geology of California); Reed, W., 1930 (natural history); Richet 1929 (biology); Richter 1928A (paleobiology); Riesman 1933 (man);

Romer 1933B (man and vertebrates), 1933C (paleontology, text); Russell, H., 1930 (history of life); Rutten 1931 (Netherlands West Indies); Schaxel 1928 (history of life); Schindewolf 1931; Schmidt, C., 1928 (dictionary, technical terms); Schmidt, H., 1928 (charts for teaching), 1929B (Carboniferous guide fossils); Schrammen 1930 (world and man); Schuchert 1931 (historical geology, text); Schutz 1929 (European Pleistocene); Scott, G., 1930 (biology, text); Scott, W., 1932A (geology, text); Shimer 1929 (evolution, text), 1933 (paleontology, text); Shipley 1930 (evolution); Simpson, G. G., 1933D (collecting in Patagonia); Snider 1932 (historical geology); Spiller 1931 (man, origin); Sternberg, G., 1930 (fossil hunting); Stibbe 1930 (physical anthropology); Stresemann 1933 (Aves); Sunamoto 1932 (elephants); Swinnerton 1930A (general paleontology, text); Swinton 1931A (reconstructions); Thom 1930 (evolution); Thomson 1929 (outlines, zoology), 1931 (outlines, natural history); Thomson and Geddes 1931 (biology); Troighton 1932 (Australian mammals); Tubiá 1931 (dictionary of biology); Twenhofel 1926, 1931 (sedimentation);

Ubisch 1928 (animal geography and continental drift); Vallois 1932A (physical anthropology); Van Bonde 1928 (comparative anatomy); VanderKlaauw 1931A (morphology, bearing on systematics); Vaufrey 1930

(geology and prehistory)

Walter, H., 1929 (comparative anatomy); Weber, M., 1928A (Mammalia, text); Weinert 1930I (fossil man); Wells, H., 1930 (popular); Wells, H., Huxley and Wells, G., 1929 (science of life); Wetmore, Miller and Gidley 1930 (warm-blooded vertebrates); Woltereck 1932 (biology); Woodruff 1932 (biology); Zittel, Eastman and Woodward, A. S., 1932 (text, paleontology).

GENETICS—See: evolution; variation and heredity.

GEOGRAPHIC DISTRIBUTION—See: distribution and migration.

GEOGRAPHY—See: paleogeography.

GEOLOGY—See: distribution and migration; expeditions; faunas; general works; history; occurrences; paleoclimatology; paleogeography.

GONDWANALAND-See: paleogeography.

GROWTH CHANGES—See: embryology; variation and heredity. HABITS, HABITATS, PHYSIOLOGY—Bachofen-Echt 1933 (Megaceros); Barbour, E., 1929A, 1930B (Amebelodon); Böker 1930 (Archaeopteryx and Archaeornis); Boonstra 1933A (pareiasaurs); Broom 1929B (Australopithecus); Brown 1929B (Steno-

mylus); Buick 1932 (moa); Burgl 1933 (cave bears); Camp 1930B (phytosaurs); Chang 1929 (Proboscidea); Dakin 1931 (early vertebrates); Devaux 1929 ("cave man"); Dietrich 1928E (death in animals); Drevermann 1930F (Pterodactylus), 1931E (viviparous fishes and reptiles), 1932F (death in animals); Edinger 1933A (pineal foramen); Efremov 1931A (Dvinosaurus); Ehrenberg 1929B,

1931A (cave bears and Neanderthal man);

Flerov 1931 (Elephas primigenus); Frentzen 1931 (Triassic reptiles and amphib-

Gregory, W., 1927, 1928C, E, F, 1930A, K, 1933A (arboreal ancestry of man); Hamlett 1933 (early tetrapods); Harrington 1933 (Pleistocene ground sloths); Heilmann 1929 (*Proavis* theory); Heinz 1932A (prehistoric drinking place, mammals); Hennig 1932 (general); Hinton 1927 (voles); Hooton 1930, 1931A, B (primates); Hrdlicka 1932 (man); Huene, F., 1931A (Karroo reptiles), 1933C Placodus):

Jones 1929A (primates);

Korn 1933 (cotylosaur tracks, Germany); Kripp 1933 (Edmontosaurus);

Laatsch 1931 (ganoids, Triassic); Lambrecht 1933B (fossil birds); Langelier 1933 (Archaeopteryx); Liebus 1929B (Tertiary salamanders); Lull 1933 (dinosaurs); Matthew 1932C (oreodonts);

Nopcsa 1929A, F (paleophysiology), 1929D (Proavis theory); 1931B (Stegocephalia), 1933B (Euchambersia)

Osborn 1928B, C, 1929L (plateau habitat, early man);

Peters 1932 (Mesozoic reptiles, environment); Pike 1928 (habitus); Piveteau 1928 (marine crocodiles), 1931B (aquatic and land life);

Russell, L., 1933B (fresh water plesiosaur); Sieber 1929 (anthracotheres); Simpson, G. G., 1930B (paleocene alligators), 1931A (edentates), 1933N (plagiaulacoids, etc.); Sivers 1931 (cave bears); Smith, Homer W., 1932 (early vertebrates); Soergel 1928A (environment, Germany); Sternberg, C. M., 1933C (dinosaurs);

Tate and Brown 1928 (Ceratopsia, use of head);

Van Straelen 1928 (nesting of reptiles); Versluys 1929 (locomotion and posture); Weidenreich 1929A (cannibalism, early man); Wiman 1929 (aquatic dinosaurs). Heredity and Variation—See: variation and heredity; degeneration; extinction. HISTOLOGY—See: anatomy (of various groups); dentition; skeleton; skull.

HISTORICAL GEOLOGY—See: geology.
HISTORY OF PALEONTOLOGY—Abel, O., 1932A, B (Goethe); Abel, O., and Galiano 1928; Almquist 1931; Ambard 1930; Artelt 1929 (anatomy of jaws and teeth);

Ayres 1932 (Huxley); Boule 1928E (Robert Hooke), 1932 (Cuvier); Bräuhäuser 1930C (Leonardo da Vinci); Broom 1932B (S. Africa); Browning 1931 (physicians in Amer. geology); Bultingaire 1932 (portraits of Cuvier); Bürger 1930 (discoverer of Neanderthal

Chen 1929 (early Chinese); Cook, J. H., 1923 (Agate Springs beds); Costanini

1928 (Italy); Dampier-Whetham 1929 (America); Darwin 1933 (voyage of Beagle, ed. from MS.); Drachman 1930 (natural science)

Edinger 1928B (field methods in N. A.); Edwards 1931 (guide to British Museum); Enriques 1929 (history of evolution); Farquhar 1930 (Whitney Geological Survey); Fejérváry 1933; Friedmann 1928 (early restoration of *Archaeopteryx*); Friedrich 1932 (views on homology);

Graf 1929 (evolution);

Hennig 1932 (general); Hirsch 1928 (history of museums); Hitchcock 1931 (Jefferson's mastodon);

Jillson 1932 (Kentucky);

Kindle 1929 (dinosaur collecting), 1931 (Kentucky), 1932 (fossil footprints); Kraglievich 1931F (Uruguay, general); Kubacska 1928, 1930C (Hungary); Leonardo da Vinci 1928 (biographical);

May 1928 (Cuvier and Lamarck):

Nordenskiöld 1928 (general); North 1928B (William Smith);

Osborn 1929E (general), 1929M (U. S. G. S. Monographs), 1929Q (Jefferson, etc.); Osborn, et al., 1931 (Cope and American paleontology); Osler 1929 (library); Parks 1922 (in Canada); Pavlow, A., 1928A (Robert Hooke); Picová 1933 (paleo-

biology); Pongrácz 1931 (evolution);

Quenstedt 1929A (paleontological research); Rådl [and Hatfield] 1930 (biological theories); Roman 1930 (Lyon);

Salomon-Calvi 1928 (Leonardo da Vinci); Sarton 1930 (teaching methods); 1931 (history of science); Schiller 1932 (Darwin, voyage of Beagle); Schmid 1930 (Goethe); Schuster, J., 1928 (museum), 1930 (beginnings of natural science research); Scott, W., 1927 (American paleontology), 1928D (Leidy and paleontology); Singer 1931 (general); Skutil 1928B (J.-B. Lucotte); Smith, G., 1928A (evolution); Sudbury 1928 (first fossil collected by man); Thorndike 1929 (15th century); Tolmachoff 1929 (frozen mammoths in Siberia);

Vaufrey 1931B (human paleontology in Germany); Wadia 1933 (India); Wahle 1932 (study of man in the Rhineland); Wetmore 1933I (fossil birds); Woodward, A. S., 1931B (modern progress), 1933C (discovery of Piltdown man).

HOLOGENESIS—See: evolution.

Homology—See: evolution; phylogeny. HORN-See: integumentary structures.

HUMAN PALEONTOLOGY—See: cultural remains; evolution; faunas, (Quaternary, and Quaternary cave); Hominidae and the various genera (in systematic index); phylogeny; skull, Mammalia; skeleton, Mammalia.

HYPOTAGOLOGIE—Fejérváry 1933.

ICHNOLOGY—Richter 1930Å (critical); See also: faunas; habits; integumentary structures; Ichnites (systematic index); restorations and reconstructions; skeleton.

ICHTHYODORULITES (Systematic index).

ILLUSTRATION—See: technique, field, laboratory and museum methods. INTEGUMENTARY STRUCTURES (SKIN, SCALES, HORN, FEATHERS, IMPRESSIONS, ETC.) —Adamstone 1931 (age and growth records on fish scales); Barbour, T., and Stetson 1929 (Homwosaurus); Boetticher 1928 (bird beaks and reptile head shields); Boonstra 1933D (dermal ossicles, pareiasaurs); Broili 1928 (scales, Permian Amphibia); Bryant 1927 (scale impressions, ostracoderms); Collins 1933 (dermal ossicles, mylodonts); Döderlein 1929B (pterodactyl membranes); Gildersleeve 1933 (pharyngeal plates, *Phyllodus*); Grüss 1932 (analysis of horn); Hausman 1929 (hair, ground sloth); Janda 1929 (feather structure, Archaeopteryx); Peyer 1931H (ossification); Szalay 1930 (color of aurochs hair); Wetmore 1930B (Fontinalis a feather); 1930C (error in identification of feathers of Diatryma).

Institutions—See: museums, institutions, and congresses.

ISOLATION, THEORY OF—See: evolution.
ISOSTASY—See: paleogeography.
IVORY, FOSSIL, TRADE IN—See: economic paleontology.

LAND BRIDGES—See: distribution and migration; paleogeography.

Laws-Biogenetic Law (Rosa 1928); Law of inertia (Trägheitsgesetz = Abel's law) Abel, O., 1928B, 1929B; Law of phylogenesis (Dubois' law) Dubois, E., 1928,

LEGENDARY PALEONTOLOGY—See: history of paleontology; reconstructions and restorations.

LOCOMOTOR MECHANISMS—See: habits; paleomyology; skeleton.

Man. Fossil-See: human paleontology.

MEMORIALS AND MEMORIAL VOLUMES—See: anniversary and memorial volumes: obituaries.

METHODS—See: technique: phylogeny: evolution: history of paleontology: paleobiology, correlation; etc.

MIGRATION—See: distribution and migration.

Morphology-See: anatomy.

MUMMIFICATION—See: occurrences. MUSCULATURE—See: paleomyology.

MUSEUMS, INSTITUTIONS AND CONGRESSES—Organization and history—American Mus. Nat. Hist. (Osborn 1898A, 1903, 1909, 1911, 1929G, 1930F, 1931A, E, 1932E; Zelízko 1931); Berlin, Nat. Hist. Mus. (Zimmer 1933); Hungary, proposed museum (Pongrácz 1928); bibliography of Museums (Smith, R. C., 1928); index (Hirsch 1928); International Glacial and Fossil Man's Commission (Mushketov 1931); Leiden, Rijks-museum (Escher 1931); Münster Univ. Geol. Mus. (Wegner, Th., 1933); Museum management (Schuster 1928); Oberösterreichischen Landesmuseum (Kerschner and Schadler 1933); Vienna (Abel, O., 1929F, 1930B); Senckenberg Museum (Naumberg 1931); Ward's Natural Science Establishment (Fairchild 1928).

Reports and notices—American museum work (Lowe, E., 1928); American Mus. Nat. Hist. (Osborn 1932I); British Museum, East African exped. 1929 and 1930 (Migeod 1930, 1931A, B), Mesozoic mammals (Simpson, G. G., 1928C); British muslic museums (Miers 1928); California, Univ., Museum of Paleontology (Matthew 1929G; Camp 1930C); Carnegie Institution (Merriam, J. C., et al., 1929; Merriam and associates, 1928–1933); Colorado Museum of Natural History 1929; Merriam and associates, 1928–1933); Colorado Museum of Natural History (Figgins 1916, 1917, 1918, 1919, 1926, 1927B, 1929, 1930, 1931C, 1932, 1933C); Congress Internat. Sci. Prehist. et Protohist. (Vaufrey 1931C, 1932J); Edinburgh (Grimshaw 1933); Elbeuf, museum, acquisitions (Coulon 1928A, B); Harvard, Mus. Comp. Zool., list of mammal types (Allen, G., 1931), annual report (Stetson 1928A, 1929, 1930A, 1931A, 1932, 1933), fossil types (Schevill 1932); Institute Italiano Paleontologica Umano (Mochi 1932B, C); Modena, Geol. Instand museum (Stefanini 1929; Stefanini, Bassoli and Montaro 1930); Museo de la Plata, accessions and expeditions (Torres 1928, 1932); Senckenberg Museum, accessions (Richter 1928B); Stockholm (Lönnberg 1933); Stuttgart (Berckhemer 1929B); U. S. Geol. Surv., lists of publications (U. S. G. S. 1933), lithographic plates (Osborn 1931E), monographs (Osborn 1929M); Minster Univ. Geological plates (Osborn 1931E), monographs (Osborn 1929M); Münster Univ., Geological Museum (Wegner, T., 1933); Wales, National Museum, types and figured specimens (North 1928); Yale, Peabody Museum (Lull 1930C, 1931D, 1932D, 1933B).

Myology-See: paleomyology. NATURAL SELECTION—See: evolution; variation and heredity.

NECROLOGY—See: obituaries. NEUROCRANIUM—See: skull.

NEUROLOGY—See: skull.

Neurology—See: skull.

Nomenclature—See: systematic index headings; terminology.

Obituaries—Ami (White, D., 1932; Woodward, A. S., 1931G);

Bayer, J., (Jenny 1931); Bernsen (Schreuder 1932; VanderVierk 1932; Waage 1932);

Bolk (VandenBroek 1931); Bolkay (Fejérváry 1930A, 1932); Böse, E., (Burckhardt and Waitz 1928); Branca (Anonymous 1928L; Borissiak 1928C; Hennig 1928; Pompeckj 1928B; Reck 1928B; Rohleder 1928); Buchman (Crickmay 1929);

Capitan (Peabody 1930; Vaufrey and Maurer 1929); Chamberlin (Schuchert 1929B);

Crook (Farrington 1931)

Crook (Farrington 1931);
Dawkins (Boule 1929E; Woodward, A. S., 1931H); Dean (Anonymous 1929U;
Gregory, W., 1928A; Osborn 1929B; Woodward, A. S., 1929B); Depéret (Borissiak 1930A; Gignoux 1930; Lemoine 1932; Osborn 1929C; Roman 1929A; Sollas 1930; Termier 1929); Diener (Bather 1928C; Richarz 1928); Dollo (Abel, O., 1931D; E[dinger], T., 1931D; Jakovlev 1933; Lambrecht 1931E; Van Straelen 1933; Woodward, A. S., 1931D, E, 1932D); Douglass (Holland 1931; Peterson, O. A., 1931C); Drevermann (Richter 1932A; Salomon-Calvi 1932A); Dybowski (Grochmalicki 1930; Kuntze 1932; Palmer, T. S., 1931);
Engel T. (Berckhemer 1933E):

Engel, T., (Berckhemer 1933F);
Fejérváry (Pongracz 1932; Versluys 1932); Frech (Pompeckj 1928A); Fuertes (Allen A., 1927; Chapman, F. M., 1927, 1928; Hosmer, et al., 1927; Osgood 1927);
Gadow (Anonymous 1928I; G., J. S., 1928; P[almer], T. S., 1928A; Stresemann 1928; Watson 1930A); Gibb (Schuchert 1932B); Gidley (Anonymous 1931Q; Lull 1933B) Hay (Huene 1931G; Lull 1931A); Holland (Anonymous 1933W; Avinoff 1933; Gazin

Hay (Huene 1931C; Luli 1931A); Holland (Anonymous 1935W; Avinon 1935, Gazin 1933D; Leighton 1933; Stone 1933);
Ihering (Anonymous 1930S, T, V; Chiarelli 1931; Haas 1930; Palmer, T. S., 1930; Quelle 1930; Schuchert 1930A);
Jackel (Abel, O., 1929D; Bather 1930; Borissiak 1929B; Drevermann 1929A, B, C; Pongrácz 1929); Jordan (Anonymous 1931P; Ruthven 1932; Treat, P., 1932; Woodward, A. S., 1931F);
Kayser, E., (Krause 1929); Kiær (Holtedahl 1933; Raymond 1933); Kraglievich (Anonymous 1931V; Castellanos 1932B, Lozano and Molfine 1932);

Kayser, E., (Krause 1929); Kiær (Holtedahl 1933; Raymond 1933); Kraglievich (Anonymous 1931X; Castellanos 1932B, Lozano and Molfino 1932); Lankester (Anonymous 1929K, V; Boule 1929D; Goodrich 1930A; Goodrich, et al., 1929; Harmer 1931; Osborn, Bidder and McIntosh 1928); Lucas (Hadley 1929; Murphy 1929; P[almer], T. S., 1929B; Schuchert 1929A; Townsend 1929; 1930); Matthew (Abel, O., 1931H; Anonymous 1930J, 1931V; Cabrera 1931; Granger 1931A; Gregory, W., 1930I, J; Osborn and Gregory 1931; Schuchert 1930B; Stromer 1931B; Watson, D., 1932B; Watson, O., 1930; Woodward, A. S., 1930E); Mochi (DeVecchi, et al., 1930); Newton (Boule 1930A; Woodward, A. S., 1930B, C); Nopcsa (Anonymous 1933D; Lambrecht 1933A; Suess, F., 1933); Ortmann (Holland 1927); Patten (Gerould 1932); Paylow, A., (Bloulel 1929C): Pompecki (Anonymous 1930C)

Patten (Gerould 1932); Pavlow, A., (B[oule] 1929C); Pompecki (Anonymous 1930Q; Bräuhäuser 1930A; Broili 1931C; Dietrich 1931A; Garwood 1931; Hennig 1930; Janensch 1931A; Roethe 1930); Pontier (Dubar 1933); Pozzi (Kraglievich 1930I);

Rak (Frick 1932); Schlosser (Broili 1933C); Schroeder (Schmierer 1928); Smith, J. P., (Arthaber 1932; Shedd 1931B); Soergel (Wepfer 1931); Steinen (Boas, Franz, 1930); Steinmann (Wanner 1930; Wilckens 1930); Sushkin (Anonymous 1928K, U, V, 1929A, E; Bialynicki-Birula 1928; Menzbier 1928; P[almer], Tr. S. 1929A; Schenk 1929; Snouckaert van Schanberg 1929; Strelnikov 1930; Stresemann 1929); Ten Kate (Vallois 1931F); Ternetz (Stehlin 1929C); Thomas (Lees 1932); Thomson (Heron-Allen 1933); Tournal (Blanquier 1928); Trouessart (Bourdelle 1928);

Vialleton (Grynfeltt 1930; Portier 1930); Walcott (Darton 1928); Walther, J. (Weigelt 1930E); Wanner (Steinmann 1930A); Wepfer (Soergel 1931, Bräuhäuser 1930B); Williams, J., (Anonymous 1932Q). OCCURRENCES, MANNER OF BURIAL, PETRIFICATION AND PRESERVATION—Ampferer 1928 (general);

Chillinor 1928 (definitions)

Dietrich 1928E (death), 1929C (Bos, Steinheim); Drevermann 1928E (petrified "mummies"

Ehrenberg 1929A, B, C, E, G, 1931B, G, 1932A, B, 1933A, D; Ehrenberg and Sickenberg 1929 (Pleistocene mammals, chiefly cave bears);

Franchet 1933 (coloration of bone); Gilmore 1930D (pseudo-fossils), 1931C (weathering of dinosaur bone);

Hanna 1933 (redeposited Miocene sirenian, California); Henderson, J., 1926, 1927 (sources of petroleum); Hennig 1932 (general); Hindze 1928 (petrified brains); Hubbard, S., 1927 (pseudo-fossils, mummies, etc.);

Isberg 1930B (preservation of color); Joleaud 1930C (methods of fossilization); Joleaud and Lombard 1933A, B (methods of petrification, mammals, Pleistocene, Sahara);

Kaisin 1933 (secondary occurrences in limestone); Kellogg 1928B (review); Kitner 1929 (mastodon skeleton); Klähn 1932B (effects of sediment on distortion of fossils); Kluger 1932 (Cretaceous "turtle eggs", or concretions); Krejci-Graf 1932A (definitions of tracks, etc.); Kuentz 1933 (pseudo-fossils);

Le Riche 1929 ("universal deluge");

Matthew 1930A (species in quarry material); 1932D (sedimentary environments); McCartney 1933 (in bentonite, Patagonia);

Nowak, et al., 1930 (rhino cadaver, Poland);

Ohaus 1929 (water hole preservation);

Parkinson 1928 (dinosaurs, E. Africa), 1929B (preservation, general); Peters, N., 1932 (causes of mummification);

Radley 1929A (pyritized fossils)

Sarton 1929 (Siberian mammoths); Schadler 1929 (chemical environment, cave preservation); Shuler 1933 (vertebrates in river deposits); Sickenberg 1931B (Drachenhöhle, Austria); Simpson, H., 1933 (Carboniferous deposit of fish remains); Stock 1929A, B, (California asphalt, Pleistocene); Strunz 1928 (preservation of ichthyosaur, Germany);

Vigh 1929 (mummification);

Wanderer 1931 (silver and copper replacement in Triassic fish, Germany); Watson 1931A (fish, S. Africa); Weber, H., 1928 (mammals, Pleistocene, Germany); Weber, M., 1928B (environments); Weigelt 1928 (fish, Permian, Germany), 1930A (Geiseltal fauna, Germany), 1930B (manner of death), 1930C, 1933B (brown coal sedimentation, Geiseltal Germany), 1932D; 1933C (rhinoceros and mammoth cadavers in Poland); Weiler 1929A (detached fish heads, Oligocene of Germany); White, D., 1929 (Arizona Permian Footprints); Willey 1906 (Bone Cabin Quarry, Wyoming);

Young 1930B (gnawed and broken bones, Sinanthropus locality); Zander 1928 (tar-pit, California); Zelizko 1932A (mummies).

ODONTOLOGY-See: dentition. Ologenesis-See: evolution.

ONTOGENY-See: evolution; paleoembryology.

OÖLITHS-See: eggs and egg shells.

ORIGIN OF FAUNAS AND FORMS—See: distribution and migration; evolution; phylogeny.

ORIGIN OF MAN-See: evolution; Hominidae (in systematic index).

ORIGIN OF SPECIES-See: evolution.

ORTHOGENESIS—See: evolution; phylogeny; terminology.

OSTEOLOGY-See: dentition; skeleton; skull; etc.

OTOLITHS—See: skull, Pisces; Otolithus (in systematic index). Paleoanthropology—Werth 1928. See also: anthropology.

PALEOBIOLOGY—Fejérváry 1933 (methods of study). PALEOCLIMATOLOGY—Antevs 1928 (Pleistocene glaciation);

Black 1931C (Cenozoic climates, primate dispersal, polar shift, and variable solar radiation); Bourcart 1933 (Pleistocene, Morocco); Boswell 1932D (ice age,

Chardin 1928 (Asia); Charlesworth 1929 (Ireland);

David and Süssmilch 1931 (glaciation, Australia); Del Campana 1928 (Quaternary, Italy);

Ehrenberg 1932B (Pleistocene, Europe);

Frentzen 1931 (Triassic, Germany);

Grabau 1930B, 1931 ("Polycene," Asia), 1930C (Asia); Gromov 1928, 1933 (Russia,

Quaternary);

Harrington 1933 (Pleistocene, Nevada); Heinz 1932A (Pleistocene, S. W. Africa); Heller 1932C (Pleistocene, Europe); Hempelmann 1929 (climate and distribution); Hummel 1928, 1929 (Eocene, Europe); Isberg 1930A (Pleistocene, Sweden);

ISBORG 1930A (FIEISTOCENE, SWEGEN);
Kerner-Merilaun 1930 (general); Koch, F., 1929 (tetrapod evolution);
Koenigswald 1929 (Miocene, Europe);
Köppen and Wegener 1924 (general);
Kormos 1933B (Pleistocene, Europe);
Leverett 1929 (Pleistocene, N. Hemisphere);
Matsumoto 1930A (post-glacial, N. E. Japan);
Matthew 1930C, 1932A (dispersal of land animals);
McKee 1933 (Permian N. A.);
Merriam 1933B (climatic cycles);
Miller, A. H., 1932B (Southern California Pleistocene);
Negri 1928 (Pleistocene, general): Nonces 1932B (land rentiles and stegogenhalians)

Negri 1928 (Pleistocene, general); Nopcsa 1932B (land reptiles and stegocephalians Quiring 1930 (climatic oscillation, Europe and N. Africa); Schuchert 1928 (Permian); Sestini 1931 (Quaternary); Simpson, G. C., 1930 (Pleistocene); Simpson, G. C., et |al., 1930 (discussion); Smuts 1932 (Africa); Stallybrass 1932 (Pleistocene);

Weber, M., 1928B (fossils as indicators of climate); Wetmore 1929A (North America); White, D., 1929 (Arizona Permian); Wiegers 1929 (N. Germany); Wilkerson 1932 (Alaska, Pleistocene); Wilser 1931 (general); Woldstedt 1929 (Pleistocene). Paleoecology—See: ecology.

PALEOEMBRYOLOGY-O'Harra 1930A (oreodon twins); Sewertzoff 1929, 1931B, 1932 (imaginary fossils reconstructed from embryology); Swinton 1929B (ichthyosaur embryos).

PALEOETHOLOGY—See: terminology. PALEOETHOLOGY—See: ethology.

PALEOGEOGRAPHY—Arldt 1919 (land bridges and coast lines);

Betim 1929 (Wegenerian hypothesis, faunas of Brazil); Black 1931G (polar shift);
Born 1932 (Paleozoic); Bourcart 1932 (Miocene of Morocco);
Corroy 1928B (Triassic, Lorraine);
Dacqué and Wegener 1926 (general, continental drift);

Dacque and wegener 1926 (general, continental drift);
Faranda 1928 (nomenclature of regions); Foerste 1931 (continental drift, Arctic land bridges); Friant 1933B, C (land bridges to South America in Tertiary);
Gregory, J., 1929A, 1930 (ocean basins, continental drift, isostasy); Gregory, J., and Barrett 1931 (stratigraphy, maps, general);
Hubbard, S., 1927 (Atlantis); Huene, F., 1929D (Cretaceous), 1929G, I, 1933B (Mesozoic, land connections; Gondwana land);
Ihering 1931A (oceanic land bridges, Cenozoic);
Johnston, W., 1933 (Quaternary, North America);

Johnston, W., 1933 (Quaternary, North America); Koch, F., 1931 (continental drift); Koch, L., 1929 (polar shift); McKee 1933 (Permian, N.A.); Marwick 1929 (New Zealand); Metcalf 1930 (Equatoria)

Nagy 1929 (European avifauna); Noble 1928 (Europe, Miocene);

O[sborn], 1930C (Mediterranean land bridges);

Pfeffer 1927 (Cretaceous-Tertiary); Praeger 1932 (Ireland, Pleistocene);

Samsonowicz 1929 (Paleo-Mesozoic, Europe); Sarton 1928 (DuToit's theory); Schmidt, K., 1931B (Holarctica); Schuchert 1930A (Cretaceous and Cenozoic), 1932A (Gondwana land bridges); Scott, W., 1932B (S. Amer.); Sewell 1929 (Pleistocene land connections); Sickenberg 1929A (North America-Europe); Simpson, G. G., 1932A (S. Africa-South America in Tertiary), 1933J (South America); Soergel 1917 (isostasy);

Vaufrey 1929 (Pleistocene connections, Europe and Africa);

Watson 1929J (paleozoology); Watson, et al., 1929 (Gondwana land); Weiler 1932D (fish and the Tethys);

Yabe 1929 (Japanese continental connections).

PALEOHISTOLOGY-See: histology.

PALEOMYOLOGY—Pisces: Heintz 1931B, C, 1932A (jaw, Dinichthys);

Tetrapoda: Appleton 1928;

Amphibia: Whittard 1928 (stegocephalian jaw); Reptilia: Boonstra 1932B (fore limb, pareiasaurs); Haughton 1930 (hind limb, pareiasaurs); Haughton and Boonstra 1930 (jaws, pareiasaurs); Lambrecht 1928B, 1929D (wings, pterodactyls); Rubosch 1929 (Cynognathus, skull and

Mammalia: Abel, W., 1930; Cabrera 1929B (manus and pes, Megatherium); Gregory, W., 1929E (titanotheres), 1933A (locomotor apparatus); Waterman 1929 (primate

pelvis).

PALEONEUROLOGY—See: skull.

PALEONTOGRAPHY—See: paleogeography.

PALEONTOGRAPHY—See: paleogeography.

PALEORNITHOLOGY (Paleornithology)—Blanc 1928 (Alca); Kleinschmidt 1931A (general); Lambrecht 1931C, 1933B (general); Lowe, P., 1930B (hybridization in birds). See also: Aveopaleontology, faunas.

PALEOPATHOLOGY—Baudouin and Morel 1928 (Osteoarthritis in Neolithic Man);

Breuer 1931A, B, 1933 (*Ursus spelaeus*), 1933C (mammals); Cook, H., 1929 (*Merycochoerus magnus*);

Denninger 1933 (Paget's disease, man);

Ehrenberg 1931H (general); Ehrenberg and Sickenberg 1929 (cave bears);

Giltay 1933 (fused vertebrae and ribs, Elephas); Given 1928 (palaeopathology and evolution); Gross, J., 1931B (dental caries, cave bears); Gudger 1933 (dentition, rays);

Hennig 1932 (general); Hilzheimer 1928 (periostitis in Elephas); Huene, F., 1930D (nearthrosis, reptile ribs);

Kubacska 1930B, 1933 (mammals, Hungary), 1930C (Ursus spelaeus);

Lehne 1931 (dropsical condition, jaw);

Michaelis 1930 (man, syphilis); Moodie 1928A (France, general), 1928B (Aenocyon), C (early surgery), D (Patagonia), 1929B (Aquila), 1929D, E, G (Pleistocene); H, I, 1930E, F, G, H, I, J (sabre-tooth cat); 1929E (Hyracodon), 1929F (Nothrotherium), 1929G (Archidiskodon), 1930F (dinosaur), 1930G, J (Aenocyon);

Obrutschew 1928B (Myliobatis);

Pales 1929A (syphilis and Paget's disease), 1929B (development and technique), 1930 (general), 1931 (specimens in Musée de Toulouse), 1933A (cave bear), 1933B (specimens in Musée de Pujol); Proell 1932 (dental); Pycraft, et al., 1928 (Rhodesian man)

Richard, C., 1930 (*Physeter* vertebra); Růžička 1933 (polydactyly in horses); Simpson, G. G., 1932E (South American mammals); Slyper 1931 (fractures, exostoses, synostoses in Cetacea); Stock 1929B (wounds, Pleistocene carnivores); Verneau 1929 (Paget's disease); Williams, H., 1929 (human).

PALEOPHYSIOLOGY—Lambrecht 1933A (life of Nopcsa); Nopcsa 1928F; Wilser 1931 (reactions to light). See also: habits.

PALEOSOCIOLOGY—See: ecology.

PALEOZOOLOGY-See: biology; paleobiology.

PARAKINETISM—See: terminology.

Parasitism—See: symbiosis and parasitism.

PETRIFICATION—See: occurrences.

Petroglyphs—See: cultural remains.

PHARMACOLOGY—See: economic paleontology. Photography—See: technique, field, laboratory and museum methods.

PHYLOGENESIS—See: phylogeny; paleoembryology

Phylogeny—Abel, O., 1931-I (man); Adametz 1933 (Bos); Adloff 1931, 1932A, B, 1933 (man); Ameghino, F., and Torcelli 1933 (upper molars, ungulates); Amschler 1931 (domestic goat); Anonymous 1930Z (man); Anthony, H., 1928 (horns and antlers); Anthony, R., and Coupin 1931 (primates); Antonius 1928 (horses);

Arambourg 1933B (*Ursus*); Arldt 1928, 1929 (general); Ashley-Montagu 1930, 1933 (man); Aubert 1929 (Artiodactyla); Ayers 1931 (general); Bachofen-Echt 1930 (*Cervus*); Barbour, E., 1929A, B (*Amebelodon*), 1930B (proboscideans); Bartucz 1929 (man); Bather 1932 (classification); Bayer, J., 1929, 1931A (man); Beer and Buxton 1932 (Neanderthal and modern man); Berg 1930 (Primates); Bergounioux 1933B (turtles); Berry, E., 1929 (general); Boas, J., 1930 (dinosaur-bird relationship); Boetticher 1928 (birds); Bolk, et al., 1931 (general); Bolkay 1928 (salamanders); Bolsche 1931 (man); Bonin 1930 (man); Boonstra 1932C, D (pareiasaurs); Boubier 1933 (birds); Boule 1928A (primates); Bradley 1929 (man); Brentana 1931 (Canidae); Broom 1929C (reptiles and mammals), 1929E (mammalian hand), 1930F, G (reptile and mammal skull), 1931A, C (reptiles), 1933A (man); Brotzen 1933A (Heterostraci); Brough 1931 (Triassic fishes); Brown 1929B (camels); Bulman 1931 (Palaeospondylus); Burkitt, A., 1928 (man); Burkitt, M., 1928 (man); Buxton 1929B (man);

Camp 1930B (phytosaurs); Chabakov 1931 (Ceratodontidae); Chabanaud 1932 (Gonorhynchidae); Chang 1929 (chewing habit, mammals); Clark, A., 1928, 1929A, B, C, 1930A, B (zoögenesis); Cleland 1929 (man); Colbert 1933G (pec-

caries); Crile 1933 (disease in man);

Dabelow 1928A (mammal jaw and ear), 1928B (Amphibia, pisces, scleral ring), 1929A, B (relations between skull and skeleton); Dal Piaz 1932B (Proboscidea); Dart 1929C, D, 1931A, B (Australopithecus and man); Davenport 1933 (man, ontogeny); Depéret 1929B (primates); Depéret and Llueca 1928 (Ursidae); Deraniyagala 1931 (turtles); Dice 1928, 1929, 1932 (Leporidae); Drennan 1932 (Bushman and Neanderthal man); Drevermann 1930A (Equidae); Dubois, E., 1928, 1930 (brain, Dubois' law);

Edinger 1928A, 1929B (scleral ring), 1933 C (brain, Sirenia); Ehrenberg 1928C, 1929B, D, E, F, 1931D, 1932A, 1933B (Ursus); Eickstedt 1933 (man); Erhardt 1930

(reptiles and ratites);

Fejérváry 1928, 1929A (man, critique), 1931 (foot, man); Fischer, E., 1931A (man), 1933A, B (vertebrae, primates); Foote 1928 (microscopic structure of bone); Fraipont and Leclercq 1932B (ologenesis, Equidae); Franz 1931 (general); Frechkop 1930 (marsupials), 1932A (insectivores), 1933B (teeth, mammals); Friedenthal 1931, 1932 (man, especially Australopithecus); Friederichs 1932 (Eoanthropus);

Gadow 1933 (vertebral column); Georg 1931 (man); Gillies 1929 (mammalian hand); Gilmore 1928D (lizards); Gladstone and Wakeley 1932 (sternum); Goodrich 1930B (general); Grabau 1930B (man); Gregory, W., 1927, 1928C, E, F, 1929A, B, C, 1930A, B, C, D, E, G, K, 1932A, 1933D (man and the vertebrates; origin of man from brachiating primates; evolution of face, skull, limbs; critiques; anthropogeny), 1933B (skull types and mechanisms in 1932 (skells). (Grans and locopogeny) motor apparatus); Gregory, W., and Raven 1933 (whales); Gross, W., 1932B, 1933B (ostracoderms and fishes); Gürich 1931 (charts of mammals and reptiles);

Hamlett 1933 (general); Hartmann-Weinberg 1928A, 1930, 1931, 1933A (Pareiasauridae), 1933B (neurocranium); Headstrom 1921 (man); Heilmann 1929 (birds. critique of Nopesa's *Proavis* theory); Hellman 1928 (human dentition); Henckel 1928A, B, 1930A, B (primates); Henderson, K., 1928 (man); Hill 1932 (primates); Hinton 1927 (Microtinae); Holmgren 1928 (amphibian—fish, tail), 1933 (tetrapod limb and foot); Hooton 1930, 1931A, B (primates); Howell, A., 1930 (aquatic mammals), 1932 (monotremes), 1933A, B, C (fins); Hrdlicka 1928A, 1932 (man); Huber 1930. 1931A. B (ancestry of monotremes, marsupials, placentals; facial musculature); Huene, E., 1933 (Triassic mammals); Huene, F., 1929A (Titanosauria), 1932A, C (dinosaurs), 1933A (crocodiles); Hummel 1928, 1929 (Trionychia, turtles)

Jackel 1928A (skeleton), 1929 A (birds), B (fish skeleton); Jollos 1931 (genetics and evolution); Jones 1929A, B (man); Jordan and Kimball 1929 (general);

Kälin 1931B (sternum), 1933A, B (Crocodilia); Keith 1930, 1931 (man); Keith, et al., 1932 (general); Khomenko 1928B (Desmostylus); Koch, F., 1929 (man and vertebrates); Koenigswald 1930 (tapirs); Kraglievich 1930A (Canidae), 1930D (Hydrochoerinae), 1931D (ground sloths), 1932D (Caviidae); Kraitschek and Capeller 1929 (man); Kretzoi 1929 (Aeluroidea);

Lambrecht 1929C, 1933B (birds); Liebus 1929B (salamanders); Lodge 1929 (man) Loomis 1928A (horse, elephant), 1928B (deer); Lowe, P., 1928B, 1930, 1933B (ostriches), 1933A (pheasants), 1933C (penguins, birds); Lull 1928 (man), 1929A,

(Striches), 1932 (pheasarts), 1935 (penguins, bitas), 1932 (man), 1932 (general), 1933 (dinosaurs);

MacBride 1932 (vertebrae, mammals); Maier 1928 (Ursus); Marcus 1933 (Gymnophiona, Stegocephalia); Matthew 1929 (horses, dogs, cats), 1929 (the phylum, general), 1929 (preoccupied names), 1929 (reclassification, artiodactyls), 1930 (limitation of species), E (dogs), 1931 (rhinoceroses); Mollison 1933 (man); Montandon 1928 (man, ologenesis);

Neaf 1932 (maneral) 1932 (mammalian ear); Neuberg 1928 (man); Nichols 1930

(Man), Moltanton 1926 (Man), 1938 (Man); Neuberg 1928 (Man); Nichols 1930 (Ostariophysi); Nitsche 1929 (horses); Nopesa 1928A (reptiles); Osborn 1923 (Man), 1929P (horses), 1931H (species, genera, classification), 1933B

(Proboscidea): Parks 1926B (general); Pilgrim 1933B (Mustelidae); Popplebaum 1931 (man and

animals)

Rhumbler 1931 (phylogeny of extremities); Romer 1930D (tetrapods, Ohio); Schindewolf 1928B (man), 1929 (general); Schtylko 1929 (Equus); Schwangart 1929 (domestic cat); Sergi, G., 1929B, 1930 (man); Sewertzoff 1931A, B, 1932 (principles), 1933 (fins of fishes); Sheak 1928 (proboscideans); Simpson, G. G., 1929A (Mesozoic Mammalia), 1929C (monotreme dentition), 1929F (Amblypoda), 1931A (edentates), 1932C (Sirenia); Sonntag 1931 (primates); Stehlin 1929A (Equus); Stovall 1929 (Equidae); Szalai 1930A (turtles); Szunoghy 1932 (snakes, Hungary)

Thomas, H. H., 1933 (general discussion);

Van Hoepen 1932A (zebra); Varigny 1930 (man); Vaufrey 1928A (hippopotamus);

Versluys 1929 (feet); Viret 1930 (horse)

Watson 1928A (Aves), 1928C (man), 1931B (mammal-like reptiles); Wehrli 1933 (cervid); Weidenreich 1931A (man), 1931B (Australopithecus), 1931D (man); Weinert 1929B (man), 1932G, 1933C (man and apes); Werth 1929 (man); Westenhöfer 1928, 1930 (man); Wood, A., 1931 (heteromyid rodents); Wood, H., 1929A, B, 1931 (rhinoceroses); Woodward, A. S., 1931A (man a primate): Young 1931 (Siphneus);

Zizka 1931 (man); Zuckerman 1933B, C (primates).

PHYLOGENY, METHODS OF STUDY OF—Abel, O., 1928B, 1929B, E; Bather 1929A; 1932 (classification); Bather, Lang, et al., 1931; Beurlen 1930 (general); Bremerkamp 1931; Clark, W., 1930 (primates); Fejérváry 1929B, 1933 (terminology); Friedrich 1932 (views on homology); Henckel 1930A (embryological, primates); Kleinschmidt 1929, 1930, 1931 ("Formenkreis"; species descent; man); Lucas 1932 (discontinuo); Medical (1930) 1928 (classification); MacBride 1930 (Dollo's law); Matyas and Stiller 1932 (dis-

tribution of characters); Matthew 1929A (mammals, critical remarks); Migeod versial); Puzanov 1931A (graphic representation; man); Romer 1929B (morphology, amphibians); Sewertzoff 1931A (principles of phylogenesis); Smith, G. E., 1930G (general). 1932; Naef 1932; Poplewski 1933 (digital formulae); Poppelbaum 1931 (contro-

Physiology—See: habits; paleophysiology.

PICTOGRAPHS—See: cultural remains. PLEUROKINETISM—See: terminology. POLAR SHIFT—See: paleogeography. POPULAR WORKS—See: general works.

PREHISTORY—See: cultural remains; terminology; Hominidae (in systematic index).

PRESERVATION—See: occurrences. PRINCIPLES-See: laws; theories. Proavis Theory—Nopesa 1929D. Pseudo-fossils—See: occurrences.

Psychology-Spiller 1931 (man and apes).

Publication—Stiles 1928 (defined).

RASSENKREIS—See: variation, heredity; evolution.

RECONSTRUCTION AND RESTORATION—See also: restorations and reconstructions: technique, field, laboratory and museum methods.

RELATIONSHIPS—See: phylogeny.

REPRODUCTIVE SYSTEM—See: skeleton.

RESPIRATORY SYSTEM-See: skeleton; skull.

RESTORATION, METHODS AND HISTORY OF-See: technique, field, laboratory and museum methods; history of paleontology.

RESTORATIONS, RECONSTRUCTIONS, DRAWINGS, PAINTINGS AND EXHIBITS-Abel.

O., 1928F, 1930D (plastic reconstructions, dinosaur and elephant); Anderson, C., 1931A (lizard, Australia);
Bachofen-Echt 1933 (Megaceros); Blaschke, F., 1929 (Mousterian man); Brady 1933 (Paramylodon); Bump, J., 1930B (S. Dakota), 1933 (Poebrotherium);
Case 1931C (phytosaurs); Chapman, Frederick, 1929 (Nat. Mus. Victoria); Crook

1930 (method of exhibition); Cummings 1933 (dinosaur habitat group);

Dienst 1933 (Nothosaurus); Dietrich 1928A, B (mammals, critique); Friedman 1928 (Archaeopteryx); Friederichs 1932 (Eoanthropus)

Ghidini 1931 (drawings of fossil vertebrates); Gregory, W., 1932A (paintings, phylogeny of vertebrates and man); Gudger 1929 (exhibits);

Heilmann 1928 (Iguanodon), 1929 (Proavis); Heintz 1929 (Heterostius), 1931B, C, 1932A (Dinichthys), 1932D (Stenognathus), 1932E (Coccosteus); Hernon 1930A (Oreodon twins); 1930B (Leptomeryx); Huene, F., 1933C (Placodus), 1933F (Stahleckeria)

Janensch 1931B (Dicraeosaurus skeleton);

Knight 1929, 1931 (paintings, mammals and reptiles); Kuzmin 1931 (skull, Benthosaurus); Lebzelter 1933 (mammoth hunter of Predmost); Longman 1932B (Cretaceous ple-

siosaur); Lull 1930B (Camarasaurus);

Martin, Harold, 1930B (turtle skulls and jaws); Mertens 1929A (roc egg), 1929B (Bison); Mollison 1930B (Homo primigenius);

Osborn 1898B, 1923 (American Museum of Natural History), 1933E (Triceratops);

Pearson 1929B (artiodactyls); Pfizenmayer 1930 (Elephas primigenius); Reimann 1933 (Buffalo Mus. Sci.); Ruedemann 1932 (N. Y. State Mus.); Rusconi 1933G (mammals, South America);

Salée 1928 (Dorygnathus); Schmidtgen 1932A, B (Equus); Sewertzoff 1929 (lower chordates); Sickenberg 1929A ("Halitherium schinzi" at Vienna, a composite); Simpson, G. G., 1932F (Echippus, Felis, Elephas, Merychippus, Hesperosiren); Sinclair 1920 (Mesonyx, Hyracodon); Sinclair and Jepsen 1929 (Paleonictis); [Smith, G. E.,] 1930F, 1931B (Sinanthropus); Spearing 1930 (Paleolithic art); Sternberg, C. M., 1932A (dinosaur foot-print bird bath); 1933D (Canadian dinosaurs); Stetson 1928B (Birkenia elegans), 1930B (Dinichthys, Macropetalichthys); Swinton 1933 (Iguanodon, B.M.N.H.), 1931B (plesiosaurs, Bristol Mus.);

Taeger, H., 1930 (Mousterian man); Weinert 1928B (Pithecanthropus skull), 1928C, D (Neanderthal man), 1932A (Propithecanthropus); Wiman 1928B (pterodactyl legend), 1929 (hadrosaurian dinosaur), 1933A (Pentaceratops); Woodward, Alice, 1928 (scene in early Tertiary

of Mongolia): Zimmer 1929 (frozen mammoth, sketch made in 1805). Scale Impressions—See: integumentary structures. SEDIMENTATION—See: occurrences; habits, habitat. Sense Organs—See: skull (various groups); habits.

SERIATION (phylogeny)—Parks 1926B.

SEX DIFFERENCES (dimorphism)—See: variation and heredity.

Skeleton—general—Ayers 1933 (Palaeospondylus); Bystrow 1933 (cervical vertebrae); Dabelow 1929A, B (skull and skeletal relations); Dollo 1929 (carpus and tarsus); Emelianov 1931 (ribs); Foote 1928 (histology); Gadow 1933 (evolution of vertebral column); Gladstone and Wakeley 1932 (sternum); Gregory, W., 1928E, F, 1930A, 1933A, D (phylogeny, mechanisms); Hamlett 1933 (phylogeny, especially limbs and feet); Holmgren 1933 (particularly tetrapods); Howell, A., 1932 (Reptilia, monotremes, mammals), 1933C (origin of shoulder girdle and limb); Hrdlička 1928C (histology, bone and teeth); Jaekel 1928 (cartilage bone and derm bone); Kälin 1931 (sternum); Little 1932 (textbook); Nauck 1928, 1929 (coracoid problem); Nopcsa 1930B (vertebrae), 1930C (joints, terminology); Patten 1931B (mosaic pattern of head); Perbal 1932 (functions); Peyer 1931H (development of hard parts in integument); Pia 1933 (calcification, methods, theories); Rhumbler 1931 (phylogeny of extremities); Stromer 1930B (Ostracodermata); Tretjakoff 1929A, B (ostracoderms); Versluys 1929 (feet); Westenhöfer 1929B (pelvis);

Ostracodermi—Bulman 1930 (Lasanius), 1931 (Palaeospondylus); Gross, W., 1932C, 1933B (classification, phylogeny); Tretjakoff 1929A (endoskeleton); Woodward,

1933B (classification, phylogeny); Tretjakoff 1929A (endoskeleton); woodward, A. S., 1933D (Anglaspis);
Pisces—Broili 1929, 1930A, C, 1933B, D (arthrodires and other fishes); Chaine and Duvergier 1929, 1931 (otoliths); Davis, A., 1929 (otoliths); Goodrich 1928 (Polypterus); Gregory, W., 1928B, D, 1930F (phylogeny, homologies, mechanisms); Gross, W., 1931 (histology and general), 1932B, C, D, 1933A, B (mostly arthrodires); Heintz 1929B, C, D (acanthaspids), 1933D (Phlyetaenaspis, Canada); Hibbard 1933B (Coelacanthus); Howell, A., 1933A, B, C (fins, origin); Hussakof 1929 (Kansius, teleost), 1930A (Titanichthys, dental elements), 1932 (Asiatic fishes); Jaekel 1929A (evolution) Kerr 1932 (archaic fishes); Kesteven 1931B (general); Laatsch 1931 (Triassic ganoids); Obrutschev 1932A (histology, Arthrodira); Rauther 1927–1933 (general); Roy 1929 (Oracanthus, morphology); Sewertzoff 1933 (evolution of fins); Stensiö 1932B (Triassic, Greenland); zoff 1933 (evolution of fins); Stensiö 1932B (Triassic, Greenland)

Amphibia—Adams and Martin, 1928, 1929, 1931 (Plioambystoma); Broili 1928 (dermal, Stegocephalia); Bulman 1928 (branchiosaurs); Case 1932B, C (Beuttneria), 1933B (Stegocephalia); Efremov 1931A (Dvinosaurus); Kuhn, Oskar, 1932 (stereospondyl-stegocephalians); Nauck 1928 (shoulder girdle); Watson 1929K (evolu-

tion of vertebrae);

Reptilia—Abel, O., 1929A (gastralia, Pterodactylus); Anderson, C., 1930 (Meiolania and Varanus); Berckhemer 1928C, 1930A (Mystriosaurus); Boas 1930 (dinosaur-bird relationships); Boonstra 1929A, B (pareiasaurian manus and pes), 1932A, B (limbs and girdles, pareiasaurs), 1933D (dermal ossicles, pareiasaurs) 1933E (axial skeleton, pareiasaurs); Broili 1931B (Alligatorium); Broom 1929E (origin of hand of mammals), 1930D (Eumatthevia), 1930F (Gorgonopsia), 1930G (hylogeny), 1932B (therapsids), 1932C (Chasmatosaurus), 1933B (Galesaurus); Camp 1930B (phytosaurs); Case 1929A (Ostodolepis; cotylosaur), 1932A (phytosaurs), 1932D (Coelophysis); Dienst 1933 (Nothosaurus); Döderlein 1929A, B, C, D (pterodactyls); Drevermann 1930B, C (Eurhinosaurus), 1931B, 1933 (Placodus), 1931C (dinosaurs, sex differences); Gilmore 1932C (Diplodocus); Grodínski 1929 (lymphapophyses on caudal vertebrae, dinosaurs); Hartmann-Weinberg 1929 (carpus and tarsus, Pareiasauria); Haughton 1930 (hind limb, pareiasaurs); Heidsieck 1933 (dinosaur ribs, histology); Hopwood [and Swinton] 1928 (reptiles, Venezuela); Huene, F., 1928C (Eurhinosaurus), 1930B (reptiles), 1930D (neo-epiphyses, reptile), 1932A (Saurischia); Hummel 1928, 1929 (Trionychia); Janensch 1929B (vertebral column, *Dicraeosaurus*), 1929D (*Elaphrosaurus*), 1932 (hyoid apparatus); Kälin 1933A, B (Crocodilians); Koenigswald 1931B (Rhamphorhynchus); Lull 1930B, 1933A (dinosaur); Lynn 1929 (Eocene, Amyda); Mátyás 1929 (histology, long bones); Mátyás and Mihály 1932 (bone structure, lacertilians); Mook 1932B (Alligator prenasalis); Nauck 1929 (shoulder girdle); Nopcsa 1928E, 1930B (vertebral column), 1929B (sex differences), D (foot), 1933B (Euchambersia, osteology), 1933E (histology of ribs, trachodont dinosaurs); Osborn 1933E (Triceratops); Peyer 1932B (Pachypleurosaurus); Rao and Rao 1930 (dinosaurs); Romer and Byrne 1931 (pes, Diadectes); Ruckes 1929 (Chelonia); Salée 1928 (Dorygnathus); Swinton 1929B (ichthyosaur embryos); Szalai 1930A (testudinates), 1933A (shoulder girdle, turtles); Watson 1929F (plesiosaurs), 1929H (pterodactyls), 1931B (bauriamorphs, S. Africa); Wiman 1928A, B, 1930C (pterodactyls); Zarnik 1926 (vertebral mechanics of plesio-

Aves—Boas, J., 1930 (dinosaur-bird relationships); Boetticher 1930 (Dinornis and flightless birds); Böker 1930 (Archaeopteryx and Archaeornis); Broom and Brock 1931D (vomerine bones); Cauderay 1931 (Aepyornis, Müllerornis eggs); Friedmann 1928 (early restoration of Archaeopteryx); Heilmann 1929 (Prowis theory); Jackel 1929G (Protornis, tracks with spur); Kraglievich 1932G (Phororhaci); Lambrecht 1933B (general); Larsen 1930 (road-runner); Lowe, P., 1928A, B, 1930, 1933B (Archaeornithes and Struthioniformes), 1933A (pheasants), 1933E (penguins); Nopesa 1929D (Proavis theory); Petronievics 1928B (pubis, Archaeornis), 1931B (coracoid, Archaeopteryx); Piiper 1928, 1929 (ontogeny and phylogeny of vertebral column); Richter 1929B (comment on Jackel 1929G); Schaub

1929 (Eocene ratites);
Mammalia—Anderson, C., 1928 (Irish elk), 1929A (Pleistocene marsupials);
Mammalia—Anderson, C., 1928 (Irish elk), 1929A (Pleistocene marsupials); Anthony H., 1928 (horns and antlers); Barbour, E., and Schultz 1932B (Promerycochoerus); Bastin 1932A (Elephas); Berlin 1933 (Bos primigenius); Bialynicki-Birula 1930A, C (Ursus and panda); Black 1932B (Sinanthropus); Borissiak 1929 (mastodonts), 1932A (cave bears); Broom 1929E (mammalian manus), 1930G (origin), Cabrera 1929B (Megatherium, manus and pes); Chaine 1928 (fractured (Origin), Capteria 1929 (Metgathertum, manus and pes), Charlie 1928 (Tractured os priapus, Ursus spelaeus); Chubb 1932 (clavicles, sesamoids); Cottreau 1928 (Metaxytherium); Diec 1932B (Paleolagus); Dietrich 1931B (Diceratherium); Dose 1931 (polydactyly, horse); Drahn 1928A, B (manus and pes, horse); Dubois, E., 1932A (Pithecanthropus); Ehrenberg 1928A, C, D, 1929A, B, D, E, F, 1931C, D, F, 1932A, 1933B, C (Pleistocene bears); Elftman 1929 (pelvis in marsupials); Fischer, E., 1933A (man, vertebral column); Fraipont 1933A (primate differences); Erreblem 1939 (marsupials); Civilord 1931 (charge per 1932), Civilord 1939 (marsupials); College 1931 (charge per 1932), Civilord 1932 (charge per 1932), Civilord 1931 (charge per 1932), Civilord 1932 (charge per 1933), Civilord 1932 (charge per 1933), Civilord 1933 (charge per 1934), Civilord 1934 (charge Frechkop 1930 (marsupials); Gaillard 1931 (sheep, goats); Gillies 1929 (os pisiforme); Gillman 1929 (sacrum, Rhodesian man); Gorjanovič-Kramberger 1929 (man, Krapina); Gregory, W., 1930B (appendages, particularly primates); Gross, J., 1931A, B (cave bears, foetal and pathological); Helbing 1929B (Amphicyon); Henckel 1930A, B (Tarsius, primates); Hrdlička 1930A (man); Hopwood and Pilgrim 1928 (Bovidae); Howell, A., 1930 (aquatic adaptations); Hürzeler 1933 (Caenotherium); Hrdlicka 1932B (humerus, mammals); Jones 1931B (Wynyardia); Kadletz 1931 (horse and dog, limb joints); Kälin 1931B (sternum); Keith 1929B (man, foot); Kellogg 1928A (whales); Khomenko 1928B (Desmostylus); Klatt 1928 (Arctoidea); Kormos 1930A (Desmana); Kraglievich 1929C (Paedotherium), 1930A (canids), 1931J (Trigodonops); Krogman 1932 (Australoid skulls); Lepierre 1930 (mastodon bones, chemical analysis); Loomis 1928C (Poëbrotherium), 1933A (Nannotragulus); Lull 1929B, 1930A (Nothrotherium); Matthew 1932C (Merycoidodon); Matthew and Stirton 1930B (Borophagus); Mátyás 1929 (structure, long bones); Mátyás and Mihály 1932 (bone structure, general); Miller, R., 1932 (evolution, pectoral girdle, fore limbs, primates); Montandon 1928A (human foot); Nauck 1929 (shoulder girdle); Nopcsa 1929D (foot); Osborn 1929-0 (titanotheres); Pittard and Donici 1930 (fossil man); Poplewski 1933 (digital formulae); Pycraft 1928A, B, 1930B (Rhodesian man, pelvis); Rheinhardt 1929 (scapula, mammals); Richard, C., 1930 (whale vertebra); Rusconi 1931C (Smilodon), 1932H (camelids); Růžička 1933 (polydactyl horse); Sarasin 1932 (Neanderthal hand); Schlaikjer 1931, 1932 (Mesohippus); Schmidt, H., 1930A (Alces); Schtylko 1929 (Equidae); Sieber 1929 (hand, foot, arboreal adaptations, Anthracotheriidae); Simpson, G. G., 1931A (Metacheiromys), 1932C (Sirenia); Sinclair 1929 (Paleonictis); Sivers 1931 (cave bears); romys), 1932C (Sirenia); Sinclair 1929 (Paleonicus); Sivers 1931 (cave bears); Sprecher 1932 (fibula, primates); Stehlin 1929B (5-toed artiodactyls); Straus 1929 (ilia, primates); Teriaev 1930 (feet, Elasmotherium); Thorpe 1931C (osteology, oreodouts); Vaufrey 1932E (Sinanthropus); Versluys 1929 (human foot, origin); Walker 1930 (Mesohippus); Weidenreich 1929B (Rhodesian man), 1931D, F (man), 1932B (Sinanthropus); Weinert 1930F (Solutrean child); Wells, L., 1931B (foot, man); Westenhöfer 1929A (foot, primates), 1929B (pelvis, tetrapods); Williams, G., 1931 (atavistic human foot).

Skin Impressions—See: integumentary structures. Skull-general-Ayers 1931 (cephalogenesis); Dabelow 1928 (lower jaw and ear) Edinger 1928A (scleral ring and preorbital ring), 1929B (fossil brains), 1929C (scleral ring), 1929D (phylogeny of scleral ring); Foote 1928 (histology); Gregory, W., 1929B, C, 1930H (phylogeny, homologies); Hartmann-Weinberg 1933B (phylogeny of neurocranium); Hindze 1928 (petrified brains); Marinelli

1929 (tetrapods); Rieth 1931B (adaptation of snout for grovelling); Städtmuller 1932 (postorbital); Winterhalter 1931 (parietal foramen and organ);

Ostracodermi-Allis 1931A, B (Cephalaspis, etc.);

Pisces (incl. Aphetohyoidea)—Aldinger 1930 (Undina), 1931A (Crossoptergii), 1932 (Actinopterygii, endocranium and brain); Allis 1928 (Hyomandibula and preoperculum), 1931B (nasal canals); Beaufort 1928 (fish teeth, Pliocene, Java); Brough 1933 (palaeoniscid); Campbell 1929 (otoliths); Carroll 1929 (shark teeth, histology); Frost 1930 (otoliths, neopterygians); Gildersleeve 1933 (pharyngeal plates); Goldbachova 1931 (otoliths, Moravia); Gregory, W., 1929C, D, 1930H, 1932C, 1933B (phylogeny, homologies, adaptations, mechanisms); Gudger 1933 (dentition, rays); Heintz 1929 (Heterostius), 1931A (Titanichthys), 1932A (Dinichthys), 1932B (Allolepis), 1932C (arthrodires), 1932D (Stenognathus), 1932E (Coccosteus); Hills 1933 (primitive dipnoan, Ganorhynchus, N. S. Wales); Hilzheimer 1930B (Saurichthys, lower jaw); Hucke and Voigt 1929 (otoliths, Oligocene, Germany); Kesteven 1931A (Neoceratodus); Miller, A. E., 1930 (Lepidosiren); Moodie 1931C (paleoniscid brain, Iowa); Nielsen 1932 (histology of teeth, elasmobranchs); Obrutschew 1928A (orbital ossification, Bothriolepis), 1928B (abnormal dentition, Myliobatis); Peyer 1929B, 1931F, G (placodont teeth); Pfannenstiel 1932B (kinetism and streptostyly in crossopterygians); Piveteau 1929 (extent of ossification); Säve-Söderbergh 1932B (crossopterygians and dipnoans), 1933A (lateral line, Osteolepis); Serra 1933 (histology of teeth, Schizorhina); Stensio 1932B (Triassic, Greenland); Stetson 1931B (Heterostraci); Sulc 1932A (otoliths, lower Tertiary, France), 1932B (otoliths, Czecho-Slovakia); Thomasset 1928B, 1930A (classification by dentine), 1929 (calcospherites in dentine); Watson 1928B (palaeoniscid fishes); Whitley 1930 (fish teeth); Woskoboinikoff 1932 (gills and opercula);

Amphibia-Bolkay 1928 (Salamandrinae); Branson, E., and Mehl 1928A (ear region, Stegocephalia), 1929 (Stereospondylia); Broom 1930C (Lydekkerina and Putterillia); Case 1931B (Buettneria); Efremov 1929A (Benthosaurus), 1933 (Platyops); Eifertinger 1933 (Gymnophiona); Kuzmin 1931 (Benthosaurus, technique); Lapage 1928A, B (septomaxillary); Marcus 1933, Marcus, Winsauer and Hueber 1933 (Gymnophiona and Stegocephalia); Pfannenstiel 1932A, C (brain and brain case, Amphibia), 1932B (kinetism and streptostyly, stego-cephalians); Säve-Söderbergh 1932B (Ichthyostegalia, Greenland); Städtmuller 1929 (Urodela); Watson 1929K (Stegocephalia); Whittard 1928 (Archegosaurus),

1930 (Branchiosaurus);

Reptilia—Berckhemer 1930C (Nothosaurus); Boonstra 1932E (hyoid of pareiasaurs), 1930, 1933C (pareiasaurs); Broili 1931A, 1932B (Geosaurus), 1931 (Araeoscelis), 1932B (Therapsida); Broom 1931A (Araeoscelis); Brown, B., 1933D (Ceratopsia); Camp 1930B (phytosaurs, endocranial, ear, parakinetism); Case 1928A (Leptosuchus, endocranial), 1929B (Brachysuchus); Dervermann 1928 (placodont); Edinger 1928C (Placodus brain), 1930A (Plesiosaurus brain); Fuchs 1931 (reptile-mammal, jaw homologies); Haughton 1929A (brain cases, pareiasaurs); Haughton and Boonstra 1929 (Pareiasauria), 1930 (mandible, Pareiasauria); Huene, F., 1931I (Placochelys) Kälin 1933 (Crocodilia); Kripp 1933 (mechanics of jaw, Edmontosaurus); Kuhn, Oskar, 1932 (phytosaurs); Lapage 1928B (septomaxillary); Lubosch 1929 (Reichert's theory, Cynognathus, musculature); Martin, Harold, 1930B (turtle skulls); Mercier 1933 (Metriorhynchus); Moodie 1930K (mandibular maxillary grooves dinosaur); Mook 1933C (Crocodilus classes) 1930K (mandibular, maxillary grooves, dinosaur); Mook 1933C (Crocodilus clavis), 1933D (Crocodilus sivalensis); Petronievics 1928C (Anurognathus), 1931A (Cynognathus); Rieth 1931B (adaptations for grovelling), 1932 (presence and function of horns); Russell, L., 1932C (Troödon); Salomon, M., 1930 (larcymal, homology); Simpson, G. G., 1933E (ear region, foramina, cynodonts); Sushkin 1928D, 1929C (Permocynodon); Szunyoghy 1932 (snakes, Hungary); Tait and Brown, B., 1928 (Ceratopsia); Watson 1931B (therapsids); Aves—Boetticher 1928 (beaks); Broom and Brock 1931 (vomer); Buick 1932 (moa); Howard 1928 (beaks, Parapavo);
Mammalia—Anderson, C., 1929A, B, 1932B (Pleistocene marsupials); Antonius 1931 (cave bears); Arx 1928 (mechanics of Elephas skull), 1929 (graphic analysis of growth, and skull architecture): Ashley-Montagu 1933 (primates): Aubert

of growth, and skull architecture); Ashley-Montagu 1933 (primates); Aubert 1929 (osseous sinus of Artiodactyla); Bachofen-Echt 1933 (Megaceros); Barbour, E., 1929A (Amebelodon), 1932C, D (Platybelodon), 1932E (Mastodon); Bayer, J., 1931A (fossil man); Berckhemer 1928D (Cervus); Black 1929A, B, 1930A, B, C, D, E, F, 1931A, B, D, 1932A, B, 1933A, B (Sinanthropus); Black, Chardin, Young and Pei 1933 (Sinanthropus); Boule 1930C (Homo); Bourcart 1933 (Bubalus);

Broom 1929A (australoid), 1929F (Australopithecus), 1930G (phylogeny); Bur-Broom 1929A (australoid), 1929F (Australopunecus), 1930C (phylogeny), 1941 kitt, A., 1928, 1929 (skull, man); Cahn 1930 (beavers); Cameron 1927, 1928A-F, 1929A-K, 1930A-H, 1931A-I, 1933A, B (craniometry); Castellanos 1928A (man); Cook, H., 1928D (young Elephas); Dabelow 1931 (comparative); Dexler 1931 (cave bears); Dice 1932B (Paleolagus); Dubois, E., 1932B, 1933 (Pleistocene man) Dubois, G., 1928C (Citellus); Drennen 1929A, B (man); Eales 1931 (ontogeny of jaws); Edinger 1929A (Cervus, brain), 1931C (Pannonictis, brain), 1933A (paniotal foreming) 1933C (brain Sirenia): Ehrenberg 1931D (cave bears): rietal foramina), 1933C (brain, Sirenia); Ehrenberg 1931D (cave bears); Ehrhardt, S., 1932B (Mousterian man); Fischer, E., 1931A (man, braincase); Fraipont 1931B (brain, primates); Frassetto 1930 (man, normal form); Frechkop 1933A, B (Cope-Osborn dental theory); Friant 1931A (Loxodonta, teeth), 1931B (dental tubules), 1933D (Tubulodon); Frick 1933 (mastodons); Friederichs 1932A, C (Eoanthropus); Fuchs 1931 (reptile-mammal, jaw homologies); Furlong 1932A (Sphenophalos), 1932B (Lutravus); Furst 1930 (Paleolithic skulls); Gregory, W., 1929B, C (phylogeny, homologies, ancestry of man, evolution of face); Gregory, W., and Hellman 1929 (dentition, man); Gregory, W., and Raven 1933 (Zeuglodon and whales); Grüss 1932 (chemical analysis, fossil Bison horn); Hall, E. R., and Martin, H., 1931 (Nothocyon); Henckel 1928A, B (primates); Herpin 1933 (elemartin, H., 1931 (Nothlocyon); Hericker 1922A, B (Primates); Herpin 1933 (elephant molars, morphology); Howell, A., 1930 (aquatic mammals); Jenks 1932A, B (Pleistocene man, N. A.); Jones 1928 (man, anthropoids), 1931A (Sinanthropus; external meatal notch); Kappers 1929A, 1931A, B (mammals, brain); Klimak 1928 (Asiatic Eskimo skulls); Klinghardt 1930A, B, 1931, 1933 (Carnivora, brain, X-ray studies); Krabbe 1929 (parietal eye in mammals); Kraglievich 1930K (Caviinae), 1931A (Monticavia); Laing and Gear 1930 (Homo); Lane 1932B (Paleosyops); Maier 1929 (bears), 1931 (Ursus spelaeus); Malcolm 1931 (man, Europe); Marinelli 1929 (general), 1931 (cave bears), 1933 (giraffe, horse); Markus 1933 (human skull); Massari 1928 (Neanderthal and Crô-Magnon skulls); Markus 1933 (human skull); Massari 1928 (Neanderthal and Crô-Magnon skulls); Moodie 1930I (root canals, carnivora); Morant 1928 (Rhodesian man), 1931 (paleolithic man); Naef 1932 (phylogeny, ear); Nagasawa 1931D, 1933 (cervids); Noir 1929 (orientation of head); Patterson, B., 1932A (Toxodonta, auditory region); Pittard and Donici 1930 (fossil man); Piveteau 1931A (brain, Dacrytherium); Pocock 1933 (antlers); Rao and Rao 1930 (carnivore jaws); Rautenfeld 1928 (Tapirus skull); Reche 1928 (fossil man); Rieth 1931B (adaptation for grovelling); Ronhaar 1930 (man); Ruseoni 1928A, 1929A (peccaries, craniodental), 1930A (Myocastor, morphology), 1930F (Megactenomys), 1931C (Smilodon), 1931G (Paleolama), 1932H (Scalabrinitherium); Salomon, M., 1930 (lacrymal, homology); Schaub 1928B (Lophiomys), 1928C (tapirs); Schindewolf 1928B (primates); Schlaikjer 1933 (insectivore); Schultz, B., 1931A, B. C (primates, man); Schwarz, R., 1933 (primates); Serra 1931 (man, Italy); Sergi, G., 1929A (primates, general); Sergi, A., 1931A, 1932, 1933A, B. D (man); Shaw, J., 1931 (Bantu); Simpson, G. G., 1928C, 1929A (Mesozoic), 1931A (edentates; brain of Metacheiromys), 1932J (brain, Notostylops beds), 1933A (brain casts, South America), 1933B, P (Patagonia); Smith, G., 1930M (Sinanthropus); Sollas 1933 (primates, sagittal sections); Städtmuller 1932 (postorbital arch); Stolyhwo 1928, 1933 (Neanderthal man); Taeger 1930 (Mousterian); Thatcher 1928 (Clear Creek, Ark., man); Thorpe 1931B (brain, oreodonts); Tilney 1931 (brains, Tertiary mammals), 1932 (brain, man); Vallois 1931B (Mousterian man), 1933A (Sinanthropus and Homo, ear region); VandenBroek 1932 (Heidelberg man); VandenBroek 1932 (Heidelb (Sinanthropus and Homo, ear region); VandenBroek 1932 (Heidelberg man); VanderKlaauw 1930A, B, C, 1931B (tympanic region); Weidenreich 1931F (man), 1932A, B, C (Sinanthropus); Weidenreich, Wiegers and Schuster 1928 (Weimar-Ehringsdorf man); Weil 1928, 1929 (brain and endocranial casts, man); Weinert 1928B (Pithecanthropus reconstruction), 1930G (Mousterian man), 1930I (man, general), 1932C (Jervois man); Wells, L., 1931A (Bushman mandible); Weygandt 1931 (skull-brain relationship, man); Wiesel 1929 (beaver); Zuckerman 1928 (brain and tooth growth, apes and man); See also: dentition, Mammalia.

Soft Parts—See: anatomy. SPECIES CONCEPT—See: variation and heredity; evolution.

STATISTICAL METHODS—See: biostratonomy; evolution; variation and heredity. STOMACH CONTENTS—See: coprolites, gastroliths and visceral contents and concretions.

STRATIGRAPHY—See: faunas; occurrences; correlation.
SYMBIOSIS AND PARASITISM—Ehrenberg 1931E (mammals, Pleistocene); Hausmann
1929 (algae on hair, ground sloth); Sinitsin 1932 (gastropod-trematode-vertebrate relation).

Systematics—See: taxonomy; also systematic index.

TAXONOMY—See: phylogeny, methods of study of; terminology.

TECHNIQUE; field, laboratory, and museum methods—Astre 1929 (mounting elephant

skeleton);
Barber, E., 1932 (radiography); Barbour, E., 1929B (casting tusk), 1932A, B (mounting skeletons); Barbour, E., and Schultz 1932B (mounting skeleton); Bentley 1931 (search for glacial man in N. A.); Berckhemer 1930D (Elephas skull), 1933B (Trossingen quarry); Boonstra 1933B (Karroo reptiles); Born 1928 (ultraviolet photography); Boss 1932 (*Plesippus*, Idaho); Broom 1927 (Karroo, S. Africa); Brough 1933 (photographing casts); Brown, B., 1929B (Nebraska camels); Bulman 1931 (*Palaeospondylus*);

Case 1925 (Bakelite, a preservative); Cooper, G., 1933 (paraffin embedding);

Dacqué 1928 (preparation and exhibition, general); Davidson 1933 (vinyl acetate, a hardener); Deecke 1932 (mammals); Drevermann 1927, 1928A, B, 1930C, D, E, G, H (preparation and exhibition), 1932A (location of types); Eberle 1929 (plaster for trackways); Ebert 1924-1930 (fossil man); Edinger 1928B (mammals, N. A.); Efremov and Kuzmin 1932B (preparation, early tetrapods); Ehrenberg 1929G;

Farris 1932 (grinding bone sections); Figgins 1918, 1919 (half mounts), 1931B (illustration and measurement, horned mammals); Fikentscher 1933 (spectroscopic examination, coprolites); Frasetto 1930 (anthropological methods); Frentzen 1932 (use of "Durol"); Frentzen and Schelenz 1929A (use of Negocoll, Hominit and Celerit, casting compounds); Gilmore 1932C (quarrying dinosaurs); Graves 1930 (Arcometer);

Hanna 1925A (oxyacetylene torch in preparing), 1931 (illustration, photography): Howell, B., et al., 1929 (marking type specimens); Issupov 1933 (plastein in mammoth muscles);

Issupov 1933 (plastein in mammoth muscles);
Jones 1931C (measurement, anthropology);
Klinghardt 1930, 1931 (X-ray methods; skull, carnivora); Koopmans 1928 (celluloid sections); Koslowski 1932 (cutting serial sections); Krejci-Graf 1932B (preparation of papers); Kriegler 1928 (photography without distortion);
Lambrecht 1928A, B, 1929D (ultra-violet photography), 1932C (divided specimens); Lang, W., 1930 (museum exhibits); Linders 1928 (statistics in anthropometric calculations); Lull 1930B (mounting dinosaur skeleton);
Magnan and Sainte-Laguë 1933 (morphology); Mann 1933 (gum dammar treatment); Martin, Harold, 1930A (general); Matthew 1930B (credit in publication); Miethe and Born 1928 (ultra-violet photography); Monheimer 1928 (X-ray Miethe and Born 1928 (ultra-violet photography); Monheimer 1928 (X-ray photography);

N[aef], 1928B (X-ray photography, stomach contents); Nichols and Orr 1932

(Bakelite impregnation):

Opitz 1933 (refractory matrices); Osborn 1932F, Osborn and Colbert 1931 (elephant

enamel method of dating horizons);

Pales 1929A (radiography, fossil man), 1929B (paleopathology); Parkinson 1928, 1930 (collecting dinosaurs, E. Africa); Parks 1933D (collecting dinosaurs, Canada); Poller 1931 (Poller technique and casting compounds); Prokhorov

1929 (general); Radley 1929A, B (pyritization and phosphatization); Reeside 1930 (illustrations); St. John 1929 (bibliography); Salomon-Calvi 1932B (Deecke technique); Salomon-Calvi 1932B (Deecke technique) 1930 (popular); Schaffer and Hirst 1930 (synthetic resin impregnation); Schmidt, H., 1930C (exhibition of material); Schuster 1928 (museum management); Schtylko 1928A (identification, scales of teleosts); Seegert 1928 (fluoroscopic Schtylko 1928A (identification, scales of teleosts); Seegert 1928 (fluoroscopic photography); Seitz and Gothan 1928 (preparation, collecting); Simpson, G. G., 1933-O (serial sectioning); Sinclair 1920 (mammal mounts, primates); Soerger 1930 (variation statistics); Sollas 1933 (sectioning skulls); Steen 1931A (amphibia preparation, reconstruction); Stromer 1929A (museum display principles); Strunz 1928 (ichthyosaur, preparation); Swinton 1931A (reconstructions by plastic models), 1933A (Bakelite); Szalai 1932 (age of bone by fluorine content); Tildesley 1931 (excavating fossils); Tinklepaugh 1930 (anthropometric device); Tirelli 1932 (plotting limits of evolution); Trelease and Yule 1928 (preparation of papers): of papers)

Verneau 1929 (X-ray studies of bone); Voigt 1933 (cellulose film for collecting); Wagner, E., 1928A, B (fluorography of fossil bone); Wetmore 1927 (note-keeping); Wetzel 1932 (glass drawing plates); Willard 1928 (teaching methods); Young

See also: museums and institutions; expeditions and excursions.

TEETH-See: dentition.

TERATOLOGY-See: paleopathology.

Terminology—Baker 1930B (genus and species-making); Camp 1930B (parakinetism); Eickstedt 1932 (primates); Fejérváry 1929B (new biological term proposed), 1933 (methods of taxonomy, new terms); Field 1920, 1921 (definition of "fossil"); Frizzell 1933 (terminology of types); Grant 1933 (synonymy, and references); Howell, B., and Plummer 1932 ("neoparatype"); Jaeger 1930 (Greek and Latin roots); Krejci-Graf 1932A (definitions of forms of tracks, etc.), 1932B and Latin roots); Krejci-Graf 1932A (definitions of forms of tracks, etc.), 1932B (nomenclature and methods of preparation of papers); Matthew 1929D (term 'phylum'), 1929E (preoccupied names); Migeod 1932 ("Hypogenesis"); Miller, A. McQ., 1920, 1921 (definition of "fossil"); Mochi 1928, 1929 (paleoethnology, prehistory); Nopesa 1930C (joints); Nowikoff 1930 (analogy); Pfannenstiel 1932B (pleurokinetism); Plummer, H., and Howell, B., 1932 ("neoparatype"); Quenstedt 1930 (adaptation); Regnault 1929 (fossil man); Rellini 1929B (prehistoric time); Richter 1928B, 1930C ("typoid" specimens), 1928A (aktuopaläontology), 1929A, 1930B (criticism of Strand); Romer 1929B (taxonomy, Amphibia); Säve-Söderbergh 1933A (lateral line system); Schindewolf 1928B, 1929 (proterogenesis, palingenesis), 1931 (general); Schmidt, C., 1928 (dictionary); Schmidt, K., 1927 (preoccupied genera); Schultze and Kükenthal 1929–1933 (generic and subgeneric); Sinéty 1928 (biosphere); Stiles 1928 (what is publication?), 1929 (summary of Zool. Cong. opinions); Stovall 1929 (protoloph-ectoloph angle); Strand 1928 (list of preoccupied names), 1930 (significance of "types"), 1932A, B (preoccupied names); Troxell 1930 (scientific names); Tubiá 1931 (dictionary); Van Cleave 1933 (index to international rules of nomenclature); Vernadsky 1928 Cleave 1933 (index to international rules of nomenclature); Vernadsky 1928 (geochemical energy); Watson 1929E (orthogenesis); Weigelt 1933A ("biostratonomy"); Wood, H., 1930 (priority in higher group names); Wüst 1930 (geographic races in Pleistocene mammals)

Tetrapteryx Theory—Nopcsa 1929D.

TEXTBOOKS—See: general works.

Theories—See: evolution; laws; paleogeography, etc.
Tracks and Trackways—See: faunas, ichnology; integumentary structures; Ichnites (systematic index); habits; skeleton; restorations and reconstructions; technique.

ULTRA-VIOLET PHOTOGRAPHY AND FLUORESCENCE—See: technique, field, laboratory, and museum methods.

UROGENITAL SYSTEM—See: anatomy; skeleton.

Variation and Heredity, Variability of Species, Sex Differences—Antonius 1931 (cave bears)

Bachofen-Echt 1931F (Capreolus), 1933 (Megaceros); Bather 1928B (species concept); Bean 1933 (man); Berckhemer 1928C (Mystriosaurus); Bolkay 1929 (gigantism);

Camp 1930B (sexual dimorphism, phytosaurs); Caullery 1932 (genetics and evolution)

Ehrenberg 1928A, C, D, 1929B, D, E, 1930A, 1931D, F, 1932A (cave bears, Austria); Fischer, E., 1933 (vertebrae, primates); Fischer, R., 1930 (natural selection); Frentzen and Speyer 1929 (Megaceros);

Guyenot 1930 (evolution);

Hartmann-Weinberg 1933A (Pareiasaurus)

Joleaud 1930 (Pleistocene deer); Jollos 1931 (genetics and evolution);

Klähn 1929D (statistics in variation); Kleinschmidt 1929, 1930, 1931 ("Formenkreis", species concepts);

LaBaume 1930 (Bos primigenius, sex differences); Lane 1932B (Paleosyops); Lang W., 1928 (form); Lips 1930 (recent carnivores); Loomis and Bump 1930 (Merycoidodon)

Matthew 1930A (limits of species in quarry material);

Nopesa 1929B (sexual dimorphism, dinosaurs);

Osborn 1930D (paleontology vs. genetics); Pearson 1928 (biometrics of Suidae);

rearson 1928 (Diometrics of Suidae);
Sergi, G., 1929A (fossil man); Soergel 1930 (statistical studies of mammals, especially Ursus); Stolyhwo 1928, 1933 (Neanderthal skulls);
Weidenreich 1931E (man); Wells, L., 1931A (growth of Bushman mandible); Wiesel 1929 (beaver skulls); Wolterstorff 1929 (growth stages in Miocene frogs); Woodward, 1931A, 1932E (man, other mammals); Wüst 1930 (Pleistocene mammals);
Zuckerman 1928 (skull of chimpanzee and Australopithecus)

WEGENERIAN HYPOTHESIS—See: paleogeography.

Zoology—See: biology.



## SYSTEMATIC INDEX

The indexed name is followed by the name of the next higher group. Subspecies, varieties, races, mutants, and other infraspecific categories are followed by the name of the genus and species in parentheses. Lists of species are included under generic names, and lists of genera and subfamilies occur under the family names. Lists of families and higher groups will be found in systematic order in the Synopsis of Classification. New or substitute names, proposed in the present paper, are in bold-faced type. Authors of other new names are italicized.

Bracketed names are believed to be taxonomically preferable. Synonyms are preceded by the (=) sign and are usually enclosed in parentheses. These signs, if they follow the citation, indicate an author's usage or choice. If they follow the index entry, they indicate present usage, or the writers' preference. Bracketed entries serve as cross references and should be searched out for lists of subforms and additional citations.

Examples may be offered to illustrate the use of bracketed and parenthetical matter in the index:

(1) Doedicuridae [Glyptodontidae] Glyptodontoidea Rusconi 1931 I (Daedicuridae, of Glyptodonta)

The name as used by Rusconi was "Daedicuridae". Doedicurus is the original spelling of the genus. The family name, if used at all, should follow that spelling and is so indexed. The genus is usually placed in the family Glyptodontidae and is here so treated. The family Doedicuridae is therefore included in the Glyptodontidae. Rusconi's "Glyptodonta" is equivalent to the superfamily Glyptodontoidea as employed in our Synopsis of Classification. If one wishes to follow the classification further in the index, it is necessary to turn to the word Glyptodontidae for a list of the genera included in this family, and to the term Glyptodontoidea for the name of the next higher category, "Hicanodonta". Under Hicanodonta will again be found the next higher group, "Xenarthra".

(2) dispar (Brontops, Ichthyornis, Pararallus, Rallus)

The species name, dispar, as here indexed, will be found under each of the generalisted in parentheses, and the author citations will be found there.

Brontotheriidae, the preferable name, is followed by its synonym, in parentheses. Under the Osborn citation is given a list of the subfamilies he has recognized. The second indenture, starting with Allops, is a list of the genera indexed by us, with synonyms. The third indenture is a list of the subfamilies included elsewhere in this index.

Abacinonyx Felidae Kretzoi 1930
brachygnathus Pilgrim 1932
pleistocaenicus Kretzoi 1930
Abantis [Absalomichthys] Percidae

abavus (Presbychen) abbotti (Rhadinorhinus) abderhaldeni (Pseudoloris) Abderites Caenolestidae Simpson, G. G. 1933N Abderitinge Caenolestidae Simpson, G. G. 1930E. 1932K, 1933N acer (Megacerops) abeli (Equus, Megatarsius, Palaedaphus, Plecotus) abruptus (Platecarpus) Absalomichthys (= Abantis) Percidae Whitley 1933 velifer Whitley 1933 acadica (Phlyctaenaspis) Acanthaspida Arthrodira Gross 1933B, D (incl. Acanthaspidae and Phlyctaenaspidae); Heintz 1929C, 1932A (order), 1932B (sub-Acanthaspidae [Phlyctaenaspidae] Acanthaspida Broili 1929, 1930A; Gross 1933D; Heintz 1929B, C, D Acanthaspidoidia Arthrodira Romer 1933C (suborder) Acanthaspis Phlyotaenaspidae Heintz 1929B, 1931F; Schmidt 1933: Strand 1932B [Heintzaspis] arcticus Heintz 1929B armatus Whitley 1933 constricta Gross, W. 1933D elongata Gross, W. 1933D heintzi Gross, W. 1932C, 1933C, D major Gross, W. 1933D prümensis Gross, W. 1933D subtilis Gross, W. 1932C, 1933C, D tuberculata Gross, W. 1933D Acanthodei Aphetohyoidea Hoppe 1931A, B Acanthodes [Acanthoëssus] Acanthoëssidae Auachates (Equus) gusta 1931; Jackel 1929B; Nielsen 1932; Regan 1929C; Whitley 1933 Acanthodidae [Acanthoëssidae] Acanthodei Acanthodopsis Acanthoëssidae Acanthoëssidae (= Acanthodidae) Acanthodei Hay 1930A Acanthodopsis, Acanthoëssus (= Acanthodes), Holmesella, Traquairiehthys (= Traquairia, preocc.) Acanthopholidae (= Psalisauridae) Nodosauroidea Huene, F. 1929D Acanthopholis, Hylaeosaurus, Loricosaurus. Rhodanosaurus. Struthiosaurus (= Crataeomus) Acraniata Chordata Acanthopholinae [Acanthopholidae] Nodosauroidea Nopesa 1931B, C (of Nodosauridae, incl. Acanthopholis, Hylaeosaurus, Rhodanosaurus. Struthiosaurus and the type skull of Troodon) acridens (Nothocyon) Acanthopholis Acanthopholidae Nopesa 1929C Acanthopterygii Physoclysti Acanthostoma Branchiosauridae Bolkay 1928 vorax Steen 1931A Acaremyinae [Erethizontidae] Hystricoidea Kraglievich 1932D Accipiter Accipitridae cooperi Wetmore 1932 Accipitridae Falconoidea Wetmore 1933C Acrolepis Palaeoniscidae gigas Bayer, B. 1933 Accipiter, Aquila, Aquilavus, Palaeo-

planeus

Palaeoplancinae

Acentrophorus Semionotidae glaphyrus Laatsch 1931 Aceraspis Cephalaspidae Stensiö 1932A Aceratheriinae Rhinocerotidae Weber 1928A. (incl. Prohyracodon, Eggysodon. Praeaceratherium. Protaceratherium, and Aceratherium) Aceratherium Rhinocerotidae Arambourg & Piveteau 1929A; Chardin 1931A: Matthew 1931A; Soyer 1929; Stamp 1929C; Viret 1929C; Wang 1929 croizeti Viret 1929C filholi Astré 1929B; Gignoux 1928; Richard 1931 gannatense Viret 1929C gaudryi Wood, H. 1932 incisivum Klähn 1931 lemanense Astré 1930C; 1933B; Berckhemer & Seemann 1930; Gerber 1932A; Richard 1931; Viret altanicum Astré 1933B magnum Richard 1931 minimum Richard 1931 minutum Richard 1931 perimense Böse 1929A; Matthew 1929A tetradactylum Stromer 1928D Achtiaria Giraffidae Stehlin 1931B borissiakii Alekseev 1930 Achyrodon Dryolestidae Simpson, G. G. 1929A Acinonychinae Felidae Kretzoi 1929 (incl. Acinonyx and Sivaelurus) Acinonyx Felidae Kretzoi 1929 brachygnathus Pilgrim 1932 rex Kretzoi 1930 Acipenseriformes Chondrostei Hay 1930A (suborder) Acipenseroidae Chondrostei Hay 1930A (superfam. of Acipenseriformes) Acipenseroidea Chondrostei Romer 1933C (suborder) acipenseroides (Chondrosteus) Acoelodidae Typotheria? Abel, O. 1933C Amphioxus Acratocnus Megalonychidae (?) comes Miller, G. 1929B Acreodi Creodonta Kretzoi 1929; Weber, M. 1928 (Acerodi) acrodactylum (Herpetichnium) Acrodelphidae Odontoceti Argyrocetus Acrodus Hybodontidae Schmidt, M. 1928 africanus Brough 1931 leiopleurus Peyer 1933B minimus Thomasset 1930B

lotzi Gürich 1928B

wilsoni Claus 1928

Acronuridae Chaetodontiformes Apostasis

acrorhiza (Clethrionomys, Evotomys)

Acrosauridae Araeoscelidia (See: Pleurosauridae) Acrosauroidea Reptilia Nopesa 1928B (suborder of Araeoscelia, incl. Saurosternidae and Pleurosauridae)

Actaeosaurus Dolichosauridae Nopesa 1928B Actinistia Crossopterygii

Actinodon Eryopidae Broili 1928

risinensis Wadia & Swinton 1928

Actinodontidae [Eryopidae] Rhachitomi Broili 1928A: Huene 1932C (Sclerothorax)

Actinopterygii Osteichthyes Piveteau 1930C Incertae sedis: Byssacanthus

Actiornis Elopterygidae Lambrecht 1933B acuminatus (Mastodonsaurus, Saurichthys)

acuta (Remigolepis)

acuticaudatus (Plohophoroides)

acuticeps (Belosteus)

acuticornis (Monaspis)

acutidens (Felis, Geotrypus, Pachyailurus, Undina) acutidentatus (Leidyosuchus)

acutipes (Microsauropus)

acutirhinus (Loxomma)

acutirostris (Cephalaspis, Erpetosaurus, Ichthyo-Koalemasaurus. saurus. Leptopterygius)

acutissima (Odontaspis)

acutus (Belosteus, Irenesauripus, Martinichthys)

acutus (Ophichthys, Otolithus) adamanensis (Machaeroprosopus)

Adapidae Lemuroidea

Adapis, Leptadapis, Notharctus, Periconodon, Protoadapis

Adapinae

Adapinae Adapidae Abel, O. 1933C (incl. Adapis) adapinus (Notopithecus)

Adapis Adapidae Gregory 1929C, 1930C; Heller 1930B minimus Heller 1930B (Leptadapis); Weigelt 1931 (Leptadapis),

1932A (Leptadapis)

Adapisorex Pantolestidae

(?) anglicus Cooper 1932B

Adapisoricidae [Leptictidae] Erinaceoidea Simpson, G. G. 1928B, 1929B

(incl. in Leptictidae)

Adelogyrinidae Adelospondyli Zittel 1932 Adelogyrinus Adelospondyli Watson 1929K

simorhynchus Watson 1929K

Adelospondyli (= Lysorophia) Lepospondyli Watson 1929K (order of Amphibia, incl. Adelospondylus, Cocytinus and Lysorophus); Noble 1931; Steen 1931A.

Adelogyrinus, Cocytinus, Dolichopareias, Lysorophus, Pleuroptyx.

Adelogyrinidae

Adenota Bovidae

recki Dietrich 1933, Schwarz, E. 1932B Adianthus Macraucheniidae Weber 1928A (Adiantus)

Adiantidae [Macraucheniidae?] Litopterna Weber. M. 1928A (incertae sedis; in error for Adianthidae)

Notohippidae Matthew 1929M; Adinotherium Patterson, B. 1932A.

Adocus Dermatemvidae

orientalis Gilmore 1931B

Adriosaurus Dolichosauridae Nopesa 1928B aduncus (Galeocerdo)

aegyptiaca (Eotrigonodon serratus) Weiler 1929C aegyptiacus (Ariopsis, Xiphiorhynchus)

Aegyptosaurus Cetiosauridae Stromer 1932C baharijensis Stromer 1932C

Aegyptosuchus Crocodilidae Stromer 1933 peyeri Stromer 1933

Aelureidopus Procyonidae Matthew 1929A

Aelurodon Canidae Frick 1931A; Matthew & Stirton 1930B: Stirton 1933

aphobus Stock 1928A saevus secundus Stirton & VanderHoof

1933 Aelurognathus Gorgonopsia Nopcsa 1928B (Ailurognathus)

Aeluroidea [Feloidea] Fissipedia Kretzoi 1929 (phylogeny and classific.); Matthew 1929A (Machae-

Aeluropsis Felidae Matthew 1929A Aeluropus [Ailuropus] Procvonidae

Aelurosaurus Gorgonopsia

breviceps Broom 1931C Aelurosuchus Bauriamorpha Nopesa 1928B (Akid-

ognathinae. Gorgonopsoidea).

Aenocyon Canidae

dirus Moodie 1928B, 1930G

Aepiornis Aepyornithidae

maximus Mertens 1929A Aepisaurus Cetiosauridae Huene, F. 1932A

Aepyornithidae Cauderay Aepvornis 1931: Grandidier 1929: Lambrecht 1929E; Lavauden 1931; Lowe, P. 1928B; Schonwetter 1929; White, E. 1930

hildebrandti Lamberton 1931 Aepvornithes [Aepvornithiformes] Palaeognathae Lowe, P. 1930A

Aepyornithidae Aepyornithiformes Lambrecht 1929K (phylogeny)

Aepyornis (= Aepiornis) Eremopezus, Flacourtia, Müllerornis, Psammornis, Stromeria.

Aepyornithiformes Pallaeognathae Boubier 1933; Lambrecht 1933B; Romer 1933C (order of Paleognathae)

Aepyosaurus Cetiosauridae Huene, F. 1932A [Aepisaurus]

aequicrurius ("Amphidon", Eurylambda)

Aetonyx Gryponychidae

palustris Huene, F. 1932A

Aëtosauridae Aëtosauroidea

Dyoplax

agrestis (Microtus)

Agriocharis Meleagrididae Sushkin 1928C

Diplobunops, Merychyus

Agriochæridae (incl. "Agriotheriidae") Agrio-

Agriochoeroidea Ancodonta Hay 1930A ("Agrio-

choeroidea

chœroidae" of Agriochœri-

Aëtosauriformes [Pseudosuchia] Thecodontia Hay formes): Simpson, G. G. 1931B 1930A (suborder of Phyto-Agricchoeriformes [Ancodonta] Artiodactyla Hay sauromorphi) 1930A (suborder) Aëtosauroidea Pseudosuchia (incl. Aëtosauridae and Agriotheriidae [Ursidae] Canoidea Kretzoi 1929 Ornithosuchidae) "Agriotheriidae" [Agriochoeridae] Agriochoeroidea affinis (Barosaurus, Cervus, Claosaurus, Cygnop-[preocc. by a "family" of terus. Ornithomimus, Sula. Canoidea. Agriotherium of Telmatornis) Scott becomes Protoreodon! africana (Loxodonta) Agriotherium (= Hyaenarctos) Ursidae Deperet & africana obliqua (Loxodonta) Dart 1929B Matthew africanus (Acrodus, Afrosmilus, Australopithecus, Llueca 1928: Barosaurus, Canis, Coela-1929A; Pilgrim 1932 Enhydriodon. schneideri Simpson, G. G. 1930H canthus. Agrosaurus Coeluridae Huene, F. 1932A Palacothentoides. Papio. Proconsul, Pseudaelurus) aguilari (Tetrastylus) Afrosmilus Felidae Kretzoi 1929 Aigialosaurininae [Aigialosaurinae] Dolichosauridae Nopcsa 1928B, (gens of africanus Kretzoi 1929 Dolichosaurinae incl. Aigi-Agamidae Iguania alsaurus. Carsosaurus and Moloch (= Molochus), Physignathus Opetiosaurus) Agaminae [Agamidae] Iguania Nopesa 1928B (of Aigialosaurus Dolichosauridae Nopesa 1928B Iguanidae agassizi (Cephalaspis, Macropetalichthys) Ailurictis Felidae Agassizodus Edestidae Nielsen 1932 helbingi Kretzoi 1929 jourdani Kretzoi 1929 grønlandicus Nielsen 1932 Aggiosaurus ?Megalosauridae Huene, F. 1932A Ailurogale Felidae Piveteau 1932A Agialopous Ichnites Branson & Mehl 1932A, B Ailuromachairodontidae [Felidae] Feloidea Kretzoi wyomingensis Branson & Mehl 1932B 1929 (of Aeluroidea) Ailuromachairodontinae Felidae Kretzoi 1929 (of aginense (Brachypotherium) Aglossa [Opisthocoela] Salientia Huene, F. 1931J Ailuromachairodontidae) ("Superfamily" of Anura) Ailuromachairodus Felidae Kretzoi 1929 Aglypha Colubridae Nopesa 1928B (gens of Coluquadridentata Kretzoi 1929 brinae, incl. Elaphis, Ly-Ailuropus Procyonidae Helbing 1932; Matthew 1929A (Aeluropus); Young torhynchus. Palelaphis. 1932E (Aeluropus). Plesiotortrix. Pylmophis. Scytalophis (also in Ilysii-Ailurus Procyonidae nael. Tachvophis. Thamnoanglicus Pilgrim 1931 phis, and Tropidonotus) airawana (Stegodon) Agnatha Craniata Gross, W. 1932C, 1933A, B, Aistopoda Lepospondyli Noble 1931; Romer (Agnathi); Gregory, W. 1930D (incl. Ophiderpetontidae and Phlegethontidae) 1928D, (body form); Heintz 1931F, (incl. Arthrodira); Aistopodidae [Aistopoda] Lepospondyli Huene, F. Romer 1933C. (class of 1931J ("superfamily") Pisces, incl. Heterostraci. Akidognathidae Therocephalia Nopcsa 1928C (of Osteostraci, Anaspida, Pal-Gorgonopsoidea, incl. Rhoaeospondyloidea and Cypalodon) clostomata) Akidognathinae Therocephalia Nopcsa 1928B (of Agnocyon Hyaenidae Pilgrim 1931 Scaloposauridae, incl. Aelur-Agnotherium Hyaenidae Koenigswald 1931A; Pilosuchus. Akidognathus, grim 1931 Icticephalus, Ictidodon. antiquum Pilgrim 1931 Ictidognathus and Rho-Agomphus Dermatemyidae Nopesa 1928B palodon) Agorophiidae Odontoceti Akidognathus Therocephalia Broom 1932B Agorophius parvus Watson 1931B Agorophius Agorophiidae ak-suatica (Carcharodon toliapicus) Menner 1928 pygmaeus Borri 1932 Alactaga [Allactaga] Dipodidae Agouti Dasyproctidae Alamosaurus Cetiosauridae Huene, E. 1929A major Rusconi 1933F Alamosemys Dermatemyidae Nopcsa 1928B

> Galerita Albanensis (Sciuropterus, Trocharion)

[Alastorius]

Alaudidae Passeres

alaskensis (Mastodon americanus) Frick 1933

Alastorius (= Alastor) Rhinolophidae Strand 1928

Rhinolophidae Dollman

1929B; Strand 1928

Albanosmilus Felidae Kretzoi 1929 iourdani Kretzoi 1929 albertensis (Champsosaurus) Albertogaudrya Astrapotheriidae Simpson, G. G. 1933 R. Albertosaurus Aublysodontidae arctunguis Parks 1928A. periculosus Gilmore 1933; Riabinin 1930B albestii (Myliobatis) Albula Albulidae antiqua Cockerell 1933 bartoneneis (Otolithus) Frost 1933A eppsi (Otolithus) Frost 1933A; White & Frost 1931 Albulidae Isospondyli Albula, Chanoides Albuloidae Isospondyli Hay 1930A (superfamily of Clupeiformes) Alca Alcidae Christiani 1929 impennis Blanc 1928 Alcae Charadriiformes Alcelaphus Bovidae Anderson, R. 1932 kattwinkeli Dietrich 1933 (Alcephalus): Schwarz 1932B Alces Cervidae Ehrenberg 1932B; Gromova 1929; Loomis 1928B alces Edinger 1931B: Frentzen 1928 latifrons Dareste de la Chavanne & Roman 1931; Freudenberg 1931; Paylow 1928B; Schlosser 1928A; Schmidt, H. 1930A machlis Gardiner & Bate 1933 alces (Alces) Alcidae Alcae Alca, Hydrotherikornis, Mancalla Alectrosaurus Aublysodontidae Gilmore 1933C olseni Gilmore 1933C ales (Buteo) (= Geranoaëtus) Alethinophidae (= Boidae + Ilysiidae + Colubridae + Viperidae) Serpentes, Nopesa 1928B (of Ophidia Amblycephalinae. incl. Archaeophinae, Colubrinae, Ilysiinae, Pythoninae, Uropeltinae, Viperinae and Xenopeltinae) Aletomeryx Palaeomerycidae Loomis 1928B Aletornis Rallidae nobilis Lambrecht 1933B venustus Lambrecht 1933B alexandrei (Nochelesaurus) alfredi (Lystrosaurus) algericus (Cervus) Algoasaurus ?Camarasauridae Huene, F. 1932A Alilepus Leporidae Dice 1931 Alilepus Leporidae Dice 1931 (= Allolagus) annectens Dice 1931 laskarewi Dice 1931 Allaceropinae Rhinocerotidae Wood, H. 1932 (incl. Allacerops)

Allacerops Rhinocerotidae Wood, H. 1932

osborniana Wood, H. 1932

turgaicum Wood, H. 1932

gaudryi Wood, H. 1932

Allacodon [Cimolomys] Ptilodontidae Simpson. G. G. 1929A Allactaga Dipodidae saliens Heller 1931 (Alactaga) Allaeochelys Trionychidae Bergounioux 1931B nouleti Bergounioux 1931B payayrei Bergounioux 1931B alleganiensis (Corynorhinus) Alligator Alligatoridae prenasalis Mook 1932B Alligatorellus Atoposauridae Kalin 1933A Alligatoridae Eusuchia Kälin 1933A ("Alligatores"); Mook 1932B (phylogeny); Rusconi 1933D Alligator. Allognathosuchus, Bottosaurus. Brachychampsa, Brachygnathosuchus, Caiman, Caimanoidea, Diplocynodon, Eocaiman, Jacare, Jacaretinga. Proalligator, Rhamphostoma. Rhamphostomopsis Crocodilinae, partim Alligatorium Atoposauridae ?franconicum Broili 1931B Allocricetus Muridae Kormos 1931A; Schaub 1930B bursae Brunner 1933; Schaub 1930B éhiki Schaub 1930B Allocyon Canidae Merriam, C. 1930 loganensis Merriam, C. 1930 Allodaposuchus Crocodilidae Nopesa 1928C precedens Nopcsa 1928C [Otariidae] Pinnepedia Kellogg Allodesmidae 1931B (incl. Allodesmus) Allodesmus Otariidae kernensis Kellogg 1931B Allodon [Ctenacodon] Palgiaulacidae Simpson. G. G. 1929A Allognathosuchus Alligatoridae Mook 1932B mooki Simpson, G. G. 1930B riggsi Patterson 1931 Allolagus [Alilepus] Leporidae Dice 1929 annectens Dice 1929 Allolepis Antiarchi, incertae sedis Heintz 1932B longicornis Gross, W. 1933D: Heintz 1932B Allophaiomys Muridae Kormos 1932D laguroides Kormos 1932D pliocaenicus Kormos 1932D Allopleuron Cheloniidae Nopcsa 1928B Allops Brontotheriidae crassicornis Osborn 1929O marshi Osborn 1929O serotinus Osborn 1929O walcotti Osborn 1929O Allosauridae [Megalosauridae] Megalosauroidea Huene, F. 1932A Allosaurus Megalosauridae Moodie 1930D Allotheria Mammalia Granger & Simpson 1929 (subclass, incl. order Multituberculata); Simpson, G. G. 1929L (general), 1931B.

alluvialis (Homo)

Alopecideops Therocephalia Broom 1932B gracilis Broom 1932B Alopecodon Therocephalia Nopcsa 1928B "Alopecodon" Canidae [Alopecocyon, for Alopecodon Viret, preocc, by Alopecodon Broom 19081 Viret 1933 A gaillardi Viret 1933A Alopecognathus Therocephalia Nopcsa 1928B alopecoides (Lamna) Alopex Canidae Ehrenberg 1932B praeglacialis Kormos 1932G alophos (Thecodontosaurus) Alosa Clupeidae Weiler 1933A nordmanni Paucă 1931B alpestris (Triton) Alphadon Didelphiidae Simpson, G. G. 1929A alta (Weigeltaspis) altanicum (Aceratherium lemanense) Astré 1933B alternatus (Martinichthys) Alticamelus Camelidae Matthew 1929 N altidens (Equus, Telmatherium) altifluminus (Mookomys) Altispinax Megalosauridae Huene, F. 1932A Altomervx Camelidae Frick 1929 raki Frick 1929 altus (Astrodon, Miophasianus, Phasianus) altus (Clupea, Otolithus) Frost 1933A (Clupeidarum) alutensis (Camelus) alveodens (Martinogale) alveolatum (Ctenerpeton) Alytes Discoglossidae Nauck 1928; Noble 1931; Stromer 1928D amalthea (Tragocerus) amaltheus (Tragocerus, Amphicyon, Anthracosenex, Baënomys) Amblotherium Dryolestidae Simpson, G. G., 1928C, 1929A Amblycastor Castoridae Schreuder 1929 Amblydactylus Ichnites gethingi Sternberg, C. M. 1932A; 1932E Amblypoda Monodelphia Matthew 1929-0 (general); Osborn & Granger 1931A, 1932A (Mongolia); Patterson, B., 1933 (Colorado). Amblypterus Palaeoniscidae Gee 1930; Pruvost 1928B Amblyrhiza Chinchillidae Schreuder 1933B Amblystomidae [Ambystomidae] Mutabilia

amblystomus (Branchiosaurus)

Ambystoma Ambystomidae Adams & Martin 1928

Ambystomidae (= Amblystomidae) Mutabilia

Ambystomoidea [Mutabilia, partim] Caudata

dela)

Amebelodon Mastodontidae Anon. 1929H; Bar-

Adams & Martin 1929

1931

Romer 1933C (Amblysto-

moidea, suborder of Uro-

bour, E. 1930B; Granger &

(suborder):

Ambystoma (= Amblystoma), Plio-

ambystoma

Osborn 1931B

joraki Frick 1933 sinclairi Barbour, E. 1930A Amebelodontinae [Platybelodontinae] Mastodontidae Borissiak 1929A: Granger & Osborn 1931B (incl. Platybelodon); Osborn 1933G ameghiniana (Lama) ameghinoi (Campylodon, Canís, Ctenomys, Eutatus, Isostylomys, Paractenomys. Stereotoxodon. Xenosuchus) americana (Antilocapra, Megatherium, Mycteria, Rhea) americanum (Euceratherium, Mammut, Megatheramericanus (Camelus, Cervus, Euarctos, Mammut, Mastodon, Neophrontops. Neoplagiaulax, Pholidophorus, Taurotragus) Amiidae Holostei Kindleia, Pappichthys, Platacodon?, Stylomyleodon Amiiformes Holostei Hay 1930A (suborder) amissa (Ardea) Ammodyntinae [Ophidiidae] Anacanthini Paucă 1929A (fam! of Teleostei, Type Ammodytes) Ammodytes Ophidiidae Weiler 1933A antipae Paucă 1929A ammodytes (Vipera) ammoni (Anurognathus) Ammosauridae Coeluroidea Huene, F. 1932A Ammosaurus Ammosaurus Ammosauridae Huene, F. 1932A amoris (Congromuraena, Otolithus) Amphekepubis Mosasauridae Mehl 1930 gravi Mehl 1930 Amphiarctos Ursidae Matthew 1929A Amphibamidae Micramphibia Ichthyerpeton Amphibia Tetrapoda Dunn 1931 (distribution); Giles 1930 (U. Carboniferous); Gilmore & Cochran 1930 (popular); Holmgren 1933 (redefined, excl. Urodela); Huene, F. 1931J (general); Kesteven 1931B (incl. Dipnoi); Noble 1929 (general), 1931 (biology, general); Nopcsa 1931B (excl. Stegocephalia); Perrier 1928 (classification revised): Romer 1933C (class. Labyrinthodontia, Lepospondyli, Phyllospondyli, Anura, Apoda, and Urodela); Säve-Söderbergh 1932B (Devonian); Steen 1931A (Carboniferous);

Werner 1930-31 (general)

Incertae sedis: Proamphibia (genus)

Amphicaenopus Rhinocerotidae Weber 1928A

amphibius (Hippopotamus)

fricki Barbour, E. 1929A, 1929B

Amphichelonoidea [Amphichelydia] Testudinata Amphilestinae Triconodontidae Simpson, G. G. Nopesa 1928B (suborder. 1928C, 1929A incl. Miolaniidae. Plesio-Amphimachairodus Felidae Kretzoi 1929; Pilgrim chelyidae, Pleurosternidae. 1931, 1932 Proterochersidae. Thalaspalanderi Kretzoi 1929 semydidae and Triassoche-Amphimerycidae Traguloidea Romer 1933C (in lvidae) Pecora); Simpson 1931B Chelonia Bergounioux Amphichelydia Amphinasua Procyonidae ("Amphichelydes") longirostris Rusconi 1931.J Amphicoela Salienta Noble 1931 (suborder, incl. Amphioxus Acraniata Gregory, W. 1928D, 1933B Liopelmidae): Romer 1933C Amphiperatherium Didelphiidae Viret 1929C fincl. (suborder of Anura) in Didelphis Amphicoelias Cetiosauridae Huene, F. 1932A lemanensis Viret 1929C Amphicotylus Goniopholidae Amphiperca Percidae Weitzel 1933C lucasii Mook 1933A multiformis Weitzel 1933C Amphictis Mustelidae Viret 1929C Amphisbaenia [Amphisbaenoidea] Scincomorpha antiquus Viret 1929C Romer 1933C (infraorder) borbonicus Viret 1928, 1929C Amphisbaenidae Amphisbaenoidea leptorhynchus Viret 1929C Rhineura Amphievon Canidae Berckhemer & Seemann Amphisbaenoidea Scincomorpha Amphisile Centriscidae Zittel 1932 (Amphisyle); 1930: Dietrich 1930: Frick 1931A; Gazin 1932; Matthew Zotz 1928 (Amphistyle) 1929A, 1929P caucasica Smirnow 1932 aff. eseri Viret 1929C Amphitheriidae Pantotheria Simpson, G. G. 1928C ambiguus Viret 1929C Amphitherium blainvillei Viret 1929C Amphitherium Amphitheriidae Simpson, G. G. brevirostris Viret 1929C 1928C cooperi Pilgrim 1932 Amphitragulus Palaeomerycidae Berckhemer & crassidens Astré 1933A; Helbing 1929B; Seemann 1930; Loomis Viret 1929C 1928B; Stehlin 1928E; Viret crucians Viret 1929C elaverensis Viret 1929C boulangeri Berckhemer & Seemann 1930: eppelsheimensis Weitzel 1931 Viret 1929C geoffroyi Viret 1929C elegans Viret 1929C incertus Viret 1929C feningrei Viret 1929C gracilis Berckhemer & Seemann 1930; lactorensis Astré 1928 landesquei Helbing 1928C Viret 1929C lemanensis Richard 1931; Viret 1929C lemanense Berckhemer & Seemann 1930 lemanensis Viret 1929C major Viret 1929C memnoïdes Viret 1929C leptorhynchus Viret 1929C major Helbing 1928D; Pilgrim 1931 pomeli Viret 1929C major grivensis Viret 1929A primaevus Viret 1929C palaeindicus Pilgrim 1932 Amphiuma Amphiumidae Weigelt 1932A pithecophilus Pilgrim 1932 Amphiumidae Mutabilia pontoni Simpson, G. G. 1930H Amphiuma pyrenaicus Pilgrim 1931; Roman 1928 amphiuminis (Ophiderpeton, Oestocephalus) robustus Weitzel 1931 Amphiumoidae Mutabilia Hay 1930A (superfamily) rugosidens Viret 1929C amplus (Apatosaurus, Diploconus, Dipsalidictis. shahbazi Matthew 1929A Protaspis) amurense (Trachodon) sinapius Stock 1930A sindiensis Pilgrim 1932 amurensis (Mandschurosaurus) Amyda Trionychidae Hummel 1929 zibethoides Helbing 1930A johnsoni Gilmore 1931B Amphicyoninae Canidae Pilgrim 1931 rostratus Glaessner 1933A Amphicyonopsis Canidae Viret 1929A vindobonensis Glaessner 1933A "Amphidon" Amphidontidae aequicrurius Simpson, G. G. 1929A virginiana Lynn 1929 Amphidontidae Symmetrodonta Simpson, G. G. Amynodon Amynodontidae sinensis Zdansky 1930 Amynodontidae Rhinocerotoidea Matthew 1932B Amphidon

antiquus Viret 1929C don, Paramynodon Amphilestes Triconodontidae Anon. 1929Q; Simp- Amynodontopsis Amynodontidae Stock 1933A son, G. G. 1928C bodei Stock 1933A

Amphidozotherium Talpidae Viret 1929C

aff. cayluxi Viret 1929C

Amphilagus Ochotonidae Viret 1929C

Amynodon, Amynodontopsis, Cadur-

cotherium, Mesamynodon,

Metamynodon, Orthocyno-

Ancodon Anthracotheriidae Pearson 1929B an (Scopelus) velaunus Stehlin 1929B Anacanthini Physoclysti Anagale Anagalidae Simpson, G. G. 1931C Ancodonta Artiodactyla Matthew 1929F (suborder: incl. Anthracotheriida, gobiensis Simpson, G. G. 1931C Anagalidae Tupaioidea Simpson, G. G. 1931B, C Anoplotheriidae. Caenotheriidae and Oreodontidae) Anagale Anaglyphus Pisces, incertae sedis Augusta 1931 [Anthracotheriidae] Ancodontidae Ancodonta Matthew 1929F (incl. in anakuma (Meles) Anamniota Craniata Kesteven 1931B (phylogeny) Anthracotheriidae) Anancinae Mastodontidae Cabrera 1930 (of Gom-Ancyclocentrum Mosasauridae Schmidt, K. 1927 photheriidae, incl. Stego-(for Brachysaurus, Willismastodon) ton preocc.) Anapsida Reptilia Nopesa 1928B (subclass, incl. Ancylopus Ichnites Carman 1927 ortoni Carman 1927; Mitchell 1931 Cotylosauria and andersoni (Machaeroprosopus, Phaneropleuron) tudinata) Anapsidosauria [Cotylosauria] Reptilia Goodrich anderssoni (Struthio) 1930B (excludes Seymouriandina (Orthomyctera, Dolichotis) amorpha) andinum (Eomegatherium, Toxodontherium) Anaptomorphidae (incl. Tetoniidae) Tarsioidea andinus (Cardiomys?) Anaptomorphus, Chumashius, Hemiaandium (Cimoliasaurus) codon, Tetonius Andrewsarchus Mesonychidae Anonymous 1928H: Anaptomorphus Anaptomorphidae Matthew 1929Q homunculus Gregory & McGregor 1929 andrewsi (Archidiskodon, Dicynodon, Embolo-Anarosaurus Nothosauridae Nopcsa 1928B, C therium, Goliathia, Proti-Anarthrodira (= Petalichthyida) Placodermi tanotherium, Protoceratops, Anas Anatidae Sarcosaurus) eppelsheimensis Lambrecht 1933B Andrias Cryptobranchidae isarensis Lambrecht 1933B bohemicus Liebus 1929B Anaschisma Metoposauridae Branson and Mehl scheuchzeri Liebus 1929B 1929 tschudii Liebus 1929B Anaspida Ostracodermi Sewertzoff 1928A (relation-Anelytropsininae [Anelytropsinae] Scincidae Nopcsa ships); Gregory, W. 1928D 1928B (gens of Scincinae) anemophilis (Vespertilio) Anatidae Anseres Anas, Anser, Branta, Chen, Cygnavus, Angiostomatidae [Typhlopidae, partim] Serpentes Cygnopterus, Cygnus, Das-Nopesa 1928B (of Ophidia, ornis, Mergus, Presbychen, Glauconinae incl. Spatula. Typhlopinae) Anatiformes [Anseriformes] Neognathae Hay 1930A Angistorhininae Phytosauridae Camp 1930B (incl. (suborder of Carinatae) Angistorhinus, Angistorhin-Anatoidae [Anseres] Anseriformes Hay 1930A opsis. and Promystri-(superfam. of Anatiformes) osuchus) anceps (Homostius) Angistorhinopsis Phytosauridae Anchiceratops Ceratopsidae Lull 1933A; Tait & rütimeyeri Camp 1930B Brown 1928 Angistorhinus Phytosauridae Nopcsa 1928B longirostris Arldt 1930; Sternberg, C.M. grandis Camp 1930B 1929A maximus Camp 1930B Anchippodontidae [Tillotheriidae] Tillodontia Anglaspidae [Pteraspidae] Heterostraci Kiaer 1932 Anchisauridae [Thecodontosauridae] Plateosau-(of Poraspidei) roidea Nopesa 1928B (of Anglaspis Pteraspidae Kiaer 1932: Woodward Pachypodosauroidea) 1933 D Anchisauripus Ichnites elongata Kiger 1932 exsertus branfordi Thorpe 1929 heintzi Kiaer 1932 Anchisaurus Thecodontosauridae insignis Kiaer 1932 colurus Huene, F. 1932A [Yaleosaurus] insignis var. brevis Kiaer 1932 Anchitheriomys Castoridae Schreuder 1929 macculloughi Kiaer 1932 Anchitherium Equidae Rieth 1931A platostriata Kiaer 1932 aurelianense Klähn 1931; Koenigswald anglica (Benneviaspis, Thomasia) 1931A anglicus (Adapisorex, Ailurus, Parailurus, Syllaeclarencii Simpson, G. G. 1932D mus) anchorenense (Rhea americana) Ameghino & Anguidae (= Anguinidae; incl. Glyptosauridae) Rusconi 1932

Anguioidea Anguis, Glyptosaurus, Helodermoides,

(= Loricotherium, partim),

Peltosaurus, Placosaurus,

Ancistroidus Pisces, incertae sedis Branson 1933

serratus aegytiaca Weiler 1929C

multisectis Branson 1933 Ancistrodon [Eotrigonodon] Sclerodermidae

Euoplo-

Hoplitosaurus.

chanusl

defined; incl. Dyoplosaurus,

Euoplocephalus and Ano-

dontosaurus), 1933D; Mehl

1931C; Nopesa 1929C (incl.

Palaeoscincus, Polacanthus,

Ankylosaurus.

cephalus,

Anoplotherium Anoplotheriidae Coulon 1928B;

1929C

posterogenium Matthew 1929A sivalense Matthew 1929A

Dietrich

1929B;

Stamp

SYSTEMATIC INDEX Propseudopus, Sauromorus, Anisonchus Periptychidae Strand 1928 [Anison-Xestops Anguinae (= Anguininae); Angufortunatus Simpson, G. G. 1932H ininae (= Anguinininae, Ankylosaurinae Nodosauridae Gilmore 1930C (regens); Anniellinae Anniellininae. gens): Glyptosaurinae (=Glyptosaurininae, gens) Anguiformes [Autarchoglossa] Sauria Hay 1930A (suborder) Anguillidae Apodes ?Congromuraena, Myrus, Ophichthys (order) (incl. Anguinininae, Xenosaurininae, Zonurininae and Anniellininae) incl. Euposaurus, Exostinus, Propseudopus and Sauromorus) Anguiformes) aspis) cænoides. Phoneosuchus, Sciurus) (Arctotherium, Astrapotherium, Bunolophodon, Brachypsalis, Carcharodon Caviodon, Mastodon, Tetrabelodon, Ursus) Plesiogale, Wetlugasaurus)

Anisomyodi [Eurylaimi + Tyranni] Passeriformes

Anisonchanus Periptychidae Strand 1928 (= Ani-

Goodrich 1930B (Anyso-

myodi = Clamatores)

sonchus preocc.)

Polacanthoides and Sarco-Anguillomorphi [Apodes] Teleostei Hay 1930A lestes) Ankylosaurus Nodosauridae Gilmore 1930C: Anguimorpha Autarchoglossa Moodie 1928A. 1929A: Anguininae [Anguioidea] Diploglossa Nopcsa 1928B Nopcsa 1929C Anna Therocephalia Nopcsa 1928B annectens (Alilepus, Lamprolithax, Lepus, Megatheridium, Palhoplother-Anguinininae Nopesa 1928B (Gens of Anguininae ium, Plagiolophus) Anningia Anningiidae Broom 1927B megalops Broom 1927B Anningiamorpha [Anningiidae] Pelycosauria? Anguioidea Diploglossa Hay 1930A (Anguioidae of Broom 1927B (order Therapsida, type Anningia) Anguis Anguidae Grodinski 1929 Anningiidae Pelycosauria? angularis (Bison) Anningia angulatus (Svalbardaspis) Anodontacanthus Ichthyodorulites ruthenorum Cabakov 1928A angusta (Coccosteus, Dolichopareia, Phlyctaen-Anodontosaurus Nodosauridae Sternberg, C. M. angustatum (Dolichosoma) 1929B lambei Gilmore 1930C; Sternberg, C. M. angusticeps (Cistecephalus, Lycenognathus, Ly-1929B anomala (Chimaera) Anomalichthys Coccosteidae angustidens magnus Gross, W. 1933D scaber Gross, W. 1932B, 1933D Anomalomys Muridae gaudryi Stromer 1928D Anomalopterygidae Dinornithiformes angustidens (Elephas platycephalus) Osborn 1929J angustifrons (Mustela, Paleogale, Anomalopteryx, Cela, Emeus, Megalapteryx, Pachyornia Anomalopterygidae Lowe, Anomalopteryx angustigenis? (Brontops) (= Megacerops) 1928R angustimaxila (Lama, Mesolama) Anomaluroidea Sciuromorpha angustipinatus (Cephalastronius) Anomocoela Salientia Noble 1931 (suborder) angustus (Boöchoerus, Coccosteus, Rhizodus) Anomodontia [Dicynodontia] Synapsida Hay Anhopolotherium [Anoplotherium] Anoplotheriidae 1930A (discards this order) pompeckji Dietrich 1929B Anomoeichnus Ichnites Carman 1927 Anicanodonta [Pilosa] Xenarthra Perrier 1928 (Anohioensis Carman 1927 hicanodonta, incl. Dideila-Anomoeodus Pycnodontidae Stromer & Weiler 1930 therium) foriri Leriche 1929B Anilidae (= Ilysiidae) Henophidia Amaral (Mem. Anomoepus Ichnites Mehl 1931A Inst. Butantan, 4, 1929) Anoplosaurus Iguanodontidae Nopesa 1928B Dinilysia, Scytalophis Anoplotheriidae Anthracotherioidea Anisacodon Brontotheriidae Anoplotherium (= Anhoplotherium), Dacrytherium, Diplobune, montanus Osborn 1929O Hyracodontotherium, Plesi-Anisodexis Eryopidae enchodus Romer 1930D omaeryx.

Anosteira Carettochelyidae Clark, J. 1932A; Humdae. Palaeogyrinidae and mel 1929 Cricotidae) Anthracosaurus [Broilisaurus] Anthracosauridae mongoliensis Gilmore 1931B raniceps Broili 1932A Anosteirinae Carettochelyidae Clark, J. 1932A (of russelli Watson 1929K Dermatemydidae); Nopcsa 1928B (of Trionychidae. Anthracosenex Anthracotheriidae Zdansky 1930 ambiguus Zdansky 1930 incl. Apholidemys, Caret-Anthracothema Anthracotheriidae Pilgrim 1928 tochelys, Hemichelys and Pseudotrionyx) crassum Pilgrim 1928 palustre Pilgrim 1928 ansae (Protohippus) Anser Anatidae Christiani 1929 rubricae Pilgrim 1928 Anseres Anseriformes Anthracotheriidae Anthracotherioidea Cooper 1928; Dal Piaz 1932C; Anseriformes, incertae sedis Neognathae Koenigswald 1932B (Ger-Gallornis many); Matthew 1929F (incl. Antaodon Tagassuidae Rusconi 1931I bonaerensis Rusconi 1928A Ancodontidae): Sieber 1929 chapadmalensis Rusconi 1930G (arboreal adaptations) Ancodon, Anthracochoerus, Anthracocinctus Rusconi 1930G hyus, Anthracokeryx, Anantarctica (Palaeeudyptes) Antarctosaurus Cetiosauridae Huene, F. 1929A: thracosenex. Anthracothema, Anthracotherium. Matley 1931: Nopcsa 1930D giganteus Huene, F 1929A, C, D Brachvodus. Haplobunodon (?), Merycopotamus, septentrionalis Huene, F 1932A; Huene & Matley 1933 Pseudamphimeryx, Rhagawichmannianus Huene, F 1929D, F therium antecedens (Stenopterygius crassicostatus) Huene. Anthracotherioidea Ancodonta Hay 1930A (An-F. 1931F thracotherioidae, of Suiantecursor (Buteo) formes) antelopinum (Equus, Hipparion, Hippotherium) Anthracotherium Anthracotheriidae Coulon 1928B Anteosaurus Titanosuchidae Stamp 1929C: Stehlin 1932. magnificus Broom 1929D: Huene, F 1931A crassum Pilgrim 1928 minor Broom 1929D; Huene, F. 1931A magnum Astré 1930A; Klähn 1931; Stehlin Anthodon Pareiasauridae Boonstra 1932A; 1933C; 1929B Haughton 1929A: Haughton monsvialense Dal Piaz 1932A & Boonstra 1930: Nopesa pangam Pilgrim 1928 1928B (a dinosaur) (?) sinense Zdansky 1930 gregoryi Broom 1930E Anthropi [Hominoidea] Anthropiformes Abel, O. 1933C (subgroup of Catarminusculus Haughton 1932B anthracinus (Eopelobates) rhina, incl. Hominidae) Anthracochoerus Anthracotheriidae Dal Piaz Anthropiformes Primates Hay 1930A (suborder) 1929D [Pongidae] Hominoidea An-Anthropithecidae fabianii Dal Piaz 1929D thony & Coupin 1931 stehlini Dal Piaz 1929D Anthropodus Pongidae Hennig 1929B Anthracohyus Anthracotheriidae Anthropoidea [Anthropiformes] Primates Osborn crassum Pilgrim 1928 1928A; Simpson, G. G. palustre Pilgrim 1928 1931B (incl. Ceboidea, Cerrubricae Pilgrim 1928 copithecoidea and Homin-Anthracokeryx Anthracotheriidae oidea); Smith, G. 1929B bambusae Pilgrim 1928 (classif.) birmanicus Pilgrim 1928 Anthropomorphae [Hominoidea] Anthropiformes hospes Pilgrim 1928 Naef 1931 (subgroup of An-(?) lahirii Pilgrim 1928 thropoidea, incl. Pongidae moriturus Pilgrim 1928 and Hominidae) mysingensis Pilgrim 1928 Anthropops Cebidae ulnifer Pilgrim 1928 perfectus Bluntschli 1931; Scott, W. B. Anthracosauridae (= Eogyrinidae + Otocratiidae + 1928A Paleogyrinidae) Embolo-Anthropornis Spheniscidae Lowe, P. 1933C meri Antiarchi Placodermi Gross, W. 1931 (subclass of Anthracosaurus. Eobaphetes Pisces), 1932A (bibliog.); Erpetosuchus, Moodie), Heintz 1932A (Antiarcha); Eogyrinus, Otocratia, Pal-Obrutschew 1928A (Antiacogyrinus, Pholiderpeton, archa); Stensiö 1931 (order

Placodermi:

Remigolepidae, and Astero-

lepidae, history and revision

incl.

Pteroplax

(superfam., incl. Eogyrini-

Anthracosauroideae Embolomeri Watson 1929K

of classification, morphology and relationships); Zittel 1932 (order of Ostracodermi)

Incertae sedis: Allolepis, Taeniolepis

Antidorcas Bovidae

marsupialis Heinz 1932A

Antifer Cervidae Kraglievich 1932A; Rusconi 1931I

antillensis (Miocnus)

Antilocapra Antilocapridae Stock 1932F; Vander-Hoof 1933A

americana Furlong 1932A

Antilocapridae Bovoidea Nagasawa 1931C

Antilocapra, Capromeryx (= Dorcameryx), Hypisodus, Merycodus, Sphenophalos, Tetrameryx

Antilope Bovidae Chardin & Piveteau 1930 ardea Bruet 1928

elavata Kühn, Othmar 1928

Antilospira Bovidae Chardin & Young 1931 licenti Chardin & Young 1931

antipae (Ammodytes) antipex (Terrapene)

antiqua (Albula, Aquila, Minerva, Ovis, Procavia,
Testudo, Viverra)

antiquitatis (Diceros, Rhinoceros)

antiquum (Agnotherium, Chalicotherium, Myarion, Sagatherium)

antiquus (Amphilagus, Bassariscus, Bubalus,
Camelus, Cerodon, Elephas,
Geotrypus, Glis, Herpestes,
Palaeoloxodon, Palanaema,
Percichthys, Pliopithecus,
Rhadinichthys, Sorex,
Thinopus)

antiquus recki (Palaeoloxodon) Hopwood 1933B Antrodemidae [Megalosauridae] Megalosauroidea

antwerpiensis (Squalodon)

Anura [Salientia] Amphibia Adams & Martin 1931 (Pliocene, Kans.); Dunn 1931 (distribution); Weigelt 1931 (Eccene, Germany); Westenhöfer 1929C (comp. anat.); Wolterstorff 1929 (Miocene, Germany)

Anurognathinae ? Rhamphorhynchidae Nopesa
1928B (incl. Anurognathus)
Anurognathus Rhamphorhynchidae Döderlein

Anurognathus Rhamphorhynchidae Döderlein 1929A; Petronievics 1928A, C

ammoni Döderlein 1929C; Wiman 1928A Anysomyodi [Clamatores] Passeriformes Goodrich 1930B

Aonyx Mustelidae

hessica Pilgrim 1931

aoshimensis (Meles anakuma) Matsumoto 1930F apachensis (Hypolagus)

Apatemyidae Insectivora, incertae sedis Jepsen (Proc. Amer. Philos. Soc. 76, no. 4, 1934)

> Heterohyus, Labidolemur, Stehlinella (= Stehlinius = Stehlinia, preoce.), Teilhardella

Apateodus Enchodontidae Stromer & Weiler 1930 Apatornis Ichthyornithidae Stresemann 1933 Apatosaurus Camarasauridae Grodinski 1929

amplus Huene, F. 1932A excelsus Huene, F. 1932A immanis Huene, F. 1932A laticolus Huene, F. 1932A montanus Huene, F. 1932A

apertus (Centrosaurus) Aphaetreus Octodontidae Miller, G. 1929B

Aphaneramma Trematosauridae

rostratum Pfannenstiel 1932A aphanista (Felis)

aphanista (Machaerodus, Machairodus)

Aphelops Rhinocerotidae Colbert 1932; Matthew 1931A; 1932B

ceratorhinus Matthew 1932B jemezanus Matthew 1932B malacorhinus Matthew 1932B

malacorhinus longinaris Cook, H. 1930B (malachorhinus)

megalodus Matthew 1932B "meridianus" Matthew 1932B montanus Matthew 1932B mutilus Matthew 1932B

Aphelosaurus Saurosternidae Nopesa 1928B Aphetohyoidea Pisces Walson (Phil. Trans. Roy Soc. Lond. ser. B, 1937, no. 549)

aphobus (Aelurodon)

Apholidemys Carettochelyidae Hummel 1929, 1932 (Trionyx); Nopcsa 1928B

Apidium Cercopithecidae Gregory & McGregor 1929; Zuckerman 1933B

Aploconodon Triconodontidae Simpson, G. G. 1929A

Aplodontiidae Aplodontioidea

Liodontia
Aplodontioidea Sciuromorpha
Apoda [Gymnophiona] Stegocephalia
Apodecter Muridae Hopwood 1929B
stromeri Hopwood 1929B

Apodemys Muridae sylvaticus Brunner 1933

Brunner 1933 (Apodemus); Ehrenberg 1929B (Apodemus); Sickenberg & Ehrenberg 1929 (Apodemus)

Apodes Physostomi Apogon Otolithus quadrangularis *Šulc* 1932A Apostasis Acronuridae capellinii *Erasmo* 1930B

rzehaki *Pauca* 1930 rzehaki *Pauca* 1933

appalachianus (Palaeoctonus) appandiculata (Lamna) applanata (Sinochelys)

Apratocleidus Elasmosauridae Nopcsa 1928B (Apratoclidus)

Aprotodon Rhinocerotidae

smith-woodwardi Vaufrey 1928A (Chilo therium)

Apternodontidae Tenrecoidea Apternodus 326 Apternodontinae [Apternodontidae] Tenrecoidea Schlaikjer 1933 (of Solenodontidae) Apternodus Apternodontidae gregoryi Schlaikjer 1933 Apterygidae Apterygiformes Metapterix Apterygiformes Palaeognathae Lambrecht 1933B Romer 1933C (order of Paleognathae) aquensis (Vespertilio) Aquila Accipitridae antiqua Wetmore 1933F (an edentate) chrysaetos Howard 1932A; Moodie 1929B ferox Wetmore 1933F (an edentate) hypogaea Lambrecht 1933B lydekkeri Wetmore 1933F (an edentate) prisca Lambrecht 1933B aquilae (Carpolestes) Aquilavus Accipitridae Lambrecht 1933B hypogaea Lambrecht 1933B hypogaeus Lambrecht 1933B Araeocyon Canidae Pilgrim 1931 Araeoscelidia (= Protorosauria) Synaptosauria ? Zittel 1932 (order of Reptilia) Araeoscelis, Broomia?, Gracilisaurus, chemus). Pleurosaurus. Saurus Araeoscelidae (= Areoscelididae). dae, Protorosauridae Araeoscelididae [Araeoscelidae] Araeoscelidia Efre-

Macroenemus (= Macro-Ophiodeirus, Protoro-

Broomiidae?, Pleurosauri-

mov 1932A (Areoscelidae); Nopesa 1928B (of Araeosceloidea)

Araeoscelis Araeoscelidia Broom 1931A Araeoscelomorphi [Araeoscelidia] Synaptosauria? Hay 1930A (order of Squamata)

Arakodon Canidae Frick 1932 arambourgi (Trigla) araneoides (Sorex)

araucanus (Tetrastylus) araukanicus (Laplatasaurus) Archaeanthropus ("La Tigra" Man) Hominidae

pampeus Fischer, E. 1933B

Archaegonaspis Pteraspidae

lindstrømi Heintz 1932 (= Archegonaspis): 1933B

Archaelurus Felidae Kretzoi 1929

Archaeoceti Cetacea Abel, O. 1933C (incl. Patriocetidae); Kellogg 1928A (classification)

Archaeocetus Delphinidae Simionescu 1931 Archaeohippus Equidae

> mourningi Bode 1933A; Maxson 1930; Stirton 1933

> nanus Simpson, G. G. 1932D penultimus Bode 1933A; Matthew 1932A ultimus Bode 1933A

Archaeohyracidae Typotheria Archaeoindris Lemuridae Lamberton 1929 Archaeolaginae Leporidae Dice 1929 (incl. Archaeolagus and Hypolagus)

Archaeolagus Leporidae Dice 1928, 1929

Archaeolemur Lemuridae Gregory & McGregor

platyrhinus Standing 1928

Archaeolemuridae [Lemuridae] Lemuroidea Weber 1928A (of Lemuroidea, to include Archaeolemur, and Hadropithecus)

Archaeomys Theridomyidae Viret 1929C arvernensis Viret 1929C chinchilloïdes Viret 1929C

laurillardi Viret 1929C

Archaeonycteridae Chiroptera, incertae sedis Simpson, G. G. 1931B; Weber 1928A

Archaeonycteris

Archaeonycteris Archaeonycteridae Revilliod 1928 Archaeophasianus Phasianidae Lambrecht 1933B roberti Lambrecht 1933B

Archaeophidae [Palaeophidae] Cholophidia Archaeophinae Palaeophidae Nopcsa 1928B (of Alethinophidae, incl. Archaeophis)

Archaeophis Palaeophidae Nopesa 1928B Archaeopithecidae Typotheria

Oldfieldthomasia Archaeopithecidae Typotheria Simpson, G. G. 1931B; Romer 1933C

Notoungulata? Simpson, G. G. Archaeoplus 1929A, 1932M

Archaeopsittacus Psittacidae Lambrecht 1933B verreauxi Lambrecht 1933B

Archaeopteropus Pteropodidae Dollman 1929B Archaeopterygia [Archaeopterygiformes] Archaeornithes Romer 1933C (order of Palaeornithes)

Archaeopterygidae Archaeopterygiformes Archaeopteryx, Archaeornis

Archaeopterygiformes Archaeornithes Boubier 1933: Lambrecht 1933B

[Archaeopterygiformes] Archaeopterygomorphi Archaeornithes Hay 1930A (order of Saururae)

Archaeopteryx Archaeopterygidae Anon. 1929Q; Böker 1930; Bölsche 1931B; Bremerkamp 1931; Frank 1928: Friedmann 1928: Ghidini 1931: Heschler 1929: Janda 1929; Langelier 1933; Lowe, P. 1928B; Nagy 1929; Petronievics 1928B, 1931B; Wetmore 1929B.

lithographica Pycraft 1929A macrura Pycraft 1929A; Rabaud 1931 Archaeornis Archaeopterygidae Böker 1930; Petronievics 1928B; Wetmore 1929B

Archaeornithes Aves Archaeosiren Dugongidae Simpson, G. G. 1932C Archaeosuchidae [Notochampsidae] Protosuchia Brown 1933A (Type Archaeosuchus, preocc. Broom.

Changed in 1934 to Proto-

suchus and Protosuchidae. Arctaspis Phlyctaenaspidae Heintz 1929B Brown) höegi Heintz 1929B Archaeosuchus [Protosuchus] Notochampsidae hoeli Heintz 1929B Brown 1933A holtedahli Heintz 1929B richardsoni Brown, B. 1933A kiaeri Heintz 1929B Archaeotrigon Paurodontidae maximus Heintz 1929C distagmus Simpson 1929A minor Heintz 1929B Archegonaspis [Archaegonaspis] Pteraspidae arctica (Glaucolepis) Archegosaura [Archegosauroidea] Rhachitomi Efarcticus (Acanthaspis, Heoanthropus, Homostius, remov 1933A (superfam) Rangifer) Archegosauridae Rhachitomi Broili 1928A; Efre-Arctocephalus Otariidae mov 1933A (Archaegosaurcaninus Berry, J. 1928 hookeri Berry, J. 1928 idae) Archegosaurus, Discosauriscus (= Dis-Arctocyonidae (incl. Oxyclaenidae) Arctocyonoidea cosaurus preoce.), Platy-Chiracus, Claenodon, ? Dyspterna, hystrix (= Chenoprosopus?), Loxolophus, Thryptacodon, Platyops, Stegocephalus Tricentes Archegosaurus Archegosauridae Pfannenstiel Arctocyonoidea (= Procreodi) Creodonta Hay 1932B 1930A (Arctocyonoidae, a decheni Hofker 1928; Pfannenstiel 1932A; superfam.); Simpson, G. G. Whittard 1928 1931B ornatus Wadia & Swinton 1928 Arctodontinae Ursidae Kretzoi 1929 (for Arcto-Archelon Protostegidae Nopcsa 1928B theriinae preocc., Arctoarchiaci (Palaeopicus, Phasianus, Picus) therium becomes Arctodus Archicranioti [Physostomi] Teleostei Garstang 1931 Leidy) (Div. of Malacopteri, incl. Arctodus Ursidae Kretzoi 1929 (= Arctotherium, Otophysi, Encheli preocc.) Apodesl, and Osteoglossi) floridanus Gidley 1928 Archidiskodon Elephantidae Broom 1928A; Dietnebrascensis Anon, 1930L Arctognathus Gorgonopsia Nopesa 1928B rich 1932; Goodwin 1929A; Matsumoto 1933; Osborn & Arctoidea [Canoidea] Fissipedia Brentana 1931 Colbert 1931 (systematics, Canidae); andrewsi Dart 1929B Klatt 1928 (anatomy); hanekomi Dart 1929A, B Kraglievich 1930G (canids, imperator Moodie 1929G; Pontier 1933C phylogeny); Kretzoi 1929 loxodontoides Dart 1929B (classification); Maier, 1929 (Ursidae, phylogeny); Matmeridionalis nebrascensis Osborn 1932B mittetti Dart 1929B thew 1930A (Canidae, phyplanifrons Van der Maarel 1932 logeny); Motte 1933A (Ursheppardi Goodwin & Lowe 1929 sidae); Pan 1929 (Ursidae); sonoriensis Osborn 1929J Pilgrim 1933B (Mustelidae) transvaalensis Goodwin & Lowe 1929 arctoides (Hyaenarctos, Indarctos) arctoideus (Ursus) vanalpheni Dart 1929B yorki Dart 1929B Arctomys Sciuridae bobac Gerber 1933; Simionescu 1930A. archidiskodontoides (Pilgrimia) marmotta Gerber 1933 Archi-Homo Hominidae? Georg 1930 Archiprosencephalica Gnathostomata Kesteven primigenius Bachofen-Echt 1931B; Heller 1931B (superclass of Verte-1930C brata, incl. all fishes except Arctonyx Canidae Matthew 1932A Dipnoi) Arctops Gorgonopsia Nopesa 1928B arctos (Ursus) Archizonurus Phalangeridae Arctostylopidae Notioprogonia securus Anderson, C. 1933 Archonta Monodelphia Gregory, W. 1910A of Hay Palaeostylops Arctotherium [Arctodus] Ursidae Kretzoi 1929: 1930A (superorder of Mam-Matthew 1929A, P malia, to incl. "Menotyangustidens Rusconi 1932G phla, Dermoptera, Chiroptera and Primates," p. 322); candiottii Rusconi 1931I see also: Weber, 1928A arctunguis (Albertosaurus) Archosauria Diapsida Nopesa 1928B (subclass, arctus (Ursus) arcuatum (Arkanserpeton) inel. Diaptosauria, Dinoarcuatus (Coelacanthus) sauria, and Praepubici) Ardaeosaurinae [Ardeosaurinae] Ardeosauridae Arctacanthus Ichthyodorulites Nielsen 1932 Nopesa 1928B (Geckonidae) uncinatus Nielsen 1932

Ardea Ardeidae

amissa Lambrecht 1933B

Arctamphicyon Canidae Pilgrim 1932 lydekkeri Pilgrim 1932

Arrhinoceratops Ceratopsidae Lull 1933A; Nopesa

Arsinoitherium Arsinoitheriidae Gregory, W. 1929I

Arthrodira Placodermi Case 1931A (Protitanich-

Hall, H. 1929

thys); Gross, W. 1930, 1931

(subclass of Pisces), 1932B

(incl. Euarthrodira and

Arsinoitheriidae Embrithopoda

Arsinoitherium

zitteli Edinger 1933A

1028R

ardea (Antilope) Ardeae Ciconiiformes Ardeidae Ardeae Ardea, Florida, Nycticorax, Proardea [Ardeae] Ciconiiformes Hay 1930A Ardeoidae (superfam.) Ardeosauridae Sauria Ardeosaurus Ardeosaurinae (= Ardaeosaurinae) Ardeosaurus Ardeosauridae Nopcsa 1928B (Ardaeosaurus) Ardiodus Scombridae White & Frost 1931 marriotti White & Frost 1931 arenaceus (Zanclodon) arenae (Indomeryx) arenatus (Psammosteus) arenicola (Paracamelus) Areocyon Canidae Matthew & Stirton 1930B Argala Ciconiiformes arvernensis Lambrecht 1930B falconeri Lambrecht 1930B argala (Ciconia) argalioides (Criotherium) argaloides (Ovis) Argentina Otolithus erectus (Otolithus) Frost 1933A argentina (Cyonasua) argentinus (Homocentrus, Mylohyus) Argillochelys Cheloniidae Nopcsa 1928B Argyrocetus Acrodelphidae joaquinensis Kellogg 1932 Argyrohippus Notohippidae fraterculus Simpson, G. G. 1932G Argyrohyrax Hegetotheriidae Patterson, B. 1932A Argyrolagidae Typotheria, incertae sedis Kraglievich 1931C Argyrolagus Typotheria, incertae sedis Simpson, G. G.1932A ("a typothere") palmeri Kraglievich 1931C parodii Rusconi 1933B Argyropelecus Stomiatidae logearti Arambourg 1929B Argyrosaurus Cetiosauridae Huene, F. 1929A, D superbus Huene, F. 1929F Ariopsis Clupeidae Peyer 1928C aegyptiacus Peyer 1928C Aristosaurus Thecodontosauridae erectus Huene, F. 1932A [Gyposaurus] Aristosuchus Coeluridae Huene, F. 1932A Arius Otolithus

Petalichthyida) 1933A. B. D: Heintz 1931F (incl. in Agnatha), 1932A, 1933D; Hussakof 1930A: Obrutschew 1931B, 1932A: Romer 1933C (order of Placodermi. incl. suborders Acanthaspidoidia. Coccosteoidia. Homosteoidia and Ptyctodontoidia): Stensiö 1931 (order of Placodermi): White 1928 (Scotland): Zittel 1932 (subclass of Pisces). Arthrothoraci [Arthrodira] Placodermi Gross, W. 1932B (rejected) articeps (Rhynchosaurus) Artiodactyla Monodelphia Alekseev 1930 (Arciodactyla); Aubert 1929; Matthew 1929F (reclassification) 1932C: Neuville 1932B (dentition); Pearson 1929B (phylogeny); Pilgrim 1928 (Eocene, Burma); Sieber 1929 (feet). Incertae sedis: Platatherium arvalinus (Microtus) arvaloides (Pitymys) arvernense (Homotherium, Mastodon) arvernensis (Archaeomys, Argala, Cervus, Dolichopithecus, Felis, Leptoptilus, Mastodon, Palaeoerinaceus, Puffinus, Ursus) arvernensis (Mastodon borsoni) Gaal 1931A arvernensis (Mastodon longirostris) Klähn 1929C. arvernensis (Ursus etruscus) Ehrenberg 1928C; Kormos 1931A Arvicola Muridae Dubois 1929; Hinton 1928; Kormos 1932F fraasi (Otolithus) Hucke & Voigt 1929; bactonensis Brunner 1933 pliocenicus Kormos 1932C Peyer 1928C Ascalabota Sauria rotundatus (Otolithus) Roedel 1930 asiaticus (Baluchitherium, Cervus canadensis, arizonae (Stegomastodon) Indricotherium, Ornitharizonensis (Cynomys ludovicianus) Wood, A. omimus, Struthio) 1933B Asinus Equidae Arkanserpeton Embolomeri Lane 1932A hydruntum Stehlin 1933B arcuatum Lane 1932A otranto Stehlin 1933B armatum (Diceratherium) asmussi (Asterolepis) armatus (Acanthaspis, Ohiodorulites, Sclerosaurus) asper (Cephalaspis powriei) Stensiö 1932A armbrusteri (Canis) asperimus (Tylototriton) Arminiheringia Borhyaenidae Asperipes Ichnites auceta Simpson, G. G. 1932J longidigitatus Sternberg, C. M. 1933A arningi (Pterodactylus) aspidephorus (Cacops)

Aspideretes Trionychidae Hummel 1929 planus Parks 1933A, B rugosus Parks 1933A, B superestes Russell, L. 1930B Aspidichthys Coccosteidae Branson & Mehl 1931B: Dutertre 1929B ingens Gross, W. 1932B, 1933D notabilis Bryant 1929B Aspidosaurus Dissorophidae Romer 1928B aspis (Vipera) Aspius Cyprinidae Weiler 1933B assiniboiensis (Megacerops) Astatoglyptica [Testudinata] Anapsida Hay 1930A (superorder of Poeciloglyptica) Asterolepidae (incl. Bothriolepidae = Botriolepidae. Ceraspidae, Ceratolepidae and Remigolepidae) Antiarchi Gross, W. 1933D; Stensiö 1931 (incl. Asterolepinae. Microbranchiinae and Bothriolepinae) Asterolepis (= Gerdalepis), Bothriolepis (= Botriolepis = Macrobrachius), Ceraspis, Ceratolepis, Cypholepis, Microbrachius. Pterich-Pterichthys, thyodes, Remigolepis Asterolepinae. Bothriolepinae. Microbrachiinae Asterolepinae Asterolepidae Stensiö 1931 (incl. Asterolepis and Pterichthy-Asyndesmus Picidae odes) Asterolepis Asterolepidae Evans 1929: Stensiö 1931 asmussi Kiaer & Heintz 1933 concatenatus Gross, W. 1933A depressa Gross. W. 1933A maxima Obrutschew 1931A orcadensis Watson 1932C ornata Gross, W. 1930, 1931 radiata Gross, W. 1933A thule Watson 1932C ateles (Eutamias) Asterosteidae Rhenanidi Asterosteus (= Gemuendina = Gemündina) Asterosteus Asterosteidae Heintz 1932B; Schmidt, H. 1933 stürtzi Gross, W. 1933D Asthenodon Dryolestidae Simpson, G. G. 1929A Astrapodon Astrapotheriidae carinatus Scott, W. 1928A Astraponotus Astrapotheriidae Simpson, G. G. atlanticus (Vulpes) 1933R Astrapotheria Monodelphia Scott, W. 1928A (order of Notoungulata, incl. Trigonostylopidae and As-

1932B;

trapotheriidae). Simpson (Am. Mus. Novit.

Albertogaudrya, Astraponotus, Astrapotherium (= Nesodon,

orders

Astrapotheriidae Astrapotherioidea

750, 1934, p. 7; incl. sub-

and Trigonostylopoidea)

Astrapotherioidea

nartim), Mesembriotherium (= Listriotherium = Xylotherium = Astrapodon). Uruguaytherium, Xenastrapotherium Uruguaytheriinae Astrapotherioidea Astrapotheria Simpson, G. G. (Am. Mus. Novit. 750, 1934, p. 7; a suborder, incl. Astrapotheriidae); Weber 1928A Astrapotherium Astrapotheriidae Huene, F. 1929F Matthew 1929M; Scott, W 1928A angustidens Scott, W. 1928A christi Kraglievich 1928G: Stehlin 1928B delimitatum Scott, W. 1928A gaudryi Scott, W. 1928A giganteum Scott, W. 1928A magnum Kraglievich 1928G; Scott. 1928A marshii Scott, W. 1928A nanum Scott, W. 1928A patagonicum Scott, W. 1928A Astrodon Camarasauridae altus Huene, F. 1932A johnstoni Huene, F. 1932A montanus Huene, F. 1932A nanus Huene, F. 1932A valdensis Huene, F. 1932A Astrodontinae Camarasauridae Huene, F. 1932A (of Brachiosauridae, incl. Astrodon) lewisi Howard 1930; Miller, A. 1929A Atacisaurus Crocodilidae Astré 1931C crassiproratus Astré 1931C, D glareae Astré 1931C Atalonodon Lophiodontidae Dal Piaz 1929A monterini Dal Piaz 1929A atavus (Lestodon, Meles, Protocetus, Tetrastylus) atavus (Mastodon angustidens) Borissiak 1933A Atelaspis Cephalaspidae Stensiö 1932A Atelodus Rhinocerotidae aymardi Matthew 1929A athanasiui (Merluccius, Palaeoryx) Athecae [Dermochelyidae] Cryptodira Bergounioux 1933B ("Atheques") Deraniyagala 1931 (Atheca, phylogeny) atherfieldensis (Iguanodon) atherstonei (Tapinocephalus) Atlantochelys Thalassemyidae Nopesa 1928B Atlantosauridae [Camarasauridae] Sauropoda Atlantosaurus Camarasauridae Anon. Huene, F. 1932A [Apatosaurusl atlas (Colossochelys) Atoposauridae Mesosuchia Nopesa 1928B (Crocodiloidea)

Alligatorellus, Alligatorium,

saurus

Atoposaurus Atoposauridae Broili 1931B

atratus (Coragyps)

Atopo-

Atremata [Anapsida] Reptilia Hay 1930A (subclass) atrox (Thylacosmilus, Felis) Attenosaurus Ichnites indistinctis Aldrich & Jones 1930 subulensis Aldrich & Jones 1930 attenuatus (Coelodus) attenuatus (Conger, Otolithus) Frost 1933A (Congridarum) attenuatus (Polymastodon) attheyi (Eogyrinus) attica (Felis, Giraffa) atticus (Hyaenarctos, Indarctos) attila reiseri (Sus) Bolkay 1929 Aublysodon Aublysodontidae Huene, F. 1932A; Nopesa 1928B Aublysodontidae (= Deinodontidae = Dinodontidae; incl. Carcharodontosauridae and Erectopodidae) Megalosauroidea Albertosaurus, Alectrosaurus, Aublysodon (= Deinodon = Dinodon = Teinurosaurus), Carcharodontosaurus, Erectopus, Genyodectes, Gorgosaurus, Tyrannosaurus Aublysodontinae [Aublysodontidae] Megalosauroidea Nopesa 1928B (of Megalosauridae, incl. Albertosaurus, Aublysodon, Dryptosaurus, Gorgosaurus, Teinurosaurus and Tyrannosaurus) auceta (Arminiheringia) Auchenia Camelidae gracilis Aranguren 1930 lönnbergi Aranguren 1930 mesolithica Aranguren 1930 audax (Xiphactinus) Aulacocephalodon Dicynodontidae latissimus Broom 1932B Aulacocephalus Dicynodontidae Huene, F. 1931A Aulacochelys Trionychidae Hummel 1929 aulacodus (Palaeoctonus) Aulocetus Balaenopteridae lentianus Borri 1932 Aulophyseter Physeteridae Gregory & Raven 1933 morricei Kellogg 1931B Aulostoma Aulostomidae Weiler 1933A Aulostomidae Hemibranchii Aulostoma aura (Cathartes) auratus (Carassius) aurelianense (Anchitherium) aureus (Canis) aurignacensis (Homo) aurorae (Elephas, Parastegodon) australe (Fulgurotherium) australis (Bothriceps, Botriceps, Capreolus, Megatherium, Paleociconia, Physeter, Pitheculus, Proalligator, Prosqualodon, Scaphonyx, Tapirus, Thyla-

coleo, Titanosaurus)

Australocorax Phalacrocoracidae Lambrecht 1931C. 1933B gregorii Lambrecht 1933B Australopithecus Hominidae Dorsey, 1931; Puzanov 1931B: Romer 1930A: Smith, G. 1930N; Schwarz, R. 1931; Zuckerman 1928 africanus Abel, W. 1931B, C; Adloff 1932A; Ashley-Montagu 1930; Broom 1929B, F, 1930A, B, 1933A: Dart 1929C, 1931A. B.C: Friedenthal 1932: Gregory, W. 1930K; Heberer 1931B; Keith 1931B; Mendes-Correa 1933A; Mollison 1933; Weidenreich 1931B: Weinert 1929B, 1930I, 1932B; Wells. L. 1931A Pholidopleuridae Chondrostei Australosomidae Piveteau 1930B Australosomus Pholidopleuridae Piveteau 1930B kochi Stensiö 1932B merlei Piveteau 1930B austriacus (Struthiosaurus) austrogermanica (Mastodon angustidens) Klähn Austrolagomys Ochotonidae simpsoni Hopwood 1929B Austrosaurus Cetiosauridae Longman 1933 mekillopi Longman 1933 Autarchoglossa Sauria Autosauria [Sauria] Squamata Tornier 1933 (Lacertosauria) avellanarius (Muscardinus) aversus (Octomylodon) Aves Tetrapoda Boas 1930; Boubier 1933; Christiani 1929 (Norway); Collin 1930 (index); Del Campana

1928 (Italy); Ennouchi 1930 (Miocene); Hay 1930A (incl. superorder, Saururae and Eurhipidurae); Heilmann (Proavis); Heschler 1929 (Archaeopteryx); Hupier 1933 (L. Cret., France); Jackel 1929A (Jurassic): Janda 1929 (feather structure): Kraglievich 1931I (Miocene) 1932C (S. Amer. Tertiary); Lamberton 1931 (Aepyornis); Lambrecht 1933B (monographic): Lewis F. 1928 (fossil eggs); Miller, A. 1929A, B (Rancho La Brea), 1932B (California); Miller, L. 1929B, 1930B, 1931A, C, 1932A, B (California); Nagy 1929 (Europe); Nopesa 1929D (Proavis); Oliver 1930 (New Zealand); Perrier 1928 (classification); Peters 1931 (check-list); Piiper 1928, 1929 (vertebrae); Riabinin 1931A (Tertiary); Richter 1929B (Bavaria); Romer 1933C (class. incl. Palaeornithes, and Neornithes): Salomonsen 1931 (postglacial distribution); Schaub 1929 (Eocene); Stresemann 1933 (phylogeny); Watson 1928A (evolution); Wetmore 1929A B, 1930B, D, 1931D (N. Amer.) 1933I (systematics); Wetmore, Miller and Gidley 1930 (popular)

Incertae sedis: Eopteryx ?, Fontinalis (a feather?), Laoptervx?. Laornis ?. Palaeornis ?. Uintornis? [these may not

aviculiformis (Moreyella)

Avipes Ichnites Huene, F. 1932A

dillstedtianus Huene, F. 1932A; Schmidt, M. 1931

Avitofelis Felidae Kretzoi 1930 zittelli Kretzoi 1930

avus (Avus, Lutianus)

Axestemys Trionychidae Hummel 1929

Axis Cervidae Loomis 1928B

Aybelodon Mastodontidae Frick 1933 hondurensis Frick 1933

aymardi (Atelodus)

ayorae (Bunolophodon, Tetrabelodon)

aznarezi (Uruguaysuchus)

azpeitianus (Morenelaphus)

Bachitherium Tragulidae Wehrli 1933 insigne Dal Piaz 1929B

bactonensis (Arvicola)

Bactrosaurus Trachodontidae Gilmore 1933C iohnsoni Gilmore 1933C

Baëna Baënidae

fluviatilis Parks 1933A. B nodosa Wiman 1933C

Baënidae Amphichelydia

Baëna, Boremys, Chisternon (= Chisternum), Craspedochelys, Naomichelys, Neurankylus Polythorax. Probaena.

Thescelus

Baëninae [Baënidae] Amphichelydia Nopcsa 1928B

(of Pleurosternidae, incl. Baëna, Boremys, Chisternum, Compsemys, Craspedochelys, Neurankylus, Platychelys, Polythorax. Probaena, Thescelus and Tropidemys)

Baënomys Eurymylidae

ambiguus Matthew, Granger & Simpson 1929

baharijensis (Aegyptosaurus)

bai (Madtsoia) baileyi (Mesocyon)

bailloudi (Gazella)

baini (Bradysaurus)

Bainia Dicynodontidae Broom 1932B tigriceps Huene, F. 1931A

bainii (Bubalus, Simorhinella)

bairdi (Mesohippus) bakeri (Buettneria)

Balaenidae Mysticeti

Balaenoidae [Balaeonidea] Mysticeti Hay 1930A (superfam. of Mysticete)

Balaenoptera Balaenopteridae ryani Hanna 1928

Balaenopteridae Mysticeti

Aulocetus, Balaenoptera

Balanosphyra Picidae Howard 1930

balchi (Chumashius)

Balistiformes [Sclerodermidae] Plectognathi Hay 1930A (suborder of Diodontomorphi)

balsami (Lariosaurus) baltica (Glyptolepis)

balticus (Bervx. Otolithus) Roedel 1930 (Bervcidarum)

baltringensis (Scarus)

Baluchitheriidae (= Indricotheriidae) (Rhinocero-

tidae Rhinocerotoidea Weber, M. 1928A (Incl. Baluchitherium, Indricotherium and Paracerathe-

Baluchitherium Rhinocerotidae Andrews, 1928B, 1929C: Chardin

1930D; Matthew 1931A:

Sowerby 1929B

asiaticus Gatuiew 1933

bambergi (Elaphrosaurus) bambusae (Anthracokeryx)

banthensis (Dorygnathus)

Baphetes Loxommidae

kirkbyi Watson 1929K

latirostris Watson 1929 K

Baphetidae [Loxommidae] Embolomeri Romer 1930D (of Labyrintho-

dontia) Baptemys Dermatemyidae Nopcsa 1928B Baptornis Hesperornithidae Pycraft 1929B

Baranomys Muridae Kormos 1932A, 1933A

loczyi Kormos 1932A, 1933A

baranyaënsis (Testudo)

barasimlensis (Ornithomimoides)

barbarus (Phacochoerus) Barbastella Vespertilionidae

schadleri Wettstein 1931

barbouri (Mesohippus)

barnumbrowni (Platybelodon)

Baropus Ichnites

hainesi Carman 1927; Mitchell, R. 1933 waynesburgensis Tilton 1931A

Barosaurus Cetiosauridae Nopesa 1930D

affinus Huene, F. 1932A africanus Janensch 1929A, C

lentus Huene, F. 1932A

barroisi (Cyathaspis, Poraspis)

barstonis (Trilophodon) barthi (Chirotherium)

bartonensis (Albula, Otolithus)

bartonensis (Beryx, Otolithus) Frost 1933A (Bery-

cidarum)

bartonensis (Conger, Otolithus) Frost 1933A (Congridarum)

Barypoda [Embrithopodal Monodelphia Barytheria Monodelphia Barytheriidae Barytheria Simpson, G. G. 1931B: Weber, M. 1928A Barytherium Barytherium Barytheriidae Gregory, W. 1929I Basilemys Dermatemyidae nobilis Wiman 1933C Basileosaurus Cotvlosauria, incertae sedis Huene, F. 1932C freyi Frentzen 1931 Basilosauridae (= Zeuglodontidae) Archaeoceti Basilosaurus (= Zeuglodon), Prozeuglodon Basilosaurus Basilosauridae Kellogg 1931A hassanii (Macrochemus) Bassariscus Procvonidae antiquus Hall, E. 1930A; Miller, L. 1931A ogallalae Hibbard 1933A bassiana (Wynardia) Basutodon Teratosauridae Huene, F. 1932A ferox Huene, F. 1932A batalleri (Cephalogale, Clemmys, Metarctos) bathonicae (Oölithes) bathonicus (Metriorhynchus) Bathornis Bathornithidae celeripes Wetmore 1933A cursor Wetmore 1933A veredus Wetmore 1933A, D Bathornithidae Cariamae Wetmore 1933A Bathornis Bathyergoidea Hystricomorpha Bathygnathus Clepsydropsidae Nopcsa 1928B bathygnathus (Lutra, Sivaonyx) Bathyopsis Uintatheriidae Matthew 1929O bathyrhinus (Lycaenodontoides) bathystoma (Endothiodon) Batodon Insectivora, incertae sedis Simpson, G. G. 1929A Batoidei Rajiformes Gudger 1933 (dentition) Batrachiderpeton Diplocaulidae lineatum Steen 1931A baueri (Neurankylus) Bauriamorpha Theriodontia Huene, F. 1928B; Watson 1931B Bauroides, Ericiolacerta, Microgomphodon, Microhelodon Bauriidae Bauriidae [Bauriamorpha] Theriodontia Nopesa 1928B (of Gomphognathoi-Bauroides Bauriamorpha watsoni Watson 1931B

bavariea (Protornis)

beauforti (Protoplotus)

belgicus (Dinicthys)

bellardii (Myliobates)

bellistratus (Idiacanthus)

beaulieui (Uruguaytherium)

bavaricum (Dinotherium), Metaschizotherium)

bavaricus (Pleiosaurus), Pseudarctos)

Belesodon Cynodontia Huene, F. 1933F

magnificus Huene, F. 1933F

belli (Chasmosaurus, Hoplophoneus, Steganopo-

bellus (Sthenictis, Tatu) Belodon Phytosauridae buceros Camp 1930B [Machaeroprosopus] ingens Camp 1930B [Mystriosuchus] kapffi Camp 1930B [Phytosaurus] lepturus Camp 1930B [Clepsysaurus] planirostris Camp 1930B [Mystriosuchus] plieningeri Camp 1930B [Mystriosuchus] scolopax Camp 1930B [Machaeroprosopus] superciliosus Camp 1930B ["Belodon"] validus Camp 1930B [Clepsysaurus] Belodontidae [Phytosauridae] Phytosauria Nopesa 1928B (Incl. Mystriosuchinae and Phytosaurinae) Belone Scomberesocidae Weiler 1933A harmati Weiler 1933A Belonorhynchidae Chondrostei Saurichthys, partim (see also: Semionotidaeand Palaeoniscidae) Belonorhynchoidea Chondrostei Romer 1930D Belosteus Coccosteidae Gross, W. 1932B, 1933D acuticeps Gross, W. 1932B acutus Gross, W. 1932B elegans Gross, W. 1932B major Gross, W. 1932B pusillus Gross, W. 1932B belvederensis (Dicerorhinus) benedeni (Scombramphodon) bengalensis (Teratosaurus) Benneviaspis Cephalaspidae anglica Stensio 1932A lankesteri Stensiö 1932A Benthosauridae [Rhinesuchidae] Rhachitomi Efremov 1929A (of Stereospondvlia): Efremov and Kuzmin 1932A Benthosaurus Rhinesuchidae Efremov 1928, 1929A, B; Kuzmin 1931; Lutkevich 1931 sushkini Efremov 1929A berea (Dimetrodon) Beremendia Soricidae fissidens Brunner 1933 berigianus (Ursus) berkeyi (Telmatherium) bernissartensis (Iguanodon) Bernissartiinae Goniopholidae Nopcsa 1928B (Bernissartinae, incl. Bernissartia. Nannosuchus and Theriosuchus), 1928C berroi (Menilaus, Proterotherium) Berroia Notohippidae gregoriense Kraglievich 1932D berryi (Cynognathus, Cynogomphius, Trirachodon, Trirachodontoides) berus (Vipera) Szunyoghy 1932 Berycidae (incl. Homonotichthyidae) Beryciformes Beryx, Holocentroides, Homonotichthys (= Homonotus, pre-Kansius, Myripristis Berycidarum Otolithus balticus (Otolithus) Roedel 1930

marchicus (Otolithus) Roedel 1930

Beryciformes Acanthopterygii

Lithophis,

eropython,

Madtsoia, Palaelaphis (=

Berycoidea Beryciformes Hay 1930A (Berycoidea, wada 1932; Meserve & Barinel. Hoplopterygidae) bour 1932; Nininger 1928; Bervx Bervcidae Schultz 1932; Simpson, G. balticus (Otolithus) Roedel 1930 (Beryci-G. 1933 H darum) mut. curvicornis Kawada 1932 bartonensis (Otolithus) Frost 1933A (Bervoliverhayi Figgins 1933A cidarum) palaeosinensis Chardin & Piveteau 1930 eocenicus (Otolithus) Frost 1933A primigenius Brentana 1929 marchicus (Otolithus) Roedel 1930 (Bervpriscus Botzong & Voelcker 1930; Brencidarum) tana 1929; Edinger 1931B; parvulus (Otolithus) Hucke & Voigt 1929 Gaillard 1928A; Gromova (Berycidarum?) 1930B, 1932; Grüss 1932; bessarabensis (Camelus) Henning 1931A; Hinton bessarabica (Hystrix, Testudo) 1932B; Leuthardt 1929 Betasuchus Ornithomimidae Huene, F. 1932A rotundus Figgins 1933 A bredai Huene, F. 1932A schötensacki Freudenberg 1931; Nieza-Bettongia Macropodidae Simpson, G. G. 1933N; bitowski 1931; Pavlow, A. Rusconi 1933B 1928B biarmicus (Deuterosaurus) taylori Brown, B. 1928; Cook, H. 1928A, B, biarritzense (Gonostoma, Ophidium) 1931F; Figgins 1928; Hay & Bibos Bovidae Cook 1928 frontalis Van der Maarel 1932 texanus Hay & Cook 1928 gaurus Van der Maarel 1932 uriformis Hilzheimer 1932 geron Van der Maarel 1932 bitruncata (Paleaspis, Poraspis) palaeosondaicus Cosijn 1931; Van der bituminosa (Felis) Maarel 1932 blacki (Gazella) paleogaurus Van der Maarel 1932 blainvillei (Amphicyon) protocavifrons Van der Maarel 1932 Blarina Soricidae sondaicus Van der Maarel 1932 gidleyi Gazin 1933B bickensis (Leptosteus) Blastomeryx Palaeomerycidae Gazin 1932; Loomis bicornutus (Diploconus, Magacerops) 1928B bicostata (Thelolepis) blayaci (Trionyx) bidentatus (Eusmilus) Blenniidae Blenniiformes bifoliatus (Serridentinus) Spinogadus bifurcatus (Cervus) Blenniiformes Acanthopterygii bijoriensis (Gondwanosaurus) Blicca Cyprinidae Bimana [Hominidae] Hominoidea Goodrich 1930B croydonensis White & Frost 1931 (Section of suborder Anblicki (Blickotherium, Megacamelus) Blickotherium Mastodontidae Frick 1933 thropoidea) biporca (Dendrodus) blicki Frick 1933 biporcatus (Dendrodus) Boavus Boidea Nopesa 1928B birdi (Stanocephalosaurus) bobac (Arctomys) Birgeria Palaeoniscidae Bobasatrania Platysomidae White 1932 grönlandica Stensiö 1932B groenlandica Koch, L. 1931 (grønlandica); stensioi Aldinger 1931C Stensiö 1932B striata Koch 1931 mahayayica White 1932 Birkenia Birkeniidae Evans 1929; Regan 1929A; Bobasatraniidae [Platysomidae] Chondrostei Stromer 1930B Koch, L. 1931 (Bobasaelegans Stetson 1928B tranidae, nomen nudum) Stensiö 1932 (Type Bobasa-Birkeniidae Anaspida Birkenia trania) birmanicus (Anthracokeryx, Metamynodon, Paraböckhi (Helarctos) bockhi (Ursus) Maier 1928; Mayerfels 1929; Pilgrim mynodon) birmanicus (Stegodon insignis) Osborn 1929J 1931 biscaicum (Ophidium) bodei (Amvnodontopsis) bodenbenderi (Ichthyosaurus) Bison Figgins 1926 angularis Figgins 1933A boettgeri (Ptychogaster) bohemicus (Andrias, Machaeracanthus) bonasus Niezabitowski 1931 europaeus Linckenheld 1928; Stehlin 1931A Bohlinia Giraffidae Matthew 1929A (tentatively proposed for "Orasius" of figginsi Hay & Cook 1928 latifrons Cook, H. 1930A, 1931E; Simpson, Wagner, non Oken) Boidae (= Alethinophidae, partim) Henophidia G. G. 1930A Boavus, Bothrophis, Gigantophis, Hetoccidentalis Barbour & Schultz 1932A;

Crabb 1924; Figgins 1927,

1933A; Harnley 1932; Ka-

Palelaphis), Palaeopython, Paleryx, Protagras, Pylmophis, Scaptophis, Tachyophis, Trachyboa. Boinae (= Pythoninae) bolcense (Epiaceratherium) bolivianus (Teleobunomastodon) boliviensis (Macrauchenia) bolkayi (Dolomys episcopalis) Kormos 1931A bollensis (Mystriosaurus) bolli (Eumatthevia) Bolodon Plagiaulacidae crassidens Simpson, G. G. 1928C elongatus Simpson, G. G. 1928C osborni Simpson, G. G. 1928C Bolosaurus (Protorosauria) Edaphosauridae Romer 1928B bombidens (Pareiasaurus) bombifrons (Stegodon) bonaerensis (Antaodon, Catagonus, Interochoerus, Listriodon, Smilodon) bonali (Cephalogale, Dinailurictis) bondolensis (Stegodon) Boöchoerus Entelodontidae angustus Loomis 1932B boödon (Palaeoryx) boonstrai (Hipposaurus) boopis (Lystrosaurus) Boötherium Bovidae Barbour, E. 1931F borbonica (Gazella) borbonicus (Amphicitis, Brachyodus, Didelphis) Borborophagus Metoposauridae Branson & Mehl 1020 wyomingensis Branson & Mehl 1929 borealis (Eotitanops, Monaspis, Tetrapodosaurus) Boreaspis Cephalaspidae Stensiö 1932A Boremys Baenidae Nopcsa 1928B Boreodon Mammalia, incertae sedis Simpson, G. G. 1929A Boreopithecus Pongidae Friederichs 1932A dawsoni Friederichs 1932A Boreosomus Palaeoniscidae Stensiö 1932B Boreostracon Glyptodontidae Simpson, G. G. 1929H floridanus Simpson, G. G. 1929H Borhyaena Borhyaenidae Gregory, W. 1929G riggsi Sinclair 1930 Borhyaenidae Borhyaenoidea Arminiheringia, Borhyaena, Perazoyphium, Thylacosmilus Cladosictinae, Proborhyaeninae, Thylacosmilinae Borhyaenoidea (= Sparassodonta) Marsupialia Simpson, G. G. 1930E, borissiaki (Achtiaria, Hyaena) Borophagus Canidae Matthew & Stirton 1930B cyonoides Matthew & Stirton 1930B; Stirton & VanderHoof 1933 diversidens Matthew & Stirton 1930B

hillanus Matthew & Stirton 1930B

littoralis Barbat & Weymouth 1931; Stirton

Hoof 1931

& VanderHoof 1933; Vander-

pugnator Stirton & VanderHoof 1933 secundus Stirton & VanderHoof 1933 borsoni (Mastodon) Bos Bovidae Chardin 1931A; Kormos 1931A; Leuthardt 1930B; Van Es brachyciens Poile 1930 elatus Airaghi 1928 etruscus Bruet 1928 longifrons Poile 1930 primigenius Adametz 1933; Arambourg 1931; Astré 1929C, E; Berlin 1933; Buxton 1929; Delafosse 1929; Dietrich 1929C: Edinger 1931B; Gaal 1928; Gromova 1930A, 1931A; LaBaume 1930; Linckenheld 1928; Mathieu 1932; Raistrick 1933; Ritchie 1928; Schött 1931 italiae DeCristo 1928 sondaicus Stehn & Umbgrove 1929 taurus Gromova 1929 urus Jessen 1929B bosei (Hyaena) boselaphus (Bubalus) Bothremyidae (Bothremydidae) Pleurodira Nopesa 1928B (Bothremyidae); Zittel 1932 Elochelys, Najadochelys Bothriceps Brachyopsidae australis David & Süssmilch 1931 major David & Süssmilch 1931 Bothriolepinae Asterolepidae Stensiö 1931 (incl Bothriolepis) Bothriolepis Asterolepidae Gross, W. 1930; Hills 1929, 1932; Patten 1932; Tilton 1929 cellulosa Gross, W. 1933A gippslandiensis Hills 1928 grønlandica Heintz 1930C ("Botriolepis"); 1932C; Stensiö 1931 lohesti Leriche 1931 maxima Gross, W. 1932A, 1933A minor Chadwick 1931 panderi Obrutschew 1928A (?)ymeri Kulling 1931; Stensiö 1931 Bothriospondylus Camarasauridae Huene, F. 1929A, D, 1932A Bothropis Boidae Nopesa 1928B Botriceps Brachyopsidae australis Huene, F. 1929G major Huene, F. 1929G Botriolepidae (for Bothriolepidae) [Asterolepidae in Antiarchi Heintz part] 1930C Bottosaurus Alligatoridae Kuhn, Oskar 1933D; Stromer 1933 boulangeri (Amphitragulus) boulei (Cervus, Epimachairodus, Hovasaurus) Bovidae (= Cavicornia) Bovoidea Adametz 1933;

Boule & Chardin 1928

(China); Brentana (Bison);

Chardin 1933 (China); Floe-

ricke 1930 (Aurochs, Bi-

son); Nagasawa 1931C (dentition); Pilgrim and Hopwood 1928 (Pontian, phylogeny)

Adenota, Alcelaphus (= Alcephalus), Ammotragus, Antidoreas, Antilope. Antilospira. Bibos, Bison, Boötherium, Bos, Bubalus (= Bubalis), Buffelus, Capra, Cephalophus, Connochaetes, Criotherium, Damaliscus, Euceratherium (= Preptoceras), Gazella, Gorgon, Graecoryx, Helicotragus, Hemistrepsiceros. Hemitragus, Hippotragus, Kobus, Leptobos, Megalotragus, Microtragus, Miotragocerus, Oioceros, Orangiatherium, Oryx, Ovibos, Ovis (= Nemorhaedus), Pachygazella, Pachytragus, Palaeoreas, Palaeoryx, Parabos, Parabubalis, Parurmiatherium, Pelorovis. Praeovibos, Probubalus. Procamptoceras, Procobus, Prodamaliscus, Prostrepsiceros, Protetraceros, Protoryx (= Cerophorus), Protragelaphus, Protragocerus. Pseudotragina, Pseudotragus, Rupricapra, Rhynotragus, Saiga, Simobison, Spirocerus, Stelabison, Symbos, Taurotragus, Thaleroceros, Tragelaphus, Tragocerus, Tragoreas.

Bubalinae, Cervicaprinae, Gazellinae, Hippotraginae, Ovicaprinae, Pseudotraginae, Tragelaphinae

Bovoidea (= Cavicornia) Pecora Hay 1930A (Bovoidea of Ruminantia) Simpson, G. G. 1931B (for Bovoidea, Hay)

gortanii Erasmo 1930B boycei (Cyrbasiodon) brabanticus (Hybodus) Brachicyon Canidae Loomis 1931 intermedius Loomis 1931

Box Sparidae

Brachiopterygii [Cladistia] Actinopterygii Stensiö 1931 (subclass of Teleostomi to incl. Polypterus)

Brachiosauridae [Camarasauridae] Sauropoda Huene, F. 1932As Nopesa 1928B, 1930D (incl. Branchiosaurinae & Camarasaurinae)

Brachiosaurinae Camarasauridae Huene, F. 1929A (incl. Bothriospondylus, Pelorosaurus and Brachiosaurus), 1932A (incl. Dystrophaeus); Nopesa 1930D (of Branchiosauridae, incl. Cetiosaurus, Hoplocanthosaurus, Pleurocoelus, Brachiosaurus, Helopus and (?) Elosaurus).

Brachiosaurus Camarasauridae Dabelow 1929A; Huene, F. 1929A; Janensch 1932; Migeod 1931; Noposa 1930D; Quenstedt 1932B.

brancai Janensch 1929A fraasi Janensch 1929A

Brachyauchenius Polycotylidae Nopcsa 1928B (Brachyauchenias)

brachycephalus (Brontops, Euryaspis, Megaceros, Notostylops, Plesiosaurus)

brachyceps (Steneofiber) Cook & Cook 1933 Brachyceratops Ceratopsidae Lull 1933A; Nopesa 1928B

brachyceros (Morenelaphus)
Brachychampsa Alligatoridae Mook 1932B
brachychir (Talpa)
brachyciens (Bos)
Brachydectes Urocordylidae

newberryi Romer 1930D Brachydiastematherium Brontotheriidae transilvanicum Osborn 1929O

Brachydiridae [Coccosteidae] Brachythoraci Gross, W. 1932 (type Brachydirus Koenen), 1933D

Brachydirus Coccosteidae Gross, W. 1932B, 1933D carinatus Gross, W. 1932B gracilis Gross, W. 1932B grandis Gross, W. 1932B

minor Gross, W. 1932B Brachyerix Erinaceidae macrotis Matthew & Mook 1933

brachygnatha (Felis)
Brachygnathosuchus Alligatoridae
braziliensis Rusconi 1931D

brachygnathum (Perazoyphium) brachygnathus (Abacinonyx, Acinonyx, Felis, Plesiogulo)

Brachylagus Leporidae Dice 1929 Brachymys Myoxidae

ornatus Viret 1929C Brachynasua Procyonidae

meranii Rusconi 1931I, J.

Brachyodus Anthracotheriidae borbonicus Astré 1929B; Dal Piaz 1932B Stehlin 1929B

Brachyopsidae (= Brachyopidae) Stereospondyli Zittel 1932

Bothriceps (= Botriceps), Plagiosaurus,
Plagiosternum, Plagiosuchus

Brachyosteus Coccosteidae Gross, W. 1932B, 1938D dietrichi Gross, W. 1932B

Brachyostracon Glyptodontidae Weber, M. 1928A
Brachypareia Pareiasauridae Boonstra 1932B,
1933C; Haughton 1930;
Haughton & Boonstra 1929,
1930

rogersi Haughton & Boonstra 1929 Platyrhinops, Richodon, watsoni Haughton & Boonstra 1929 Seeleya, Stegops, Terso-Brachypotherium Rhinocerotidae Matthew 1931A mius? aginense Viret 1929C Branchiosaurus Branchiosauridae Edinger 1929D Brachypsalis Mustelidae amblystomus Whittard 1930 angustidens Hall, E. 1930A flagrifer Whittard 1930 brachypus (Hipparion) moravicus Augusta 1933 Brachyrhinodon Sphenodontidae salamandroides Pfannenstiel 1932A (Protaylori Huene, F. 1929G (Brachyrhyndon) triton) brachyrhinus (Ctenomys) branfordi (Anchisauripus exsertus) branneri (Eobrycon) Brachysaurana Mosasauridae Strand 1928 Brachysaurus Mosasauridae Schmidt, K. 1927; bransoni (Paleorhinus) branssatensis (Piezodus, Plesictis) Strand 1928 Branta Anatidae Brachysuchus Phytosauridae Boonstra 1933; Case esmeralda Burt 1929 1929B megalodon Case 1929B, 1930, 1931C, 1932A howardae Miller, L. 1930A Brachythoraci Arthrodira Gross, W. 1932B (sub-Brasileosaurus Notosuchidae Huene, F. 1931H order of Eugrthrodica) pachecoi Huene, F. 1931H, 1933A (= Uru-1933B (order of Arthrodira guaysuchus), 1932A (Compincl. Coccosteidae and Holsognathidae) onemidae) brasiliense (Cephalastron) Incertae sedis: Leptaspis brasiliensis (Gomphodontosuchus, Pseudarctobrachyurus (Lepus) therium) Bradyodonti Elasmobranchii Nielsen 1932; Romer Brasilochoerus Tagassuidae Rusconi 1930G platensis Rusconi 1930G 1933C: Zittel 1932 (suborder platensis parodii Rusconi 1930G of Selachii) stenocephalus Rusconi 1930G Bradypodidae Bradypodoidea Choloepus, Entelops brauni (Trematosaurus) Bradypodoidea (= Tardigrada) Pilosa bravardi (Scalabrinitherium, Scelidotherium) Bradysaurus Pareiasauridae Boonstra 1929A, B; braziliensis (Brachygnathosuchus) 1932B, 1933C, E; Haughton brea (Strix) 1929A, 1930A; Haughton & brecciensis (Microtus) bredai (Betasuchus, Megalosaurus) Boonstra 1930 baini Huene, F. 1931A breve (Cricetodon) seelyi Haughton & Boonstra 1929 brevetertius (Struthiomimus) vanderbyli Haughton & Boonstra 1929 breviceps (Aelurosaurus) brevicornis (Cephalaspis powriei) Stensiö 1932A Bradysuchus [Bradysaurus] Pareiasauridae Boonstra 1933C; Haughton & brevicornis (Plataspis) Boonstra 1929 [invalid] brevidens (Parahippus) whaitsi Haughton & Boonstra 1929 brevidens (Stenogale) Bramatherium Giraffidae Matthew 1929A var. leptorhynchus Viret brancai (Branchiosaurus, Pterodactylus) 1929C Brancasaurus Elasmosauridae Nopesa 1928B var. plesictoides Viret 1929C Brancatherulum Paurodontidae brevipes (Smilodon californicus) Merriam & Stock, tendagurense Simpson, G. G. 1928A Branchiosauravus Branchiosauridae Romer 1930D breviplicata (Cavia, Microcavia) tabulatus Romer 1930D breviplicatus (Cerodon) Branchiosauria [Phyllospondyli] Amphibia Romer brevirhinus (Ursavus) 1930D Brevirostrinae Mastodontidae, Osborn 1929J Branchiosauridae (incl. Peliontidae, Colosteidae, brevirostris (Amphicyon, Cephalogale, Chasmo-Stegopidae and Hylonomi-Diceratosaurus, saurus. dae) Phyllospondyli Huene, Felis, Paleolama, Protaspis, F. 1931J ("superfamily"). Pterodactylus, Tomarctus, Acanthostoma. Branchiosauravus. Tuditanus) Branchiosaurus (= Probrevis (Anglaspis insignis) Kiaer 1932 triton) Dendrerpeton, Erbrevis (Jackelaspis, Martinichthys, poraspis) petosaurus, Eugyrinus, Hybrevispinatus (Ostodolepis) lonomus, Hyloplesion, brewsterensis (Serridentinus) Ichthyacanthus, Leptobristolensis (Rileya) phractus. Leptorophus, brivatense (Procamptoceras) Limnerpeton, Macrerpeton, brocae (Mesembriotherium) Melanerpeton, Micromeler-Broilia Emyidae Bergounioux 1932D peton, ?Molgophis, Mydenticulata Bergounioux 1932D

taras, Odonterpeton, Pelion,

Pelosaurus.

Petrobates

broilii (Casea, Chalicomys, Francosuchus, Para-

placodus, Salamandra)

Broilisaurus Lepospondyli Kuhn, Oskar (Foss. Cat. Animalia, pt. 84, p. 42, for Anthracosaurus Goldenberg precee.)

Bronghiidae [error for Broughiidae (Ospiidae)]
Chondrostei Koch, L. 1931
(nomen nudum)

Brontichthys Coccosteidae clarki Hay 1930A

Brontopinae [Manteoceratinae] Brontotheriidae
Osborn 1929O (incl. Teleodus, Brontops and Diploconus)

Brontops Brontotheriidae Edinger 1933A.
angustigenis Osborn 1929O
brachycephalus Osborn 1929O
dispar Barbour, E. 1932A; Osborn 1929O
gobiensis Osborn 1929O
robustus Osborn 1929O

Brontornis Brontornithidae Kraglievich 1932C
Brontornithes (= Brontornithiformes) [Phororhaci]
Gruiformes Kraglievich
1932C

Brontornithidae (= Brontorniidae) Phororhaci Kraglievich 1932C (Brontorniidae, incl. Brontorniinae and Liorninae); Lambrecht 1933B

> Brontornis, Liornis, Moreno-Merceratia, Palaeociconia (= Prociconia)

Brontornithinae (= Brontorninae), Liornithinae (= Liorninae) Brontornithinae Brontornithidae Kraglievich

Brontosaurus Camarasauridae Anon. 1930M;
Bolsche 1931B; Grodinski
1929; Huene, F. 1932A [Apatosaurus]; Moodie 1930C, D;

1929; Huene, F. 1932A (Apatosaurus); Moodie 1930C, D; Stovall 1932A; Willey 1906 excelsus Anon. 1931A Brontotheriidae (= Titanotheriidae) Brontotheri-

oidea Osborn 1930O (Monographic, incl. Brontotheriinae = ? Diplacodontinae, Lambdotheriinae, Eotitanopinae = ? Palaeosyopinae, Palaeosyopinae = ? Eotitanopinae, Telmatheriinae, Manteoceratinae = Brontopinae, Dolichorhininae. Rhadinorhininae = ? Megaceropinae, Diplacodontinae = ? Menodontinae = ? Brontotherijnse. Brontopinae (Manteoceratinae), Menodontinae = ? Diplacodontinae, Megaceropinae = Rhadinorhininae and Embolotheriinae).

Allops, Brachydiastematherium, Brontops, Brontotherium, Diconodon, Diplacodon, Diploconus, Dolichorhinus, Embolotherium, Eometa

rhinus, Ectitanops, Ectitanotherium. Lambdotherium. Limnohyops (= Lim-Manteoceras. nohvus). Megacerops (= Symborodon) Menodus (= Palaeotherium partim = Anisacodon partim = Menops = Megaceratops), Mesatirhinus. Metarhinus. Palaeosyops, Protitanotherium, Rhadinorhinus (= Telmatotherium). Sphenocoelus. Sthenodectes. Teleodus. Telmatherium (= Leurocephalus), Titanops, Titanotherium.

Brontotheriinae (=? Diplacodontinae), Diplacodontinae (=? Menodontinae), Dolichorhininae, Embolotheriinae, Lambdotheriinae, Manteoceratinae (= Brontopinae), Palaeosyopinae (=? Eotitanopinae), Rhadinorhininae (=? Megaceropinae), Telmatherinae.

Brontotheriinae (= ? Diplacodontinae) Brontotheriidae Osborn 1929O (incl. Brontotherium)

Brontotherioidea Perissodactyla Hay 1930A (Brontotherioidae, a superfam.)

Brontotherium Brontotheriidae curtum Osborn 1929O dolichoceras Osborn 1929O gigas Osborn 1929O hatcheri Osborn 1929O hypoceras Osborn 1929O leidyi Osborn 1929O medium Osborn 1929O platyceras Osborn 1929O ramosum Osborn 1929O tichoceras Osborn 1929O

Brontozoum Ichnites thomasi North 1928A

brookvalei (Macroaethes)
Brookvalia Catopteridae Wade 1933A
gracilis Wade 1933A, B
parvisquamata Wade 1933A, B

propennis Wade 1933A, B broomi (Platyoropha) Broomia Araeoscelidia Gillies 1929

broomianus (Rhinesuchus) Broomiidae (Araeosceloidea) Araeoscelidia Nopcsa 1928B; Romer 1933C (Protorosauria)

Brotomys Dasyproctidae
(?) contractus Miller, G. 1929B
Broughia Ospiidae Stensiö 1932B
perleididoides Stensiö 1932B
serrata Koch, L. 1931 (Bronghia)

Broughiidae [Ospiidae] Chondrostei Koch, L. 1931 ("Bronghiidae", nomen nudum) browni (Cervus, Dakotasaurus, Eodelphis, Gavialis, angustidens Abel, O. 1928F; Osborn 1932D ayorae Spillman 1928A, 1931 Meidiicthys, Mesocnus, Orveteropus. Oxygnathus. grandincisivus Silnicky 1931 "Bunomastodontidae" [Mastodontidae] Mastodon-Perleidus. Teleorhinus. toidea Simpson, G. G. Thecodontosaurus) brownianum (Lambdotherium) 1931B ("invalid name", no brownianus (Eotitanops) substitute proposed) Browniella Ornithosuchidae Nopcsa 1928B burchardi (Testudo) browngrum (Heptodon) burmeisteri (Euphilus, Phoberomys) Burnetia Burnetiamorpha brownriggi (Ophiderpeton) brückneri (Cleithrolepsis) mirabilis Haughton 1929C brumpti (Euthecodon, Tomistoma) Burnetiamorpha Therapsida brunensis (Sauropus) Burnetia, Styracocephalus Burnetiidae, Styracocephalidae brunnea (Hyaena) Bruta [Edentata] Monodelphia Burnetiidae Burnetiamorpha Romer 1933C Brychaetus Osteglossidae burnhami (Serbelodon) schnarrenbergeri Zotz 1928 Burramys Phalangeridae Simpson, G. G. 1933N Bubalinae Bovidae Pilgrim & Hopwood 1928 parvus Anderson, C. 1933 (Pontian) bursae (Allocricetus) Bubalus Bovidae Anon. 1929U; Bourcart 1933A buski (Elephas) antiquus Lönnberg 1933B; Reygasse 1931; Buteo Falconidae Wetmore & Case 1932 Ribot 1931 ales Wetmore 1933E bainii Boule 1929I; Broom 1929G; Lowe, antecursor Wetmore 1933A C. 1929A; Goodwin 1929B; conterminus Wetmore 1933E Goodwin & Lowe 1929 contortus Wetmore 1933E boselaphus Marchand & Aymé 1932 dananus Wetmore 1933E nilssoni Lönnberg 1933B fragilis Wetmore 1933E palaeindicus Dollman 1929A grinnelli Wetmore 1933E teilhardi Young 1932C swainsoni Wetmore 1928 typhoius Wetmore 1928, 1933E wansjocki Boule et al. 1928 Bubo Strigidae butovi (Gyroplacosteus) virginianus Wetmore 1931B, 1932 Byssacanthus Actinopterygii incertae sedis Obrutbuccatus (Utaetus) schew 1932B bucco (Megacerops, Symborodon) cuspidatus Gross, W. 1933A. buceros (Belodon, Machaeroprosopus, Metarhinus) dilatatus Gross, W. 1933A bucheri (Pteraspis) caballus (Equus) bucherii (Protaspis) caballus (Equus caballus) Schwarz, E. 1928 bucklandi (Poikilopleuron) Cabassoinae Dasypodidae Rusconi 1931I buettneri (Trilophosaurus) cabrerai (Eomegatherium) Buettneria Metoposauridae Cacops Dissorophidae Westenhöfer 1929C bakeri Case 1931B, 1932B aspidephorus Pfannenstiel 1932A; Westenjonesi Branson & Mehl 1929 höfer 1929B major Branson & Mehl 1929 cadeoti (Dorcatherium) perfecta Case 1931B cadurcensis (Protalpa) Buffelus Bovidae Cadurcosaurus Sauria, incertae sedis Nopesa 1928B bubalus sondaicus Van der Maarel 1932 Caenolestidae (= Epanorthidae) Caenolestoidea palaeindicus Van der Maarel 1932 Simpson, G. G. 1933L (dispalaeokerabau Van der Maarel 1932 tribution) platyceros Berckhemer 1928A; Van der Abderites, Halmarhiphus, Micrabder-Maarel 1932 ites, Stylotherium Bufo Bufonidae Decker 1930 Abderitinae, Palaeothentinae Bufonidae Procoela Metcalf 1930 (distrib.) Caenolestinae Caenolestidae Simpson, G. G. 1930E Bufo, Ceratophrys, Indobatrachus Caenolestoidea Marsupialia Simpson, G. G. 1930E, Bulbocanthus Ichthyodorulites Bryant 1932 1931B; Weber, M. 1928A rugosus Bryant 1932 (incl. Caenolestidae and bulla (Pachyosteus) Epanorthidae) bullifer (Propanochthus) Caenophidia Serpentes Hoffstetter (Arch. Mus. bumiajuensis (Muntiacus, Tetralophodon) d'Hist. Nat. Lyon, 15, 1939; Bunodonta Artiodactyla new Section of Ophidia incl. Bunolitopternidae (= Didolodidae) [Didolodon-Colubridae, Dipsodidae, tidael Litopterna Abel, O. Hydrophidae, Elapidae and 1933C; Weber, M. 1928A (n. Viperidae) family of Litopterna) Caenopinae Rhinocerotidae Weber, M. 1928A (incl. Bunolophodon Mastodontidae Goodwin 1929A: Menoceras, Diceratherium,

Eotrigonias,

Caenopus.

Goodwin & Lowe 1929

Subhyracodon, Trigonias, Amphicaenopus, Aphelops, Peraceras?, Paracaenopus, Epiaceratherium, and Meninatherium)

Caenopus Rhinocerotidae Matthew 1931A dakotensis Wood, H. 1929A

> mitis Wood, H. 1929A persisteus Matthew 1932B

platycephalus nanolophus Wood, H. 1931 premitis Gregory & Cook 1928

Caenotherioidea [Cainotherioidea] Ancodonta Simpson, G. G. 1931B (of Ancodonta); Weber, M. 1928A (suborder of Artiodac-

tyla)
Caenotherium Cainotheriidae Berckhemer & Seemann 1930; Hurzeler 1933

commune Berckhemer & Seemann 1930 caerulea (Florida)

caffra (Felis)

Caiman Alligatoridae Mook 1932B

Caimanoidea Alligatoridae Mook 1932B

Cainotheriidae (= Caenotheriidae) Cainotherioidea Cainotherium (= Caenotherium)

Cainotherium (= Caenotherium) Cainotheriidae Viret 1929C

cf. geoffroyi Viret 1929C commune aff. elegans Viret 1929C gracile Viret 1929C nouleti Richard, M. 1931

Calamodontidae [Stylinodontidae] Taeniodonta Calamospondylus Coeluridae Huene, F. 1932A calcagnii (Ceresiosaurus) calcaria (Columba, Gerandia)

Callibrachion Poliosauridae Nopesa 1928B (Kallibrachion)

californianus (Geococcyx, Gymnogyps)
californica (Leptauchenia, Mancalla)
californicus (Merychippus, Miolabis, Parapavo,
Pterodon, Smilodon)

californicus (Tapirus haysii) Stirton & Weddle 1929 californicus (Mancalla)

Calippus Equidae Matthew & Stirton 1930A
placidus Matthew & Stirton 1930A

Callorhynchus Chimaeridae crassus Woodward & White 1930

Camarasauridae (= Morosauridae and Atlantosauridae, incl. Brachiosauridae) Sauropoda

Algoasaurus?, Apatosaurus (= Brontosaurus),
Astrodon (= Pleurocoelus),
Bothriospondylus, Brachiosaurus, Camarasaurus (=
Morosaurus), Dystrophaeus, Helopus, Ornithopsis,
Pelorosaurus, Uintasaurus

Astrodontinae, Brachiosaurinae, Camarasaurinae, Helop-

odinae Camarasauridae Huene, F. 1982A (subfam. of Brachiosauridae, incl. Camarasaurus, Apatosaurus, Uintasaurus and ? Algoasaurus);
Nopesa, 1928B (of Morosauridae incl. Apatosaurus,
Camarasaurus, Cetiosaurus,
Dystrophaeus, Elosaurus,
Haplocanthosarus, Pelorosaurus and Ornithopsis),
1930D (of Branchiosauridae incl. Camarasaurus and (?)
Apatosaurus)

Camarasaurus Camarasauridae Longman 1933

grandis Huene, F. 1932A impar Huene, F. 1932A lentus Lull 1930B leptodirus Huene, F. 1932A robustus Huene, F. 1932A upremus Huene, F. 1932A

cambelli (Cyathaspis, Traquairaspis)

Camelidae Cameloidea Aranguren 1930; Matthew 1929A, 1932A; Simionescu 1932 (Rumania)

Alticamelus, Altomeryx (?), Auchenia, Camelops, Camelotherium, Camelus. Eulamaops. Hemiauchenia, Lama, Leptauchenia. Leptotylopus (nomen nudum), Megacamelus. Megatylopus. Merycotherium, Mesolama, Miolabis. Oxydactylus. Palaeolama (= Paleolama), Paracamelus, Pliauchenia, Poabromylus, Poëbrotherium, Procamelus, Prochenia, Protolabis, Protylopus, Sespia, Stenomylus, Tanupolama, Vicugna

Cameloidea Tylopoda Hay 1930A (Cameloidae, of Ruminantia)

Camelopardalis Giraffidae Loomis 1928; Matthew 1929A

parva Pavlow 1932B sivalensis Nagasawa 1930

Camelops Camelidae Cook, H. 1931E; Matthew 1929N; Russell & Vander-Hoof 1931; Simpson, G. G. 1933H

hesternus Hay 1928A; Romer 1929A kansanus Harnly 1932; Nininger 1928

Camelotherium Camelidae

medium Aranguren 1930 Camelus Camelidae Orlov 1930A

alutensis Cauvet 1929; Matthew 1929A

(Pliauchenia); Simionescu 1932A.

antiquus Matthew 1929A americanus Frick 1929; Matthew 1929A; Stock 1928C.

bessarabensis Simionescu 1932A, B gigas Chardin & Piveteau 1930 (Paracamelus)

knoblochi Matthew 1929A praebactrianus *Orlov* 1928, 1929 sivalensis Cauvet 1929; Matthew 1929A thomasi Matthew 1929A cameratus (Idiacanthus)
camperi (Emys, Lytoloma, Puppigerus)
camperi littoralis (Lytoloma) Bergounioux 1933C
Camptaspis Phlyctaenaspidae Branson & Mehl
1931B

utahensis Branson & Mehl 1931B Camptosauridae Orthopoda Hay 1930A

Camptosaurinae Iguanodontidae Nopesa 1928B

(of Kalodontidae, incl. Anoplosaurus, Camptosaurus, Dysalotosaurus, Kangasaurus, Laosaurus, Priodontognathus, Rhabdodon and Thescelesaurus) 1929C

Camptosaurus Iguanodontidae Anon. 1931E, 1933-I; Gould 1929A; Janensch 1932; Nopesa 1928E

Campylodon Cetiosauridae Huene, F. 1929D,

ameghinoi Huene, F. 1929D Campylognathoides Dimorphodontidae Strand

1928 Campylognathus Dimorphodontidae Strand 1928

Campylognathus Dimorphodontidae Strand 1928 canadensis (Castoroides, Laoporus, Leidyosuchus, Macrophalangia)

canaliculata (Terrapene)
canaliculatus (Plohophoroides)
canavus (Cynodesmus)
cancellata (Ctenaspis)
candatus (Myrus, Otolithus)
candiottii (Arctotherium)

Canidae Canoidea Abel, O. 1933C (incl. Cynodictinae and Cynodontinae);
Frenguelli 1933 (Pleist. of Argentina); Kraglievich 1928A, 1930A (S. Amer.)

Matthew 1929A, 1930E (phylogeny);
Matthew and Stirton 1930B (phylogeny); VanderHoof

1931 Aelurodon, Aenocyon, Allocyon, Alopecoeyon n. gen. (for Alopecodon preocc.), Alopex. Amphieyon, Amphieyonopsis, Araeocyon, Arakodon, Arctamphicyon, Arctonyx, Borophagus, Areocyon, Brachicyon, Canis (= Palaeocyon Lund = Protocyon), Cephalogale, Cerdocyon, Chrysocyon, Cuon Cyon), Cynarctus, Cynodesmus, Cynodictis, Cynodon, Daphoenus, Dinocyon (= Hemicyon), Dinocynops, Dusicyon. Enhydrocyon, Eunothoeyon, Galecynus, Haplocyon, Hyaenognathus, Leucocyon, Lupullela, Lycalopex, Lycaon, Macrocyon, Mesocvon. Metarctos. Nothocyon, Nyctereutes. Osteoborus, Pachycynodon,

Pararctotherium, Parictis. "Pleurocyon", Pliocyon. Porthogyon. Protocyon, Prototocyon, Pseudalopex, Pseudarctos. Pseudarctotherium, Pseudocyon, Pseudocynodictis. Simocyon. Sivacyon, Speothos (= Icticyon), Stereocyon, Temnocyon, Tephrocyon, Theriodictis, Tomarctus, Tomacyon, Urocyon Vishnucyon. Vulpes

Amphicyoninae, Cynodictinae, Cynodontinae

canina (Grangeria) caninus (Arctocephalus)

Canis Canidae Ehrenberg 1931E; Kraglievich 1930A; Simionescu 1932B;

VanderHoof 1933A africanus Dietrich 1933 ameghinoi Kraglievich 1928A (Macrocyon) armbrusteri Patterson, B. 1932B

aureus Marchand & Ayme 1932 chapalmalensis Frenguelli 1929 (Macrocyon); Kraglievich 1929A

chihliensis var. minor Chardin & Piveteau 1930

var. palmidens Chardin & Piveteau 1930 curvipalatus Pilgrim 1932 debilis Kraglievich 1928A (Pseudarctotherium)

familiaris japonicus Matsumoto 1930F fossilis Kraglievich 1928A, 1929A gezi Kraglievich 1928A, 1929A giganteus Matthew 1929A hodophylax Matsumoto 1930F issiodorensis Viret 1929C jubatus Kraglievich 1928A lagopus Jackson 1929B

lupus Caterini 1933, Kormos 1933E, Pilgrim 1931

lycodes Kraglievich 1928A morenoi Kraglievich 1928A; 1929A (Moreni) mosbachensis Kormos 1933 nehringi Kraglievich 1928A nescherensis Kormos 1933E

nishneudensis Slodkewitsch 1933 platensis Kraglievich 1928A (Theriodictis) primigenius Pilgrim 1931

robustus Kraglievich 1928A

sinensis Chardin & Piveteau, 1930; Osborn 1931F

spelaeus Klinghardt, 1930; Kraglievich 1928A

strandi Kormos 1933E tarijensis Kraglievich 1928A (?Theriodiótis)

troglodytes Kraglievich 1928A Cannabina Fringillidae

cannabina Ehrenberg 1929B; Sickenberg & Ehrenberg 1929

cannabina (Cannabina)

Canoidea Fissipedia Mottl 1933A, B; Simpson, G.
G. 1931B (to replace Arctoidea of Flower)

Cantharus Otolithus
perneri Šulc 1932A

Cape Flats Man Hominidae Drennan 1929A, B.

capeki (Francolinus) capellinii (Apostasis)

capensis (Equus, Gyposaurus, Moschops, Youngina) Capitosauridae Stereospondyli

Capitosaurus, Cyclotosaurus, Stanocephalosaurus

Capitosaurus Capitosauridae Dette 1929A; Efremov 1932A; Frentzen 1931; Kuzmin 1931B; Schmidt,

M. 1928; Stadmüller 1929 helgolandiae Schmidt, M. 1931 nasutus Pfannenstiel 1932A

semiclausus Huene, F. 1932C ("subclausus")

cappelensis (Mastodonsaurus) Capra Bovidae Gaillard 1928A

caucasica Gromova 1929 cebennarum Gaillard 1931 clinniki Gromova 1929 corsica Gaillard 1931

cylindricornis Gromova 1929 falconeri Boule, et al. 1928 ibex Caterini 1933

kiakhtensis Boule, et al. 1928 martini Gaillard 1932

prisca Amschler 1931; Sickenberg 1930 severtzovi Gromova 1929

Capreolinae Cervidae Abel, O. 1933C; Weber, M. 1928A

Capreolus Cervidae Bachofen-Echt 1931F; Brunner 1933; Gromova 1929

australis Simionescu 1932B capreolus Gromova 1929 concudensis Hernandez-Pacheco 1930C matheroni Solignac 1931 pygargus caucasicus Gromova 1929

capreolus (Capreolus, Cervus) capricornis (Gazella, Parabubalis) Caprimulgi Caprimulgiformes

Caprimulgidae Caprimulgi Caprimulgus

Caprimulgiformes Neognathae Caprimulgus Caprimulgidae Lubosch 1929 Caproidae Perciformes

aproidae Perciforme Capros

Caprolagus Leporidae Dice 1929 sivalensis Matthew 1929A valdarnensis Dice 1931

Capromeryx Antilocapridae Romer 1933D; Stock 1932F

minor Furlong 1930 Capromys Octodontidae Miller, G. 1929B

Capros Caproidae Pauca 1930A Captorhinidae Captorhinomorpha

Captorhinus, Hypopnous, Pariotichus, Puercosaurus

Captorhiniformes [Captorhinomorpha] Cotylosauria Hay 1930A (suborder) Captorhinomorpha Cotylosauria Romer 1933C Captorhinus Captorhinidae Gregory, W. 1929C; Romer 1928B

Carangidae Perciformes

Caranx, Lampris, Platax, Seriola

Caranx Carangidae

macoveii Pauca 1929A

Carassius Cyprinidae

auratus Tchang 1933

carbonaria (Trochictis)

carbonaria (Zamenis viridiflavus) Szunyoghy 1932 Carcharias Carchariidae Beaufort 1928; Frentzen 1931

> cuspidatus Nagao 1933 gangeticu Siemon 1929 taurus White & Frost 1931 toliapicus Claus 1928

Carchariidae Squaliformes

Carcharias, Galeocerdo, Hemipristis, Hypoprion, Physodon

Carchariopsis Edestidae Claus 1928

Carcharodon Lamnidae Beaufort 1928; Hanna 1925B, 1930; Loel & Corey 1932; Piveteau 1933B; Weiler 1933A

> angustidens Menner 1932 (Eocarcharodon) praemegalodon Weiler 1928A rondelettiformis Menner 1932 (Eocarcharodon)

toliapicus mut. ak-suatica Menner 1928 turgidus Nagao 1928

Carcharodontosauridae [Aublysodontidae] Megalosauroidea Stromer 1931D (of Theropoda, incl. Car-

charodontosaurus charodontosaurus Aublysodontidae Stromer

saharicus Huene, F. 1932A (Allosauridae); Stromer 1931B

Cardiomys Caviidae

andinus Kraglievich 1930C huemulensis Kraglievich 1930C

intermedius Kraglievich 1932B (Pseudocardiomys)

minutus Kraglievich 1932B (Pseudocardiomys)

paranensis Kraglievich 1932B (Pseudocardiomys)

vignatii Kraglievich 1932B

Cardipeltis Pteraspidae Branson & Mehl 1931B; [Gross, Pal. Zent., 5, p. 350, rejects this genus.]

> oblongus *Bryant* 1933 sinclairii Bryant 1933 wallaci Bryant 1933

wallacii Branson & Mehl 1931B

Cardiodontinae Cetiosauridae Huene, F. 1929A (incl. Cetiosaurus, Cetiosauriscus, Elosaurus, Haplocanthosaurus and Pleurocoelus)

Cardiomyinae Caviidae Kraglievich 1930D Cardiotheriinae Caviidae Kraglievich 1930D (of Hydrochoeridae) Cardipeltidae [Pteraspidae] Heterostraci Bryant caspia (Zamenis) caspius (Gadus) 1933 cassidiformis (Scopelus, Otolithus) Carettochelyidae Trionychoidea Hummel 1929 Anosteira (= Pseudotrionyx = ? Apholicastellanosi (Lestodon, Plataeomys, Tetrastylomys) Castellanosia Glyptodontidae Kraglievich 1932D demys = Castresia), Carettoestablei Kraglievich 1932D chelys, Hemichelys ?, Palaeochelys ?, Peltochelys ?, castelnaudi (Lama) Castor Castoridae Barbour, E. 1931C: Bernsen Trachvaspis 1933: Matthew 1932A Anosteirinae fiber Riabinin 1930A Carettochelys Carettochelyidae Nopcsa 1928B marchiae Hilzheimer 1932 Cariamae Gruiformes Cariamidae | Cariamidae + Distrymiformes| praefiber Schreuder 1928C Castoridae (incl. Chalicomyidae) Castoroidea Cariamae Stresemann 1933 Schreuder 1929, 1931 (clas-(incl. "Diatrymae") sif.); Simionescu 1932B: carinata (Ceraspis) Stirton 1932B carinatus (Astrapodon, Brachydirus, Massospon-Amblycastor, Anchitheriomys, Castor, dylus) Castoroides, Castoromys. carinatus (Conger, Otolithus) Frost 1933B (Congri-Chalicomys. darum) Chloromys. Conodontes, Cylindrodon, Caristiidae Percidae Perciformes Whitley 1933 Dipoides, Eucastor, Euhapcarlesi (Megalonychops, Pyramiodontherium) Carlesia Chinchillidae Huene, F. 1932B; Kragliesis, Eutypomys, Hystrivich 1929B cops, Paleocastor, Sigmogomphius. Steneofiber, incognita Huene, F. 1931H (Sauria See Trogontherium also: Dicarlesia) castorinus (Steneofiber) pendolai Kraglievich 1929B. Castoroidea Sciuromorpha carmelitus (Erinaceus) Castoroides Castoridae Cahn 1929; Schreuder 1929 carnifex (Crocuta, Dissopsalis, Thylacoleo, Thylacopardus) canadensis Barbour, E. 1931C Carnivora Monodelphia Helbing 1928B (Switzerohioensis Baker 1930; Cahn 1930, 1932; land, Miocene); Kretzoi 1929 Engels, W. 1931, 1933; Whip-(suborder of Ferae); Lips ple 1930A 1930; Matthew 1929P (gen-Castoromys Castoridae Schreuder 1929 Castresia Carettochelyidae Hummel 1929 eral); Mátyás and Mihály Casuariidae Casuariiformes (bone histol, and phylogeny): Moodie 1930I Palaeocasuarius Casuariiformes Palaeognathae Romer 1933C (Casu-(dental anomalies); Perrier 1928 (order of the series ariformes, order of Paleog-"Carnassiers"); Pilgrim nathae) 1931 (Pontian of Europe), casuarius (Corythosaurus) catacopis (Machaerodus) 1932 (India); Rüger 1928 Catacritosauria [Synaptosauria & Ichthyopterygia] (Pleist., Germany) Reptilia Hay 1930A (Su-Incertae sedis: Sivalictis Carnivora vera Riabinin 1929B (Bessarabia) perorder of Poeciloglyptica, incl. Plesiosauria, Ichthyo-Carnosauria [Megalosauroidea] Theropoda Huene, F. 1929C, 1932A sauria and Omphalosauria) carolinae (Protoryx) Catagonus Tagassuidae carolinensis (Rhytiodon, Rutiodon) bonaerensis Rusconi 1930G (Interochoerus) Carpolestes Mammalia, incertae sedis Simpson, cataphractae (Crocodilius) G. G. 1928B, 1933N cataphractus (Homostius) aguilae Simpson, G. G. (? Tarsiidae) Catarrhini |Cercopithecoidea & Hominoidea| dubius Jepsen 1930C [Litotherium] Anthropiformes nigridens Simpson, G. G. 1928B Cathartae Falconiformes Cathartes Cathartidae carrikeri (Promerychochoerus) aura Wetmore 1932 Carsosaurus Dolichosauridae Nopesa 1928B Cathartidae Cathartae cartieri (Palhoplotherium, Paloplotherium) Cathartes. Coragyps, Gymnogyps, Casea Caseidae Broom 1927B Plesiocathartes, Vultur. broilii Pfannenstiel 1932A catodon (Physeter) caseanus (Spinosuchus) Catopsalis Taeniolabididae Caseidae Pelycosauria fissidens Granger & Simpson 1929 Casea foliatus Granger & Simpson 1929 Caseiformes (= Caseiasauria) [Caseidae] Pelycopollus Granger & Simpson 1929 sauria Hay 1930A (sub-Catopteridae Chondrostei

order of Sphenacodonto-

morphi)

Brookvalia, Catopterus, Daedalichthys,

Dictyopyge, Helichthys

Catonteridae Chondrostei Brough 1931; Piveteau 1930A (incl. Perleidus), C (classification)

Catopterus Catopteridae redfieldi Brough 1931

Caturus Eugnathidae

furcatus Edinger 1932 groenlandicus Aldinger 1932 macrurus Miethe & Born 1928 caucasica (Amphisile, Capra, Chelone)

caucasium (Elasmotherium)

caucasicus (Capreolus pygargus) Gromova 1929 caudalis (Elonichthys)

Caudata Amphibia Dunn 1931 (distribution); Noble 1931

caudatus (Ornichnites)

Caudocoelus Coeluridae Huene, F. 1932A

sauvagei Huene, F. 1932A cautleyi (Stegolophodon, Telosmilus)

cavernensis (Eocaiman) Simpson, G. G. 1933I Cavia Caviidae

breviplicata Kraglievich 1932B

Cavicornia [Bovoidea] Pecora cavifrons (Lagostomus, Symbos)

Caviidae (incl. Eocardiidae = Eocardidae, Hydrochoeridae, and? Cephalomyidae) Hystricoidea

Cardiomys, Cavia, Caviodon, Cerodon, Dolicavia, Dolichotis, Galea, Kerodon, Hydrochoeridium ("hypothetical" genus) Hydrochoeropsis, Hydrochoerus (= Oromys), Lelongia, Macrocavia, Microcavia Monticavia. Nanocavia, Neocavia, Neochoerus, Orocavia, Orthomyctera, Paleocavia, Paracaviodon, Paradolichotis, Parodimys, Pliohydrochoe-

cardiomys Cardiomyinae, Cardiotheriinae, Caviinae, Eocaviinae, Hydrochoeringe. Protohydrochoerinae

rus, Prodolichotis, Pseudo-

Caviinae Caviidae Kraglievich 1938K, 1932B Caviodon Caviidae

angustidens Kraglievich 1932B (Paracavi-

paranensis Kraglievich 1930E (Lelongia) scalae Kraglievich 1932B

Cavioidea [Hystricoidea] Hystricomorpha Kraglievich 1930D (phylogeny)

cavum (Proterotherium) cawoodi (Equus)

cayennensis (Parelephas columbi) Osborn 1929J cayluxensis (Palaeortyx)

cayluxi (Amphidozotherium aff.) Viret 1929C cayluxi (Dacrytherium)

cebennarum (Capra) Cebidae Ceboidea

Homunculus Anthropops Ecphantodon), Pitheculus Cebochoeridae Suoidea Pearson 1929B Cebochoerus

Cebochoerus Cebochoeridae Pearson 1929A Ceboidea (Platyrrhini) Anthropiformes Simpson, G. G. 1931B (of Anthro-

poidea, incl. Cebidae and Hapalidae)

ceboides (Ecphantodon) ceciliensis (Palaeopython)

Ceciliolemur Ceciliolemuridae Weigelt 1932C delasaucei Weigelt 1932C, 1933D

Ceciliolemuridae Tarsioidea Weigelt 1933D (of suborder Ceciliolemuroidea: incl. Ceciliolemur)

Ceciliolemur

Ceciliolemuroidea [in Tarsioidea] Primates Weigelt 1933D (suborder of Primates; incl. Ceciliolemuridae)

Cela Anomalopterygidae Lowe, P. 1928B

celer (Korynichium) celeripes (Bathornis) cellulosa (Bothriolepis) cellulosus (Pterichthys) Centemodon Phytosauridae Camp 1930B (Clepsysaurus)

Centriscidae Hemibranchii

Amphisile (= Amphisyle = Amphistyle)

Centropristis Otolithus elongatus Šulc 1932A

Centrosaurus [subgen. of Monoclonius] Ceratopsidae Lull 1933A

apertus Parks 1921

centum-nucesianus (Phalacropholis)

Cephalaspidae Osteostraci Gross, W. 1933D (Germany); Stensiö 1932A (monographic)

> Aceraspis, Atelaspis. Benneviaspis. Boreaspis. Cephalaspis. Didymaspis, Hemicyclaspis, Hoelaspis, Kiaeraspis, Micraspis, Sclerodus (= Eukeraspis), Securiaspis, Steganodictyum, Thyestes

Cephalaspinae, Kiaeraspinae Cephalaspidomorpha Ostracodermi Goodrich 1931 (Ostracodermata)

Cephalaspinae Cephalaspidae Stensiö 1932A (incl. Aceraspis, Micraspis, Ateleaspis and Hemicyclaspis)

Cephalaspis Cephalaspidae Allis 1931; Regan 1929A acutirostris Stensio 1932A

> agassizi Stensiö 1932A cradleyensis Stensiö 1932A diensti Gross, W. 1932C, 1933C, D fletti Stensiö 1932A heightingtonensis Stensiö 1932A langi Stensiö 1932A lankesteri Stensiö 1932A lornensis Stensiö 1932A lyelli Stensiö 1932A

magnifica Stensiö 1932A powriei Stensio 1932A.

var. asper Stensiö 1932A var. brevicornia Stensio 1932A salwevi Stensiö 1932A sollasi Stensiö 1932A

Ceratopsoidea Efremov 1932B: spinifer Stensiö 1932A Ceratopsidae traquari Stensiö 1932A Nopesa 1928B, 1929C (of watsoni Stensiö 1932A Thyreophoroidea. incl. websteri Stensiö 1932A Leptoceratopsinae, Cerawhitbachensis Stensiö 1932A topsinae, and Monocloniwhitei Stensiö 1932A inae) Anchiceratops, Arrhinoceratops, Brawoodwardi Stensiö 1932A chyceratops, Centrosaurus wvomingensis Bruant 1933 (= Monoclonius), Ceratops, Cephalastron Rhynchosauridae brasiliense Huene, F. 1929G Chasmosaurus, Eoceratops, gondwanicum Huene, F, 1929G Pentaceratops, Styraco-Cephalastronius Rhynchosauridae saurus, Torosaurus, Triceratops (= Diceratops) angustipinatus Huene, F. 1929G Cephalogale Canidae Viret 1929C Centrosaurinae (= Monocloniinae). batalleri Pilgrim 1931: Viret 1929B Ceratopsinae Ceratopsinae Ceratopsidae Nopcsa 1928B (incl. bonali Helbing 1928C brevirostris Viret 1929C Anchiceratops, Arrhinoceradepereti Viret 1929C tops, Ceratops, Diceratops, geoffreyi Viret 1929C Ecceratops, Pentaceratops. gracile Viret 1929C Triceratops and Torominor Viret 1929C saurus) shahbazi Matthew 1929A Ceratopsoidea Orthopoda Lull 1933A; Hay 1930A Cephalomyidae [Caviidae?] Hystricoidea Krag-(Ceratopsoidae) lievich 1930D (Cavioidea?) Ceratorhinus [Dicerorhinus] Rhinocerotidae Mat-Cephalonia Rhynchosauridae Huene, F. 1929G thew 1931A Cephalophus Bovidae schleiermacheri Klähn 1931 parvus Broom 1930A tagicus Astre 1933A: Viret 1929C Ceraspidae [Asterolepidae] Antiarchi Gross, W. mut. tolosanus Astre 1933A 1933D ceratorhinus (Aphelops) Ceraspis Asterolepidae Ceratosauridae (incl. Labrosauridae) Coeluroidea carinata Gross, W. 1933D Ceratosaurus, Labrosaurus ?, Proceratosaurus Cerataelurus Dicynodontidae Broom 1931C Ceratosaurus Ceratosauridae Janensch 1932 mirabilis Broom 1931C Ceratotherium Rhinocerotidae Matthew 1931A Ceraterpetomorpha [Nectridia] Stegocephalia Cercariomorphus Pleuracanthidae Goodrich 1930B parvisquamis Romer 1930D (Cercario-Ceraterpeton [for Keraterpeton] Urocordvlidae morphis) divaricatum Romer 1930D Cercopithecidae (incl. Semnopithecidae) Cercopunctolineatum Romer 1930D pithecoidea Depéret 1929A tenuicorne Romer 1930D (Pliocene, France): Simp-Ceraterpetontidae [Keraterpetontidae] Leposon, G. G. 1931B spondyli Apidium, Cercopithecus, Cynocephalus Ceratodontomorphi Chabakov Ceratodontidae Dolichopithecus. 1932 (Triassic) pithecus, Inuus, Macacus, Ceratodus, Neoceratodus Mesopithecus, Moeripithe-Ceratodontomorphi [Ceratodontomorpha] Dipnoi cus, Oreopithecus, Papio, Hay 1930A (Order of Dip-Parapithecus, Propliopitheneusta; incl. Ctenodontidae cus, Semnopithecus and Ceratodontidae) Cercopithicinae, Macacinae Ceratodus Ceratodontidae Branson and Mehl Cercopithecidae Anthony Cercopithecinae 1931A; Stromer & Weiler Coupin 1931 1930; Thomasset 1928B Cercopithecoidea Anthropiformes Simpson, G. G. crosbiensis Warthin 1928 1931B (of Anthropoidea, facetidens Chabakov 1932 incl. Cercopithecidae) kaupi Chabakov 1932 Ceropithecus Cercopithecidae Mátyas & Mihály latissimus Thomasset 1930B 1932 Ceratolepidae [Asterolepidae] Antiarchi Gross, W. Cerdocyon Canidae Kraglievich 1930A 1933D Ceresiosaurus Nothosauridae Peyer 1929C, 1931E Ceratolepis Asterolepidae Gross, W. 1933D calcagnii Peyer 1929C, 1931E stensiöi Gross, W. 1933D Cerodon Caviidae Ceratophrys Bufonidae Noble 1931 antiquus Kraglievich 1932B ensenadensis Rusconi 1932D breviplicatus Kraglievich 1932B Ceratops Ceratopsidae Lull 1933A: Nopcsa 1928B priscus Kraglievich 1932B Ceratopsia [Ceratopsoidea] Orthopoda Lull 1933A (Revision, incl. Protocerapygmaeus Kraglievich 1932B topsidae and Ceratopsidae) turgea Kraglievich 1932B

Cerophorus [Gazella] Bovidae Pilgrim & Hopwood 1928 Cervalces Cervidae roosevelti Cook, H. 1931E Cervavitus Cervidae Weber, M. 1928A Cervavus Palaeomerycidae Weber, M. 1928A Cervicaprinae Bovidae Pilgrim & Hopwood 1928 Cervicornia [Cervidae] Cervoidea Young 1932C (Family of Artiodactyla) Cervidae Cervoidea Loomis 1928 (phylogeny); Nagasawa 1930, 1931A, B, C, 1932A, B (molars); Pocock 1933 (antlers) Alces, Antifer (= Paraceras = Paraceros = Habromeryx = Habromerix), Axis, Capreolus, Cervalces, Cervavitus, Cervocerus, Cervulus, Cervus (= Elephas = Eurvceros), Dama, Dorcelaphus, Elaphurus, Eucladoceros, Eumeryx, Euprox, Heteroprox, Hippocamelus, Hydropotes, Moschus (= Moscus), Mazama, Megaceroides Megaceros, Morenelaphus, Odocoileus, Ozotoceros, Polycladus. Procapreolus, Procervus, Pseudaxis, Rangifer, Rusa, Sika Capreolinae, Cervinae, Pliocervinae Cervinae Cervidae Weber, M. 1928A (Cervini, p. 572, Cervinae p. 576; incl. Polycladus, Elaphus, Alces, Dama, Cervus and Rusa) Cervocerus Cervidae Weber, M. 1928A Cervoidea Pecora Hay 1930A (Cervoidae of Ruminantia); Simpson, G. G. 1931B Cervulinae [Muntiacinae] Palaeomerycidae Abel, O. 1933C; Viret 1929C (in Cervidae): Weber, M. 1928A (of Cervidae; Muntiacini, p. 572; Cervulinae, p. 574)

1928B; Young 1929 sinensis Chardin & Piveteau 1930 Cervus Cervidae Chardin & Piveteau 1930; Ehrenberg 1932B; Joleaud 1928C (Megaceroides); Nagasawa 1931D; Van Es 1931 affinis cornalia Erasmo 1932B algericus Arambourg 1932; Joleaud 1928C americanus Lvon 1931

Cervulus [Muntiacus] Palaeomerycidae Loomis

arvernensis Simionescu 1932B axis javanicus Koenigswald 1933 bifurcatus Chardin & Piveteau 1930 (Elaphurus)

boulei Chardin & Piveteau 1930 (Eucladoceras)

browni Chandler 1931 canadensis Gaal 1928, 1929; Young 1932C asiaticus Gaal 1928, 1929 fossilis Young 1932C mongoliae Young 1932C

capreolus Caterini 1933; Frentzen 1928 cornaliai Erasmo 1932B cusanus Bruet 1928 dicranus Bernsen 1933 elaphus Bachofen-Echt 1930; Bolkay 1929; Caterini 1933; Edinger 1931B Gardiner & Bate 1933; Hennig 1931A; Hinton 1932B: Leuthardt 1929 elegans Chardin & Piveteau 1930 (Rusa) ertborni Chardin & Piveteau 1932 euryceros Edinger 1931B: Paylow, M. 1928 fragilis Cabrera 1929C hortulorum Young 1932C (Pseudaxis) kazusensis Anonymous 1930X maral Freudenberg 1931 megaceros Berckhemer 1928D; Boule, et al. 1928; Burchell & Blake 1930; F., C. 1930; Reynolds 1929; Sackrewsky 1931; Stelfox 1933 var. mongoliae Boule et al. 1928 mosbachensis Edinger 1929A, 1933A microdon Nagasawa 1930 oppenoorthi Koenigswald 1933 pachygenus Joleaud 1928C

pachygnathus Joleaud 1928C pachyosteus Young 1932C (Euryceros) somonensis Caterini 1933 stehlini Koenigswald 1933 tarandus Gaillard 1928A teguliensis Bernsen 1933 zwaani Koenigswald 1933

Cestracion Cestraciontidae Weiler 1933A Cestraciontidae (= Heterodontidae) Squaliformes Cestracion. Parapalaeobates Synechodus

Cetacea Monodelphia Abel, O. 1933C (incl. Archaeoceti, Mystacoceti, Squaloceti and Delphinoceti); Borri 1932 (morphol., evolution); Dal Piaz 1929C; Harmer 1929 (general); Howell, A. 1930 (general); Kellogg 1928A, 1929A, 1932 (classification, adaptations); Neuville 1928, 1932A (cetodonts); Pavlow, M. 1933C (Black Sea region)

Cete [Cetacea] Monodelphia Cetiosauridae (Incl. Titanosauridae and Diplodocidae) Sauropoda Huene, F. 1932A

Aegyptosaurus, Argyrosaurus, Aepisaurus (= Aepyosaurus), Alamosaurus. Amphicoelias, Antarctosaurus, Austrosaurus, Barosaurus, Campylodon (?), Cetiosauriscus, Cetiosaurus, Dicraeosaurus, Diplodocus, Elosaurus, Haplocanthosaurus, Hypselosaurus, Laplatasaurus, Macrurosaurus, Magyarosaurus, Rhoetosaurus, Ti-

Chalicotherioidea Perissodactyla Hav 1930A tanosaurus, Tornieria (= (Chalicotherioidae of Ancy-Gigantosaurus E. Fraas) Cardiosaurinae, Cetiosaurinae, Dilopoda) Chalicotherium Chalicotheriidae Chardin 1930D. craeosaurinae. Diplodocinae, Titanosaurinae G: Dietrich 1928A Cetiosaurinae Cetiosauridae Huene, F. 1932A (incl. antiquum Koenigswald 1932D Cetiosaurus, Rhoetosaurus, goldfussi Arambourg & Piveteau 1929A: Cetiosauriscus, Hoplocan-Koenigswald 1932D thosaurus, and Elosaurus) grande Koenigswald 1932D modicum Richard, M. 1931; Viret 1929C Cetiosauriscus Cetiosauridae Huene, F. 1929A, D sivalense Matthew 1929A (Circotherium) Cetiosaurus Cetiosauridae Anon. 1929Q: Huene, F. 1929A. D: Nopesa 1930D Chamberlini (Coccosteus) Bryant 1932 Chamæleonoidae [Rhiptoglossa] Ascalabota Hay Cetotheriidae Mysticeti 1930A (Superfam. of Iguani-Cetotherium. Nannocetus. Parietobalaena, Peripolocetus, Tiformes) Chamops Iguania incertae sedis Nopcsa 1928B phyocetus Cetotherium Cetotheriidae championi (Pliohyrax) mayeri Boghachev 1928 Champsosauridae Rhynchocephalia priscum Simionescu 1931 Champsosaurus chaeretis (Hyaena, Lycyaena) Champsosauriformes [Champsosauridae] Rhyn-Chaeropotamus (= Choeropotamus partim) Suidae chocephalia Hau1930 A Coulton 1928B; Pearson (Suborder) 1929B (Choeropotamus) Champsosaurus Champsosauridae depereti Cooper, C. 1928 (Choeropotamus) albertensis Huene, F. 1929G ziegleri Viret 1929C (Choeropotamus) inelegans Parks 1933C Chaeropsis Hippopotamidae Matthew 1929A inflatus Parks 1933C Chaetodontiformes Acanthopterygii natator Parks 1933C Chainosauria Therapsida Nopcsa 1928B (Order of chanchenensis (Siphneus) Theromorpha, incl. Dro-Chanoides Albulidae masauroidea and Anomostriata Weiler 1929B dontoidea) chantrei (Protragocerus) chalaniati (Sciurus) chaoyatseni (Siphneus) Chalcosaurus Dvinosauridae Efremov 1931 chapadmalensis (Antaodon, Ctenomys, Doellotatus, rossicus Efremov 1932A Glyptodon. Listriodon, Chalepotherium Tritylodontidae Simpson, G. G. Neurvurus. Paractenomys. 1928C Paraglyptodon, Platygonus) plieningeri Simpson, G. G. 1928C chapalmalensis (Canis, Macrocyon) Chalicomys Castoridae Schreuder 1929 chapmanni (Mystriosaurus) broilii Chardin & Young 1931 chappuisi (Dorcatherium) eseri Viret 1928C Characidae [Characinidae] Ostariophysi Eigen-Chalicotheridium Chalicotheriidae Chardin mann and Myers 1929 (S. Piveteau 1930 Amer.); Peyer 1929A (My-Chalicotheriidae Chalicotherioidea Matthew 1929A letes) (classification) Characinidae Ostariophysi Chalicotheridium (incertae sedis), Eobrycon, Lignobrycon, Myletes, Tetra-Chalicotherium, Circotherigonopterus um, Colodus, Eomoropus, Characinoidae Ostariophysi Hay 1930A (Superfam. Grangeria, Macrotherium, of Characiniformes) Metaschizotherium, Moro-Charadiiformes Neognathae pus, Nestoritherium, Ol-Charadrii Charadriiformes senia, Pernatherium, Phyl-Charadriidae Charadrioidea lotillon, Postschizotherium, Oxyechus, Totanus Schizotherium Charadrioidea Charadrii Hay 1930A (Charadrio-Chalicotheriinae, Eomoropodinae idae of Charadriiformes) (= Eomoropinae), Schizo-Charadrius Ichnites Trusheim 1929 theriinae chardini (Postschizotherium, Teilhardella) Chalicotheriinae Chalicotheriidae Matthew 1929A Charronia Mustelidae (incl.: "A. Brachydont flavigula Colbert 1933A Series," ? Olsenia, ? Perchasicoensis (Typotheriopsis) natherium, Schizotherium, Chasicotheriinae Homalodontotheriidae Cabrera & Macrotherium. Chalico-Kraglievich 1931 therium and Circotherium; Chasicotherium Homalodontotheriidae Cabrera & "B. Hypsodont Series,"

Moropus, Phyllotillon and

Nestoritherium)

Kraglievich 1931

rothi Cabrera & Kraglievich 1931

Chasmatosaurus Erythrosuchidae vanhoepeni Broom 1932C

Chasmosaurus Ceratopsidae Lull 1933A; Nopesa 1928B (Chasmasaurus)

> belli Sternberg, C. H. 1931 brevirostris *Lull* 1933 kaiseni *Brown*, *B*. 1933D

Cheirogaleus Lemuridae Standing 1928 (Chirogaleus)

Cheirognathus Dicynodontidae Huene, F. 1931A Cheirolepis Palaeoniscidae Edinger 1929D; Regan 1929B

Cheiromyidae [Daubentoniidae] Lemuroidea Cheiromys Daubentoniidae

> madagascariensis var. laniger Grandidier 1929

Cheirotherium [ ? Felsinotherium] Dugongidae Simpson, G. G. 1932C

Chelone Cheloniidae

caucasica Riabinin 1929A (Chelonia)

Chelonia [Testudinata] Anapsida Bergounioux 1932A, D, 1933D; Deraniyagala 1931 (phylogeny); Nopesa 1930E (China), 1932 (France); Parks 1933A, B (Canada); Ping 1930A, B, 1931 (China); Ruckes 1929 (osteology)

Chelonides Thalassemyidae Nopesa 1928B Cheloniidae Cryptodira Nopesa 1928B (incl. Lytolominae, Cheloniinae and Protosteginae)

Allopleuron, Argillochelys, Chelone (= Chelonia), Chelyopsis, Cratochelone, Eochelone, Glyptochelone, Lembonax, Lytoloma (= Puppigerus), Notochelone, Peritresius, Platychelone?, Porthochelys?, Procolpochelys, Sinemys, Syllomus, Thalassochelys

Cheloniinae, Lytolominae

Cheloniinae Cheloniidae Nopesa 1928B (incl. Allopleuron, Chelonia, Cheliopsis, Cratochelone, Glyptochelone, Lembonax, Notochelone, Peritresius, Platychelone, Procolpochelys, Puppigerus, Syllomus and Thalassochelys)

Chelonioidae Cryptodira Hay 1930A (Superfam. of Thecophora)

Chelydoidae [Bothremyidae] Pleurodira Hay 1930A (Superfam. of Thecophora)

Chelydosaurus Eryopidae Bolkay 1928

Chelydra Chelydridae

lorettana Glaessner 1933A Chelydridae Cryptodira Hummel 1929 (Chelydroidae); Noposa 1923B; Zittel 1932

Chelydra

Chelyidae Pleurodira Romer 1933C (Chelydidae); Zittel 1932 Chelyoposaurus Endothiodontidae? Nopesa 1928B ("Chelyopsis")

williamsi Huene, F. 1931A Chelyopsis Cheloniidae Nopesa 1928B (Cheliopsis)

Chelyrhynchus Dicynodontidae lacrymalis Huene, F. 1931A

Chen Anatidae

pressa Wetmore 1933G chersonensis (Struthiolithus)

chibéi (Percichthys) chikushanensis (Vulpes)

Chilotherium Rhinocerotidae Koenigswald 1932C (= Aprotodon); Matthew 1929A, 1931A, 1932B; Vau-

frey 1928A

Chimaera Chimaeridae

anomala Chapman 1931; Woodward & White 1930

eocenica Woodward & White 1930

Chimaeridae Holocephali

Callorhynchus, Chimaera, Edaphodon, Elasmodus

Chimaeroidae Holocephali Hay 1930A (Superfam. of Chimaeromorphi)

Chimaeromorphi Holocephali Hay 1930A (Order of Holocephala)

Chinchillidae (incl. Megamyidae, Eumegamyidae, Potamarchidae and Neoepiblemidae) Hystricoidea

Amblyrhiza, Carlesia, Dabbenea, Diaphoromys. Elasmodontomys, Eosigmomys, Eumegamys, Euphilis, Gyriabrus, Isostylomys, Lagostomopsis, Lagostomus, Megamys. Necepiblema. Pentastylomys, Perimys. Phoberomys, Potomarchus, Protelicomys. Protomegamvs. Pseudosigmomys, Quemisia, Rusconia, Teleodontomys, Telicomys, Tetrastylomys, Tetrastylopsis, Tetrastylus

Eumegamyinae, Gyriabrinae, Phoberomyinae, Tetrastylinae

chinchilloides (Archaeomys) chiniquensis (Prestosuchus)

chinjiensis (Lycyaena, Rhynchotherium, Serridentinus, Sivaelurus, Vishnucyon, Vishnuonyx, Viverra)

Chiodon Trigonostylopidae Simpson, G. G. 1933R [Trigonostylops]

Chionomys Muridae

nivalis Ehrenberg 1929B

Chiracus Arctocyonidae

orthogonius Russell, L. 1929A Chirodipterus Dipteridae Gross, W. 1933D

wildungensis Gross, W. 1933D

Chiromyoidea (= Chiromyiformes) Lemuroidea

Abel, O. 1933C (suborder of
Primates, incl. Plesiadapidae and Chiromyidae
(Cheiromyidael)

(subdivides into two main

groups: "Div. I." with

Chiroptera Monodelphia Dollman 1929B (general):

"bony

elasmobranchs"); Piveteau 1930C (classifica-

tion); Sewertzoff 1928B

Revilliod 1928 Incertae sedis: Palaeochiropterygidae Palaeoniscidae. Platy-Chiropterygii Gnathostomata Naef 1931 (group of somidae, and Catopteridae Selachoidea incl. Ichthyoand "Div. II" with Subdiv. tomi and Osteospondyli) A, incl. Saurichthyidae: Chirostenotes Ornithomimidae Huene, F. 1932A and Subdiv. B, incl. Chon-Chirotherium Ichnites Huene, F. 1929G, 1933F; drosteidae, Acipenseridae Huene & Watson, 1928; and Polyodontidae) Chondrosteidae Chondrostei Rüger 1929A; Sos 1933 barthi Grupe 1927 Chondrosteus, Gyrosteus, Strongylos-Chirox Ptilodontidae Granger & Simpson 1929 ta119 Chondrosteidae Edinger 1929D; [Ptilodus] Chondrosteus plicatus Granger & Simpson 1929 [Ptilo-Jackel 1929B; Regan 1929B acipenseroides Watson 1928B dus mediavus] chisholmi (Hippodactylus) Choneziphius Ziphiidae Chisternon Baenidae Nopesa 1928B (Chisternum) planirostris Van Deinse 1929 Chitra Trionychidae Cosijn 1931; Hummel 1929 Chordata Animalia Gregory, W. 1928D (body form), 1933D (phylogeny); Chlamydoselachus Notidanidae Patten 1930 (origin, phytobleri Leriche 1928B Chlamys see: Clemmys logeny), 1931A (origin) Chlamytheriidae [Dasypodidae] Dasypodoidea christi (Astrapotherium, Xenastrapotherium) Chlamytheriinae Dasypodidae Rusconi 1931I chrysaetos (Aquila) (Clamytherinae, of Dasy-Chrysochloroidea Insectivora Hay 1930A (Chrysopoda); Simpson, G. G. chloroidae of Lipotyphla): 1930C (incl. Holmesina) Simpson, G. G. 1931B 1929 Dasypodidae Pocock Chrysocyon Canidae Kraglievich 1930A Chlamytherium (Chlamydotherium) Chrysoptilus Picidae Wetmore 1931G humboldti Simpson, G. G. 1930C chrystyi (Palaeoramides, Rallus) septentrionale Simpson, G. G. 1930C Chumashius Anaptomorphidae Stock 1933C balchi Stock 1933C Chleuastochoerus Suidae Pearson 1928 stehlini Pearson 1928 cicatrosus (Pteronisculus) Chloromys Castoridae Ciconia Ciconiidae eseri Viret 1929C argala Lambrecht 1930B Choanata Gnathostomata Säve-Söderbergh 1933A gaudryi Lambrecht 1930B, 1933B (group to incl. Tetrapoda, maltha Miller, L. 1932A Crossopterygia and Dipnoi) Ciconiae Ciconiiformes choeroides (Sus) Ciconiidae Ciconioidea Choerosaurus Therocephalia Haughton 1929C Ciconia, Mycteria, Palaeociconia (= Prodejageri Haughton 1929C; Watson 1931B ciconia) Choloepus Bradypodidae Matthew 1929I Ciconiiformes (= Herodii) Neognathae Hay 1930A Cholophidae [Palaeophidae] Cholophidia Nopcsa (Suborder of Carinatae) 1928B (incl. Pachyophinae. Leptoptilus (= Argala), Goliathia, Symoliophinae and Palaeo-Palaeoephippiorhynchus, phinae) Pelargodes (= Pelargocrex), Cholophidia Serpentes Hoffstetter (Arch. Mus. Pseudotantalus, Tantalus d'Hist. Nat. Lyon 15, 1939; Ciconioidae [Ciconioidea] Ciconiae Hay 1930A section of Ophidia, incl. (Superfam. of Ciconii-Pachyophidae, Symolioformes) phidae, Palæophidae and Cimolestes Didelphiidae Simpson, G. G. 1928C, Archæophidae) 1929A Chometokadmon Sphenodontidae Nopcsa 1928B Cimoliasaurus Elasmosauridae Broili 1930B (Ci-Chonchiopsis Coelacanthidae Romer 1930D moliosaurus) Chondrichthyes Pisces Romer 1933C (Class, incl. andium Broili 1930B Acanthodii. Stegoselachii. Cimolichthys Enchodontidae Stromer & Weiler Cladoselachii, Pleuracan-1030 thodii. Elasmobranchii, Cimolodon Ptilodontidae Simpson, G. G. 1929A Rhenanida, Bradvodonti. [Cimolomys] and Holocephali) Cimolomys Ptilodontidae Simpson, G. G. 1929A. Chondrostei Ganoidei Gregory, W. 1928D: 1929T Kesteven 1931B (excl. from cinctus (Antaodon, Listriodon, Platygonus) Teleostomi, and classed as

cinerea (Perdix)

cingulus (Protaspis)

cingulatum (Griquatherium, Mucrotherium)

Cinosterninae [Kinosterninae] Dermatemvidae Nopcsa 1928B (of Dermatemydidae, incl. Cinasternum [Kinosternon], Claudius and Staurotypus) Dermatemyidae Nopcsa 1928B; Cinosternum Zittel 1932 Cionodon ? [Trachodon] Trachodontidae (?) kysylkumense Riabinin 1931C Circotherium Chalicotheriidae Chardin & Pivetean 1930 sivalense Matthew 1929A circularis (Gyrodus) Cirognathus Dicynodontidae Huene, F. 1931A [Keirognathus] Cistecephalinae Dicynodontidae Nopcsa 1928B (of Geikiidae, incl. Cistecephalus, Emydops, and Emyduranus) Cistecephalus Dicynodontidae angusticeps Broom 1932B microrhinus Huene, F. 1931A Citellus Sciuridae quatalensis Gazin 1930 (Protospermophilus) ridgwayi Gazin 1932 rufescens Dubois 1929 Cladistia Actinopterygii Cladodontidae [Cladoselachidae] Elasmobranchii Gross, W. 1933D Cladodus Cladoselachidae Nielsen 1932 corrugatus Croneis 1927 mirabilis Fournier & Pruvost 1928 ozarkensis Croneis 1927 wildungensis Gross, W. 1933D Cladoselache Cladoselachidae Daniel 1928; Regan 1929C wildungensis Gross, W. 1933D Cladoselachidae (incl. Deneidae and Cladodontidae) Cladoselachii Cladodus (= Protacrodus), Cladoselache, Denea (= Denaea), Symmorium (two latter in Deneidae) Cladoselachii Elasmobranchii Cladosictinae Borhyaenidae Simpson, G. G. 1930E (nom. nud.) Claenodon Arctocyonidae Gregory, W. 1929I Clamatores [Tyranni] Passeriformes Clamytheridae [Chlamytheriidae] Claosaurus Trachodontidae affinis Wieland 1929 clarencei (Anchitherium) clarki (Brontichthys, Dinichthys, Microsauropus) Clasmodosaurus Ornithomimidae Huene, F. 1929D, 1932A Claudius Dermatemyidae Nopesa 1928B clavata (Antilope) clavatus (Pleuroptyx) claveringensis (Polyacrodus) clavipes (Glyptodon) clavis (Crocodilus) Cleithrolepis Colobodontidae brückneri Oertle 1928 (Cleithrolepsis) extoni Brough 1931

minor Brough 1931

Clemmys Emyidae Weigelt 1931, 1932A batalleri Bergounioux 1931A hemispherica Szalai 1931 sarmatica Glaessner 1933A schansiensis Ping 1931 septemradiatus Patrini 1930 (Chlamvs) sophiae Stromer 1928D steinheimensis Staesche 1931 vidali Bergounioux 1932C Clenialites Mammalia incertae sedis minusculus Bluntschli 1931 Clepsidrophidae [Clepsydropsidae] Pelycosauria Tornier 1933 Clepsydropodidae [Clepsydropsidae] Pelycosauria Nopcsa 1928B (of Dimetrodontoidea, incl. Sphenacodontinae and Clepsydropodinae) Clepsydropodinae Clepsydropsidae Nopesa 1928B (of Clepsydropodidae, incl. Bathygnathus, Clepsydrops Ctenosaurus, Dimetrodon and Embolophorus) Clepsydrops Clepsydropsidae Romer 1928B Clepsydropsidae (= Clepsydrophidae = Sphenacodontidae) Pelycosauria Bathygnathus, Clepsydrops, Ctenosaurus, Dimetrodon, Embolophorus, Oxyodon (= Oxiodon), Sphenacodon, Tetraceratops Clepsysaurus Phytosauridae leaii Camp 1930B manhattanensis Camp 1930B pennsylvanicus Camp 1930B serridens Camp 1930B veatleianus Camp 1930B clermontensis (Lutra) Clethrionomys Muridae acrorhiza Kormos 1933C clifdenensis (Conger, Otolithus) Frost 1928 (Congridarum) clinniki (Capra) cloacinus (Gresslyosaurus) cloeti (Jonkeria) Clupea Clupeidae Coulon 1928A; Hucke & Voigt 1929 (Otolithus); Munthe 1933; Weiler 1933A; Zotz 1928 altus (Otolithus) Frost 1933A (Clupeidarum) dilatus (Otolithus) Frost 1933A (Clupeidarum) tanegashimaënsis Saheki 1929 voinovi Pauca 1929A Clupeidae (incl. Diplomystidae) Isospondyli Alosa, Ariopsis, Clupea, Leuciscus, Meletta, Mesoclupea, Neohalecopsis, Syllaemus Clupeidarum Otolithus altus (Otolithus) Frost 1933A dilatus (Otolithus) Frost 1933A Clupeoidea Isospondyli Hay 1930A (Clupeoidae, of Clupeiformes)

clypeata (Spatula)

coagmentatus (Nopachthus)

Coeciliae [Gymnophiona] Amphibia

Coelacanthidae Actinistia Aldinger 1930; Stensiö

1932B (Triassic, Greenland)

Coelacanthus, Conchiopsis, Devonoscoalescens (Synauchenia) teus, Diplocercides. Eucoartatus (Procamelus) porosteus, Laugia, Macrocoburgensis (Koiloskiosaurus) poma, Undina, Wimania coceinarum (Typothorax) Coccosteida Arthrodira Heintz 1932A (Order) Coelacanthina [Actinistia] Crossopterygii Coccosteidae (incl. Dinichthyidae, Pachyosteidae. Coelacanthus Coelacanthidae Simpson, H. 1933 Hadrosteidae, Brachydiriafricanus Brough 1931 arcuatus Hibbard 1933B dae, Leptosteidae, Tremanewelli Hibbard 1933B tosteidae, Oxyosteidae, and Synaucheniidae) Brachystensiöi Aldinger 1931B thoraci Gross. W. 1933D: watsoni Aldinger 1931B Zittel 1932 Coelodonta Rhinocerotidae Matthew 1931A: Anomalichthys, Aspidichthys?, Belos-Nowak et. al. 1930 teus, Brachvdirus, Brachvantiquitatis staruniensis var. Nowak et. al. osteus, Coccosteus, Cyrtos-1930 teus, Dinichthys, Enseosetruscus Gaal 1931A megarhinus Gaal 1931A teus. Goniosteus?, Grönmercki Rakovecs 1933 landaspis. Hadrosteus. tichorhinus Hennig 1931A Heintzichthys (= Stenog-Coelodus Pycnodontidae nathus preocc.), Leiosteus attenuatus Sarra 1930 (= Menosteus? = Hassioscostai Sarra 1930 teus = Erromenosteus), glauconiensis Leriche 1929B Microsteus, Leptosteus. Coelolepidae Heterostraci Hoppe 1931A, 1933; Oxyosteus, Pachyosteus, Stetson 1928C (Coelo-Protitanichthys, Rhinosteus, Selenosteus, Synaulepida), 1931B (Scotland) Coelolepis, Lanarkia, Nostolepis, Parachenia (= Synosteus), plesiobatis (?), Phlebodus, Titanichthys (= Brontichthys), Trachosteus, Trema-Phlebolepis, Thelodus. tosteus, Tropidosteus? Thelolepis Coelolepis Coelolepidae Coccosteiformes [Brachythoraci] Arthrodira Hay luhai Hoppe 1933; Kiaer & Heintz 1932 1930A (Suborder of Coccos-Podokesauridae Nopesa 1928B teomorphi) Coccosteoidia Arthrodira Romer 1930D (Suborder) (incl. Coelophysis) Coccosteomorphi [Arthrodira] Placodermi Hay Coelophysis Podokesauridae Case 1932D; Huene, F. 1932A 1930A Coelosaurus Coeluridae Huene, F. 1932A Coccosteus Coccosteidae Claus 1928; Edinger Coelosteus Ichthyodorulites Gross, W. 1930 1929D; Evans 1929; Gross, mirabilis Gross, W. 1930, 1933A W 1933D; Heintz 1931A, F. 1932A: Obrutschew 1932B Coeluridae Coeluroidea Aristosuchus, Calamoangusta Gross, W. 1933D Agrosaurus, spondylus, Caudocoelus angustus Bryant 1929C, 1931; Gross, W. (= Saurornithoides Non-1932D csa), Coelosaurus, Coeluchamberlini Bryant 1932 decipiens Heintz 1931E roides, Coelurus, Dryptofletti Watson 1932C Dryptosaurus, sauroides, Elaphrosaurus, grandis Gross, W. 1933A Fulguroinflatus Gross, W. 1932B therium?, Iliosuchus, Jubinvolutus Bryant 1931 bulpuria. Laevisuchus. livonicus Gross, W. 1930, 1933A Ornitholestes, Sarcosaurus, megalopteryx Gross, W. 1933A Thecocoelurus [= ?Thecotrautscholdi Obrutschew 1931B spondylusl, Thecospondycocheteuxi (Eurhinodelphis) lus. Cochilius Interatheriidae Patterson, B. 1932A Coeluroidea Theropoda Hay 1930A (Coeluroidee) Incertae sedis: Saurornithoides fumensis Simpson, G. G. 1932G volvens Simpson, G. G. 1932A Coeluroides Coeluridae Huene, F. 1932A largus Huene, F. 1932A; Huene & Matley Cochliodontidae Bradyodonti Deltodus, Menaspis, Pleuroplax, Pse-Coelurosauravus Sphenodontidae Huene, F. 1930B phodus, Sandalodus Coelurosauria [Coeluroidea] Theropoda Huene, F. cochranensis (Ptilodus) 1929C, 1932A; Matley 1931 Cocytinus Adelospondyli Coelurosauroidea Coeluroidea Theropoda Nopesa gyrinoides Romer 1930D; Steen 1931A 1928B (Suborder of Sauris-

chia, incl. Hallopodidae,

Podokesauridae and Comp-

sognathidae)

Coelurus Coeluridae Huene, F. 1932A colurus (Anchisaurus, Yaleosaurus) Coelaeus [Colius] Coliidae colvini (Crocuta, Hyaena) monedula Ehrenberg 1929B; Sickenberg & Colymbidae Colymbiformes Ehrenberg 1929 Colymbus Colaptes Picidae Wetmore 1931G Colymbiformes Neognathae coligatus (Protomegamys) Colymbosaurus Elasmosauridae Nopesa 1928B Coliidae Coliiformes Colymbus Colymbidae Christiani 1929 Colius (= Colaeus) comes (Acratocnus) Colifformes Neognathae Commentrya Palaeoniscidae Pruvost 1928B collatum (Cricetodon) communis (Gelocus) collinum (Euceratherium) compactus (Pholidosteus, Stylochoerus) collinus (Ectocion) complicata (Dictyaspis) Colobodontidae Holostei Zittel 1932 (of Protocomplicatum (Litotherium) spondvli) complicatus (Equus, Sivacanthion) complicidens (Ochotona) Cleithrolepis, Colobodus, Parasemionotus (?) compressidens (Teleodontomys) Colobodus Colobodontidae Leuchs 1928 compressus (Platygonus) angulatus Oertle 1928 Compsemys Dermatemyidae Nopcsa 1928B maximus Erasmo 1932A Compsognathidae Coeluroidea Huene 1932A (in praemaximus Corroy 1928A, B Coelurosauria); Nopesa Colodus Chalicotheriidae Dietrich 1928A 1928B (In Coelurosauroidea, Colognathus Pisces incertae sedis Case 1932D incl. Compsognathinae, and coloniensis (Stromaphoropsis) Ornithomiminae) Colonosaurus Ichthyornithidae Compsognathus, Compsosuchus, mudgei Wetmore 1933I ?Dromaeosaurus, Rapator, coloradensis (Megacerops) Velociraptor Colossochelys Testudinidae Compsognathinae, Ornithomiminae atlas Brown, B. 1931A Compsognathinae Compsognathidae Nopcsa Colosteidae [Branchiosauridae] Phyllospondyli 1928B (incl. Aristosuchus, Romer 1930D, 1933C Calamospondylus, Cheiros-"Colosteus" Urocordylidae tenotes, Coelurus, Compsocrassicutatus Romer 1930D ("Saurognathus. Ornitholestes, pleura") Saurornithoides, Thecofoveatus Romer 1930D (Erpetosaurus?) spondylus, Thecocoelurus marshii Romer 1930D (Sauropleura): and Velociraptor) Compsognathidae Huene. Steen 1931A (Sauropleura) Compsognathus scutellatus Romer 1930D (Pleuroptyx); 1932A Steen 1931A Compsosaurus Phytosauridae Colpodon Leontiniidae Patterson, B. 1932A priscus Camp 1930B Colpopholis Gonorhynchidae Chabanaud 1932 Compsosuchus Compsognathidae Huene, F. 1932A squamosseus Chabanaud 1932 solus Huene, F. 1932A; Huene & Matley Colubridae Caenophidia Elaphe. Lytorhynchus. concatenatus (Asterolepis, Pterichthys) Elaphis. Natrix, Plesiotortrix, Proconcavus (Dactylodus, Leiosteus) tropidonotus?. Thamnoconcentricus (Scopelus, Otolithus) phis, Tropidonotus, Za-Conchochelys Trionychidae Hummel 1929 [Trimenis. onvx] Aglypha, Opisthoglypha Conchodus Dipteridae Gross, W. 1933D Colubrinae Colubridae Nopesa 1928B (of Alethino-Conchopoma Uronemidae Steen 1931B phidae, incl. gens Aglypha, concinna (Pteraspis) Opistoglypha and Proteroconcinnus (Onchus) concolor (Felis) glypha) concudensis (Capreolus) Columba Columbidae calcaria Lambrecht 1933B condoni (Hipparion) Columbae Columbiformes Condylarthra Monodelphia Matthew 1929L columbi (Elephas, Hesperanthropus, Parelephas) (Phenacodus) Columbidae Columbae Condylura Talpidae Weber, M. 1928A Columba, Gerandia Conepatus Mustelidae Columbiformes Neognathae mercedensis praecursor Rusconi 1932B Columboidae [Columbae] Columbiformes Hay confluentus (Palaeosyops) 1930A (Superfam.) confluentus (Palaeosyops paludosus) Lane 1932B Columbosauripus Ichnites Sternberg, C. M. 1932E Conger Otolithus ungulatus Sternberg, C. M. 1932E attenuatus (Otolithus) Frost 1933A (Congridarum) columnaris (Myocastor) bartonensis (Otolithus) Frost 1983A (Concolumnatus (Palaeoryx woodwardi) Pilgrim &

gridarum)

Hopwood 1928

carinatus (Otolithus) Frost 1933B (Con-Cooperella Selachii incertae sedis Gunnell 1933 eroda Gunnell 1933 gridarum) rectistriata Gunnell 1933 clifdenensis (Otolithus) Frost 1928 (Conselluliformis Gunnell 1933 gridarum) elongatus Šulc 1932A striata Gunnell 1933 striatula Gunnell 1933 eocenicus (Otolithus) Frost 1933A (Consubsulcata Gunnell 1933 gridarum) typicalis Gunnell 1933 furcatus (Otolithus) Frost 1933A (Concooperi (Accipiter, Amphicyon, Gamphacanthus, gridarum) Trilophodon) mysticus (Otolithus) Frost 1933B (Con-(Eosauravus, Machairodus?, Megacerops, gridarum) copei Palaeosyops, Pogonodon, Siyasmilus, Symornatus (Otolithus) Frost 1928 (Congridarum) borodon) Copodontidae Bradyodonti otapiriensis (Otolithus) Frost 1933B (Congridarum) Copodus Copodus Copodontidae Nielsen 1932 ovatus (Otolithus) Frost 1933A (Congri-Coracii Coraciiformes darum) Coraciiformes Neognathae pantanelli (Otolithus) Frost 1933A (Con-Coragyps Cathartidae gridarum) atratus Wetmore 1932 rectus (Otolithus) Frost 1928 (Congeris) corallinus (Lomaphorus) websteri (Otolithus) Frost 1933A (Con-Corax Lamnidae Stromer & Weiler 1932 gridarum) corderoi (Scelidodon) wharekuriensis (Otolithus) Frost 1928 (Concordieri (Paleoryx) geris) cormoranus (Pterodactylus) conglobatum (Heterastridium) cornalia (Cervus affinis) Erasmo 1932B Congosaurinae Pholidosauridae Nopesa 1928B, C cornaliai (Cervus) (of Goniopholidae, incl. Congosaurus) cornelianus (Eurygnathohippus) Congromuraena ?Anguillidae cornix (Corvus) amoris Šulc 1932A cornutum (Phrynosoma) amoris (Otolithus) Frost 1933A cornutus (Orthocormus, Pteroplax) moravica Šulc 1932B coronensis (Microtus) Coniophis Viperidae Nopesa 1928B corroyi (Testudo) corrugatus (Cladodus, Heintzichthys, Stenognaconklingi (Geococcyx, Tetrameryx) connexus (Trachycalyptus) thus) Connochaetes Bovidae Dietrich 1933 corsica (Capra) cortatus (Procamelus) gnu Heinz 1932A conocephalus (Delphinognathus) Corvidae Passeres Corvus, Jarrulus, Miocorvus (= Mio-Conodectidae [Seymouriidae] Seymouriamorpha Hay 1930A (Fam. of Conocorex) dectiformes) Corvus Corvidae Christiani 1929: Kormos 1931A Conodectiformes [Seymouriamorpha] Cotylosauria cornix Gaillard 1928A larteti Lambrecht 1933B Hay 1930A (Suborder) Conodontes Castoridae Schreuder 1931 Corvnorhinus Vespertilionidae Conohyus Suidae alleganiensis Gidley & Gazin 1933 sindiense Colbert 1933C Coryphodon Coryphodontidae Anon. sindiensis Pilgrim & Aiyengar 1928 Matthew 1939O; Timperley constricta (Acanthaspis) 1930 constrictus (Protaspis, Scaloposaurus) eccaenus Cooper, C. 1932B conterminus (Buteo, Geranoaëtus, Plohophoroides) Coryphodontidae Amblypoda contorta (Dabbenea, Necepiblema) Coryphodon, Eudinoceras, Hypercorycontortus (Buteo, Geranoaëtus) phodon, Titanoides contractus (Brotomys) Corythosaurus Trachodontidae Nopesa 1928E conus (Microcosmodon) casuarius Sternberg, C. H. 1932 conventus (Neoliotomus) Cosmoptychius Palaeoniscidae convexus (Gyracanthus) striatus Watson 1928B conybeari (Plesiosaurus) Cosomys Muridae Hinton 1932A; Wilson 1932 cookei (Plesiadapis) (?) parvius Wilson 1933C cooki (Diceratherium, Menoceras, Trigonias) primus Wilson 1932 Cooleyella Selachii incertae sedis Gunnell 1933 costai (Coelodus) cuspidata Gunnell 1933 cotteri (Indomeryx, Metamynodon, Paramynodon) peculiaris Gunnell 1933 Cottidae Scorpaeniformes quadrilobata Gunnell 1933 Cottus, Lepidocottus quinquelobata Gunnell 1933 Cottiformes [Scorpaeniformes] Acanthopterygii simplex Gunnell 1933 Hay 1930A (Suborder of

Cottomorphi)

spatulata Gunnell 1933

Cottoidae [Cottoidea] Scorpaeniformes Hay 1930A Cratoselachidae Rhenanidi incertae sedis Zittel (Superfam. of Cottiformes, 1932 (Stegoselachii) p. 519; Scorpaeniformes, p. Cratoselache credneri (Micromelerpeton) 791) Cottomorphi Acanthopterygii Hay 1930A (Order of crenata (Meletta) crenatidens (Machairodus) Teleostei) crenatus (Epimachairodus, Eurynotus, Machai-Cottus Cottidae rodus) otiakensis (Otolithus) Frost 1928 Coturnix Phasianidae Nagy 1929 crenulata (Fadenia) Case 1929A (Osto-Creodonta, Carnivora Dal Piaz 1930A; Kretzoi 1929 Cotylosauria Anapsida Hav 1930A (Suborder of Ferae): Matdolepis); (Order of Atremata, incl. thew 1929Q (general). Conodectiformes, Sauravi-Incertae sedis: Kopidodon Creotarsidae formes, Gymnarthriformes, Diadectiformes, Pareiasaur-Creosaurus Megalosauridae Huene, F. 1932A (Allosauridae) iformes, Captorhiniformes Creotarsidae Creodonta incertae sedis Hay 1930A and Pantyliformes): Huene, (of ?Creodonta) F. 1931J (adds genera); cretaceus (Gyrodus) Nopesa 1928B (Order of Cotylosauria; Cricetidae [Muridae] Myoidea Schaub 1928B Superorder Cricetinae Muridae Schaub 1928B. 1033 incl. Pareiasauroidea, Labi-Incl. Cricetus, Cricetinus, dosauroidea and Pantyloidea): Romer 1933C (incl. Peromyseus, Macrognath-Seymouriamorpha, Diadecomys, Mesocricetus. tomorpha and Captorhino-Reithrodon, Cricetulus, morpha). Sigmodon, Cricetodon. Incertae sedis: Basileosaurus, Eosaur-Baranomys, Sinocricetus avus, Gymnarthridae Parahodomys, Melissiodon. covurluiensis (Steneofiber) Allocricetus, Anomalomys, Myarion, Rhodanomys and coypus (Myocastor) Lithomys of Auct. Cracidae Cracoidea Cricetinus Muridae Zdansky 1928 Ortalis varians Zdansky 1928 Cracoidea Galli cradleyensis (Cephalaspis) Cricetiscus Muridae Craniata (= Vertebrata) Chordata Gross, W. 1933B songorus fossilis Schaub 1930B Hartmann-Cricetodon Muridae Seemann & Berckhemer 1930; (phylogeny); Viret 1929C Weinberg 1933B (phybreve Stromer 1928D Patten 1931B logeny); collatum Stehlin 1928E: Viret 1929C (origin), 1932A (face) gerandianum Viret 1929C Craspedochelys Baenidae Nopesa 1928B schaubi Zdansky 1930 Craspedodon Iguanodontidae Nopcsa 1928B crassa (Hammondella, Holmesella, Jonkeria) Cricetodontidae [Cricetinae] Muridae Schaub 1928B (for Cricetopsidae) crassicornis (Pachytragus) Cricetopidae [Cricetopsidae] Myoidea Romer crassicornus (Allops) 1933C; Schaub 1928B ("Cricrassicostatus (Ichthyosaurus, Stenopterygius) cetodontidae"); Simpson, crassicutatus (Colosteus) G. G. 1931B crassidens (Amphicyon, Bolodon, Cuon, Plecotus, Cricetops Cricetopsidae Schaub 1928B Rusconia) Cricetopsidae (= Cricetopidae) Myoidea Crassigyrinus Cricotidae Watson 1929 K Cricetops, Lophiomys scoticus Watson 1929K Cricetulus Muridae crassimanus (Ichthyosaurus) phaeus fossilis Schaub 1930B crassipes (Pterodactylus) simionescui Schaub 1931B: Simionescu crassiproratus (Atacisaurus) 1932B crassirostris (Scaphognathus) Cricetus Muridae Bialynicki-Birula 1930D cricetus major Brunner 1933 crassum (Anthracobyus, Anthracothema, Anthracotherium, Dorcatherium, cricetus nanus Schaub 1930B Palaeotherium) cricetus praeglacialis Brunner 1933; Schaub 1930B crassus (Callorhynchus, Dipterus, Jonkeria) cricetus rutonensia (= vulgaris rutonensis) crataegensis (Hesperosiren) Heller 1933B Cratacomus Acanthopholidae Nopesa 1929C kormosi Schaub 1930B crateronotus (Cynognathus) Cricodus Megalichthyidae Schmidt, H. 1933 Craterosaurus Stegosauridae Noposa 1928B

Cratochelone Cheloniidae Noposa 1928B

Cratoselache Cratoselachidae Zittel 1932

pruvosti Fournier & Pruvost 1928

rhombolepis Gross, W. 1930, 1933A

wenjukowi Gross, W. 1933A.

elegans Broili 1932B [Geosaurus]

Cricosaurus Metriorhynchidae

```
Cricotidae Embolomeri Watson 1929K
                                                   Crocodiloidea Crocodilia Nopesa 1928B, C (Sub-
           Crassigyrinus, Cricotus, Diploverte-
                                                                         order, incl. Atoposauridae,
                                                                         Notosuchidae,
                                                                                          Stomato-
                                  Leptophractus
                      bron,
                      partim, "Macromerium"?,
                                                                         suchidae.
                                                                                     Teleosauridae.
                      Pholidogaster.
                                                                         Goniopholidae and Croco-
Cricotus Cricotidae Watson 1929K
                                                                         dilidae)
crimea (Mustela)
                                                   Crocodilomorphi [Crocodilia] Archosauria Hay
Criocephalus Tapinocephalidae Broom 1928C
                                                                         1930A (Order of Loricata.
       vanderbyli Broom 1928C; Huene,
                                                                         incl. Goniopholidiformes.
                      1931A (Cricocephalus)
                                                                         and Crocodyliformes)
Criorhynchus Ornithocheiridae Nopesa 1928B
                                                   Crocodilus Crocodilidae Dolgopol de Saez 1928B
Criotherium Bovidae
                                                                         (Crocodilius); Mook 1932B;
       argalioides Pilgrim & Hopwood 1928
                                                                         Hay 1930A (Crocodylus);
                                                                         Swinton 1928
cristata (Felis, Hystrix, Moreno-Merceratia, Palaeo-
                                                          cataphractae Joleaud 1930E
                      ciconia, Remigolepis)
cristatellus (Tapirus)
                                                          clavis Mook 1933C
                                                          ossifragus Cosijn 1931
cristatum (Typotherium)
cristatus (Dolichosuchus, Eurhinodelphis, Felis,
                                                          palaeindieus Mook 1933D
                                                          palustris Mook 1933D
                      Metarhinus)
Cristidentinus Lophiodontidae Zdansky 1930
                                                          paranensis Rusconi 1933D
                                                          rouxi Astre 1931C
       depereti Zdansky 1930
Crocodileimus Pholidosauridae Nopesa 1928B
                                                          sivalensis Mook 1933D
Crocodilia Archosauria Joleaud 1930E (Pliocene);
                                                   Crocodyliformes [Eusuchia] Crocodilia Hay 1930A
                      Kälin 1933A, B (phylogeny
                                                                        (Suborder of Crocodilo-
                      and skull structure); Mel-
                                                                        morphi, incl. Crocodylidae)
                                                   Crocuta Hyaenidae
                      more 1930B (egg?); Mook
                                                          carnifex Pilgrim 1932
                      1930, 1931A, B, C, 1932A, B,
                                                          eximia Pilgrim 1931
                      1933A, C (general); Nopesa
                                                          gigantea latro Pilgrim 1932
                      1928B (Order of Praepubici,
                                                          mordax Pilgrim 1932
                      incl. Crocodiloidea and Pro-
                      crocodilia), 1928C (incl.
                                                          pilgrimina Rao, C. 1932
                      Procrocodiloidea)
                                                          salonicae Pilgrim 1931
Crocodilidae Eusuchia Hay 1930A (Crocodylidae of
                                                          spelaea Stromer 1928B
                      Crocodyliformes):
                                        Kälin
                                                  crocuta (Hyaena)
                      1933A ("Crocodili"); Nop-
                                                   croizeti (Aceratherium, Plesictis)
                      csa 1928B (of Crocodiloidea.
                                                   croizeti (Plesictis robustus var.) Viret 1929C
                      incl. Leidvosuchinae, Croco-
                                                  crosbiensis (Ceratodus, Leptosuchus)
                      dilinae,
                              Thoracosaurinae,
                                                  Crossopterygii Herpetichthyes Aldinger 1931A;
                      Hylaeochampsinae
                                                                        Oliveira 1930 (S. Amer.);
                      Gavialinae)
                                                                        Sewertzoff
                                                                                     1929.
                                                                                             1931B
           Aegyptosuchus, Allodaposuchus, Ataci-
                                                                         (Crossopterygia,
                                                                                            phylo-
                      saurus, Crocodilus (=
                                                                        geny); White 1928 (Scot-
                      Crocodilius = Crocodylus
                                                                        land)
                      = ?Thecachampsa), Dino-
                                                             Incertae sedis: Helmolepis, Onychodus
                      suchus.
                                  Hypselornis?,
                                                                 Onychodontidae
                      Leidyosuchus,
                                      Osteolae-
                                                  croydonensis (Blicca)
                      mus, Pallimnarchus, Pho-
                                                  crucians (Amphicyon, Haplocyon)
                      bosuchus, Pristichampsus.
                                                  cruciger (Edaphosaurus)
              Crocodilinae
                             partim,
                                        Leidyo-
                                                   cruziensis (Trilophodon)
                     suchinae
                                                   Cryptobranchidae Mutabilia
Crocodiliens [Thecodontia] Archosauria Perrier
                                                             Andrias, Cryptobranchus
                      1928-1933 (Incl. Pseudo-
                                                   Cryptobranchoidea [Mutabilia] Caudata Noble
                     suchia. Parasuchia and
                                                                              (Suborder): Romer
                     Eusuchia)
                                                                         1933C (Suborder of Uro-
Crocodilinae [Alligatoridae + Crocodilidae partim]
                                                                         dela)
                     Eusuchia Nopesa 1928B
                                                   Cryptobranchus Cryptobranchidae
                      (Incl. Alligator, Brachy-
                                                          japonicus Liebus 1929B
                     champsa, Caiman, Caiman-
                                                   Cryptocleidus Elasmosauridae Nopesa
                                                                                             1928B
                     oidea, Crocodilus, Deino-
                                                                        (Cryptoclidus)
                     suchus [Dinosuchus], Dip-
                                                  Cryptocynodon Endothiodontidae
                     locynodon, Jacare Osteo-
                                                          simus Huene, F. 1931A
                     laemus,
                                  Palimnarchus
                                                  Cryptodira Testudinata Dunn 1931 (distribu-
                     [Pallimnarchus]
                                        Phobo-
                                                                        tion); Nopesa 1928B (Incl.
```

suchus and Thecachampsa),

1928C

Chelydridae, Dermatemy-

didae, Testudinidae, Che-

loniidae. Dermochelvidae Ctenoptychius Petalodontidae and Trionychidae) Cryptoglaux Strigidae funerea Howard 1931A Cryptomastodon Mastodontidae martini Koenigswald 1933 Cryptopithecus Pantolestidae macrognathus Weitzel 1932, 1933D Crypturiformes [Tinamiformes] Palaeognathae Romer 1933C (Order of Paleognathae) csákvárensis (Cygnus, Testudo) Ctenacanthidae Cladoselachii Ctenacanthus (= Sphenacanthus) Ctenacanthus Ctenacanthidae (?) erectus Gross, W. 1933D gemündensis Gross, W. 1933D harrisi Caster 1930 ianishevskyi Chabakov 1928B jaekeli Gross, W. 1933D mutabilis Branson, C. 1933 peregrinus Chabakov 1928B serrulatus Gross, W. 1933A varians var. russakovi Chabakov 1928B venator Chabakov 1928B Ctenacodon Plagiaulacidae Simpson, G. G.1928C, 1929A, 1933N Ctenaspidae [Pteraspidae] Heterostraci Kiær 1930B (of Cyathaspida) Ctenaspis Pteraspidae Kiær 1930 cancellata Kiær 1930B dentata Kiær 1930B Ctenerpeton Urocordylidae alveolatum Romer 1930D; Steen 1931A remex Romer 1930D; Steen 1931A etenipteryx (Helichthys) Ctenochasma Pterodactylidae Plieninger 1930 Ctenochasminae (Pterodactylidae) Nopcsa 1928B (Incl. Ctenochasma and Gnathosaurus) Ctenodentex Sparidae magnus Weiler 1929C Ctenodipterini [Dipteromorpha] Dipnoi Ctenodontidae Dipteromorpha Ctenodus, Ecctenodus, Sagenodus Ctenodus Ctenodontidae marginalis Gross, W. 1933A serratus Gross, W. 1933A Ctenomys Octodontidae Frenguelli 1932 ameghinoi Rusconi 1930C (Paractenomys) brachyrhinus Rusconi 1931B chapadmalensis Rusconi 1930C (Paractenomys) dasseni Rusconi 1931B longirostris Rusconi 1931B intermedius Rusconi 1931B tandilensis Rusconi 1931B latidens Miller, G. 1933; Rusconi 1931B. 10327 latidens orthognathus Rusconi 1931B

magnus Rusconi 1931B

orthognathus Rusconi 1931B

subassentiens Rusconi 1931B

subquadratus Rusconi 1931B

korni Weigelt 1930G Ctenosaurus Clepsydropsidae Nopcsa 1928B Cuculi Cuculiformes Cuculidae Cuculi Geococcvx Cuculiformes Neognathae Cuculoidae [Cuculi] Cuculiformes Hau 1930A (Superfam.) culbertsoni (Oreodon) cullingworthi (Plateosaurus) Cullinia Macraucheniidae Cabrera & Kraglievich levis Cabrera & Kraglievich 1931 Cultridens Ursidae cultridens Matthew 1929A [Ursus] cultridens (Cultridens, Drepanodon, Leurocephalus, Machairodus, Steneodon. Telmatherium, Ursus) Cuniculus Muridae torquatus (for Dierostonyx torquatus) Edinger 1931B cuniculus (Hyracotherium) Cuon Canidae Pales 1929C alpinus europaea Slodkewitsch 1933 crassidens Koenigswald 1933 nishneudensis Slodkewitsch 1933 (Cyon) currellii (Struthiomimus) Cursipes Ichnites saxoniae Schmidt, H., 1927 cursor (Bathornis) curtum (Brontotherium) curtus (Merychyus, Titanops) curvatus (Tropidosteus) curvicornis (Bison occidentalis) Kawada 1932 curvidactylus (Varanopus) curvidorsalis (Serranus, Otolithus) curvipalatus (Canis, Nothocyon, Sivacyon) cusanus (Cervus) cuspidata (Cooleyella, Lamna, Odontaspis) cuspidatus (Byssacanthus, Carcharias) cutleri (Cimolestes, Eodelphis, Scolosaurus) cuvieri (Gazella, Lophiodon, Megatherium, Trogontherium) Cuvieroniinae Mastodontidae Cabrera 1930 (of Gomphotheriidae, incl. Cuvieronius and Notiomastodon) Cuvieronius Mastodontidae Cabrera 1930; Castellanos 1933A Cyamodontidae [Placodontidae] Placodontoidea Nopesa 1928B Cyamodontinae Placodontidae Nopesa 1928B (of Cyamodontidae, incl. Cyamodus and Psephosaurus) Placodontidae Berckhemer 1928B; Cyamodus Drevermann 1928D hildegardis Peyer 1931D Cyathaspida [Pteraspidae +] Heterostraci Kiær 1930B (Suborder), 1932 [Pteraspidae] Heterostraci Kiær

1932 (of Cyathaspidei)

1932 (tribe of Cyathaspida)

[Pteraspidae] Heterostraci Kiær

Cyathaspidae

Cyathaspidei

Cynariognathus Therocephalia Broom 1931C Cyathaspis Pteraspidae Evans, J. 1929; Kiær 1932; platyrhinus Broom 1931C Regan 1929A Cynarioides Gorgonopsia Nopcsa 1928B (Cynabarroisi Kiær 1932 cambelli Kiær 1932 roides) gracilis Broom 1930F macculloughi Kiær 1932 sturi Kiær 1932 Cynariops Gorgonopsia Nopesa 1928B Cynidioganthus Cynodontia Gregory, W. 1929C wardelli Kiær 1932 Cyniscodon Gorgonopsia? Huene, F. 1928B Cybium Scombridge Weiler 1932E, 1933A Cynocephalus Cercopithecidae Depéret 1929A Cyclanorbinae Trionychidae Hummel 1929, 1932 (Incl. Cyclanorbis, Cyclocynocephalus (Thylacinus) derma, and Emyda) Cynochoerus (= Cynocherus) Suidae ziegleri Viret 1929C (Cynocherus) Cyclanorbis Trionychidae Hummel 1929 Cynodesmus Canidae Matthew 1929P cyclasoma (Wardichthys) canavus Simpson, G. G. 1932D Cycliæ [Palaeospondyli] ?Dipnoi Gregory, W. nobilis Simpson, G. G. 1932D 1928D (?Ostracodermi) Cynodictinae Canidae Abel, O. 1933C Cycloderma Trionychidae Hummel 1929 Cynodictis Canidae Dietrich 1929B; Hernon 1930B; Cyclogomphodon Cynodontia Huene, F. 1928B; Loomis 1932A; Matthew Zittel 1932 1929P Cyclopoma Percidae Zotz 1928 mähringensis Dietrich 1930 cyclops (Dinictis, Metadeiniktis) Cynodon Canidae Matthew 1929P Cyclopteroidae [Triglidae] Scorpaeniformes Hay Cynodontia Theriodontia 1930A (Superfam. of Trigli-Belesodon, Cyclogomphodon, Cynidformes) Cyclopterus Otolithus iognathus, Cynognathus, trifoliatus (Otolithus) Frost 1933B Cynogomphius, Cyno-Cyclostomata [Cyclostomi] Marsipobranchii Goodsaurus Cynosuchus preocc.), Cynosuchoides, rich 1931; Regan 1929A Ostracodermata); Cyrbasiodon, Diademodon, (Incl. Galesaurus Dvinia, Sewertzoff 1928A (Excl. Glochinodon), Glochino-Anaspida): Wood, H. 1930 dontoides, Gompho-(preocc.). gnathus, Lycaenognathus, Cyclostomi Marsipobranchii Lycochampsa, Nythosaur-Incertae sedis: Palaeomyzon? us, Octogomphus, Permo-Cyclotosaurus Capitosauridae Huene, F. 1929G cynodon, Platycraniellus, ebrachensis Kuhn, Oskar 1932 Protacmon, Thrinaxodon mordax Pfannenstiel 1932A (= Ictidopsis), Tribolodon?, papilio Pfannenstiel 1932A Tricuspes (?), Trirachodon, posthumus Pfannenstiel 1932A Trirachodontoides robustus Pfannenstiel 1932A; Schmidt, M. Cynognathidae (Gomphognathinae 1931 Cycnorhamphus Pterodactylidae Plieninger 1930 and Cynognathinae); Cynosauridae (= Cynodontidae [Pterodactylus] finvalid = Cynosuchidae). Cygnavus Anatidae Lambrecht 1931A Diademodontidae. senckenbergi Lambrecht 1931A iidae, Galesauridae, (See: Cygnopterus Anatidae affinis Lambrecht 1931A Traversodontidae) Cygnus Anatidae Cynodontidae [Cynodontia] Theriodontia Huene, csákvárensis Lambrecht 1933B F. 1928B, 1929G Cynodontinae Canidae Abel, O. 1933C cylindrica (Poraspis) Cynodontosuchus Notosuchidae Nopesa 1929B: cylindricodon (Phytosaurus) Simpson, G. G. 1933-I cylindricornis (Capra) Cynognathidae Cynodontia Huene, F. 1928B Cylindrodon Castoridae Schreuder 1929 (Incl. Cynidiognathus, Cycylindrodon (Paleosaurus, Thecodontosaurus) Cymatholeus Testudinidae Clark, J. 1932B nognathus, Lycochampsa [= Lycognathus], Lycorhinus longus Clark, J. 1932B and Pachygenelus); Nopesa Cymatosaurus Nothosauridae Nopesa 1928B 1928B (of Gomphognath-Cymbospondylus Shastasauridae oidea, incl. Cynognathinae germanicus Corroy 1928A and Gomphognathinae) Cynailurus Felidae Cynognathinae Cynodontia Nopcsa 1928B (of brachygnathus Kretzoi 1929 (Cynaelurus) Cynognathidae, incl. Cypleistocaenicus Kretzoi 1930: Matthew nognathus. Cynosuchus, 1929A (Cynaelurus) Galesaurus, Glochinodon. Cynarctus Canidae

mustelinus Matthew 1932A

Ictidopsis.

Karroomys.

Lycorhinus, Lycognathus,

Nythosaurus, Platyranicel-Dabbenea Chinchillidae Kraglievich 1929B lus [Platycraniellus] and Tribolodon) Cynognathus Cynodontia Fuchs 1931; Lubosch 1929 berryi Broom 1932B crateronotus Petronievics 1931A Cynogomphius Cynodontia Broom 1932B berryi Broom 1932B Cynohyaenodon Hyaenodontidae Colbert 1933E Cynomys Sciuridae leucurus Wood & Wood 1933A ludovicianus arizonensis Wood, A. 1933B ludovicianus ludovicianus Wood, A. 1933B Cynosauridae (= Cynosuchidae) Cynodontia Huene, F. 1928B (called "Galesauridae", Fam. 1 of Cynodontia; incl. ?Cynisco-Cynosuchus): don and Schmidt, K. 1927 (to replace Cvnosuchidae preocc.) Cynosaurus Cynodontia Schmidt, K. 1927 Cynosuchoides Cynodontia Broom 1931C whaitsi Broom 1931C Cynosuchus Cynodontia Schmidt, K. 1927 whaitsi Broom 1931C Cvon Canidae nishneudensis Slodkewitsch 1933 Cyonasua Procyonidae argentina Rusconi 1931J cyonoides (Borophagus, Hyaenognathus, Osteoborus) Cyotherium (Sirenia) Dugongidae Simpson, G. G. 1932C (invalid) Cyphanthropus Hominidae Clark, W. 1928; Pycraft 1928A, 1928B, 1930B rhodesiensis Pycraft et al. 1928; Weidenreich 1929B cyphodon (Suchoprion) Cypholepis Asterolepidae Gross, W. 1930, 1931; Stensiö 1931 livonicus Gross, W. 1930, 1931 Cyprinidae Ostariophysi Aspius, Blicca, Carassius, Cyprinus, Nemachilus. Leuciscus, Scardinius, Squalius, Tinca Cyprinodontidae Haplomi Lebias, Prolebias Cyprinodontiformes [Cyprinodontidae] Haplomi Hay 1930A (Suborder) [Cyprinidae] Ostariophysi Hay Cyprinoidea 1930A (Cyprinoidae of Cypriniformes) Cyprinus Cyprinidae priscus Weitzel 1933B Cypselidae [Micropodidae] Micropodi Cypselus Cypselidae gaillardi Ennouchi 1930 Cyrbasiodon Cynodontia Broom 1931C boycei Broom 1931C Cyrtaspis Protaspidae Bryant 1932 falcatus Bryant 1933 ovatus Bryant 1932 sculptus Bryant 1933 Cyrtosteus Coccosteidae Gross, W. 1932B, 1933D

inflatus Gross, W. 1932B

dabbenei (Heterorhea) dacicus (Muscardinus) Dacosaurus Metriorhynchidae Mercier 1933 Dacrytherium Anoplotheriidae cayluxi Edinger 1933A ovinum Piveteau 1931A Dactylodus [Polyrhizodus] Petalodontidae concavus Thomasset 1929 Dactylosaurus Nothosauridae schroederi Nopesa 1928C dacus (Magyarosaurus, Titanosaurus) Daedalichthys Catopteridae Brough 1931 higginsi Brough 1931 Daemonelix Rodentia? Abel, O. 1927; Cox, L. 1929 Daemonhelix Sciuridae Wood & Wood 1933A [Cynomys] Daeodon Entelodontidae minor Loomis 1932B daggetti (Felis, Morphnus, Wetmoregyps) dainelli (Nyctophus) Dakotasaurus Ichnites Branson & Mehl 1932A, B browni Branson & Mehl 1932A, B dakotensis (Caenopus, Eusmilus) dalmatinus (Dolomys) Dalpiazia Pristidae Checcia-Rispoli 1933 stromeri Checcia-Rispoli 1933 Dama Cervidae Loomis 1928B Damaliscus Bovidae palaeindicus Dollman 1929A damarense (Saurichnium) dananus (Buteo, Geranoaëtus) danovi (Platybelodon) Dapedius Semionotidae Coulon 1928A; Woodward 1928B, 1929A Dapedoglossus [Phareodus] Osteoglossidae Beaufort 1931 Daphoenus Canidae Matthew 1929P (?)ruber Loomis 1931 (Daphaenus); Stock 1932A Dartmuthia Tremataspidae Patten 1931A gemmifera Patten 1931A Dartmuthidae (for Dartmuthiidae) [Tremataspidae] Osteostraci Patten 1931A (of Ostracodermata. Type Dartmuthia) darwini (Mylodon) Dasornis Anatidae Lowe, P. 1928B dasseni (Ctenomys, Hydrochoeropsis) Dasyatoidae Rajiformes Hay 1930A Dasyceps Zatrachyidae Steen 1931A Dasypodidae (Incl. Chlamytheriidae = Clamytheridae) Dasypodoidea Weber, M. 1928A (Incl. Dasypodinae and Peltephilinae) Chlamytherium (= Chlamydotherium), Doellotatus, Eutatus. Holmesina, Loricotherium partim?, Propraopus, Stegotherium, Tatu, Utaetus Chlamytheriinae. Dasypodinae,

Eutatinae.

Tatusinae, Tolypeutinae

Peltephilinae,

contorta Kraglievich 1929B

Dasypodoidae [Daspodoidea] Hicanodonta Hay Delphinornis Spheniscidae Lowe, P. 1933C 1930A (Superfam.); Simp-Delphodon Delphiidae Simpson, G. G. 1929A praenuntius Russell, L. 1928A son, G. G. 1931B (Dasypodoidea, of Loricata) Deltatheridiidae Deltatheridioidea Simpson, G. G. Dasyproctidae Hystricoidea 1931B Deltatheridioidea Insectivora Simpson, G. G. Agouti. Brotomys, Heteropsomys, 1931B (Incl. Deltatherid-Homopsomys iidae) Heteropsomyinae dasypus (Quercyrallus, Rallus) Deltodus Cochliodontidae Dasyuridae Dasyuroidea wortheni Croneis 1927 Thylacinus demissa (Testudo) Dendrailurus Felidae Kretzoi 1929 Dasyuroidea Marsupialia Simpson, G. G. 1930E, 1931B (Incl. Dasyuridae and Dendrerpeton Branchiosauridae Notoryctidae) obtusum Romer 1930D pyriticum Pfannenstiel 1932A Daubentoniidae (= Cheiromyidae) Lemuroidea Cheiromys (= Chiromys) Dendrodus Holoptychiidae biporca Gross, W. 1930 davidi (Prosqualodon) biporcatus Gross, W. 1933A davidianus (Elaphurus) levigatus Gross, W. 1930 davisii (Edestus) dawsoni (Boreopithecus, Eoanthropus, Homo, Denea (= Denaea) Cladoselachidae fournieri Fournier & Pruvost 1928 Troglodytes) Deneidae [Cladoselachidae] Cladoselachii Fournier deani (Macrerpeton) & Pruvost 1928 (Incl. Symdeautieri (Phororhacos) morium and Denea) debilis (Pseudarctotherium) debilitata (Oldfieldthomasia) deningeri (Ursus) decheni (Archegosaurus) denmeadi (Flindersichthys) dentalis (Peromyscus) decipiens (Coccosteus, Dictyopyge, Jackelaspis) dentata (Ctenaspis) decorus (Palaeogyrinus) dentatus (Leptophractus, Pristicladodus) defectus (Pholidosteus) denticulata (Broilia) dehmi (Podocnemis) Deinodon Aublysodontidae Huene, F. 1932A (syn. dentinens (Glochinodon) of Aublysodon = Teinurodentoides (Nostolepis) saurus = Dinodon) deperdita (Gazella) Deinodontidae [Aublysodontidae] Megalosauroidea depereti (Cephalogale, Choeropotamus, Cristiden-Deinotheriidae Deinotherioidea tinus, Orycteropus, Palaeortyx, Steneofiber, Troch-Deinotherium (= Dinotherium), Proictis, Ursavus) dinotherium Deinotherioidea Proboscidea Simpson, G. G. 1931B depressa (Asterolepis, Leptaspis, Platystega) depressus (Lystrosaurus, Pterichthys) (Dinotherioidea) Deinotherium (= Dinotherium) Deinotheriidae Dermatemyidae (incl. Kinosternidae and Platy-Hopwood 1933B; Leakey sternidae) Cryptodira Nopesa 1928B (of Derm-1932B, 1933B, D temydidae [sic]. incl. dejageri (Choerosaurus) dejardini (Fulica, Miofulica) Dermatemydinae, Cinodelacroixi (Windhausenia) sterninae Platydelasaucei (Ceciliolemur) sterninae) delepinei (Sphenacanthus) Adocus, Agomphus, Alamosemys, delheidi (Manatherium) Baptemys, Basilemys, delicatostriatus (Holcolepis) Cinosterum. Claudius. delicatus (Pachycynodon) Compsemys, Dermatemys, delimitatum (Astrapotherium) Homorophus, Hoplochelys, Delphaciognathus Gorgonopsia Broom 1932B (for Notomorpha, Kallistira, Asthenognathus preocc.) Platysternum, Scutemys, delphinensis (Heterosorex) Sinochelys. Staurotypus, Delphinidae Odontoceti Pavlow, M. 1933C Xenochelys, Zygoramma Dermatemyinae [= Dermatemy-Archaeocetus, Delphinus, Grypolithax, Lagenorhynchus, Lamprodidae], Kinosterninae (= lithax, Liolithax, Loxolithax, Cinosternidae), Platy-Nannolithax, Oedolithax, sterninae Orca, Platylithax, Steno, Dermatemydinae [Dermatemyinae] Dermatemy-Tursiops idae Nopcsa 1928B (of Delphinoceti [Delphinidae] Odontoceti Abel, O. Dermtemydidae [sic], incl. 1933C; Weber, M. 1928 Adocus, Agomphus, Alam-Delphinognathus Tapinocephalidae osemys, Baptemys, Ba-

Dermatemys,

silemys,

conocephalus Huene, F. 1931A

Homorophus, Hoplochelys, Deuterosauridae Dinocephalia Huene, F. 1931A; Kallistira. Notomorpha, Nopesa 1928B, C (of Titano-Peltochelys. Xenochelys suchoidea) and Zygoramma), 1930E Deuterosaurus Eichwald, Mnemeio-(Dermatemyinae) saurus (= Deuterosaurus of Dermatemys Dermatemyidae Nopcsa 1928B Seeley) Dermochelyidae (= Athecae) Cryptodira Deuterosaurus Deuterosauridae Efremov 1931; Psephophorus Nopcsa 1928C Dermoptera Monodelphia biarmicus Huene, F. 1931A Desmana (= Myogale) Talpidae Bernsen 1933 Deuterotherium Proterotheriidae moschata Charlemagne 1931 distichum Simpson, G. G. 1932G thermalis Kormos 1930A Devincenzia Phororhaci Kraglievich 1932C Desmaninae Talpidae Weber, M. 1928A (Incl. gallinali Kraglievich 1931L, 1932C Devincenziidae Phororhaci Kraglievich 1932C (of Galemys, Desmana, Parascalops, Condylura, Scap-Stereornithes) devonicus (Rhadinichthys, Stegotrachelus) tonyx, Neurotrichus, Urodevoniensis (Palaedaphis) trichus, Uropsilus) Desmathyus Tagassuidae Matthew 1929A Devonosteus Coelacanthidae proteus Gross, W. 1933D validus Matthew 1932A Desmatochelys Thalassemyidae Nopcsa 1928B dhokpathanensis (Synconolophus) Desmatolagus Ochotonidae Dice 1929 Diaceratherium Rhinocerotidae Dietrich 1931B florsheimense Heller 1933A Desmatophoca Otariidae Hay 1930A [Otariidae] Pinnipedia Hay tomerdingensis Dietrich 1931B; Heller Desmatophocidae 1930A (Incl. Desmatophoca) 1933A Desmatosuchidae [Episcoposauridae] Pelvcosimi-Diacodexis Pantolestidae Goodrich 1930B (Protoidea Camp 1930B (Phytoartiodactyla) sauria); Kuhn, Oskar 1933A Diacodon Leptictidae minutus Jepsen 1930C (Parasuchia); Nopesa 1928B (Pelycosimia, incl. Stagonpuercensis Matthew 1929E septentrionalis Russell, L. 1929A olepis) Pseudosuchia Hay 1930A tauri-cinerei Jepsen 1930B Desmatosuchiformes Diacromyodi [Menurae + Passeres] Passeriformes (Suborder of Phytosauro-Goodrich 1930B (= Oscines) morphi) Diacynodon Docodontidae Simpson, G. G. 1929A Desmatosuchus Episcoposauridae Camp 1930B; Case 1932A; Huene, F. Diadactyla Marsupialia Simpson, G. G. 1930E (rejected) 1931B; Kuhn, Oskar 1933A Desmatotherium Helaletidae Diadectes Diadectidae grangeri Tokunaga 1933A, C maximus Romer & Byrne 1931 Desmemydinae [Desmemyinae] Thalassemyidae Diadectidae Diadectomorpha Nopesa 1928B (of Thalas-Diadectes (= Nothodon) semydidae, incl. Atlanto-Diadectomorpha Cotylosauria Romer 1933C chelvs. Desmatochelys. Diademodon Cynodontia Watson 1931B Desmemys and Neptuno-[Cynodontia] Theriodontia Diademodontidae Huene, F. 1928B (Incl. chelys) Desmemys Thalassemyidae Nopesa 1928B Trirachodontoides, rachodon, Gomphognathus, Desmostyliformes Desmostylidae Khomenko Gomphodontosuchus, Di-1928B; Simpson, G. G. 1931B, 1932C; Weber, M. ademodon, Cyclogompho-1928A (In Monotremata or don, Protacmon and Octa-Multituberculata) gomphus); Nopcsa 1928B Desmostylus (Gomphognathinae); Zittel 1932 Desmostyliformes Sirenia Simpson, G. G. 1932C Diadiaphorus Proterotheriidae Simpson, G. G. (Suborder) Desmostyloidea [Desmostyliformes] Sirenia Abel, 1932G Diaelurodon Endothiodontidae O. 1933C (Multituberculata) Desmostylus Desmostylidae Abel, O. 1933C; waitsi Huene, F. 1931A Anonymous 1928R; Hanna diagnosticus (Metoposaurus, Paleosaurus) 1930, 1933; Khomenko, Diaphorocetus Physeteridae Gergory & Raven 1928A, 1928B; Salomon 1930; 1933 Diaphorodon Didelphiidae Simpson, G. G. 1929A Simpson, G. G. 1929C; Diaphorognathus Palaeoniscidae Brough 1933 Stock 1924B hesperus Kellogg 1931B gillioti Brough 1933 desnoyersi (Phasianus) Diaphoromys Chinchillidae Kraglievich 1931E gamayensis Kraglievich 1931E desorii (Oxyrhina)

destefanii (Paracorax, Phalacrocorax)

mesopo tamicus Kraglievich 1932B

Pentacemylus

diaphorus (Gulo, Metarctos, Simocyon) Dichobuniformes [Dichobunoidea] Bunodonta Diaphyodus Sciaenidae White & Frost 1931 Hay 1930A, vol. 2, p. XII, (Suborder of Artiodactyla) sauvagei White & Frost 1931 Dichobunoidea Bunodonta Hay 1930A, vol. 2, p. Diapsida Reptilia 752 (Dichobunoidae of Sui-Diaptosauria Diapsida Nopesa 1928B (Superorder formes); Simpson, G. G. incl. Thecodontia Rhynchocephalia) diastemata (Felis) Dicoelophorus Octodontidae Rusconi 1932A Diatryma Diatrymidae Troxell 1931 latidens Rusconi 1931B, 1932J filifera Wetmore 1930C primus Miller, G. 1929B gigantea Wetmore 1933I Diconodon Brontotheriidae montanus Osborn 1929O (?)sarasini Schaub 1929 Dicotyles Tagassuidae steini Wetmore 1933I platensis Rusconi 1930G Diatrymatiformes [Diatrymiformes] Neognathae Boubier 1933 (Diatrymistenocephalus Rusconi 1930G formes); Hay 1930A (Sub-Dicraeosaurinae Cetiosauridae Huene, F. 1932A order of Carinatae) (Incl. Dicraeosaurus) Dicraeosaurus Cetiosauridae Anon. 1931C; Nopcsa Diatrymidae (= Diatrymatidae) Diatrymiformes 1930D; Stromer 1932C Hay 1930A (Diatrymatidae Diatrymatiformes): hansemanni Janensch 1929A, B, C, 1931B Troxell 1931 (incl. in Ciconsattleri Janensch 1929A, B, C Dicranozygoma Dicynodontidae Huene, F, 1931A iiformes) Diatryma dicranus (Cervus) Dicrenodus Edestidae Claus 1928 Dibelodon [Tetralophodon] Anthony 1933A Dicarlesia Sauria incertae sedis Huene, F. 1932B major Schmidt, H. 1929A incognita Huene, F. 1931H Dicrocerus Palaeomerycidae Loomis 1928B elegans Stromer 1928D Dicellopygae Palaeoniscidae Brough 1931 lissocephalus Brough 1931 furcatus Stromer 1928D Dicrocynodon [Docodon] Docodontidae Simpson. macrodentatus Brough 1931 G. G. 1929A Diceratherium Rhinocerotidae Dietrich 1931B; Dicrocynodontidae [Docodontidae] Pantotheria Figgins 1919 (Dicerother-Simpson, G. G. 1928C ium); Heller 1933A; Mat-Dicrostonyx Muridae Ehrenberg 1932B; Heller thew 1929A; 1931A; Stock 1932C 1924B: Viret 1929C torquatus Dubois, G. 1928B, 1929 armatum Wood, H. 1933 Dictyaspis Pteraspidae Kiaer 1932 cooki Cook, L. 1926 complicata Kiaer 1932 palaeosinense Matthew 1932B hoeli Kiaer 1932 pleuroceros Viret 1929C prisca Kiger 1932 Diceratops Ceratopsidae Dictyopyge Catopteridae hatcheri Lull 1933A Diceratosaurus Urocordylidae decipiens Brough 1931 brevirostris Romer 1930D: Steen 1931A Dicynodon Dicynodontidae Gladstone & Wakeley 1932; Lutkevich 1931; Nauck laevis Romer 1930D 1928 punctolineatus Romer 1930D robustus Romer 1930D andrewsi Huene, F. 1931A Dicerinae Rhinocerotidae Weber, M. 1928A (incl. gilli Broom 1932B Diceros, Ceratotherium) haughtonianus Huene, F. 1931A huenei Haughton 1932B Dicerorhinge Rhinocerotidae Weber, M. 1928A iouberti Huene, F. 1931A (incl. Dicerorhinus, Tichokolbei Huene, F. 1931A rhinus, Coelodonta) lacerticeps Huene, F. 1931A Dicerorhinus Rhinocerotidae Dietrich 1932A; Matlatirostris Broom 1932B thew 1932B: Wang 1929 belvederensis Wang 1928 leoniceps Huene, F. 1931A megalorhinus Huene, F. 1931A etruscus handzellensis Wang 1928 microrhynchus Huene, F. 1931A etruscus var. hundsheimensis Sickenberg milletti Broom 1928D 1933A platyceps Huene, F. 1931A germanicus Stromer 1928D: Wang 1928 platyfrons Broom 1932B simorrensis Stromer 1928D robustus Broom 1932B Diceros Rhinocerotidae rubidgei Broom 1932B antiquitatis Gaal 1928 taylori Broom 1932B simus germano-africanus Dietrich 1933 tealei Haughton 1932B whitei Pycraft, et al. 1928 testudirostris Huene, F. 1931A Dichobunidae Dichobunoidea vanderbyli Broom 1928D

wilmanae Broom 1928D

Dicynodontia Therapsida Dicynodontidae (incl. Geikiidae) Dicynodontia Broom 1928D. Huene, F. 1931A; Nopesa 1928B (Incl. Dicynodontinae, Gordoniinae, and Lystrosauriinae) Aulacocephalodon, Aulacocephalus, Bainia, Cerataelurus, Chelyrhynchus, Cistecephalus. Dicranozygoma, Diictodon, Dicynodon. Endogomphodon, Eocyclops, Eosimops, Eurycarpus (= Keirognathus = Cheirognathus = Chirognathus), Geikia, Gordonia. Kannemeyeria (= ?Ptychocynodon), Megacyclops, Oudenodon, Myosaurus, Pachytegos. Palemydops, Platycyclops, Placerias, Platypodosaurus, Rhachicephalodon, Rachiocephalus, Stahleckeria Cistecephalinae, Dicynodontinae, Geikiinae and Gordoniinae [Dicynodontia] Therapsida Dicynodontiformes Hay 1930A (Suborder) Dicynodontinae Dicynodontidae Nopesa 1928B (Incl. Bainia, Chelyopsis, Chelyrhynchus, Dicynodon, Emydopsis, Eosimops, Kannemeyeria, Myosaurus and Palaemydops) didactylus (Varanopus) Dideilatherium Pilosa incertae sedis Perrier 1928 Didelphia (= Metatheria) Eutheria Didelphiidae Didelphioidea Russell, L. 1928A (Wyoming); Simpson, G. G. 1929A (Incl. subfams, Pedi-Didelphodonomyinae. tinae, Microbiotheriinae and Didelphiinae) Alphadon, Archaeoplus?, Cimolestes, Delphodon, Diaphorodon, Didelphis (= Didelphys = Amphiperatherium), Didelphodon (= Didelphops), "Dryolestes tenex", Ectoconodon, Eodelphis, Eu angelistes. Microbiotherium, Nyssodon, Oxygomphius, Pediomys (= Protolambda), Peratherium. Proteodidelphys, "Stagodon", Synconodon? "Telacodon" praestans. Thlacodon Didelphiinae Didelphiidae Simpson, G. G. 1929A (Incl. all the living and

Tertiary forms except the

microbiotherimes)

Didelphioidea Marsupialia Hay 1930A (Didelphoidae of Polyprotodontia); Simpson, G. G. 1930E (Didelphoidea); 1931B Didelphis Didelphiidae Viret 1929C borbonicus Viret 1928, 1929C (Peratherium) cf. frequens Viret 1929C (Peratherium) lemanensis Viret 1929C (Peratherium) seneti Rusconi 1931I, 1932C (Didelphys) Didelphodon Didelphiidae Simpson, G. G. 1929A Didelphodontinae [Thlaeodontinae] Didelphiidae Hay 1930A (Thlacodontinae for Didelphodontinae preocc.); Simpson, G. G. 1929A (Incl. Didelphodon, Ectoconodon, Thiaeodon, Alphadon and Stagodon) Didelphops Didelphiidae Simpson, G. G. 1929A. Didolodontidae (= Didolodidae = Bunolitopternidae) Condylarthra Simpson, G. G. 1931B (in Litopterna); incl. in Condylarthra, Amer. Mus. Novit. 750, p. 6 Didosaurus Scincidae Nopesa 1928B Didymaspis Cephalaspidae grindrodi Stensiö 1932A pustulata Patten 1931A diensti (Cephalaspis) dietrichi (Brachvosteus, Paleoephippiorhynchus) difformis (Ophidium, Otolithus) Hucke & Voight 1929 (Ophiidarum) digitata (Eusauropleura, Sauropleura) Diheterocnus Megalonychidae Kraglievich 1928E. 1930F holmbergi Kraglievich 1930F; Rusconi 1931I (Dihecterocnus) Diietodon Dicynodontidae galeops Huene, F. 1931A halli Huene, F. 1931A Dilambdodonta [Tupaioidea] Insectivora Simpson, G. G. 1931B (rejected) dilatatus (Byssacanthus, Onchus) dilatus (Clupea, Otolithus) Frost 1933A (Clupeiddillstedtianus (Avipes) diluvianus (Palaeobatrachus) Dimetrodon Clepsydropsidae Romer 1928B; Whipple & Case 1930 berea Tilton 1931A. Dimetrodontoidea Pelycosauria Nopcsa 1928B (Incl. Bolosauridae, Case-Ophiacodontidae, Poliosauridae, and Clepsydropodidae) Dimorphodontidae Rhamphorhynchoidea Nopesa 1928B; Plieninger 1930 Campylognathoides (= Campylognathus), Dorygnathus, Parapsicephalus, Scaphognathus Scaphognathinae Dimylidae [Soricidae] Soricoidea Dimylus Soricidae paradoxus Stehlin 1928E

Dinailurictidae [Felidae] Feloidea Kretzoi 1929 (of Dinornithidae Dinornithiformes Aeluroidea incertae sedis, Dinornis Dinornithiformes Palaeognathae Boubier 1933 considered? as part of tribe Dinosauria Archosauria Arldt 1930; Boas 1930; Euailuroida) Drevermann 1931C (sex Dinailurictinae Felidae Kretzoi 1929 (of Dinailurictidae, incl. Dinailurictis; differences); Gilmore 1930C (Montana); Hennig 1932D also used as a subfam. of (evolution); Matley 1929, Felidae) 1931 (Cretaceous, India); Dinailurictis Felidae Moodie 1929A, 1930D (genbonali Kretzoi 1929 eral); Nopesa 1928B (Super-Dinailurus [Dinailurictis?] Felidae Kretzoi 1929 order, incl. Saurischia and Dinartamus Titanosuchidae vanderbyli Huene, F. 1931A Orthopoda), 1929B (sex differences); Parkinson 1928, Dinaspidae [Pteraspidae] Heterostraci Kiær 1932 (of Poraspidei) 1929A, 1930 (E. Africa); Dinaspis Pteraspidae Kiær 1932 Parks 1919, 1921, 1926, 1928A, C (Canada); Sowerparvula Kiær 1932 by 1929A (popular): Watson robusta Kiær 1932 1929A (General); Wood-Dinichthyidae [Coccosteidae] Brachythoraci Whitlev 1933 ward, A. S. 1929D (popu-Dinichthys Coccosteidae Edinger 1929D; Evans, lar); Zittel 1932 (Order of Reptilia, incl. Saurischia J. 1929; Gregory, W. 1932B; Heintz 1929D, 1931B, C, D, and Ornithischia) Dinosphageus Titanosuchidae Broom 1929D F, 1932A; Marlière 1930 haughtoni Broom 1929D; Huene, F. 1931A belgicus Leriche 1931 Dinosuchus Crocodilidae Nopesa 1928B (Deinoclarki Heintz 1931A suchus) (?) jeffersonensis Branson & Mehl 1931B Dinotheriidae [Deinotheriidae] Deinotherioidea lincolni Marlière 1931 Dinotherium [for Deinotherium] Deinotheriidae livonicus Gross, W. 1933A (?) oviformis Gross, W. 1933D Anthony 1933; Arambourg & Jeannel, 1933; Dietrich pustulosus Heintz 1932A terrelli Stetson 1930B 1933; Franchet 1933; Ghidini Hopwood tuberculatus Heintz 1932A Dinictinae Felidae Kretzoi 1929 (of Machairodont-Joleaud 1931B: Koenigswald 1929; Quenstedt 1932B: idae, incl. Dinictis and Reck 1932A; Vaufrey 1933C; Metadeiniktis) Dinictis Felidae Viret 1933B; Watson 1929G; cyclops Kretzoi 1929 Wayland 1932A Dinilysia Anilidae Nopesa 1928B bayaricum Bataller & Solá 1928; Kühn, Dinobastis Felidae Kretzoi 1929: Matthew 1929A Othmar 1928; Stromer 1928D: Wurm 1932A Dinocephalia Therapsida Broom 1928C; Huene, F. giganteum Bataller & Solá 1928: Gellert 1931A 1933; Kiderlen 1928; Klähn Dinoceras Uintatheriidae Matthew 1929O 1931; Pontier 1933A Dinocerata Monodelphia Dinoceratidae [Uintatheriidae] Dinocerata Diodon Gymnodontidae Beaufort 1928 Dinocynodon Titanosuchidae Broom 1929D intermedius Weiler 1929C dubius Broom 1929D; Huene, F. 1931A latus Weiler 1929C Diodontiformes [Gymnodontidae] Plectognathi Dinocynops Canidae morenoi Kraglievich 1928A Hay 1930A (Suborder of nehringi Kraglievich 1928A Diodontomorphi) Dinocyon Canidae Diodontomorphi [Plectognathi] Acanthopterygii goriachensis Ennouchi 1930 Hay 1930A (Order of Tele-Dinodontidae [Deinodontidae] ostei) Diopaeus Ophiacodontidae Romer 1928B Dinofelis Felidae Kretzoi 1929 Diplacanthidae Acanthodii Gregory, W. 1928D Dinohyus Entelodontidae Loomis 1932B Diplacodon Brontotheriidae hollandi Anon, 1930E; Frick 1931A elatus Osborn 1929O Dinomylostoma Mylostomiidae Case 1931A Diplacodontinae (= ? Menodontinae = ? Bronto-Dinophoneus Titanosuchidae theriidae) Brontotheriidae ingens Broom 1929D; Huene, F. 1931A Osborn 1929O (Incl. Dipla-Dinornis Dinornithidae Boetticher 1930: Ghidini

1931; Howell, E. 1933;

Lowe, P. 1928B; Marwick

1929; Oliver 1930; Schön-

wetter 1929

codon and Eotitanotherium)

Brevicipididae and Poly-

pedatidae); Romer 1933C

Diplasiocoela Salientia Noble 1931 (Incl. Ranidae,

(of Anura)

Diplaspidae [Pteraspidae] Heterostraci Kier 1932 (of Cyathaspidei) Diplobune Anoplotheriidae quercyi Dietrich 1929B secundaria Dietrich 1929B Diplobunops Agriochæridae matthewi Peterson, O. 1931D uintensis Peterson, O. 1931D ultimus Peterson, O. 1931D Diplocaulidae Nectridia Batrachiderneton Diplocercides Coelacanthidae Gross, W. 1933D diploconum (Telmatotherium) diploconus (Rhadinorhinus) Diploconus Brontotheriidae Edinger 1933A amplus Osborn 1929O bicornutus Osborn 1929O selwynianus Osborn 1929O tyleri Osborn 1929O Diplocynodon Alligatoridae Heller 1932B: Simpson. G. G. 1929A rollinati Weigelt 1931 Diplocynodontidae [Docodontidae] Pantotheria Abel, O. 1933C Diplodocidae [Cetiosauridae] Sauropoda Nopesa 1928B, 1930D (Incl. Titanosaurinae and Diplodocinae) Diplodocinae Cetiosauridae Huene, F. 1932A (Incl. Diplodocus, Barosaurus and Amphicoelias): Noncsa 1930D (of Diplodocidae, incl. Diplodocus, Dicraeosaurus and Barosaurus) Diplodocus Cetiosauridae Gilmore 1931C, 1932C, 1933E: Grodinski 1929: Huene, F. 1929A; Longman 1933: Nopesa 1930D longus Gilmore 1932C Diplodus Pleuracanthidae gibbosus Wehrli 1932 Diploglossa Anguimorpha Diplolophodon Lophiodontidae Zdansky 1930 similis Zdansky 1930 Diplomystidae [Clupeidae] Isospondyli Diplopterax Osteolepidae Säve-Söderbergh 1933B Diplotremata (= Diapsida + Archosauria) Reptilia Hay 1930A (Subclass, incl. Eoditremata, Loricata, and Dinosauria) Diplovertebron Cricotidae Dahlgren 1933; Watson Dipnoi, incertae sedis Herpetichthyes Kesteven 1931B (incl. in Amphibia): Sewertzoff 1929, 1931B (phylogeny) Eurythorax, Peplorhina? Dipodidae (Incl. Sicistidae and Zapodidae) Dipo-Allactaga, Heterosminthus, Paralac-

taga, Pedetes, Plesiosmin-

thus, Sicista

Simplicidentata)

Sicistinae
Dipodoidea Myomorpha Weber, M. 1928A (of

Dipoides Castoridae Schreuder 1929

Dipriodon Ptilodontidae Simpson, G. G. 1928C 1929 A [Meniscoëssus] Diprionomys Heteromyidae (?) oregonensis Gazin 1932 quartus Hall, E. 1930D tertius Hall, E. 1930D Diprothomo Hominidae platensis Rusconi 1931H, 1932L Diprotodon Diprotodontidae Anderson, C. 1933: Longman 1929 Diprotodontia Marsupialia Simpson, G. G. 1930E (rejected) Diprotodontidae (= Nototheriidae) Phalangeroidea Diprotodon, Euryzygoma, Nototherium, Zygomaturus Dipsadidae Caenophidia Dipsalidictis Oxyaenidae amplus Jepsen 1930B Dipsalodon Oxyaenidae Jepsen 1930C matthewi Jepsen 1930C Dipteridae Dipteromorpha Chirodipterus, Conchodus, Dipterus, Ganorhynchus. Palaedaphus Dipteromorphi [Dipteromorpha] Dipnoi Hay 1930A (Order of Dipneusta: incl. Dipteridae and Phaneropleuridae) Dipterus Dipteridae Evans. J. 1929 (?) crassus Gross, W. 1933A fourmarieri Leriche 1931 marginalis Gross, W. 1933A secans Gross, W. 1933A serratus Gross, W. 1933A. Diracodon Stegosauridae Nopesa 1928B direptor (Hyaenognathus Osteoborus) dirus (Aenocyon) Discoglossidae Opisthocoela Alytes, Latonia, Pelophilus, Protopelobates Discosauriscus Archegosauridae Kuhn. Oskar 1933D (for Discosaurus Credner 1883, non Leidy 1851) moravicus Augusta 1933 (Discosaurus) disinteger (Leptoptervgius) disjectus (Dolichopareias) dispar (Brontops, Ichthyornis, Pararallus, Rallus) Dissacus Mesonychidae Simpson, G. G. 1929B dissidens (Leptopterygius integer) Huene, F. 1931F dissimilis (Merycopotamus) Dissopsalis Hyaenodontidae carnifex Colbert 1933E Dissorophidae Rhachitomi Efremov 1930; Romer 1933C (Dissorhophidae) Aspidosaurus, Cacops, Zygosaurus (?) distagmus (Archaeotrigon) distichum (Deuterotherium) distinctum (Protypotherium) distinctus (Sauropleura) Ditremata Mammalia Naef 1931 (Incl. Mesotheria and Metatheria) divaricata (Stegops) divaricatum (Ceraterpeton) diversidens (Borophagus)

```
Dolichosauridae Varanoidea
divinans (Homo)
                                                            Actaeosaurus, Adriosaurus, Aigialo-
dixeyi (Gigantosaurus)
dixoni (Myliobatis)
                                                                       saurus, Carsosaurus, Doli-
Docodon Docodontidae
                                                                       chosaurus,
                                                                                   Eidolosaurus,
                                                                       ?Mehliella (= Walteria),
      superbus Simpson, G. G. 1929A
Docodontidae (= Diplocynodontidae = Dicrocyno-
                                                                       Mesoleptus. Opetiosaurus.
                     dontidae)
                                 Pantotheria
                                                                       Pontosaurus
                                                                Aigialosaurinae, Dolichosaurinae,
                     Simpson, G. G. 1929A (to
                     replace Dicrocynodontidae),
                                                                       Mesoleptinae
                     1931B
                                                  Dolichosaurinae
                                                                   [Dolichosauridae]
                                                                                     Varanoidea
                                                                       Nopesa 1928B (of Platy-
          Docodon (= Diplocynodon preoce. =
                                                                       notidae, incl. Aigialosaur-
                     Dierocynodon = Diacyno-
                     don = Enneodon preoce.
                                                                       ininae. Mesoleptininae and
                                                                       Dolichosaurininae)
                     = Ennacodon)
                                                 Dolichosaurininae
                                                                     [Dolichosaurinae] Dolicho-
dodunii (Isselosaurus)
                                                                       sauridae Nopesa
Doedicuridae [Glyptodontidae] Glyptodontoidea
                                                                                          1928B
                                                                       (Gens of Dolichosaurinae,
                     Rusconi 1931I (Daedicuri-
                                                                      incl. Actaeosaurus, Adrio-
                     dae, of Glyptodontia)
Doedicurinae Glyptodontidae Weber, M. 1928A
                                                                       saurus, Dolichosaurus and
                     (Incl. Metopotaxus, Neury-
                                                                       Pontosaurus)
                                                 Dolichosaurus Dolichosauridae Nopesa 1928B
                     urus. Doedicurus)
             Glyptodontidae Matthew
                                                 Dolichosmatidae (= Phlegethontiidae) Aistopoda
                                        19295:
Doedicurus
                     Rusconi 1933G
                                                            Dolichosoma, Phlegethontia
                                       (Daedi-
                                                  Dolichosoma Dolichosmatidae Romer 1930D
                     curus); Weber, M. 1928A
doello-juradoi (Prosthenops)
                                                        angustatum Pfannenstiel 1932A
Doellotatus Dasypodidae Bordas 1932A, 1933
                                                        longissimum Pfannenstiel 1932A
                                                 Dolichosomatidae Lepospondyli Zittel 1932 (Doli-
       chapadmalensis Bordas 1933
       inornatus Bordas 1932A, 1933
                                                                      chosomidae)
                                                 Dolichosuchus Hallopodidae Huene, F. 1932A
       simpsoni Bordas 1933
                                                        cristatus Huene, F. 1932A
Dogania Trionychidae Nopcsa 1928B
                                                 Dolichotis Caviidae Kraglievich 1931H
dohmi (Pterichthys)
                                                        andina Kraglievich 1932B
Dolicavia Caviidae
                                                         improla Kraglievich 1932B
       loberiaense Kraglievich 1932B
                                                         lacunosa Kraglievich 1932B
       minuscula Kraglievich 1931H
                                                         loberiaense Kraglievich 1932B
dolichoceras (Brontotherium, Menodus)
Dolichofelis Felidae Kretzoi 1930
                                                         prisca Kraglievich 1932B
       gallica Kretzoi 1930
                                                         prisca var. mendocina Kraglievich 1932B
       leptorhyncha Kretzoi 1930
                                                  dolloi (Ichnium)
Dolichohippus Equidae Antonius 1928
                                                  Dolomys Muridae
                                                         dalmatinus Kormos 1931A, B
Dolichopareia Pareiasauridae Boonstra 1932B,
                     1933C; Haughton 1929A,
                                                         episcopalis Brunner 1933; Kormos 1932B
                     1930A; Haughton & Boon-
                                                         episcopalis bolkayi Kormos 1931A, B
                                                         lenki Brunner 1933; Heller 1930A
                     stra 1930
       angusta Haughton & Boonstra 1929
                                                  Dolophonodus Pisces incertae sedis Branson, C.
Dolichopareias Adelospondyli
                                                                       1933
       disjectus Watson 1929 K
                                                         uncinatus Branson, C. 1933
Dolichopithecus Cercopithecidae Depéret 1928
                                                  dombrowskii (Haplocyon)
       arvernensis Depéret 1929A
                                                  domestica (Sus)
       ruscinensis Depéret 1929A
                                                  Doratodon ?Notosuchidae Nopesa 1928B (Croco-
dolichopsis (Odocoileus)
                                                                       dilidae)
Dolichorhininae Brontotheriidae Osborn 1929O
                                                  Doreameryx [Capromeryx] Antilocapridae Reed &
                     (Incl. Eometarhinus, Mesa-
                                                                       Longnecker 1932 (nomen
                     tirhinus.
                                Dolichorhinus,
                                                                       nudum)
                     Metarhinus and Spheno-
                                                        optimae Reed & Longnecker 1932 (nomen
                     coelus)
                                                                       nudum)
Dolichorhinus Brontotheriidae
                                                  Dorcatherium
                                                                 Tragulidae Arambourg
                                                                                          1933C:
       fluminalis Osborn 1929O
                                                                       Loomis 1928B; Stromer
       heterodon Osborn 1929O
                                                                       1930C
       hyognathus Osborn 1929O
                                                         cadeoti Depéret & Viret 1928
       intermedius Osborn 1929O
                                                         chappuisi Arambourg 1933A
       kaiseni Osborn 1929O
                                                         crassum Depéret & Viret 1928
      longiceps Osborn 1929O
                                                         naui Stromer 1928D
      olseni Osborn 1929O
                                                        puyhauberti Arambourg & Piveteau 1929A
```

rogeri Kühn, Othmar 1928

dorfi (Protaspis, Pteraspis)

superior Osborn 1929O

vallidens Osborn 1929O

dorsalis (Homonotichthys, Homonotus) Dorudontidae Archaeoceti Zygorhiza Dorygnathus Dimorphodontidae banthensis Salée 1928 Dorvpteridae [Platysomidae] Chondrostei Romer 1933C (of Paleoniscoidea) Dorypterus Platysomidae Weigelt 1930G dossantosi (Palaeobalistum) doughtyi (Machaeroprosopus, Phytosaurus) douvillei (Protapirus, Tapirus) douvilli (Hyrachius, Protapirus) Dracaena (Teiidae) guianensis Peyer 1929B Dracaenosaurus Sauria, incertae sedis Nopesa 1928B Dranitesauria [Sauropterygia] Synaptosauria Nopcsa 1928B (Superorder of Monozygocrotapha, Placodontia and Sauropterygia) Dremotherium Palaeomerycidae Berckhemer & Seeman 1930; Loomis 1928B; Viret 1929C; Weber, M. 1928A (Dremometherium) feignouxi Astre 1933B; Richard 1931; Viret 1929C nanum Richard 1931 traguloides Viret 1929C Drepanaspidae (incl. Psammosteidae and Phyllolepidae) Heterostraci Gross. W. 1933D Drepanaspis, Dyptychosteus, Ganosteus, Phyllolepis, Placosteus, Psammolepis, Psammosteus, Pycnosteus Drepanaspidae Gross, W. 1930; Drepanaspis Patten 1932; Stetson 1931B gemündenensis Gross, W. 1933D; Patten 1929 schrieli Gross, W. 1932C, 1933C, D; Schmidt, H. 1933 Drepanodon [Ursus] Ursidae cultridens Kretzoi 1929 (Felidae); Matthew 1929A mehelyi Kretzoi 1929 (Felidae) sivalensis Matthew 1929A [Meganthereon falconeri] Dromaeosaurus ?Compsognathidae Huene, F. 1932A; Nopcsa 1928B [Megalosauridae] Dromaeus Dromiceiidae Lowe, P. 1928B Dromasauria Therapsida Dromasauroidea [Dromasauria] Therapsida Nopesa 1928B, C. (Suborder of Chainosauria; incl. Galechiridae and Galaeridae) Dromiceiidae Casuariiformes Dromaeus, Genyornis Dromicosaurus Thecodontosauridae Huene, F. 1932A Dromomeryx Palaeomerycidae Gazin 1932; Loomis 1928B Dromopanthera Felidae Kretzoi 1930

leiodon Kretzoi 1930

drydeni (Xiphias) Dryolestes Dryolestidae Simpson, G. G. 1929A tenax Simpson, G. G. 1929A (in Didelphiidae) Dryolestidae (= Amphibiotheriidae) Pantotheria Simpson, G. G. 1928C. 1929A Amblotherium (= Styrodon = Achyrodon), Dryolestes (= Asthenodon), Euthlastus, Herpetairus, Kepolestes, Kurtodon, Laolestes (= "Drvolestes vorax"?), Malthacolestes, Melanodon, Miccylotyrans. Pelicopsis. Peraspalax, Phascolestes Dryomys (Muscardinidae) murinus Viret 1929C Dryopithecus Pongidae Adloff 1932A; Ashley-Montagu 1930; Dorsey 1931; Freudenberg 1929A: Glaessner 1931; Gregory, W. 1927A, Gregory & McGregor 1929; Hellman 1928; Hennig 1929B, 1931C; Mollison 1933; Osborn 1927A, 1928K; Weinert 1932B; Zuckerman 1933B germanicus Glaessner 1931 leakeyi Leakey 1932C rhenanus Glaessner 1931; Leakey 1932C Dryosaurus Hypsilophodontidae Nopcsa 1928B (Iguanodontidae) Dryptosauroides Coeluridae Huene, F. 1932A grandis Huene, F. 1932A; Huene & Matley 1933 Coeluridae Huene. Dryptosaurus F. 1932A; Stromer 1931D incressatus Parks 1928A dubia (Lutra) dubia (Mastodon longirostris) Klähn 1931 dubium (Heptaconodon) dubius (Carpolestes, Dinocynodon, Eumegamys, Microsteus, Thecodonto-Trachycalyptus) saurus, Dugong (= Halicore and Dugungus) Dugongidae Simpson, G. G. 1932C Dugongidae (= Halicoridae, Halitheriidae; incl. Hydrodamalidae and Ry-Trichechiformes tinidae) Simpson, G. G. 1931B, 1932C (of Sirenia. Type Dugong = Halicore) Archaeosiren?, Cyotherium?, Dugong (= Halicore = Dugungus), Eosiren, Felsinotherium

(= ?Cheirotherium), Fur-

cotherium, Halibutherium?, Halitherium (= Pugmeo-

don), Hesperosiren, Hydrodamalis (= Rytina =

Rhytina), Manatherium,

Mesosiren?, Metaxytherium,

Pontotherium, Protother-

Miosiren?,

Paraliosiren?,

ium, Rytiodus (= Rhytiodus). Thalattosiren. Trachytherium? Dugonginae (= Halicorinae), Halitheriinae, Hydrodamalinae, Miosireninae. Rytiodinae Dugonginae Dugongidae Simpson, G. G. 1932C (incl. Dugong) Dugungus (= Dugong) Dugongidae Simpson, G. G. 1932C dumblianus (Palaeoctonus) dunensis (Pteraspis) duplessisi (Scapanodon) Duplicidentata (= Lagomorpha) Rodentia durandi (Vishnuictis, Viverra) Dusicyon Canidae Kraglievich 1930A dutoiti (Lydekkerina) duvernovi (Helladotherium) Dvinia Cynodontia Sushkin 1928B, 1929 (Dwinia) Dviniidae Cynodontia Sushkin 1928B (incl. Dvinia and Permocynodon) Dvinosauridae Rhachitomi Romer 1933C (Dwinasauridae of Rachitomi) Chalcosaurus (?), Dvinosaurus Dvinosaurus Dvinosauridae Efremov Lutkevich 1931; Stadtmüller 1929 Dyoplax Aëtosauridae Kuhn, Oskar 1933A (Proterosuchidae); Schmidt, M. 1928: Zittel 1932 Nodosauridae Gilmore 1930C: Dyoplosaurus Nopcsa 1929C Dypteroidea [Dipnoi] Osteichthyes Naef 1931 (group of Euichthyes, incl. Palaeodipnoi and Uronemoidea) Dyptychosteus Drepanaspidae tesselatus Gross, W. 1933A Dyromys Myoxidae hamadryas Stromer 1928D [Metriorhynchidae] Mesosuchia Dyrosauridae Swinton 1930D Dyrosaurinae Metriorhynchidae Nopcsa 1928B, C (of Teleosauridae, incl. Dyrosaurus) Metriorhynchidae Bourcart 1932: Dyrosaurus Nopesa 1928C; Piveteau 1933A minor Swinton 1930D Dysalotosaurus Hypsilophodontidae Nopesa 1928B (Iguanodontidae) Dyscritichnus Ichnites Lull 1924 piedmontensis Lull 1924 Dyspterna? Artocyonidae Bather? 1928A helbingi Dal Piaz 1930A woodi Bather? 1928A; Dal Piaz 1930A Dystrophaeus Camarasauridae Huene, F. 1932A earlei (Metarhinus) ebrachensis (Cyclotosaurus) Eccasaurus Tapinocephalidae priscus Huene, F. 1931A Echidna See: Tachyglossa Rhoechimoides (Omegodus) Viret 1929C (= danomys)

Echinodon Stegosauridae Nopcsa 1928B

Ecphantodon Cebidae ceboides Scott, W. 1928A Ectobranchiata Craniata Sewertzoff 1929, 1931B 1932 (group of Vertebrata, incl. hypothetical ancestors of Anaspida and Pisces) Ectocion Phenacodontidae collinus Russell, L. 1929A Ectoconodon Didelphiidae Simpson, G. G. 1929A Edaphodon Chimaeridae sweeti Chapman, Frederick 1931 Edaphosauridae Pelycosauria Bolosaurus, Edaphosaurus, Naosaurus (= Neosaurus?) Edaphosauriformes [Edaphosauridae] Pelycosauria Hay 1930A (Suborder of Sphenacodontomorphi) Edaphosauroidea Pelycosauria Nopesa 1928B (Incl. Pantelosauridae and Edaphosauridae) Edaphosaurus Edaphosauridae Romer 1928B; Whipple & Case 1930 cruciger Whipple 1930B edensis (Prochenia) Edentata (= Bruta) Monodelphia Pocock 1929 (general); Simpson, G. G. 1931A (removes the Taeniodonta and Tubulidentata. incl. in the Edentata the suborders Palaeanodonta. Xenarthra and Pholidota; phylogeny. structure habit): Strand 1931 (nomenclature); Van der Klaauw 1930A, B, C. (tympanic region) Incertae sedis: "Aquila" antiqua (= Minerva antiqua), "Aquila" ferox, "Aquila" lydekkeri Edestidae Squaliformes Nielsen 1932: Schmidt. H. 1929A (Kulm) Agassizodus, Dicrenodus (= Carchariopsis = Pristicladodus), Edestus, Fadenia, Helicoprion, Toxoprion Edestoidae [Edestoidea] Squaliformes Hay 1930A (Superfam. incl. Edestidae, Helicoprionidae and Hexanchidae) Edestus Edestidae Schmidt, H. 1929A davisii David 1928 pringlei Watson 1930C Edmontonia Nodosauridae Gilmore 1930C; Nopcsa 1929C edmontonicus (Ornithomimus) Edmontosaurus Trachodontidae Kripp 1933 Edvardocopeia ?Entelonychia Simpson, G. G. 1933R edvardsianus (Laornis) edwardsi (Pachypleurosaurus, Palaeoerinaceus, Strix) egertoni (Thyestes)

Egertonia Labridae

stromeri Weiler 1929C

Eggysodon Rhinocerotidae Stehlin 1929B (Engyodon)
osborni Wood, H. 1932
éhiki (Allocricetus)
ehrhard-voighti (inc. sed., Otolithus) Roedel 1930
ehrlichi (Patriocetus)
Eidolosaurus Dolichosauridae Nopcsa 1928B
eifelianus (Euporosteus)

eifelianus (Euporosteus) eifeliense (Holonema)

Eifelosaurus Rhynchosauridae

triadicus Huene, F. 1929G

eigili (Ichthyostega)

Elaphe Colubridae

longissima Szunyoghy 1932 Elaphis Colubridae Nopesa 1928B

Elaphrosaurus Coeluridae

bambergi Janensch 1929

Elaphurus Cervidae

davidianus Nagasawa 1933

Elaphus [Cervus] Cervidae Loomis 1928B elaphus (Cervus)

Elapidae Caenophidia

Elasmobranchii Chondrichthyes Daniel 1928 (general); Fournier & Pruvost 1928 (Carboniferous); Naef 1931 (group of Selachoidea, excl. Pleuropterygii and

Ichthyotomi); Stensiö 1931 (Division of Pisces, incl. Acanthodi and Placodermi)

Incertaesedis: Palaeoxyris (egg capsule);
Rapidentichthys (nomen nudum)

Elasmodontomys Chinchillidae Miller, G. 1929B; Schreuder 1933B

Elasmodus Chimaeridae

planus Leriche 1929B

Elasmosauridae Plesiosauria Nopesa 1928B (of Plesiosauroidea, incl. Plesiosaurinae, Elasmosaurinae and Rhomalaeosaurinae)

> Apratocleidus, Brancasaurus, Cimoliasaurus, Colymbosaurus, Cryptocleidus, Elasmosaurus, Leptocleidus, Muraenosaurus, Picrocleidus

> > Elasmosaurinae

Elasmosaurinae Elasmosauridae Nopcsa 1928B (Incl. Elasmosaurus, Leurospondylus and Ogmodirus)

Elasmosaurus Elasmosauridae Nopesa 1928B Elasmotheriidae [Rhinocerotidae] Rhinocerotoidea Slodkewitsch 1930 (suggests

as n. fam.; not named)

Elasmotherium Rhinocerotidae Chardin & Piveteau 1930; Matthew 1931A; Orlov 1930A; Teriaev 1930, 1932

caucasicum Slodkewitsch 1930

elatus (Bos, Diplacodon, Moropus, Rhinoceros, Triceratops)

elaverensis (Amphicyon, Propaleochoerus) elaverensis (Palaeochoerus meissneri mut.) Viret 1929C elegans (Amphitragulus, Belosteus, Birkenia,
Cervus, Dicrocerus, Helichthys, Mustela, Odontaspis, Ornithomimus, Palaeoniscus, Pediomys, Phlebolepis, Plesictis, Pterodactvlus, Cricosaurus)

elegans (Cainotherium commune aff.) Viret 1929C elegans (Gadus, *Otolithus*) Hucke & Voigt 1929 Elegantaspis Phlyctaenaspidae *Heintz* 1929B

recticornis Heintz 1929B

Elephantidae Elephantoidea Fraipont & Leclercq 1932B; Lorenzo & Erasmo 1932; Moodie 1930A (fused cervicals); Osborn 1933G (Serbelodon)

Archidiskodon, Elephas (= Mammonteus), Leith-Adamsia, Loxodiscodon, Loxodonta, Palaeoloxodon, Parastegodon, Parelephas, Pilgrimia, Stegodon, Stegolophodon, Tetralophodon

Elephantinae, Mammontinae, Stegodontinae

Elephantinae Elephantidae Osborn 1929J; Van der Maarel 1932

Elephantoidea Proboscidea

Elephas Elephantidae Dal Piaz 1932B; Eales 1931; Figgins 1933C; Joleaud 1931A; Joleaud & Lombard 1933; Leclercq 1931; Serpa

> Pinto 1932; Tolmachoff 1929 antiquus Andrews & Cooper 1928; Angelis d'Ossat 1930; Anon. 1932L, 1933Y; Arambourg & Jeannel 1933; B., L. 1930; Berckhemer 1929A, B, 1930D: Bonarelli 1930; Breuil 1932C; Chandler 1931; Corroy & Minoux 1932; Freudenberg 1931; Hopwood 1932C; Hrdlička 1929A; Joleaud 1928A; Kendall 1929; Leakey 1933B. 1933D; Lorenzo & Erasmo 1930A, 1932; Nordmann 1930; Pontier 1928A. 1933B: Schroeder 1928; Sudbury 1928; Theobald 1933; Topa

> 1932; Watson 1929B, C antiquus falconeri Vaufrey 1929 antiquus melitensis Fabiani, R. 1928; Vaufrey 1929

antiquus mnaidriensis Fabiani, R. 1928; Vaufrey 1929

antiquus recki Dietrich 1933A (Pilgrimia); Hopwood 1932A, C. Vaufrey 1933C

aurorae Matsumoto 1929A, C

buski Tokunaga 1933B

columbi Cook, H. 1930A; Crabb 1923; Edinger 1930C; Figgins 1927, 1933B; Hanna 1929; Harnly 1932; Kirkham 1931; Pavlow 1931

wüsti Beliaeva 1933B; Pavlow, A. 1928B; germanicus Anon. 1932C haroldcooki Hay in Hay & Cook 1928 Pavlow, M. 1931 imperator Lozano 1927; Pavlow, M. 1931; Eleutherocercus Glyptodontidae Pontier 1933C (Archidiscovilardeboi Kraglievich 1932D don); Pontier & Anthony elginense (Telerpeton) 1933; Watson 1929C elginensis (Geikia) indicus Hilzheimer 1930A; Pontier 1930A; Elginia Pareiasauridae Boonstra 1933C; Huene, Tokunaga 1933B; Vernad-F. 1932C sky 1928 mirabilis Rieth 1932 indicus var. sumatranus Patte 1931A Elginiinae Pareiasauridae Nopesa 1928B (Incl. intermedius Breuil 1932C Elginia) maximus Van der Maarel 1932 elliptica (Kirkella) melitensis Kireev 1932 ellipticus (Scopelus, Otolithus) Frost 1933B; Hucke meridionalis Airaghi 1928; Athanasiu & & Voigt 1929; Sulc 1932A Preda 1929; Beliaeva 1933B; ellipticus (Trigla, Otolithus) Hucke & Voigt 1929 Bernsen 1930A. 1931A: Elmensius Felidae Kretzoi 1929 Corroy & Minoux 1932; stehlini Kretzoi 1929 Courty 1928; Erasmo 1930; Elochelys Bothremyidae Garde 1931; Joleaud 1928A; major Nopesa 1932A Pavlow, A. 1928B, 1931; perfecta Nopcsa 1932A Pontier 1928A; Stehlin elongata (Acanthaspis, Anglaspis, Holmesella, 1930B; Theobald 1933; Viret Paleochelys, Perca. Poras-1933B pis) namadieus Buxton 1929; Chardin & elongata (Hemiauchenia paradoxa) Rusconi 1930I Piveteau 1930: Patte 1931A: elongatus (Bolodon, Centropristis, Conger, Kraterohippus. Semionotus. Ser-Yagi 1928 pachyganalis Hilzheimer 1930A ranus) planifrons Bose 1929A; Gromova 1933A; Elonichthys Palaeoniscidae Oliveira 1932 Joleaud 1928A; Matsumoto caudalis Watson 1928B 1929A; C; Pavlow, M. 1931 gondwanus Hussakof 1930B Elopoidae [Elopoidea] Isospondyli Hay 1930A platycephalus Osborn 1929J platycephalus angustidens Osborn 1929J (Superfam. of Clupeiforme, primigenius Abrard 1931; Anon. 1932C; incl. Ganolytidae, Pachy-Astre 1929D; Bastin 1932A, rhizontidae, Elopidae and B; Botez 1933; Botzong & Spaniodontidae) Voelcker 1930; Breuil 1932C; Elops Elopidae Clifford 1931; Cook, H, eocenicus (Otolithus) Frost 1933A 1931E: Corrov & Minoux rectus (Otolithus) Frost 1933A 1932; Dal Piaz 1932B; Edrecurvus (Otolithus) White & Frost 1931 inger 1930C, 1931B; Engels, Elopterygidae Suloidea Lambrecht 1933B (Incl. W. 1933; Figgins 1933B; Eloptervx) Flerov 1931: Giltay 1933: Actiornis, Elopteryx, Eostega Golomshtok 1933; Gromova Elopteryx Elopterygidae Lambrecht 1933B 1933 A; Guillaume 1932; Hannopcsai Lambrecht 1929A sen 1928; Hennig 1931A; Elosaurus Cetiosauridae Huene, F. 1929A; Noposa Hilzheimer 1932; Heschler 1930D 1931; Jodot 1933; Kendall Elotheriidae [Entelodontidae] Dichobunoidea 1929; Lapham 1927; Loscher Elpidosauria [Theromorpha] Synapsida Hay 1930A 1928; Mathieu 1932; Nininger (Superorder of Poeciloglyp-1928; Pavlow, M. 1931; tica, incl. Sphenacodonto-Pfizenmayer 1930; Pontier morphi and Therapsida) 1928A; Pontier & Dubois elrodi (Varanopus) 1928; Reichardt 1931; Roelvensis (Lepidotus) man 1929B; Stehlik 1931B; emarginatum (Protitanotherium) Stehlin 1928F; Theobald emarginatus (Merluccius, Otolithus) Hucke & 1933 Voigt 1929 primigenius fraasi Berckhemer 1928A Emballonuridae Emballonuroidea Weber, M. trogontherii Beliaeva 1933B; Breuil 1932C; 1928 A. Dal Piaz 1932B; Freuden-Emballonuroidea Microchiroptera Weber, M. 1928A berg 1931; Gromova 1933A; (tribe, incl. Rhinopoma-Hayasaka 1930A; Kireev tidae [Rhinopomidae], Em-1932; Pavlow, M. 1931; ballonuridae and Noctilion-Pontier 1928A, 1930A, 1933B; idae): Simpson, G. G.

1931B

Embasaurus Megalosauridae Riabinin 1931D

minax Riabinin 1931B

Schroeder 1928; Simionescu

1930B; Soergel 1929; Theo-

bald 1933

Cyprinodontia and Synen-

tognathi)

Embiotocomorphi Perciformes Hay 1930A (Order Enchodus Enchodontidae Stromer & Weiler 1930 of Teleostei, incl. Embiolewesiensis Sarra 1933 tocidae) oliveirai Maury 1930 Embolomeri Stegocephalia Watson 1929K (reenchodus (Anisodexis, Sauropleura) vision) Endogomphodon Dicynodontidae Incertae sedis: Arkanserpeton, Eosaurminor Broom 1932B us?, Spondylerpeton Endothiodon Endothiodontidae Embolomeroloidea [Embolomeri] Labyrinthodonti bathystoma Huene, F. 1931A Lane 1932A (Incl. Arkan-Endothiodontidae Dicynodontia Huene, F. 1931A: serpeton) Nopesa 1928B (of Anomo-Embolophorus Clepsydropsidae Nopcsa 1928B dontoidea) Embolotheriinae Brontotheriidae Osborn 1929D (of Chelyoposaurus? (= Chelyopsis?), Titanotheriidae, Type Em-Cryptocynodon, Diaelurobolotherium), 1929O (redon, Emydochampsa, Emydops, Emydopsis, Emydo-Embolotherium Brontotheriidae Anon, 1929H; rhynchus, Emyduranus. Osborn 1929D, O Endothiodon, Esoterodon, andrewsi Osborn 1929D. O Pristerodon (= Opisthocgrangeri Osborn 1929D, O tenodon), Prodicynodon, loucksii Osborn 1929D. O Taognathus, Tropidostoma Embrithopoda Monodelphia engii (Paratrigodon) Embrithosaurus Pareiasauridae Boonstra 1932B. Engyodon [Eggysodon] Rhinocerotidae Stehlin 1933C; Haughton 1929A, 1929B; Wood, H. 1932 1930A; Haughton & Boon-Enhydra Mustelidae Matthew 1929A Enhydrictis Mustelidae stra 1930 Emeus Anomalopterygidae Lowe, P. 1928B galictoides Pilgrim 1933B Enhydriodon (= Amyxodon) Mustelidae Pilgrim emmerichi (Melissiodon) 1931 Emyda Trionychidae Hummel 1929 Emydidae [Emyidae] Cryptodira Staesche 1928 africanus Stromer 1931C ferox Matthew 1929A (Eocene, Germany) Emydinae [Emyidae] Cryptodira Nopcsa 1928B (?) latipes Pilgrim 1931 Emydochampsa Endothiodontidae sivalensis Matthew 1929A platyceps Huene, F. 1931A Enhydrocyon Canidae Loomis 1931; Matthew & Emydoidae [Emyoidea or Cryptodira] Testudinata Stirton 1930B Hay 1930A (Superfam. of enigmaticum (Uniserium) Thecophora, incl. Chely-Ennacodon [Docodon] Docodontidae Simpson, dridae. Toxochelyidae, G. G. 1929A Enneodon Docodontidae Simpson, G. G. 1929A Dermatemydidae. Kino-Enobius Titanosuchidae sternidae, Emydidae and Testudinidae) strubeni Broom 1929D; Huene, F. 1931A Emydops Endothiodontidae Nopcsa 1928B ensenadense (Macrauchenia) minor Huene, F. 1931A ensenadensis (Ceratophrys) Emydopsis Endothiodontidae Enseosteus Coccosteidae Gross, W. 1932B, 1933D jaekeli Gross, W. 1932B trigonicepe Huene, F. 1931A Entelodon Entelodontidae Andrews, R. 1929B; Emydorhynchus Endothiodontidae 1931: Anon. 1931F; Pearson palustris Huene, F. 1931A Emyduranus Endothiodontidae Nopesa 1928B platyops Huene, F. 1931A magnum Soyer 1929 Entelodontidae (= Elotheriidae) Dichobunoidea Emyidae (= Emydidae) Cryptodira Boöchoerus, Daeodon, Dinohyus, Entel-Broilia, Clemmys (= Sharemys), Emys, Geoclemys, Ocadia, Paleoodon, Tetraconodon chelys, Polyechamatemys, Entelomorphus Typotheriidae Pseudemys, Ptychogaster, rotundatus Rusconi 1931I Entelonychia Notoungulata Scott, W. 1932B Terrapene, Trachemys Edvardocopeia? Emys Emyidae camperi Bergounioux 1933C Entelops Bradypodidae Perrier 1928 Hesperornithidae Lambrecht 1929B; enterrianus (Parodimys) Engliornis Entobranchiata Acraniata Sewertzoff 1929. 1931B. Pycraft 1929B 1932 (Group of Chordata, Enaliornithidae [Hesperornithidae] Hesperornithiincl. hypothetical ancestors formes Enaliosaurus Metriorhynchidae Nopcsa 192873 of Cyclostomata and Osteo-(Teleosauridae) straci) Entognathi Teleostei Garstang 1931 (Div. of Meta-Encheli [Apodes] Physostomi Garstang 1931 (group cranioti, incl. Salmopercae.

of Archieranioti)

Apateodus, Cimolichthys, Enchodus

Enchodontidae Haplomi

Eodidelphys Notoungulata? Simpson, G. G. Entomolestes Tupaiidae Henckel 1928A 1032M Ecanthropus Hominidae Adloff 1931; Bayer, J. Eoditremata (= Diaptosauria) [Rhynchocephalia] 1931; Chardin 1930F; Fried-Lepidosauria Hay 1930A erichs 1932A, C; Heberer 1931; Hennig 1929B; Hill-(Superord, of Diplotremata Tout 1921; Hooton 1931; incl. Rhynchocephalia) Eogyrinidae [Anthracosauridae] Embolomeri Wat-Joleaud 1931C; Kappers 1929A; Miller, G. 1929A; son 1929K (of Anthraco-Mollison 1933; Moore, N. sauroideae) 1928: Osborn 1929K, 1930B; Eogyrinus Anthracosauridae Noble 1929; Pfannenstiel 1932B Osborn & Colbert 1931; Perrier 1928; Pycraft, et al., attheyi Pfannenstiel 1932A; Watson 1929K Echippus Equidae Anon. 1929O; Cooper, C. 1928; Schwarz, R. 1931A, B: Smith, G, 1930H, I, 1932A; Dewar 1931; Magnan 1931E; Warden 1932; Wei-& Sainte-Lague 1933; Matdenreich 1932B; Weinert thew 1929R; Viret 1930 1929A, B, 1930A, D, E, I, venticolus Simpson, G. G. 1932F 1931A, 1932B, D, E, F, Eoichthys Ostracodermi, incertae sedis Bruant 1933B, D; Woodward 1933A; 1927 howelli Bryant 1927 Zuckerman 1933C Eoarchegonaspis Pteraspidae Kiaer 1932 Eomegatherium Megatheriidae Kraglievich 1931K andinum Kraglievich 1930C wardelli Kiaer 1932 Eogretops Gorgonopsia Haughton 1929C cabrerai Kraglievich 1930C nanum uruguayense Kraglievich 1932D vanderbyli Haughton 1929C Eomellivora Mustelidae Stock & Hall 1933 Eobaphetes Anthracosauridae Gregory, W. 1929C (?) necrophila Pilgrim 1932 kansensis Romer 1930D tenebrarum Pilgrim 1932 Eobasileidae [Uintatheriidae] Dinocerata Eobasileus Uintatheriidae Matthew 1929O Eometarhinus Brontotheriidae Eobatrachus Salientia, incertae sedis Romer 1933C huerfanensis Osborn 1929O Eobrycon Characinidae Eomoropinae [preferably Eomoropodinae] Chalicobranneri Eigenmann & Meyers 1929 theriidae Matthew eocaenicus (Uroconger) (Incl. Eomoropus) Eomoropus Chalicotheriidae Matthew 1929A eocaenus (Coryphodon) (?) major Zdansky 1930 Eccaiman Alligatoridae Simpson, G. G. 1933I (?) minimus Zdansky 1930 cavernensis Simpson, G. G. 1933I Eocarcharodon Lamnidae? Menner 1932 [also spell-(?) quadridentatus Zdansky 1930 ed Eccarchodon] Eomyidae [Muridae] Myoidea Viret 1929C (Eomyangustidens Menner 1932 dae) rondelettiformis Menner 1932 Eopelobates Pelobatidae Parker 1929 Eccardiidae [Caviidae] Hystricomorpha Kraganthracinus Parker 1929 lievich 1930D (for Eocar-Eopteryx Aves incertae sedis didae) mississippiensis Wetmore 1930B Eocaviinae Caviidae Kraglievich 1930D (of Eocareos (Stenopterygius quadriscissus) diidae) Eosauravidae Cotylosauria incertae sedis Romer eocenica (Chimaera) 1933C (Seymouriamorpha?) eocenicus (Beryx, Otolithus) Frost 1933A Eosauravus Cotylosauria incertae sedis eocenicus (Conger, Otolithus) Frost 1933A (Concopei Romer 1930D gridarum) Eoserpeton Urocordylidae eocenicus (Elops, Otolithus) Frost 1933A tenuicorne Romer 1930D eocenicus (Gadus, Otolithus) White & Frost 1931 Eosimops Dicynodontidae eocenicus (Polymixia, Otolithus) Frost 1933A newtoni Huene, F. 1931A Eccerators Ceratorsidae Lull 1933A: Nopesa Eosiren Dugongidae Simpson, G. G. 1932C 1928B Eospheniscus Spheniscidae Lowe, P. 1933C Eochelone Cheloniidae Nopcsa 1928B Eostega Elopterygidae Lambrecht 1929A, 1933B Eccrex Rallidae Wetmore 1931F lebedinskyi Lambrecht 1929A primus Wetmore 1931F Eostyloceros Palaeomerycidae Weber, M. 1928A Ecctenodus Ctenodontidae Hills 1928 Eosuchia Lepidosauria Haughton 1929B (Diapmicrosma Hills 1928 Eccyclops Dicynodontidae sida); Huene, F. 1929G (Diapsida); Romer 1933C longus Huene, F. 1931A Eodelphis Didelphiidae Simpson, G. G. 1929A (incl. Younginidae, Proterosuchidae. Paliguanidae, browni Gregory, W. 1929G; Simpson, G. G. 1930D Howesiidae, Palaeochamelcutleri Simpson, G. G. 1928C, 1930D contidae. Saurosternidae.

Thalattosauridae and Saphaeosauridae); Zittel 1932 (Suborder of Thecodontia) Lepidosauria Nopesa [Eosuchia] Eoguchoidea. 1928B (Suborder of Thecodontia, incl. Younginidae) Eosuchus Tomistomidae Nopcsa 1928B Entheroides Prorastomidae Simpson, G. G. 1932C Equitanopinae Brontotheriidae Osborn 1929O (Incl. Eotitanops) Eotitanops Brontotheriidae borealis Osborn 1929O brownianus Osborn 1929O gregoryi Osborn 1929O major Osborn 1929O minimus Osborn 1929O princeps Osborn 1929O Eotitanotherium Brontotheriidae osborni Osborn 1929O Eotrigonias Rhinocerotidae rhinocerinus Wood, H. 1929A, B Eotrigonodon Trigonodontidae Weiler 1929C serratus aegyptiaca Weiler 1929C Eoxenopoides Pipidae Haughton 1931 reuningi Haughton 1931 Epanorthidae [Caenolestidae] Caenolestoidea Epiaceratheriinae Rhinocerotidae Wood, H. 1931 (Incl. Epiaceratherium) Epiaceratherium Rhinocerotidae Beliaeva 1930: Wood, H. 1931, 1932 bolcense gaudryi Wood, H. 1931 bolcense turgaicum Wood, H. 1932 Epicordylus Eryopidae Romer 1928G [Eryops] Epihippus Equidae Matthew 1929R intermedius Peterson, O. 1932 Epimachairodontinae Felidae Kretzoi 1929 (of Machairodontidae, incl. Epimachairodus) Epimachairodus Felidae Kretzoi 1929; Pilgrim 1931 boulei Kretzoi 1929 crenatus Kretzoi 1929 hungaricus Kormos 1932H; Kretzoi 1929 ?taracliensis Pilgrim 1931 Epipetalichthys Macropetalichthyidae Gross, W. 1933 D minor Gross, W. 1933D prümensis Gross, W. 1933D wildungensis Gross, W. 1933D Epipneusta [Actinopterygii] Osteichthyes Garstang 1931 (Div. incl. Chondrostei, Holostei and Teleostei) episcopalis (Dolomys, Talpa) Episcoposauridae (= Desmatosuchidae) Pelycosimioidea Camp 1933 (for Desmatosuchidae) Episcoposaurus (= Desmatosuchus) Episcoposaurus Episcoposauridae Camp 1930B; Huene, F. 1931B; Kuhn, Oskar, 1933A; Nopesa 1928B Epoicotheriidae Palaeanodonta? Epoicotherium (== Xenotherium preoce.) Epoicotherium Epoicotheriidae [near Palaeano-

dontal Simpson, G. G.

1931A

Eporeodon Merycoidodontidae socialis Thorpe 1931C eppelsheimensis (Amphicyon, Anas, Pliohylobates) eppsi (Albula, Otolithus) Frost 1933A; White & Frost 1931 eppsi (Gadus, Otolithus) White & Frost 1931 eppsi (Protoadapis) Eptesicus Vespertilionidae praeglacialis Kormos 1930B Equidae Equoidea Abel, O. 1928A, B; Cooper, C. 1932A (Hyracotherium) 1932A (early genera): Edinger 1930E (rate of evolution); Fraipont & Leclerco 1932A, B; Haughton 1932A (S. Africa); Lull 1931B (phylogeny); Matthew 1929A (Sivaliks), 1929K, R. T. 1932A: Matthew & Stirton 1930A; Nitsche 1929 (Bohemia); Osborn 1910 (general), 1929P (phylogeny); Schtylko 1929 (phylogeny, osteology, distribution); Stehlin 1929A (phylogeny); Stovall 1929 (geol. distr.); Viret 1930 (phylogeny). Anchitherium, Archaeohippus, Asinus, Calippus, Dolichohippus, Echippus (= Hyracotherium), Epihippus, Equus (= Sterrohippus = Euhippus = Neohippus = Microhippus), Eurygnathohippus. Hipparion (= Sivalippus = Hippotherium = Hippodactylus), Hippidion (= Hippidium), Hippotigris, Hyperhippidum, Hypohippus, Kalobatippus, Kolpohippus, Kraterohippus, Libyhipparion, Merychippus, Mesohippus, Michippus, Nannippus. Nechipparion, Notohipparion, Onohippidium (= Onohippidion), Orohippus, Parahippus, Plesippus, Pliohippus, Proboscidip-Propachycynoloparion, phus (probably = Hyracotherium), Protohippus, Stylohipparion equilaterata (Holmesella) Equoidea Perissodactyla Hay 1930A (Equoidae) Equus Equidae Chardin 1931A; Dietrich 1933A; Ehrenberg 1932B; Figgins 1927; Fraipont & Leclercq 1932B; Hennig 1931A; Joleaud 1933C; Leuthardt 1930B; Lyon 1931; Marinelli (skull); Matthew 1929R; Osborn 1929P; Stehlin 1929A; Stromer 1928B abeli Antonius 1928 (= taubachensis)

achates Hay & Cook 1930 simplex Haughton 1932A; Van Hoepen altidens Kormos 1931A 1930A asinus hydruntinus Graziosi 1933 simplicissimus Haughton 1932A; Vancaballus Antonius 1928; Catarini 1933; Hoepen 1930A Kelly 1928; Mathieu 1932 sivalensis Bourdelle 1933 caballus Schwarz, E. 1928 stenonis Airaghi 1928; Bernsen fossilis Bourdelle 1933 Bruet 1928; Erasmo 1932B; nehringi Bourdelle 1933 Matthew 1929T; plicidens Schwarz, E. 1928 1933B przewalskii Schwarz, E. 1928 stenonis race major Bernsen 1931 pumpellii Bourdelle 1933 taubachensis Antonius 1928 (nomen robustus Bourdelle 1933; Schwarz, nudum) E. 1928 westphali Haughton 1932A capensis Boule 19291; Goodwin 1929B; erectafrons (Tetragonosaurus) Goodwin & Lowe 1929; Erectopodidae [Aublysodontidae] Megalosauroidea Haughton 1932A; Lowe, C. Huene, F. 1932A (Erecto-1929A pidae of Carnosauria) Erectopus Aublysodontidae Nopcsa 1928B var. simplex Haughton 1932A cawoodi Broom 1928B; Haughton 1932A; sauvagei Huene, F. 1932A Van Hoepen 1930B superbus Huene, F. 1929A complicatus Berry, C. 1931; Cook, H. erectus (Argentina, Otolithus) Frost 1933A 1931E; Harnly 1932; Nininerectus (Aristosaurus, Ctenacanthus, Pithecanger 1928; Wing 1930 thropus) ferus Gaal 1928 Eremopezus Aepyornithidae Lambrecht 1929E fossilis Oppenheimer 1933 eocenus Lavauden 1931 germanicus Botzong & Voelcker 1930; eremus (Nannocetus) Schmidtgen 1929B Erethizontidae Hystricoidea gigas Haughton 1932A; Van Hoepen Palmiramys 1930A Acaremyinae grévyi Hopwood 1933B Eretmosaurus Plesiosauridae harrisi Broom 1928B; Haughton 1932A rugosus Swinton 1931B (Sterrohippus) Ericiolacerta Bauriamorpha Watson 1931B helmi Haughton 1932A parva Watson 1931B eriksoni (Prosiphneus, Siphneus) hemionus Antonius 1928; Bate 1932B; Erinacedae Erinaceoidea Romer 1933C [for Erina-Dietrich 1932B; Schmidtgen 1929B ceidael hydruntum Stehlin 1933B (Asinus) Erinaceidae (= Erinacedae, incl. Galericidae)Erinakuhni Broom 1928B; Haughton 1932A ceoidea louwi Haughton 1932A; Van Hoepen Brachyerix, Erinaceus, Galerix, Mete-1930B chinus, Meterix, Palaecerilylei Haughton 1932A naceus, Pseudogalerix mosbachensis Freudenberg 1931; Schmidt-Gymnurinae gen 1929A, 1932B; Stettner Erinaceoidae [Erinaceoidea] Insectivora Hay 1930 1930A (Superfam. of Liponiobrarensis Cook, H. 1931E; Matthew 1929T; Nininger 1928 Erinaceus Erinaceidae occidentalis Antonius 1928: Matthew carmelitus Bate 1932A 1929T europaeus Bataller 1932 otranto Stehlin 1933B (Asinus) praeglacialis Brunner 1933 pacificus Simpson, G. G. 1933H priscus Seemann & Berckhemer 1930; platyconus Haughton 1932A; Van Hoepen Viret 1929C 1930A sansaniensis Stromer 1928D Erisichthe Pachycormidae plicidens Antonius 1928 przewalskii Antonius 1928; Botzong & eroda (Cooperella) Voelcker 1928, 1930; Erpetopus Ichnites Moodie 1929C Schmidtgen 1929B willistoni Moodie 1929C quagga Haughton 1932A Erpetosaurus Branchiosauridae wahlbergi Haughton 1932A acutirostris Romer 1930D robustus Antonius 1928; Haughton 1932A laevis Steen 1931A (Sterrohippus); Schwarz, minutus Romer 1930D E. 1928 obtusus Romer 1930D sandwithi Haughton 1932A radiatus Romer 1930D; Steen 1931A sanmeniensis Chardin & Piveteau 1930; tabulatus Romer 1930D Osborn 1931F tuberculatus Romer 1930D scotti Figgins 1927B walcotti Romer 1930D

Erpetosuchidae Ornithosuchidae Nopesa 1928B Erpetosuchus Newton Ornithosuchidae Kuhn, Oskar 1933A "Erpetosuchus" Moodie [Eobaphetes] Anthracosauridae kansensis Romer 1930D errabundus (Squalodon) errans (Neogyps) erraticus (Perca, Otolithus) Roedel 1930 (Percidarum) ertborni (Cervus) Erromenosteus Coccosteidae lucifer Gross, W. 1932B erymanthius (Sus) Eryopidae (incl. Actinodontidae) Rhachitomi Actinodon, Anisodexis?, Chelydosaurus, Eryops (= Epicordylus = Rachitomous), Melosaurus, Sclerothorax Eryops Eryopidae Gillies 1929; Noble 1929; Romer 1928B; Stadtmüller 1929 erythroceps (Promerycochoerus) Erythrochampsa Notochampsidae Huene, F. 1933A (Crocodilia); Kuhn, Oskar 1933A (in Pseudosuchia) Erythrosuchidae (incl. Proterosuchidae) Pelycosimioidea Chasmatosaurus, Proterosuchus Erythrosuchidae Pelycosimioidea Kuhn Oskar 1933A; Nopesa 1928B; Zittel 1932 escheri (Steneofiber) eseri (Amphicyon aff.) Viret 1929C eseri (Chalicomys, Chloromys, Steneofiber) esmeralda (Branta) Esocidae Haplomi Esox Esoterodon Endothiodontidae uniseries Huene, F. 1931A Esox Esocidae Schtylko 1930; Stromer 1928D; Zotz 1928 lepidotus Weitzel 1933B lucius Schtylko 1928B esperi (Evotomys) Essonodon Ptilodontidae Simpson, G. G. 1929A establei (Castellanosia) Esthonychidae Tillodontia

Esthonyx

ethiopicum (Libyhipparion)

ethiopicus (Phacochoerus)

etrusca (Hystrix)

Euarctos Ursidae

G. G. 1929M

Dinailurictidae?)

etruriae (Rhinoceros merchianus) Caccia 1928

petersoni Simpson, G. G. 1929I

americanus Smith, B. 1929

pida and Brachythoraci) Eubelodon Mastodontidae Barbour, E. 1930B morrilli Barbour, E. 1932B Eubradys Mylodontidae Kraglievich 1928C Eucastor Castoridae Schreuder 1929 Euceratherium Bovidae Barbour, E. 1931F americanum Gazin 1933C collinum Gazin 1933C (= Preptoceras) Euchambersia Euchambersiidae Broom 1931C; Nopesa 1933B mirabilis Broom 1931C Euchambersiidae Therocephalia Euchambersia Eucladoceros Cervidae boulei Chardin & Piveteau 1930 Eucnemesaurus Plateosauridae Huene, F. 1932A (Melanorosauridae) eucornutus (Megalotragus) Eucosmodon Ptilodontidae americanus Granger & Simpson 1929 primus Granger & Simpson 1929 gratus Jepsen 1930C molestus Granger & Simpson 1929 teilhardi Granger & Simpson 1929 Eucreodi [Miacoidea] Creodonta Kretzoi 1929 (= Canoidea) Eudiastatus Mammalia, incertae sedis lingulatus Bluntschli 1931 Eudinoceras Coryphodontidae Anon. 1928H kholobolchiensis Osborn & Granger 1931A mongoliensis Osborn & Granger 1931A Eugnathidae Holostei Caturus, Eugnathus Eugnathus Eugnathidae Erasmo 1932A Eugyrinus Branchiosauridae wildii Steen 1931A Euhapsis Castoridae Schreuder 1929 gaulodon Cook & Cook 1933 Euhippus Equidae Schwarz, E. 1928 [Equus] Euichthyes Gnathostomata Naef 1931 (group of Osteospondyli; [= Crossopterygii + Actinopterygii]); Rauther 1927-1933 (Pisces, excluding Ostracodermi) Eukeraspis Cephalaspidae Stensiö 1932A (Scler-Esthonyx Esthonychidae Perrier 1928; Simpson, odus) Eulamaops Camelidae Aranguren 1930; Cabrera 1932 Eumatthevia Poliosauridae Broom 1930D, G bolli Broom 1930D Eumegamyidae [Chinchillidae] Hystricoidea Kraglievich 1929B, 1930H, 1932B, etruscus (Bos, Coelodonta, Felis, Leptobos, Rhin-(Incl. Eumegamyinae, Phooceros. Ursus, Valdarnius) beromyinae and Gyria-Euailuroida Felidae Kretzoi 1929 (Tribe of Aelubrinae) roidea, incl. Felidae and Eumegamyinae Chinchillidae Kraglievich 1932B (of Eumegamyidae) Euangelistes Didelphiidae Simpson, G. G. 1929A, I Eumegamys Chinchillidae Kraglievich 1929B dubius Kraglievich 1932B paranensis Kraglievich 1929B scalabrinianus Kraglievich 1929B

Euarthrodira [Arthrodira] Placodermi Gross, W.

1932B (Order of subclass

Arthrodira; incl. Acanthas-

Europolemur Lemuroidea, incertae sedis Weigelt eumerus (Microgomphodon, Microhelodon) Eumeryx Cervidae Matthew 1929A 1933 D Eumetopias Otariidae klatti Weigelt 1933D Euryaspis Phlyctaenaspidae Bryant 1932 jubata olivensis Rusconi 1931F Eumylodon Mylodontidae Kraglievich 1928C: brachycephalis Bryant 1932 Vignati 1931B Eurycarpus Dicynodontidae Huene, F. 1931A Eumysops Myocastoridae Rusconi 1929C Euryceros Cervidae Young 1930B Eunothocyon Canidae Kraglievich 1930A pachyosteus Young 1932C Eunotosauria Testudinata? Nopesa 1928B; Romer euryceros (Cervus) 1933C (Suborder of Che-Eurycleidus Plesiosauridae Nopcsa 1928B (Eurylonia); Zittel 1932 (of Cotyclidus) losauria?) Eurydorus Phytosauridae serridens Camp 1930B [Clepsysaurus] Eunotosauridae Eunotosauria Nopesa 1928B (of Eunotosauroidea) Eunoto-Eurygnathohippus Equidae Van Hoepen 1930B cornelianus Van Hoepen 1930B sanrus Eunotosauria Nopesa 1928B Eurylaimi Passeriformes Eunotosauroidea Eurylambda Spalacotheriidae Simpson, G. G. (Suborder) 1929A Eunotosaurus Eunotosauridae Nopesa 1928B Euoplocephalus (= Euopocephalus) Nodosauridae aequicrurius Simpson, G. G. 1929A Eurylepis Palaeoniscidae Tilton 1931A Gilmore 1930C; Nopesa Eurymylidae Rodentia, incertae sedis Matthew, 1928C, 1929C Euparkeria Ornithosuchidae Kuhn 1933A; Romer Granger & Simpson 1929; 1933C Simpson, G. G. 1931B Eurymylus (= Baënomys) Euparkeriidae Ornithosuchidae Kuhn 1933A Eurymylus Eurymylidae Euparkeriinae Ornithosuchidae Nopcsa 1928B laticeps Matthew, Granger & Simpson (Incl. Browniella, Euparkeria and Heleosaurus) 1020 Euphagus Icteridae Eurynotus Palaeoniscidae magnirostris Miller, A. H. 1929B erenatus Watson 1928B Eurypterygius Ichthyosauridae Huene, F. 1931D Euphanerops Euphaneropsidae Regan 1929A Eurysaurus Nothosauridae Nopesa 1928C [Ger-Euphaneropsidae Anaspida Euphanerops manosaurus1 Eurysternum Thalassemyidae Euphilus Chinchillidae burmeisteri Kraglievich 1929B wagleri Abel, O. 1930A, 1931E Euporosteus Coelacanthidae eurystethes (Taunaspis) eifelianus Gross, W. 1933D eurystyle (Hipparion) Euposauridae? Anguimorpha Eurythorax Dipnoi, incertae sedis Euposaurus sublaevis Romer 1930D Euryzygoma Diprotodontidae Anderson, C. 1933; Euposaurus Euposauridae Nopesa 1928B (in Anguinininae) Longman 1929 Eusauria Reptilia Goodrich 1930B (Incl. Testudi-Euprox Cervidae furcatus Stehlin 1928A nata and Diapsida) eurafricanus (Notanthropus) Eusauropleura Reptilia, incertae sedis Romer eurasicus (Heoanthropus) 1930D Eurhinodelphidae ("Eurhinodelphiden") Odontodigitata Romer 1930D ceti Abel. O. 1931F Eusigmomys Muridae? Eurhinodelphis (?) friasensis Kraglievich 1930C Eurhinodelphis Eurhinodelphidae euskelosauroides (Ichnites) cocheteuxi Abel, O. 1931F Euskelosaurus Plateosauridae Huene, F. 1932A cristatus Abel, O. 1931F (Plateosauravidae) longirostris Abel, O. 1931F Eusmilus Felidae Piveteau 1932A Stenopterygiidae Drevermann bidentatus Dietrich 1930; Kretzoi 1929 Eurhinosaurus 1930C; Huene, F. 1928C, dakotensis Jepsen 1933 1931 F schlosseri Kretzoi 1929 huenei Swinton 1930B sicarius Jepsen 1933 longirostris Drevermann 1930B; Huene, Eusthenopteron Megalichthyidae Gregory, W. F. 1931F 1928E, 1929C; Holmgren Eurhipidurae [Neornithes] Aves Hay 1930A (Incl. 1928 Hesperornithomorphi and foordi Aldinger 1931A

Eusuchia Crocodilia

Eutamias Sciuridae

Eusyodon Rhinocerotidae Matthew 1932B

Eutatinae Dasypodidae Bordas 1933 (Incl. Eu-

tatus)

ateles Hall, E. 1930C

Carinatae)

chus, Meniscodon, Palae-

anthropus. Phenacodus)

europaea (Cuon alpinus) Slodkewitsch 1933

europaeus (Bison, Erinaceus, Homo, Lithobatra-

europaea (Hyla)

Eutatus Dasypodidae
ameghinoi Bordas 1932B, 1933
inornatus Bordas 1932A, 1933
seguini Bordas 1932B, 1933; Rusconi
1931E
Euthecodon Tomistomidae
brumpti Joleand 1930E

brumpti Joleaud 1930E nitriae Joleaud 1930E

Eutheria [Monodelphia] Mammalia Simpson, G. G. 1931B (Incl. only the

Monodelphia = Placentalia) Euthlastus Dryolestidae Simpson, G. G. 1929A

Eutypomys Castoridae Schreuder 1929

Evotomys Muridae

acrorhiza Kormos 1932B, 1933C esperi Brunner 1933; Heller 1930

glareolus Brunner 1933; Schreuder 1933A

exanthematica (Peplorhina)
excelsus (Apatosaurus, Brontosaurus)
excisus (Scopelus, *Otolithus*) Frost 1933B
excubitor (Lanius)
exiguus (Hyaenodon)

exilis (Galerix) eximia (Crocuta, Hyaena)

Exocoetoidae [Exocoetoidea] Haplomi Hay 1930A (Superfam, of Synento-

gnathi)

extoni (Cleithrolepis)
faberi (Titanoides)
fabianii (Anthracochoerus)
fabrini (Homotherium)
facetidens (Ceratodus)
Fadenia Edestidae Nielsen 1932

crenulata Nielsen 1932

faidherbi (Ursus arctos mut.) Arambourg 1933B

faiderbianus (Ursus) fairbanksi (Pliohippus) fajumensis (Lates, Sphyraena)

fajumensis (Stromeria) Lambrecht 1929E [for fayumensis]

Fajumia Siluridae

schweinfurthi Peyer 1928C stromeri Peyer 1928C

falcatus (Cyrtaspis)

Falco Falconidae

mexicanus Miller, L. 1927; Wetmore 1932 peregrinus Miller, L. 1927 swarthi Miller, L. 1927

falconeri (Argala, Capra, Leptotilus, Machaerodus, Meganthereodon, Meganthereon, Spirocerus)

falconeri (Elephas antiquus) Vaufrey 1929 Falcones Falconiformes

Falconidae Falconoidea

Buteo (= Geranoaëtus), Halco, Haliaetus, Morphnus, Neogyps, Neophrontops, Paleoborus, Spizaetus, Urbitinga, Wetmoregyps

Falconiformes Neognathae
Falconoides Falcones Hay 1930A (Falconoidae of
Falconiformes)

fallax (Melanerpeton) familiaris (Canis) farringtoni (Oracanthus) fasciculare (Thyrsidium) fastigatus (Hyopsodus) fayumensis (Stromeria) fecunda (Palaeogale) feignouxi (Dremotherium) feignouxi (Sciurus) feigrváryi (Testudo)

Felidae (Incl. Nimravidae, Machairodontidae,
Megantereontidae, Dinailurictidae and Ailuromachairodontidae) Feloidea
Kretzoi 1929 (in Euailuroidea); Matthew 1929A (excl.
Machaerodontidae); Merriam & Stock 1932; Moodie
1929D, H, I, 1930K (paleopathology); Pilgrim 1932;
Schwangart 1929 (phylog-

eny, etc.) Abacinonyx, Acinonyx, Afrosmilus, Ailurictis, Ailuromachairodus. Albanosmilus. Archaelurus, Avitofelis. Cynailurus (= Cynaelurus), Dendrailurus, Dinailurictis (= Dinailurus?), Dinictis, Dinobastis, Dinofelis, Dolichofelis, Drepanodon (partim), Dromo-Elmensius, panthera, Epimachairodus, Eusmilus, Feliopsis, Felis, Herpailurus, Heterofelis, Homotherium. Hoplophoneus, Hyainailouros, Hyperailurictis, Ictailurus, Ischyrosmilus, Leo, Leopardus, Leptailurus, Lynx, Machairodus (= Machaerodus = ? Agnotherium = Amphimachaerodus), Megantereon (= Meganthereodon = Meganthereon), Mellivorodon?, Metadeiniktis, Metailurus, Microfelis, Neofelis, Nimravus (= Ailurogale = Pseudaelurus = Pseudailurus), Pachvailurus, Panthera (= Tigris), Paracinonyx, Paramachaerodus (= Pontosmilus = Protamphimachaerodus). Parapseudailuris, Pardofelis, Pardotigris, Pareusmilus, Pogonodon, Prionailurus, Prionofelis, Profelis, Propontosmilus, Pseudaelurus, Puma, Sansanosmilus, Sivaelurus, Sivafelis, Sivapanthera, Sivasmilus, Smilodon, Smilodontopsis, Styriofelis, Telosmilus, Toscanius, Tri-Trucifelis, chaelurus, Uncia, Valdarnius, Vin-

yakia, Vishnufelis, Zibethturnauensis Kretzoi 1930 ailurus, zitteli Kretzoi 1930 Feloidea Fissipedia Hay 1930A (Feloidae); Simp-Acinonychinae, Ailuromachairodontinae. Dinailurictinae. son, G. G. 1931B (to replace Aeluroidea of Epimachairo-Dinictinae, Flower) dontinae, Felinae, Hoplo-Felsinotherium Dugongidae phoneinae, Hyainailurinae floridanum Simpson, G. G. 1932C (= Hyaenaelurinae), Ictaiossivallense Simpson, G. G. 1932C lurinae, Machairodontinae, femoralis (Miocorax, Phalacrocorax) Megantereontinae, Neofenestratus (Pentaceratops) felinae, Nimravinae, Panfeningrei (Amphitragulus) therinae, Pogonodontinae, Ferae [Carnivoral Monodelphia Kretzoi 1929 (Incl. Pseudaelurinae. suborders Creodonta, Paradontinae carnivora and Carnivora) Felinae Felidae Abel, O. 1933C; Kretzoi 1929; ferox (Aquila, Basutodon, Enhydriodon, Sauro-Pilgrim 1931; Schwangart cephalus. Titanosuchus, 1929 (phylogeny) Trioracodon) Feliopsis Felidae Kretzoi 1929 ferquensis (Palaedaphus) Felis Felidae Dubois & Stehlin 1932; Ehrenberg ferreriai (Scalabrinitherium) feruglioi (Stereotoxodon) 1931E: Kretzoi 1929; Parodi 1930; Pilgrim 1931 ferus (Equus) ferus (Sus scrofa) Gromova 1929 acutidens Zdansky 1928 aphanista Matthew 1929A (for Machaefiber (Castor) Fieraster Otolithus rodus); Pilgrim 1931 novus Šulc 1932A arvernensis Airaghi 1928 figginsi (Bison, Simobison) atrox Matthew 1929P; Merriam & Stock 1932 (Panthera); Stock figginsi (Trigonias osborni) Gregory & Cook 1928; 1932D Wood, H. 1931 filholi (Aceratherium, Hyracodontotherium, Parattica Arambourg & Piveteau 1929A; Pileusmilus, Serridentinus) grim 1931 bituminosa Merriam & Stock 1932 filifera (Diatryma) brachygnatha Matthew 1929A; Pilgrim fischeri (Lynx rufa) Merriam & Stock 1932 1932 (Cynaelurus) fischeri (Megalichthys, Osteolepis, Scaphonyx) fissidens (Beremendia, Catopsalis, Polymastodon) brachygnathus Kretzoi 1929 brevirostris Kretzoi 1929 Fissipedia Carnivora caffra Dietrich 1933 fissurae (Microcleptes) concolor Merriam & Stock 1932 Flacourtia Aepyornithidae Lowe, P. 1928B cristata Pilgrim 1932 flagrifer (Branchiosaurus) cristatus Pilgrim 1932 flammeolus (Otus) daggetti Merriam & Stock 1932 flavigula (Charronia) diastemata Astre 1929A flavirostris (Phaeton) etruscus Kretzoi 1930 fletti (Cephalaspis, Coccosteus) gigantea Pilgrim 1931 flexus (Monoclonius) hillanus [Borophagus] Matthew & Stirton Flindersichthys Elopidae Longman 1932A 1930B denmeadi Longman 1932A issiodorensis Voelcker 1930 Florentinoameghinia Mammalia, incertae sedis lacustris Gazin 1933A Simpson, G. G. 1932L leiodon Pilgrim 1931 mystica Simpson, G. G. 1932L leo Edinger 1931B florentinus (Macacus) spelaea Bolkay 1929; Riabinin florescens (Serridentinus) 1933 Florida Ardeidae megantereon Kretzoi 1929 caerulea Howard 1929 neas Pilgrim 1931 floridana (Kogiopsis) ocreata Caterini 1933 floridanum (Felsinotherium, Metaxytherium) ogygia Pilgrim 1931 floridanus (Arctodus, Boreostracon, Molossides, onca Kretzoi 1929 Oxydactylus, Parelephas. palmidens Kretzoi 1929 Proheteromys, Serridenpardina spelaea Caterini 1933 (Lynx) tinus) pardus Caterini 1933; Pales 1929D flörsheimense (Diaceratherium) quadridentata Kretzoi 1929 flourensianus (Micromeryx) rubiginosa Kretzoi 1930 fluminalis (Dolichorhinus) silvestris Kormos 1933G fluviatilis (Baëna, Metarhinus, Perca)

fodinatus (Plesiadapis)

foliatus (Catopsalis, Polymastodon)

spelaea Ehrenberg 1929A; Hinton 1932B;

Kubacska 1929

Folsom Man Hominidae Brown, B. 1928, 1929A; Cook, H. 1928, 1931A, B, F; Figgins 1927, 1931A, 1933B; Gould 1929B; Hay & Cook, fontanai (Hydrochoeropsis, Megalonychops) fontanellus (Trematosteus) fontannesi (Lagomys) Fontinalis Aves, incertae sedis pristina Wetmore 1930B fontinalis (Palaeosyops) foordi (Eusthenopteron) foriri (Anomaeodus) Formicaroidae [Formicariidae] Furnarioidea Hay 1930A (Superfam. of Passeriformes) formosa (Terrapene) formosissimus (Homostius) formosus (Thrissops, Troödon) forsteri (Neoceratodus) incertae sedis Gunnell Fortscottella Selachii. 1033 semiserrata Gunnell 1933 fortunatus (Anisonchus) fossiger (Teleoceras) fossilis (Canis jubatus) Kraglievich 1928A fossilis (Cervus canadensis) Young 1932C fossilis (Cricetiscus, Cricetulus, Homo, Myopotamus, Ovibos, Rangifer, Rhea, Spalax) fossilis (Equus caballus) Bourdelle 1933 fossilis (Hydrochoerus capybara) Kraglievich 1930D fossilis (Rhinoceros indicus) Matthew 1929A fourmarieri (Dipterus) fournieri (Denea) foveata (Sauropleura) foveatus (Colosteus) fraasi (Arius, Brachiosaurus, Kalamoiketor, Metaschizotherium, Metoposaur-Protosiren, Pseudosciurus, Sellosaurus) fraasi (Elephas primigenius) Berckhemer 1928A fraasianus (Plateosaurus) fracta (Phthinylla) fragilis (Buteo, Cervus, Geranoaëtus, Habromeryx, Lycoptera, Paraceros, Urbitinga) fragosa (Kindleia) francisi (Stelabison occidentalis) Figgins 1933A Francolinus Phasianidae čapeki Brunner 1933: Lambrecht 1933B franconicum (Alligatorium) franconicus (Mimomys, Plagiosaurus) Francosuchus Phytosauridae Kuhn, Oskar 1932 broilii Kuhn, Oskar 1932 latus Kuhn, Oskar 1932 fraterculus (Argyrohippus) fraudator (Sminthoides) freieslebeni (Palaeoniscus) frequens (Didelphis, Oxygomphius) freyi (Basileosaurus) friasensis (Eusigmomys, Megathericulus) fricki (Amebelodon) friedbergi (Gadus)

friedeli (Pholidosteus)

Fringillidae Passeres Cannabina Fringilloidae [Fringillidae] Passeres Hay 1930A (Superfam. of Passeriformes) frontalis (Bibos) frontosus (Lystrosaurus) Fulgurotherium Coeluridae Huene, F. 1932A australe Huene, F. 1932A Fulica Rallidae dejardini Lambrecht 1933B Fulicaletornis Rallidae Lambrecht 1933B venustus Lambrecht 1933B Fulmarus Procellariidae Christiani 1929 (Fulmaris) fultus (Semionotus) fumensis (Cochilius) funerea (Cryptoglaux) furcata (Tinca) furcatus (Caturus, Dicrocerus, Euprox, Pachythrissops) furcatus (Conger, Otolithus) Frost 1933A (Congridarum) Furcotherium Dugongidae Simpson, G. G. 1932C furlongi (Liodontia Mustela, Perognathus, Pliogale) furtious (Lutrine g. indet.) Pilgrim 1932 Gadidae Anacanthini Gadus, Merluccius, Nemopteryx Gadomorphi [Anacanthini] Physoclysti Hay 1930A (Order of Teleostei) Gadopsidae [Blenniidae] Blenniiformes Smirnow 1932 (Incl. Spinogadus) Gadus Gadidae caspius Boghachev 1928 elegans (Otolithus) Hucke & Voigt 1929 eocenicus (Otolithus) White & Frost 1931 eppsi (Otolithus) White & Frost 1931 (?) friedbergi Chaine & Duvergier 1928 insuetus (Otolithus) Roedel 1930 (Gadidarum) kiplingi Boghachev 1928 rugiae (Otolithus) Voigt 1928 (Gadidorum) gaillardi (Alopecodon, Cypselus, Miomegaderma Palaeocryptonyx, ortvx. Parapseudailurus, Roussettus, Stenogale) gaillardi (Trilophodon angustidens) Osborn 1929J Gaillardia Talpidae Matthew 1932A thomsoni Matthew 1932A Galacridae [for Galeopsidae = Galeopidae; non Galepodidael Dromasauria Nopesa 1928B (in error for Galeopsidae. Although the type genus is given as "Galerus" [= Galepus or Galechirus; Galechiridael the characters given are those of Galeops). Galea Caviidae

turgea Kraglievich 1932B

Galechirus (= Galerus?), Galepus (=

Galerus?) Galechiridae Dromasauria Nopesa 1928B (Droma-

sauroidea)

Galechiridae Dromasauria

Ciconia.

incl.

Fosuchus.

Mont-

Galechirus? Galechiridae Nopesa 1928B ("Gagarrettorium (Theosodon) Garrulus Corvidae Nagy 1929 lerus") Galecynus Canidae Matthew 1929P gastaldii (Steno) Gasterosteidae Hemibranchii Galemys Talpidae Weber, M. 1928A Galeocerdo Carchariidae Beaufort 1928 Gasterosteoidae [Gasterosteidae] Hemibranchii Hay 1930A (Superfam. of aduncus Piveteau 1933B Gasterosteiformes) Galeoidea Squaliformes Hay 1930A (Galeoidae) Galeopidae [Galeopsidae] Dromasauria Romer Gastrocentrophori Tetrapoda Huene, F. 1931J 1933C (Incl. Reptilia, Mammalia and Aves); Noble 1931 (Incl. Galeopodidae [Galeopsidae] Dromasauria Microbrachidae, Hylonom-Galeops Galeopsidae Nopesa 1928B galeops (Diictodon) idae and Limnerpetontidae) gaudryi (Aceratherium, Allacerops, Anomalomys, Galeopsidae (= Galaeridae) Dromasauria Astrapotherium, Galeops Epiaceratherium, Gazella, Galeotherium [Ictitherium] Hyaenidae Pilgrim Metriorhynchus, 1931 sechobatrachus, Palaeoba-Galepus? Galechiridae Nopcsa 1928B ("Galerus") Galericidae [Erinaceidae] Erinaceoidea Gaillard trachus, Promephitis, Protetraceros. Ronzotherium 1928B Galerita Alaudidae Moreau 1930 Teleidosaurus) gaudryi (Microtragus parvidens) Pilgrim & Hop-Galerix Erinaceidae wood 1928 exilis Stromer 1928D gaulodon (Euhapsis) stehlini Gaillard 1928B gaurus (Bibos) Galesauridae Cynodontia Huene, F. 1928B (Fam. 2 Gavialidae Eusuchia Kälin 1931A, 1933A ("Gaof Cynodontia. Incl. Gloviales") chinodon. Glochinadon-Gavialis, Rhamphosuchus toides, Ictidopsis, Nytho-Gavialiformes [Tomistomidae + Gavialidae] Eusuchia Hay 1930A (Subsaurus, Platycraniellus, and Tribolodon). Galesaurus Cynodontia order of Crocodilomorphi) Gavialinae [Tomistomidae + Gavialidae] Eusuchia planiceps Broom 1932D, 1933B; Parrington Nopesa 1928B (of Crocodi-Galesuchus Gorgonopsia Nopesa 1928B lidae. galictoides (Enhydrictis) Euthecodon, Gavialis, Gagalilacensis (Homo) vialosuchus, Gryphosuchus Galli Galliformes [Gryposuchus], Ramphosuchus and Tomistoma), gallica (Dolichofelis) 1928C gallicus (Paratrogon, Trogon) Gavialis Gavialidae Kalin 1931A gallieni (Hapalemur) browni Mook 1932A Galliformes Neognathae Gavialosuchus Tomistomidae Nopesa 1928B gallinali (Devincenzia) Gallinuloides Gruidae Gazella Bovidae prentici Lambrecht 1933B bailloudi Arambourg & Piveteau 1929A Galloidae [Cracoidea] Galli Hay 1930A (Superfam. blacki Chardin & Young 1931 borbonica Astre 1930B of Galliformes) gallopavo (Meleagris) capricornis Pilgrim & Hopwood 1928 Gallornis Anseriformes, incertae sedis Lambrecht cuvieri Marchand & Aymé 1932 deperdita Arambourg & Piveteau, 1929A: 1931D straeleni Lambrecht 1931D Macarovici 1930: Pilgrim & Gallus Phasianidae Hopwood 1928 longaevus Lambrecht 1933B gaudryi Arambourg & Piveteau 1929A; gamayensis (Diaphoromys) Chardin & Young 1931; Gamphacanthus Ichthyodorulites Pilgrim & Hopwood 1928 cooperi Bruant 1929B helmoedi Van Hoepen 1932C gangeticus (Carcharias) mytilinii Pilgrim & Hopwood 1928 gannatense (Aceratherium) paotehensis Chardin & Young 1931 Ganoidei Actinopterygii rodleri Pilgrim & Hopwood 1928 Ganorhynchus Dipteridae Gross, W. 1933D sinensis Chardin & Piveteau 1930 rigauxi Dutertre 1929A, 1929B subgutturosa Chardin & Piveteau 1930 süssmilchi Hills 1933 gazella (Oryx) Ganosteus Drepanaspidae Gross, W. 1930 Gazellinae Bovidae Pilgrim & Hopwood 1928 perneri Růžička 1929 gazini (Martes, Tomictis) stellatus Gross, W. 1933A Geckoninae [Gekkonidae] Gekkota Nopcsa 1928B tuberculatus Gross, W. 1933A (of Geckonidae) gardarensis (Homo) gedulyi (Vipera)

Geranoides Geranoididae Wetmore 1933B Geikia Dicynodontidae elginensis Huene, F. 1931A iepseni Wetmore 1933B Geikiidae [Dicynodontidae] Dicynodontia Nopcsa Geranoididae Gruoidea Wetmore 1933B (Type 1928B (Anomodontoidea) Geranoides) Geikiinae Dicynodontidae Nopesa 1928B (Geik-Geranoides iidae) Geranosaurus Hypsilophodontidae Nopcsa 1928B Gekkota Ascalabota Gerdalepis Asterolepidae Gross, W. 1931 [Astero-Gelocus Tragulidae Loomis 1928B lepis]; Stensiö 1931 [Asterocommunis Soyer 1929 lepis] gemmarosae (Oligobunis) germaniae (Megaceros euryceros) Edinger 1931B; gemmifera (Dartmuthia) Frentzen & Speyer 1929 gemmingi (Rhamphorhynchus) germanica (Phlyctaenaspis) gemündenensis (Drepanaspis) germanicus (Cymbospondylus, Dicerorhinus, Drygemundensis (Ctenacanthus) opithecus, Elephas, Equus, Gemundina Asterosteidae Heintz 1932B Pliogrus) germano-africanus (Diceros simus) Dietrich 1933A sturtzi Broili 1930C, 1933D; Gross, W. Germanosaurus Nothosauridae Nopesa 1928C 1933D genetloides (Plesictis) gerolsteinensis (Goniosteus) Geniohyus Saghatheriidae Simpson, G. G. 1929 K geron (Bibos) genitor (Nyctereutes viverrinus) Matsumoto 1930F Gerrhosauridae (= Gerrhosaurininae) Lacertoidea Gerrhosaurininae [Gerrhosauridae] Lacertoidea Genyodectes Aublysodontidae Huene, F. 1932A; Nopcsa 1928B (Gens of Nopesa 1928B Genyornis Dromiceiidae Lowe, P. 1928B Lacertinae) Geocapromys Octodontidae Miller, G. 1929B gervaisi (Hyaenodon) Geoclemys Emyidae gethingi (Amblydactylus) gezi (Canis) pygolopha Glaessner 1933A Gibbon [Hylobates] Pongidae Patte 1931B Geococcyx Cuculidae gibbosus (Diplodus) californianus Larson 1930 conklingi Howard 1931B gidleyi (Blarina, Mylohyus, Thomomys, Titanoides) gigantea (Diatryma, Felis, Hyaena, Lama, Pal-Geoemyda Testudinidae aeolama, Psammolepis) takasago Matsumoto 1929C (Geoliemys) (Hydrochoerus capivara) Kraglievich geoffroyi (Cainotherium cf.) Viret 1929C gigantea 1930T) geoffroyi (Cephalogale) (Plagiosuchus pustuloglomeratus) gigantes. Geoliemys Testudinidae Matsumoto 1929C Schmidt, M. 1933 takasago Matsumoto 1929C giganteum (Astrapotherium, Dinotherium) Geomyidae Geomyoidea Plesiothomomys, Thomomys giganteus (Antarctosaurus, Canis Glossoidaspis Holoptychius, Hydrocho-Geomyoidea Sciuromorpha Geosauridae [Metriorhynchidae] Mesosuchia Kälin erus, Mastodon, Mastodon-1933A saurus, Megaceros, Menodus. Monaspis, Neochoerus, Geosaurinae Metriorhynchidae Nopcsa 1928B (of Pachysaurus, Tetrastylus, Teleosauridae, incl. Daco-Ursus) saurus, Enaliosuchus, Geogigantissimus (Tetrastylus) saurus, Metriorhynchus and Gigantophis Boidae Nopesa 1928B Neustosaurus), 1928C gigantorostris (Mastodon longirostris) Klähn 1931 Geosaurus Metriorhynchidae Broili 1931A; Edinger 1929D: Mercier 1933 Gigantosaurus Cetiosauridae Gregory, J. 1929B; Nopesa 1930D gigondarum Piveteau 1928 dixevi Haughton 1928 gracilis Broili 1931A, 1932B robustus Janensch 1929A Geotrypus Talpidae Gigantoscelus Plateosauridae Huene, F. 1932A acutidens Viret 1929C antiquus Viret 1929C (Plateosauravidae) gigas (Acrolepis, Brontotherium, Camelus, Equus, Gerandia Columbidae Lambrecht 1933B calcaria Lambrecht 1933B Listriodon, Paracamelus Placodus, Scullya, Wakagerandianum (Cricetodon) rusopus) gerandianus (Titanomys visenoviensis var.) Viret gigondarum (Geosaurus, Neustosaurus) 10200 gilli (Dicynodon) Geranoaëtus Falconidae gillioti (Diaphorognathus, Gyrolepis) ales Wetmore 1933E gillissini (Percilia) conterminus Wetmore 1933E gippslandiensis (Bothriolepis) contortus Wetmore 1933E Giraffa Giraffidae Hopwood 1931C; Loomis 1928B; dananus Wetmore 1933E Marinelli 1933 (skull); Matfragilis Howard 1932A; Wetmore 1933E thew 1929A; Orlov 1930D grinnelli Wetmore 1933E attica Arambourg & Piveteau 1929A

priscilla Matthew 1929A

typhoius Wetmore 1933E

Glyptodon Glyptodontidae Dabelow 1929A; Mat-Giraffidae Giraffoidea Matthew 1929A (phylogeny; incl. Giraffinae, Palaeotrathew 1929S; Pocock 1929; ginae and Sivatheriinae); Vignati 1931B chapadmalensis Castellanos 1932A Neuville 1932B: Thorne clavipes Bertoni 1931 1028A muñizi Castellanos 1933B Achtiaria, Bohlinia, Bramatherium, Glyptodontidae (Incl. Doedicuridae and Scleroca-Giraffa (= Camelopardalis), lyptidae) Glyptodontoidea Giraffokeryx, Griquatherium. Helladotherium (= Castellanos 1929A, B, 1931B, (phylogeny), 1932A Panotherium), Honano-Brachyostracon, Boreostracon, Casteltherium. Hydaspidotherlanosia, Doedicurus, Eleuium (= Hydaspitherium), therocercus, Glyptodon, Okapia (= Ocapia), Orasius, Paleotragiscus, Palaeotra-Glyptotherium, Hoplophorgus, Progiraffa? Propalaeous, Lomaphorops, Lomaphorus, Metopotaxus, Neu-Samotherium, mervx?. ryurus, Nopachthus, Pan-Sivatherium (= Indratherochthus (= Panochtus), ium), Vishnutherium Paraglyptodon, Parahoplo-Giraffinae, Okapiinae, Palaeotraginae, Progiraffinae, Sivaphorus, Plohophoroides, Propanochthus, theriinae Stromaphoropsis, Giraffinae Giraffidae Matthew 1929A (Incl. lyptus, ?Stromaphorus "Orașius," Giraffa and nudum). Teisseieria. Tra-Honanotherium) balia. Trachycalyptus Giraffoidea Pecora Simpson, G. G. 1931B (Incl. Urotherium Palæomerycidae and Gi-Doedicurinae, Sclerocalyptinae raffidae) Glyptodontoidae (Glyptodontoidea) Hicanodonta Giraffokeryx Giraffidae Loomis 1928B Hay 1930A (Superfam.) punjabensis Colbert 1933D Glyptolepis Holoptychiidae Obrutschew 1932B gladius (Xiphias) glama (Lama) baltica Gross, W. 1930 glanis (Silurus) leptopterus Gross, W. 1930 Glyptops Pleurosternidae glaphyrus (Acentrophorus) plicatulus Ruckes 1931 glareae (Atacisaurus) Glyptosauridae [Anguidae] Anguioidea glareolus (Evotomys) Glaucolepis Palaeoniscidae Glyptosaurininae [Glyptosaurinae] arctica Koch 1931: Stensiö 1932B Nopesa 1928B (Gens. of glauconiensis (Coelodus) Helodermatinae incl. Glyptosaurus, Helodermoides Glaucosaurinae Poliosauridae Nopesa 1928B (Incl. Peltosaurus. Placosaurus Glaucosaurus, Mycteroand Xestops) saurus and Puercosaurus) Glyptosaurus Anguidae Nopcsa 1928B Glaucosaurus Poliosauridae Broom 1927B Glires [Rodentia] Monodelphia Hay 1930A (Incl. Glyptotherium Glyptodontidae Matthew 1929S Gnathodontidae [Howesiidael Rhynchocephalia Duplicidentata, Simplicidentata and Primates [!] Huene, F. 1929G p. XIV; Simplicidentati, Gnathopsis Mylodontidae Kraglievich 1928C Gnathosaurus Pterodactylidae Plieninger 1930 gliriformis (Microenus) Gnathostomata Craniata Corroy 1928A, B, 1933 (Gnathostoma, phylogeny); Glis Myoxidae Brunner 1933 antiquus Kormos 1930B Gregory, W. 1928D (body form); Hamlett 1933 (physackdillingensis Brunner 1933 logeny); Naef 1931 (group of glis (Myoxis) globicephala (Mesoclupea) Odontophora, incl. Pleurop-Globidentidae (= Globidensidae) [Mosasauridae] terygii and Selachoidea); Mosasauroidea Hay 1930A Stensiö 1931 (Gnathostoma, (of Mosasauriformes) incl. div. Elasmobranchii of globosa (Hammondella) Pisces, with class Ostracoglobosus (Gomphodus) phori incl. subclasses Acan-

globulosus (Merluccius, Otolithus) Roedel 1930

Glochinodontoides Cynodontia Huene, F. 1928B Glossoidaspis Pteraspidae Branson & Mehl 1931B

giganteus Branson & Mehl 1931B

uruguayensis Kraglievich 1928C

dentinens Broom 1932D

Glossotherium Mylodontidae Pocock 1929

Glochinodon Cynodontia

thodi and Placodermi) gnu (Connochaetes) Gobiatherium Uintatheriidae mirificum Osborn & Granger 1932A gobiensis (Anagale, Brontops, Ochotona, Serridentinus) Gobiesocomorphi Blenniiformes Hay 1930A (Order of Teleostei)

Seleroca-

(nomen

Anguidae

goodrichi (Melanodon)

Gorgon Bovidae

gordoni (Hyperodapedon)

Gordonia Dicynodontidae

traquairi Huene, F. 1931A

Gordoniinae Dicynodontidae Nopcsa 1928B (Incl.

laticornutus Van Hoepen 1932C

Gorgonopsia (= Gorgonopsoidea) Theriodontia

Gorgonognathus Gorgonopsia Nopesa 1928B

Gorgonops Gorgonopsia Nopesa 1928B

Gordonia)

Gobiiformes Acanthopterygii Gobioidae [Gobioidea] Gobiiformes Hay 1930A Gobiomorphi [Gobiiformes] Acanthopterygii Hay 1930A (Order of Teleostei) goldfussi (Chalicotherium) Goliathia Ciconiiformes Lambrecht 1930B andrewsi Lambrecht 1930B Gomphodontosuchus Traversodontidae Huene, F. 1928B brasiliensis Huene, F. 1928B Gomphodus Ischnacanthidae Hoppe 1931B globosus Hoppe 1931A Gomphognathinae Cynognathidae Cynodontia Nopesa 1928B (Incl. Diademodon, Gomphognathus, Octogomphus, Pachygenelus, Protacmon, Thrinaxodon and Trithelodon) Gomphognathoidea Theriodontia Nopesa 1928B (Suborder of Theromorpha, incl. Cynognathidae and Bauriidae) Gomphognathus Cynodontia Simpson, G. G. 1933E Gomphotheriidae [Mastodontidae] Mastodontoidea Cabrera 1930 (of Proboscidea; incl. Rhynchotheriinae. Gomphotheriinae, Cuvieroniinae and Anancinae): Rusconi (Gonphotheriidae) Gomphotheriinae Mastodontidae Cabrera 1930 (of Gomphotheriidae) Gomphotherium Mastodontidae phippsi Figgins 1928, 1929 priestleyi Hay & Cook 1930 gondwanicum (Cephalastron) Gondwanosaurus Rhinesuchidae bijoriensis Pfannenstiel 1932A gondwanus (Elonichthys) Goniocara Rhachitomi Hay 1930A Goniocephalus [Goniocara] Rhachitomi willistoni Hay 1930A Goniopholidae Mesosuchia Amphicotylus, Goniopholis, Machimosaurus, Microsuchus?, Nannosuchus, Theriosuchus

Bernissartinae, Goniopholinae

dilomorphi)

opholis)

lucasii Mook 1933A (Amphicotylus)

Colpopholis, Phalacropholis

of Clupeiformes)

gerolsteinensis Gross, W. 1933D

Gonorhynchidae Haplomi Chabanaud 1932

kirtlandicus Wiman 1932

Goniosteus Coccosteidae Gross, W. 1933D

Gonostoma Otolithus Goldbachova 1931

biarritzense Šulc 1932A

Broom 1930F Aelurognathus (= Ailurognathus), Aelurosaurus, Arctognathus, Arctops, Cynarioides. Cynariops, Cyniscodon?, Eoarctops, Delphaciognathus (= Asthenognathus), Galesuchus, Gorgonognathus, Gorgonops, Hipposaurus, Inostranzevia, Leptotrachelus. Lycaenodontoides, Lycaenoides, Lycaenops, Rhopalodon, Scylacops, Scymnognathus, Sycosaurus, Uraniscosaurus Gorgonopsidae: Gorgonopsinae, Ictidorhinidae Gorgonopsidae Gorgonopsia Nopesa 1928B, C (of Gorgonopsoidea, incl. Gorgonopsinae, and Lycosaurinae) Gorgonopsinae Gorgonopsidae Nopesa 1928B, C (Incl. Ailurognathus, Arctops, Asthenognathus, Cynariops, Cynaroides, Galesuchus, Gorgonognathus, Gorgonops, Inostranzevia, Leptotrachelus, Scylacops, Seymnognathus and Sycosaurus) [Gorgonopsia] Theriodontia Gorgonopsoidea Nopcsa 1928B, C (Suborder incl. Scaloposauridae and Gorgonopsidae) gorgops (Hippopotamus) Gorgosaurus Aublysodontidae libratus Abel, O. 1930D goriachensis (Dinocyon) Goniopholidiformes [Mesosuchia] Crocodilia Hay goriachensis (Hemicyon) Helbing 1928D (goer-1930A (Subord. of Crocoiachensis) Goniopholinae Goniopholidae Nopesa 1928B (Incl. Gorilla Pongidae Mátyás & Mihály 1932 gortanii (Box) Amphicotylus, Bottosaurus Coelosuchus and Gonigouldi (Stenognathus) grabhami (Hylochoerus) gracile (Amphicyon, Cainotherium, Cephalogale, Goniopholis Goniopholidae Stromer & Weiler 1930 Hipparion) gracilidens (Prodamaliscus) gracilis (Alopecideops, Amphitragulus, Auchenia, Brachydirus, Brookvalia Cynariodes Geosaurus, Irenichnites, Helmolepis, Lama, Machaeroprosopus, Gonorhynchoidae Haplomi Hay 1930A (Superfam.

Martinichthys, Merycoido-

don, Myosaurus, Nanno-

lithax, Pagrus, Pedetes,

Plateosaurus, Plesictis. Grippidae [Mixosauridae?] Ichthyosauria Wiman Plesiomeryx, Procamelus. 1930A (Order of Parapsida. Talpa, Thalassictis, Tra-Type Grippia), 1933B chycalyptus) griqua (Loxodonta) gracilis (Myocastor obesus) Rusconi 1929C Griquatherium Giraffidae cingulatum Goodwin 1929A; Goodwin & Gracilisaurus Araeoscelidia Weigelt 1930F ottoi Weigelt 1930F Lowe 1929 Graculavus Phororhaci griseus (Limnodromus) pumilis Wetmore 1930A Grisonella Mustelidae velox Wetmore 1930A hennigi Rusconi 1932B grivensis (Amphicvon major var.) Viret 1929A graeca (Hyaenictis) Graecorvx Bovidae Pilgrim & Hopwood 1928 grivensis (Palaeocryptonyx, Tomocyon, Totanus) valenciennesi Pilgrim & Hopwood 1928 groenlandica (= grønlandica) (Birgeria, Bobasatrania, Bothriolepis, Botriogrande (Chalicotherium) grandianus (Pseudocyon) lepis, Laugia) grandincissivus (Mastodon) groenlandicus (Agassizodus, Caturus) grandipennis (Helichthys) Grönlandaspis Coccosteidae Heintz 1932C mirabilis Heintz 1932C grandis (Angistorhinus, Brachydirus, Camara-Grues Gruiformes saurus, Coccosteus, Drypto-Gruidae Gruoidea sauroides. Polyodontosaurus, Scaldicetus, Soc-Aletornis (partim), Gallinuloides, Grus, nopaea, Xystracanthus) Paragrus, Pliogrus, Probagrandis (Mastodon longirostris) Klähn 1931 learica, Protogrus grangeri (Desmatotherium, Embolotherium, Pachy-Gruiformes Neognathae gazella, Palaeosyops, Pinac-Gruoidea Grues Hay 1930A (Gruoidae of Gruosaurus, Platybelodon, Proiformes) titanotherium, Rhineastes) Grus Gruidae grangeri (Stegodon orientalis) Osborn 1929J nannodes Wetmore & Martin 1930 Grangeria Chalicotheriidae Zdansku 1930 problematicus Lambrecht 1933B canina Zdansky 1930 Grypolithax Delphinidae Kellogg 1931B granulatus (Pterichthys) obscura Kellogg 1931B granulosum (Nessariostoma, Plagiosternum) pavida Kellogg 1931B Gryponychidae Megalosauroidea Huene, F. 1932A gratus (Eucosmodon) Gravigrada [Megatherioidea] Pilosa Aetonyx, Gryponyx Gravigradidae [Megatherioideal Pilosa Abel, O. Gryponyx Gryponychidae Huene, F. 1932A 1933C (incl. Megalony-Gryposuchus Tomistomidae Nopesa 1928B (Grychinae, Mylodontinae and phosuchus) Megatherinae) Grypotherium Mylodontidae Kraglievich 1928C; gravis (Quemisia) Matthew 1929J grayi (Amphekepubis) guanicoe (Lama) greenocki (Nematoptychius) guianensis (Dracaena, Morphnus) gregaloides (Pitymys) guilelmi (Plesiosaurus) gregoriense (Berroia) guimaraensi (Trabalia) gregorii (Hyaenarctos, Machaeroprosopus, Phala-Gulo Mustelidae Dietrich 1932; Ehrenberg 1932B; crocorax, Tatabelodon) Klinghardt 1931; Pilgrim gregoryi (Anthodon, Apternodus, Ectitanops, 1931 Heliscomys, Hyaenarctos, diaphorus Pilgrim 1931 Hypselochoerus, Promerygulo Gromova 1929 cochoerus) luscus Bolkay 1929 Gresslyosaurus Plateosauridae primigenius Pilgrim 1931 cloacinus Huene, F. 1932A gulo (Gulo) ingens Huene, F. 1932A (Plateosaurus) gunni (Paleospondylus) plieningeri Huene, F. 1932A (Plateosaurus) gunteri (Merychippus) robustus Huene, F. 1932A (Plateosaurus) gurichi (Velocipes) torgeri Huene, F. 1932A (Plateosaurus Gymnarthridae ?Diadectomorpha plieningeri) Gymnarthrus grévvi (Equus) Gymnarthriformes Diadectomorpha (?) Hay 1930A grindrodi (Didymaspis) (Suborder of Cotylosauria. incl. Gymnarthridae) grinnelli (Buteo, Geranoaëtus, Spitzaëtus)

Gymnarthrus Gymnarthridae Broom 1930G

Gymnodermes [Gymnodermi = Trionychoidea]

1932A

Testudinata Bergounioux

Griphopithecus Pongidae Glaessner 1931 (Dryo-

longirostris Wiman 1930A, 1933B

Grippia Mixosauridae Wiman 1930A

pithecus)

Gymnodontidae Plectognathi hainesi (Baropus) Diodon Halecostomi [Holostei partim] Ganoidei Zittel 1932 Gymnogyps Cathartidae Friedmann & Wetmore Haliaetus Falconidae 1933: Miller, L. 1931B leucocephalus Howard 1932A californianus Wetmore 1931C, 1932 Halibutherium (Sirenia) Dugongidae Simpson. Gymnophiona (= Apoda) Stegocephalia Marcus G. G. 1932C (invalid) 1933 (Morphology); Muller-Halicore (= Dugong) Dugongidae Simpson, G. G. ried 1932B: Noble 1931 1932C (Order of Amphibia) Halicoridae [Dugongidae] Trichechiformes Gymnurinae Erinaceidae Weber, M. 1928A (Incl. Halicorinae [Dugonginae] Dugongidae Weber, M. Hylomys, Gymnura, Podo-1928A (of Halicoridae) gymnura. halieus (Pelecanus) Neotetracus. Galerix) Halitheriidae [Dugongidae] Trichechiformes Gyposaurus Thecodontosauridae Halitheriinae Dugongidae Simpson, G. G. 1932C capensis Huene, F. 1932B (Incl. Eosiren, Protother-Gypsichnites Ichnites Sternberg, C. M. 1932E ium, Thalattosiren, Manapacensis Sternberg, C. M. 1932E therium. Halitherium. Gypsonictops Insectivora, incertae sedis Simpson, Metaxytherium, Hespero-G. G. 1929A; Weber, M. siren and Felsinotherium); 1928A (Gypsonyctops) Weber, M. 1928A Gyracanthidae Acanthodii Halitherium Dugongidae Gregory, W. 1929-I alleni Simpson, G. G. 1932C Gyracanthus Gyracanthus Gyracanthidae Schmidt, H. 1933 schinzi Dette 1929B; Edinger 1933A; convexus Gross, W. 1932C, 1933C, D Hucke & Voigt 1929; Sickparvulus Bryant 1929B enberg 1929A Gyriabrinae Chinchillidae Kraglievich 1930H (of halli (Diictodon, Lutravus) Eumegamyidae) Hallopodidae (Incl. Procompsognathidae) Coelu-Gyriabrus Chinehillidae roidea Huene, F. 1932A indivisus Kraglievich 1932B (of Coelurosauria); Nopesa rebagliatti Kraglievich 1932B 1928B (of Coelurosauroidea) teisseirei Kraglievich 1930H Dolichosuchus, Hallopus, Procomp-Gyrinodon Toxodontidae Hopwood 1928A sognathus, Pterospondylus quassus Hopwood 1928A; Hopwood & Hallopus Hallopodidae Huene, F. 1932A Swintonl 1928 Halmarhiphus Caenolestidae gyrinoides (Cocytinus) riggsi Simpson, G. G. 1932K Gyrodus Pycnodontidae halmodeus (Protitanichthys) circularis Weitzel 1930A, B halmyronomum (Plesiomegatherium) cretaceus Sarra 1933 Halodon Ptilodontidae Simpson, G. G. 1929A Gyrolepis Palaeoniscidae [Meniscoëssus] gillioti Brough 1933 Halticosaurus Podokesauridae tenuidentatus Oertle 1928 orbitoangulatus Huene, F. 1932A Gyroplacosteus Holonemidae Obrutschew 1932A hamadryas (Dyromys) butovi Obrutschew 1932A Hammondella Selachii, incertae sedis Gunnell 1933 panderi Obrutschew 1932A erassa Gunnell 1933 Gyroptychius Megalichthyidae Aldinger 1931A globosa Gunnell 1933 Gyrosteus Chondrosteidae Jackel 1929B handzellensis (Dicerorhinus etruscus) Wang 1928 Habromeryx Cervidae Cabrera 1929C; Rusconi hanekomi (Archidiskodon) 1931-I ("Habromerix") hansemanni (Dicraeosaurus) fragilis Cabrera 1929C hanseni (Perleidus) venustus Cabrera 1929C hantonensis (Pseudamphimeryx) Hadropithecus Lemuridae Weber, M. 1928A Hapalemur Lemuridae Hadrosauridae [Trachodontidae] Iguanodontoidea gallieni Standing 1928 Gilmore 1933C: Riabinin Haplacanthus Ichthyodorulites 1930D (Incl. Mandschuromarginalis Gross, W. 1933A (Onchus) saurus), 1931C tenisculatus Gross, W. 1933A (Onchus marginalis) Hadrosaurus [Trachodon] Trachodontidae Nopesa 1928B Haplobunodon Anthracotheriidae Heller 1930B lydekkeri Cooper, C. 1928 Hadrosteidae [Coccosteidae] Brachythoraci Gross mülleri Weigelt 1929, 1932A 1932B (Type Hadrosteus), 1933D solodurense Heller 1932E Cetiosauridae Huene. Hadrosteus Coccosteidae Gross, W. 1932B, 1933D Haplocanthosaurus 1929A, D; Nopesa 1930D rapax Gross, W. 1932B haeckeli (Propliopithecus) Haplocyon Canidae Viret 1929C

crucians Viret 1929C dombrowskii Helbing 1928C

Haematopodidae Charadrioidea

Paractiornis

Helicotragus Bovidae haplodon (Mongolosaurus) Haplodontheriidae [Toxodontidae] Toxodonta rotundicornis Arambourg & Piveteau 1929A; Pilgrim & Hopwood Cabrera & Kraglievich 1931; Kraglievich 1931J 1928 Heliscomys Heteromyidae Hanlomi Physostomi gregoryi Wood A. 1933A Haplorhini [Tarsioideal Primates Jones 1929A Haptodus (Poliosauridae) Nopesa 1928B, C Helladotherium Giraffidae Loomis 1928B; Matthew 1929A harlani (Mylodon, Paramylodon) duvernoyi Arambourg & Piveteau 1929A harlowi (Pachycynodon) harmati (Belone, Trionyx) helmi (Equus) helmoedi (Gazella) haroldcooki (Elephas, Hesperopithecus) Harpagolestes Mesonychidae Helmolepis Crossopterygii Stensiö 1932B gracilis Stensiö 1932B leotensis Peterson, O. 1931A heloceras (Megaceratops, Menodus) uintensis Peterson, O. 1931A Helochelydra Pleurosternidae Nopcsa 1928C harringtoni (Homunculus) Helochelydrinae Pleurosternidae Nopcsa 1928B harrisi (Ctenacanthus, Equus) (Incl. Helochelydra, Helohasnotensis (Serridentinus) chelys, Naomichelys, Trahasnoti (Lutrine g. indet. = Potamotherium?) chydermochelys and Treto-Pilgrim 1932 hassei (Squatina) sternum) Hassiosteus Coccosteidae Gross, W. 1932B Helochelys Pleurosternidae Nopesa 1928B hastalis (Oxyrhina) Heloderma Helodermatidae Nopcsa 1928B Helodermatidae Anguioidea hatcheri (Brontotherium, Diceratops, Pediomys, Heloderma, Lanthanotus Protolambda, Triceratops) Helodermatinae [Helodermatidae] Anguioidea hauffianus (Stenopterygius) Nopesa 1928B (Incl. Glyptohaughtoni (Dinosphageus, Platycyclops) haughtonianus (Dicynodon) saurininae and Helodermathaydeni (Palaeolagus) ininae) Hegetotheriidae Typotheria Helodermatininae [Helodermatinae] Helodermatidae Nopesa 1928B (Gens. Argyrohyrax, Hegetotherium, Notopaof Helodermatinae, incl. chyrucos. Paedotherium. Heloderma and Lanthano-Propachyrukhos. Pseudohegetotherium tus) Helodermoides Anguidae Nopcsa 1928B Hegetotherium Hegetotheriidae Helopanoplia Trionychidae Hummel 1929 [Trimirabile Simpson, G. G. 1933B heidelbergensis (Homo, Palaeanthropus, Paleoanonyx] Protanthropus, Helopodinae Camarasauridae Huene, F. 1932A (of thropus, Rhinoceros) Brachiosauridae. incl. heightingtonensis (Cephalaspis) Helopus) heimi (Metoposaurus) Helopus Camarasauridae Nopcsa 1930D; Wiman heinrichsi (Paraplesiobatus) 1929 Heintzaspidae [Phlyctaenaspidae] Acanthaspida zdanskyi Wiman 1929 Heintzaspis Phlyctaenaspidae Strand 1932B (for helveticus (Paratapirus, Tapirus) Acanthaspis) helvetius (Tapirus) heintzi (Acanthaspis, Anglaspis, Stensiöella) hemburyi (Ictidognathus, Ictidostoma) Heintzichthys Coccosteidae Whitley 1933 Hemiacodon Anaptomorphidae Henckel 1930B corrugatus Whitley 1933 Hemianthropus Pongidae Freudenberg 1929C gouldi Whitley 1933 osborni Ch-k 1930; Freudenberg 1929A, B. Helagras Viperidae Nopcsa 1928B C, 1930 Helaletidae Tapiroidea Hemiauchenia Camelidae Desmatotherium, Heteraletes major Aranguren 1930 Helarctos Ursidae paradoxa Aranguren 1930 arvernensis Rüger 1928 elongata Rusconi 1930I böckhi Pilgrim 1931 pristina Aranguren 1930 helbingi (Ailurictis, Dyspterna) Hemibranchii Physoclysti Hemichelys Carettochelyidae Hummel 1929 Heleosaurus Saurosternidae Nopesa 1928B helgolandiae (Capitosaurus) Hemicyclaspis Cephalaspidae Helichthys Catopteridae lightbodii Stensiö 1932A ctenipteryx Brough 1931 murchisoni Kiaer 1931; Stensiö 1932A elegans Brough 1931 ludlowensis Stensio 1932A grandipennis Brough 1931 Hemicyon Canidae Frick 1932; Gazin 1932; Matobesus Brough 1931 thew 1929P stegopygæ Brough 1931 goriachensis Ennouchi 1930; Helbing

1928D (Goeriachensis)

Hemicyoninae Ursidae Pilgrim 1931

Helicoprion Edestidae David 1928; David & Süss-

milch 1931

Hemimastodon Mastodontidae Matsumoto 1933 hemionus (Equus) Hemipristis Carchariidae Beaufort 1928 serra Piveteau 1933B hemispherica (Clemmys, Sharemys) Hemistrepsiceros Bovidae Pilgrim & Hopwood 1928 zitteli Pilgrim & Hopwood 1928 hemitoechus (Rhinoceros) Hemitragus Bovidae Sickenberg 1933A Hemixotodon Toxodontidae Cabrera & Kraglievich 1931 chasicoensis Cabrera & Kraglievich 1931 henningi (Grisonella, Platygonus) Henophidia Serpentes Hoffstetter (Arch. Mus. d'Hist, Nat. Lyon, 15, 1939; new Section of Ophidia, incl Boidae, Anilidae (= Ilysiidae). Uropeltidae and Xenopeltidae) Henricosborniidae (incl. Pantostylopidae) Notioprogonia Simpson, G. G. (Amer. Mus. Novit. 750. p. 7, 1934) hentscheli (Protoryx) Heoanthropus Hominidae arcticus Fischer, E. 1933B eurasicus Fischer, E. 1933B orientalis Fischer, E. 1933B Heptaconodon Palaeotheriidae Zdansky 1930 dubium Zdansky 1930 Heptaxodontidae Hystricoidea Romer 1933C; Simpson, G. G. 1931B Heptodon Lophiodontidae brownorum Seton 1931 Hercynosaurus Mastodonsauridae Schmidt, M. 1928 hermanni (Sellosaurus) hermitanus (Hylopus) (Ichnites) Hermosiorniidae [Hermosiornithidae] Cariamae Kraglievich 1932C Mesembriorniidae) Hermosiornithidae (= Mesembriornithidae == Mesembriorniidae) Cari-Mesembriornis hernandezi (Microbriotherium) Herodii [Ciconiiformes] Neognathae heroldi (Lunaspis) Herpailurus Felidae Kretzoi 1929 Herpestes Viverridae Viret 1929C antiquus Viret 1929C lemanensis Viret 1929C Herpestoidea [Feloidea] Fissipedia Kretzoi 1929 (Herpessoidea); Weber, M. 1928A

Herpetairus Dryolestidae

Herpetichnium Ichnites

humilus Simpson, G. G. 1929A

acrodactylum Abel, O. 1929G, H

Herpetichthyes Osteichthyes Woodward 1931B

Dipnoi)
Herpetochirus Dicynodontidae Huene, F. 1931A

(Dicynodon)

(Incl. Crossopterygii and

Herpetosuchidae (Erpetosuchidael Ornithosuchidae Romer 1933C (Pseudosuchia) Hesperanthropus (Amerind + Eskimo) Hominidae columbi Fischer, E. 1933B patagonicus Fischer, E. 1933B Hesperopithecus Tagassuidae Anon. 1928B; Boule 1928F, T haroldcooki Cook & Cook 1933 Hesperornis Hesperornithidae Lambrecht 1929B; Pycraft 1929B; Wetmore 1929B regalis Wetmore 1933I Hesperornithidae (Incl. Engliornithidae) Hesperornithiformes Baptornis, Enaliornis. Hesperornis. Neogaeornis Hesperornithiformes Odontognathae Boubier 1933 Hesperornithomorphi [Odontognathi] Neornithes Hay 1930A (Order of Eurhipidurae) Hesperosiren Dugongidae Simpson, G. G. 1932C crataegensis Simpson, G. G. 1932C, F hesperus (Desmostylus, Machairodus, Promerycochoerus) hessica (Aonyx, Lutra) hessicus (Siyaonyx) Hessolestes Mesonychidae Peterson, O. 1931A ultimus Peterson, O. 1931A hesternus (Camelops) Heteraletes Helaletidae Peterson, O. 1932 leotanus Peterson, O. 1932 heteraster (Psammolepis, Psammosteus) Heterastridium Testudinata (?) conglobatum Yabe & Ozaki 1929 Heterocnus Megalonychidae Kraglievich 1928E heterodon (Dolichorhinus) Heterodontidae [Cestraciontidae] Squaliformes Heterodontosuchus Phytosauridae Camp 1930B Heterofelis Felidae Kretzoi 1929B; Matthew 1929A Heterogaspidae [Phlyctaenaspidae] Acanthaspida For Monaspidae Heintz 1929B. See Strand 1932B, Heterogaspis (= Monaspis preocc.) Heterogaspis Phlyctaenaspidae Strand 1932B Heterohyus Apatemyidae heufelderi Heller 1930B; Weigelt 1931, 1932A Heteromeryx Hypertragulidae Loomis 1933A Heteromyidae Geomyoidea Wood, A. 1931 (phylogeny) Diprionomys, Heliscomys, Mookomys, Perognathus, Proheteromys Heterophyton [Heteropython] Boidae Nopesa 1928B Heteroprox Cervidae larteti Stehlin 1928A Heteropsomys Dasyproctidae Miller, G. 1929B Heteroptychodus Myliobatidae Yabe & Obata 1930B steinmanni Yabe & Obata 1930B

Heteropython Boidae Nopesa 1928B (Heterophyton)

dabbenei Lowe, P. 1928B

Heterorhea Rheidae

Heterosomata Physoclysti

condoni Buwalda & Moore 1930; Stock Heterosminthus Dipodidae Schaub 1930A 1020F orientalis Schaub 1930A eurystyle Matthew & Stirton 1930A (Neo-Heterosorex Soricidae delphinensis Stromer 1928D hipparion) Heterostiidae [Homostiidae] Brachythoraci Gross. gracile Arambourg & Piveteau 1929A; Freudenberg 1928; Her-W. 1933D nandez-Pacheco 1928; Klähn Heterostius Homostiidae Gross, W. 1930 (Hetero-1931; Koenigswald 1931A; steus); Heintz 1929A, 1931A, Macarovici 1930; Nafiz & F; Laverdiere 1930; Obrut-Malik 1933; Roman 1928; schew 1932B Simionescu 1932B; Solignac rhenanus Gross, W. 1933D Heterostraci Pteraspidomorpha Brotzen 1933A 1931 houfenense Chardin & Young 1931 (phylogeny); Gregory, W. ingenuum Simpson, G. G. 1930H 1928D; Kiaer 1930B, 1932; lenticulare Matthew & Stirton 1930A Kiser & Heintz 1932 (Incl. (Nannippus) all Ostracodermi except the matthewi Antonius 1928 order Thelodonti); Patten 1929; Zych 1931 (Poland) mediterraneum Bogsch 1928 minor Simpson, G. G. 1930H Weigeltaspis Heterostrophus Semionotidae minus Antonius 1928 latus Woodward 1929A mohavense Maxson 1930; Merriam & Stock phillipsi Woodward 1928B, 1929A 1933; Stirton 1933; Stock 1924A, 1928; Van Hoepen Heterosuchus Hylaeochampsidae Nopcsa 1928B (Crocodilidae) 1932A heufelderi (Heterohyus) perimense Matthew 1929A Hexagrammoidae Scorpaeniformes Hay 1930A phosphorum Simpson, G. G. 1930H (Superfam.) platyodus Van Hoepen 1932A plicatile Simpson, G. G. 1930H Hexanchoidea [Notidanidae] Squaliformes Hay 1930A (Hexanchoidae) punjabiensis Matthew 1929A richthofeni Stock 1924A: Van Hoepen Hexaprotodon Hippopotamidae sivalense Matthew 1929A 1932A Hexolobodon Octodontidae Miller, G. 1929B sanfondensis Frick 1933 phenax Miller, G. 1929B sanjuanensis Frick 1933 sinense Chardin & Piveteau 1930 (Proboshibernicus (Megaceros) cidipparion) Hicanodonta (= Loricata) Xenarthra Cockerell steytleri Van Hoepen 1930B 1931; Weber, M. 1928A (Incl. theobaldi Matthew 1929A Dasypodidae and Glyptowhitneyi Van Hoepen 1932A dontidae) hipparionum (Hyaena, Ictitherium, Palhyaena, hieroglyphicus (Synaptochoerus) Hierosaurus Nodosauridae Nopesa 1929C Pararhizomys, Hippidion (= Hippidium) Equidae Matthew higginsi (Daedalichthys) hildebrandti (Aepyornis) 1929R (Hippidium) hildegardis (Cyamodus) uquiense Kraglievich 1930C (Hippidium); hillanus (Borophagus, "Felis") Rusconi 1933G himalayensis (Sivanasua) Hippocamelus Cervidae Kraglievich 1932A hintoni (Leptailurus) Hippodactylus Equidae hipkini (Stylohipparion) chisholmi Matthew 1929A Hippoidea [Equoidea] Perissodactyla Hipparion Equidae Abel, O. 1928A; Antonius 1928; Chardin 1930C, D, G, 1931A; hippolyte (Protoryx) Chevalier 1929: Dreverhippolyte (Pseudotragus capricornis) Pilgrim & mann 1930A; Hernandez-Hopwood 1928 Pacheco 1930B; Hopwood Hippopotamidae Suoidea Matthew 1929A; Vaufrey 1932; Kirkham 1931; Koe-1928A (phylogeny) nigswald 1929, 1932C: Kret-Chaeropsis, Hexaprotodon, Hippopotzoi 1928; Leakey 1932B; amus, Hyopotamus, Tetraprotodon Lewis 1933A, B; Lowe, P. Hippopotamus Hippopotamidae Breuil 1932C: 1928B; Matthew 1929R: Hopwood 1931C; Huene, F. Maxson 1930; Orlov 1930A, 1931A; Koenigswald 1932A; B, D; Reck 1932A; Royo y Van Es 1931 Gomez 1930; Schwarz, E. amphibius Bastin 1933A; Joleaud & Lom-1932A; Stirton 1932C; Stock bard 1933; Leonardi 1933 1924B; Viret 1933B (Tetraprotodon); Sergi, S. antelopinum Matthew 1929A

brachypus Bogsch 1928

Testudo)

1931B; Voelcker 1931

gorgops Dietrich 1933; Hopwood 1932

iravaticus Van der Maarel 1932 major Bonarelli 1930; Bruet 1928; Freudenberg 1931: Topa 1932 minutus Pearson 1929A namadicus Van der Maarel 1932 palaeindicus Van der Maarel 1932 simplex Koenigswald 1933 sivajavanicus Van der Maarel 1932 sivalense Matthew 1929A (Hexaprotodon) siyalensis Van der Maarel 1932 Hipposaurus Gorgonopsia Haughton 1929C boonstrai Haughton 1929C Hippotherium Equidae antelopinum Matthew 1929A [Hipparion] theobaldi Matthew 1929A [Hipparion] Hippotigris Equidae Antonius 1928 wahlbergi Van Hoepen 1932A zebra Van Hoepen 1932A Hippotraginae Bovidae Pilgrim & Hopwood 1928 Hippotragus Bovidae Dollman 1929A kopassii Pilgrim & Hopwood 1928 hislopi (Parasuchus) hitchcocki (Stenomylus) Hoanghonius Mixodectidae Zdansky 1930 stehlinii Zdansku 1930 hodophylax (Canis) hoegi (Arctaspis) Hoelaspis Cephalaspidae Stensiö 1932A hoeli (Arctaspis, Dictyaspis) hoeninghausi (Macropetalichthys) Holcolepis Elopidae delicatostriatus Yabe & Obata 1930B hollandi (Dinohyus) holmbergi (Diheterocnus) Holmesella Acanthoëssidae Gunnell 1933 crassa Gunnell 1933 elongata Gunnell 1933 equilaterata Gunnell 1933 ornata Gunnell 1933 parallelata Gunnell 1933 parallella Gunnell 1933 rhomboidelis Gunnell 1933 (also spelled rhomboidalis in the same paper) speni Gunnell 1933 Holmesina Dasypodidae Simpson, G. G. 1930C septentrionalis Simpson, G. G. 1930C Holocentroides Berycidae Pauca 1931A moldavicus Pauca 1931A Holocephali Elasmobranchii Holonema Holonemidae Obrutschew 1932A eifeliense Gross, W. 1933D Holonemidae Brachythoraci Obrutschew 1932A. (Incl. Gyroplacosteus. Megaloplax, Holonema) Gyroplacosteus, Holonema, Megaloplax (= Palaeoteuthis partim) Holops Tomistomidae Kuhn, Oskar 1933D pneumaticus Mook 1931B Holoptychii [Rhipidistia] Crossopterygii Holoptychiidae Rhipidistia

Dendrodus, Glyptolepis, Holoptychius

(= Holopthychius)

Holoptychius Holoptychiidae Claus 1928; Gross,

W. 1930; Hills 1932; Tilton giganteus Kulling 1931; Stensiö 1931 nobilissimus Kulling 1931; Stensiö 1931 superbus Gross, W. 1933A Holostei Ganoidei Gregory, W. 1928D; Piveteau 1930C holsaticus (Perca, Otolithus) Roedel 1930 (Percidarum) holtedahli (Arctaspis) Homalaspis Pteraspidae Kiaer 1932 nitida Kiaer 1932 var. robusta Kiaer 1932 Homalodontotheriidae Entelonychia Homalodontotherium, Chasicotherium. Rhyphodon (= Pehuenia = Setebos), Thomashuxleya Chasicotheriinae Homalodontotherium Homalodontotheriidae Matthew 1929M: Patterson, B. 1932A segoviae Scott, W. 1930C Homeosaurus [Homoeosaurus] Sphenodontidae Hominidae Hominoidea Abel, W. 1931B, C, (Australopithecus); Absolon 1929 C (Paleolithic); Anthony & Coupin 1931 (classification); Bartucz 1929 (Australopithecus); Bean 1933; Beer & Buxton 1932 (Neanderthal); Behm 1929; Berckhemer 1933A (Steinheim); Bertaceini 1930 (classif, of races); Binet-Sangle 1931; Black 1928, 1930G, 1932C (Sinanthropus); Bluntschli 1931 (Patagonia): Bodard 1928 (Pithecanthropus, general); Bolk 1929 (evolution); Bolsche 1931A; Borradas 1928 (general); Boswell 1932 B. C. (Oldoway): Botez 1933 (Homo, associated fauna): Boule 1928D (Primates with Heidelberg jaw), 1928F, T, (Hesperopithecus), 1929A (classification). 1929I (Springbok), 1930B, 1931B (Oldoway), 1930C (Homo), 1931A (general); Bretz 1926 (origin); Breuil 1932A, B (Sinanthropus); Briggs 1928 (face); Broom 1928A (Bushveldt), 1929A (Australoid skull, S. Africa), 1929B, F, 1930B (Australopithecus): Bullitt 1933; Bünger 1930 (Neanderthal); Burkitt, A. 1928, 1929; Burkitt, M. 1928, 1933 (man and apes): Buttell-Reepen 1930 (Homo, Germany); Buxton and Rice 1931 (Mesopotamia): Cacciamali 1980 (Italy);

Caldwell 1931; Calverton 1931; Cameron 1927, 1928A-F. 1929A-K, 1930A-H, 1931 A-I, 1933A, B (craniometry); Castellanos 1928A, B, 1933A (Argentina), 1930 (S. America), 1931 (evolution); Chardin 1930C, 1931B (Sinanthropus), 1930F (general) 1930G (man, mammals, China); Clark, W. 1928 (Rhodesian), 1930 (phylogeny); Cleland 1929; Conkling 1932 (New Mexico); Cook, H. 1927 (Nebraska, Oklahoma), 1928 (New Mexico); Cooper & Watson 1932 (Oldoway); Costanini 1928 (Italy): Cox. P. 1929 (antiquity in America); Dart 1931C (dentition. Australopithecus); Debetz 1930 (Sinanthropus); Debruge 1928 (Cro Magnon); Degerbøl 1928C (origin); Deperet 1928 (France); Drennen 1929A, B, 1930 (S. Africa): Drevermann. 1931F (Germany); Dubois, 1932B, 1933 (Pithecanthropus. Sinanthropus); Eickstedt 1932 (nomenclature); Ehrhardt 1932 (fossil localities): Farrington & Field 1929 (Neanderthal); Fewkes 1929 (Central Europe); Field 1933 (Asia); Fischer, E. 1931, 1933A, B (systematic); Fileurel 1929 (Gibraltar). 1932; Fraipont 1931A, B, C, 1932A, B, 1933A, C (evolution); Friant 1933E (S. America); Friederichs 1932A, (Eoanthropus skull), 1932B (Homo); Freudenberg 1929A, B, C, D, 1930, 1931 (Pleistocene, Germany); Gapanovich 1931 (S. America); Genna 1933 (Neanderthal): Giesler 1928A. B. 1931; Giesler & Mollison 1929 (Oldoway fauna); Gillman 1929 (Rhodesian); Glaessner 1931 (Wiener Beckens); Gobert & Vaufrey 1932 (Asselar); Gorjanovič-Kramberger 1929 (Krapina); Grabau 1930A (Asia); Grandidier 1929 (Cheiromys, Madagascar); Gregory, W. 1927A, B, 1928E, F, H, 1929A, 1930B-G, K, 1931A, 1932A, 1933A, D, (primates in relation to man); Gregory,

W. & McGregor 1929 (general): Hauser 1928 (evolution). Headstrom 1921 (origin); Heberer 1931 (general); Henckel 1928A, B, 1930A,B (origin, phylogeny); Hennig 1929B, 1931C, 1932C (cultures): Hildén 1930 (Neanderthal); Hill 1932 (embryology, phylogeny); Hillers 1931; Hill-Tout 1921 (phylogeny), 1928 (popular); Hooten 1930, 1931A, B (evolution): Hopwood 1932C (Oldoway); Hrdlička 1929A (Neanderthal), 1930A. D (skeletal remains), 1926, 1929B, 1930B, 1932A (evolution); Jenks 1932, 1933 (Homo, Pleistocene, N. America); Johnson, J. 1923, 1924, 1929A (antiquity in America); Johnston, W. 1933 (migration); Joleaud 1929B (evolution, S. America), 1929D (human laboratory, France), 1931A (Homo, Africa), (Sinanthropus). 1931C (Neanderthal); Jones 1928, 1929A, B; Kahrs-Essen 1933 (Neanderthal, Germany); Kappers 1929A, B, C, D, 1931A, B, 1932, 1933 (primitive man, brain studies): Keith 1929A (Sinanthropus), 1930 (recent discoveries); Keith, et al. 1932 (general); Keith, Broom & Lang 1929 (Springbok); Kleinschmidt 1931B; Kleiweg de Zwaan 1928 (Asia: Indian Archipelago). 1930 (Tertiary ?); Klimek 1928 (skulls); Koenigswald 1931C (Pithecanthropus, Sinanthropus, age); Köppel 1932 (Homo galilacensis, Kraglievich Palestine): 1928F (phylogenies, Ameghino & Pilgrim); Krogman 1932 (Australoid skulls); Laing & Gear 1930 (Strandlooper skulls); Lamberton 1929 (lemurs, Madagascar); Leakey 1928, 1931, 1932A, B 1933A. B. C. D: Leakey. Hopwood & Reck 1931A, B; Leakey, Reck, Boswell, Hopwood & Solomon 1933 (East Africa, Pleistocene): Lenoir 1933 (Neanderthal and Cro-Magnon); Lotsky 1928A (descent); Lull 1928A,

B. 1929C. D (descent): McCurdy 1928A, B, 1929A, B, 1930 (general); McGregor 1930 (Peking man: See also Calverton, 1931); MacKenzie 1933 (England); Marro 1930 (Italy); Martin, Henri 1928B (France); M[atiegka] (Chou-Kou-Tien): Matsumoto 1930C (Homo, Japan); Matsumura 1930 (Sinanthropus); Matthew 1928A (Ape Man, Java); Maurer, F. 1928 (evolution); Mendes-Corrêa 1933A (migration); Mennell 1929 (Rhodesian); Merriam 1930 A, 1933A (S. W. United States); Mijsberg 1928 (ancestry), 1930B (Pithecanthropus); Miller, G. 1929A (Pithecanthropus, Eoanthropus); Mochi 1931A (Olmo cranium); Moir 1930 (Tertiary); 1931B (Oldoway), 1932B (age of Homosapiens); Mollison 1930 (skull), 1933 (phylogeny); Montandon 1928B (Homo chapadmalensis) C, 1929A, B, 1931; Morant 1928 (Rhodesian, Neanderthal skulls), 1931 (paleolithic man); Naef 1933 (general); Nelson 1933 (antiquity in America); Neuberg 1928 (phylogeny); Obermaier 1932B (origin of man); Oppenoorth 1932A, B, C (Solo); Osborn 1907

1923, (Nebraska). (Spain), 1927A, D, E, 1928F, J (antiquity), 1927B (orthogenesis), 1927F, G, 1928H, 1929L, 1930A (evolution), 1928A (locomotion in human evolution) 1928B. C. G. J. K (habitat, early man); 1929H (ape-man myth), 1928K, L, 1932G (Pithecanthropus, Eoanthropus, 1930B (Tertiary), age), 1931F (Sinanthropus, age), 1932F (Stone-age man); P'an. 1931 (Sinanthropus); Palmer, E. G 1928: Patte (Pithecanthropus, Sinanthropus, Homo): Peake & Fleure 1927 (apes & man); Pei 1929 (Sinanthropus): Penrose 1931 (effect of cave life); Pittard & Donici 1930 (skull proportions vs. stature); Pratje 1929 (general); Puccioni 1931 (summary); Puzanov

1931B (Asia, review); Pycraft 1928A, B, 1930B (Rhodesian); Pycraft, et al., 1928 (Rhodesian): Radcliffe-Brown 1930 (antiquity); Ray 1929 (North America); Reche 1928 (Northern Europe); Reck 1931B, 1932A, B, D, E, F, 1933B (Oldoway); Regan 1930A, B (classification, evolution); Regnault 1929 (terminology); Rellini 1929A, B (general); Renaud 1933 (North America); Richarz 1931 (age of man); Riesman 1933 (general); Ritchie 1929B (Scotland); Romer 1930A (Australopithecus), 1933D (antiquity); Rosa 1929 (phylogeny); Rüger 1930 Germany); Rüschkamp 1932 (antiquity, cultures); Rusconi 1932L (Diprothomo); Ryley 1932 (antiquity); Sawtell 1931 (Azilian France); Schaffer 1932; Schindewolf 1928B, 1930A, B (phylogeny); Schneiderhöhn 1931 (Homo rhodesiensis); Schori (Sinanthropus); Schou 1931 (Sinanthropus, China); Schultz, J. 1931 (recent discoveries); Schultz, B. 1931A (phylogeny), B, C; Schwarz, R. 1930, 1931A, 1932; Schwidetzky 1933 (phylogenies); Sera 1931 (Olmo cranium); Sergi, G. 1928 (distribution), 1929A (comparative), B (evolution), 1930 (Palaeanthropus), Sergi, S. 1929A (Saccopastore), B (Sinanthropus), 1930, 1931A (Saccopastore), B (Neanderthal in Italy). 1932, 1933A, B, C, D (Saccopastore); S[kutil] 1928A (Bohemia); Sollas 1933 (skull sections); Smith, G. 1928B, D (Neanderthal), 1929B, 1930D (systematics), 1929C, 1930A, C, E, H-M, 1931A, C-J. 1932A, B (Peking man); 1929D, 1930B, N, 1931E, 1932E (origin, ancestry), 1932C (Oldoway); Smith, G., et al., 1931 (origin and development); Smith, M. 1930 (antiquity); Soergel 1928B (Heidelberg); Sonntag 1931 (morphology, evolution); Sowerby 1930 (Sinanthropus); Stallybrass 1932 (environments); Stolyhwo 1928, 1933 (Neanderthal); Stromer 1928A (Pliopithecus): Sushkin 1928A, 1933 (origin); Taeger 1930 (Mousterian); Tai 1930 (Sinanthropus): Ten Kate 1930 (Neanderthal, Rome); Tilney 1928, 1930 (brain), 1932; Torii 1930 (culture): Vallois 1929A (phylogeny); Vaufrey 1932B (Neanderthal, Palestine), 1932C (Solo and Wadiak, Java), 1932E (Sinanthropus), 1932F, G, H, 1933B (Oldoway); Vignati 1931A (S. America); Vogel 1930 (origin and ancestry); Wahle 1932 (Rheinland); Wallis 1931 (anatomy); Walmsley 1933 (femur); Warden 1932 (behavior); Watson 1928C (phylogeny); Watson & Cooper 1932 (Oldoway); Wayland 1932B Weidenreich (Oldoway); 1928 (early races of man). 1929B (Rhodesian), 1930, 1931A (Sinanthropus), 1931B (Australopithecus), E (Berghausen skull), F. G (origin of man), 1932B, D (Neanderthal, Palestine); Weidenreich, Wiegers & Schuster (Weimar - Ehringsdorf): Weinert 1928A, B (Pithecanthropus), 1928C (Neanderthal), 1928D (Mousterian, age, various views), 1929A, B (Eoanthropus vs. Pithecanthropus), (Springbok), D, E (Pithecanthropus), 1930A, B, D, E (Sinanthropus), 1930C (Springbok), F (Solutrean child skeleton), G, I (general text), H (Westeregeln man), 1931A (Sinanthropus) B, 1932A (Propithecanthropus), B (general), C (Jervois man), D (Eoanthropus), E, F, G, H (phylogeny), H, 1933A (Javanthropus), B, D (Eoanthropus); 1933C (popular); Weil 1928, 1929 (brain); Wells, L. 1929, 1931A (bushman and Australopithecus); Werth 1928, 1929 (Pongidae); West 1931 (cave man, Europe); Westenhöfer 1930; Wichdorff

1931 (Germany); Wiegers

1928, 1930 (Saxony); Wil-

liams, G. 1931 (atavistic human pes); Woodward 1931A, 1933A, C (Piltdown); Yokoyama 1931 (Sinanthropus), 1932 (Japan); Želižko 1932B (Hungary); Zizka 1931 (phylogeny); Zuckerman 1928 (Taungs), 1933A (Sinanthropus, etc.), B (general), C (classification) cropus (= La Tigra), Archi-Homo, Australopithecus, Capo Flats man Cympan.

Archaeanthropus (≈ La Tigra), Archi-Homo. Australopithecus. Cape Flats man, Cyphanthropus (=Rhodesian man), Eoanthropus, Folsom man. Heoanthropus, Hesperanthropus, Homo (= Diprot-Javanthropus, homo), Neoanthropus, Notanthropus. Ngandong man, Paleoanthropus (= Palaeanthropus auct. = Protanthropus). Pithecanthropus, Prachomo, Propithecan-Prehomo, thropus?, Sinanthropus, Wadjak man, Zoanthropus Homininae (= Paleoanthropinae = Pithecanthropinae = Paleohomininae),

thropinae Homininae (= Pithecanthropinae) Hominidae Anthony & Coupin 1931

Hominoidea Primates Simpson, G. G. 1931B (of Anthropoidea, incl. Pongidae and Hominidae)

hominoides (Postpliopithecus)

Homo Hominidae Castellanos 1930; Friederichs 1932B; Hartmann-Weinberg 1933; Jenks 1933; Osborn 1930B; Regan 1930B

> afer taganus Fabiani 1928 alluvialis Eickstedt 1932 aurignacensis Fabiani 1928 dawsoni Hennig 1931C divinans Georg 1930 europaeus Reche 1928 galilaeensis Köppel 1932

gardarensis Keith 1930, 1931B; Vallois 1932B

heidelbergensis Freudenberg 1929A, D; Hennig 1931C; Hill-Tout 1921; Hooton 1931A; Mc-Gregor 1930; Millison 1933; Moore, N. 1928; Quiring 1930; Soergel 1928B; Tilney 1930; Voelcker 1932A; Weinert 1930f; Woodward 1933A

kanamensis Leakey 1933A, C neanderthalensis Berckhemer 1933D; Bonin 1930; Cacciamali 1930; DeBeer & Buxton 1932; Drennan 1932; Fejérváry 1931; Fraipont 1931C, D, 1932B, 1933C; Gorjanović-

Rusconi

Kramberger 1929A; Gregory. Homostius (= Homosteus) Homostiidae Gross, W. 1930G; Hill-Tout 1921; w. 1930 (Homosteus): Hrdlička 1928B; Joleaud Heintz 1929D (Homosteus). 1929B, 1931D; Kappers 1931F; Laverdière 1930 1929B, C, D, 1931B, 1932, (Homosteus); Obrutschew 1933; Keith 1931B; Mijsberg 1932B 1930; Moore, N. 1928; Sergi, anceps Kiaer & Heintz 1933 S. 1930A, 1931B; Smith, G. arcticus Kiaer & Heintz 1933 1928D; Sollas 1933; Tilney cataphractus Kiaer & Heintz 1933 1930; Weinert 1930I, formiosissimus Kiaer & Heintz 1933 paleozoicus Georg 1930 formosissimus Kiaer & Heintz 1933 piltdownensis Friedericks 1932A; Weinert latus Kiaer & Heintz 1933 milleri Kiaer & Heintz 1933 1933B platensis Rusconi 1932L ponderosus Kiaer & Heintz 1933 primigenius Eickstedt 1932; Hennig 1931C; sulcatus Kiaer & Heintz 1933 Mollison 1930B, 1933; Wei-Homotherium Felidae denreich 1928, 1932B, C; arvernense Kretzoi 1929 Wiegers et al., 1928; Zeliko fabrini Kretzoi 1929 1932B Homunculites, incertae sedis Mammalia recens Kappers 1929B pristinus Bluntschli 1931 rhodesiensis Bonin 1930; Dart 1929D; Homunculus Cebidae Joleaud 1929B Dubois 1932B; Gillman harringtoni Rusconi 1933E 1929; Heberer 1931B; Kapimago Bluntschli 1931 pers 1929B, 1929D, 1931B, patagonicus Bluntschli 1931; 1933; Jones 1929A; Koenigs-1933E; Scott, W. 1928A wald 1932A; Mennell 1929; perfectus Bluntschli 1931 Mollison 1933; Pycraft et homunculus (Anaptomorphus) al., 1928; Schneiderhöhn honanensis (Testudo) 1931; Schultz, B. 1931B Honanotherium Giraffidae sapiens fossilis Yokayama 1932 sivalense Matthew 1929A soloensis Anon. 1932G, 1932P; Fleure 1932; hondurensis (Avbelodon) Fraipont 1932B; Koenigshookeri (Arctocephalus) wald 1932A; Mollison 1933; Hoplitosaurus Nodosauridae Anon. 1933I; Gilmore Oppenoorth 1932A, B, C, D 1930C: Nopesa 1929C (Javanthropus); Smith, G. Hoplochelys Dermatemyidae Nopcsa 1928B 1932E; Weinert 1933A (Jav-Hoplophoneinae Felidae Kretzoi 1929 (of Machairodontidae, incl. Hoploanthropus) taganus Mendes-Corrêa 1933B phoneus, Ischyrosmilus, visurgensis Buttel-Reepen 1930 Eusmilus, Pareusmilus, wadjakensis Kleiweg de Zwaan 1928 Albanosmilus and San-Homocentrus, incertae sedis Mammalia sanosmilus) argentinus Bluntschli 1931 Hoplophoneus Felidae Kretzoi 1929; Stock 1932E Homoeosaurus Sphenodontidae Barbour & Stetbelli Stock 1933B son 1929; Drevermann oharrai Jepsen 1933 1931A; Edinger 1930B primaevus Jepsen 1933 (Homeosaurus); Naef 1928A Hoplophorus Glyptodontidae (Homeosaurus) paranensis Castellanos 1932A [Berycidae] Beryciformes Hoplosuchus Notochampsidae Whitley 1933 (Type Homokayi Huene, F. 1933A notichthys = Homonotus hornsundi (Monaspis) Agassiz, preocc.) horrida (Lanarkia) Homonotichthys Berycidae Whitley 1933 horridus (Moloch, Pareiasaurus) dorsalis Whitley 1933 hortulorum (Cervus) Homonotus Berycidae hospes (Anthracokeryx) dorsalis Whitley 1933 housenesse (Hipparion) Homopsomys Dasyproctidae Miller, G. 1929B houtum-schindleri (Tragelaphus) Homorophus Dermatemyidae Nopesa 1928B Hovasaurus Tangasauridae Homosteoidia [Homostiidae] Brachythoraci Romer boulei Haughton 1929B 1930D (Suborder of Arthrohowardae (Branta) howelli (Ecichthys) Homostiidae (= Heterostiidae = Homosteidae) Howesia Howesiidae Huene, F. 1929G Brachythoraci Kiaer & Howesiidae (= Gnathodontidae) Rhynchocephalia Heintz 1933 (relationships)

Homonotichthyidae

Heterostius (= Heterosteus), Homostius

teus)

(= Trionyx partim = Asterolepis partim = Homos-

sauroidea) Howesia, Mesosuchus Mesosuchinae

Nopcsa 1928B (Rhyncho-

Matthew 1929A, P; Pilgrim hsuchiapinensis (Siphneus) huemulensis (Cardiomys?) 1932 [Agriotherium]; Stock 1924 A huenei (Dicynodon, Eurhinosaurus) arctoides Pilgrim 1931 huerfanensis (Eometarhinus) Huginaspis Phlyctaenaspidae Heintz 1929B atticus Pilgrim 1931 broggeri Heintz 1929C gregoryi Frick 1933 (gregorii) punjabiensis Matthew 1929A. vogti Heintz 1929B sivalensis Matthew 1929A humboldti (Mastodon) humilus (Herpetairus) Hyaenictis Hyaenidae hundsheimensis (Dicerorhinus etruscus) Sickenbosei Matthew 1929A graeca Pilgrim 1931 berg 1933A hungarica (Testudo) Hyaenidae Feloidea Matthew 1929A; Pilgrim 1931, 1932 (phylogeny) hungaricum (Prodinotherium) hungaricus (Epimachaerodus, Epimachairodus, Crocuta, Hyaena, Hyaenictis, Ictitherium (= Galeotherium Machairodus, Magvaro-Wagner, = Thalassictis = saurus) hussakofi (Titanichthys) Palhyaena), Lepthyæna, huxleyi (Hyperodapedon, Macrerpeton, Tuditanus) Lycyaena (= ?Agnotherium Hyaelobatrachidae [Hylaeobatrachidae] Mutabilia, = ?Agnocyon) incertae sedis Huene, F. Hyaenodon Hyaenodontidae Colbert 1933E; 1931J (of Urodela) Dietrich 1929B, 1930; Mat-[Hylaeobatrachoidea] Muta-Hyaelobatrachoidea thew 1929Q; Soyer 1929; bilia, incertae sedis Huene, Stock 1933J F. 1931J (of Urodela incl. exiguus Stock 1933D (Protohyaenodon) gervaisi Richard, M. 1931 Hyaelobatrachidae [Hylaeo vetus Stock 1933D batrachidael) Hyaenodontidae (Incl. Proviverridae) Oxyaenoidea "Hyaelobatrachus" Hylaeobatrachidae Huene, F. 1931J Cynohyaenodon, Dissopsalis, Hyaeno-Hyaemoschus Tragulidae Arambourg & Piveteau don, Opisthopsalis, Proto-1929A hyaenodon, Pterodon, Hyaena Hyaenidae Ehrenberg 1931E; Koenigs-Quercytherium, Sinopa, wald 1932C; Pilgrim 1931 Tritemnodon borissiaki Khomenko 1932 Hyaenognathus Canidae bosei Matthew 1929A (Hyaenictis) cyonoides Matthew & Stirton 1930B; Stirbrunnea Dietrich 1930 ton & VanderHoof 1933 carnifex Pilgrim 1932 direptor Stirton & VanderHoof 1933 chaeretis Pilgrim 1931 pachyodon Russell & VanderHoof 1931 colvini Pilgrim 1932 solus Stock 1932C crocuta Anon. 1929P; Bate 1932B; Bolkay Hyainailouros Felidae 1929; Dietrich 1932; Graziosi lahirii Pilgrim 1932 1928; Klinghardt 1930: Hybodontidae Squaliformes Stromer 1928B Acrodus, Hybodus, Orodus, Polyspelaea Battaglia 1929; Caterini acrodus, Wodnika 1933 Hybodontoidae Squaliformes Hay 1930A (Supereximia Arambourg & Piveteau 1929A; fam.) Hernandez-Pacheco 1930B; Hybodus Hybodontidae Broili 1932C; Schmidt, Pilgrim 1931; Roman 1928 M. 1928 gigantea Pilgrim 1932 brabanticus Leriche 1928A (Polyacrodus) hipparionum Pilgrim 1931 machairedus Osborn 1931F intermedius Oertle 1928 macrostoma Pilgrim 1932 minor Erasmo 1932A namaguensis Stromer 1931C similis Oertle 1928 perrieri Bernsen 1933 salonicae Pilgrim 1931 sublaevis Thomasset 1930B sinensis Chardin 1930G; Osborn 1931F; woodwardi Leriche 1928A, 1930B (Poly-Young 1932E aerodus) 1929A; spelaca Ehrenberg Klinghardt Hybosteus Ichthyodorulites Gross, W. 1933A 1930; Stromer 1928B (Cromirabilis Gross, W. 1933A cuta) Hydaspidotherium Giraffidae Matthew 1929A striata Anon. 1929D Hydaspitherium Giraffidae Matthew 1929A Hyanalurina [Hyanailourinae] Felidae Pilgrim Hydrochoeridae [Caviidae] Cavioidea Kraglievich 1932 (Type Hyainailouros) 1930I) Hyaenarctos Ursidae Deperet & Llueca 1928; Hydrochoeridium Caviidae Kraslievich 1930D Helbing 1932; Hernandez-Hydrochoerinae Caviidae Kraglievich 1930D

Pacheco 1930B; Kolbe 1931;

Crossopterygii and Dipnoi)

Hydrochoeropsis Caviidae Kraglievich 1930C, D Hylobatidae [Pongidae] Hominoidea Anthony & dasseni Kraglievich 1930C, D fontanai Rusconi 1933A Coupin 1931 Hylochoerus Suidae Leakey 1932B, 1933B (= Hydrochoerus Caviidae Hylacochoerus) capivara var. gigantea Kraglievich 1930D grabhami Hopwood 1929 A, 1931C capybara Kraglievich 1930D Hylonomidae [Branchiosauridae] Phyllospondyli fossilis Kraglievich 1930D Huene, F. 1931J (Cotylovar. tarijensis (possibly species) sauria): Zittel 1932 (Lepo-Kraglievich 1930D spondyli) giganteus Kraglievich 1930D Hylonomus Branchiosauridae Huene, F. 1931J hydrochoeris Kraglievich & Parodi 1929 Hyloplesion Branchiosauridae Huene, F. 1931J magnus Kraglievich 1930D Hylopus (Ichnites) hermitanus White, D. 1929 pinckneyi Kraglievich 1930D robustus Kraglievich 1930D Hyodonta [Suoidea] Artiodactyla Matthew 1929F sulcidens Kraglievich 1930D hyognathus (Dolichorhinus, Palaeosvops) tarijensis (possibly var.) Kraglievich Hyopotamus Hippopotamidae Matthew 1929A 1930D Hyopsodontidae (Incl. Mioclaenidae) Condylarthra hydroeyon (Trochictis) Hyopsodus, Mioclaenus Hydrodamalidae [Dugongidae] Trichechiformes Hyopsodontoidae Condylarthra Hay 1930A (Super-Weber, M. 1928A fam. of Hyopsodonta, In-Hydrodamalinae Dugongidae Simpson, G. G. sectivora) 1932C (Incl. Hydrodamalis Hyopsodus Hyopsodontidae Gregory 1929I = Rytina = Rhytina) fastigatus Russell & Wickenden 1933 Hydrodamalis (for Rytina) Dugongidae Edinger Hyorhynchus Therocephalia Huene, F. 1931A 1930D; Simpson, G. G. (?Dicynodontidae) Hyotherium Suidae 1932C; Tolmachoff 1928 medium Viret 1929C Hydropelta Thalassemyidae Nopcsa 1928B meissneri Viret 1929C Hydropotes Cervidae Loomis 1928B Hydrosauria [Platynota partim] Sauria Goodrich pygmaeum Viret 1928C typus Viret 1929C 1930B (Suborder of Lacerwaterhousi Viret 1928C tilia, incl. tribes Varanomorpha, Dolichosauria, Ai-Hyperailurictis Felidae Kretzoi 1929 gialosauria and Mosaintrepidus sinclairi Kretzoi 1929 Hypercoryphodon Coryphodontidae Osborn sauria) Hydrotherikornis Alcidae Miller, A. H. 1931 Granger 1932A oregonus Miller, A. H. 1931 thomsoni Osborn & Granger 1932A hypercostata (Testudo) hydruntinus (Equus asinus) Graziosi 1933 Hyperodapedon Rhynchosauridae hydruntum (Equus) gordoni Huene, F. 1929G Hyla [Lithobatrachus] Hylidae Noble 1928 europaea Noble 1928, 1930; Parker 1929, huxleyi Huene, F. 1929G Hypertragulidae Traguloidea Loomis 1933A 1930 Heteromeryx, Hypertragulus, Hypiso-Hylaeobatrachidae (= Hyaelobatrachidae) Mutadus, Leptomeryx, Nannobilia, incertae sedis tragulus "Hyaeloba-Hylaeobatrachus (== Hypertragulus Hypertragulidae Loomis 1933A; trachus") Stock 1924B, 1932E Hylaeobatrachus Hylaeobatrachidae Huene, F. Hyphasma [Sauropleura] Urocordylidae 1931J ("Hyaelobatrachus") laevis Romer 1930D Hylaeochampsa Hylaeochampsidae Huene, F. Hypichthyes [Acraniata] Chordata Woodward, A. 1933A (Hvaelochampsa); 1931B Nopesa 1928B Hypisodus Hypertragulidae Loomis 1933A (Hy-Hylaeochampsidae Eusuchia opsidus) Heterosuchus, Hylaeochampsa Hylaeochampsinae [Hylaeochampsidae] Eusuchia hypoceras (Brontotherium, Symborodon) Nopesa 1928B (in Crocohypogaea (Aquilavus) hypogaeus (Aquilavus) dilidae, incl. Hylaeochamp-Hypohippus Equidae Gazin 1932 sa). 1928C Hypolagus Leporidae Bernsen 1933; Maxson 1930 Hylaeochelys Plesiochelyidae apachensis Gazin 1930 sollasi Nopesa 1928C Hypolophus Trygonidae Hylaeosaurus Acanthopholidae Nopesa 1929C Hylidae Proceela sylvestris White & Frost 1931 Hyla hypomicrus (Nesophontes) Hypopneusta [Herpetichthyes] Osteichthyes Gar-Hylobates Pongidae Mátyás & Mihaly 1932; Regan stang 1931 (Division, incl.

1930B

syndactylus Kappers 1929B

Hypopnous Captorhinidae squaliceps Rieth 1931B Hypoprion Carchariidae reisi Weiler 1932A

Hypornithes Ichnites

jurassica Jackel 1929A

Hyposaurinae Pholidosauridae *Noposa* 1928B (of Goniopholidae, incl. Hyposaurus), 1928C

Hyposaurus Pholidosauridae Hay 1930A (Goniopholidae); Nopesa 1928B (Goniopholidae); Zittel 1932 (?Pholidosauridae)

hypostylus (Trigonias)

Hypotheria [Theromorpha] Synapsida Woodward
1931B

Hypotodus Lamnidae

trigonalis Menner 1928

Hypotoxodon Toxodontidae Kraglievich 1928E Hypselochoerus Merycoidodontidae Loomis 1933B gregoryi Loomis 1933B

hypselonotus (Sclerothorax)

Hypselornis Crocodilidae Lowe, P. 1928B

sivalensis Lowe, P. 1929

Hypselosaurus Cetiosauridae Huene, F. 1929D, 1932A

Hypsilophodon

Hypsilophodontidae Nopcsa
1928E; Woodward 1929D

(= Kalodontidae partim)

Hypsilophodontidae (= Kalodontidae partim)
Iguanodontoidea

Dryosaurus, Dysalotosaurus, Geranosaurus, Hypsilophodon, Laosaurus, Stenopelix, Thescelosaurus

Hypsilophodontinae [Hypsilophodontidae] Iguanodontoidea Nopesa 1928B (of Kalodontidae, incl. Geranosaurus, Hypsilophodon and Stenopelix), 1929C

Hypsiprymnopsis Microcleptidae Simpson, G. G. 1928C

Hyrachius Tapiridae

douvilli Koenigswald 1930 (= Tapirus) intermedius Koenigswald 1930 (= Tapirus)

Hyrachyidae Rhinocerotoidea Wood, H. 1929 (revision)

Hyrachyus

Hyrachyus Hyrachyidae Gilmore 1931A Hyracodon Hyracodontidae Dal Piaz 1930C;

Moodie 1929E

nebrascense Sinclair 1920 ombonii Dal Piaz 1930C petersoni Wood, H. 1926

Hyracodontidae Rhinocerotoidea Matthew 1932B Hyracodon

Hyracodontotherium Anoplotheriidae filholi Dal Piaz 1929B

Hyracoidea Monodelphia Simpson, G. G. 1929K (general)

Hyracotherium Equidae Anon. 1929O; Cooper, C. 1932A; Matthew 1929R cuniculus Cooper, C. 1982A, B leporhinum Cooper, C. 1932A vulpiceps Cooper, C. 1932A

hystatus (Theosodon) Hystricidae Hystricoidea

Hystrix, Paraulacodus, Pectinator, Sivacanthion

Hystriciformes [Hystricomorpha] Simplicidentata Hay 1930A (Subord. of Simplicidentati)

Hystricoidea Hystricomorpha Riabinin 1929B (Used as family name)

Hystricomorpha Simplicidentata

Hystricops Castoridae Schreuder 1929

Hystrix Hystricidae Bernsen 1933; Friant 1933B; Matthew 1929A

bessarabica Riabinin 1929B cristata Arambourg 1931B; Bernsen 1932B etrusca Bernsen 1932B

iamonensis (Mesocyon)

ianishevskyi (Ctenacanthus)

ibex (Capra)

Ibididoidae [Threskiornithoidea] Ciconiiformes Hau 1930A (Superfam.)

Ichnites (tracks and trackways) Tetrapoda Chardin & Young 1929 (Juras. China); Föller 1930; Frank 1928: Ganss 1933: Houston 1933; Huene, F. 1929G; Huene & Watson 1928; Jackel 1929A (birds, Jurassic); Kindle 1932 (general); Klingner 1928; Kraus 1930; McKee 1933 (Permian, N. Amer.); Merriam, J. 1932; Moodie 1930B (Permian); Nopesa 1929D (dinosaurs); Russell, L. 1930A (?Condylarth, Alberta); Russell, L. & Rutherford 1928; Schmidt, H. 1927; Schmidtgen 1928A, C (Permian); Scott, G. & Armstrong 1932 (Texas); Sternberg, C. M. 1933D (Canada); Vallois 1931A (Pleist. man)

> Tetrapodosauridae, Thalassemyidae

Agialopous, Amblydaetylus, Anchisauripus, Ancylopus, Anomoeichnus, Anomoepus, Asperipes, Attenosaurus, Avipes, Baropus, Bronto-"Camptosaurus" zoum. (Gould 1929A), Charadrius, Chirotherium, Columbosauripus, Cursipes, Dakotasaurus, Dimetrodon, Dyscritichnus, Erpetopus, Gypsichnites, Herpetichnium, Hylopus, Hypornithes, Ichnites, Ichnium, Ignotornis, Irenesauripus, Irenichnites, Korynich-

nium, Laoporus,

Mar-

burgichnium, Megapezia, Microsauropus, Ornichnites, Ornithoidipus, Parvipes, Protornis, Rigalites, Saurichnium, Sauropus, Solidopus, Steganoposaurus, Tetrapodosaurus, Thinopus, Triaenopus, Varanopus, Wakarusopus (= Onychopus)

Ichnites (genus) Tetrapoda euskelosauroides Huene, F. 1932A

Ichnium Ichnites Schmidtgen 1928 dolloi Schmidtgen 1928

Ichthyacanthus Branchiosauridae

ohioensis Romer 1930D; platypus Romer 1930D

Ichthyerpeton Amphibamidae

squamosum Romer 1930D

Ichthyodectidae Isospondyli Portheus, Xiphactinus

Ichthyodorulites (fish spines) Pisces Chabakov 1928A, B (Russia); Dutertre 1929C (France)

Acanthaspis,

s, Anodontacanthus, Archaegonaspis, Arctacanthus, Bulbocanthus, Byssacanthus, Ctenacanthus, Gamphacanthus, Gyracanthus, Hybosteus (= Coelosteus preocc.), Machaeracanthus, Nemacanthus, Ohiodorulites, Onchus (= Haplacanthus), Oracanthus, Petrodus, Porolepis?, Striacanthus, Xystracanthus

Ichthyoidea [Mutabilia] Caudata Huene, F. 1931J ("Superfamily" of Urodela); Zittel 1932 (Suborder

of Urodela)

Ichthyopterygia Reptilia Ichthyornis Ichthyornithidae Pycraft 1929B; Wetmore 1929B

dispar Wetmore 1933I

Ichthyornithidae Ichthyornithiformes

Apatornis?, Ichthyornis (= Colono-

Ichthyornithiformes Odontognathae Boubier 1933 Ichthyosauria Ichthyopterygia Huene, F. 1931F; Woodward 1929C

Ichthyosauridae (= Latipinnatidae partim) Ichthyosauria

Eurypterygius, Ichthyosaurus, Macropterygius, Ophthalmosaurus

Ichthyosaurinae [Ichthyosauridae] Ichthyosauria Nopesa 1928B (of Latipin-

Ichthyosauroidea Ichthyosauria Nopcsa 1928B (Suborder, incl. Longipin-

natidae and Latipinnatidae)
Ichthyosaurus Ichthyosauridae Anon, 1928Q;
Astre 1931A; Corroy 1933;
Edinger 1929D; Ghidini

1931; Hauff 1930; Woodward 1939C

acutirostris Swinton 1929B

bodenbenderi Weaver 1931 (Ichthyo-

sauros)

crassicostatus Swinton 1929B crassimanus Melmore 1930A quadriscissus Swinton 1929B trigonodon Melmore 1930A

Ichthyostega Ichthyostegidae Säve-Söderbergh
1932B

eigili Säve-Söderbergh 1932B

(?) kochi Säve-Söderbergh 1932B

stensiöi Säve-Söderbergh 1932B

watsoni Säve-Söderbergh 1932B Ichthyostegalia Stegocephalia Säve-Söderbergh

1932B (Order of Embolomeri?)

Ichthyostegidae Ichthyostegalia Romer 1933C (of Phyllospondyli); Säve-Söderbergh 1932B

Ichthyostega, Ichthyostegopsis

Ichthyostegopsis Ichthyostegidae Säve-Söderbergh 1932B

wimani Säve-Söderbergh 1932B

Ichthyotomi [Pleuracanthodei] Elasmobranchii Naef 1931 (group of Chiropterygii); Zittel 1932 (Incl. Pleuracanthidae)

Ictailurinae Felidae *Kretzoi* 1930 (Incl. Ictailurus) Ictailurus Felidae Kretzoi 1929, 1930

Icteridae Passeres

Euphagus, Molothrus, Pyelorhamphus Icticephalus Therocephalia

polycynodon Watson 1931B Icticyon Canidae Kraglievich 1930A

Ictidodon Therocephalia Nopesa 1928B (Akidognathinae, Gorgonopsoidea)

Ictidognathus Therocephalia

hemburyi Broom 1931C; Watson 1931B parvidens Watson 1931B

Ictidoparia Therocephalia Nopesa 1928B Ictidopsis Cynodontia Huene, F. 1928B

Ictidorhinidae Gorgonopsia Broom 1932B (type Ictidorhinus)

Ictidosauria (Ictidosauridae is assigned to the Therocephalia) Theriodontia Broom 1929C (Type an unnamed genus of "Ictidosaurian"), 1930F, 1932B (Does not include Broom's new family Ictodosauridae, p. 64. Includes the genus Karoomys, and possibly Pachygenelus and

Trithelodon)

Trithelodontidae ?Karoomys, Lycorhinus, ?Pachygenelus, ?Trithelodon

Ictidosauridae [Scylacosauridae] Therocephalia
Broom 1932B (Not placed in
the order Ictidosauria, p.
299, Includes Ictidosaurus, Scylacosaurus,

Scylacorhinus and Akido-Iguanoidae [Ig uanial Ascalabota Hau (Superfam. of Iguanignathus) Ictidosaurus Therocephalia Broom 1932B formes) Ictodostoma Therocephalia Broom 1931C Iliosuchus Coeluridae Huene, F. 1932A hemburyi Broom 1931C incognitus Huene, F. 1932A Ictidosuchoides Therocephalia Broom 1931C Ilysiinae [Anilidae] Henophidia Nopcsa 1928B (of Alethinophidae, incl. longiceps Broom 1931C Ictidosuchus Therocephalia Nopesa 1928B Dinilysia and Scytalophis) longiceps Broom 1931C imago (Homunculus) Ictitherium Hyaenidae Pilgrim 1931 imhoffi (Pristis) hipparionum Arambourg immanis (Apatosaurus) 1929A: Pilgrim 1931 impar (Camarasaurus) Impennes Neornithes Lowe 1933C (phylogeny) indicum Pilgrim 1932 impennis (Alca) orbignyi Pilgrim 1931 imperator (Elephas) robustum Arambourg & Piveteau 1929A; imperfecta (Leptosuchus, Psammolepis) Koenigswald 1928; Pilgrim imperfectus (Psammosteus) 1931 imperforatum (Paedotherium) sarmaticum Pilgrim 1931 tauricum Pilgrim 1931 impressus (Varanopus) improla (Dolichotis, Orthomyctera) viverrinum Pilgrim 1931 inceptor (Puffinus) Ictopidium Leptictidae Zdansky 1930 incertus (Amphicyon, Palaealectornis) lechei Zdansky 1930 incessa (Stenopterygius quadriscissus) Huene, F. idahoensis (Ondatra, Pseudemys) 1931F idahoensis (Ondatra idahoensis) Wilson 1933C Idiacanthus Selachii, incertae sedis Gunnell 1933 incisa (Remigolepis) bellistratus Gunnell 1933 incisivum (Aceratherium, Telmatherium) cameratus Gunnell 1933 incisivus (Rhinoceros, Sthenodectes) trispinosus Gunnell 1933 incisus (Scopelus, Otolithus) Frost 1933B incognita (Carlesia, Dicarlesia) Idiochelys Thalassemvidae Nopcsa 1928B incognitus (Iliosuchus) Iekelotodus Lamnidae Menner 1928 trigonalis Menner 1928 incrassatus (Dryptosaurus) Ignotornis Ichnites Mehl 1931A incurva (Lamna) mcconnelli Mehl 1931A incurvus (Rhizodus) Indarctos Ursidae Helbing 1931, 1932; Matthew ignotus (Litolestes) 1929P Iguanavus Iguania, incertae sedis Nopesa 1928B Iguania, incertae sedis Ascalabota arctoides Depéret & Llueca 1928; Pilgrim Chamops, Iguanavus Iguanidae [Iguania] Ascalabota Nopesa 1928B (?) cf. atticus Pilgrim 1931 (Incl. Iguaninae and Agam-(?) ponticus Pilgrim 1931 inae) punjabiensis Matthew 1929A (Hyae-Iguanidae (= Iguaninae) Iguania narctos) Phrynosoma salmontanus Matthew 1929A Iguaniformes [Ascalabota] Sauria Hay 1930A (Subindentata (Kirkella) indica (Palhyaena) Iguaninae [Iguanidae] Iguania Nopesa 1928B (of indicum (Ictitherium) Iguanidae, incl. Chamops indicus (Elephas. Laevisuchus, Paraulacodus, and Iguanavus) Pontosmilus) Iguanodon Iguanodontidae Ghidini 1931; Jaindistinctis (Attenosaurus) nensch 1932; Nopcsa 1928E; indivisus (Gyriabrus) Quenstedt 1932A Indobatrachus Bufonidae Metcalf 1930; Noble atherfieldensis Swinton 1933B 1930 bernissartensis Heilmann 1928 pusillus Noble 1930 mantelli Woodward 1929D Indolophus Tapiridae Matthew 1929A Iguanodontidae (= Kalodontidae partim, incl. Indomeryx Tragulidae Pilgrim 1928 Camptosauridae) Iguanoarenae Pilgrim 1928 dontoidea cotteri Pilgrim 1928 Indosaurus Megalosauridae Huene, F. 1932A Anoplosaurus, Camptosaurus, Craspedodon, Iguanodon, Kangmatleyi Huene, F. 1932A, Huene & Matley nasaurus, Rhabdodon 1933 [in error called Indo-Camptosaurinae, Iguanodontinae suchusi Iguanodontinae Iguanodontidae Nopesa 1928B (of Indosuchus Megalosauridae Huene, F. 1932A Kalodontidae, incl. Iguanoraptorius Huene, F. 1932A; Huene & don and Craspedodon) Matley 1933 Iguanodontoidea Orthopoda Hay 1930A (Iguano-Indraloris Loridae Lewis, G. 1933B

lulli Lewis, G. 1933B

dontoidae)

Indratherium Giraffidae Matthew 1929A Irenesauripus Ichnites Indricotheriidae | Rhinocerotidae | Rhinocerotoidea acutus Sternberg, C. M. 1932E Indricotherium [Baluchitherium] Rhinocerotidae mclearni Sternberg, C. M. 1932E Beliaeva 1928; Matthew occidentalis Sternberg, C. M. 1932E Irenichnites Ichnites Sternberg, C. M. 1932E asiations Gatulew 1933 gracilis Sternberg, C. M. 1932E Indridae (= Indrisidae) Lemuroidea irregularis (Saurichthys) Mesopropithecus isarensis (Anas) ischigualastianus (Rigalites) Indrisinae [Indridae] Lemuroidea Weber, M. 1928A (of Lemuridae to include Ischnacanthidae Acanthodii Palaeopropithecus, Indris. Gomphodus Mesopropithecus) Ischyrictis Mustelidae inelegans (Champsosaurus) zibethoïdes Helbing 1930A inequalis (Stenonychosaurus) Ischyromyidae (Incl. Paramyidae) Aplodontioidea Paramys, Plesiarctomys inermis (Stomatosuchus) Ischyrosmilus Felidae Kretzoi 1929 inexpectatus (Peraiocynodon) inexpectatus (Pseudalopex proplatensis) Rusconi Isectolophus Tapiridae Matthew 1929A Isobolodon Octodontidae Miller, G. 1929B 1933C Isodectes Reptilia, incertae sedis inflata (Odontaspis acutissima) Menner 1928 inflatus (Champsosaurus, Coccosteus, Cyrtosaurus) punctulatus Romer 1930D [Tuditanus] ingens (Aspidichthys, Belodon, Dinophoneus, Isomyopotamus Myocastoridae Rusconi 1929B isonesus (Merychippus) Gresslyosaurus, Koalemus, Isospondyli Physostomi Struthiomimus) Isostylomys Chinchillidae Kraglievich 1929B ingenuum (Hipparion) ameghinoi Kraglievich 1932B innoxia (Terrapene) laurillardi Kraglievich 1929B inopinatus (Serridentinus, Trilophodon) inornatus (Doellotatus, Eutatus) Isotemnidae Entelonychia Inostranzevia Gorgonopsia Lutkevich 1931 (Inisselanum (Propalaeotherium) Isselosaurus Crocodilidae? ostrancevia); Nopesa 1928B dodunii Astre 1931C Insectivora, incertae sedis Monodelphia Frechkop issiodorense (Meganteron) 1932A (dentition) issiodorensis (Canis, Felis) Batodon, Gypsonietops (= Gypsonyeissiodorensis (Ursus cultridens) Kretzoi 1929 tops), Telacodon insigne (Bachitherium) Issiodoromys Theridomyidae Friant 1933B, C Stehlin 1928E insignis (Anglaspis, Palaedaphus) pseudanaema Viret 1929C insiliens (Thescelus) Isurus Lamnidae Stromer & Weiler 1930; Weiler insperatus (Lacco-cephalus) insuetus (Gadus, Otolithus) Roedel 1930 (Gadi-1933A italiae (Bos primigenius) De Cristo 1928 darum) italicus (Palaeoloxodon antiquus) Lorenzo & integer (Leptopterygius) Interatheriidae Typotheria Erasmo 1931B: Osborn 1931.7 Cochilius, Muñizia, Protypotherium Jacare Alligatoridae Mook 1932B Muñizinae Jacaretinga Alligatoridae de Saez 1928B intermedia (Martes, Poraspis) praecursor Rusconi 1933D intermedius (Brachicyon, Cardiomys, Ctenomys, jaegeri (Mastodonsaurus, Mustela (?), Sinictis (?), Diodon. Dolichorhinus, Steneofiber) Elephas, Epihippus, Hy-Jaekelaspis Phlyctaenaspidae Heintz 1929B hodus, Hyrachius, Martes, brevis Heintz 1929B Martinichthys, Mimomys, decipiens Heintz 1929B Paratapirus Panochthus. lata Heintz 1929B Phalacrocorax, Prosiphlewini Heintz 1929B neus, Rallus, Rhamphostolongicornis Heintz 1929B mopsis, Tapirus, Thaumasolnördali Heintz 1929C turus) jaekeli (Ctenacanthus, Enseosteus, Onychodus, intermontanus (Merychippus, Protohippus) Palaeochamaeleo) Interochoerus Tagassuidae Rusconi 1930G Jagorina Jagorinidae bonaerensis Rusconi 1930G pandora Gross, W. 1933D interpolatus (Pliohippus) Jagorinidae Rhenanidi Zittel 1932 intrepidus (Pseudaelurus) Jagorina

jakovlevi (Trematosuchus)

kochi Nielsen 1932

Janassa Petalodontidae Lutkevich 1931; Wiegelt

japonicus (Canis familiaris) Matsumoto 1930F

1930G

involutus (Coccosteus)

Inuus Cercopithecidae

iravaticus (Hippopotamus)

irdinensis (Manteoceras)

suevicus Freudenberg 1932

japonicus (Cryptobranchus) Kannemeyeria Dicynodontidae simocephala Huene, F. 1931A javali (Plagiolophus) kansanus (Camelops) javanicus (Cervus axis) Koenigswald 1933 Javanthropus Hominidae Oppenoorth 1932A, B, kansense (Plioambystoma) kansensis (Erpetosuchus, Plioambystoma) C: Weinert 1932E, H, 1933A Kansius Berycidae Hussakof 1929 soloensis Anon. 1932G; Arditi 1932; sternbergii Hussakof 1929 Oppenoorth 1932A, B, C, D jeanneli (Listriodon) kapffi (Lophoprosopus, Nicrosaurus, Phytosaurus, Semionotus) jeffersonensis (Dinichthys, Mehliella, Walteria) kappelensis (Mastodonsaurus) jemezanus (Aphelops) karatheodoris (Struthio) jepseni (Geranoides) Karoomys Ictidosauria Broom 1930F joaquinensis (Argyrocetus) karpinskii (Lamna) johnsoni (Amyda, Bactrosaurus) karpinsky (Pareiasaurus, Scutosaurus) johnstoni (Astrodon) ioleaudi (Palaeortvx) kattwinkeli (Alcelaphus) kaupi (Ceratodus) jonesi (Buettneria) kayi (Hoplosuchus, Labidolemur, Poabromylus) Jonkeria Titanosuchidae cloeti Broom 1929D; Huene, F. 1931A kayseri (Machaeracanthus) kazusensis (Cervus) crassa Huene, F. 1931A kehreri (Ocadia) crassus Broom 1929D pugnax Huene, F. 1931A Keirognathus Dicynodontidae Huene, F. 1931A truculenta Broom 1929D; kelloggi (Tephrocyon) Huene. kendengindicus (Rhinoceros) 1931A kennardi (Sorex) vanderbyli Broom 1929D; Huene. 1931A Kentrurosaurus Stegosauridae Nopcsa 1928B kepleri (Selenosteus) joraki (Amebelodon) jouberti (Dicynodon) Kepolestes Dryolestidae Simpson, G. G. 1929A Keraterpeton (= Ceraterpeton) Urocordylidae iourdaini (Sciuropterus) Edinger 1929D jourdani (Ailurictis, Albanosmilus, Machairodus) Jubbulpuria Coeluridae Huene, F. 1932A Keraterpetontidae [Urocordylidae] Lepospondyli tenuis Huene, F. 1932A; Huene & Matley Tapinocephalidae Huene, Keratocephalus 1933 1931A jubilaei (Mnemeiosaurus) moloch Huene, F. 1931A jujuvensis (Synhapalops) kernensis (Allodesmus, Liolithax, Vultur) julieni (Plesictis sicaulensis) Viret 1928, 1929C Kerodon Caviidae Friant 1933B julieni (Proailurus, Stenogale) keuperinus (Plesiosaurus) junior (Loxodonta, Palaeoloxodon) kewi (Subhyracodon) junius (Mesatirhinus, Palaeosyops) Kholobolchiensis (Eudinoceras) Osborn & Granger jurassica (Hypornithes) 1931A kaiseni (Chasmosaurus, Dolichorhinus, Testudo) Kiaeraspinae Cephalaspidae Stensio 1932A (Incl. Kalamoiketor Metoposauridae Branson & Meht Benneviaspis, Kiaeraspis, 1929 Hoelaspis, Boreaspis, Thyfraasi Branson & Mehl 1929 estes. Didymaspis and pinkleyi Branson & Mehl 1929 Sclerodus = Eukeraspis) kalganensis (Testudo) Kiaeraspis Cephalaspidae Stensiö 1932A Kallistira Dermatemyidae Nopcsa 1928B kiaeri (Arctaspis) Kallokibotiidae Amphichelydia Zittel 1932 kiakhtensis (Capra falconeri) Boule et al. 1928 Kallokobotium kiakhtensis (Spirocerus falconeri) Boule et al. 1928 Kallokibotioninae [Kallokibotiidae] Amphichelydia Kindleia Amiidae Russell, L. 1928B, 1929B Nopesa 1928B (of Plesiofragosa Jordan 1928C, 1929A; Russell, L. chelyidae, incl. Kalloki-1929B botium) kingi (Securiaspis) Kallokibotium Kallokibotiidae Nopesa 1928B Kinosternidae [Dermatemyidae] Cryptodira Kionocrania Sauria Romer 1933C (Infraorder of Kalodontidae [Orthopoda partim] Ornithischia Nopesa 1928B (of Ornitho-Lacertilia, incl. Geckonidae. podoidea, incl. Nanno-Agamidae, Iguanidae. saurinae, Hypsilophodon-Xantusiidae, Lacertidae. tinae, Camptosaurinae, and Tejidae, Scincidae, Helo-1929C Iguanodontinae), dermatidae, and Anguin-(incl. Hypsilophodontinae and Camptosaurinae) kiplingi (Gadus) kanamensis (Homo) kirchbergense (Rhinoceros) Iguanodontidae Nopesa Kangnasaurus 1928B kirkbyi (Baphetes)

Kirkella Selachii, incertae sedis Gunnell 1933

elliptica Gunnell 1933

(Kangasaurus)

kannemeyeri (Lycaenognathus)

indentata Gunnell 1933 typicalis Gunnell 1933 kirtlandicus (Goniopholis) kisatibensis (Rana) kitchini (Securiaspis) klatti (Europolemur) kleini (Palacotherium) knetschi (Marburgichnium) knoblochi (Camelus) Koalemasaurus Pareiasauridae Boonstra 1933C; Haughton & Boonstra 1929 acutirostris Haughton & Boonstra 1929 Koalemus Phalangeriidae ingens Anderson, C. 1933 Kobus Bovidae Dollman 1929A kochi (Australosomus, Ichthyostega, Janassa. Pholidopleurus, Pterodactylus, Remigolepis) Kogia Physeteridae Gregory & Raven 1933 Kogiidae [Physeteridae, partim] Odontoceti Kellogg 1929C Kogiopsis Physeteridae Kellogg 1929C floridana Kellogg 1929C Koiloskiosaurus (= Koiloskiasaurus) Procolophonidae coburgensis Rieth 1932 Koiropotamus Suidae Dietrich 1933 kokeni (Rhamphorhynchus, Ursus) kolbei (Dicynodon) kolozsvárensis (Rallicrex, Rallus) Kolpochoerus Suidae Van Hoepen 1932B sinuosus Van Hoepen 1932B Kolpohippus Equidae Van Hoepen 1930A plicatus Haughton 1932A; Van Hoepen 1930A komodoensis (Varanus) kongararvensis (Scopelus, Otolithus) kopassii (Hippotragus) Kopidodon Creodonta, incertae sedis Weitzel macrognathus Weitzel 1933D kormosi (Cricetus, Mimomys) korni (Ctenoptychius) koruensis (Xenopithecus) Korynichnium Ichnites Korn 1933 celer Korn 1933 Koskinonodon Metoposauridae Branson & Mehl 1929 princeps Branson & Mehl 1929 Kotlassiidae [Seymouriidae] Seymouriamorpha Romer 1933C kowalevskyi (Rhagatherium)

Captorhinidae) labordei (Parasemionotus, Semionotus) Labridae Perciformes Egertonia, Phyllodus, Platylaemus Labrosauridae [Ceratosauridae] sauroidea) Labrosaurus Ceratosauridae Huene, F. 1932A Labyrinthodonti Stegocephalia boniferous, Scotland) Lacco-cephalus Rhinesuchidae insperatus Pfannenstiel 1932A lacerticeps (Dicynodon) Lacertidae Lacertoidea Lacerta Lacertinae infraorders Platynota. and Rhiptoglossa) saurininae) Lacertininae Lacertoidea Scinocomorpha lacrymalis (Chelyrhynchus) lactorensis (Amphicyon) lacus (Stylomyleodon) kraglievichi (Megactenomys, Platygonus, Promaclacustris (Felis) rauchenia. Xenastrapolaevidens (Limnohyops, Limnohyus) therium) laevior (Pholidosteus) krambergeri (Thynnus) krapiniensis (Palaeanthropus) laevis (Diceratosaurus, Erpetosaurus, Hyphasma, Onchus Pachythrissops. Kraterohippus Equidae Van Hoepen 1930A Zanclodon) elongatus Haughton 1932A; Van Hoepen Laevisuchus Coeluridae Huene, F. 1932A 1930A indicus Huene, F. 1932A; Huene & Matley 1928E: Kritosaurus Trachodontidae Nopesa 1933 Riabinin 1930D Lagodon Sparidae Berry, C. 1932 Kronosaurus Pliosauridae queenslandicus Anon. 1933F; Longman Lagodus Ochotonidae piscoides Viret 1929C 1930, 1932B

399 kryshtofovici (Saurolophus) kuhni (Equus, Pilgrimia) kullingi (Remigolepis) kupelivieseri (Pitymys) Kurtodon Dryolestidae Simpson, G. G. 1928C kweichowensis (Tylototriton) kysylkumense (Cionodon) labiatum (Poebrotherium) labiatus (Ursus) Labidolemur Apatemyidae kayi Simpson, G. G. 1929B (Plesiadapidae) Labidosauroidea Captorhinomorpha Nopesa 1928B (Suborder of Cotylosauria, incl. Limnoscelidae and Coeluroidea Nopesa 1928B (of Megalo-Labyrinthodontia [Labyrinthodonti] Stegocephalia Noble 1931; Romer 1930D (Incl. Baphetidae, and Cricotidae); Steen 1931A (N. Amer.); Watson 1929K (Car-Lacerta Lacertidae Grodinski 1929; Kormos 1931A Lacertilia [Sauria] Squamata Romer 1933C (Incl. Kionocrania, Amphisbaenia Lacertinae [Lacertoidea] Autarchoglossa Nopesa 1928B (of Scincidae, incl. Lacertininae and Gerrho-[Lacertidae] Lacertoidea Nopesa 1928B (Gens of Lacertinae) Lacertosauria [Sauria] Squamata Tornier 1933 (= Sauria vera = Autosauria) lacunosa (Dolichotis, Orthomyctera, Prodolichotis)

Lagomeryx Palaeomerycidae Heller 1933F alopecoides Menner 1928 appendiculata Leriche 1930A pumilio Stromer 1928D cuspidata Zotz 1928 Lagomorpha [Duplicidentata] Rodentia Burke incurva Kühn, Othmar 1930 1933 (Eocene); Dice 1929 karpinskii Menner 1928 (phylogeny); Walker 1931 vincenti var. uralica Menner 1928 (classification) Lamnidae Squaliformes Menner 1928, 1932 Lagomyidae [Ochotonidae] Duplicidentata Lagomys Ochotonidae Corax, Odontaspis. Carcharodon, fontannesi Ennouchi 1930 Eocarcharodon?, Hypotodus, Iekelotodus, Isurus, verus Ennouchi 1930 Lagopus Phasianidae Christiani 1929 Lamna, Otodus, Oxyrhina (= Oxyrhinus), Parodonlagopus (Canis) taspis, Scapanorhynchus, Lagostomopsis Chinchillidae Kraglievich 1929C Synodontaspis [Subgenus of Lagostomus] Lagostomus Chinchillidae Lamnoidea Squaliformes Hay 1930A (Lamnoidae) cavifrons Rusconi 1931E Lampadephori [Haplomi] Physostomi Garstang 1931 (Div. of Metagnathi, minimus Rusconi 1931E laguroides (Allophaiomys) incl. Stomiatoidei and Sco-Lagurus Muridae Kormos 1932E, F peloidei (= Iniomi)) pannonicus Kormos 1930B, 1932B Lampris Carangidae luna Gudger 1931 lahirii (Anthracokeryx, Hyainailouros) Lamprolithax Delphinidae Kellogg 1931B Lama Camelidae Cabrera 1932 annectens Kellogg 1931B ameghiniana Aranguren 1930 simulans Kellogg 1931B americanus Matthew 1929A angustimaxila Aranguren 1930 Lamprosauroides Nothosauridae Schmidt, K. 1927 castelnaudi Ameghino & Rusconi 1933 Lamprosaurus Nothosauridae Schmidt, K. 1927 prehuanacus Ameghino & Rusconi [Lamprosauroides] 1933 Lanarkia Coelolepidae Kaier & Heintz 1932 gigantea Aranguren 1930; Rusconi 1931G horrida Stetson 1931B glama Aranguren 1930 lancifer (Leptophractus, Rhizodus) gracilis Aranguren 1930 landesqui (Amphieyon) guanicoe Ameghino & Rusconi 1933; Aranlangi (Cephalaspis) guren 1930 laniger (Cheiromys madagascariensis) Grandidier lönnbergi Ameghino & Rusconi 1020 1933: Aranguren 1930 Laniidae Passeres (?) Iollomani Hay & Cook 1930 Lanius major Aranguren 1930 Lanius Laniidae pages Aranguren 1930 excubitor Ehrenberg 1929B; Ehrenberg & stevensi Matthew 1929A; Stock 1928C Sickenberg 1929 Lambdotheriinae Brontotheriidae Osborn 1929O lankesteri (Benneviaspis, Cephalaspis, Rhyphodon) (Incl. Lambdotherium) Lanthanotus Helodermatidae Nopesa 1928B Lambdotherium Brontotheriidae Laolestes Dryolestidae brownianum Osborn 1929O grandis Simpson, G. G. 1929A magnum Osborn 1929O Laophis Viperidae Nopesa 1928B popoagicum Osborn 1929O Laoporus Ichnites Arldt 1930 primaevum Osborn 1929O canadensis Sternberg, C. M. 1933A priscum Osborn 1929O noblei McKee 1933 progressum Osborn 1929O wyldei Moodie 1930C lambei (Anodontosaurus) Laopteryx, incertae sedis Aves Lambeosaurinae (Trachodontidae) Nopesa 1928B priscus Wetmore 1930B (Incl. Cheneosaurus, Cor-Laornis, incertae sedis Aves ythosaurus, Lambeosaurus edvardsianus Wetmore 1930A, B and Hypacrosaurus); Wi-Laosaurus Hypsilophodontidae Nopesa 1928B man 1931 (Iguanodontidae) Lametasaurus Nodosauridae Matley 1931; Nopcsa minimus Allan & Rutherford 1932 1928B (Stegosauridae) Laphictis Mustelidae Viret 1933A [Titanosuchidae] Dinocephalia Lamiasauridae mustelinus Viret 1933A Nopesa 1928B (of Titano-Laplatasaurus Cetiosauridae Huene, F. 1929D; suchoidea) Matley 1931; Nopesa 1930D; Lamiasaurus Titanosuchidae Stromer 1932C newtoni Huene, F. 1931A araukanicus Huene, F. 1929D. F laminatus (Scopelus, Otolithus) Lari Charadriiformes Lamna Lamnidae Beaufort 1928; Loel & Corey 1932; Stromer & Weiler Laridae Lari 1930 Weiler 1933A Larus, Sterna

Lariosaurinae Nothosauridae Nopcsa 1928B (I ncl. legetet (Limnopithecus) Lariosaurus, Macromeroleidyi (Brontotherium, Palaeosyops) saurus, Philotrachelosaurus. Leidyosuchinae Crocodilidae Nopcsa 1928B (Incl. and Phygosaurus), 1928C Allognathosuchus, Dorato-(Psilotrachelosaurus don. Heterosuchus and Rhaticonia) Leidyosuchus), 1928C (incl. Lariosaurus Nothosauridae Schmidt. M. 1931 Allodaposuchus) balsami Peyer 1933A; Sos 1933 Leidyosuchus Crocodilidae Kuhn, Oskar 1933 D Laroidea [Lari] Charadriiformes Hay 1930 A acutidentatus Sternberg, C. M. 1932B (Lariodae of Lariformes) canadensis Sternberg, C. M. 1932C largus (Coeluroides) multidentatus Mook 1930 larteti (Corvus, Heteroprox, Miocorax, Miocorvus, leiodon (Dromopanthera, Felis) Steneosaurus) leiopleurus (Acrodus) larteti (Ursus arctos mut.) Arambourg 1933B Leiosteus Coccosteidae Gross, W. 1932B, 1933D lartetianus (Ursus) concavus Gross, W. 1932B lartetii (Promephitis) lucifer Gross, W. 1932B Larus Laridae Christiani 1929; Piiper 1928 platycephalus Gross, W. 1932B Leipsanolestes Leptictidae Simpson, G. G. 1928B. larvatus (Nythosaurus) Lasaniidae Anaspida 1929B Lasanius siegfriedti Simpson, G. G. 1928B Lasanius Lasaniidae Bulman 1930; Regan 1929A; Leith-Adamsia Elephantidae Matsumoto 1928 Stromer 1930B siwalikensis Matsumoto 1928 laskarewi (Alilepus, Lepus) Lelongia Caviidae Kraglievich 1930E lata (Jackelaspis, Nostolepis, Orthomyctera) paranensis Kraglievich 1930E Lataspis Phlyctaenaspidae Strand 1932B Iemanense (Aceratherium, Amphicyon) Lates Percidae lemanensis (Amphicyon, Amphiperatherium, Amfajumensis Weiler 1929C phitragulus, Didelphis, trispinosus Weiler 1928B Herpestes, Mustela, Pleslaticeps (Eurymylus, Limnerpeton, Limnohyops, ictis. Prozilurus. Rhinol-Palaeoryx, Protoryx, Vish-(sudgo Lembonax Cheloniidae Nopcsa 1928B nufelis) laticolumnatus (Phacochoerus) Lemmus Muridae Ehrenberg 1932B laticolus (Apatosaurus) lemmus Brunner 1933; Dubois 1928B, 1929 laticornutus (Gorgon) lemmus (Lemmus) lemoinei (Paramys) latidens (Ctenomys, Dicoelophorus, Machairodus, Meterix) Lemur Lemuridae Weber, M. 1928A latifrons (Alces, Bison, Tragocerus) lemur (Nothocyon) Lemuridae (Incl. Archaeolemuridae) Lemuroidea latimolis (Polymastodon) Archaeoindris, Archaeolemur, Cheirolatipes (Enhydriodon) Latipinnatidae Ichthysauroidea Nopesa 1928B galeus (= Chirogaleus), (Incl. Mixosaurinae and Hadropithecus, Hapalemur, Lemur, Lemuroidetherium Ichthyosaurinae) latirostris (Baphetes, Dicynodon, Lystrosaurus) Lepilemur, Megaladapis. latirostris (Lupullela mesomelas) Dietrich 1933 Mixocebus Lemurinae, Megaladapinae latisculptus (Merluccius, Otolithus) Roedel 1930 latissimus (Aulacocephalodon, Ceratodus) Lemuriformes Primates Hay 1930A latisulcatus (Macrurus, Otolithus) Frost 1933B Lemurinae Lemuridae Weber, M. 1928A (Incl. (Macruridarum) Lemur, Hapalemur, Lepilemur, Mixocebus) latithorax (Saurerpeton, Sauropleura) Lemuroidea Lemuriformes Hay 1930A (Lemu-Latonia Discoglossidae Noble 1931 roidae of Lemuriformes); latro (Crocuta gigantea) Pilgrim 1933 Weber, M. 1928A latum (Trigonosternum) Incertae sedis: Europolemur latus (Diodon, Francosuchus, Heterostrophus, Homostius, Martinichthys, Lemuroidetherium Lemuridae Lamberton 1929 Onchus, Urosthenes) lenensis (Rhinoceros) lenki (Dolomys) Laugia Coelacanthidae Stensio 1932B lens (Sinemys) groenlandica Koch, L. 1931 (Grønlandica); Stensio 1932B lentianus (Aulocetus) laurillardi (Archaeomys) lenticulare (Hipparion) lentis (Thylacosmilus) leaii (Clepsysaurus) lentus (Barosaurus, Camarasaurus, Nothodon) leakeyi (Dryopithecus) Leo Felidae Kretzoi 1929 lebedinskyi (Eostega) Lebias Cyprinodontidae Zotz 1928 leo (Felis)

leonensis (Parahippus)

leoniceps (Dicynodon)

lechei (Ictopidium)

lecurus (Cynomys)

Leptaspis Brachythoraci incertae sedis Gross, W.

leoninus (Machairodus) 1933C Leontiniidae Toxodonta Colpodon depressa Gross, W. 1933C, D Leptauchenia Merycoidodontidae Pearson 1929B Leopardus Felidae Kretzoi 1929 (?) californica Stock 1930C (Sespia) lectanus (Heteraletes) Lepthyæna Hyaenidae Matthew 1929A; Pilgrim leotensis (Harpagolestes) Lepidocottus Cottidae 1931 Leptictidae (Incl. Adapisoricidae) Erinaceoidea multipinnatus Weitzel 1933B Simpson, G. G. 1929B Lepidodermes [Lepidodermi] Testudinata Bergounioux 1932A (Incl. all Diacodon, Ictopidium, Leipsanolestes, Thecophora except Gymno-Leptacodon, Praolestes?, Prodiacodon (= Palaeodermes) lestes Matthewand Granger. Lepidopus Trichiuridae Pauca 1930A preoce.), Pseudictops? Lepidosauria Diapsida Romer 1933C (Subclass of Reptilia, incl. Eosuchia, Leptobos Bovidae etruscus Stehlin 1928C Squamata and Rhynchocephalia) leptocephalum (Scelidotherium) Leptoceratops Protoceratopsidae Lepidosiren Lepidosirenidae Holmgren 1928; Kerr Lull 1933A; Nopesa 1928B 1932 paradoxa Miller, A. E. 1930 Leptoceratopsinae [Protoceratopsidae] Ceratopsoidea Nopesa 1928B (Incl. Lepidosirenidae Ceratodontomorpha Protoceratops and Lepto-Lepidosiren, Protopterus ceratops), 1929C Lepidosteus Lepisosteidae Aldinger 1932 Leptocleidus Elasmosauridae Nopesa 1928B (Lep-Lepidotidae [Semionotidae] Chondrostei Lepidotus Semionotidae Leuchs 1932 toclidus) leptodirus (Camarasaurus) elvensis Woodward 1930D maximus Weaver 1931; Weitzel 1930A, B leptognatha (Palaeolama) Leptolepidae Holostei lepidotus (Esox) Lycoptera, Pachythrissops, Thrissops Lepilemur Lemuridae Weber, M. 1928A Leptolepiformes [Leptolepidae] Teleostei Goodrich Lepisosteidae Holostei 1930B (Division, incl. Lep-Lepisosteus (= Lepidosteus) Lepisosteiformes Holostei Hay 1930A (Suborder) tolepis and Thrissops) Leptomeryx Hypertragulidae Hernon 1930B leporhinum (Hyracotherium) Leporidae Duplicidentata Dice 1929 (phylogeny); leptonyx (Lutra lutra) Matsumoto 1939F Walker 1931 (classification) Leptophractus Cricotidae dentatus Romer 1930D Alilepus (= Allolagus preocc.), Archlineolatus Romer 1930D Brachylagus, aeolagus, lancifer Romer 1930D Caprolagus, Hypolagus, Lepus, Oryctolagus, Palobsoletus Romer 1930D aeolagus, Panolax? Pentaleptopterus (Glyptolepis) lagus, Pronolagus, Romero-Leptopterygius Stenopterygiidae Huene, F. 1930D, lagus, Sylvilagus 1931F Archaeolaginae, Leporinae, Megaacutirostris Huene, F. 1931E, F laginae, Palaeolaginae (= disinteger Huene, F. 1931F Palaeolagida), Protolaginae integer Huene, F. 1931F Leporinae Dice 1929 (Incl. Lepus, Brachylagus, mut. dissidens Huene, F. 1931F nürtingensis Huene, F. 1930D, 1931E Caprolagus, Oryctolagus, and Sylvilagus) trigonodon Huene, F. 1930D, 1931F leporium (Martes, Mustela) Leptoptilus Ciconiidae Leporoidae Duplicidentata Hay 1930A (Superarvernensis Lambrecht 1930B falconeri Lambrecht 1930B fam. Lepospondyli Stegocephalia Romer 1933C (Incl. leptorhinus (Rhinoceros) Micramphibia, Lysorophia, leptorhyncha (Dolichofelis) Aistopoda and Nectridia); Leptorhynchus Lophiodontidae Monterin 1929 Steen 1931A (Linton); Watleptorhynchus (Amphictis, Amphicyon) son 1929 K leptorhynchus (Stenogale brevidens var.) Viret Leptacodon Leptictidae Simpson, G. G. 1929B 1929C packi Jepsen 1930C Leptorophus Branchiosauridae Leptadapis Adapidae levis Bulman 1928 minimus Heller, 1930B; Weigelt 1931, 1932A Leptosoma Leptosomatidae Nagy 1929 Leptailurus Felidae Kretzoi 1929 leptosoma (Tinca) hintoni Pycraft, et al. 1928 Leptosomatidae Coracii Leptarctus Procyonidae Leptosoma oregonensis Stock 1930A Leptosteidae [Coccosteidae] Brachythoraci Gross, progressus Simpson, G. G. 1930H W. 1933D

Leptosteus Coccosteidae Gr oss, W. 1933D bickensis Gross, W. 1932B, D Leptosuchus Phytosauridae Case 1928; Nopesa 1928B

> crosbiensis Camp 1930B imperfecta Camp 1930B

Leptotrachelus Gorgonopsia Nopesa 1928B Leptotylopus Camelidae Elias 1931

lepturus (Belodon)

Lepus Leporidae Brunner 1933; Dice 1929; Joleaud 1928D

> annectens Dice 1929 brachyurus Matsumoto 1930F

laskarewi Dice 1931 valdarnensis Simionescu 1932B

lerouxi (Taurocephalus)

Lestodon Mylodontidae Matthew 1929J atavus Kraglievich 1932D (Prolestodon)

(?) castellanosi Kraglievich 1930C Lestodontinae Mylodontidae Rusconi 1931I

lesueurii (Physignathus) letourneuxianus (Ursus)

Leuciscus Cyprinidae Stromer 1928D; Weiler 1933B moravicus Pauca 1933

rutilus pliocenicus Krejci-Graf & Weiler

leucocephalus (Haliaetus)

Leucocyon Canidae Dietrich 1932

Leurocephalus Brontotheriidae

cultridens Osborn 1929O [Telmatherium] Leurospondylus Polycotylidae Russell, L. 1931B

ultimus Russell, L. 1931B levis (Cullinia, Leptorophus)

lewesiensis (Enchodus)

lewini (Jaekelaspis)

lewisi (Asyndesmus)

libratus (Gorgosaurus)

Libycosuchidae [Notosuchidae] Mesosuchia Kälin 1933A

Libycosuchus Notosuchidae Huene, F. 1933A; Nopesa 1928B, C (Lybicosuchus)

libycum (Libyhipparion)

libycus (Ursus)

Libyhipparion Equidae Joleaud 1933C ethiopicum Joleaud 1933C

libycum Joleaud 1933C

Libypithecus Cercopithecidae Mollison 1933

Licaphrium Proterotheriidae Simpson, G. G. 1932G

licenti (Antilospira, Lutra)

lightbodii (Hemicyclaspis)

ligniticus (Lignobrycon, Tetragonopterus)

Lignobrycon Characinidae Eigenmann & Myers

ligniticus Eigenmann & Myers 1929

Limnerpeton Branchiosauridae Huene, F. 1931J laticeps Steen 1931A

Limnodromus Scolopacidae

griseus Miller, A. H. 1929A

Limnoecus Soricidae Stirton 1930C tricuspia Stirton 1930C

Limnohyops Brontotheriidae

laevidens Osborn 1929O laticeps Osborn 1929O

matthewi Osborn 1929O monoconus Osborn 1929O priscus Osborn 1929O

Limnohyus Brontotheriidae

laevidens Osborn 1929O (Lymnohyus) robustus Osborn 1929O

Limnophis [Lestophis] Sauria, incertae sedis

Schmidt, K. 1927 Limnopithecus Pongidae Hopwood 1933A

legetet Hopwood 1933A, C

lincolni (Dinichthys)

lindermayeri (Palaeoreas)

lindstromi (Archaegonaspis) Kiaer 1932 (Archegonaspis lindstrømi)

linearis (Phlegethontia) lineatum (Batrachiderpeton)

lineolatus (Leptophractus)

lingulatus (Eudiastatus)

Liodontia Aplodontiidae Gazin 1932 furlongi Gazin 1932

Liolithax Delphinidae Kellogg 1931B

kernensis Kellogg 1931B Liopelmidae (= Lipelmidae) ?Amphicoela Romer 1933C (Lipelmidae)

liorhinus (Thrinaxodon)

Liorninae [Liornithinae] Brontornithidae Kraglievich 1932C (of Brontorniidae)

Liornis Brontornithidae Kraglievich 1932C

Liotomus Ptilodontidae Granger & Simpson 1929 marshii Granger & Simpson 1929

Lipotyphla Insectivora Simpson, G. G. 1931B lissocephalus (Dicellopygæ)

listai (Toxodontherium)

Listriodon Suidae Arambourg 1933C: Stromer 1930C

> (Antaodon) bonaerensis Rusconi 1928A (Antaodon) chapadmalensis Rusconi 1930C

(Antaodon) cinctus Rusconi 1930G

bonaerensis Rusconi 1930G gigas Pearson 1928

jeanneli Arambourg 1933A

splendens Stromer 1928D, 1930A tarijensis Rusconi 1930G

Listriotherium Astrapotheriidae

patagonicum Scott, W. 1928A

Lithobatrachus Palaeobatrachidae Noble 1928. 1930 (Hyla); Parker 1929, 1930

europaeus Parker 1929

lithodendrorum (Machaeroprosopus)

lithographica (Archaeopteryx)

Lithomys Muridae

parvulus Viret 1939C

Lithophis Boidae Nopesa 1928B

Litolestes Mammalia, incertae sedis Jepsen 1930C ignotus Jepsen 1930C

Litopterna Monodelphia

litoralis (Rhomburio)

Litotherium Mammalia, incertae sedis Jepsen 1930C; Simpson, G. G. 1929J

complicatum Simpson, G. G. 1929J

littoralis (Borophagus, Oligocorax, Osteoborus, Palaeotringa)

parisiense Abrard 1930: Heller 1933C littoralis (Lytoloma camperi) Bergounioux 1933C sardus Monterin 1929 livonica (Cypholepis) livonicus (Coccosteus, Cypholepis, Dinichthys) lophiodon (Pseudictops) Tapiroidea Matthew 1929 A lobdelli (Psittacotherium) Lophiodontidae (critical) Idberiaense (Dolicavia, Dolichotis, Orthomyctera) Atalonodon, Chasmotherium, Cristiloczyi (Baranomys) dentinus, Diplolophodon, longanensis (Allocyon) Heptodon, Leptorhynchus, logani (Thryonomys) Lophialetes, Lophiodon logearti (Argyropelecus) Lophiomeryx Tragulidae Loomis 1928B lohesti (Bothriolepis) Lophiomys Cricetopsidae Schaub 1928B Iollomani (Lama) Lophoprosopus [Phytosaurus] Phytosauridae Lomaphorops Glyptodontidae Castellanos 1932A corallinus Castellanos 1932A kapffi Camp 1930B Lomaphorus Glyptodontidae Castellanos 1932A Lophura Phasianidae Lowe, P. 1933A Lonchodectes Ornithocheiridae Nopesa 1928B lorettana (Chelydra) Lonchorhynchus Trematosauridae Loricata [Thecodontia +] Archosauria Hay 1930A oebergi Pfannenstiel 1932A (Superorder of Diplotremata, incl. Phytosauro-Loncosaurus Ornithomimidae Huene, F. 1932A morphi, Crocodilomorphi longaevus (Gallus, Miogallus) longicaudatus (Rhamphorhynchus) and Pterosauri) "Loricata" Hicanodontal Xenarthra Cockerell longiceps (Dolichorhinus, Ictidosuchoides, Ictidosuchus, Lycideops, Moscho-1931 (preocc., substitutes Hicanodonta): Pocock 1929 saurus, Paleotragiscus, Plateosaurus, Protoryx, Rham-(Incl. Dasypodidae, Tatuidae and Tolypeutidae); phorhynchus) Simpson, G. G. 1931B longicornis (Allolepis, Jackelaspis) Loricosaurus Acanthopholidae Huene, F. 1929D longidens (Peromyscus) scutatus Huene, F. 1929D; Nopesa 1929C longidentata (Sauropleura) Loricotherium Anguidae Weigelt 1929A longidigitatus (Asperipes) waltheri Weigelt 1929A, B (assigned partly longifrons (Bos) longinaris (Aphelops malacorhinus) Cook, H. to Dasypodidae) 1930B (A. malachorhinus) Loridae (= Lorisidae) Lemuroidea Indraloris longipes (Megapezia, Sauropleura, Teleoceras) Lorisoidea [Loridae] Lemuroidea Regan 1930B Longipinnatidae Ichthyosauria Nopesa 1928B (of Ichthyosauroidea, incl. (Suborder Primates) lornensis (Cephalaspis) Shastasaurinae and Stenlorteti (Lutra) optervgiinae) longipinnatus (Ophidium) lotzi (Acrolepis) loucksii (Embolotherium) Longirostrinae Mastodontidae Osborn 1929J longirostris (Amphinasua, Anchiceratops, Eurhinolouisekressmanni (Testudo) Eurhinosaurus, louwi (Equus) delphis. Grippia, Mastodon, Odon-Loxaulax Plagiaulacidae Simpson, G. G. 1928C Palaeosyops, valdensis Simpson, G. G. 1928C toptervx. Plesiosaurus, Pseudodontor-Loxodiscodon [Loxodon] Elephantidae Dietrich nis) 1932A longirostris (Ctenomys dasseni) Rusconi 1931B Loxodonta Elephantidae longissima (Elaphe) africana Friant 1931A: Haughton 1932C longissimum (Dolichosoma) var. obliqua Dart 1929B longobardicus (Tanystropheus) griqua Goodwin 1929A; Goodwin & Lowe longus (Cymatholeus, Eocyclops) 1929 lönnbergi (Auchenia, Lama) iunior Matsumoto 1929B Lontra Mustelidae namadica Anon. 1930W paranense lozanoi Rusconi 1932E namadica yabei Matsumoto 1929D (Palaeo-Ionzeensis (Struthiomimus) loxodon) Icomisi (Nannotragulus, Torynobelodon) naumanni Tokunaga 1933B lopesi (Trigodon, Trigodonops) prima Dart 1929B Lophialetes Lophiodontidae Chardin 1930 tokunagai Matsumoto 1929B (Palaeolox-Lophiiformes (= Pediculati) Acanthopterygii Zitodon) tel 1932 (tribe) yabei Matsumoto 1929D Lophiodon Lophiodontidae Dal Piaz 1930C; Heller Loxodontidae [Elephantidae] Elephantoidea Mat-1930B sumoto 1929B, D cuvieri Weigelt 1931, 1932A loxodontoides (Archidiskodon) Dart 1929B munieri Heller 1932A, D, E, 1933C; Weigelt Loxolithax Delphinidae Kellogg 1931B

sinuosa Kellogg 1931B

1931, 1932A

Mochlorhinus =

Ptychognathus = Ptycho-

Lystrosaurus (=

Loxolophus Arctocyonidae Lybicosuchinae [Libycosuchinae] Notosuchidae nordicus Jepsen 1930C Nopcsa 1928B (n. subfam. Loxomma Loxommidae Stadtmüller 1929 type Lybicosuchus [Libycoacutirhinus Watson 1929K suchus]), 1928C Loxommidae (Incl. Baphetidae) Embolomeri Lycaenodontoides Gorgonopsia Haughton 1929C Romer 1930D; Watson 1929 K bathyrhinus Haughton 1929C (of Loxommoideae) Lycaenognathus Cynodontia Loxomma, Macrerpeton, Baphetes, angusticeps (= Lycaenoides) Broom 1932B Orthosauriscus (= Orthokannemeyeri Broom 1931C, 1932B saurus preoce.), Spathiceplatyceps Broom 1932B phalus Lycaenoides Gorgonopsia Loxommoideae Embolomeri Watson 1929K (Incl. angusticeps Broom 1930F Lycaenops Gorgonopsia Loxommidae) lozanoi (Lontra paranense) Rusconi 1932E ornatus Broom 1930F Lycalopex Canidae Kraglievich 1930A lozanoi (Neocavia) Lycaon Canidae lucaris (Uintornis) lucasii (Goniopholis) pictus Arambourg 1932A Lycideops Therocephalia Broom 1931C lucifer (Erromanosteus, Leiosteus) longiceps Broom 1931C lucius (Esox) Lycochampsa Cynodontia Huene, F. 1928B lüdenscheidensis (Pterichthys) ludgunensis (Rhodanosaurus) lycodes (Canis) ludlowensis (Hemicyclaspis murchisoni) Stensiö Lycognathus Cynodontia Huene, F. 1928B Lycoptera Leptolepidae 1932A fragilis Hussakof 1932 ludovicianus (Cynomys Iudovicianus) Wood, A. Lycorhinus Ictidosauria Huene, F. 1928B 1933B lugardi (Sphyraena) Lycosaurinae [Lycosauridae] Therocephalia Nopesa 1928B (of Gorgonluhai (Coelolepis) opsidae, incl. Arctognathus lulli (Indraloris, Triaenopus) and Lycosaurus) luna (Lampris) Lycosuchidae Therocephalia Nopcsa 1928B (of [Phlyctaenaspidae] Acanthaspida Lunaspidae Therocephaloidea) Gross, W. 1933D Lycosuchus Therocephalia Nopesa 1928B (Lyco-Lunaspis Phlyctaenaspidae Broili 1929, 1930A heroldi Broili 1929, 1930A; Gross, W. 1933D saurus) Lycyæna Hyaenidae Matthew 1929A; Pilgrim 1931 prümensis Gross, W. 1933D chaeretis Pilgrim 1931 lunellensis (Rhinoceros) Lupullela Canidae (?) chinjiensis Pilgrim 1932 macrostoma Pilgrim 1932 mesomelas latirostris Dietrich 1933A vinyaki Pilgrim 1932 lupus (Canis) parva Pilgrim 1931 luscus (Gulo) (?) proava Pilgrim 1932 lutescens (Xenosuchus) lydekkeri (Aquila, Arctamphicyon, Haplobunodon, Lutianidae [Sparidae] Perciformes Gregory, W. Mustela, Prociconia, Proto-1930F strix, Rhizomys, Sinictis, Lutianus Sparidae Sivapanthera, Sus) avus Gregory, W. 1930F Lydekkerina Lydekkerinidae Riabinin 1930C Lutra Mustelidae Matthew 1929A dutoiti Broom 1930C bathygnathus Pilgrim 1931 putterilli Broom 1930C clermontensis Viret 1929C Lydekkerinidae Rhachitomi dubia Helbing 1930A; Pilgrim 1931 Lydekkerina, Putterillia hessica Pilgrim 1931 lyelli (Cephalaspis, Pelion) licenti Chardin & Piveteau 1930 lylei (Equus) lorteti Helbing 1928D Lynx Felidae Kretzoi 1929 lutra leptonyx Matsumoto 1930F lynx strandi Kormos 1932H lutra lutra Matsumoto 1930F pardina spelaea Caterini 1933 parvicuspis Gidley & Gazin 1933 rufa fischeri Merriam & Stock 1932 pontica Pilgrim 1931 Lysorophia [Adelospondyli] Lepospondyli Romer robusta Koenigswald 1933 1930D (Order of Stegoromana Simionescu 1930C, 1932B includes cephalia, Covaletoni Viret 1929C cytinus), 1933C (Suborder lutra (Lutra lutra) Matsumoto 1930F of Lepospondyli) Lutravus Mustelidae Furlong 1932B Lysorophus Adelospondyli Steen 1931A; Whipple halli Furlong 1932B & Case 1930 Lutrictis Mustelidae Lystrosauridae Dicynodontia

valetoni Viret 1929C

Lutrinae Mustelidae Pilgrim 1931, 1932

siagum = Rhabdocephalus Megantereontidae and = Prolystrosaurus) Ailuromachairodontidae) Lystrosaurinae [Lystrosauridae] Dicynodontia Machairodus Felidae Chardin 1930G; Ehrenberg Nopesa 1928B (of Dicyno-1932B: Pilgrim 1931, 1932; dontidae, incl. Lystro-Piveteau 1932A; Sicher 1932 saurus, Prolystrosaurus and See also Machaerodus aphanistus Arambourg & Piveteau 1929A: Ptychocynodon) Lystrosaurus Lystrosauridae Broom 1932C; Huene, Pilgrim 1931 F. 1931A var. taracliensis Riabinin 1929B alfredi Huene, F. 1931A (?) copei Pilgrim 1931 boopis Huene, F. 1931A crenatidens Airaghi 1928 depressus Huene, F. 1931A crenatus Kretzoi 1929 frontosus Huene, F. 1931A cultridens Gazin 1933A; Pilgrim 1931; latirostris Huene, F. 1931A Simionescu 1932B Lytoloma Cheloniidae (?) hesperus Gazin 1933A camperi Bergounioux 1933C hungarieus Pilgrim 1931 camperi littoralis Bergounioux 1933C jourdani Kretzoi 1929 Lytolominae Cheloniidae Nopesa 1928B (Incl. latidens Freudenberg 1929B; Rüger 1929 Argillochelys, Eochelone, leoninus Pilgrim 1931 Lytoloma, Osteopygis and maximiliani Kretzoi 1929 nihowanensis Chardin & Piveteau 1930 Porthochelys), 1930E (of Chelonidae) ogygia Pilgrim 1931 orientalis Kretzoi 1929; Pilgrim 1931 Lytorhynchus Colubridae Rieth 1931B palanderi Kretzoi 1929; (?) Pilgrim 1931 Macacinae Cercopithecidae Anthony & Coupin palmidens Kretzoi 1929 1931 schlosseri Pilgrim 1931 Macacus Cercopithecidae Henckel 1928B (?) tingii Pilgrim 1931 florentinus Bernsen 1930B, 1933; Simion-Machimosaurus Goniopholidae Nopcsa 1928B escu 1932B machlis (Alces) priscus Depéret 1928 macintoshi (Thelodus) macculloughi (Anglaspis, Cyathaspis) mackenzianus (Ovibos) macedoniae (Parabos) Arambourg & Piveteau macoveii (Caranx, Prospalax) 1929 A Macrauchenia Macraucheniidae Kraglievich 1930B; Machaeracanthus Ichthyodorulites Matthew 1929M bohemicus Schmidt, H. 1933 boliviensis Bertoni 1928 kayseri Gross, W. 1932C, 1933D; Schmidt, ensenadense Rusconi 1931E H. 1933 Macraucheniidae (Incl. Adianthidae) Litopterna Machaerodus [Machairodus] Felidae Matthew Adianthus (= Adiantus), Cullinia, 1929A, H Macrauchenia, Promacrauaphanistus Hernandez-Pacheco 1930B Pseudomacrauchenia. catacopis Burt 1931 chenia. Scalabrinitherium falconeri Matthew 1929A Theosodon, Windhausenia orientalis Nafiz & Malik 1933 Macrerpeton Loxommidae palaeindicus Matthew 1929A deani Romer 1930D (syn. of Colosteus sivalensis Matthew 1929A scutellatus) Machaeroprosopus Phytosauridae huxleyi Romer 1930D adamanensis Camp 1930B Macroaethes Pholidopleuridae Wade 1932 andersoni Camp 1930B brookvalei Wade 1932 buceros Camp 1930B Macrobrachius Asterolepidae Stensiö 1931 [Bothdoughtyi Camp 1930B riolepis] gracilis Camp 1930B Macrocavia Caviidae Rusconi 1933A gregorii Camp 1930B simpsoni Rusconi 1933A lithodendrorum Camp 1930B Macrochemus Araescelidia Nopesa 1930A, 1931A pristinus Camp 1930B bassanii Nopesa 1930A; Peyer 1931A tenuis Camp 1930B Macroenemus Araeoscelidia Nopesa 1931A [to revalidus Camp 1930B place Macrochemusl: Peyer zunii Camp 1930B 1931 A Machairodontidae [Felidae] Feloidea Kretzoi 1929 Macrocyon Canidae (Machairodontoida); Matchapalmalensis Kraglievich 1929A [gezi] thew 1929A (Machaeromorenoi Kraglievich 1928A dontidae) robustus Kraglievich 1928A Machairodontinae Felidae Abel, O. 1933C; Pilgrim macrodentatus (Dicellopyge) 1931 (Machaerodontinae) macrodon (Paleostylops, Taurops) Machairodontoida Feloidea Kretzoi 1929 (Tribe of Aeluroidea, incl. Nimra-Macrognathomys Muridae Hall, E. 1980D

vidae,

Machairodontidae,

nanus Hall, E. 1930D

magna (Poraspis)

magnifica (Cephalaspis)

(Cryptopithecus, macrognathus Kopidodon, Mytaras) macrolepidotus (Osteolepis, Pachythrissops) Macromerium Cricotidae seoticum Watson 1929K Macromirosaurus [Lariosaurus] Nothosauridae Nopesa 1928B, C (Macromerosaurus) Macropelobates Pelobatidae Noble 1931 Macropetalichthyidae Anarthrodira Epipetalichthys, Macropetalichthys, Nessariostoma (?), Stensiöella (?) Macropetalichthyiformes [Anarthrodira] Placodermi Hay 1930A (Suborder of Coccosteomorphi) Macropetalichthys Macropetalichthyidae Allis 1928; Gregory, W. 1933B agassizi Gross, W. 1933D hoeninghausi Stetson 1930B prümiensis Broili 1933B rapheidolabis Stetson 1930B Macrophalangia Ornithomimidae Sternberg, C. M. 1932D canadensis Sternberg, C. M. 1932D Macroplata Plesiosauridae Swinton 1930A tenuiceps Swinton 1930A, C Macropodidae Phalageroidea Bettongia, Macropus, Palorchestes, Procoptodon, Propleopus, Sthenurus, Triclis Potoroinae macropterus (Pteronisculus) Macropterygius Ichthyosauridae Huene, F. 1931H Macropus Macropodidae magister Anderson, C. 1929A titan Anderson, C. 1929A Macrorhynchus Pholidosauridae Nopesa 1928B Macroscelosauridae (= Trachelosauridae) Trachelosauria Kuhn, Oskar 1935 (Foss. Cat. pars 69, p. 118, to incl. Macrocelosaurus = Tanystropheus = Tribelesodon = Zanclodon) macrostoma (Hyaena, Lycyaena) macrota (Odontaspis) Macrotherium Nestoritherium Matthew 1929A modicum Richard, M. 1931 wetzleri Viret 1929C macrotis (Brachyerix) macrura (Archaeopteryx) Macruridae Anacanthini Macrurus Macrurosaurus Cetiosauridae Huene, F. 1929D 1932A Macrurus Macruridae (Otolithus) Frost 1933D latisulcatus (Macruridarum) sagittiformis (Otolithus) Frost 1933B macrurus (Caturus, Molgophis, Semantor) madisonae (Miomustela, Mustela) Madtsoia Boidae Simpson, G. G. 1933J.

bai Simpson, G. G. 1933J

maeotica (Phoca, Promephitis)

magister (Macropus)

magnificus (Anteosaurus, Belesodon) magnipinealis (Pteraspis) magnirostris (Euphagus) Magnosaurus Megalosauridae Huene, F. 1932A nethercombensis Huene, F. 1932A woodwardi Huene, F. 1932A magnum (Aceratherium, Anthracotherium, Astrapotherium, Entelodon, Lambdotherium. Platatherium) magnus (Anomalichthys, Ctenodentex, Ctenomys, Hydrochoerus, Neochoerus, Nesodon, Oxyosteus, Palaeocastor, Palaeoniscus, Paleccastor, Proheteromys) Magyarosaurus Cetiosauridae Huene, F. 1932A dacus Huene, F. 1932A hungaricus Huene, F. 1932A transsylvanicus Huene, F. 1932A mahavavica (Bobastrania) mähringensis (Cynodictis) major (Najadochelys) major (Acanthaspis, Amphieyon, Amphitragulus, Belosteus, Bothriceps, Botriceps, Dicrenodus, Elochelys, Eomoropus, Felis, Hemiauchenia, Hippopotamus, Lama, Megatylopus, Miorallus, Onchus, Palaeochoerus, Palaeolama, Palaeosyops, Rallus, Saniwa, Stenaulorhynchus, Terrapene, Triconodon, Trioracodon, Whaitsia) major (Cricetus cricetus) Brunner 1933 major (Equus stenonis) Bernsen 1931 majori (Promephitis) malacorinus (Aphelops) malajanus (Ursus) malei (Microtus) malheurensis (Sciurus) maltha (Ciconia) Malthacolestes Dryolestidae Simpson, G. G. 1929A malustensis (Promephitis) Mammalia Tetrapoda Abel, O. 1933C (Class, incl. Multituberculata, Pantotheria, Marsupialia and Eutheria); Frechkop 1933A, B (dentition); Friant 1932, 1933A. (dentition); Gregory, W. 1929F (general); Gürich 1931 (graphic systematics); Hay 1930A (class, incl. Prototheria, Allotheria, Didelphia and Monodelphia); Hopwood 1929C (Africa); Huber 1930, 1931A, B; Mátyás 1929; Mátyás & Mihaly 1932 (phylogeny); Naef 1931 (group of Therio-

dontia, incl. Monotremata

and Ditremata); Perrier 1928 (classification); Romer 1933C (Class, incl. Prototheria, Allotheria, Trituber-Didelphia culata. and Monodelphia); Simpson, G. G. 1928C, 1929A (Mesozoic), 1931B (Class, incl. Prototheria. Allotheria and Theria), 1933M (Jurassic): Skutil & Stehlik 1932 Tilney 1931 (Moravia); (brain casts); Van der Klaauw 1931B (bullae) Van der Maarel 1931, 1932 (East Indies); Viret 1929C (Saint - Gérand-le-Puy, monographic); Weber, M. 1928A (Class, incl. Prototheria and Theria); Williams, H. S. 1932 (N. Amer.)

## Incertse sedis:

Borcodon.

Carpolestes. Clenialites, Eudiastatus, Florentinoameghinia, Homocentrus, Homunculites, Litolestes (Insectivora?), Litotherium, Neodesmostylus?, Palaeothentoides, Phenacodaptes (Artiodactyla?), Pitheculites, Pleurystylops, Pseudostylops, (Entelonychia?), Unicarium

Triconodonta, Tubulidentata

mammatus (Scopelus, Otolithus) Frost 1933B

mammillata (Tremataspis)

Mammonteus [Elephas] Elephantidae Dietrich 1932A

Mammontinae Elephantidae Osborn 1929J (Incl. Parelephas)

Mammut Mastodontidae Beliaeva 1933A

americanum Lyon 1931; Price & Wells 1933 americanus Engels 1933

Manatherium Dugongidae

delheidi Sickenberg 1929A

Manatidae [Trichechidae] Trichechiformes

Manatus [Trichechus] Trichechidae Simionescu 1931; Simpson 1932C

Mancalla Alcidae

californica Soper & Grant 1932 californiensis Miller, L. 1933A

mandelslöhi (Mystriosaurus)

Mandschurosaurus Trachodontidae Riabinin 1930B, D

amurensis Riabinin 1930B. D mongoliensis Gilmore 1933C

manhattanensis (Clepsysaurus, Rutiodon)

mantelli (Iguanodon)

Manteoceras Brontotheriidae Edinger 1933A

(?) irdinensis Osborn 1929O manteoceras Osborn 1929O

uintensis Osborn 1929O washakiensis Osborn 1929O

manteoceras (Manteoceras)

Manteoceratinae (= Brontopinae) Brontotheriidae Osborn 1929O (Incl. Protitanotherium, Brachydiastematherium and Manteo-

manus (Ungaromys)

maraghana (Meles, Parataxidea ?) maral (Cervus)

marbellensis (Pagellus)

Marburgichnium Ichnites Schindewolf 1928A

knetschi Schindewolf 1928A

marchiae (Castor)

marchicus (Beryx, Otolithus) Roedel 1930 (Berycidarum)

margaritodon (Sorex)

marginalis (Ctenodus, Dipterus, Haplacanthus,

Megaloplax, Onchus, Palaeoteuthis, Phyllodus)

marginatus (Stephanosaurus)

maritimus (Ursus)

marmotta (Arctomys)

marriotti (Ardiodus)

marriotti (Merluccius, Otolithus) White & Frost 1931 marshi (Allops, Megacerops, Neoctenacodon, Neoplagiaulax, ?Psalodon)

marshii (Astrapotherium, Colosteus, Liotomus, Oestocephalus, Ptyonius,

Sauropleura) Marsipobranchii Agnatha Goodrich 1931 (relationships. excl. Ostracodermi); Regan 1929A (general, incl. Ostra-

codermi)

Marsupialia Didelphia Anderson, C. 1929A; Frech-

kop 1930 (dentition and phylogeny); Gregory, W. 1929G (general); Simpson, G. G. 1929A (Cretaceous, N. Amer.), 1930E (bibliography), 1931B (of Metatheria)

marsupialis (Antidoreas)

Martes Mustelidae

gazini Hall, E. 1931 (Tomictis) intermedia Heller 1933B

intermedius Brunner 1933

leporium Pilgrim 1931

martes Dubois 1928A

munki Viret 1933

nambianus Hall, E. 1930E

palaesyriaca Bate 1932B

parapennanti Gidley & Gazin 1933

pentelici Pilgrim 1931

woodwardi Pilgrim 1931

martes (Martes)

martini (Capra, Cryptomastodon)

Martinichthys Plethodidae McClung 1926

acutus McClung 1926

alternatus McClung 1926

brevis McClung 1926 gracilis McClung 1926

intermedius McClung 1926

latus McClung 1926

ziphoides McClung 1926

Martinogale Mustelidae Hall, E. 1930E alveodens Hall, E. 1930E

nambiana Hall, E. 1930E

martyr (Prodinoceras)

Masto-

"Longiros-

"Breviros-

marwicki (Scopelus, Otolithus) Frost 1933B giganteus Pfannenstiel 1932A: Schmidt, M marylandensis (Spilogale) 1931 marylandica (Taxidea) jaegeri Schmidt, M. 1931 Massospondylus Thecodontosauridae kappelensis Pfannenstiel 1932A carinatus Phaup 1932 Mastodontidae (Incl. Gomphotheriidae and Buno-Mastodontidae Castellanos Mastodon mastodontidae) Dabelow 1929A: Franchet dontoidea, Anthony 1933A; 1933; Gidley 1931B; Good-Frick 1933 (Incl. the subwin 1929A; Hopwood 1931C; families [?] [1] "Rhynchoros-Hubbard 1931; Kintner trines," [2] 1930; Kirkham 1931; Letrines," [3] clercq 1931; Palmer 1926; trines." In [1] are in-Quenstedt 1932B; Simioncluded Rhynchotherium escu 1932B; Spillman 1929A, and Blickotherium; in [2] B; Stehlik 1931A; Van Es the following "races": 1931 "Longirostrines americanus Barbour, E. 1931A; Hitchcock 1931; Nininger 1928; Simpson, P. 1933; Watson 1929D alaskensis Frick 1933 angustidens Freudenberg 1928; Gellert 1933; Klahn 1929A, 1931; "Mastodons"). Kühn, Othmar 1928; Petr-Amebelodon. bok 1930A: Royo y Gomez therium, 1930; Stromer 1928D; Wurm 1932A var. atavus Borissiak 1933A austrogermanica Klähn 1931 subtapiroidea Klähn 1931 steinheimensis Klähn 1931 mastodon, arvernense Bakalow 1932 belodon, arvernensis Gaal 1931; Klähn 1932A bolivianus Revilliod 1931 odon, borsoni Gaal 1931A; Watson 1929D giganteus Pavlow, M. 1932A grandincissivus Silnicky 1931 (Bunolophodon) humboldti Pavlow, M. 1932A longirostris Hernandez-Pacheco 1928: Klähn 1929C, 1931; Solignac 1931; Uss 1933 arvernensis Klähn 1929C, 1931 dubia Klähn 1931 gigantorostris Klähn 1931 grandis Klähn 1931 matthewi Blackwelder 1929B merriami Blackwelder 1929B ridentinae moodiei Barbour, E. 1931D, 1932E pentelici Arambourg & Piveteau 1929A matheroni (Caproelus) pygmoeus Joleaud 1931E raki Frick 1933 "short-nosed mastodon" Reagan 1929 turicensis Pontier & Anthony 1929 (Tetrabelodon) Matyoscor Myocastoridae Mastodonsauridae Stereospondyli Hercynosaurus, Mastodonsaurus, Mentosaurus, Pachygonia mauritanicus (Phacochoerus) maxima (Asterolepis, Bothriolepis) Mastodonsaurus Mastodonsauridae Efremov 1928; Frentzen 1931; Röpke 1931; Schmidt, M. 1928 (Mastodontosaurus)

acuminatus Pfannenstiel 1932A; Schmidt,

Schmidt, M. 1931

1932A.

M. 1931

cappelensis Pfannenstiel

Proper." "Serridentines," "Tetralophodons" and "Zygolophodons"; in [3] the "races" "Brevirostrines [proper]",
"Notorostrines," and Aybelodon, Blicko-Bunolophodon. Cryptomastodon, Cuvieronius, Eubelodon, Gomphotherium, Hemimastodon, Mastodon (= Mammut), Megabelodon, Notio-Ocalientinus, Palaeomastodon, Platy-Pliomastodon, Rhynchotherium, Serbel-Serridentinus, "short-nosed mastodon," Stegomastodon, Synconolophus, Tatabelodon, Teleobunomastodon, Tetrabelodon, Torynobelodon, Trilophodon (= Bunolophodon), Trobelodon Amebelodontinae (= Platybelodontinae). Anancinae. Brevirostrinae. Cuvieroniinae. Gomphotheriinae, Longirostrinae, Rhynchorostrinae, Rhynchotheriinae, Ser-Mastodontoidea Proboscidea Matthew 1930D matlevi (Indosaurus, Orthogoniosaurus) matsumotoi (Cervus nippon) Matsumoto 1930F matthewi (Diplobunops, Dipsalodon, Hipparion, Limnohyops, Mastodon) perditus Rusconi 1929C [Myocastor] maximiliani (Machairodus, Protamphimachairodus) maximus (Aepiornis, Angistorhinus, Colobodus, Diadectes, Elephas, Lepidotus, Pterodactylus, Triceratops) mayeri (Cetotherium) Mazama Cervidae Loomis 1928B

Megacyclops Dicynodontidae Broom 1931C mcconnelli (Ignotornis) rugosus Haughton 1932B mekayi (Pristerodon) mckillopi (Austrosaurus) whaitsi Broom 1931C megadactylus (Rhamphorhynchus) mclearni (Irenesauripus) Megadermidae (Megadermatidae) Rhinolophoidea meadowsi (Notochoerus) Miomegaderma, Roussettus (partim) meandrinus (Placosteus, Psammosteus) Megaladapinae Lemuridae Weber, M. 1928A (Incl. Meantes Caudata Noble 1931 (Suborder) Megaladapis) Incertae sedis, Orthophyia ("Phanero-Megaladapis Lemuridae Lamberton 1929; White, branchidae") E. 1931 mecquenemi (Prostrepsiceros) Megalaginae Leporidae Walker 1931 mediaevus (Ptilodus) Megalania Varanidae Nopesa 1928B Mediaspidae [Phlyctaenaspidae] Acanthaspida prisca Anderson, C. 1931; Fejérváry 1930B Heintz 1929B (Incl. Hugin-Megalaninae [Saniwinae + Megalaninae] Varanidae aspis, and Mediaspis) Nopesa 1928B (Platynoti-Mediaspis Phlyctaenaspidae dae, incl. Megalania, Saniva problematicus Heintz 1929B and Thinosaurus) medinai (Megatherium, Pseudomegatherium) Megalapteryx Anomalopterygidae Lowe, P. 1928B mediterraneum (Hipparion) Megalichthyidae (= Rhizodontidae) Rhipidistia mediterraneus (Notanthropus) medium (Brontotherium, Camelotherium, Hvo-Cricodus, Eusthenopteron, Gyroptychius, Megalichthys (= therium, Palaeotherium) Rhizodus partim), Polymedius (Mesamynodon, Palaeomeryx, Phasianus, Phyllodus, Titanops) plocodus. Rhizodopsis. Megabelodon Mastodontidae Barbour, E. 1930B Sauripterus Megalichthys Megalichthyidae Lutkevich 1931; Megacamelus Camelidae Frick 1929 Simpson, H. H. 1933 blicki Frick 1929 fischeri Gross, W. 1933A megacephalus (Stenopterygius, Thaumatosaurus) Megalneusaurus Pliosauridae Longman 1930 Megaceratops Brontotheriidae heloceras Osborn 1929O [Menodus] Megalocnus Megalonychidae Matthew 1931B Megaceroides Cervidae Joleaud 1928C Megalodon Elopidae Huene, F. 1928A algericus Joleaud 1928C megalodon (Brachysuchus, Mesoreodon, Taognathus) pachygenus Joleaud 1928C megalodus (Aphelops) Megaceropinae (= ?Rhadinorhininae) Brontother-Megalohyrax Saghatheriidae Gregory, W. 1929I; iidae Osborn 1929O (Incl. Simpson, G. G. 1929 K Megacerops = Symborodon) Megalonychidae Megatherioidea Megacerops Brontotheriidae acer Osborn 1929O Acratocnus, Diheterocnus (= Heterocangustigenis Osborn 1929O nus preoce.), Megalocnus, Megalonychops, Megalonyx assiniboiensis Osborn 1929O bicornutus Osborn 1929O Menilaus, Mesocnus, Microcnus, Miocnus, Nothrotherbrachycephalus Osborn 1929O ium, Paroenus, Pronothrobucco Osborn 1929O coloradensis Osborn 1929O therium. Proschismothercopei Osborn 1929O ium, Senetia Nothrotherinae, Ortotherinae (= marshi Osborn 1929O Orthotherinae) primitivus Osborn 1929O riggsi Osborn 1929O Megalonychoidea [Megatherioideal Pilosa Simpson, G. G. 1931B (Incl. Megasyceras Osborn 1929O tyleri Osborn 1929O theriidae, Megalonychidae Megaceros Cervidae Bachofen 1933: Dietrich 1932: and Mylodontidae) Megalonychops Megalonychidae Dollman 1929C; Edinger 1931B carlesi Kraglievich 1930F; Rusconi 1931I fontanei Kraglievich 1928D; Rusconi 1931I euryceros germaniae Edinger 1931B: 1933G (Megalonichops) Frentzen & Speyer 1929 Megalonyx Megalonychidae Kraglievich 1928C; giganteus Gaal 1928 Matthew 19291; Pocock 1929 hibernicus Anderson, C. 1928; Reynolds Megaloplax Holonemidae Obrutschev 1932A marginalis Obrutschev 1932A ruffi Hilzheimer 1932 Megalops Elopidae Edinger 1929D megaceros (Cervus) megalops (Anningia) Megachiromyoides Plesiadapidae Weigelt 1933D megalopteryx (Coccosteus, Psammosteus) schlüteri Weigelt 1933D megalorhinus (Dicynodon, Stenopterygius) Megachiroptera Chiroptera Megalosauridae (Incl. Antrodemidae = Allosauridae) Megactenomys Octodontidae Rusconi 1930F Megalosauroidea Huene, F. kraglievichi Rusconi 1930F 1932A (of Carnosauria);

Matley 1929; Nopesa 1928B (Incl. Megalosaurinae and Aublysodontinae): Riabinin 1931B (Incl. Embasaurus)

Aggiosaurus?, Altispinax, Antrodemus (= Allosaurus), Creosaurus, Embasaurus, Indosaurus, Indosuchus, Magnosaurus, Megalosaurus (= Streptospondylus = Poikilopleuron) Orthogoniosaurus

Megalosaurinae

Megalosaurinae Megalosauridae Nopcsa 1928B (Incl. Altispinax, Antrodemus, Ceratosaurus, Dromaeosaurus, Erectopus. Genyodectes, Megalosaurus, Poikilopleuron, Sarcosaurus and Streptospondylus)

Carnosauria) Theropoda Megalosauroidea Nopesa 1928B (Suborder of Saurischia, incl. Terato-Megalosauridae sauridae, and Labrosauridae)

Megalosaurus Megalosauridae Rao, L. 1932A bredai Huene, F. 1932A nethercombensis Huene, F. 1932A poikilopleuron Huene, F. 1932A superbus Huene, F. 1932A

Megalotragus Bovidae Van Hoepen 1932C eucornutus Van Hoepen 1932C Megamyidae [Chinchillidae] Hystricoidea

Megamys Chinchillidae Simpson, G. G. 1930F laurillardi Kraglievich 1929B

Megantereon Felidae

issiodorense Kretzoi 1929 megantereon Gazin 1933A (?) praecox Pilgrim 1932

megantereon (Felis, Megantereon)

Megantereontidae [Felidae] Feloidea Kretzoi 1929 (of Machairodontoida, incl. Megantereontinae)

Megantereontinae Felidae Kretzoi 1929 (of Megantereontidae, incl. Megantereon and Drepanodon)

Meganthereodon Felidae falconeri Matthew 1929A [Meganthereon]

Meganthereon Felidae Burt 1931 falconeri Matthew 1929A palaeindieus Matthew 1929A

Megapezia Ichnites

longipes Willard & Cleaves 1930 megarhinus (Coelodonta, Mesatirhinus, Palaeo-

syops, Rhinoceros) Megatapirus Tapiridae

augustus Rautenfeld 1928 [Tapirus] Megatarsius Tarsioidea, incertae sedis Weigelt 1933 D

abeli Weigelt 1933D Megathericulus Megatheriidae friasensis Kraglievich 1930C

Megatheridium Megatheriidae Cabrera 1928A: Kraglievich 1931K

annectens Cabrera 1928A

Megatheriidae Megatherioidea

Eomegatherium, Megathericulus, Megatheridium, Megatheriops, Megatherium, Ocnopus, Platygnathus, Plesiomegatherium, Pliomegatherium, Pseudomegatherium, Pyramiodontherium, Scelidodon

Megatherioidae Megatherioidea Pilosa Hay 1930A (Superfam. of Tardigrada)

Megatherioidea (= Megalonychoidea = Gravigrada) Pilosa

Megatheriops Megatheriidae Kraglievich 1931K Megatherium Megatheriidae Cook, H. 1931E; Frick 1931A; Kraglievich 1931D: Lucas 1928: Matthew 1929I; Pocock 1929; Torres 1932; Vignati 1931B

> americana Cabrera 1929B americanum Van der Klaauw 1930A australis Parodi, L. 1930 cuvieri Van der Klaauw 1930 lundi seijoi Kraglievich 1931K medinai Kraglievich 1931K (?) uquiense Kraglievich 1930C

Megatylopus Camelidae Matthew 1929N major Simpson, G. G. 1930H

megischion (Phocosaurus) méhelyi (Drepanodon)

Mehliella Dolichosauridae Strand 1932A jeffersonensis Mehl 1931A

Meidiicthys Perleididae Brough 1931 browni Brough 1931

Meiolania Meiolaniidae

platyceps Anderson, C. 1930 Meiolaniidae (= Miolaniidae) Pleurodira Meiolania (= Miolania)

meissneri (Hvotherium)

meisaneri mut. elaverensis (Palaeochoerus) Viret 1929C

Melanerpeton Branchiosauridae fallax Augusta 1933

pulcherrimum Augusta 1933

Melanodon Dryolestidae

goodrichi Simpson, G. G. 1929A Melanorosauridae [Plateosauridae] Plateosauroidea

Huene, F. 1932A Melanorosaurus Plateosauridae Huene, F. 1932A

(Melanorosauridae) Meleagrididae Phasianoidea

Agriocharis, Meleagris, Parapavo

Meleagris Meleagrididae gallopavo Wetmore 1932 tridens Wetmore 1931A

Meles Mustelidae

anakuma

aoshimensis Matsumoto 1930F miyagiensis Matsumoto 1930F ponticus Matsumoto 1930F atavus Brunner 1933 maraghana Pilgrim 1931 palacattica Pilgrim 1931 [Promeles]

Meletta Clupeidae Frohlicher 1931; Zotz 1928 crenata Pauca 1930B; Weiler 1929A

Melinae Mustelidae Pilgrim 1931 merlei (Australosomus, Pristisomus) Melissiodon Muridae Merluccius Otolithus athanasiui Pauca 1929A emmerichi Schaub 1933 emarginatus (Otolithus) Hucke & Voigt quercyi Schaub 1933 1929 melitensis (Elephas antiquus) Fabiani 1928; Vauglobulosus (Otolithus) Roedel 1930 frey 1929 latisculptus (Otolithus) Roedel 1930 Mellivora Mustelidae Matthew 1929A marriotti (Otolithus) White & Frost 1931 Mellivorodon Felidae? Matthew 1929A nanus (Otolithus) Roedel 1930 Melosaurus Eryopidae Efremov 1931 ovalis (Otolithus) White & Frost 1931 uralensis Pfannenstiel 1932A romanicus Pauca 1929C memiensis (Scopelus, Otolithus) Frost 1933B memnoïdes (Amphitragulus) schmitti (Otolithus) Roedel 1930 tenuis (Otolithus) White & Frost 1931 Menacodon Spalacotheriidae Simpson, G. G. merriami (Mastodon, Pleurocyon) 1929A [Tinodon] Merychippus Equidae Bode 1933B; Gazin 1932; Menaspis Cochliodontidae Weigelt 1930G mendocina (Dolichotis, Prodolichotis) Matthew 1929R; Sternberg, C. M. 1930A; Stirton 1932C; mendocina (Dolichotis prisca) Kraglievich 1932B Stock 1924B mendocinus (Phororhacus longissimus) Kragliecalifornicus Bode 1931 vich 1931B gunteri Simpson, G. G. 1930H Menilaus Megalonychidae berroi Kraglievich 1932D intermontanus Maxson 1930; Stirton 1933 isonesus Simpson, G. G. 1932F Meninatherium Rhinocerotidae Weber, M. 1928A praecocidens Russell, L. 1933 Meniscodon Meniscotheriidae europaeus Simpson, G. G. 1929G sumani Gazin 1930; Maxson 1930; Stirton 1933 Meniscoëssus Ptilodontidae Simpson, G. G. 1929A, I westoni Simpson, G. G. 1930H Pleuraspidotheriidae) Meniscotheriidae (Incl. Condylarthra Merychyus Agriochœridae Maxson 1930; Stirton Meniscodon, Meniscotherium 1933 curtus Loomis 1933B Meniscotherium Meniscotheriidae Gregory, W. 1929T medius novomexicanus (n. race) Frick semicingulatum Russell, L. 1929A mennelli (Tangasaurus) Merycodus Antilocapridae Gazin 1930, Loomis 1928B; Maxson 1930; Menoceras Rhinocerotidae Miller, L. 1931A (Merychocooki Wood, H. 1929A Menodontinae (?Diplacodontinae) Brontotheriidae dus); Pearson 1929C; Stir-Osborn 1929O (Incl. Menoton 1933 dus = Titanotherium, Al-Merycoidodon Merycoidodontidae Loomis lops and Megacerops) Bump 1930 Menodus Brontotheriidae culbertsoni O'Harra 1930A dolichoceras Osborn 1929O gracilis Matthew 1932C giganteus Osborn 1929O Merycoidodontidae (= Oreodontidae) Agriochoermongoliensis Osborn 1929O oidea montanus Osborn 1929O Eporeodon, Hypselochoerus, Leptauplatyceras Osborn 1929O chenia, Merychochoerus, proutii Osborn 1929O Merycoidodon, Mesoreodon rumelicus Gellert 1933; Osborn 1929O Oreodon, Promerycochoerus (= Promerychochoersyceras Osborn 1929O us), Pronomotherium tichoceras Osborn 1929O torvus Osborn 1929O Merycopotamus Anthracotheriidae Pearson 1929A; trigonoceras Osborn 1929O Young 1932E varians Osborn 1929O dissimilis Solignae 1931 Menops Brontotheriidae Merycotherium Camelidae Orlov 1929 varians Osborn 1929O [Menodus] Mesamynodon Amynodontidae Peterson, O. 1932 Menosteus Coccosteidae Gross, W. 1932B medius Peterson, O. 1932 Menotyphia [Tupaioidea] Insectivora Simpson, Mesatirhinus Brontotheriidae G. G. 1931B (rejected) junius Osborn 1929O Mentosaurus Mastodonsauridae Röpke 1930 megarhinus Osborn 1929O waltheri Ropke 1930 petersoni Osborn 1929O Menurae Passeriformes superior Osborn 1929O meranii (Brachynasua) Mesembriorniidae (for Mesembriornithidae) [Hermercki (Coelodonta, Rhinoceros) mosiornithidae| Cariamae Mergus Anatidae Christiani 1929; Lambrecht Kraglievich 1932C (syn. of 1933B Phororhacidae) meridianus (Aphelops, Nimravus)

Mesembriornis

meridionalis (Archidiskodon, Elephas)

Hermosiornithidae Kraglievich

19320

Mesembriotherium Astrapotheriidae brocae Scott, W. 1928A Mesichthyes Teleostei Gregory, W. 1933B (skulls) Mesoceras Rhinocerotidae Cook, H. 1930B thomsoni Cook, H. 1930B Mesoclupea Clupeidae Ping & Yen 1933 globicephala Ping & Yen 1933 showchangensis Ping & Yen 1933 Mesocnus Megalonychidae Matthew 1931B browni Matthew 1931B torrei Matthew 1931B Mesocyon Canidae Stock 1932E baileyi Stock 1933B iamonensis Simpson, G. G. 1930H Mesohippus Equidae Matthew 1929R bairdi Walker 1930 barbouri Schlaikjer 1931, 1932 Mesolama Camelidae angustimaxila Aranguren 1930 Mesoleptininae Mesoleptinae Dolichosauridae Nopesa 1928B (Gens of Dolichosaurinae, incl. Eidolosaurus and Mesoleptus) Mesoleptus Dolichosauridae Nopesa 1928B mesolithica (Auchenia, Palaeolama) Mesonychidae Mesonychoidea Andrewsarchus, Dissacus, Harpagolestes, Hessolestes, Mesonyx Mesonychoidea Creodonta Hay 1930A (Mesonychoidae) Mesonyx Mesonychidae obtusidens Sinclair 1920 Mesophis Palaeophidae Nopcsa 1928B Mesopithecus Cercopithecidae Mollison Zuckerman 1933B pentelici Arambourg & Piveteau 1929A mesopotamicus (Diaphoromys) Kraglievich 1932B Mesopropithecus Indridae pithecoides Standing 1928 Mesoreodon Merycoidodontidae megalodon Loomis 1933B Mesorhinidae [Mesorhininae] Phytosauridae Huene, F. (Centralbl. Min. Geol. Pal., 1936, Abt. B, p. 166; incl. Mesorhinus) Mesorhinus Phytosauridae Camp 1930B Mesosauria Synapsida Nopesa 1928B (Order of Ichthyopterygia); Wiman

1933B (Apparently in Syn-

Huene, F. 1928A; Wiman

(Incl. Brachyrhinodon and

1931H;

apsida)

sauroidea)

sternum)

Mesosauridae Ehrenberg

1933B

Mesosaurus (= Noteosaurus = Stereo-

Mesosauridae Mesosauria Nopesa 1928B (of Meso-

Mesosauroidea Mesosauria Nopesa 1928B

tenuidens Thomas, H. 1929

Mesosiren Dugongidae Simpson, G. G. 1932C

Mesosuchidia [Rhynchocephalia partim] Lepido-

Mesosuchinae Rhynchocephalia Nopcsa 1928B

sauria

Mesosuchus)

Mesosaurus

Mesosuchia Crocodilia

Mesosuchus Howesiidae Huene, F. 1929G Mesotheria [Marsupialia + Pantotheria] Eutheria Naef 1931 (group of Ditremata, incl. Myrmecobius and Pantotheria) messelinana (Ocadia) Metacheiromyidae Palaeanodonta Metacheiromys, Palæanodon Metacheiromys Metacheiromyidae osborni Simpson, G. G. 1931A metachinjiensis (Serridentinus) Metacordylodon Soricidae schlosseri Viret 1931 Metacranioti Physostomi Garstang 1931 (Div. of Malacopteri, incl. Metagnathi and Entognathi) Metadeiniktis Felidae Kretzoi 1929 cyclops Kretzoi 1929 Metagnathi Physostomi Garstang 1931 (Div. of Metacranioti, incl. Salmonoidea [= Salmonina and Galoxiinal, Alepocephaloidei, Lampadephori [= Stomiatoidei and Scapeloidei = Iniomil, and Esocoidei) Metailurus Felidae Kretzoi 1929; Matthew 1929A Metamynodon Amynodontidae birmanicus Matthew 1929A cotteri Matthew 1929A Metanthropus Hominidae Sollas 1933 Metapterix Apterygidae Lowe, P. 1928B Metarctos (Canidae) Matthew & Stirton 1930B; Pilgrim 1931 (?) batalleri Pilgrim 1931 diaphorus Pilgrim 1931 Metarhinus Brontotheriidae buceros Camp 1930B (Phytosauridae) cristatus Osborn 1929O earlei Osborn 1929O fluviatilis Osborn 1929O (?) mongoliensis Osborn 1929O riparius Osborn 1929O Metaschizotherium Chalicotheriidae Koenigswald 1932D bavaricum Koenigswald 1932D fraasi Koenigswald 1932D Metatetrameri Tetrapoda Huene, F. 1931J (Incl. Gastrocentrophori + Labyrinthodontia) Metatheria [Didelphia] Eutheria Naef 1931 (Incl. Marsupialia and Placentalia); Simpson, G. G. 1931B (Incl. Marsupialia) Metaxytherium Dugongidae Edinger 1933A; Hopwood 1927 cuvieri Cottreau 1928 floridanum Simpson, G. G. 1932C metcalfei (Semionotus) Metechinus Erinaceidae Matthew 1929B nevadensis Matthew 1929B Meterix Erinaceidae Hall, E. 1929 latidens Hall, E. 1929 Metopias Metoposauridae

diagnosticus Pfannenstiel 1932A

Microchiroptera Chiroptera

Microchoeridae (= Necrolemuridae) Tarsioidea

Microchoerus, Necrolemur

Microchoerus Microchoeridae Gregory & McGregor Metoposauridae Stereospondyli Anaschisma, Borborophagus, Buettneria, Kalamioketor, Kos-Microcleidus Plesiosauridae Nopcsa 1928B (Microkinonodon, Metoposaurus clidus) (= Metopias), Trigonoster-Microcleptes Microcleptidae Simpson, G. G. 1928C fissurae Simpson, G. G. 1928C num moorei Simpson, G. G. 1928C Metoposaurus Metoposauridae Case 1931B: Microcleptidae (= Microlestidae) Multituberculata? Schmidt, M. 1928 diagnosticus Pfannenstiel 1932A (Meto-Simpson, G. G. 1928C (of suborder incertae sedis: = pias); Schmidt, M. 1931 fraasi Branson & Mehl 1929 Microlestidae Marsh) Hypsiprymnopsis, Microcleptes, Microheimi Kuhn, Oskar 1932 lestes, Thomasia jonesi Branson & Mehl 1929 stuttgartensis Schmidt, M. 1931 Microcnus Megalonychidae Matthew 1931B Metopotaxus Glyptodontidae Weber, M. 1928A gliriformis Matthew 1931B Metridiochoerus Suidae Dietrich 1933 (= Noto-Microcosmodon Ptilodontidae Jepsen 1930C choerus) conus Jepsen 1930C Metriorhynchidae (Incl. Geosauridae & Dyro-Microfelis Felidae Kretzoi 1929 Microgomphodon Bauriamorpha sauridae) Mesosuchia Mereumerus Broom 1931C 1933 (phylogeny, Microhelodon Bauriamorpha Broom 1931C osteology); Piveteau 1928 eumerus Broom 1931C (Metriorhynchidia, Microhippus Equidae Schwarz, E. 1928 logeny) Dacosaurus, Dyrosaurus, Enaliosaurus, Microlestes Microcleptidae Schmidt, M. 1928 moorei Simpson, G. G. 1928C Geosaurus (= Neustosaurus plieningeri Simpson, G. G. 1928C = Cricosaurus), Metrio-Micromelerpeton Branchiosauridae rhynchus credneri Bulman 1928 Dyrosaurinae, Geosaurinae Metriorhynchus Metriorhynchidae Broili 1931A; Micromeryx Palaeomerycidae Loomis 1928B flourensianus Stromer 1928D Piveteau 1928 bathonicus Mercier 1933 Micropallas Strigidae whitneyi Miller, L. 1933B gaudryi Mercier 1933 mexicanus (Falco) Micropodi Micropodiformes meyeri (Talpa) Micropodidae (= Cypselidae) Micropodi Miacidae Miacoidea Lips 1930 Cypselus Miacis, Pleurocyon, Simidectes (= Micropodiformes Neognathae Sespecyon), Vulpavus Microrhinus (Cistecephalus) Huene, F. 1931A Miacis Miacidae Matthew 1929C microrhynchus (Dicynodon) Miacoidea (= Eucreodi) Creodonta Hay 1930A Microsauria [Phyllospondyli] Stegocephalia Goodrich 1930B (in Reptilia, (Miacoidae); Simpson, G. G. 1931B Anapsida) Miccylotyrans Dryolestidae Simpson, G. G. 1929A Microsauropus Ichnites Moodie 1929C acutipes Moodie 1929C Micrabderites Cænolestidae Simpson, G. G. 1932K clarki Moodie 1929C williamsi Simpson, G. G. 1932K Micramphibia Lepospondyli Romer 1933C (Suborthodactylus Moodie 1930C order, incl. Microbrachis) parvus Moodie 1930C Microbrachis microsma (Eoctenodus) Micraspis Cephalaspidae Stensiö 1932A Microsteus Coccosteidae Gross, W. 1932B, 1933D Microbiotheriinae Didelphiidae Simpson, G. G. dubius Gross, W. 1932B 1929A (Incl. genera confined Microsuchus Goniopholidae? Dolgopol de Saez to the Cretaceous of S. 1928A; Huene, F. 1933A Amer.) schilleri Dolgopol de Saez 1928A Microbiotherium Didelphiidae Gregory, W. 1929G Microsyops Mixodectidae Henckel 1930B hernandezi Simpson, G. G. 1932K rosyops) Microbrachiinae Asterolepidae Stensiö 1931 (Type Microtarsioides Tarsioidea? Weigelt 1933D Microbrachius) voigti Weigelt 1933D Microbrachis Micramphibia Huene, F. 1931J: Microtinae Muridae Hinton 1933; Schreuder 1933A Romer 1933C (Netherlands) Incl. Allo-Microbrachius Asterolepidae Stensiö 1931 phaiomys, Arvicola, Chi-Microcavia Caviidae Kraglievich 1931H onomys, Clethrionomys, breviplicata Kraglievich 1932B Dicrostonyx, Dolomys. pampaëa Kraglievich 1932B Evotomys, Lagurus, Lem-

mus, Mimomys, Ondatra,

Phaiomys, Pitymys, Synap-

tomys(of Auct.), Ungaromys

Grönlandaspis

Pliohippus,

bersia.

mirifica (Tanupolama)

Hybosteus,

Senetia, Tetraconodon)

Microtis [for Microtus] Muridae Ehrenberg 1929B: tela, Myocastor, Perchoerus. Sickenberg & Ehrenberg Plagiolophus, Siphneus. The codon to saurus. Hipparion, Paloplotherium) Microtragus Bovidae parvidens gaudryi Pilgrim & Hopwood minor (Canis chihliensis) Chardin & Piveteau 1028 stutzeli Pilgrim & Hopwood 1928 minor (Ondatra idahoensis) Wilson 1930 microtrema (Tropidostoma) minor (Ursus spelaeus) Gromova 1929: Lehmann Microtus Muridae Dubois 1929; Ehrenberg 1932B; Kormos 1931A, 1932E, F minuscula (Dolicavia) agrestis Schreuder 1933A minusculus (Anthodon, Clenialites) arvalinus Brunner 1933 minuta (Mustela nivalis) Heller 1932C brecciensis Hinton 1928 minuta (Paleocavia, Talpa) coroneusis Kormos 1932B, 1933C minutissima (Oxyrhina) malei Schreuder 1933A minutum (Aceratherium, Protypotherium) nivalinus Brunner 1933 minutus (Cardiomys, Diacodon, Erpetosaurus, nivalis Ehrenberg 1929B (Microtis, Chio-Hippopotamus, Monaspis, Parvines, Steneonomys); Ehrenberg & Sickenberg 1929 (Chronomys) miocaenus (Oligocorax, Phalacrocorax, Phasianus) nivaloides Brunner 1933 Mioclaenus Hyopsodontidae Gregory, W. 1929I ratticepoides Brunner 1933 Miocnus Megalonychidae Matthew 1931B subarvalis Heller 1933E antillensis Matthew 1931B microzeuglodontidae [Basilosauridae] Archaeoceti Miocorax Corvidae Lambrecht 1933B femoralis Lambrecht 1933B Abel, O. 1933C; Weber, M. larteti Lambrecht 1933B 1928A (of Archaeoceti) [In Miocorvus Corvidae Lambrecht 1933B tabular synopsisl larteti Lambrecht 1933B mikotonis (Sus nipponicus) Matsumoto 1930F Miofulica Rallidae Lambrecht 1933B milleri (Homosteus, Homostius, Tremataspis dejardini Lambrecht 1933B Urbitinga) Miogallus Phasianidae Lambrecht 1933B milletti (Archidiskodon, Dicynodon) longaevus Lambrecht 1933B milloquensis (Plesictis) Miohippus Equidae Matthew 1929R: Stock 1932E milne-edwardsi (Pseudotantalus, Sterna, Tantalus) Miolabis Camelidae Mimomys Muridae Hinton 1932A; Kormos 1931A; californicus Maxson 1930 Pei & Young 1933A Miolaniidae [Meiolaniidae] Chelonia Nopesa 1928B franconicus Heller 1930D (of Amphichelonoidea) intermedius Schreuder 1933A Miomegaderma Megadermidae Gaillard 1928B kormosi Brunner 1933 gaillardi Gaillard 1928B moldavicus Kormos 1932C Miomustela Mustelidae Hall, E. 1930E newtoni Bernsen 1933; Schreuder 1933A madisonae Hall, E. 1930E (?) parvius Wilson 1933C (Cosomys) Miophasianus Phasianidae Lambrecht 1933B pliocaenicus Bernsen 1933; Schreuder altus Lambrecht 1933B 1933A Miorallus Rallidae Lambrecht 1933B pusillus Brunner 1933; Kormos 1933F; major Lambrecht 1933B Schreuder 1933A Miosiren Dugongidae? Simpson, G. G. 1932C stehlini Kormos 1931C Miosireninae [Dugongidae] Trichechiformes Simpminax (Embasaurus) son, G. G. 1932C (Incl. mindanensis (Stegodon) Miosiren); Weber, M. 1928A Minerva Edentata (of Halicoridae, incl. Protoantiqua Wetmore 1933F siren. Archaeosiren and minimum (Aceratherium) Miosiren) minimus (Acrodus, Adapis, Eomoropus, Eoti-Miospalax Spalacidae Stromer 1928D tanops, Lagostomus, Laomonacensis Stromer 1928D saurus. Mystriosaurus, Miotragocerus Bovidae Stromer 1928D Plesictis, Pitheculites, monacensis Sickenberg 1929B; Stromer Tuditanus) 1928D minimus (Muraenosox, Otolithus) Frost 1933A mira (Oedolithax) minimus (Perca, Otolithus) Roedel 1930 mirabile (Astrapodon, Hegetotherium, Planeteminoensis (Palaeomeryx) therium) minor (Anteosaurus, Arctaspis, Bothriolepis, mirabilis (Burnetia, Cerataelurus, Cladodus, Coelos-Brachydirus, Capromeryx, teus, Elginia, Eucham-

Cephalogale, Cleithrolepis,

Hipparion, Hybodus, Mus-

Daeodon,

Emydops,

don,

Dyrosaurus,

Endogompho-,

Epipetalichthys,

mombachiensis (Stephanodon)

monacensis (Miospalax, Miotragocerus) mirificum (Gobiatherium) [Phlyctaenaspidae] Acanthaspida Monaspidae mirum (Neotherium) Heintz 1929B (Becomes mirus (Spathicephalus) Heterogaspidae if Strand mississippiensis (Eopteryx) 1932 is correct in substitutmitchelli (Nototherium) ing Heterogaspis for Monasmitis (Caenopus) pis preocc.) Mixinidae Mixinoidia Monaspis Phlyctaenaspidae Heintz 1929B; Strand Mixinoidia (= Hyperotreta) Cyclostomi 1932B [Heterogaspis] mixnitzensis (Mvotis) acuticornis Heintz 1929B Mixocebus Lemuridae Weber, M. 1928A Mixodectidae Insectivora, incertae sedis borealis Heintz 1929B Hoanghonius?, Microsyops giganteus Heintz 1929B hornsundi Heintz 1929B Mixodectoidae Insectivora, incertae sedis Hay minutus Heintz 1929B 1930A (of Proglires) monedula (Colaeus) Mixosauria Ichthyosauria Wiman 1933B mongoliae (Cervus canadensis) Young 1932C Mixosauridae (Incl. Grippidae = Latipinnatidae mongoliae (Cervus megaceros) Boule et al. 1928 partim) Ichthyosauria Broili 1931D (Timor) mongolicus (Struthio) mongoliense (Protiguanodon, Protitanotherium) Grippia?, Mixosaurus mongoliensis (Anosteira, Eudinoceras, Mandschuro-Mixosaurus Mixosauridae saurus, Menodus, Metatimorensis Broili 1931D rhinus, Pappichthys) miyae (Sus nipponicus) Matsumoto 1930B miyagiensis (Meles anakuma) Matusmoto 1930F Mongolosaurus Pinacosaurus Gilmore 1933D mnaidriensis (Elephas antiquus) Fabiani 1928; haplodon Gilmore 1933D Vaufrey 1929 Monocerhinus Rhinocerotidae Weber, M. 1928A Mnemeiosaurus Deuterosauridae Nopcsa 1928C [Rhinoceros] Monocloniinae [Centrosaurinae] Ceratopsidae jubilaei Huene, F. 1931A; Nopcsa 1928C mobilis (Ornithomimoides) Nopesa 1928B (Incl. Bra-Mochlorhinus Lystrosauridae Huene, F. 1931A chyceratops, Chasmasaurus [Chasmosaurus], Monomodesta (Otocratia) modestus (Tapinochoerus) clonius and Styracosaurus) modicum (Chalicotherium, Macrotherium) Monoclonius Ceratopsidae Anon. 1933X; Lull 1933A; Osborn 1933E Moeripithecus Cercopithecidae Zuckerman 1933B flexus Parks 1921 Moeritheriidae Moeritherioidea Moeritherium monoconus (Limnohyops) Monodelphia (= Eutheria = Placentaria = Placen-Moeritherioidea Proboscidea talia) Eutheria Moeritherium Moeritheriidae Anthony 1933: Monorhina [Marsipobranchii] Agnatha Goodrich Anthony & Proteaux 1929; Friant 1931A; Gregory, J. 1930B (Incl. Cylostomata 1929B; Hall, H. 1929; Sheak and Ostracodermata), 1931 1928; Watson 1929G Monotremata (= Ornithodelphia) Prototheria moguntiacus (Tapirus) Howell, A. 1932 (limb structure); Huber 1930. mohavense (Hipparion) mokattamensis (Platylaemus) 1931A, B, (facial musculamoldavicus (Holocentroides, Mimomys) ture, descent) molestus (Eocosmodon, Neoplagiaulax) Monotreta (= Parapsida) Reptilia Hay 1930A molfinoi (Prodolichotis) (Subclass, incl. Squamata Molgophidae [?Branchiosauridae] Phyllospondyli [Araeoscelomorphi + Tha-Molgophis?Branchiosauridae lattosauromorphi + Sauria brevicostatus Romer 1930D + Serpentes]) macrurus Romer 1930D Monozygocrotapha Reptilia Nopesa 1928B (Subwheatleyi Romer 1930D [Cocytinus gyriclass, incl. Ichthyopterygia, noides]; Steen 1931A [Cocy-Theromorpha, Pelycotinus gyrinoides] sauria, Dranitesauria, and Moloch Agamidae Nopcsa 1928B (Molochus) Parapsida) horridus Rieth 1932 monspessulana (Trionyx rotundiformus) Bermoloch (Keratocephalus) gounioux 1933A Molossidae Vespertilionoidea monspessulanus (Rhinoceros) Molossides, Nyctinomus monsvialense (Anthracotherium) Molossides Molossidae Allen, G. 1932 montana (Sicista) floridanus Allen, G. 1932 montanus (Anisacodon, Apatosaurus, Aphelops, molossus (Portheus) Astrodon, Diconodon, Menmolothroides (Pyelorhamphus) odus, Symborodon, Tetras-Molothrus Icteridae Miller, A. H. 1932A tylus)

monterini (Atalonodon)

Monticavia Caviidae shiptoni Kraglievich 1931A Montesechobatrachus Salientia, incertae sedie Broili 1932D: Nopesa 1931B; Romer 1933C gaudryi Nopesa 1931B moodiei (Mastodon) mooki (Allognathosuchus) Mookomys Heteromyidae Wood, A. 1931 altifluminus Wood, A. 1931 moorei (Microcleptes, Microlestes) moravica (Congromuraena, Branchiosaurus, Leuciscus) mordax (Crocuta, Cyclotosaurus, Platyrhinops, Triconodon, Tuditanus) Morenelaphus Cervidae Kraglievich 1932A azpeitianus Cabrera 1929C brachyceros Cabrera 1929C moreni (Canis) Moreno-Merceratia Brontornithidae Lambrecht 1933B | for Palaeociconia preocc.l cristata Lambrecht 1933B morenoi (Canis, Dinocynops, Macrocyon) Morevella Selachii, incertae sedis Gunnell 1933 aviculiformis Gunnell 1933 trilobata Gunnell 1933 typicalis Gunnell 1933 Moris Sulidae vagabundus Wetmore 1930F moriturus (Anthracokeryx) Mormosaurus Tapinocephalidae seelyi Huene, F. 1931A Moropus Chalicotheriidae Dietrich 1928A; Lucas 1028 elatus Matthew 1929A Morosauridae [Camarasauridae] Sauropoda Nopcsa 1928B (Incl. Camarasaurinae and Titanosaurinae); Zittel 1932 Morosaurus Camarasauridae Huene, F. 1932A Morphnus Falconidae daggetti Miller, L. 1928 guianensis Miller, L. 1928 woodwardi Howard 1932A morricei (Aulophyseter) morrisi (Sandalodus) Mosasauridae (Incl. Platycarpidae, Tylosauridae and Globidentidae) Mosasauroidea Dane 1929 (Arkansas); Müllerried 1931 (Mexico); Oliveira 1929 (S. Amer.)

Amphekepubis,

Mosasauroidea Platynota

mosbachensis (Canis, Equus)

Ancylocentrum (=

Mosasaurus.

Brachysaurus = Brachy-

1930A (Suborder of Sauria)

Platecarpus, Tylosaurus

saurana),

Mosasauriformes [Mosasauroidea] Platynota Hay

Mosasaurus Mosasauridae Edinger 1929D; Ghidini

1931

nigeriensis Swinton 1930D

mosbachensis (Sus scrofa) Küthe 1933 moschata (Desmana) moschatus (Ovibos) Moschognathus Tapinocephalidae whaitsi Huene, F. 1931A Moschops Tapinocephalidae Westenhöfer 1929C capensis Huene, F. 1931A: Westenhöfer 1928B Moschosauridae [Titanosuchidae] Dinocephalia Nopesa 1928B (of Titanosuchoidea) Moschosaurus Titanosuchidae longiceps Huene, F. 1931A Moschus Cervidae Loomis 1928B ("Moscus") moschiferus pekinensis Young 1932C mourningi (Archaeohippus) mrazeci (Mrazecia) Mrazecia Stomiatidae Pauca 1929A mrazeci Pauca 1929A Mucrotheriidae Multituberculata Huene, E. 1933 (Mucrotheridae of Tritylodontoidea) Mucrotherium Tritylodontidae Huene, E. 1933 cingulatum Huene, E. 1933 mudgei (Colonosaurus) muensteri (Rhamphorhynchus) Mugilomorphi [Percesoces] Physoclysti Hau 1930A (Order of Teleostei) mühlbergi (Palaeotherium) mülleri (Haplobunodon, Polysphenodon) Müllerornis Aepvornithidae Cauderay 1931: Lambrecht 1929C, E (Muellerornis); Lowe, P. 1928B, 1930A; White, E. 1930 Müllerornithes [Aepyornithiformes] Palaeognathae Lowe, P. 1930B multidentatus (Leidyosuchus) multiformis (Amphiperca) multipinnatus (Lepidocottus) multiscrobiculatus (Mystriosaurus) multisectis (Ancistriodus) Multituberculata Allotheria Granger & Simpson 1929; Simpson, G. G. 1929A (revision), L (general) munieri (Lophiodon) muñizi (Glyptodon) Muñizia Interatheriidae paranensis Kraglievich 1931C Muñizinae Interatheriidae Kraglievich 1931C (Incl. Muñizia) Cervulinae) Palaeomerycidae Muntiacinae (= Weber, M. 1928A (p. 574; of Cervidae; incl. Amphitragulus, Dremotherium, Palaeomervx. Dicrocerus and Muntiacus = Cervulus) Muntiacus Palaeomerycidae bumiajuensis Koenigswald 1933 münzenbergensis (Ptychogaster boettgeri) Stas-

sche 1928

Muraenosaurus Elasmosauridae Nopcsa 1928B

minimus (Otolithus) Frost 1933A

Muraenosox Otolithus

mosbachensis (Cervus megaceros) Edinger 1929A.

1933 A

murchisoni (Hemicyclaspis)

Muridae (Incl. Cricetidae and Cricetodontidae)

Myoidea

Allocricetus, Allophaiomys, Anomalomys, Apodecter, Apo-(= Apodemys), demus Arvicola, Baranomys, Chi-Clethrionomys, onomys, Cricetinus. Cricetiscus. Cricetodon, Cricetulus. Cricetus, Dicrostonyx (= Cuniculus), Dolomys, Eusigmomys (?), Evotomys, Lagurus, Lemmus, Lith-Macrognathomys, omys, Melissiodon, Mesocricetus, Microtus (== Microtis), Mimomys (= Cosomys), Mus, Myarion, Nesokia, Ondatra, Parahodomys, Phaiomys Peromyseus. (Microtinae), Phthinylla, Ptyssophorus, Pitymys, Reithrodon, Rhodanomys (= Omegodus), Sigmodon, Sinocricetus (= Sminthoides), Synaptomys, Ungaromys, Uromys

Cricetinae, Microtinae, Murinae

Murinae Muridae Hopwood 1929B; Weber, M.
1928A

Incl. Apodecter, Apodemus, Mus, Phthinylla and Ptyssophorus of Auct.

murinus (Dryomys, Myoxus, Potomarchus) Muroidae [Myomorpha] Simplicidentata Hay 1930A (Superfam. of Sciuriformes)

Mus Muridae Matthew 1929A Muscardinus Myoxidae

avellanarius Brunner 1933 dacicus Kormos 1931A

musceli (Nemachilus) musicus (Turdus)

Mustela Mustelidae Ehrenberg 1931E; Pilgrim 1931

angustifrons Viret 1929C crimea Simionescu 1932B elegans Viret 1929C

eversmanni soergeli Ehik 1928

furlongi Hall, E. 1930E (?) jägeri Pilgrim 1931 lemanensis Viret 1929C

leporium Pilgrim 1931 lydekkeri Colbert 1933A madisonae Hall, E. 1930E

minor Hall, E. 1930E minuta Viret 1929C

mustelina Viret 1929C

nivalis Brunner 1933 minuta Heller 1932C

pachygnatha Chardin & Piveleau 1930 palaeosinensis Colbert 1933A palaeattica Pilgrim 1931 [Promeles] palerminea Brunner 1933 pentelici Nafiz & Malik 1933; Pilgrim 1931 pulchella Viret 1929C robusta Viret 1929C

zibethoides Helbing 1930

Mustelidae Canoidea Matthew 1929A (phylogeny); Pilgrim 1932, 1933B (phylogeny)

Amphictis, Amyxodon, Aonyx, Bra-Bunaelurus, chypsalis. Charronia, Conepatus, Enhydra, Enhydrictis, Enhydriodon (= Amyxodon), Eomellivora, Grisonella, Gulo, Ischyrictis, Laphietis. Lontra, Lutra, Lutravus. Lutrictis, Martes. Martinogale, Meles, Mellivora, Miomustela, Mustela, Oligobunis, Palaeogale, Pannonictis. Parataxidea. Paroligobunis. Plesictis. Plesiogale, Plesiogulo, Pliogale, Plionictis (= Stenoplesictis), Potamotherium, Proailurus, Promeles, Promellivora, Promephitis, Putorius, Sinietis (?), Sivaonyx, Spilogale, Stenogale, Stephanodon, Sthenietis (= Stenictis), Taxidea. Tomietis, Trocharion, Trochictis, Vishnuonyx

Lutrinae, Melinae, Mustelinae, Putoriinae

mustelina (Mustela, Plesiogale) Mustelinae Mustelidae Pilgrim 1931 mustelinus (Cynarctus Laphictis)

Musteloidea Canoidea Kretzoi 1929 (Superfam. of Eucreodi, incl. Mustelidae)

Mutabilia Caudata mutabilis (Ctenacanthus) mutilus (Aphelops) myaingensis (Anthracokeryx) Myarìon Muridae

antiquum Viret 1929C

myarion (Plesiosminthus) Mycteria Ciconiidae

americana Howard 1930

Mycterosaurus Poliosauridae Broom 1927B Mycterosuchus Teleosauridae Nopesa 1928B Myctophoidea (Scopelidae) Haplomi Hay 1930A (Myctophoidae, of Iniomi)

Mylagaulidae Aplodontioidea

Mylagaulus

Mylagaulus Mylagaulidae Frick 1931A; Gazin 1932 Myliobates Myliobatidae Thomasset 1928B

bellardii Leriche 1932C

Myliobatidae Rajiformes

Heteroptychodus, Myliobates (= Myliobatis)

Myliobatis Myliobatidae albestii *Pauca* 1929B dixoni Obrutschew 1928B Mylodon Mylodontidae Conkling 1932; Matthew 1929J; Pocock 1929; Van der Klaauw 1930B darwini Kraglievich 1928C harlani Figgins 1927; Kraglievich 1928C; Nininger 1928 robustus Kraglievich 1928C tarijensis Collins 1933 Mylodontidae Megatherioidea Kraglievich 1931C (of Mylodontoidea, incl. Promylodontinae); Van der Klaauw 1930B (tympanie region) Eubradys, Eumylodon, Glossotherium, Gnathopsis, Grypotherium, Lestodon, Mylodon, Neomylodon, Octomylodon, Paramylodon (= Oryctotherium Leidy), Prolestodon, Promylodon, Scelidotherium, Synhapalops? Lestodontinae Mylodontoidea [Mylodontidae] Megatherioidea Kraglievich 1931C (of Tardigrada, incl. Mylodontidae) Mylohyus Tagassuidae argentinus Rusconi 1930G gidleyi Simpson, G. G. 1929H Mylostomiidae Brachythoraci Dinomylostoma Myocastor Myocastoridae columnaris Rusconi 1929C, 1931I coypus Rusconi 1929C, 1930H bonariensis Rusconi 1930A minor Rusconi 1929C obesus gracilis Rusconi 1929C paranensis Rusconi 1929C priseus Rusconi 1939C Myocastoridae Hystricoidea Rusconi 1929C (Incl. Neoreomys, Eumysops, Isomyopotamus, Paramyocastor, etc.) Eumysops, Isomyopotamus, Myocastor

Myohyracidae Hyracoidea Romer 1933C; Simpson, G. G. 1931B Myohyrax Myohyrax Myohyracidae osborni Hopwood 1929B Myoidea Myomorpha Myomorpha Simplicidentata Myopotamus Myocastoridae fossilis Rusconi 1929C [Myocastor] priscus Rusconi 1929C Myosaurus Dicynodontidae gracilis Huene, F. 1931A Myotis Vespertilionidae Brunner 1933 mixnitzensis Wettstein 1931 mystacinus Ehrenberg, 1929B; Ehrenberg & Sickenberg 1929

myocastor

Myogale Simionescu 1932B

(= Myopotamus = Matyo-

scor). Neoreomys, Para-

Myoxidae Myoxoidea Brachymys, Dyromys, Glis, Muscardinus, Myoxus Myoxoidea Myomorpha Myoxus Myoxidae glis Liebus 1929A (Myoxis) var. sackdillingensis Heller 1930A murinus Viret 1929C obtusangulus Viret 1929C Myripristis Berycidae priemi (Otolithus) Frost 1933A Myrmecophagoidea (= Vermilingua) Pilosa Myrus Anguillidae candatus (Otolithus) Frost 1933A mystacinus (Myotis) mystica (Florentinoameghinia) Mysticeti Cetacea Abel, O. 1933C (Mystacoceti); Kellogg 1928A (classification); Simpson, G. G. 1931B mysticus (Conger, Otolithus) Frost 1933B (Congridarum) Mystipterus Vespertilionidae Hall, E. 1930B vespertilio Hall, E. 1930B Mystriosaurus Teleosauridae Berckhemer 1930A; Mercier 1933 bollensis Berckhemer 1928C chapmanni Berekhemer 1928C mandelslöhi Anderson, C. 1932A minimus Berckhemer 1928C multiscrobiculatus Berckhemer 1930A Mystriosuchinae Phytosauridae Nopcsa 1928B (of Belodontidae, incl. Angistorhinus, Episcoposaurus, Leptosuchus, Mystriosuchus, Palaeorhinus, Promystriosuchus. Rileya. Rutiodon and Stegomus) Mystriosuchus Phytosauridae Nopcsa 1928B planirostris Camp 1930B plieningeri Camp 1930B; Seemann 1933 rutimeyeri Camp 1930B Mytaras Branchiosauridae Steen 1931A macrognathus Steen 1931A mytilinii (Gazella) Myzichthyes Pisces Woodward 1931B (Incl. Agnatha and all Pisces except Crossopterygii and Dipnoi) nagrii (Rhizomys) Najadochelys Bothremyidae major Staesche 1929

patagonica Staesche 1929 namadica (Loxodonta) Hippopotamus, Palaeonamadicus (Elephas, loxodon) namaguense (Notohipparion) namaguensis (Hyaena) nambiana (Martinogale) nambianus (Martes) Nannippus Equidae Stirton 1933 lenticulare Matthew & Stirton 1930A Nannocetus Cetotheriidae Kellogg 1929B eremus Kellogg 1929B

nannodes (Grus)

Nectridae [Nectridia] Lepospondyli Huene, F. Nannolithax Delphinidae Kellogg 1931B 1931J ("Superfamily") gracilis Kellogg 1931B Nectridia Lepospondyli Noble 1931; Romer 1930D Nannosaurinae [Nanosauridae] Iguanodontoidea (Incl. Urocordylidae and Noncea 1928B (of Kalo-Ceraterpetontidae) dontidae, incl. Nannosaurus [Nanosaurus]) neglectus (Protropidonotus) nehringi (Canis, Dinocynops, Stereocyon) Nannosuchus Goniopholidae Nopesa 1928B nehringi (Equus caballus) Bourdelle 1928 Nannotragulus Hypertragulidae loomisi Loomis 1933A Nemachilus Cyprinidae musceli Pauca 1929A Nanocavia Caviidae Nematoptychius Palaeoniscidae shiptoni Kraglievich 1931A (Monticavia) greenocki Watson 1928B nanolophus (Caenopus platycephalus) Wood, H. Nemoptervx Gadidae Weiler 1933A 1931 Nemorhaedus Bovidae Nanomyops Ptilodontidae Simpson, G. G. 1929A nalmeri Miller, G. 1930 [Cimolomys] Nanomys Ptilodontidae Simpson, G. G. 1929A Neoanthropus Hominidae Berg 1930 Neobunodontia [Suoidea] Bunodonta Abel, O. [Cimolomys] 1933C (Incl. Hippopotami-Nanosauridae (= Poposauridae) Iguanodontoidea dae and Suidae); Weber, M. Nanosaurus, Poposaurus Nanosaurus Nanosauridae Nopesa 1928B 1928 A nanum (Astrapotherium, Dremotherium, Plagio-Neocavia Caviidae Kraglievich 1932B sternum) lozanoi Kraglievich 1932B Neoceratodus Ceratodontidae nanus (Archaeohippus, Astrodon, Macrognathomys, forsteri Kesteven 1931A Platacodon, Praolestes, Proeyon, Protaspis, Testudo) Neochoerus Caviidae giganteus Kraglievich 1930D nanus (Cricetus oricetus) Schaub 1930B magnus Kraglievich 1930D nanus (Merluccius, Otolithus) Roedel 1930 Naomichelys Baenidae Nopcsa 1928B pinckneyi Simpson, G. G. 1930F robustus Kraglievich 1930D Naosaurus Edaphosauridae Nopesa 1928B (?Also tarijensis Kraglievich 1930D (Pliohydroas "Neosaurus" in Sphenacodontidae); Romer 1928B choerus) Neoctenacodon Ptilodontidae Granger & Simpson nasicornis (Pareiasuchus) nasutus (Capitosaurus) 1929 [Liotomus] natalensis (Prolystrosaurus) marshi Granger & Simpson 1929 [Lionatans (Sivalictis) tomusl natator (Champsosaurus) Neocybium Scombridge Weiler 1932C nathotensis (Stegolophodon) Neodesmostylus Mammalia? Khomenko 1928 Natrix Colubridge primigenius Khomenko 1928 natrix Szunyoghy 1932 Neodipnoi [Dipnoi, except Dipteridae] Dipnoi tessellata Szunyoghy 1932 Naef 1931 (group of Uronenatrix (Natrix) moidea, incl. Uronemus naui (Dorcatherium) (sic!) naumanni (Loxodonta) Necepiblema Chinchillidae · contorta Kraglievich 1929B nazari (Palaeotoxodon) neanderthalensis (Homo) Necepiblemidae [Chinchillidae] Hystricoides Neanthropidae [Homininae] Hominidae Zucker-Kraglievich 1929B (of Roman 1933A, C (Subfam. [!] dentia) of Hominidae, Incl. mod-Neofelinae Felidae Kretzoi 1929 (incl. Neofelia) ern and upper Paleolithic Neofelis Felidae Kretzoi 1929 man) neogaea (Rhamphostoma, Rhamphostomopsis) neas (Felis) Neogaeornis Hesperornithidae Lambrecht 1929B nebrascense (Hyracodon) wetzeli Lambrecht 1929B nebrascensis (Archidiskodon meridionalis) Osborn neogaeus (Smilodon) 1932B Neognathae ?incertae sedis ? Neornithes nebrascensis (Arctodus, Stylemys) Pseudalaudula Necrolemur Microchoeridae Gregory & McGregor Neogyps Falconidae 1929; Henckel 1930B errans Howard 1932A raabi Heller 1930B; Weigelt 1931, 1932A Neohalecopsis Clupeidae Weiler 1928B Necrolemuridae [Microchoeridae] Tarsioidea Abel striatus Weiler 1928B trispinosus Weiler 1928B Necrolestes Necrolestidae Nechipparion Equidae Abel. O. 1928A patagonensis Rieth 1931B eurystyle Matthew & Stirton 1930A Necrolestidae ?Chrysochloroidea Neohippus Equidae Antonius 1928 [Equus]

Neolicaphrium Proterotheriidae

recens Rusconi 1931I

Necrolestes Simpson, G. G. 1931B

necrophila (Eomellivora)

Neoliotomus Ptilodontidae Jepsen 1930B conventus Jepsen 1930B Neomylodon Mylodontidae Kraglievich 1928C: Van der Klaauw 1930B Neomys Soricidae Brunner 1933 sinensis Zdansky 1928 Neophrontops Falconidae americanus Howard 1932A Neoplagiaulax Ptilodontidae americanus Granger & Simpson 1929 marshi Granger & Simpson 1929 molestus Granger & Simpson 1929 Neoprosencephalica Gnathostomata Kesteven 1931B (Superclass of Vertebrata, incl. Dipnoi + Tetrapoda) Neoreomys Myocastoridae Rusconi 1929C Neornithes Aves Neosodon [Pelorosaurus] Camarasauridae Huene, F. 1932A (= Caulodon) Neotherium Otariidae Kellogg 1931B mirum Kellogg 1931B Neptunochelys Thalassemyidae Nopcsa 1928B nerviensis (Synechodus) nescherensis (Canis) Nesodon Notohippidae Matthew 1929M; Patterson, B. 1932A; Scott, W. 1928A magnus Scott, W. 1928A Nesodontidae [Notohippidae] Toxodonta Abel, O. 1933C Nesokia Muridae Matthew 1929A Nesophontes Nesophontidae hypomicrus Miller, G. 1929B paramicrus Miller, G. 1929B zamicrus Miller, G. 1929B Nesophontidae Soricoidea Nesophontes Nessariostoma Macropetalichthyidae Broili 1933D granulosum Broili 1933D Nestoritherium Chalicotheriidae Matthew 1929A nethercombensis (Magnosaurus, Megalosaurus) neumanni (Papio anubis) Dietrich 1933 Neurankylus Baënidae baueri Sternberg, C. H. 1932; Wiman 1933C Neurotrichus Talpidae Weber, M. 1928A Neuryurus Glyptodontidae chapadmalensis Castellanos 1929; Weber, M. 1928A Neusticosaurinae Nothosauridae Nopcsa 1928B (of "Pachypleuridae"), 1928C (of Pachypleurosauridae, incl. Neusticosaurus) Neusticosaurus Nothosauridae Corroy 1933; Peyer 1932A pusillus Schmidt, M. 1931 Neustosaurus Metriorhynchidae gigondarum Piveteau 1928 nevadanus (Sphenophalos) nevadensis (Metechinus) newberryi (Brachydectes, Sauropleura) newelli (Coelacanthus)

newtoni (Eosimops, Lamiasaurus, Mimomys)

Ngandong Man Hominidae Dubois, E. 1932B

Nicrosaurus [Phytosaurus] Phytosauridae kapffi Camp 1930B nigeriensis (Mosasaurus) nigridens (Carpolestes) nihowanensis (Machairodus) niloticus (Varanus) nilssoni (Bubalus) Nimravidae [Felidae] Feloidea Kretzoi 1929 (of Machairodontoida) Nimravinae Felidae Kretzoi 1929 (of Nimravidae, incl. Ailurietis, Nimravus, Heterofelis, Hyperailurictis, Afrosmilus, Sivasmilus. Propontosmilus, Pontosmilus, Paramachaerodus and Archaelurus) Nimravus Felidae Kretzoi 1929; Piveteau 1932A; Stock 1932E meridianus Stock 1933B niobrarensis (Equus) nippon (Cervus) nipponicus (Sus) nishneudensis (Canis, Cuon) nitida (Homolaspis) nitriae (Euthecodon, Tomistoma) nivalinus (Microtus) nivalis (Microtis) Ehrenberg 1929B [for Microtus] nivaloides (Microtus, Pitymys) nobilis (Aletornis, Basilemys, Cynodesmus, Protogrus) nobilissimus (Holoptychius) noblei (Laoporus) Nochelesaurus Pareiasauridae Boonstra 1932B, 1933C; Haughton 1930A; Haughton & Boonstra 1930 alexanderi Haughton & Boonstra 1929 strubeni Haughton & Boonstra 1929; Huene, F. 1931A (Nochelosaurus) Noctilionidae Emballonuroidea Weber, M. 1928A nocturna (Vinyakia) nodosa (Baena) Nodosauridae Nodosauroidea Gilmore 1930C, 1933C, D; Nopesa 1929C Acanthopholinae, (Incl. Panoplosaurinae, Ankylosaurinae and Nodosaurinae) Ankylosaurus, Anodontosaurus, Dyoplosaurus, Edmontonia, Euoplocephalus (= Euopocephalus), Hierosaurus, Hoplitosaurus, Lametasaurus?. Mongolosaurus. Nodosaurus, Palaeoscincus, Panoplosaurus, Pinaco-Polacanthoides. saurus, Polacanthus, Scolosaurus, Stegopelta Acanthopholinae, Ankylosaurinae, Nodosaurinae, Panoplosaurinae Nodosaurinae Nodosauridae Gilmore 1930C (rejects this subfam.); Nopcsa

1929C (Incl. Nodosaurus

and Loricosaurus)

1929F: Romer 1933D; Simp-Nodosauroidea Orthopoda son, G. G. 1933H; Stock Nodosaurus Nodosauridae Anon. 1933-I; Gilmore 1931E; Woodward 1933B 1930C; Nopesa 1929C roveri Kraglievich 1930F, 1931D Nopachthus Glyptodontidae shastense Hausman 1929; Lull 1929B, 1930A coagmentatus Castellanos 1933B Notidanidae Squaliformes trouessarti Castellanos 1933B Chlamydoselachus, Notidanus nopcsai (Elopteryx, Sokotosaurus, Trionyx) Notidanoidea Squaliformes Romer 1930D nordicus (Loxolophus) Selachii) nordmanni (Alosa) Notidanus Notidanidae Beckers 1932; Weiler 1933A Nostolepis Coelolepidae Notiomastodon Mastodontidae Cabrera 1930: Cas-(?) dentoides Hoppe 1931A (?) lata Hoppe 1931A tellanos 1933A (?) parva Hoppe 1931A ornatus Cabrera 1930 Notioprogonia Notoungulata Simpson, G. G. (Amer. (?) pseudocostata Hoppe 1931A Mus. Novit. 750, p. 7; subnotabilis (Aspidichthys) order, incl. Arctostylopidae. Notanthropus Hominidae eurafricanus Fischer, E. 1933B Henricosborniidae Notostylopidae) mediterraneus Fischer, E. 1933B Notocentrophori [Salientia] Amphibia Huene, F. Notharctus Adapidae Gregory, W. 1929B, 1930C; 1931J (stem group of Anura) Henckel 1928A; Straus 1929 Notochampsa Notochampsidae Huene, F. 1933A Nothocyon Canidae Matthew 1929P Kuhn 1933A; Nopesa 1928B acridens Matthew 1932A (for Cynarctus (Nothochampsa, in Erpetoauct.) curvipalatus Pilgrim 1932 suchidae) Notochampsidae (= Protosuchidae = Archaeolemur Hall & Martin 1931 Nothodon [Diadectes] Diadectidae suchidae) Protosuchia Huene, F. 1933A (Crocolentus Pfannenstiel 1932A dilia); Kuhn, Oskar 1933A Nothosauria Sauropterygia Nothosauridae (Incl. Pachypleurosauridae = (Pseudosuchia); Nopesa Pachypleuridae) Notho-1929B (Crocodiloidea) Erythrochampsa, Notochampsa, Pedetsauria Nopesa 1928B (of Nothosauroidea, incl. Larioicosaurus?, Protosuchus (= saurinae and Nothosau-Archaeosuchus preocc.) rinae) Notochelone Cheloniidae Nopesa 1928B Anarosaurus, Ceresiosaurus, Cymato-Notochoerus Suidae Dietrich 1933A saurus, Dactylosaurus, meadowsi Broom 1928B Germanosaurus (= Eurypaiceae Broom 1931B saurus), Lamprosauroides Notohipparion Equidae Haughton 1932A (= Lamprosaurus), Larionamaguense Haughton 1932A; Van Hoepen saurus (= Macromiro-1932A saurus), Macromirosaurus, Notohippidae (Incl. Nesodontidae and Rhychip-Neusticosaurus, Nothopidae) Toxodonta saurus, Pachypleurosaurus Adinotherium, Argyrohippus, Berroia, (= Pachypleura), Phygo-Nesodon, Rhynchippus saurus, Pistosaurus, Pro-Notomorpha Dermatemyidae Nopesa 1928B neusticosaurus, Psilotra-Notopachyrucos Hegetotheriidae Rusconi 1933A chelosaurus, Rhaeticonia, tambuttoi Rusconi 1933A. Simosaurus Notopithecidae Typotheria Lariosaurinae. Neusticosaurinae. Notopithecus Nothosaurinae, Pachypleu-Notopithecus Notopithecidae rosaurinae, Simosaurinae adapinus Simpson, G. G. 1932J Nothosaurinae Nothosauridae Nopesa 1928B, C Notostylopidae Notioprogonia (Incl. Nothosaurus, Cyma-Notostylops tosaurus, Germanosaurus Notostylops Notostylopidae Gregory, W. 19291; and Pistosaurus) Patterson, B. 1932A; Simp-Nothosauroidea Sauropterygia Nopcsa 1928B, C son, G. G. 1931D, 1933A (Incl. Pachypleurosauridae and Nothosauridae) brachycephalus Simpson, G. G. 1932J Nothosaurus Nothosauridse Berckhemer 1930C; Notosuchidae (Incl. Libycosuchidae) Mesosuchia Corroy 1933; Dienst 1933 Nopesa 1928B (Crocodil-Nothrotherinae Megalonychidae Kraglievich 1928B oidea, incl. Notosuchinae Nothrotherium Megalonychidae Anon. 1930O, and Lybicosuchinae [Liby-1931O; Conkling 1932; Harcosuchinae]) rington & Scherer 1930: Brasileosaurus (= Uruguaysuchus),

Matthew 1929I; Moodie

Cynodontosuchus, Dorato-

Libycosuchus Lybicosuchus), Notosuchus Libycosuchinae (= Lybicosuchinae), Notosuchinae, Uruguaysuchinae (= Uruguaychinae)

Notosuchinae Notosuchidae Nopesa 1928B (Incl. Cynodontosuchus Notosuchus)

Notosuchus Notosuchidae Huene, F. 1933A; Kälin 1933A; Nopesa 1928B; Simpson, G. G. 1933I

Nototheriidae [Diprotodontidae] Phalangeroidea Simpson, G. G. 1930E

Nototherium Diprotodontidae

mitchelli Anderson, C. 1933

Notoüngulata Monodelphia, Bertoni 1928; Gregory, W. 1929I; Cabrera & Kraglievich 1931; Scott, W. 1929A, 1930C; Simpson, G. G. 1933R (of Eutheria)

Notoungulata? Incertae sedis Monodelphia Archaeoplus, Eodidelphys nouleti (Allaeochelys, Cainotherium) noviciensis (Testudo antiqua) Glaessner 1933A novomexicanus (Merychyus medius) Frick 1929

novus (Fieraster) nummifer (Ptyonius)

nürtingensis (Leptopterygius) nyasae (Platycheloides)

Nyctea Strigiclae

scandiaca Kormos 1933G

Nyctereutes Canidae

viverrinus genitor Matsumoto 1930F viverrinus okuensis Matsumoto 1930F

Nycticorax Ardeidae

nycticorax Howard 1929

nycticorax (Nycticorax)

Nyctitheriidae Soricoidea Simpson, G. G. 1928B, 1931B

Protentomodon

Nyctinomus Molossidae Viret 1929C

stehlini Viret 1929C

Nyctophus Teleostei

dainelli Erasmo 1930A

Nyctosaurus Ornithocheiridae Nopcsa 1928B Nyssodon Didelphiidae Simpson, G. G. 1929A Nythosaurus Cynodontia Simpson, G. G. 1933E larvatus Parrington 1933; Watson 1931B

obesus (Helichthys, Myocastor, Trichechus) obliqua (Loxodonta africana) Dart 1929B obliquestriatus (Perca, Otolithus) Roedel 1930 oblongus (Cardipeltis) obscura (Grypolithax)

obscura (Pseudalaudula pispoletta) Tugarinov

obscurus (Xenognathus) obsoletus (Leptophractus) obtusa (Parasaniwa, Phyllonycteris) obtusangulus (Myoxus) obtusidens (Mesonyx) obtusum (Dendrerpeton) obtusus (Erpetosaurus, Tuditanus) Ocadia Emyidae

kehreri Stassche 1928

messeliana Staesche 1928 (?) perplexa Gilmore 1931B Ocalientinus Mastodontidae Frick 1933 ojocaliensis Frick 1933

occidentale (Subhyracodon)

occidentalis (Bison, Equus, Irenesauripus, Paleonictis, Sthenurus)

occitanica (Pristiphoca)

occultus (Ophidium, Otolithus) Hucke & Voigt 1929 (Ophidiidarum)

ochoticus (Trichechus obesus) Borissiak 1930E Ochotona Ochotonidae Brunner 1933; Ehrenberg 1932B

> complicidens Boule, et al. 1928 gobiensis Young 1932A

ursui Simionescu 1930C, 1932B

Ochotonidae (= Lagomyidae) Duplicidentata

Amphilagus, Austrolagomys, Desmatolagus, Lagodus, Lagomys, Ochotona, Piezodus, Prolagus, Titanomys

Ocnopus Megatheriidae Strand 1931

ocreata (Felis)

Octagomphus Cynodontia Huene, F. 1928B (Octagomphas)

octevillensis (Steneosaurus larteti) Joleaud 1928B Octodontidae (Incl. Capromyidae) Hystricoidea

Aphætreus, Capromys, Ctenomys. Dicoelophorus, Geocapromys, Hexolobodon, Isobolodon, Megactenomys, Paractenomys, Plagiodonta,

Plataeomys

Octomylodon Mylodontidae

aversus Kraglievich 1931C

Odobenidae Pinnipedia

Odobenus (= Odobaenus = Trichechus partim)

Odobenus Odobenidae

rosmarus Allen, G. 1930

Odocoileus Cervidae Kraglievich 1931D; Loomis 1928B; Russell & Vander-Hoof 1931

dolichopsis Engels 1932

virginianus Engels 1933; Lyon 1931

Odontaspis Lamnidae Piveteau 1933B; Weiler 1933A

acutissima Weiler 1930A

acutissima morph. inflata Menner 1928 cuspidata Boni 1933; Weiler 1930A; White & Frost 1931

teretidens White & Frost 1931 (Synodontaspis)

elegans White & Frost 1931

macrota White & Frost 1931

platensis White & Frost 1931 (Parodontaspis)

taurus White & Frost 1931 (Synodontaspis)

Odonterpeton Branchiosauridae

triangularis Romer 1930

Odontoceti Cetacea Kellogg 1928A (classification); Neuville 1932A (dentition)

Odontognathae Neornithes

Odontophis Palaeophidae Nopesa 1928B

Omegodus Muridae Viret 1929C [Rhodanomys] Odontophora [Gnathostomata] Craniata Naef 1931 (group of Vertebrata, incl. echimyoïdes Viret 1929C Omosaurus Phytosauridae Placodermi and Ganthoperplexus Camp 1930B (Rutiodon) "Omosaurus" Stegosauridae Nopesa 1928B Odontopteryges Pelecaniformes Odontopterygidae Odontopteryges Omphalosauridae Ichthyosauria Omphalosauroidea Ichthyosauria Nopcsa 1928B Odontopteryx (Suborder, incl. Omphalo-Odontopteryx Odontopterygidae sauridae) longirostris Lambrecht 1930B oebergi (Lonchorhynchus) onca (Felis, Pardotigris) Onchus Ichthyodorulites Schmidt, H. 1933 Oedolithax Delphinidae Kellogg 1931B concinnus Gross, W. 1930, 1933A mira Kellogg 1931B dilatatus Gross, W. 1933A oeningensis (Prolagus) laevis Gross, W. 1933A Oestocephalus Urocordylidae latus Leriche 1931 amphiuminis Romer 1930D major Gross, W. 1932C, 1933C, D marshii Romer 1930D marginalis Gross, W. 1933A pectinatus Romer 1930D penetrans Bryant 1932 rectidens Romer 1930D roemeri Hoppe 1931A remex Steen 1931B sublaevis Gross, W. 1933A serrulus Romer 1930D tenisculatus Gross, W. 1933A vinchellianus Romer 1930D tenuispinus Gross, W. 1933A officinalis (Scincus) windti Heintz 1933B; Weigelt 1930D ogallalae (Bassariscus) Ogmodirus Polycotylidae Nopcsa 1928B Ondatra Muridae idahoensis Wilson 1933C ogygia (Felis, Machairodus, Paramachaerodus) oharrai (Hoplophoneus) idahoensis Wilson 1933C minor Wilson 1933C Ohiodorulites Ichthyodorulites Whitley 1933 Onohippidion Equidae armatus Whitley 1933 ohioensis (Anomoeichnus, Castoroides, Ichthyacancompressidens Rusconi 1931E thus) Onohippidium Equidae Matthew 1929R Onychodontidae Crossopterygii, incertae sedis Oioceros Bovidae Gross, W. 1933D (Crossopproaries Pilgrim & Hopwood 1928 terygii) rothi Arambourg & Piveteau 1929A; Pil-Onychodus Crossopterygii grim & Hopwood 1928 iaekeli Gross, W. 1933D wagneri Pilgrim & Hopwood 1928 ojocaliensis (Ocalientinus) radicosus Gross, W. 1933 D Onychopus Ichnites Moodie 1931B [Wakarusopus] Okapia Giraffidae Loomis 1928B; Matthew 1929A Oölithes (eggs, egg shells and egg capsules) Gna-(Ocapia) Okapiinae Giraffidae Weber, M. 1928A thostomata okuensis (Nyctereutes viverrinus) Matsumoto bathonicae Van Straelen 1928 (Reptilia) sphaericus Van Straelen 1928 (Reptilia) 1930F oldawayi (Struthio) Opetiosaurus Dolichosauridae Nopesa 1928B Oldfieldthomasia Archaeopithecidae Ophiacodontidae Pelycosauria debilitata Simpson, G. G. 1932J Diopaeus, Theropleura, Therosaurus oldowayensis (Pelorovis) Ophichthys Anguillidae Oligobunis Mustelidae acutus (Otolithus) Frost 1933A gemmarosae Loomis 1932A. Ophiderpeton Ophiderpetontidae vantasselensis Loomis 1932A amphiuminis Romer 1930D; Steen 1931A brownriggi Steen 1931A oligocenicus (Scomber) Oligocorax Phalacrocoracidae Lambrecht 1931C, Ophiderpetontidae Aistopoda Romer 1930D Ophiderpeton, Thyrsidium 1933R littoralis Lambrecht 1931C, 1933B Ophidia [Serpentes] Squamata Hoffstetter (Arch. miocaenus Lambrecht 1933B Mus. d'Hist. Nat. Lyon, 15, Oligokyphus Tritylodontidae Schmidt, M. 1928; 1939; incl. Sections Cholophidia, Simpson, G. G. 1928C Scolecophidia, oliveirai (Enchodus) Henophidia and Cænoolivensis (Eumetopias jubata) Rusconi 1931F phidia); Nopesa 1928B olivensis (Reithrodon) (Suborder, incl. Cholooliverhayi (Bison) Figgins 1933A phidae, Angiostomatidae, olseni (Dolichorhinus) and Alethinophidae) Olsenia Chalicotheriidae Matthew 1929A Ophididae (Incl. Ammodytidae) Anacanthini olssoni (Podocnemis) Ammodytes?, Ophidium omatus (Sclerocalyptus) Ophidium Ophidiidae biarritzense Šulc 1932A ombonii (Hyracodon, Trigonias) omegodon (Siphneus) biscaicum Šulc 1932A

difformis (Otolithus) Hucke & Voigt 1929 (Ophidiidarum)

(?) longipinnatus Pauca 1931A occultus (Otolithus) Hucke & Voigt 1929 (Ophidiidarum)

Ophiodeirus (Protorosauria) Araeoscelidia Romer 1928B

Opisthocoela Salientia Noble 1931 (Suborder)

Opisthoctenodon Endothiodontidae mckayi Huene, F. 1931A [Pristerodon]

Opisthodactylidae Phororhaci Kraglievich 1932C Opisthodactylidae Kraglievich Opisthodactylus 1932C

Opisthopsalis Hyaenodontidae Matthew, Granger & Simpson 1929

vetus Matthew, Granger & Simpson 1929 Opistias Sphenodontidae Nopesa 1928B Opistoglypha [Opisthoglypha] Colubridae Nopesa 1928B (Gens of Colubrinae, recent genera listed)

oppenoorthi (Cervus) Koenigswald 1933 Opsiceros Rhinocerotidae Matthew 1931A

hemitoechus Matthew 1931A leptorhinus Matthew 1931A

Ichthyosauridae Woodward Opthalmosaurus 1929C

optimae (Dorcameryx) Oracanthus Ichthyodorulites

farringtoni Roy 1929 Oracodon Ptilodontidae Simpson, G. G. 1929A [Meniscoëssus]

Orangiatherium Bovidae Van Hoepen 1932C

vanrhyni Van Hoepen 1932C

Orasius Giraffidae Matthew 1929A sivalensis Matthew 1929A

speciosus Arambourg & Piveteau 1929A

orbicularis (Pleuronectes, Otolithus) Frost 1933B (Pleuronectidarum)

orbignyi (Ictitherium, Thalassictis, Viverra) orbitoangulatus (Halticosaurus)

Orca Delphinidae Sarra 1933

orcadensis (Asterolepis) oregonensis (Diprionomys, Leptarctus, "Rhinoceros")

oregonus (Hydrotherikornis)

Oreodon Merycoidodontidae

culbertsoni Hernon 1930A; O'Harra 1930A (Merycoidodon)

Oreodontidae [Merycoidodontidae] Agriochoeroidea Oreopithecus Cercopithecidae Gregory & Mc-Gregor 1929; Zuckerman 1933B

Oreortyx Phasianidae picta Wetmore 1932

orientale (Prohyracodon) orientalis (Acodus, Heoanthropus, Heterosminthus, Paramach-Machairodus, Pecarichoerus. aerodus.

Plesiothomomys, Pontosmilus, Stegodon, Thomomys)

Orinosaurus Teratosauridae Huene, F. 1932A ornata (Asterolepis, Holmesella) ornatissimus (Rhadinichthys)

ornatus (Archegosaurus, Brachymys, Lycaenops, Notiomastodon, Oxygnathus, Scierocalyptus)

ornatus (Conger, Otolithus) Frost 1928 (Congridarum)

Ornichnites Ichnites

caudatus Jaekel 1929A

Dinosauria Hartmann-Weinberg Ornithischia 1928B (Kazakstan)

Ornithocephalidae [Pterodactylidae] Pterodactyloidea

Ornithocephaliformes [Pterodactyloidea] Pterosauria Hay 1930A (Suborder of Pterosauri)

Ornithocephalinae Pterodactylidae Hay 1930A (of Ornithocephalidae)

Ornithocephalus Pterodactylidae Hay 1930A (for Pterodactylus); Plieninger 1930 [Pterodactylus]

Ornithocheiridae (Incl. Pteranodontidae) Pterodactyloidea Nopcsa 1928B (Ornithocheirinae); Tornier 1933; Zittel 1932 (of Ornithocheiroidea)

Criorhynchus, Lonchodectes, Nycto-Ornithocheirus. saurus, Ornithodesmus, Ornithostoma, Pteranodon

Ornithodesminae

Ornithocheiroidea [Pterodactyloidea] Pterosauria Zittel 1932

Ornithocheirus Ornithocheiridae Nopcsa 1928B Ornithodelphia [Monotremata] Prototheria

Ornithodesminae Ornithocheiridae Nopcsa 1928B (of Pterodactylidae, incl. Ornithodesmus)

Ornithodesmus Ornithocheiridae Nopcsa 1928B Ornithoidipus Ichnites Sternberg, C. M. 1933A pergracilis Sternberg, C. M. 1933A

Ornitholestes Coeluridae Lowe, P. 1933C ornitholestoides (Rapator)

Ornithomimidae Coeluroidea Huene, F. 1932A (of Coelurosauria); Efremov 1932B

Betasuchus, Chirostenotes, Clasmodo-Loncosaurus, saurus, Macrophalangia, Ornithomimoides, Ornithomimus, Stenonycho-Oviraptor, Struthiomimus, saurus, Walgettosuchus

Ornithomiminae Ornithomimidae Nopcsa 1928B (Incl. Coelosaurus, Elaphro-Ornithomimus, saurus, Oviraptor, and Struthiomimus)

Ornithomimidae Huene, Ornithomimoides 1932A

Huene, F. 1932A; Huene & barasimlensis Matley 1933

mobilis Huene, F. 1932A; Huene & Matley 1933

Ornithomimus Ornithomimidae affinis Huene, F. 1932A asiaticus Gilmore 1933C

thopoidea and Thyreophor-

edmontonicus Sternberg, C. M. 1933B elegans Parks 1933B oidea); Zittel 1932 (Sub-Ornithopoda [Iguanodontoidea] Orthopoda Nopesa order) Priodontognathus 1929B (sex differences) Orthopteryx Spheniscidae Lowe, P. 1933C Ornithopoidea Orthopoda Nopcsa 1928B (Suborder, incl. Kalodontidae Orthosauriscus Loxommidae (n. name) Kuhn, Oskar 1933B and Trachodontidae), 1929C pachycephalus Kuhn, Oskar 1933B (Ornithopodoidea) Ornithopsis Camarasauridae Nopesa 1928B Orthosaurus Loxommidae Kuhn, Oskar 1933B; Ornithorhynchidae Monotremata Pfannenstiel 1932B; Steen 1931A. Ornithorhynchus [Ortotheriinae] Ornithorhynchus Ornithorhynchidae Gregory, W. Orthotherinae Megalonychidae 1933D; Simpson, G. G. Kraglievich 1932D 1929C ortoni (Ancylopus) Ornithostoma Ornithocheiridae Nopesa 1928B orvini (Phyllolepis) Ornithosuchidae (Incl. Euparkeriidae, Erpeto-Orycteropodidae Tubulidentata Orycteropus suchidae and Scleromo-Orycteropus Orycteropodidae Jepsen 1932; Simpchlidae) Aëtosauroidea Nopesa 1928B son, G. G. 1931A (Pseudobrowni Colbert 1933B suchoidea, incl. Euparkerdepéreti Helbing 1933 iinae, Ornithosuchinae, and pilgrimi Colbert 1933B Scleromochlinae) Browniella, Erpetosuchus, Euparkeria, Oryctolagus Leporidae Dice 1929 Ornithosuchus, Oryctotherium Mylodontidae Kraglievich 1928C Prestosuchus. Saltoposuchus, [Paramylodon] Scleromochlus Oryx Bovidae Dietrich 1933 Ornithosuchinae. gazella Heinz 1932A Euparkeriinae, Scleromochlinae oryx (Taurotragus) Ornithosuchinae Ornithosuchidae Nopesa 1928B oryxoides (Tragoreas) (Incl. Ornithosuchus and osborni (Bolodon, Eggysodon Eotitanotherium, Saltoposuchus) Hemianthropus, Metacheir-Ornithosuchidae Kuhn, omys, Myohyrax, Psittaco-Ornithosuchus Oskar 1933A; Romer 1933C saurus, Trigonias) Orocavia Caviidae Kraglievich 1932B osborni (Trigonias osborni) Wood, H. 1931 andina Kraglievich 1932B (Orthomyctera) osborniana (Allacerops) Orodus Hybodontidae oscillans (Propleopus, Triclis) reichi Claus 1928 Oscines [Passeres] Passeriformes Orohippus Equidae Gilmore 1931A; Matthew Ospia Ospiidae Stensiö 1932B 1929R whitei Stensiö 1932B Ortalis Cracidae Ospiidae (Incl. Broughiidae = Bronghiidae) Chontantala Wetmore 1933C drostei Stensiö 1932B Orthocormus Pachycormidae Weitzel 1930B Broughia, Ospia cornutus Weitzel 1930A, B ossifragus (Crocodilus) orthodactylus (Microsauropus) ossivallense (Felsinotherium) orthodon (Palæoctonus) Ostariophysi Physostomi Nichols 1930 (ancestry) orthognathus (Ctenomys latidens) Rusconi 1931B Osteichthyes (= Teleostomi) Pisces Garstang 1931 Orthogoniosaurus Megalosauridae Das-Gupta (new classific.); Romer 1931A 1933C (Class, incl. Actinopmatleyi Das-Gupta 1931A; Huene, F. terygii, Crossopterygii and 1932A (Allosauridae) Dipnoi) orthogonius (Chiracus) Osteoborus Canidae Stirton & VanderHoof 1933 Orthomerus Trachodontidae Nopesa 1928E: cyonoides Stirton & VanderHoof 1933 Righinin 1930D direptor Stirton & VanderHoof 1933 Orthomyctera Caviidae Kraglievich 1931H littoralis Stirton & VanderHoof 1933 andina Kraglievich 1932B (Orocavia) pugnator Stirton & VanderHoof 1933 improla Kraglievich 1932B ricardoensis Stirton & Vander Hoof 1933 lacunosa Kraglievich 1932B secundus Stirton & VanderHoof 1933 lata Kraglievich 1932B Osteoglossi [Isospondyli] Physostomi Garstang 1931 loberiaense Kraglievich 1932B (Div. Archieranioti, incl. perfecta Kraglievich 1932B Hyodontoidei, Mormyroidei, Orthophyia Meantes, incertae sedis Huene, F. Elopoidei and Clupeoidei) 1931J ("Orthophygia") Osteoglossidae Isospondyli Orthopoda, incertae sedis Ornithischia Nopesa 1928B (Order of Dinosauria, Brychaetus, Phareodus (= Dapedoincl. Poposauroidea, Orniglossus)

Osteoglossoidea Isospondyli Hay 1930A (Osteoglossoidae, of Clupeiformes) Osteolaemus Crocodilidae Nopcsa 1928B Osteolepidae Rhipidistia Diplopterax, Megalichthys, partim, Osteolepis, Porolepis Osteolepidiformes Rhipidistia Hay 1930A Osteolepidoti [Rhipidistia] Crossopterygii Osteolepis Osteolepidae Aldinger 1931A; Broom 1930G; Edinger Obrutschew 1932B fischeri Gross, W. 1933A macrolepidotus Säve-Söderbergh 1933A Osteopygis Thalassemyidae sculptus Staesche 1929 Osteospondyli [Osteichthyes] Pisces Naef 1931 (group of Chiropterygii, incl. Euichthyes and Dip-

teroidea) Cephalaspidomorpha Gregory, W. Osteostraci 1928D: Stensiö 1932A (Great Britain)

Ostodolepis Pantylidae

brevispinatus Case 1929A; Rieth 1931B Ostracodermi Marsipobranchii Goodrich 1931 (Ostracodermata); Gross, W. 1932C, 1933B (phylogeny); Kiaer & Heintz 1932 (classification); Kirk 1928, 1929, 1930 (Ordovician, Colorado): O'Donoghue 1930 (general; Ostracodermata); Patten 1929 (Ostracodermata); Tretia-

Incertae sedis: Eoichthys

Ostracophori Craniata Stensiö 1931 (Rejects this class as it contained members of both Agnatha and Gnathostomata)

koff 1929B

otapiriensis (Conger, Otolithus) Frost 1933B (Congridarum)

Otariidae (Incl. Allodesmidae, Desmatophocidae and Semantoridae) Pinnipedia

> Allodesmus, Arctocephalus, Desmatophoca, Eumetopias, Neotherium, Semantor

otiakensis (Cottus, Otolithus) Frost 1928 Otides Gruiformes

Otididae (= Otitidae) Otides Lambrecht 1928C (Otitidae of Gruiformes)

Palaentia

Otocratia Anthracosauridae Watson 1929K modesta Watson 1929 K

Embolomeri Otocratiidae [Anthracosauridae] Romer 1983C; Watson 1929K (Otocratidae, of Anthracosauroidea)

Otodus Lamnidae

pavlovi Menner 1928 Otolithus (otoliths of fishes) Osteichthyes

Apogon, Argentina, Arius, Berycidarum, Cantharus, Centropristis, Clupea, Clupeidarum. Conger, Cottus. Cyclopterus, Elops, Fieraster, Gadidarum, Gadus, Gonostoma, Merluccius. Muraenosox, Myrus, Ophichthys. Ophidiidarum, Ophidium, Pagellus, Percidarum, Physiculus, Polymixia, Raniceps, Solea, Trigla, Uranoscopus, Uroconger

Otophysi [Ostariophysi] Physostomi Garstang 1931 (Div. of Archieranioti, incl. Plectospondylii)

otranto (Equus) ottoi (Gracilisaurus) Otus Strigidae

flammeolus Miller, L. 1933B Oudenodon Dicynodontidae Huene, F. 1931A ovalis (Merluccius, Otolithus) White and Frost 1931 ovatus (Conger, Otholithus) Frost 1933A (Congridarum)

ovatus (Cyrtaspis, Styracosaurus) Ovibos Bovidae Barbour, E. 1931F; Ehrenberg 1932B; Kolbe 1931; Stromer 1928C

fossilis Edinger 1931A; Ryziewicz 1933 mackenzianus Edinger 1931B: Ryziewicz 1933

moschatus Ryziewicz 1933; Stehlin 1933A pallantis Jacobi 1932, 1933; Ryziewicz 1933 recticornis Ryziewicz 1933

Ovicaprinae Bovidae Pilgrim & Hopwood 1928 oviformis (Dinichthys) ovinum (Dacrytherium)

Oviraptor Ornithomimidae

philoceratops Andrews, R. 1929C Ovis Bovidae Leuthardt 1930B; Stock 1931E

antiqua Gaillard 1931 argaloides Gaillard 1931 savini Gaillard 1931

shantungensis Chardin & Piveteau 1930 oweni (Pnigalion, Trigonodon, Trioracodon) Oxyaenidae Oxyaenoidea

Dipsalodon, Dipsalidictis, Paleonictis, Patriofelis

Oxyaenoidea Creodonta Hay 1930A (Oxyænoidæ. a superfam.); Simpson, G. G. 1931B

[Arctocyonidae] Arctocyonoidea Oxyclaenidae Simpson, G. G. 1931B (Incl. in Arctocyonidae)

Oxydactylus Camelidae Matthew 1929 N floridanus Simpson, G. G. 1932D

Oxyechus Charadriidae

vaciferus Miller, A. H. 1929A

Oxygnathus Palaeoniscidae browni Brough 1931 ornatus Watson 1928B

Oxygomphius Didelphiidae frequens Viret 1929C

Oxyodon Clepsydropsidae Nopesa 1928B (= Oxiodon)

Oxyosteidae [Coccosteidae] Brachythoraci Gross, W. 1933D

Pachypodosauroidea [Plateosauroidea] Theropoda Oxyosteus Coccosteidae Gross, W. 1932B, 1933D magnus Gross, W. 1932B Nopesa 1928B (Suborder of Saurischia, incl. Thecorostratus Gross, W. 1932B Oxyrhina Lamnidae Beckers 1932 dontosauridae. Anchisauridae and Plateosauridae) desorii Boni 1933 Pachypteryx Spheniscidae Lowe, P. 1933C hastalis Boni 1933 Pachysaurus Teratosauridae minutissima Menner 1928 giganteus Huene, F. 1932A ozarkensis (Cladodus) Ozotoceras Cervidae Kraglievich 1932A wetzelianus Huene, F. 1932A Pachytegos Dicynodontidae Haughton 1932B pacensis (Gypsichnites) stockleyi Haughton 1932B pachecoi (Brasileosaurus) Pachythrissops Leptolepidae Pachyailurus Felidae Kretzoi 1930 furcatus Weitzel 1933A acutidens Kretzoi 1930 laevis Weitzel 1933A pachycephalus (Orthosauriscus) macrolepidotus Weitzel 1933A Pachycormidae Holostei Pachytragus Bovidae Erisichthe, Orthocormus, Pachycormus, crassicornis Pilgrim & Hopwood 1928 Protosphyraena schlosseri Pilgrim & Hopwood 1928. Pachycormus Pachycormidae Coulon 1928A pacificus (Equus) Pachycynodon Canidae packi (Leptacodon) delicatus Loomis 1932A pacos (Lama) harlowi Loomis 1932A Paedotherium Hegetotheriidae neglectus Dietrich 1929B imperforatum Kraglievich 1929C pachyganalis (Elephas) pagei (Phenacolemur) Pachygazella Bovidae Chardin & Young 1931 Pagellus Otolithus grangeri Chardin & Young 1931 marbellensis Šulc 1932A Pachygenelus Ictidosauria Broom 1930F; Huene, Pagrus Sparidae F. 1928B gracilis Weiler 1932A pachygenus (Cervus, Megaceroides) paiceae (Notochoerus) pachygnatha (Mustela) Paidopithex Pongidae Mollison 1933 pachygnathus (Cervus, Rhinoceros, Rusa) Palaeagama Saurosternidae Pachygonia Mastodonsauridae Das-Gupta 1929 vielhaueri Haughton 1929B Pachynolophus Palaeotheriidae Weigelt 1931, 1932A Palaealectornis (Tetraonidae) Wetmore 1930E pachyodon (Hyaenognathus) incertus Wetmore 1930E Pachyophidae [Palaeophidae] Cholophidia Palaeanodonta Edentata Simpson, G. G. 1931A Pachyophis Palaeophidae Ehrenberg 1931H; (Incl. Metacheiromyidae; Nopesa 1928B phylogeny), B Pachyophinae Palaeophidae Nopesa 1928B (of Palaeanthropidae [Homininae = Paleoanthro-Cholopidae, incl. Mesophis. pinael Hominidae Zucker-Odontomophis and Pachyman 1933A, C (subfam. [!] ophis) of Hominidae. Incl. Sinan-Pachyornis Anomalopterygidae Lowe, P. 1928B thropus, Neanderthal and Pachyosteidae [Coccosteidae] Brachythoraci Gross, archaic forms) W. 1932B (Type Pachy-Palaeanthropus [for Paleoanthropus] Hominidae osteus Jackel), 1933D Berg 1930; Sergi, G. 1930; Pachyosteus Coccosteidae Gross, W. 1932B, 1933D Zuckerman 1933C bulla Gross, W. 1932B europaeus (= Neandertal) Fischer, E. pachyosteus (Cervus) 1933B Pachypleura Nothosauridae Ehrenberg 1931H; heidelbergensis Fischer, E. 1933B Nopcsa 1928C [Pachypleurkrapiniensis Fischer, E. 1933B osaurusi palestinus Anon. 1932N, 1933G; McCown Pachypleurosauridae [Nothosauridae] Nothosauria 193233 Nopcsa 1928B ("Pachy-See also: Paleoanthropus pleuridae", of Nothosaur-Palaeaspidae [Pteraspidae] Heterostraci Kiaer 1932 oidea), 1928C; Romer 1933C (of Poraspidei) (Nothosauria) Palaeaspis Pteraspidae Pachypleurosaurinae Nothosauridae Nopcsa 1928B pompeckji Brotzen 1933B "Pachypleuridae") (of simplex Brotzen 1933B 1928C (of Pachypleuropalaeattica (Meles, Mustela, Promeles) sauridae, incl. Pachypleuro-Palaedaphus Dipteridae saurus, Dactylosaurus and abeli Laverdière 1929 Anarosaurus) devonensis Laverdière 1929 Pachypleurosaurus Nothosauridae Nopcsa 1928C ferquensis Laverdière 1929 edwardsi Peyer 1932B

Pachypodosauria Saurischia Huene, F. 1929C.

1932A (Incl. Carnosauría

and Sauropodomorpha)

insignis Laverdière 1929

antarctica Lowe, P. 1933C

Palæeudyptes Spheniscidae

palaeformis (Pycnosteus) Palaeodipnoi [Dipteridae] Dipnoi Naef 1931 palaeindica (Sivanasua) (group of Dipteroidea) palaeindicus (Amphicyon, Bubalus, Crocodilus, Palaeodonta [Bunodonta] Artiodactyla Matthew Damaliscus, Hippopotamus, 1929F Machaerodus, Meganthereon, Rhinoceros) palaeindicus (Buffelus bubalus) Van der Maarel 1932 1930B Palaelaphis Boidae Nopesa 1928B (Palelaphis in Colubridae) Palmoapterodytes Spheniscidae Lowe, P. 1933C Palaeobalistum Pycnodontidae edwardsi Viret 1929C dossantosi Maury 1930 Palaeobatrachidae Procoela Parker 1929, 1930 Lithobatrachus, Palaeobatrachus Palaeobatrachus [Paläobatrachus] Palaeobatrafecunda Viret 1929C chidae Broili minuta Viret 1929C (Montsechobatrachus): Nohla 1930; Seemann & Berckhemer 1930 diluvianus Ahrens 1930; Wolterstorff 1929 Romer gaudryi Nopesa 1931B 1929 K Palaeocastor Castoridae Schreuder 1929 magnus Romer & McCormack 1928 Palaeogyrinus simplicidens Cook & Cook 1933 1032B Palaeocasuarius Casuariidae Lowe, P. 1928B Palaeochamaeleo Sphenodontidae Huene, F. 1930B; Weigelt 1930H [preocc.] jaekeli Weigelt 1930H (Rhynchocephalia) Palaeochameleontidae [Sphenodontidae] Rhynchocephalia Romer 1933C (of Palaeohatteria Eosuchia, type Palaeochameleo [Palaeochamaeleo]) Palaeochiropterygidae Chiroptera, incertae sedis Weber, M. 1928A (of Microchiroptera) palaeokerabau (Buffelus) Palaeochelys Carettochelyidae Hummel 1929 valenciennes Hummel 1929 Palaeochoerus Suidae Viret 1929C (Palaeocherus) major? Viret 1929C (Palaeocherus) meissneri mut. elaverensis Viret 1929C Palaeocherus) haydeni Dice 1932 suillus Viret 1929C (Palaeocherus) typus Berckhemer & Seemann 1930; Richard 1931; Viret 1929C (Palaeocherus) waterhousi Viret 1929C (Palaeocherus) palaeochoerus (Sus) Palaeociconia Brontornithidae cristata Lambrecht 1933B [Moreno-Merceratia) Palaeociconia Ciconiidae australis Lambrecht 1930B (= Prociconia) Palaeocryptonyx ?Phasianidae gaillardi Ennouchi 1930 1931 grivensis Ennouchi 1930 Palæoctonus [Clepsysaurus] Phytosauridae aulacodus Camp 1930B appalachianus Camp 1930B dumblianus Camp 1930B orthodon Camp 1930B Palaeocyon Canidae Rusconi 1931I platensis Kraglievich 1928A troglodytes Kraglievich 1928A validus Kraglievich 1928A

(Suborder, incl. Dichobunidae and Entelodontidae) Palaeoephippiorhynchus Ciconiiformes Lambrecht dietrichi Lambrecht 1930B Palaecerinaceus Erinaceidae Viret 1929C arvernensis Viret 1929C Palaeogale Mustelidae Berckhemer & Seemann 1930; Viret 1929C angustifrons Helbing 1930B; Viret 1929C waterhousi Viret 1929C Palaeognathae Neornithes Nopcsa 1929D Palaeogyrinidae [Anthracosauridae] Embolomeri 1933C: Watson(of Anthracosauroideae) Anthracosauridae Pfannenstiel decorus Pfannenstiel 1932A Palaeohatteria Palaeohatteriidae Nopcsa 1928C; Perrier 1928 Palaeohatteriidae Pelycosauria Nopcsa 1928B (of Palaeohatteroidea) Palaeohatteroidea Pelycosauria Nopcsa 1929B (of Theriodontia), 1928C (Suborder of Thermorpha) Palaeohippidae [Palaeotheriidae] Equoidea Palaeolaginae Leporidae Dice 1929 (Incl. Paleolagus, Pentalagus, Pronolagus, Allolagus [Alilepus] and Romerolagus) Palaeolagus Leporidae Dice 1929 Palaeolama Camelidae Ameghino & Rusconi 1933; Cabrera 1932; Matthew 1929N; Rusconi 1931A brevirostris Rusconi 1930B. 1931G gigantea Rusconi 1931G leptognatha Aranguren 1930 major Aranguren 1930, Rusconi 1931G mesolithica Aranguren 1930 weddelli Rusconi 1931G parodii Rusconi 1933C Palacolestes Leptictidae Matthew 1929E Palaeoloxodon Elephantidae Osborn & Colbert antiquus recki Hopwood 1933B italicus Lorenzo & Erasmo 1931B; Osborn 1931J junior Matsumoto 1929B namadica yabei Matsumoto 1929D namadicus Tokunaga 1933B tokunagai Matsumoto 1929B yabei Matsumoto 1929D See also: Paleoloxodon

Palaeomastodon Mastodontidae Anthony 1933A (Palaemastodon); Hall, H. 1929; Osborn 1927B (Paleomastodon); Watson 1929G (Paleomastodon)

Palaeomerycidae Cervoidea Matthew 1929F (in Giraffidae); Simpson, G. G. 1931B (in Giraffoidea)

> Aletomeryx, Amphitragulus, Blastomeryx, Cervavus?, Dicrocerus (= Dicroceras), Dremotherium, Dromomeryx, Eostyloceros, Lagomeryx, Micromeryx, Muntiacus (= Cervulus), Palaeomeryx, Prodremotherium

Muntiacinae (= Cervulinae), Palaeomerycinae

Palaeomerycinae Palaeomerycidae Matthew 1929A (ancestral to Giraffidae)

Palaeomeryx Palaeomerycidae Haupt 1931 Loomis 1928B

> medius Wurm 1932A minoensis *Nagasawa* 1932B

Palaeomyzon Cyclostomi, incertae sedis Weigelt 1930 G(uncertain, Dipnoan?)

Palaeoniscidae Chondrostei Brough 1933 (Madagascar); Bryant 1929 (Brazil); Moy-Thomas 1933A (includes Tarrasius); Oliveira 1930 (S. Amer.); Piveteau 1929; Sewertzoff 1928B (systematics); Stensiö 1932B (Triassic, Greenland); Watson 1928B (os-

teol.)

Amblypterus, Birgeria (= Acrolepis, Saurichthys partim?), Boreosomus, Cheirolepis, Commentrya, Cosmoptychius, Diaphorognathus, Dicel-Elonichthys, lopygae, Eurylepis, Eurynotus, Glaucolepis, Gyrolepis, Nematoptychius. Oxygnathus, Palaeoniscus, Pteronisculus Pygopterus, Rhadinichthys (= Stegotrachelus?), Tarrasius

Paleonisciformes Chondrostei Hay 1980A (Suborder)

Palaeoniscoidei Goodrich 1928 (includes Polypterus); Romer 1933C (Paleoniscoidea)

Palaeoniscus Palaeoniscidae Augusta 1931; Brough 1933; Edinger 1929D; Gunnell 1933 (Paleoniscus); Thomas 1929; Tilton 1931B

> elegans Laatsch 1931 (Paleoniscus) freieslebeni Laatsch 1931 magnus Laatsch 1931

Palaeonycteris Vespertilionidae Heller 1932E (Paleonycteris)

robustus Viret 1929C (Nyctinomus)

Palaeophidae (= Pachyophidae = Cholophidae = Simoliophidae = Archaeo-phidae) Cholophidia

Mesophis, Odontomophis, Pachyophis, Palacophis, Pterosphenus, Simoliophis (= Symoliophis)

> Archaeophinae, [Cholophinae], Pachyophinae, Palaeophinae, Simoliophinae (= Symoliophinae)

Palaeophinae Palaeophidae Nopcsa 1928B (Incl. Palaeophis and Pterosphenus)

Palaeophis Palaeophidae Nopesa 1928B Palaeopicus Picidae Lambrecht 1933B archiaci Lambrecht 1933B

Palaeoplancinae Accipitridae Wetmore 1933 H (Type Paleoplancus)

Palaeoplaneus Accipitridae Wetmore 1933H sternbergi Wetmore 1933H

Palaeopython Boidae Weigelt 1932A ceciliensis Weigelt 1931

Palaeorallus Rallidae

troxelli Wetmore 1931F

Palaeoramides Rallidae Lambrecht 1933B chrystyi Lambrecht 1933B

Palaeoreas Bovidae

lindermayeri Arambourg & Piveteau 1929A; Pilgrim & Hopwood 1928

Palaeorhynchidae Scombriformes Palaeorhynchus

Palaeorhynchus Palaeorhynchidae Edinger 1929D Palaeornis Aves, incertae sedis

struthionoides Wetmore 1933I

Palaeornithes [Archaeornithes] Aves Romer 1933C (Subclass)

Palaeortyx Phasianidae

cayluxensis Lambrecht 1933B depereti Ennouchi 1930 gaillardi Lambrecht 1933B joleaudi Ennouchi 1930

Palaeoryx Bovidae Dollman 1929A athanasiui Simionescu 1930C

> boödon Arambourg & Piveteau 1929B; Stehlin 1928C

> cordieri Arambourg & Piveteau 1929B; Stehlin 1928C

> laticeps Pilgrim & Hopwood 1928
> pallasii Arambourg & Piveteau 1029A (pallasi); Pilgrim & Hopwood
> 1928

> parvidens Pilgrim & Hopwood 1928 woodwardi columnatus Pilgrim & Hopwood 1928

Palaeosauridae [Paleosauridae] Megalosauroidea, Huene, F; 1932A

Palaeosaurus [Paleosaurus] Teratosauridae Palaeoscincus Nodosauridae

rugosidens *Gümore* 1930C Palaeoscomber Scombridae *Smirnow* 1932 Palaeosimia Pongidae Zuckerman 1933B

palaeosinense ("Diceratherium")
palaeosinensis (Bison, Mustela)

palaeosondaicus (Bibos) Samotherium, Giraffokeryx Palmospheniscus Spheniscidae Lowe, P. 1933C and Ocapia) Palaeospondyli (= Cycliae) ?Dipnoi Palaeotragus Giraffidae Matthew 1929A Palaeospondylidae ?Dípnoi Palaeotringa Scolopacidae Palaeospondylus littoralis Wetmore 1930A Palaeospondyloidea ?Dipnoi Ramer 1930D (Order vagans Wetmore 1930A of Agnatha) vetus Wetmore 1930A, 1933I Palaeospondylus Palaeospondylidae Ayers 1933: Palaeovaranus Varanidae Weigelt 1931 Evans 1929; Gregory, W. Palaeoxyris Elasmobranchii, incertae sedis Prantl 1928D; Miller, A. E. 1930; 1933 Regan 1929A palaesyriaca (Martes) gunni Bulman 1931 Palanaema [Palancema] Theridomyidae Palaeostylops Arctostylopidae antiquus Viret 1929C ["Issiodoromydés"] macrodon Matthew, Granger & Simpson palanderi (Amphimachairodus, Machairodus) Palemydops Dicynodontidae 1020 Palaeosyopinae (= ?Eotitanopinae) Brontotheriidae platysoma Huene, F. 1931A Osborn 1929O (Incl. Lym-Paleoanthropus (= Palaeanthropus) Hominidae nohyops, Lymnohyus and Keith 1930: McCurdy 1933 heidelbergensis McGregor 1930 Palaeosyops) Palaeosyops Brontotheriidae Edinger 1933A; Gilpalestinus McCown & Keith 1932 See also: Palaeanthropus more 1931A copei Osborn 1929O Paleoboa [Lestophis] Sauria, incertae sedis Schmidt. fontinalis Osborn 1929O K. 1927 (= Limnophis pregrangeri Osborn 1929O Paleoborus Falconidae hyognathus Osborn 1929O umbrosus Howard 1932A junius Osborn 1929O Paleocavia Caviidae leidyi Lane 1932B; Osborn 1929O longirostris Osborn 1929O minuta Kraglievich 1932B pampaëa Kraglievich 1932B major Osborn 1929O megarhinus Osborn 1929O paranense Kraglievich 1932B quequenense Kraglievich 1932B paludosus Osborn 1929O Paleochelys Emvidae confluentus Lane 1932B (?) elongata Gilmore 1931B robustus Lane 1932B; Osborn 1929O paleochoerus (Sus) vallidens Osborn 1929O paleogaurus (Bibos) Palaeoteuthis Holonemidae [Paleohomininae] Hominidae Perrier 1928 ("bemarginalis Obrutschew 1932A tween the anthropomorphs Palaeothentinae Caenolestidae Simpson, G. G. and man may be a group the 1930E 'Paleohominiens,' compris-Palaeothentoides Mammalia, incertae sedis Stromer ing Sinanthropus (?), Pithe-1932A canthropus and Eoanthroafricanus Simpson, G. G. 1933L; Stromer pus") 1932A Paleoloxodon Elephantidae Tokunaga 1933B Palaeotheriidae (= Palaeohippidae) Equoidea antiquus Lorenzo & Erasmo 1931B: Anchilophus, Heptaconodon, Lophio-Osborn 1931J therium, Pachynolophus, italicus Lorenzo & Erasmo 1931B; Osborn Palaeotherium. Paloplo-1931J therium (= Palhoplothertokunagai Matsumoto 1929E ium = Plagiolophus), Pro-See also: Palaeoloxodon palaeotherium Paleonictis Oxyaenidae Palaeotheriidae Coulon 1928B; Palaeotherium occidentalis Sinclair & Jepsen 1929 Matthew 1929 K Paleorhinus Phytosauridae Nopesa 1928B (Palcrassum Astre 1933C acorhinus) kleini Dietrich 1929B parvus Camp 1930B medium Dietrich 1929B Paleoryctidae Tenrecoidea Simpson, G. G. 1931B mühlbergi Dietrich 1929B Paleosaurus Teratosauridae proutii Osborn 1929O (Titanotherium) stehlini Astre 1933C cylindrodon Camp 1930B ?diagnosticus Huene, F. 1932A (Palaeo-Palaeotis Otididae Lambrecht 1928C saurus) weigelti Lambrecht 1928C; Weigelt 1931, platyodon Camp 1930B [Rileya] 1932A stricklandi Camp 1930B Palaeotoxodon [Hypotoxodon] Toxodontidae Paleotoxodon Toxodontidae Kraglievich 1928E (?) nazari Cabrera & Kraglievich 1931 [Hypotoxodon]

Paleotragiscus Giraffidae?

longiceps Broom 1930A

Palaeotraginae Giraffidae Abel, O. 1933C; Matthew

1929A (Incl. Palaeotragus,

Paleozoicus (Homo) Georg 1930 Hierosaurus, Panoplosaurus. Scolosaurus Palervx Boidae spinifer Weigelt 1931, 1932A Stegopelta) Nodosauridae Gilmore 1930C: palestinus (Paleoanthropus) Panoplosaurus Nopesa 1929C Palhoplotherium (for Paloplotherium) Anoplother-Panotherium Giraffidae Matthew 1929A iidae pantanelli (Conger, Otolithus) Frost 1933A (Conannectens Dietrich 1929B cartieri Dietrich 1929B gridarum) Palhyaena Hyaenidae Pilgrim 1931 [Ictitherium] Pantelosauridae Pelycosauria Nopesa 1928B (Edaphosauroidea) hipparionum Pilgrim 1931, 1932 Panthera Felidae indica Pilgrim 1932 proava Matthew 1929A atrox Merriam & Stock 1932 Paliguanidae [Saurosternidae] Eosuchia Romer cristata Pilgrim 1932 Pantherinae Felidae Kretzoi 1929 1933C pallantis (Ovibos) Pantolambda Pantolambdidae Gregory, W. 1929I pallasi (Palaeoryx) Pantolambdidae Amblypoda Pantolambda pallescens (Thomomys bottae) Grinnell 1923 Pantolestes Pantolestidae Harmer 1929 pallidicinctus (Tympanuchus) Pantolestidae Pantolestoidea Pallimnarchus Crocodilidae Nopesa 1928B (Palim-Adapisorex, Cryptopithecus? partim. narchus) pollens Longman 1928 Diacodexis, Pantolestes palmatus (Varanopus) Pantolestoidea Insectivora Hay 1930A (Pantolestoidae of Lipotyphla); palmeri (Argyrolagus, Nemorhaedus) Simpson, G. G. 1931B palmidens (Canis chihliensis) Chardin & Piveteau Pantotheria Trituberculata Simpson, G. G. 1928C, 1020 palmidens (Felis, Machairodus, Sansanosmilus) 1929A, (revision), 1931B Palmiramys Equidae Kraglievich 1932D (Order of infraclass Pantowaltheri Kraglievich 1932D theria, of subclass Eutheria) Paloplotherium Palaeotheriidae Heller 1930B "Pantotheria" [Trituberculata] Eutheria Simpson, annectens Dietrich 1929B G. G. 1931B (Infraclass. cartieri Dietrich 1929B; Weigelt 1931, incl. orders Pantotheria and 1932A (Plagiolophus) Symmetrodonta) minus Soyer 1929 Pantylidae Captorhinomorpha Palorchestes Macropodidae Anderson, C. 1933; Ostodolepis Raven 1933 Pantyliformes [Pantylidae] Captorhinomorpha Hay 1930A (Suborder of paludosus (Palaeosyops) palustre (Anthracohyus, Anthracothema) Cotylosauria) palustris (Actonyx, Crocodilus, Emydorhynchus, Pantyloidea [Pantylidae] Captorhinomorpha Nop-Plesictis) csa 1928B (Suborder of Cotypampaëa (Microcavia, Paleocavia) losauria, incl. Pantylidae) pampeana (Rhea) paotehensis (Gazella) pampeus (Archaeanthropus) papilio (Cyclotosaurus) Pan Pongidae Mátyás & Mihály 1932 Papio Cercopithecidae vetus Friederichs 1932A africanus Gear 1930 panderi (Bothriolepis, Gyroplacosteus) anubis ef. neumanni Dietrich 1933 pandora (Jagorina) porcarius Gear 1930 pangan (Anthracotherium) Pappichthys Amiidae Pannonictis Mustelidae mongoliensis Hussakof 1932 pliocaenica Edinger 1931C Parabos Bovidae Arambourg & Piveteau 1929A, B Pannonictis Mustelidae Kormos 1930D, 1931D boödon Arambourg & Piveteau 1929B pilgrimi Bernsen 1933 cordieri Arambourg & Piveteau 1929B pliocaenica Bernsen 1933; Kormos 1931D macedoniae Arambourg & Piveteau 1929A pliocaenicus Kormos 1930D · Parabubalis Bovidae Gromova 1931B capricornis Gromova 1931B; Kazeef 1933 pannonicus (Lagurus) Panochthus Glyptodontidae Pocock 1929 Paracaenopus Rhinocerotidae Weber, M. 1928A intermedius Castellanos 1933B Paracamelus Camelidae Matthew 1929N; Orlov subintermedius Castellanos 1933B 1930D arenicola Reed & Longnecker 1932 (nomen Panochtus [for Panochus] Glyptodontidae Rusconi 1931H; Vignati 1931B nudum) Panolax ?Leporidae Dice 1929 gigas Orlov 1929 Panoplosaurinae Nodosauridae Gilmore 1930C sibirious Orlow 1930C (incl. Palaeoscincus, Panop-Paracarnivora [Fissipedia] Carnivora Kretzoi 1929 losaurus and Edmontonia); (Suborder of Ferae, incl. Nopesa 1929C (to incl. Dyop-Pseudocreodi superfams.

losaurus,

Edmontonia.

and Aeluroidea)

fragilis Rusconi 1931E Parachoerus Tagassuidae Rusconi 1930G carlesi Rusconi 1930G wagneri Rusconi 1930G Paracinonyx Felidae Kretzoi 1930 rex Kretzoi 1930 Paracorax Phalacrocoracidae Lambrecht 1931C, 1933B destefanii Lambrecht 1933B Paractenomys Octodontidae ameghinoi Rusconi 1930C chapadmalensis Rusconi 1930C Paractiornis Haematopodidae Wetmore 1930E perpusillus Wetmore 1930E Paradolichotis Caviidae salinicola Kraglievich 1932B paradoxa (Hemiauchenia, Lepidosiren, Psammolepis) paradoxus (Dimylus, Psammosteus, Rhinoceros) Paraglyptodon Glyptodontidae Castellanos 1932A, 1933B chapadmalensis Castellanos 1932A, 1933B Paragrus Gruidae Lambrecht 1933B prentici Lambrecht 1933B Parahippus Equidae Gazin 1932; Matthew 1929R; Maxson 1930; Sternberg, C. M. 1930A brevidens Bode 1933A leonensis Simpson, G. G. 1930H mourningi Maxson 1930; Stirton 1933 Parahodomys Muridae Gidley & Gazin 1933 spelaeus Gidley & Gazin 1933 Parahoplophorus Glyptodontidae Castellanos 1932A paranensis Castellanos 1932A Parailurus Procyonidae anglicus Pilgrim 1931 Paralactaga Dipodidae suni Chardin & Young 1931 Paraliosiren Dugongidae Simpson, G. G. 1932C parallelata (Holmesella) parallella (Holmesella) Paramachaerodus Felidae Matthew 1929A; Pilgrim 1931, 1932 ogygia Pilgrim 1931 (Paramachairodus) orientalis Pilgrim 1931 pilgrimi Kretzoi 1929 schlosseri Kretzoi 1929 paramierus (Nesophontes) Paramylodon Mylodontidae Brady 1933 harlani Kraglievich 1928C Paramynodon Amynodontidae Matthew 1929A birmanicus Matthew 1929A cotteri Matthew 1929A Paramyocastor Myocastoridae Rusconi 1929B Paramys Ischyromyidae Stock 1931C, 1932B lemoinei Chardin & Lapparent 1933 paranense (Paleocavia, Pliomegatherium) paranensis (Cardiomys, Caviodon, Eumegamys, Hoplophorus, Munizia, Myo-

Paracaviodon Caviidae Kraglievich 1932B

Paraceros Cervidae Kraglievich 1931D

Paraceras Cervidae Cabrera 1929C

angustidens Kraglievich 1932B

Paraceratherium Rhinocerotidae Weber, M. 1928A

castor. Parahoplophorus, Proalligator, Pseudosigmomys, Xenosuchus) Paraortrygometra Rallidae Lambrecht 1933B porzanoides Lambrecht 1933B Parapalaeobates Cestraciontidae Stromer & Weiler 1930 pygmaeus Stromer & Weiler 1930 Parapavo Meleagrididae californicus Anon. 1928F; Howard 1928; Sushkin 1928C parapennanti (Martes) Paraphelops Rhinocerotidae Matthew 1932B yumensis Cook, H. 1930B Parapithecus Cercopithecidae Gregory, W. 1930C; Mollison 1933; Zuckerman 1933B Paraplacodus Placodontidae Peyer 1931G broilii Peyer 1931G Paraplesiobatis Coelolepidae Broili 1933D heinrichsi Broili 1933D Parapseudailurus Felidae Kretzoi 1929 gaillardi Kretzoi 1929 osborni Kretzoi 1929 Parapsicephalus Dimorphodontidae Nopesa 1928B; Plieninger 1930 Parapsida [Araeoscelidia + Squamata] Reptilia Goodrich 1930B (incl. Mesosauria, Sauropterygia, Placodontia, Pleurosauria = Protorosauria, and Ichthyosauria); Wiman 1930A, 1933B Pararallus Rallidae Lambrecht 1933B dispar Lambrecht 1933B Pararctotherium Canidae Matthew 1929A Pararhizomys Spalacidae Chardin & Young 1931 hipparionum Chardin & Young 1931 Parasaurolophus Trachodontidae Nopesa 1928E; Sternberg, C. H. 1932 tubicen Wiman 1931 Parascalops Talpidae Weber, M. 1928A Parascaniornis Scaniornithidae Lambrecht 1933B stensiöi Lambrecht 1933B Parasemionotus Colobodontidae Pireteau 1929, 1930C, 1932B labordei Piveteau 1929 Paraspheniscus Spheniscidae Lowe, P. 1933C Parastegodon Elephantidae Matsumoto 1929A aurorae Matsumoto 1929.A Parasuchia [Phytosauria] Thecodontia Huene, F. 1929G (S. Amer.); Kuhn, Oskar 1933A Parasuchoidea Thecodontia Nopcsa 1928B (Suborder, incl. Aëtosauridae and Belodontidae) Parasuchus Rhynchosauridae Camp 1930B hislopi Huene, F. 1929G [Hyperodapedon] Paratapirus Tapiridae helveticus Astre 1933A; Koenigswald 1930; Richard, M. 1931 intermedius Koenigswald 1930 Parataxidea Mustelidae (?) maraghana Pilgrim 1931

columbi cayennensis Cook, H. 1931C: Paratrigodon Toxodontidae Cabrera & Kraglie-Osborn 1929J vich 1931 floridanus Osborn 1929J, 1930E engii Cabrera & Kraglievich 1931 Paratrigodontinae Toxodontidae Cabrera & Krasjeffersoni Osborn 1930E protomammonteus Saheki 1931 lievich 1931 (of Haplodon-Pareusmilus Felidae Kretzoi 1929 theriidae) bidentatus Kretzoi 1929 Paratrogon Trogonidae Lambrecht 1933B filholi Kretzoi 1929 gallicus Lambrecht 1933B Parictis Canidae Paraulacodus Hystricidae Hinton 1933 primaevus Hall, E. 1931 indicus Hinton 1933 Parietobalaena Cetotheriidae Pardofelis Felidae Kretzoi 1929 securis Kellogg 1931B Pardotigris Felidae Kretzoi 1929 Pariotichus Captorhinidae Romer 1928B onca Kretzoi 1929 Parisectolophidae [Tapiridae] Tapiroidea Matthew pardus (Felis) Parectypodus Ptilodontidae Jepsen 1930B 1929A Parisectolophus Tapiridae Matthew 1929A simpsoni Jepsen 1930B parisiense (Lophiodon) tardus Jepsen 1930B parisiensis (Vespertilio) paredensis (Rhynchotherium) Parocnus Megalonychidae Miller, G. 1929B Cotylosauria Pareiasauria [Diadectomorpha] serus Miller, G. 1929B Boonstra 1930, 1932D parodii (Argyrolagus) Pareiasauridae Diadectomorpha Boonstra 1930 parodii (Palaeolama weddelli) Rusconi 1933C (Classification, skull), 1932C, Hartmann-Weinberg parodii (Platygonus platensis) Rusconi 1930G D: (Brasilochoerus) 1930, 1931, 1933A; Haughton Parodimys Caviidae Kraglievich 1932B 1929A, 1930A; Haughton & enterrianus Kraglievich 1932B Boonstra 1929, 1930 (Classification, skull); Huene, F. Parodontaspis Lamnidae White & Frost 1931 platensis White & Frost 1931 1932C (Selerosaurus); Nop-Paroligobunis Mustelidae csa 1928B (of Pareiasauroipetersoni Loomis 1932A dea, incl. Elginiinae and Pareiasaurinae) paronae (Propalaeochoerus) Paronychodon Ptilodontidae Simpson, G. G. Anthodon, Brachypareia, Bradysaurus 1929A (= Bradysuchus = Platy-Parurmiatherium Bovidae Sickenberg 1932 oropha), Dolichopareia, Elginia, Embrithosaurus, rugosifrons Sickenberg 1932, 1933B parva (Camelopardalis, Ericiolacerta, Lycyaena, Koalemasaurus, Nochele-Nostolepis) saurus, Pareiasaurus, Pareiparvicuspis (Lutra) asuchus, Propappus, Sclerparvidens (Ictidognathus, Palaeoryx) osaurus, Scutosaurus Parvipes Ichnites Willard & Cleaves 1930 Elginiinae, Sclerosaurinae minutus Willard & Cleaves 1930 Pareiasauriiformes Diadectomorpha Hay 1930A parvisquamata (Brookvalia) (Suborder of Cotylosauria) Diadectomorpha Cotylosauria parvisquamis (Cercariomorphis) Pareiasauroidea parvius (Mimomys) Nopesa 1928B (Incl. Pareiaparvula (Dinaspis) sauridae, Diadectidae and parvulum (Propalaeotherium, Scelidotherium) Procolophonidae) parvulus (Beryx, Otolithus) Hucke & Voigt 1929 Pareiasaurus Pareiasauridae Boonstra 1932A, B, (Beryeidarum?) 1933C; Haughton 1930A; parvulus (Gyracanthus, Lithomys, Platysomus, Lutkevich 1931 bombidens Haughton & Boonstra 1929 Rhinosteus) parvus (Akidognathus, Burramys, Cephalophus, horridus Rieth 1932 Microsauropus, Paleorhinus) karpinsky Hartmann-Weinberg 1929: Rieth Passeres Passeriformes 1932 Passeriformes Neognathae serridens Boonstra 1930; Pfannenstiel patagonensis (Necrolestes) 1932A (Pariasaurus) patagonica (Najadochelys) tuberculatus Rieth 1932 patagonicum (Astrapotherium, Listriotherium) Pareiasuchus Pareiasauridae Boonstra 1932B. patagonicus (Hesperanthropus, Homunculus, Stere-1933C; Haughton 1929A, otoxodon) 1930A; Haughton & Boon-Patriocetidae Odontoceti stra 1930 Patriocetus nasicornis Haughton & Boonstra 1929 Patriocetus Patriocetidae Parelephas Elephantidae Matsumoto 1933; Osborn ehrlichi Borri 1932 & Colbert 1931; Simpson, Patriofelis Oxyaenidae Andrews, R. 1931

pauciradiata (Sauropleura)

G. G. 1933H

Paurodon Paurodontidae Simpson, G. G. 1929A Paurodontidae Pantotheria Simpson, G. G. 1928C, 1929A, 1931B

Archaeotrigon, Brancatherulum, Paurodon, Peramus, Tathiodon (= Tanaodon)

pavida (Grypolithax) pavidus (Pseudocynodictis)

paylovi (Otodus)

Pavo Phasianidae Sushkin 1928C

payayrei (Allaeochelys)

pearstonensis (Prodicynodon)

Pecari Tagassuidae Rusconi 1929A

Pecarichoerus Tagassuidae Colbert 1933G

orientalis Colbert 1933G Pecora Tylopoda Matthew 1929F; Pearson 1929C (general)

pectinata (Sauropleura)

Pectinator Hystricidae

sivalensis Hinton 1933

pectinatus (Oestocephalus, Ptyonius)

peculiaris (Cooleyella)

Pedetes Dipodidae Friant 1933B

graeilis Broom 1930A

Pedeticosaurus ?Notochampsidae: Crocodilia Huene, F. 1933A (Sphenosuchidae. Pseudosuchia):

Kuhn, Oskar 1933A (Notochampsidae, Pseudosuchia)

Pediculati [Lophiiformes] Acanthopterygii Pediomyinae Didelphiidae Simpson, G. G. 1929A, I (Incl. Pediomys, the more primitive Cretaceous forms

> and probably some or all of the Paleocene forms)

Pediomys Didelphiidae Simpson, G. G. 1929A elegans Simpson, G. G. 1929I

hatcheri Russell, L. 1928A Pehuenia Homalodontotheriidae Simpson, G. G. 1933A

pekinensis (Moschus moschiferus) Young 1932C pekinensis (Pithecanthropus, Polyechmatemys, Sinanthropus)

Pelagosaurus Teleosauridae Edinger 1929D Pelargocrex Ciconiiformes Lambrecht 1930B Pelargodes Ciconiiformes Lambrecht 1930B Pelargopsis Ciconiiformes Lambrecht 1930B [Pe-

largodes]

Pelecani Pelecaniformes Pelecanidae Pelecanoidea

Pelecanus

Pelecaniformes Neognathae Romer 1933C (Pelicaniformes)

Pelecaniformes, incertae sedis Neognathae Pseudodontornis

Pelecanoidea (= Steganopodes) Pelecani Hay 1930A (Pelecanoidae)

Pelecanus Pelecanidae

halieus Wetmore 1933G

Pelecyornidae [Phororhacidae] Phororhaci Kraglievich 1932C (incl. in Psilopteridae)

Pelecyornis Phororhacidae Kraglievich 1932C pueyrredonensis Sinclair & Farr 1932 tenuirostris Sinclair & Farr 1932

Pelicopsis Dryolestidae Simpson, G. G. 1929A Pelion Branchiosauridae

lyelli Romer 1930D; Steen 1931A

Peliodontidae [Branchiosauridae] Phyllospondyli Romer 1930D

Pelobates Pelobatidae

robustus Bolkay 1928

Pelobatidae Anomocoela

Eopelobates, Macropelobates, Pelobates Pelobatochelys Thalassemvidae Nopcsa 1928B

Pelomedusidae Pleurodira

Podocnemis, Polysternum

Peloneustes Pliosauridae Edinger 1929D; Longman 1932B

Pelophilus Discoglossidae Noble 1931

Pelorosaurus Camarasauridae Huene, F. 1929A, D, 1932A

Pelorovis Bovidae Leakey 1932B, 1933D; Reck 1928A

oldowavensis Dietrich 1933A; Reck 1928A,

Pelosaurus Branchiosauridae Longman Schmidt, M. 1931

Pelosuchus Tapinocephalidae

priscus Huene, F. 1931A Peltephilinae Dasypodidae Weber, M. 1928A

Peltochelys Carettochelyidae? Hummel 1929; Nopesa 1928B

Peltosaurus Anguidae Nopesa 1928B

Pelycosauria Synapsida Nopesa 1928B (Superorder of Monozygocrotapha. incl. Dimetrodontoidea, Thalattosauroidea and Edaphosauroidea), 1928C

Pelycosimia [Pelycosimioidea] Thecodontia Kuhn, Oskar 1933 (Incl. Erythrosuchidae); Nopesa 1928B (Incl. Erythrosuchidae and Desmatosuchidae)

Pelycosimioidea Pseudosuchia Huene, F. (Zentralbl. Min. Geol. Pal., 1936, Abt. B, p. 167, incl. Proterosuchidae, Erythrosuchidae and Stagonolepidae)

pendolai (Carlesia) penetrans (Onchus) penicillata (Undina)

pennsylvanicus (Clepsysaurus)

Pentacemylus Dichobunidae Peterson, O. 1932 progressus Peterson, O. 1932

Pentaceratops Ceratopsidae Lull 1933A; Sternberg; C. H. 1932

fenestratus Wiman 1930D, 1933A

Pentalagus Leporidae Dice 1929

Pentastylomys Chinchillidae Kraglievich 1929B seriei Kraglievich 1929B

pentelici (Martes, Mastodon, Mesopithecus, Mustela, Sinictis?)

penultimus (Archaeohippus)

Peplorhina Dipnoi, incertae sedis

exanthematica Romer 1930D

Peraceras Rhinocerotidae Matthew 1931A, 1932B ponderis Cook, H. 1930B

Peraiocynodon Docodontidae Simpson, G. G. 1928C inexpectatus Simpson, G. G. 1928C

Peralestes Spalacotheriidae Simpson, G. G. 1928C, Periptichiformes (= Taligrada) Amblypoda Hay 1929A [Spalacotherium] 1930A (Suborder of Am-Perameloidea Marsupialia Simpson, G. G. 1930C, blypoda) Periptychidae Amblypoda 1931B Anisonchanus (= Anisonchus preocc.) Peramus Paurodontidae Simpson, G. G. 1928A, C Paramyidae [Ischyromyidae] Aplodontioidea Perispheniscus Spheniscidae Lowe, P. 1933C Perissodactyla Monodelphia Gregory, W. 1929H Peraspalax Dryolestidae Simpson, G. G. 1928C Peratherium Didelphiidae Heller 1930B; Weigelt (general); Matthew 1929A (classification); 1931 Osborn 1929O (titanotheres, etc.) borbonicus Viret 1929C perissodactylus (Solidopus) frequens Viret 1929C Peritresius Cheloniidae Nopcsa 1928B lemanensis Viret 1929C Perazoyphium Borhyaenidae Cabrera 1928B perlatus (Protaspis) Perleididae (= Perleicidae) Holostei Brough 1931 brachygnathum Cabrera 1928B (Perleicidae); Stensiö 1932B Perca Percidae (Triassic, Greenland) elongata Weiler 1933B (Otolithus) Roedel 1930 (Perci-Meidiichthys, Perleidus erraticus perleididoides (Broughia) darum) Perleidus Perleididae Piveteau 1930A fluviatilis Weiler 1933B browni Brough 1931 holsaticus (Otolithus) Roedel 1930 (Percihanseni Koch, L. 1931 (nomen nudum) darum) stoschiensis Koch, L. 1931; Stensiö 1932B minimus (Otolithus) Roedel 1930 (Perci-Permocynodon Cynodontia Sushkin 1928B; 1929 darum) sushkini Zittel et al. 1932 obliquestriatus (Otolithus) Roedel 1930 Pernatherium Chalicotheriidae Matthew 1929A (Percidarum) perneri (Cantharus, Ganosteus, Psammosteus) Percesoces Physoclysti Perchoerus Suidae pernix (Pliohippus) Perognathus Heteromyidae minor Cook & Mansfield 1933 furlongi Gazin 1930 Percichthys Percidae antiquus Edinger 1932 Peromyscus Muridae dentalis Hall, E. 1930C chibéi Saheki 1929 longidens Hall, E. 1930C Percidae (Incl. Caristiidae) Perciformes perplexa (Ocadia) Absalomichthys (= Abantis preocc.), Amphiperca, Cyclopoma, perplexus (Omosaurus) Lates, Perca, Percichthys, perpusillus (Paractiornis) perrarus (Plicatodon) Percilia, Propercarina, Smerdia perrieri (Hyaena) Percidarum Otolithus Roedel 1930 perryi (Protaspis) persisteus ("Caenopus") erraticus [oto.] Roedel 1930 holsaticus [oto.] Roedel 1930 Petalichthyida [Anarthrodira] Placodermi Gross, minimus [oto.] Roedel 1930 W. 1932B, 1933B, D (Order. incl. Macropetalichthyidae) obliquestriatus [oto.] Roedel 1930 Perciformes Acanthopterygii Petalodontidae Bradyodonti Ctenoptychius, Dactylodus, Janassa, Percilia Percidae gillissini Piton 1933 Petalodus Percoidea Perciformes Hay 1930A (Percoidae) [Bradyodonti] Elasmobranchii Petalodontoidea Percopsomorphi (= Salmoperca) Acanthopterygii Hay 1930A (Petalodontoi-Hay 1930A (order of Teledae, of Squaliformes) ostei) Petalodus Petalodontidae Tilton 1931B Perdicidae [Phasianidae] Phasianoidea petersi (Thallatosiren) perditus (Matyoscor) petersoni (Euangelistes, Hyracodon, Mesatirhinus, Perdix Phasianidae Nagy 1929 Paroligobunis) cinerea Gaillard 1928A Petrobates Branchiosauridae Huene, F. 1931J peregrinus (Ctenacanthus, Falco) Petrodus Ichthyodorulites Reed, F. 1928 perfecta (Buettneria, Elochelys, Orthomyctera, Pro-Petromyidae Hystricoidea Romer 1933C; Simpson, dolichotis) G. G. 1931B; Weber, M. perfectus (Anthropops, Homunculus) 1928A (of Sciuroidea) pergracilis (Ornithoidipus) Petromyzon Petromyzontidae Allis 1931A Periconodon Adapidae Heller 1930B; Weigelt 1931, Petromyzontia (= Hyperoartia) Cyclostomi 1932A Petromyzontidae Petromyzontia periculosus (Albertosaurus) Petromyzon perimense (Aceratherium, Hipparion) Petrosuchus Pholidosauridae Nopesa 1928B Perimys Chinchillidae Edinger 1933A peyeri (Aegyptosuchus) Peripolocetus Cetotheriidae Kellogg 1931B Phacochoerinae Suidae Van Hoepen 1932B (Incl. vexillifer Kellogg 1931B Phacochoerus, Stylo-

Simp-

(Phascolomyidae); Si son, G. G. 1930E, 1931B

Phascolomis (= Phascolomys)

choerus, Synaptochoerus, Tapinochoerus and Kolpochoerus) Phacochoerus Suidae Dietrich 1933 barbarus Arambourg 1932 ethiopicus Arambourg 1932 laticolumnatus Van Hoepen 1932B mauritanicus Arambourg 1932 stenobunus Pia 1930A Phaëthontes Pelecaniformes Phaëthontidae Phaëthontes Phaëthon (= Phaeton) Phaeton [for Phaëthon] Phaëthontidae flavirostris Lewis, F. 1928; Wood, C. 1923 phaeus (Cricetulus) Phaiomys Muridae Kormos 1932E, F Phalacrocoracidae Suloidea Australocorax, Microcorax, Oligocorax, Paracorax, Phalacrocorax, Protoplotus Phalaerocorax Phalaerocoracidae Christiani 1929; Howard 1931C; Lambrecht 1929 A destefanii Lambrecht 1931C femoralis Miller, L. 1929A gregorii Lambrecht 1931C intermedius Lambrecht 1933B miocaenus Lambrecht 1931C rogersi Howard 1932B Phalacropholis Gonorhynchidae Chabanaud 1932 centum-nucesianus Chabanaud 1932 Phalangeridae Phalangeroidea Archizonurus, Burramys, Cuscus Koalemus, Phascolarctos Wynyardia Phalangeroidea Marsupialia Simpson, G. 1930E, 1931B; Weber, M. 1928A (of Diprotodontia) Phalascotherium Triconodontidae Simpson, G. G. 1928C Phanerobranchidae Meantes Huene, F. 1931J (Includes Orthophyia) Phaneroglossa Salientia Huene, F. 1931J ("Superfamily" of Anura incl. all forms except "Aglossa") Phaneropleuridae Dipteromorpha Phaneropleuron Phaneropleuron Phaneropleuridae andersoni Swinnerton 1932 Phascolarctoidea [of Phalangeroidea] Marsupialia Weber, M. 1928A (of Diprotodontia, incl. Thylacoleonidae, Phascola & Diprotodontidae) Phascolarctos Phalangeridae Frechkop 1930 (Phascolarctus); Rusconi 1933B (Phascolarctus) Phascolestes Dryolestidae Simpson, G. G. 1928C Phascolodon Triconodontidae Simpson, G. G. Phascolomiidae Phalangeroidea Abel, O. 1933C,

Phascolomis Phascolomiidae Frechkop 1930 (Phascolomys); Rusconi 1933B (Phascolomys) Phasianidae (Incl. Perdicidae) Phasianoidea Archaeophasianus, Coturnix, Francolinus, Gallus, Lagopus, Lophura, Miogallus?, Miophasianus. Oreortvx. ?Palaeocryptoryx, Palaeortyx, Pavo, Perdix, Phasianus, Tetrao Phasianoidea Galli Phasianus Phasianidae altus Lambrecht 1933B; Lowe, P. 1933A archiaci Lowe, P. 1933A desnoyersi Lowe, P. 1933A medius Lowe, P. 1933A miocaenus Lambrecht 1933B roberti Lambrecht 1933B Phenacodaptes Mammalia, incertae sedis Jepsen 1930C sabulosus Jepsen 1930C Phenacodontidae Condylarthra Ectocion, Phenacodus Phenacodus Phenacodontidae Matthew 1929L; Simpson, G. G. 1933A europaeus Simpson, G. G. 1929G primaevus Gregory, W. 1929I teilhardi Simpson, G. G. 1929G Phenacolemur Plesiadapidae pagei Jepsen 1930C phenax (Hexolobodon) phillipsi (Heterostrophus) philoceratops (Oviraptor) phippsi (Gomphotherium, Trilophodon) Phlaocyon Procyonidae Matthew 1929P Phlebodus Coelolepidae Hoppe 1933 (= Thelolepis) Phlebolepis Coelolepidae elegans Hoppe 1933 (= Theolodus) Phlegethontia Dolichosomatidae linearis Romer 1930D serpens Romer 1930D Phlegethontiidae [Dolichosomatidae] Aistopoda Romer 1930D (Phlegethontidae) Phlyctaenaspidae (Incl. Heintzaspidae = Acanthaspidae. Lunaspidae, Pholidosteidae, Heterogaspidae = Monaspidae. Mediaspidae, and Poly-Acanthaspida aspidae) Zittel 1932 Camptaspis, Elegantaspis, Arctaspis, Euryaspis (Bryant, non Wagner), Heintzaspis (= Acanthaspis preocc.? Ohiodorulites), Heterogaspis (= Monaspis), Huginaspis, Jackelaspis, (= Plataspis), Lataspis

Lunaspis, Mediaspis, Phlyc-

Polyaspis, Svalbardaspis

Pholidosteus,

taenaspis,

Phlyctaenaspinae [Phlyctaenaspidae] Acanthaspida Pholidosteidae [Phlyctaenaspidae] Acanthaspida Gross, W. 1932B (of Brachy-Hay 1930A (of Coccosteidae) thoraci, type Pholidosteus Phlyctaenaspis Phlyctaenaspidae Heintz 1931F; Jackel), 1933D Schmidt, H. 1933 acadica Heintz 1933D Pholidosteus Phlyctaenaspidae Gross, W. 1932B. 1933TD angusta Gross, W. 1933D compactus Gross, W. 1932B germanica Gross, W. 1933D defectus Gross, W. 1932B Phoberomyinae Chinchillidae Kraglievich 1929B friedeli Gross, W. 1932B (of Eumegamvidae, type laevior Gross, W. 1932B Phoberomys) pygmaeus Gross, W. 1932B Phoberomys Chinchillidae Kraglievich 1929B Pholidota (=Squamata of Huxley) Edentata burmeisteri Kraglievich 1929B Simpson, G. G. 1931A praecursor Kraglievich 1932B Phobosuchus Crocodilidae Nopesa 1928B (phylogeny) Phoneosuchus Titanosuchidae Broom 1929D Phoca Phocidae angusticeps Broom 1929D; Huene. F. maeotica Simionescu 1931 1931A Phocidae Pinnipedia Phororhaci (= Stereornithes) Gruiformes Phoca, Pristiphoca Devincenzia, Graculavus?, Remiornis Phocosaurus Tapinocephalidae Devincenziidae megischion Huene, F. 1931A (Phoca-Phororhacidae (= Pelecyornidae = Psilopteridae = saurus Phoenicopteri Ciconiiformes Hay 1930A (Phoeni-Stereornithidae) Phororhaci Kraglievich 1932C (Incl. conteroidae) Phororhacinae and Tolmo-Phoenicopteridae Phoenicopteri dinae) Phoenicopterus Pelecyornis, Phororhacos, Psilopterus, Phoenicopterus Phoenicopteridae Nagy 1929 Tolmodus Pholiderpeton Anthracosauridae Phororhacinae, Tolmodinae scutigerum Watson 1929K Phororhacinae Phororhacidae Kraglievich 1932C Pholidogaster Cricotidae Phororhacos Phororhacidae Kraglievich 1932C: pisciformis Watson 1929K Pholidogasteridae Embolomeri Zittel 1932 Stresemann 1933 deautieri Kraglievich 1931B Pholidophoridae Isospondyli longissimus mendocinus Kraalievich 1931B Pholidophorus pozzi Kraglievich 1931B Pholidophoroidea Isospondyli Hay 1930A (Phosteulleti Kraglievich 1931B lidophoroidae of Clupei-Phororhacosidae [Phororhacidae] Phororaci Kragformes) lievich 1932C Pholidophorus Pholidophoridae Coulon 1928A; Phrynosoma Iguanidae Koerner 1930 Pholidopleuridae (Incl. Australosomidae) Choncornutum Rieth 1932 Phthinylla Muridae Hopwood 1929B drostei Stensiö 1932B fracta Hopwood 1929B (Triassic, Greenland); Wade Phygosaurus Nothosauridae Nopesa 1928B, C 1932 (Incl. Macroaethes) Australosomus, Macroaethes, Pholido-Phyllodus Labridae marginalis Gildersleeve 1933 pleurus medius Gildersleeve 1933 Pholidopleurus Pholidopleuridae speciosus Gildersleeve 1933 kochi Koch, L. 1931 (nomen nudum) toliapicus Gildersleeve 1933 Pholidosauridae (Incl. Rhabdognathidae) Meso-Phyllolepidae [Drepanaspidae] Heterostraci suchia Congosaurus, Crocodileimus, Hypo-Heintz 1930C Phyllolepis Drepanaspidae Hills 1932 saurus, Macrorhynchus, Petorvini Heintz 1930C, 1932C rosuchus, Pholidosaurus, Rhabdognathus. Sokoto-Phyllonycteris Phyllostomatidae obtusa Miller, G. 1929B saurus, Teleorhinus Phyllospondyli Stegocephalia Noble 1931; Romer Congosaurinae, Hyposaurinae, Pholidosaurinae 1930D (Incl. Peliontidae. Colosteidae and Stego-[Pholidosauridae] Pholidosaurinae Mesosuchia Nopesa 1928B (of Goniopidae); Steen 1931A (Linton) pholidae, incl. Crocodilei-Phyllostomatidae Phyllostomatoidea mus, Hyposaurus falso in Phyllonycteris Hyposaurinael, Machimo-Phyllonycterinae saurus, Macrorhynchus. Phyllostomatoidea Microchiroptera Hay 1930A Petrosuchus, Pholidosaurus (Phyllostomoidae, of Aniand Teleorhinus), 1928C malivora); Simpson, G. G.

1931B; Weber, M. 1928A

Pholidosaurus Pholidosauridae Nopesa 1928B

Phyllotillon Chalicotheriidae Matthew 1929A phyllurus (Rhamphorynchus) Watson 1929H Physeter Physeteridae Richard, C. 1930

australis Parona 1930 catodon Gregory & Raven 1933

Physeteridae (Incl. Kogiidae) Odontoceti

Aulophyseter, Diaphorocetus, Kogia, Kogiopsis, Physeter, Scald-

Physiculus Otolithus

terakohensis (Otolithus) Frost 1933B

Physignathus Agamidae

lesueurii Fuchs 1931

Physoclysti Teleostei Physodon Carchariidae

ustjurtensis Menner 1928

Physostomi Teleostei

Phytosauria Thecodontia Camp 1930B (Suborder of Parasuchia)

Phytosauridae Phytosauria Camp 1930B; Kuhn, Oskar 1933A

Angistorhinopsis, Angistorhinus, Belodon (invalid), Brachysuchus, Clepsysaurus (= Centernodon = Eurydorus = Palæoctonus = Suchoprion). Francosuchus, Heterodontosuchus, Leptosuchus, Machaeroprosopus (= Pseudopalatus = Metarhinus), Mesorhinus, Mystriosuchus, Paleorhinus, Phytosaurus (= Nicrosaurus = Lophoprosopus), Promystriosuchus, Rileya, Rutiodon, Termatosaurus

Angistorhininae, Mesorhininae, Phytosaurinae

Phytosauriformes [Phytosauria] Thecodontia Hay 1930A (Suborder of Phytosauromorphi)

Phytosaurinae Phytosauridae Camp 1930B; Nopesa 1928B (Incl. Phytosaurus and Machaeropros-(augo

[Thecodontia] Archosauria Phytosauromorphi Hay 1930A (Order of Lorinata)

Phytosaurus Phytosauridae cylindricodon Camp 1930B doughtyi Camp 1930B kapffi Camp 1930B

Pici Piciformes Picidae Pici

> Asyndesmus, Balanosphyra, Chrysoptilus, Colaptes, Palaeopicus. Picus

Piciformes Neognathae Picoidae [Pici] Piciformes Hay 1930A (Superfam.) Picrocleidus Elasmosauridae Nopesa 1928B (Picrocleidus)

picta (Oreortyx) pictus (Lycaon) Picus Picidae

archiaci Lambrecht 1933B

piedmontensis (Dyscritichnus) Lull 1924 pietschmanni (Propercarina) Piezodus Ochotonidae Viret 1929C

branssatensis Viret 1929C

pilgrimi (Orycteropus, Pannonictis, Paramachaerodus, Rhizomys)

Pilgrimia Elephantidae Matsumoto 1933 antiquus recki Dietrich 1933A

archidiskodontoides Haughton 1932C kuhni Dart 1929B

subantiqua Haughton 1932C wilmani Dart 1929B

yorki Dart 1929B

pilgrimina (Crocuta)

Pilosa (= Anicanodonta) Xenarthra Pocock 1929 (of Edentata, incl. Tardigrada and Vermilingua)

Incertae sedis: Dideilotherium

piltdownensis (Homo)

Pinacosaurus Nodosauridae Gilmore 1933D grangeri Gilmore 1933D

pinckneyi (Hydrochoerus, Neochoerus)

pinjornesis (Stegodon) pinjorieus (Rhizomys)

pinkleyi (Kalamoiketor)

Pinnipedia Carnivora Dal Piaz 1929C; Howell 1930 (general); Kellogg 1929A

Pipidae Opisthocoela Parker 1929, 1930 Eoxenopoides?, Xenopus Pipinae, Xenopinae

Pipinae Pipidae Noble 1931

Pisces Gnathostomata Anderson, R. 1933 (Mio-

cene); Arambourg 1928 (Miocene); Arldt 1928; Bori 1933 (Miocene); Boulenger 1932 (general); Brough 1931 (Triassic); Rush (Avonian); Caster (Paleozoic); Coulon 1928A (Musée d'Elbeuf); Cuvillier 1930 (Eocene); Delpine 1928 (Carboniferous): Douvillé 1933 (Miocene); Edinger 1932 (Jura); Gregory, W. 1928D (body form), 1933B (skulls); Hennig 1931B (phylogeny); Janda 1928 (fin rays); Jeannet 1928 (catalogue, types at Neuchâtel); Jordan 1928B, 1929A (Cretaceous); Kerr 1932; Leriche 1928A (Miocene); Macfarlane 1923A (evolution), B (petroleum); Maillieux & Demanet 1929 (Devonian, Belgium); Marshall & Smith 1930 (kidney); Moy-Thomas 1933B (Leeds Museum); Norman 1932 (general): Obrutschew 1931A (Europe); Pauca 1929A, B, 1931A, 1933 (Tertiary); Perrier 1928 (classification); Piveteau 1929,

1930A-C, 1932B; Rauther 1927 (anatomy, classification); Regan 1929A, B (general); Romer 1933C (Incl. all Craniata except Tetrapoda): Säve-Söderbergh (Greenland): 1933B Schmidt, H. 1929A. B (Carboniferous): Sewertzoff 1928A (relationship); Smith, Homer 1932 (evolution of kidney); Stensiö 1931 (class of Gnaththostomata, incl. Elasmobranchii and Teleostomi), 1932B (Triassic); Wade 1930 (Australian Mesozoic); Zittel 1932 (Incl. all Craniata below Amphibia).

Incertae sedis: Anaglyphus, Ancistriodus, Colognathus (= Xenognathus), Dolophonodus, Platacodon?

piscoidea (Lagodus) pispoletta (Pseudalaudula) Pistosaurus Nothosauridae Nopcsa 1928B

pisciformis (Pholidogaster)

Pithecanthropinae [Homininae] Hominidae Anthony & Coupin 1931 (substitutes Homininae)

Pithecanthropus Hominidae Perrier 1928; Weinert 1928B, 1929A, B, D, E, 1930A, D, E, I, 1931A, 1932A, B, F, H, 1933B; West 1931; Zuckerman 1933C

erectus Adloff 1931, 1932A; Anon. 1928T. 1930B, 1932V, 1933B; Battaglia 1933A; Bayer, J. 1931; Bodard 1928; Boule 1929G; Bradley 1929: Carthaus 1928A: Dart 1929C; Dorsey 1931; Dubois, E. 1932A, 1933; Fleure 1932; Fraipont 1931C. D; Giesler 1928; Gregory, W. 1930G; Heberer 1931B; Hennig 1929B, 1931C; Joleaud 1931C; Jones 1929A; Kappers 1929A, B, D, 1931B, 1932, 1933; Koenigswald 1931C; Kolbe 1931; Leakey 1933A; McGregor 1930: Matthew 1928A: Mendes-Corrêa 1933A; Miller, G. 1929A; Mollison 1933; Moore, N. 1928; Osborn 1929K, 1930B, 1932G; Osborn & Colbert 1931; Patte 1931B; Pycraft et al. 1928; Ryley 1932; Schori 1931; Schulz 1931A, C; Schwarz, R. 1930, 1931A, B; Sergi, S. 1929B; Smith, G. 1930E, H. I, 1931E, J; Tilney 1930; Van Es 1931; Walmsley

1933; Warden 1932; Weidenreich 1930; Weinert 1929

pekinensis Fraipont 1931C

Pithecoidea [Ceboidea + Cercopithecoidea] Primates Smith, G. 1929B

pithecoides (Mesopropithecus)
pithecophilus (Amphicyon)
Pitheculites Mammalia, incertae sedis
minimus Bluntschli 1931

Pitheculus Cebidae

australis Bluntschli 1931
Pitymys Muridae Hinton 1928; Kormos 1931A
arvaloides Kormos 1932D, 1933C
gregaloides Brunner 1933; Kormos 1933F
kupelivieseri Ehrenberg 1929B; Ehrenberg
& Sickenberg 1929

nivaloides Brunner 1933 schmidtgeni *Heller* 1933E Placentalia [Monodelphia] Eutheria

Placerias Dicynodontidae Camp 1930B placidus (Protohippus) Matthew & Stirton 1930A Placochelydae [Placochelyidae] Placochelydae [Kuhn, Oskar 1933C (Incl. Cyamo-

dontinae and Placochelynae)

Placochelyinae Placodontidae Kuhn, Oskar 1933C (Placochelyinae, of Placochelydae); Nopesa 1928B (of Cyamodontidae)

Placochelys Placodontidae Peyer 1931F placodonta Huene, F. 1931I stoppanii Osswald 1929B

Placodermi Aphetohyoidea Gregory, W. 1928D;
Gross, W. 1933D; Heintz
1932A (Placodermata); Naef
1931 (group of Odontophora); Romer 1933C (Class
of Piscos, incl. Arthrodira
and Antiarchi); Stensiö 1931
(Subclass of Elasmobranchii, incl. Antiarchi
and Arthrodira, history of
classification, revision)

Incertae sedis: Taunaspis

placodonta (Placochelys)

Placodontia Sauropterygia Huene, F. 1933C; Kuhn, Oskar 1933C (bibliog.)

Placodontidae (Incl. Cyamodontidae and Placochelyidae) Placodontia Kuhn, Oskar 1933C

Cyamodus, Paraplacodus, Placochelys, Placodus, Psephosaurus

Cyamodontinae, Placochelyinae Placodontoidea Placodontia Nopesa 1928B (Suborder)

Placodus Placodontidae Drevermann 1931B; Huene, F. 1933C; Peyer 1929B

gigas Drevermann 1933; Edinger 1928C Placosaurus Anguidae Weigelt 1929B waltheri Weigelt 1929B, 1931 Placosteus Drepanaspidae

meandrinus Gross, W. 1933A

Plagiaulacidae Plagiaulacoidea Simpson, G. G. 1928C, 1929A Bolodon, Ctenacodon (= Plioprion = Platatherium Artiodactyla, incertae sedis Allodon), Dipriodon, Ectypodus, Loxaulax, Plagiaulax, Psalodon Plagiaulacoidea Multituberculata Hay 1930A (Plagiaulacoidae); Simpson, G. G. 1928C (Suborder, incl. Plagiaulacidae and Ptilodontidae), 1929A, 1931B, 1933N (Incl. Taeniolabididae) Plagiaulax Plagiaulacidae Anon. 1929Q; Simpson, G. G. 1928C Plagiodonta Octodontidae spelaeum Miller, G. 1929 Plagiolophus [Paloplotherium] Palaeotheriidae annectens Astre 1933C cartieri Weigelt 1931, 1932A javali Richard, M. 1931 minor Soyer 1929 Plagiomenidae Dermoptera? Simpson, G. G. 1929B, 1931B Planetetherium Plagiosaurus Brachyopsidae Piveteau 1928 franconicus Kuhn, Oskar 1932 Plagiosternum Brachyopsidae granulosum Schmidt, M. 1931 nanum Schmidt, M. 1931 [Elasmobranchii] Chondrichthyes Plagiostomi Hay 1930A (Class of Vertebrata, incl. subclasses Trematopnei and Holocephali) Plagiosuchus Brachyopsidae pustuliferus Schmidt, M. 1931 pustuloglomeratus gigantea Schmidt, M, 1931 plana (Pteraspis lerichei) Brotzen 1933B Planetetherium Plagiomenidae Simpson, G. G. 1928B, 1929B mirable Simpson, G. G. 1928B planiceps (Galesaurus) planidens ("Rhinoceros") planifrons (Archidiskodon, Elephas) planirostris (Belodon, Choneziphius, Mystriosuchus) planisulcatus (Serranus, Otolithus) White and Frost planti (Rhadinichthys) planus (Aspideretes, Elasmodus, Thelodus, Trachycalyptus, Ursus) planus (Raniceps, Otolithus) Hucke and Voigt 1929 Plastomenus Trionychidae Hummel 1929; Sternberg, C. H. 1932; Wiman 1933C Platacodon Amiidae Simpson, G. G. 1929A nanus Russell, L. 1928C

Plataeomys Octodontidae

Plataspis -

castellanosi Rusconi 1933C

[Lataspis]

Plataleoidae [Threskiornithoidea] Ciconiae Hay

coniiformes)

1930A (Superfam. of Ci-

Phlyctaenaspidae Heintz

1929B; Strand 1932B

magnum Rusconi 1931I Platax Carangidae Zotz 1928 Platecarpidae [Mosasauridae] Platynota Zittel 1932 (of Pythonomorpha) Platecarpus Mosasauridae Stromer & Weiler 1930 abruptus Mehl 1930 platensis (Canis, Dicotyles, Diprothomo, Homo, Macrocyon, Odontaspis. Palaeocyon, Parodontaspis, Platygnathus, Platygonus, Stegomastodon, Theriodictis) Plateosauravidae [Plateosauridae] Plateosauroidea Huene, F. 1932A Plateosauravus Plateosauridae Huene, F. 1932A cullingworthi Huene, F. 1932A stormbergensis Huene, F. 1932A (strombergensis) Plateosauridae (Incl. Plateosauravidae and Melanorosauridae) Plateosauroidea Huene, F. 1932A (of Prosauropoda); Nopesa 1928B (of Pachypodosauroidea) Eucnemesaurus, Euskelosaurus, Gigantoscelus, Gresslyosaurus. Melanorosaurus. Plateosauravus (= Sellosaurus), Plateosaurus (= Gresslyosaurus, partim) Plateosauroidea (= Prosauropoda = Pachypodosauroidea) Theropoda New name to replace Prosauropoda Huene, F. 1932A Plateosaurus Plateosauridae Anon. 1932E; Edinger 1929D; Janensch 1932 cullingworthi Huene, F. 1932A frassianus Huene, F. 1932A gracilis Huene, F. 1932A; Seemann 1933 longiceps Huene, F. 1932A plieningeri Huene, F. 1932A quenstedti Huene, F. 1932A robustus Huene, F. 1932A stormbergensis Huene, F. 1932A (strombergensis) torgeri Huene, F. 1932A trossingensis Huene, F. 1932A platostriata (Anglaspis) Platybelodon Mastodontidae Andrews, R. 1931; Anon. 1931F, M; Borissiak 1928B; Barbour, E. 1931G; Woodward 1933B barnumbrowni Barbour, E. 1932C danovi Borissiak 1928B, 1929; Granger & Osborn 1931B grangeri Granger & Osborn 1931B, 1932B Platybelodontinae [Amebelodontinae] Mastodontidae Borissiak (Type Platybelodon); 1929A (substitutes Amebelodontinae E. H. Barbour, for the above), platycephalus (Elephas, Leiosteus)

brevicornis Heintz 1929B

rotundicornis Heintz 1929B

terillia) platyceras (Brontotherium, Menodus) platyceros (Buffelus) Platycheloides Pleurosternidae Haughton 1928 nvasae Haughton 1928 Platychelone Cheloniidae Nopcsa 1928B Platychelys Pleurosternidae Nopcsa 1928B platyconus (Equus) Platycraniellus Cynodontia Huene, F. 1928B: Nopcsa 1928B (Platveranicellus) Platycyclops Dicynodontidae Broom 1932B haughtoni Broom 1932B platyfrons (Dicynodon) Platygnathus Megatheriidae platensis Strand 1931 Platygonus Tagassuidae Gazin 1932; VanderHoof 1933A carlesi wagneri Rusconi 1930G (Parachoer-118) chapadmalensis Rusconi 1930G (Antaodon) cinctus Rusconi 1930G (Antaodon) compressus Stock 1928B henningi Rusconi 1930G, 1931I kraglievichi Rusconi 1930G platensis Rusconi 1930G (Brasilochoerus) parodii Rusconi 1930G (Brasilochoerus) stenocephalus Rusconi 1930G (Brasilochoerus) tarijensis Rusconi 1930G uquiensis Rusconi 1930G Platyhystrix Archegosauridae Steen 1931A (Platyhistrix) Platylaemus Labridae mokattamensis Weiler 1929C Platylithax Delphinidae Kellogg 1931B robusta Kellogg 1931B Platynota Anguimorpha Romer 1933C (Infraorder of Squamata) Platynotidae [Platynota] Anguimorpha Nopesa 1928B (of Sauroidea) platyodon (Paleosaurus, Rileya) platyodus (Hipparion) Platyops Archegosauridae Efremov 1931 stuckenbergi Efremov 1933 watsoni Efremov 1933 platvops (Emyduranus) Platyoropha [Bradysaurus] Pareiasauridae Boonstra 1932B: Haughton 1930A: Haughton & Boonstra 1929 broomi Haughton & Boonstra 1929 Platypeltis Trionychidae Hummel 1929 sternbergi Wiman 1933C Platypodosaurus Dicynodontidae Broom 1932B (p. 199); Huene, F. 1931A platypus (Ichthyacanthus) Platyrhinops Branchiosauridae Steen 1931A mordax Steen 1931A platyrhinus (Archaeolemur, Cynariognathus, Pristerognathus)

platyceps (Dicynodon, Emydochampsa, Lyceno-

gnathus, Meiolania, Put-

platyrhynchus (Styracocephalus) Platyrrhini [Ceboidea] Anthropiformes Romer 1933C (Infraorder of Anthropoidea) platysoma (Palemydops) Platysomidae (Incl. Bobasatraniidae and Dorypteridae) Chondrostei Bobasatrania, Dorypterus?, Platysomus. Wardichthys Platysomus Platysomidae parvulus Watson 1928B Platystega Trematosauridae depressa Pfannenstiel 1932A Platysternidae [Dermatemyidae] Cryptodira Platysterninae Dermatemyidae Nopcsa 1928B (of Dermtemydidae. incl. Platysternum) Platysternum Dermatemyidae Nopcsa 1928B: Zittel 1932 Plecotus Vespertilionidae abeli Wettstein 1931 crassidens Kormos 1930B Plectognathi Acanthopterygii pleistocaenicus (Cynaelurus, Cynailurus) Plesiadapidae Lemuroidea Anon, 1933P; Simpson, G. G. 1929B Megachiromyoides, Phenacolemur, Plesiadapis, Plesiolestes Plesiadapis Plesiadapidae cookei Jepsen 1930C fodinatus Jepsen 1930C Plesiarctomys Ischyromyidae Heller 1932E Plesictis Mustelidae branssatensis Viret 1928, 1929C croizeti Viret 1929C elegans Viret 1929C genetloides Helbing 1930B gracilis Viret 1929C julieni Viret 1928, 1929C mut. sicaulensis Viret 1929C lemanensis Viret 1929C milloquensis Helbing 1928C minimus Viret 1929C palustris Viret 1929C robustus Viret 1929C croizeti Viret 1929C stenoplesictoides Viret 1929C plesictoides (Stenogale brevidens var.) Viret 1929C Plesiocathartes Cathartidae Weigelt 1932A Plesiochelyidae Pleurodira Nopcsa 1928B (of Amphichelonoidea, incl. Plesiochelyinae and Kallokibotioninae) Plesiochelyidae Pleurodira Hylaeochelys Plesiochelvinae Plesiochelyinae Plesiochelyidae Nopesa 1928B (Incl. Brodeichelys, Hylaeochelys, Plesiochelys, Rhinochelys and Tholemys)

Plesiogale Mustelidae

angustifrons Viret 1929C

mustelina Viret 1929C

robusta Viret 1929C

Plesiogulo Mustelidae brachygnathus Lewis, G. 1933A Plesiolestes Plesiadapidae Jepsen 1930C problematicus Jepsen 1930C Plesiomaeryx (= Plesiomeryx) Anoplotheriidae gracile Viret 1928C (Plesiomeryx) Megatheriidae Kraglievich Plesiomegatherium 1931K halmyronomum Cabrera 1928A Plesiosauria Sauropterygia Perrier 1928 (both as a subclass and as an order) Plesiosauridae Plesiosauria Eretmosaurus, Eurycleidus, Macroplata, Microcleidus, Plesiosaurus, Rhomaleosaurus, Sthenarosaurus, Thaumatosaurus Plesiosaurinae, Rhomaleosaurinae Plesiosauriformes [Plesiosauria] Sauropterygia Hay 1930A (n. suborder of Plesiosauria) Plesiosaurinae Plesiosauridae Nopesa 1928B (of Elasmasauridae, incl. Apratochlidus. Brancasaurus. Colymbosaurus. Cryptoclidus, Euryclidus, Leptoclidus, Microclidus, Muraenosaurus, Picroclidus, Plesiosaurus. Sthenarosaurus and

Triclidus) Sauropterygia Plesiosauroidea [Plesiosauria] Napcsa 1928B (Incl. Elasmosauridae and Pliosauridae)

Plesiosaurus Plesiosauridae Corroy 1933; Drevermann 1928B; Edinger 1930A; Ghidini 1931

bavaricus Zarnik 1926 brachycephalus Swinton 1931B conybeari Swinton 1931B guilelmi Zarnik 1926 keuperinus Huene, F. 1929H longirostris Stetson 1931A

Plesiosminthus Dipodidae Viret 1929C myarion Schaub 1930A promyarion Schaub 1930A

schaubi Viret 1929C Plesiothomomys Geomyidae Gidley & Gazin 1933 orientalis Gidley & Gazin 1933 potomacensis Gidley & Gazin 1933

Plesiotortrix Colubridae Nopesa 1928B Plesippus Equidae Antonius 1928; Gidley 1931A;

> Matthew 1929 R. T proversus Russell & VanderHoof 1931 shoshonensis Boss 1932; Gidley 1930C

Plestiodon Sauria, incertae sedis Nopesa 1928B Plethodidae [non Plethodontidae] Isospondyli Martinichthys, Plethodus

Plethodontidae [Plethodidae] Isospondyli Zittel 1932 (Type Plethodus Inon Plethodontidae of Caudata, type Plethodon])

Plethodus Plethodidae Stromer & Weiler 1930 Pleuracanthidae Pleuracanthodii

Cercariomorphus, Diplodus, Pleuracanthus, Xenacanthus

Pleuracanthodii (= Ichthyotomi) Elasmobranchii Pleuracanthus Pleuracanthidae Pruvost 1928B; Regan 1929C; Whipple & Case 1930

Pleuraspidotheriidae [Meniscotheriidae] Condylarthra

pleuroceros (Diceratherium) Viret 1929C

Pleurocoelus [Astrodon] Camarasauridae Huene, F. 1929A; 1932A; Nopesa 1929A, 1930D

Pleurocyon Miacidae Stock 1933J merriami Stock 1933E (Sespecyon, Simidectes)

"Pleurocyon" Canidae

tarijensis Kraglievich 1928A Pleurodira Testudinata Dunn 1931 (distribution); Nopesa 1928B (Incl. Pelomedusidae, Chelyidae and

Bothremyidae) Pleuronectes Pleuronectidae orbicularis (Otolithus) Frost 1933B (Pleuronectidarum)

Pleuronectidae Heterosomata Pleuronectes, Rhombus Pleuroplax Cochliodontidae

rankinii Simpson, H. H. 1933 [Cladoselachii] Elasmobranchii Pleuropterygii Naef 1931 (group of Gna-

thostomi, incl. Scyllium) Pleuroptyx Adelospondyli clavatus Romer 1930D; Steen 1931A

Pleurosauridae Araeoscelidia Nopcsa 1928B (Acrosauroidea); Romer 1933C (Protorosauria)

Pleurosaurus Araeoscelidia Drevermann 1928A: Strunz 1928

Pleurosternidae Amphichelydia Nopcsa 1928B (of Amphichelonoidea. incl. Pleurosterninae, Baëninae and Helochelydrinae)

> Glyptops, Helochelydra (= Tretosternum), Helochelys, Platycheloides, Platychelys, Pleurosternum, Trachydermochelys

> > Helochelydrinae, Pleurosterninae

Pleurosternidae Nopesa 1928B Pleurosterninae (Incl. Pleurosternum and Glyptops)

[Amphichelydia] Testudinata Pleurosternoidae Hay 1930A (Superfam. of Thecophora)

Pleurosternum Pleurosternidae Nopcsa 1928B Pleurystylops Mammalia, incertae sedis Simpson, G. G. 1933R

Pliauchenia Camelidae Cauvet 1929; Matthew 1929N: Merriam & Stock 1933

> alutensis Cauvet 1929 (Camelus); Matthew 1929A; Simionescu 1932 (Camelus)

plicatile (Hipparion) Plicatodon Rhinocerotidae perrarus Rusconi 1931-I

Nopesa

Saltopus.

incl.

Eumat-

Theropleurinae

Plicatulus (Glyptops) Pliosaurinae Pliosauridae Nopesa 1928B (Incl. plicatus (Chirox, Kolpohippus, Ptilodus) Kronosaurus, Peloneustes. plicidens (Equus caballus) Antonius 1928; Schwarz, Pliosaurus, Polyptychodon E. 1928 and Thaumatosaurus) plieningeri (Belodon, Chalepotherium, Gresslvo-Pliosaurus Pliosauridae Noncsa 1928B saurus, Microlestes, Mys-Pliospalax Spalacidae Kormos 1932C. E triosuchus. Plateosaurus) simionescui Kormos 1932C, E Plieningeria Tritylodontidae Simpson, G. G. 1928C Plohophoroides Glyptodontidae Castellanos 1928C [Oligokyphus] acuticaudatus Castellanos 1928C canaliculatus Castellanos 1928C Plioambystoma Ambystomidae Adams & Martin 1929 conterminus Castellanos 1928C kansense Adams & Martin 1931 pneumaticus (Holops) kansensis Adams & Martin 1929 Pnigalion Tapinocephalidae oweni Huene, F. 1931A pliocaenica (Pannonictis) pliocaenicus (Allophaiomys, Mimomys, Panno-Poabromylus Camelidae Peterson, O. 1932 nictis) kayi Peterson, O. 1932 pliocenicus (Arvicola, Leuciscus rutilus) Podocnemis Pelomedusidae Pliocervinae Cervidae Weber, M. 1928A (Incl. dehmi Bergounioux 1932D Cervocerus, Procervus, Proolssoni Schmidt, K. 1931A capreolus and Cervavitus) Podokesauridae Coeluroidea Huene, F. 1932A (of Plicevon Canidae Pilgrim 1931 Coelurosauria): Pliogale Mustelidae Hall, E. 1930E 1928B (of Coelurosauroidea. furlongi Hall, E. 1930E incl. Coelophysinae and Pliogrus Gruidae Lambrecht 1933B Podokesaurinae) germanicus Lambrecht 1933B Avipes?. Coelophysis. Halticosaurus. Pliohippus Equidae Antonius 1928; Matthew Podokesaurus. 1929R; Miller, L. 1931A; Spinosuchus, Velocipes Stirton 1932C, 1933; Stock Coelophysinae, Podokesaurinae 1924B Podokesaurinae Podokesauridae Nopcsa 1928B fairbanksi VanderHoof 1933B (Incl. Podokesaurus, Prointerpolatus Matthew & Stirton 1930A; cerosaurus [Proceratosau-VanderHoof 1933B rusl, Saltopus and Tanymirabilis VanderHoof 1933B stropheus) pernix VanderHoof 1933B Podokesaurus Podokesauridae Huene, F. 1932A tantalus VanderHoof 1933B Poebrotherium Camelidae Matthew 1929N Pliohydrochoerus Caviidae Kraglievich 1930D labiatum Bump 1933 tarijensis Kraglievich 1930D Poeciloglyptica Reptilia Hay 1930A (Subclass, incl. Pliohylobates Pongidae Elpidosauria, Astatoglypeppelsheimensis Gregory & McGregor 1929 tica and Catacritosauria) Pliohyrax Sagatheriidae Arambourg 1933C; Simp-Pogonodon Felidae Kretzoi 1929 son, G. G. 1929K copei Pilgrim 1931 championi Arambourg 1933A Pogonodontinae Felidae Kretzoi 1929 (of Nimravi-Pliomastodon Mastodontidae dae, incl. Pogonodon) sellardsi Simpson, G. G. 1930H Poikilopleuron Megalosauridae Nopesa 1928B vexillarius Matthew 1930D bucklandi Huene, F. 1932A [Megalosaurus] Pliomegatherium Megatheriidae Kraglievich 1930C, poikilopleuron (Megalosaurus) 1931 K poirreri (Rhizospalax) Plionictis Mustelidae pojoaquensis (Trilophodon) sanguinarius Loomis 1932A (= Stenoples-Polacanthoides Nodosauridae Nopesa 1929C Polacanthus Nodosauridae Gilmore 1930C; Nopesa Pliopithecus Pongidae Mollison 1933; Zuckerman 1929C 1933B polaris (Poraspis, Svalbardaspis) antiquus Glaessner 1931; Gregory & Mc-Poliosauridae Pelycosauria Nopesa 1928B (of Gregor 1929; Osborn 1929I; Dimetrodontoidea, Stromer 1928A Glaucosaurinae, Poliosau postumus Freudenberg 1930 rinae and Theropleurinae) Plioprion Plagiaulacidae Simpson, G. G. 1929A Callibrachion (= Kallibrachion), Glau-[Ctenacodon] cosaurus, Haptodus, Myc-Pliosauridae Plesiosauria Nopesa 1928B (of Plesioterosaurus (= sauroidea, incl. Simolesthevia), Poliosaurus, tinae. Pliosaurinae and Scoliomus. Stereorhachis. Trinacromerinae) Varanops (= Varanoops), Kronosaurus, Megalneusaurus, Pelo-Varanosaurus neustes, Pliosaurus, Simo-Glaucosaurinae. lestes Poliosaurinae,

Pliosaurinae, Simolestinae

Poliosauriformes Pelycosauria Hay 1930A (Suborder of Sphenacodontomorphi) Poliosaurinae Poliosauridae Nopesa 1928B (Incl. Haptodus, Poliosaurus. Scoliomus, Varanops and

Poliosaurus Poliosauridae Nopesa 1928B pollens (Pallimnarchus)

pollux (Catopsalis)

Polyacrodus Hybodontidae

brabanticus Leriche 1930B

claveringensis Koch, L. 1931 (Polyarodus claveringiensis); Stensiö 1932A

Varanosaurus)

woodwardi Leriche 1930B

Polyaspidae [Phlyctaenaspidae] Acanthaspida Heintz 1929B (Incl. Acanthaspis and Polyaspis)

Polyaspis Phlyctaenaspidae Heintz 1929B Polyeladus Cervidae Weber, M. 1928A

Polycotylidae Plesiosauria Zittel 1932

Brachyauchenius, Leurospondylus, Ogmodirus, Polyptychodon, Trinacromerum

Trinacromerinae

polycynodon (Icticephalus)

Polydolopidae Caenolestoidea Kraglievich 1931C Polydolops

Polydolops Polydolopidae Simpson, G. G. 1933N Polyechmatemys Emyidae Ping 1930B

pekinensis Ping 1930B polygonus (Psephophorus)

Polymastodon [Taeniolabis] Taeniolahididae Granger & Simpson 1929

> attenuatus Granger & Simpson 1929 fissidens Granger & Simpson 1929 foliatus Granger & Simpson 1929 latimolis Granger & Simpson 1929 selenodus Granger & Simpson 1929 tagensis Granger & Simpson 1929

Polymixia Otolithus

eocenicus (Otolithus) Frost 1933A

Polymixiidae Beryciformes

Polymixia

Polyodontiformes (= Selachostomi) Chondrostei Hay 1930A (Suborder)

Polyodontosaurus Sauria, incertae sedis Gilmore

grandis Gilmore 1932B

Polypedatidae Diplasiocoela Romer 1933C (Polypedetidae)

Polyplocodus Megalichthyidae

rhombolepis Gross, W. 1933A wenjukowi Gross, W. 1933A

Polyprotodontia Marsupialia Simpson, G. G. 1930E (rejected)

Polypteridae Cladistia

Polypterus Polypterini [Cladistia] Actinopterygii Goodrich 1928 (Incl. in Palaeoniscoidei); Gregory, W. 1933B

Polypterus Polypteridae Goodrich 1928; Kerr 1932 Polyptychodon Polycotylidae Nopesa 1928B Polysphenodon Sphenodontidae

mülleri Huene, F. 1929G

Polysternum Pelomedusidae

provinciale Nopesa 1932A

Polythorax Baenidae Nopesa 1928B

pomeli (Amphitragulus)

pompeckji (Anhopolotherium, Palaeaspis)

pompignarensis (Trionyx)

ponderis (Peraceras)

ponderosus (Homostius)

Pongidae (= Simiidae = Anthropithecidae, incl. Hylobatidae) Hominoidea

Simpson, G. G. 1931B Anthropodus, Boreopithecus, Dryopi-

thecus (= Griphopithecus), Gorilla, Hemianthropus, Hylobates (= Gibbon), Limnopithecus, Paidopithex, Palaeosimia, Pan, Pliohylobates, Pliopithecus, Postpliopithecus, Proconsul, Siamanga, Sivapithecus, Troglodytes, Xenopithecus

Pongoidae (= Catarrhini) Anthropoidea Hau 1930A (Superfam. of Anthropiformes)

pontica (Lutra)

ponticus (Indarctos ?, Ursus)

ponticus (Meles anakuma) Matsumoto 1930F

pontoni (Amphicyon)

pontopersicus (Pseudaelurus)

Pontosaurus Dolichosauridae Nopesa 1928B

Pontosmilus Felidae Kretzoi 1929; Pilgrim 1931, 1932

indicus Kretzoi 1929; Pilgrim 1932 orientalis Kretzoi 1929

Pontotherium [Metaxytherium] Dugongidae Simpson, G. G. 1932C

popoagicum (Lambdotherium)

Poposaurus Nanosauridae Nopesa 1928B

Poposauridae [Nanosauridae] Iguanodontoidea Nopesa 1928B

Poposauroidea Iguanodontoidea Nopesa 1928B (Incl. Poposauridae)

Poraspidae [Pteraspidae] Heterostraci Kiaer 1932 (Poraspidei)

Poraspidei [Pteraspidae] Heterostraci Kiaer 1932 (Tribe of Cyathaspida)

Poraspis (= Holaspis preocc.) Pteraspidae Kiaer

barroisi Kiaer 1932 bitruncata Kiaer 1932 brevis Kiaer 1932 cylindrica Kiaer 1932 elongata Kiaer 1932 intermedia Kiaer 1932 magna Kiaer 1932 polaris Kiaer 1930B, 1932

sturi Kiaer 1932

subtilis Kiaer 1932

porcarius (Papio)

Porolepis Osteolepidae Schmidt, H. 1933

posnaniensis Gross, W. 1932C, 1933D Portheus Ichthyodectidae Bump 1926

molossus Gregory, W. 1929D

Porthochelys Cheloniidae Nopcsa 1928B

Porthocyon Canidae pugnator Stirton & VanderHoof 1933 porzanoides (Paraortrygometra, Rallus) posnaniensis (Porolepis) postera (Stenopterygius hauffianus) Huene, F. 1031F posterogenium (Anoplotherium) nosthumus (Cyclotosaurus) Postpliopithecus Pongidae Freudenberg 1930 hominoides Freudenberg 1929A, D Postschizotherium Chalicotheriidae Koenigswald 1932D chardini Koeningswald 1932D postumus (Pliopithecus) Potamarchidae [Chinchillidae] Hystricoidea Kraglievich 1929B Potamotherium Mustelidae Viret 1929C (?) hasnoti Pilgrim 1932 valetoni Viret 1929C potens (Sivafelis, Stahleckeria) potomacensis (Plesiothomomys) Potomarchus Chinchillidae murinus Kraglievich 1929B Potoroinae Macropodidae Simpson, G. G. 1930E Potos Procvonidae Rusconi 1931I Potossinae Procyonidae Rusconi 1931I (Incl. Potos and Brachynasua) powriei (Cephalaspis) pozzii (Phororhacos, Theosodon) Praeaceratherium Rhinocerotidae Weber, M. 1928A praealpinus (Sorex) praebactrianus (Camelus) praeceps (Testudo antiqua) Glaessner 1933A praeceps (Tetragonosaurus) praecocidens (Merychippus) praecorsac (Vulpes) praecox (Megantereon) mercedensis) Rusconi praecursor (Conepatus 1932B praecursor (Jacaretinga, Phoberomys, Probathyopsis, Prolebias, Stegodon) praefiber (Castor) praeglacialis (Alonex, Eptesicus, Erinaceus, Talpa) praeglacialis (Cricetus cricetus) Brunner 1933; Schaub 1930B Praehomo Hominidae Eickstedt 1932 praeloriger (Sicista) praemaximus (Colobodus) praemegalodon (Carcharodon) praenuntius (Delphodon) Praeovibos Bovidae priscus Ryziewicz 1933 Praepubici [Archosauria partim] Reptilia Noposa 1928B (Superorder, incl. Crocodilia and Pterosauria) praestans (Telacodon) Praolestes ?Leptictidae Matthew, Granger & Simpson, 1929 nanus Matthew, Granger & Simpson 1929 precedens (Allodaposuchus) precopei (Trigonias) precopei (Trigonias osborni) Wood, H. 1931

Prehomo Hominidae Rüschkamp 1932

(For early Pleist, man)

prehuanacus (Lama castelnaudi) Ameghino & Rusconi 1933 premitis (?Caenopus) prenasalis (Alligator) prentici (Gallinuloides, Paragrus) preoccidentalis (Trigonias) Preptoceras Bovidae Barbour, E. 1931F sinclairi Gazin 1933C [Euceratherium] Presbychen Anatidae Wetmore 1930F abayus Wetmore 1930F pressa (Chen) Prestosuchus Ornithosuchidae Huene, F. 1933F chiniquensis Huene, F. 1933F Priacodon Triconodontidae Simpson, G. G. 1929A priemi (Myripristis, Otolithus) Frost 1933A priemi (Pristis) priestleyi (Gomphotherium) prima (Loxodonta) primaeva (Pteraspis) primaevum (Lambdotherium) primaevus (Amphitragulus, Hoplophoneus, Parictis, Phenacodus, Ursus) Primates Monodelphia Abel, O. 1928E, 1931G, I; Adloff 1931, 1932A, B, 1933; Boule 1928B (in assoc. with Heidelberg Man); Bluntschli 1931: Bölsche 1931A: Burkitt, M. 1933: Buxton 1929 (phylogeny); Davenport 1933 (phylogeny): Degerbøl 1928C: Dorsey 1931: Gear 1930 (baboons, S. Afr.): Grandidier (Cheiromys); Gregory, W. 1927A, B, 1928E, F, H, 1929A, 1930B-G, K, 1931A, 1932A, D, 1933A, D; Henekel 1928B (classification); Hill 1932 (phylogeny); Hooton 1930, 1931 (phylogeny); Jones 1929 (Incl. Haplorhini and Strepsirhini); Kraglievich 1928F (phylogeny); Lamberton 1929 (lemurs, Madagascar); Mátyás & Mihály 1932; Mátyás & Stiller 1932 (phylogeny); Miller, R. 1932 (phylogeny, shoulder girdle); Mollison 1933 (phylogeny of man); Montandon 1928C, 1929B (phylogeny of man); Osborn 1929I (Miocene, Europe); Peake & Fleure 1927 (popular); Radeliffe-Brown 1930 (antiquity); Reche 1928 (Brandenberg skulls); Reck 1931B, 1932A, B, D, E, F, 1933B (Oldoway); Regan 1930A

(classification on basis of

enamel prisms), (Group A,

incl. Lemuroidea and Ca-

tarrhina), (Group B, incl.

Tarsioidea,

Lorisoidea.

Platyrrhina), 1930B (evolution and classification): Regnault 1929 (terminology); Rellini 1929A (origin of modern man); Renaud 1933 (N. A. man); Reynolds 1931 (pelvis): Rusconi 1931H (Diprothomo); Schindewolf 1928B (phylogeny): Schwarz, R. 1931 (teeth and jaws); Schwidetzky 1933 (origin of man); Sergi, G. 1929B (phylogeny): Smith, G. 1929B classification), 1929D, 1930D (phylogeny): Sonntag 1931 (apes and man); Spiller 1931 (mental differences): Sprecher 1932 (fibula): Stibbe 1930 (physical anthrop.); Varigny 1930, 1932 (ancestry of man): Versluys 1929 (foot structure): Watson 1928C: Weidenreich 1931C (phylogeny); Weigelt 1933D (Eocene): Weinert 1932A, B, G; Wells, L. 1931A; Werth 1928 (man, etc.) 1929; Westenhöfer 1929A: Zuckerman 1928 (skull, age differences), 1933B (phylogeny, etc.)

primigenius (Arctomys, Bison, Bos, Canis, Elephas,
Gulo, Homo, Neodesmostylus, Simocyon, Tylototriton)

primitivus (Megacerops, Scaptochirus, Teleodus) primus (Cosomys, Dicoelophorus, Eocrex) primus (Eucosmodon americanus) Granger & Simpson 1929

princeps (Eotitanops, Koskinonodon)

pringeli (Edestus)

Priodontognathus Orthopoda, incertae sedis Nopesa 1928B (Iguanodontidae)

Prionailurus Felidae Kretzoi 1929 Prionofelis Felidae Kretzoi 1930 rubiginosa Kretzoi 1930

prisca (Aquila, Capra, Dictyaspis, Dolichotis, Megalania, Prodolichotis, Sternoptyx)

priscilla (Giraffa)
priscum (Cetotherium, Lambdotherium, Schizotherium)

priscus (Bison, Cerodon, Compsosaurus, Cyprinus, Eccasaurus, Erinaceus, Laopteryx, Limnohyops, Macacus, Myocastor, Myopotamus, Pelosuchus, Tel-

matornis, Varanus) Pristerodon Endothiodontidae

mekayi Huene, F. 1981A (= Opisthoctenodon)

Pristerognathus Therocephalia platyrhinus Broom 1931C Pristichampsus Crocodilidae rollinati Astre 1931C Pristicladodus Edestidae Claus 1928 dentatus Claus 1928

Pristidae Rajiformes

Dalpiazia, Pristis, Schizorhiza pristina (Fontinalis, Hemiauchenia) pristinus (Homunculites, Machaeroprosopus, Pseudopalatus)

Pristiophoridae Squaliformes
Propristiophorus, Raineria

Pristiphoca Phocidae

occitanica Sarra 1930, 1933

Pristis Pristidae

imhoffi Leriche 1932A priemi Leriche 1932A wateleti Leriche 1932A

Pristisomus Semionotidae

merlei Besairie 1930; Piveteau 1930B

Proailurus Mustelidae julieni Viret 1929C

lemanensis Viret 1929C Proalligator Alligatoridae de Saez 1928B

australis Rusconi 1933 D paranensis Rusconi 1932 M

Proamphibia Amphibia, incertae sedis Karpinskii 1930

problematica Karpinskii 1930 Proardea Ardeidae Lambrecht 1933B proaries (Oioceros)

proaries (Oloceros) proava (Lycyaena, Palhyaena, Progenetta)

Proavis Aves [hypothetical] Heilmann 1929, Nopesa 1929D

Probaena Baenidae Nopesa 1928B Probalearica Gruidae Lumbrecht 1933B problematicus Lambrecht 1933B

Probathyopsis Uintatheriidae Simpson, G. G. 1929 F

praecursor Simpson, G. G. 1929F successor Jepsen 1930B

problematica (Proamphibia) problematicus (Grus, Mediaspis, Plesiolestes,

Probalearica, Tarrasius)
Proborhyaeninae Borhyaenidae Simpson, G. G.
1930E

Proboscidea Monodelphia Anthony 1933A (dentition): Borissiak & Beliaeva 1928A, B (mastodonts); Colbert 1931 (Univ. of Nebraska); Dal Piaz 1932B (phylogeny, Italy); Dart 1929B (Transvaal); Decker 1924 (Oklahoma): Eales 1931 (embryol.); Fraipont & Leclercq 1932A; Joleaud 1931D (Africa); 1928A, Klähn 1929A, C, 1931, 1932A (mastodonts); Lull 1931C (evolution); Matsumoto (general); Osborn

1927C, 1929J, 1931J, 1933B (general); Pavlow, M. 1931, 1932 (Russia); Petrbok

1930A (phylogeny, mastodonts); Pontier 1928A, B,

1929A, 1931A, B, 1933B (France); Sheak 1928 (phylogeny); Wark 1928A (Florida); Watson 1920B, C, D, G; Woodward 1930A (dwarf elephants)

Proboscidipparion Equidae

sinense Chardin & Piveteau 1930

Probubalus Bovidae Bose 1929B

Procamelus Camelidae Kirkham 1931; Matthew 1929N; Merriam & Stock 1933

> coartatus Stirton 1929 cortatus Stirton 1932C gracilis Stirton 1929, 1932C robustus Matthew 1932A

Procamptoceras Bovidae

brivatense Schaub 1928A

Procapreolus Cervidae Weber, M. 1928A Procavia Procaviidae Mátyás & Mihály 1932

antiqua Broom 1930A

Procaviidae (= Hyracidae) Hyracoidea Procavia (= Hyrax)

Procellariidae Procellariiformes Fulmarus, Puffinus

Procellariiformes Neognathae

Procellarioidea Procellariiformes Hay 1930A (Procellarioidae)

Proceratosaurus Ceratosauridae Huene, F. 1932A; Janensch 1932

Procervus Cervidae Weber, M. 1928A

Prochenia Camelidae Frick 1929 americanus Frick 1929 edensis Frick 1933

prochinjiensis (Serridentinus)

Prociconia [Palaeociconia] Brontornithidae lydekkeri Lambrecht 1930B

Procobus Cervicaprinae: Bovidae Pilgrim & Hopwood 1928

Procoela Salientia Noble 1931 (Suborder)

Procolophon Procolophonidae trigoniceps Rieth 1932

Procolophonidae Diadectomorpha Case 1928B (incl. Trilophosaurus)

Koiloskiosaurus (= Koiloskiasaurus), Procolophon, Telerpeton, Trilophosaurus

Procolophoninae

Procolophoninae Procolophonidae Nopesa 1928B Procolpochelys Cheloniidae Nopesa 1928B Procompsognathidae [Hallopodidae] Coeluroidea Huene, F. 1932A

Procompsognathus Hallopodidae Huene, F. 1932A Proconsul Pongidae Hopwood 1933A

africanus Hopwood 1933A, C; Leakey 1932C Procoptodon Macropodidae Anderson, C. 1933 Procreodi [Arctocyonoidea] Creodonta Kretzoi

Procrocodilia Crocodilia Nopesa 1928B (Suborder, incl. Sphenosuchidae and Erpetosuchidae)

Procrocodiloidea Crocodilia Nopesa 1928C (Suborder)

Procyclanorbis Trionychidae Hummel 1929 [Trionyx]

Procyon Procyonidae

nanus Simpson, G. G. 1929H

Procyonidae Canoidea

Aelureidopus, Ailuropus (= Aeluropus),
Ailurus, Amphinasua, Bassariseus, Brachynasua, Cyonasua, Leptarctus?, Parailurus, Phlaocyon, Potos,
Procyon, Sivanasua

Potossinae

Prodamaliscus Bovidae

gracilidens Pilgrim & Hopwood 1928 Prodiacodon Leptictidae Matthew 1929E [for Palaeolestes Matthew &

Granger 1918] Prodicynodon Endothiodontidae

pearstonensis Huene, F. 1931A

Prodinoceras Uintatheriidae Matthew, Granger & Simpson 1929; Simpson 1929F

martyr Matthew, Granger & Simpson 1929 Prodinotherium Deinotheriidae Éhik 1930 hungaricum Éhik 1930: Szalai 1930B

Prodolichotis Caviidae Kraglievich 1932B lacunosa Kraglievich 1932B mendocina Kraglievich 1932B

molfinoi Kraglievich 1932B perfecta Kraglievich 1932B

prisea Kraglievich 1932B

Prodremotherium Palaeomerycidae Loomis 1928B; Viret 1929C

Profelis Felidae Kretzoi 1929

Proganochelydidae [Triassochelyidae] Amphichelydia Tornier 1933

Progenetta Viverridae

proava Matthew 1929A

Progiraffa Giraffidae Matthew 1929A

Progiraffinae Giraffidae Abel, O. 1933C (Incl. Progiraffa)

progressum (Lambdotherium)

progressus (Leptarctus, Pentacemylus)

progressus (Stegolophodon cautleyi) Osborn 1929J Proheteromys Heteromyidae Wood, A. 1932

> floridanus Wood, A. 1932 magnus Wood, A. 1932

Prohyracodon Rhinocerotidae

orientale Wood, H. 1929B

Prolagus Ochotonidae Heller 1933F oeningensis Stromer 1928D

Prolebias Cyprinodontidae

praecursor Weiler 1930C

Prolestodon Mylodontidae Kraglievich 1932D atavus Kraglievich 1932D

Prolystrosaurus Lystrosauridae Broom 1932B [Lystrosaurus]; Nopesa 1928B

natalensis Huene, F. 1931A

Promacrauchenia Macraucheniidae Rusconi 1931I, 1932H

> kraglievichi Parodi 1931 yepsi Kraglievich 1930C (Pseudomacrauchenia)

Promeles Mustelidae

palaeattica Pilgrim 1931

Promellivora Mustelidae Pilgrim 1932

Propseudopus Anguidae Nopesa 1928B (in Anguinpunjabiensis Pilgrim 1932 ininae) sivalensis Pilgrim 1932 Prorastomidae Trichechiformes Simpson, G. G. Promephitis Mustelidae 1932C gaudryii Pilgrim 1931 Eotheroides, Prorastomus, Protosiren (?) lartetii Pilgrim 1931, 1933A Prorastomus Proastomidae Simpson, G. G. 1932C macotica Pilgrim 1931 Proreptilia Rhachitomi Perrier 1928 (Subclass of majori Pilorim 1933A "Reptilia". Incl. Eryops, malustenensis Simionescu 1930C Cricotus, etc.) Promerycochoerus Merycoidodontidae Barbour & Prosauria Tetrapoda Goodrich 1930B (= Anan-Schultz 1932B sida): Perrier 1928 (Subclass carrikeri Frick 1931A of "Reptilia". Incl. Microerythroceps Stock 1932A sauria and "Protorosauria") gregoryi Loomis 1933B Prosaurolophus Trachodontidae Nopesa 1928B (?) hesperus Stock 1930C Prosauropoda [Plateosauroidea] Theropoda Huene, promyarion (Plesiosminthus) F. 1929C, 1932A (of Sauro-Promylodon Mylodontidae Kraglievich 1931C podomorpha) Promylodontinae Mylodontidae Kraglievich 1931C Proscapanus Talpidae (Incl. Octomylodon) sansaniensis Stromer 1928D Promystriosuchus Phytosauridae Camp 1930B: Proschismotherium Megalonychidae Nopesa 1928B scarritti Simpson, G. G. 1932K. Proneusticosaurus Nothosauridae Corrov 1933 Prosimia Primates Perrier 1928 (Order, equivalent Propolagus Leporidae Dice 1929 in rank to Simia) Pronomotherium Merycoidodontidae Pearson Prosiphneus Spalacidae eriksoni Chardin & Young 1931 1929B intermedius Chardin & Young 1931 Pronothrotherium Megalonychidae Kraglievich 1928B sinensis Chardin & Young 1931 Propachycynolophus Equidae Cooper, C. 1932A Prospalax Spalacidae Propachyrukhos Hegetotheriidae macoveii Kormos 1932C, E, Simionescu schiaffinoi Kraglievich 1932D 1930C rumanus Kormos 1932E, Simionescu 1930C Propalaeochoerus Suidae elaverensis Stehlin 1929B Prosqualodon Squalodontidae leptodon Dal Piaz 1930B australis Frenguelli 1928 paronae Dal Piaz 1929E, 1930B davidi Flunn 1932 Propalaeomeryx Giraffidae? Matthew 1929A Prosthennops Tagassuidae Maxson 1930 (Pros-Propalaeotherium Palaeotheriidae Heller 1930B thenops): VanderHoof isselanum Weigelt 1931, 1932A 1933A parvulum Weigelt 1931, 1932A doello-juradoi Rusconi 1930G (Prossinense Zdansky 1930 thenops) Propanochthus Glyptodontidae valentini Rusconi 1930G, 1931I Prostrepsiceros Bovidae bullifer Castellanos 1933B Propappus Pareiasauridae Boonstra 1932B; Haughmecquenemi Pilgrim & Hopwood 1928 woodwardi Pilgrim & Hopwood 1928 ton 1930A; Haughton & Protaceratherium Rhinocerotidae Weber, M. Boonstra 1930 1928A propathanensis (Synconolophus) propennis (Brookvalia) Protachyoryctes Spalacidae Hinton 1933 Properca Serranidae tatroti Hinton 1933 sabbae Pauca 1929A Protecmon Cynodontia Huene, F. 1928B Propercarina Percidae Pauca 1929C Protacrodus Cladoselachidae pietschmanni Pauca 1929C wildungensis Gross, W. 1933D rebeli Pauca 1929C Protagras Boidae Nopesa 1928B Propithecanthropus Hominidae Weinert 1932A Protalpa Talpidae Propleopus Macropodidae Raven 1933 cadurcensis Viret 1929C oscillans Anderson, C. 1933 Protamphimachairodus Felidae Kretzoi 1929, Pil-Propliopithecus Cercopithecidae Gregory 1930C; grim 1931, 1932 Hennig 1931C; Mendesmaximiliani Kretzoi 1929 Corréa 1933 A; Mollison 1933; Protanthropus Hominidae Schindewolf 1928B; Zuckerheidelbergensis Abel, O. 1933C man 1933B Protapirus Tapiridae Viret 1929C haeckeli Gregory & McGregor 1929 douvillei Viret 1929C Propontosmilus Felidae Kretzoi 1929 douvilli Koenigswald 1930 [Tapirus] sivalensis Kretzoi 1929 Protartiodactyla [Pantolestidae] Artiodactyla Propraopus Dasypodidae Rusconi 1933G Goodrich 1930B (Incl. Di-Propristiophorus Pristiophoridae Woodward 1932A acodexis) tumidens Woodward 1932A

Protaspidae Heterostraci Bryant 1933 [Gross, Pal. Protoadapis Adapidae Zent. vol. 5, p. 350, does not eppsi Cooper, C. 1932B protocavifrons (Bibos) recognise this family] Protocetidae Archaeoceti Kellogg 1928A; Simpson, Cyrtaspis, Protaspis G. G. 1931B Protaspis Protaspidae Bryant 1933 amplus Bryant 1933 Protoceras Protoceratidae Loomis 1928B; Pearson 1929B: Stirton 1932E brevirostris Bryant 1933 bucherii Bryant 1933 Protoceratidae Traguloidea Simpson, G. G. 1931B; Stirton 1932E cingulus Bryant 1933 constrictus Bryant 1933 Protoceras, Syndyoceras, Synthetoceras Protoceratinae [Protoceratidae] Traguloidea Mattdorfi Bryant 1933 hew 1929A nanus Bryant 1933 Protoceratops Ceratopsidae Lull 1933A: Nopcsa perlatus Bryant 1933 1929C; Schonwetter 1929; perryi Bryant 1933 Proteida Caudata Noble 1931 Sowerby 1929A andrewsi Andrews 1929C Proteidae Proteida Protoceratopsidae (= Leptoceratopsinae) Ceratop-Proteus Protelicomys Chinchillidae Kraglievich 1931E soidea Zittel 1932 atavus Kraglievich 1931E [Tetrastylus] Leptoceratops, Protoceratops Protentomodon Nyctitheriidae Simpson, G. G. Protocetidae Archaeoceti Protocetus 1928B Protocetus Protocetidae ursirivalis Simpson, G. G. 1928B atavus Borri 1932 Proteodidelphys Didelphiidae Gregory, W. 1929G; Simpson, G. G. 1929A; Protocyclostomata [hypothetical] Craniata Sewertzoff 1929, 1931B, 1932 1932M Proterochersidae Amphichelydia Nopesa 1928B (Group of Vertebrata, incl. (Amphichelonoidea) hypothetical ancestors of Cyclostomata) Proteroglypha (Hydrophidae + Elapidae) Caenophidia Nopesa 1928B Protocyon Canidae troglodytes Kraglievich 1928A (Gens of Colubrinae) Proterosauroidea [Protorosauroidea] Araeoscelidia Protodonta Therapsida? Hay 1930A (Order of Nopesa 1928B (Suborder of Prototheria): Romer 1933C Thecodontia, incl. Protero-(Suborder of Therapsida); sauridae) Simpson, G. G. (1926A of Proterosuchidae [Erythrosuchidae] Pelycosimioidea Hay) refers this group to the cynodont reptiles; Kuhn, Oskar 1933 A (Pseudosuchia): **Nopesa** Weber, M. 1928A (Proto-1928B (Pseudosuchoidea) theria incertae sedis) Proterosuchus Erythrosuchidae Huene, F. 1931B Protodontidae Acanthodii, incertae sedis Zitte 1032 Proterotheriidae Litopterna Deuterotherium, Diadiaphorus, Lica-Protognathostomata apterygiata Agnatha Sewertphrium. Neolicaphrium, zoff 1929, 1931B, 1932 Proterotherium, Thos-(Group of Vertebrata, incl. therium hypothetical ancestors of Proterotherium Proterotheriidae Gnathostomata) berroi Kraglievich 1930J Protogrus Gruidae Lambrecht 1933B cavum Simpson, G. G. 1933B nobilis Lambrecht 1933B proterus (Teleoceras) Protohippus Equidae Gazin 1930 Protetraceros Bovidae ansae Matthew & Stirton 1930A gaudryi Chardin & Young 1931 intermontanus Maxson 1930; Stirton 1933 Proteus Proteidae Huene, F. 1931J ("Ptroteus") placidus Matthew & Stirton 1930A (Calipproteus (Devonosteus) pus) protichorhinus (Rhinoceros) Protohyaenodon Hyaenodontidae Stock 1933D Protiguanodon Psittacosauridae exiguus Stock 1933D mongoliense Young 1932B Protohydrochoerinae Caviidae Kraglievich 1930D Protitanichthys Coccosteidae (of Hydrochoeridae) halmodens Case 1931A Protolabis Camelidae Matthew 1929N rockportensis Case 1931A Protolaginae Leporidae Walker 1931 Protitanotherium Brontotheriidae Protolambda Didelphiidae Simpson, G. G. 1929A andrewsi Osborn 1929O hatcheri Russell, L. 1928A emarginatum Osborn 1929O protomammonteus (Parelephas)

Protomegamys Chinchillidae Kraglievich 1932B

coligatus Kraglievich 1932B

Protopelobates Discoglossidae Noble 1931

grangeri Osborn 1929O'

mongoliense Osborn 1929O

superbum Osborn 1929O

Protoplotus Phalacrocoracidae Lambrecht 1930A Protosuchus Notochampsidae Brown, B. (1933A, 1931F note) beauforti Lambrecht 1930A, 1931F Prototheria Mammalia Protopterus Lepidosirenidae Kerr 1932 Prototherium Dugongidae Simpson, G. G. 1932C Protornis Ichnites Jackel 1929 A Prototocyon Canidae Pohle 1928A bavarica Jackel 1929 A recki Dietrich 1933 [Araeoscelidia] Protorosauria. Synaptosauria Prototrigodon Toxodontidae Kraglievich 1930C Romer 1928B (Incl. Bolorothi Kraglievich 1930C saurus and Araeoscelis) Potrachodontinae Trachodontidae Nopesa 1928B "Protorosauria" Reptilia Perrier 1928 (Order of (Incl. Orthomerus and Syn-Prosauria, incl. Protosauri gonosaurus) and Rhynchocephali) Protrachysaurus Sauria, incertae sedis Nopcsa Protorosauridae Araeoscelidia Nopesa 1928B (Pro-1928B terosauridae, of Protero-Protragelaphus Bovidae Dollman 1929A sauroidea); Romer 1933C skouzèsi Pilgrim & Hopwood 1928 (of Protorosauria); Tornier zitteli Pilgrim & Hopwood 1928 1933 (of Rhynchocephalia) Protragocerus Bovidae Protorosaurus Araeoscelidia Nopesa 1930A; Perrier chantrei Stromer 1928D 1928; Weigelt 1932B Protriton Branchiosauridae speneri Weigelt 1930F salamandroides Pfannenstiel 1932A Protoryx Bovidae Protropidonotus Colubridae carolinae Arambourg & Piveteau 1929A; neglectus Stromer 1928D Protylopus Camelidae Cauvet 1929; Matthew Pilgrim & Hopwood 1928 hentscheli Pilgrim & Hopwood 1928 1929 N Protypotherium Interatheriidae Simpson, G. G. hippolyte Pilgrim & Hopwood 1928 laticeps Pilgrim & Hopwood 1928 1933B longiceps Pilgrim & Hopwood 1928 distinctum Cabrera & Kraglievich 1931 Protosauri Reptilia Perrier 1928 (Suborder of minutum Cabrera Kraglievich 1931 Protorosauria, Incl. Palaeoproutii (Menodus, Palaeotherium, Titanotherium) hatteria and Protoroproversus (Plesippus) provinciale (Polysternum) saurus!) Protoselenodontia [Dichobunidae + Ancodonta] Proviverridae [Hyaenodontidae] Oxyaenoidea Artiodactyla Romer 1933C Prozeuglodon Basilosauridae Gregory & Raven 1933 (Infraorder of Ruminantia) prümensis (Acanthaspis, Epipetalichthys, Lunas-Protosiren Prorastomidae Edinger 1933A fraasi Edinger 1933C pis) Protospermophilus Sciuridae Gazin 1930 prümiensis (Macropetalichthys) quatalensis Gazin 1930 pruvosti (Cratoselache) przevalskii (Equus caballus) Antonius 1928; Protosphargis Protostegidae Nopesa 1928B Protosphyraena Pachycormidae Stromer & Weiler Schwarz 1928 przewalskii (Equus) 1930 ziphoides McClung 1926 Psalisauridae [Acanthopholidae] Nodosauroidea ?Psalodon Plagiaulacidae Protospinacidae Squaliformes Zittel 1932 (Eusemarshi Simpson, G. G. 1929A · lachii) Protospinax Psammodontidae Bradyodonti Protospinax Protospinacidae Regan 1929C Psammodus, Strophodus? Psammodus Psammodontidae Tilton 1931B Protospondyli [Holostei partim] Ganoidei Zittel Psammolepis Drepanaspidae 1932 gigantea Gross, W. 1933A Protostega Protostegidae Nopesa 1928B heteraster Gross, W. 1933A Protostegidae Cryptodira Archelon, Protostega, Protosphargis imperfecta Gross, W. 1933A. Protosteginae [Protostegidae] Cryptodira Nopesa paradoxa Gross, W. 1933A striata Gross, W. 1933 A 1928B (of Cheloniidae, incl. undulata Gross, W. 1933A Archelon, Protosphargis, Psammornis Aepyornithidae Lowe, P. 1928B, Protostega and Toxochelys) Protostrigidae Strigiformes Wetmore 1933F (of 1933B: Schönwetter 1929 Heterostraci [Drepanaspidae] Psammosteidae Striges) Gross, W. 1930; Whitley Protostrix Protostrix Protostrigidae Wetmore 1933F Psammosteus Drepanaspidae Gross, W. 1930; lydekkeri Wetmore 1933F Protosuchia Crocodilia Mook (Jour. Geol. 42, 1934. Obrutschew 1932B arenatus Gross, W. 1933A incl. Protosuchidae) heteraster Gross, W. 1933A [Notochampsidae] Protosuchia Protosuchidae

1933A (for

Brown, B.

Archaeosuchidae preocc.)

imperfectus Gross, W. 1933A

meandrinus Gross, W. 1933A

megalopteryx Gross, W. 1933A paradoxus Gross, W. 1933A perneri Ruzicka 1929 serrulatus Gross, W. 1933A undulatus Gross, W. 1933A Psephoderma Placodontia Nopcsa 1928B (Teleosauridae); Zittel 1932 Psephodus Cochliodontidae Claus 1928 Psephophorus Dermochelyidae polygonus Glaessner 1933A Psephosaurus Placodontidae suevicus Schmidt, M. 1931 Pseudaelurinae Felidae Kretzoi 1929 (Incl. Pseudaelurus. Parapseudailurus and Metailurus) Pseudaelurus Felidae Frick 1931A; Piveteau 1932A; Stock 1933F; Stromer 1928D africanus Kretzoi 1929; Pilgrim 1931 intrepidus Pilgrim 1931 sinclairi Kretzoi 1929; Pilgrim 1021 (?) pontopersicus Kretzoi 1929 quadridentatus Kretzoi 1929 sivalensis Kretzoi 1929 Pseudomegatherium Pseudalaudula Neognathae?, incertae sedis pispoletta obscura Tugarinov 1932 Pseudalopex Canidae proplatensis inexpectatus Rusconi 1933C Pseudamphimeryx Anthracotheriidae hantonensis Cooper, C. 1928 Pseudorhinolophus pseudanaema (Issiodoromys) Pseudanosteira Carettochelyidae Clark, J. 1932A pulchra Clark, J. 1932A Pseudarctos Canidae bavarious Viret 1933A pseudarctos (Thryptacodon) Pseudarctotherium Canidae Kraglievich 1928A brasiliensis Rusconi 1933F debilis Kraglievich 1928A Pseudaxis Cervidae hortulorum Young 1932C Pseudemys Emyidae idahoensis Gilmore 1933B Pseudictops Leptictidae Matthew, Granger & Simpson 1929 lophiodon Matthew, Granger & Simpson 1929 pseudoacuminatus (Uranoscopus) Pseudocardiomys Caviidae intermedius Kraglievich 1932B minutus Kraglievich 1932B paranensis Kraglievich 1932B Pseudocentromorpha Amphibia Huene, F. 1931J (Order, incl. Pseudocentrophori, Adelospondyli and Urodela)

Pseudocreodi [Oxyaenoidea] Creodonta Weber, M. 1928A (Tribe, incl. Oxyaenidae and Hyaenodontidae) Pseudocreodi [Canoidea] Fissipedia Kretzoi 1929 (Superfam. of Paracarnivora) Pseudocynodictis Canidae Stock 1932E (?) pavidus Stock 1933B Pseudocyon Canidae Pilgrim 1931; Viret 1929C gerandianus Viret 1929C robustus Pilgrim 1931 sansaniensis Helbing 1929A Pseudodontornis Pelecaniformes Lambrecht 1930B longirostris Lambrecht 1930B Pseudogalerix Erinaceidae Gaillard 1928B stehlini Gaillard 1928B (Stehlini) Pseudohegetotherium Hegetotheriidae Cabrera & Kraglievich 1931 torresi Cabrera & Kraglievich 1931 Pseudoloris Tarsiidae Weigelt 1933D abderhaldeni Weigelt 1933D Pseudomacrauchenia Macraucheniidae Kraglievich 1930C yepsi Kraglievich 1930C Megatheriidae Kraolievich 1931K medinai Kraglievich 1931K Pseudopalatus [Machaeroprosopus] Phytosauridae pristinus Camp 1930B Rhinolophidae Dollman 1929A Pseudoscarus Scaridae Beaufort 1928 Pseudosciurus Sciuridae frassi Dietrich 1929A, B suevicus Dietrich 1929A, B Pseudosigmomys Chinchillidae Kraglievich 1931E paranensis Kraglievich 1931E Pseudostylops Mammalia, incertae sedis Simpson, G. G. 1933R Pseudosuchia Thecodontia Huene, F. 1931B (also Centralbl. Min. Geol. Pal., 1936, Abt, B, p. 167, incl. Pelycosimioidea and six families related to Aëtosauridae) Pseudosuchoidea [Pseudosuchia partim] Thecodontia Nopcsa 1928B (Suborder, incl. Proterosuchidae. and Ornithosuchidae) Pseudotantalus Ciconiiformes milne-edwardsi Lambrecht 1930B Pseudotragina Bovidae Sickenberg 1929B (Miotragocerus) Pseudotraginae Bovidae Pilgrim & Hopwood 1928 Pseudotragus Bovidae capricornis var. hippolyte Pilgrim & Hopwood 1928 Pseudotrionyx Carettochelyidae Bergounioux 1932B; Hummel 1929 pseudovindobonensis (Trionyx) Psilopteridae [Phororhacidae] Phororachi Krag-

lievich 1932C (of Stereor-

nithes)

pseudocostata (Nostolepis)

Pseudocentrophori Amphibia Huene, F. 1931J

(Suborder of Pseudocen-

tromorpha to incl. "super-

families" Nectridae [=

Ptyoniidael, Aistopodidae

and Brachiosauridae)

Psilopterus Phororhacidae Kraglievich 1932C Psilotrachelosaurus Nothosauridae Nopcsa 1928C, B (Philotrachelosaurus)

toplitschi Nopesa 1928C

Psittacidae Psittaciformes

Archaeopsittacus, Psittacus

Psittaciformes Neognathae

Psittacosauridae Iguanodontoidea Nopesa 1928B. 1929C (Incl. Leptoceratop-

sinae)

Protiguanodon, Psittacosaurus

Leptoceratopsinae

Psittacosaurus Psittacosauridae Nopcsa 1929C; Woodward 1929D

osborni Young 1932B

(?) tingi Young 1932B

Psittacotherium Stylinodontidae Simpson, G. G. 1929B

lobdelli Simpson, G. G. 1929J

Psittacus Psittacidae Nagy 1929

verrauxi Lambrecht 1933B

Ptenodracon Pterodactylidae Plieninger 1930 [Pterodactylus]

Pteranodon Ornithocheiridae Nopcsa 1928B Pteranodontia Pterosauria Perrier 1928 (Order)

Pteranodontidae [Ornithocheiridae] Pterodactyloidea Hay 1930A; Nopesa 1928B

Pteraspidae (Incl. Anglaspidae, Cardipeltidae. Ctenaspidae. Cyathaspidae, Dinaspidae, Dip-

laspidae, Palaeaspidae, Poraspidae, Tolypaspidae, Traquairaspidae) Heterostraci Brotzen 1933B;

Archaegonaspis (= Arche-Anglaspis, ?Cardipeltis, gonaspis). Cyathaspis, Ctenaspis, Dictyaspis, Dinaspis, Eoarchegonaspis, Glossoidaspis (?), Homalaspis, Palaeaspis, Poraspis (= Holaspis preocc.) Pteraspis, Traqua-

Gross, W. 1933D

iraspis Pteraspidomorpha Ostracodermi Pteraspis Pteraspidae Schmidt, H. 1933

bucheri Bryant 1932, 1933 concinna Brotzen 1933B

dorfi Bryant 1932, 1933

dunensis Gross, W. 1932C, 1933D; Marlière 1932

iwaniensis Brotzen 1933B lerichei var. plana Brotzen 1933B magnipinealis Brotzen 1933B primaeva Kiaer 1930B rotunda Gross, W. 1932C, 1933C, D smith-woodwardi Broili 1933A.

vogti Kiaer 1930B Pterichthyodes Asterolepidae Stensiö 1931 Pterichthys Asterolepidae Evans 1929; Regan

1929C cellulosus Gross, W. 1933A concatenatus Gross, W. 1933A depressus Gross, W. 1933A

dohmi Gross, W. 1933D granulatus Gross, W. 1933A lüdenscheidensis Gross, W. 1933D

rhenanus Gross, W. 1933D schoendorfi Gross, W. 1933A

Pterodactylia Pterosauria Perrier 1928 (Order) Pterodactylidae (Incl. Ornithocephalidae) Pterodactyloidea

> Ctenochasma, Gnathosaurus, Pterodaetylus (= Cycnorhamphus = Ptenodracon = Ornithocephalus)

> > Ctenochasminae, Ornithocephalinae. Ornithodesminae. Pterodactylinae

Pterodactylinae Pterodactylidae Nopcsa 1928B (Incl. Cycnorhamphus. Ptenodracon and Pterodactylus)

Pterodactyloidea Pterosauria Romer 1933C Pterodactylus Pterodactylidae Döderlein 1929A:

Edinger 1929D; Frank 1928 arningi Reck 1931A brancai Reck 1931A

brevirostris Wiman 1930C cormoranus Döderlein 1929B

crassipes Lambrecht 1928B, 1929D elegans Rabaud 1931

kochi Drevermann 1930F, 1932A; Lambrecht 1928B, 1932C

maximus Reck 1931A spectabilis Rabaud 1931

westmani Lambrecht 1928B: Wiman 1928A

Pterodermata [Rhamphorhynchoidea] Pterosauria Zittel 1932

Pterodon Hyaenodontidae Matthew 1929Q californicus Stock 1933D

Pterolepidae Anaspida Rhyncholepis

Pteronisculus Palaeoniscidae White, E. 1933B cicatrosus White. E. 1933B

macropterus White, E. 1933B Pteroplax Anthracosauridae

cornutus Watson 1929K Pteropodidae Megachiroptera

Archaeopteropus (?) Pterosauria Archosauria Döderlein 1929A, B, C,

D (anatomy); Nopesa 1928B (order of Praepubici, incl. Tribelesodontoidea Rhamphorhynchoidea and Pterodactyloidea); Perrier 1928 (subclass of Reptilia, incl. Pterodactylia and Pteranodontia); Petronievics 1928A, C (Anurognathus); Plieninger 1930 (bibliography); Watson 1929H; Wiman 1928A; Zittel 1932 (incl. Pterodermata and Ornitho-

cheiroidea) Pterosphenus Palaeophidae Nopcsa 1928B Pterospondylus Hallopodidae Huene, F. 1932A



Pterychthyomorphi [Antiarchi] Placodermi Good-Puffinus Procellariidae arvernensis Wetmore 1930F rich 1930B (order of Ostrainceptor Wetmore 1930F codermi) Pugmeodon (= Halitherium) Dugongidae Simp-Ptilocercus Tupaiidae Stromer 1928D Ptilodontidae Plagiaulacoidea Simpson, G. G. son, G. G. 1932C pugnator (Borophagus, Osteoborus, Porthocyon) 1928C, 1929A pugnax (Jonkeria) Cimolomys (= Cimolodon = Nanomys pulchella (Mustela) preocc. = Nanomyops = pulcher (Scopelus) Allacodon). Essonodon. pulcherrimum (Melanerpeton) Eucosmodon. Liotomus pulchra (Pseudanosteira) (= Neoctenacodon), Menis-Puma Felidae Kretzoi 1929 coëssus (= Dipriodon = Tripriodon = Selenacodon pumilio (Lagomeryx) pumilis (Graculavus) = Halodon = Oracodon), numilus (Rhynchippus) Microcosmodon, Neoliotopumpellii (Equus caballus) Bourdelle 1933 mus, Neoplagiaulax, Parecpunctolineatum (Ceraterpeton) typodus, Paronychodon, punctulatus (Isodectes, Tuditanus) Ptilodus (= Chirox) punjabensis (Giraffokeryx, Mellivora, Promellivora, Ptilodus Ptilodontidae Granger & Simpson 1929; Rhizomys) Simpson, G. G. 1929A, 1933 N puniabiense (Hipparion) cochranensis Russell, L. 1929A punjabiensis (Indarctos, Rhizomys) Puppigerus Cheloniidae mediaevus Granger & Simpson 1929 camperi Bergounioux 1933C; Edinger plicatus Granger & Simpson 1929 1933A Ptychocynodon ?Dicynodontidae Broom 1932B pusilla (Trochictis) [Kannemeveria?]. Nopcsa Indobatrachus, Mimomys, pusillus (Belosteus, 1928B (Lystrosaurinae) Neusticosaurus, Sorex) Ptychodontidae Rajiformes Ptvchodus pustulata (Didymaspis) Ptychodus Ptychodontidae Branson & Mehl pustuliferus (Sclerodus) 1931B; Gross, W. 1933D; pustulosus (Dinichthys) Putoriinae Mustelidae Stromer 1929D (Miocene Stromer & Weiler 1930 rugosus Yabe & Obata 1930A Europe) Putorius Mustelidae Loomis 1932A ptychodus (Synconolophus) Putterillia Lydekkerinidae Broom 1930C Ptychogaster Emyidae Berckhemer & Seemann platyceps Broom 1930C 1930; Weigelt 1931, 1932A putterilli (Lydekkerina, Thrinaxodon) boettgeri Berckhemer & Seemann 1930 puyhauberti (Dorcatherium) münzenbergensis Staesche var. Pycnodontidae Holostei 1928 Anomoeodus, Coelodus. Gyrodus. schafferi Glaessner 1930 Palaeobalistum, Pycnodus Ptychognathus Lystrosauridae Huene, F. 1931A Pycnodus Pycnodontidae Lafetéur 1930 Ptychosiagum Lystrosauridae Huene, F. 1931A toliapicus Sarra 1930 Ptyctodontida Brachythoraci Gross, W. 1933D Pycnosteus Drepanaspidae Gross, W. 1930 (Subclass of Placodermi) palaeformis Gross, W. 1933A Ptyctodontidae Brachythoraci Pyelorhamphus Icteridae Ptyctodus, Rhynchodus molothroides Miller, A. 1932A Brachythoraci Romer Ptyctodontoidia 1930TD pygmaeum (Hyotherium) (Suborder of Arthrodira) Agorophius, Cerodon, pygmaeus (Acanthodes, Ptyctodus Ptyctodontidae Dutertre 1929B Parapalaeobates, Pholidos-Ptyoniidae [Nectridia] Lepospondyli Huene, F. teus, Traquairichthys) 1931J (Superfam. syn. with pygmoeus (Mastodon) the "superfamily" Necpygolopha (Geoclemys) tridae) Pygopterus Palaeoniscidae scutellatus Romer 1930D Ptyonius Urocordylidae Pylmophis Boidae Nopesa 1928B (Colubridae) marshii Romer 1930D Pyramiodontherium Megatheriidae Kraglievich nummifer Romer 1930D 1931K pectinatus Romer 1930D (?) carlesi Kraglievich 1930C serrulus Romer 1930D pyrenaicus (Amphicyon) Pyrotheriidae Pyrotheria pyriticum (Dendrerpeton) Ptyssophorus Muridae Pyrotheria Monodelphia Weber, M. 1928A rotundatus Rusconi 1931I, 1931K Pyrotheriidae Pyrotheria Simpson, G. G. 1931B

Pythoninae [Boinae] Boidae Nopesa 1928B (of

Alethinophidae, incl. Boa-

Puercosaurus Captorhinidae Nopesa 1928B

pueyrredonensis (Pelecyornis)

vus, Bothrophis, Calamagarcticus Jacobi 1929 A ras, Gigantophis, Heterofossilis Jacobi 1929A phyton, Lithophis, Paleryx, tarandus Gaal 1928, 1929; Gardiner & Bate Protagras, Scaptophis and 1933; Gromova 1929; Hennig Trachyboa) 1931A; Isberg 1930A; Jacobi quadrangularis (Apogon) 1929A; Jägerskiöld 1933; quadridentata (Ailuromachairodus, Felis) Oppenheimer 1933 quadridentatus (Eomoropus, Pseudailurus) Raniceps Otolithus quadrilobata (Cooleyella) cf. planus (Otolithus) Hucke & Voigt 1929 quadriscissus (Ichthyosaurus, Stenopterygius) tuberculosus (Otolithus) Hucke & Voigt quagga (Equus) quartus (Diprionomys) raniceps (Anthracosaurus) quassus (Gyrinodon) Ranidae Diplasiocoela quatalensis (Citellus) Rana queenslandicus (Kronosaurus) rankinii (Pleuroplax) Quemisia Chinchillidae Miller, G. 1929B Rapator Compsognathidae Huene, F. 1932A gravis Miller, G, 1929B ornitholestoides Huene, F. 1932A quenstedti (Plateosaurus) rapax (Hadrosteus) quequenense (Paleocavia) rapheidolabis (Macropetalichthys) quercyi (Diplobune, Melissiodon) Rapidentichthys Elasmobranchii, incertae sedis Quercyrallus Rallidae Lambrecht 1933B Branson, C. 1932B dasypus Lambrecht 1933B uncinatus Branson, C. 1932B Quercytherium Hyaenodontidae Colbert 1933E rapiens (Thescelus) raptorius (Indosuchus) raabi (Necrolemur) rarus (Rhabdognathus) Rachiocephalus [Rhachiocephalus] Dicynodontidae Ratitae [Palaeognathae] Neornithes Lowe, P. Broom 1932B [?Platypodo-1928B (phylogeny) saurusl ratticepoides (Microtus) Rachitomous Eryopidae Romer 1928G rebagliatti (Gyriabrus) rácmecskeensis (Testudo) rebeli (Propercarina) radiata (Asterolepis) recens (Homo, Neolicaphrium) radiatus (Erpetosaurus, Tuditanus) recki (Adenota, Prototocyon) radiciformis (Thaleroceros) recki (Elephas antiquus) Dietrich 1933 (Pilgrimia) radicosus (Onychodus) Hopwood 1932A, C Raineria (Selachii) Pristiophoridae Osswald 1929A recki (Palaeoloxodon antiquus) Hopwood 1933B Rajiformes Selachii recticornis (Elegantaspis, Ovibos) Rajoidae [Rajoidea] Rajiformes Hay 1930A (Superrectidens (Oestocephalus) fam.) rectistriata (Cooperella) raki (Altomeryx, Mastodon) rectus (Conger, Otolithus) Frost 1928 (Congeris) Rallicrex Rallidae Lambrecht 1933B rectus (Elops, Otolithus) Frost 1933A kolozsvárensis Lambrecht 1933B recurvus (Elops, Otolithus) White & Frost 1931 Rallidae Ralloidea redfieldi (Catopterus) (partim), Eocrex, Fulica, Aletornis regalis (Hesperornis) Fulicaletornis, Miofulica, regularis (Scopelus, Otolithus) Frost 1933B Miorallus, Palaeorallus, reichi (Orodus) Palaeoramides, Paraortrygreisi (Hypoprion) ometra, Pararallus, Quer-Reithrodon Muridae cyrallus, Rallicrex, Rallus, olivensis Rusconi 1931I, 1931K Telmatornis remex (Ctenerpeton, Oestocephalus, Sauropleura) Ralloidea Grues Hay 1930A (Ralloidae of Ralli-Remigolepidae [Asterolepidae] Antiarchi Stensiö formes) 1931 (Type Remigolepis) Rallus Rallidae Remigolepis Asterolepidae Hills 1932; Stensiö 1931 chrystyi Lambrecht 1933B acuta Kulling 1931; Stensio 1931 dasypus Lambrecht 1933B cristata Kulling 1931; Stensiö 1931 dispar Lambrecht 1933B incisa Kulling 1931; Stensiö 1931 intermedius Lambrecht 1933B kochi Kulling 1931; Stensiö 1931 kolozsvárensis Lambrecht 1933B kullingi Kulling 1931; Stensiö 1931 major Lambrecht 1933B (?) tuberculata Stensiö 1931 porzanoides Lambrecht 1933B Remiornis Phororhaci Lowe, P. 1928B ramosum (Brontotherium, Titanotherium) renieri (Rhadinichthys) Rana Ranidae Reptilia Tetrapoda Broom 1931C; Dittler, et al. arvalis Brunner 1933 1931, 1933; Dunn 1931 (diskisatibensis Riabinin 1928 tribution); Efremov 1932B, randannensis (Rhinoceros) 1933B (Russia); Gilmore & Rangifer Cervidae Edinger 1931B; Ehrenberg Cochran 1980 (popular); 1932B; Gromova 1929; Gould 1929A (Cretaceous);

Loomis 1928B

Gürich 1931 (classification); Hay 1930A (Class incl. Atremata. Peciloglyptica. Diplotremata, and Monotreta); Leidy 1932 (Cretaceous); Nopesa 1928A (phy-. logeny, etc.) B (Class incl-Anapsida, Monozygocrotapha, and Archosauria; systematics), C (general); Romer 1933C (Class incl. Anapsida, Ichthyoptergia?, Synaptosauria?. Lepidosauria?, Archosauria and Synapsida); Tornier 1933 Watson 1929I (general); (general)

Incertae sedis: Eusauropleura, Tuditanus (= Isodectes)

reuningi (Eoxenopoides)

rex (Acinonyx, Paracinonyx, Tyrannosaurus)
Rhabdocephalus Lystrosauridae Huene, F. 1931A
Rhabdodon Iguanodontidae Noposa 1928E
Rhabdognathidae [Pholidosauridae] Mesosuchia

Swinton 1930D Rhabdognathus Pholidosauridae Swinton 1930D rarus Swinton 1930D

Rhachicephalodon Dicynodontidae Huene, F.

Rhachiocephalus Dicynodontidae Broom 1932B (Platypodosaurus =

"Rachiocephalus"?) Huene F. 1931A (Rhachicephalus)

Rhachitomi Labyrinthodonti Noble 1931 (Rachitomi of Labrinthodontia)

Incertae sedis: Goniocara (= Goniocephalus Broili preocc.)

Rhadinichthys Palaeoniscidae Moodie 1931C;

Regan 1929B cf. antiquus Gross, W. 1933D devonicus Gross, W. 1933D ornatissimus Claus 1928 planti Pruvost 1928A renieri Wehrli 1932

Rhadinorhininae (= ?Megaceropinae) Brontotheriidae Osborn 1929O (Incl. Rhadinorhinus)

Rhadinorhinus Brontotheriidae Edinger 1933A abbotti Osborn 1929O

diploconus Osborn 1929O Rhaeticonia Nothosauridae Nopesa 1928C (Rhaticonia)

Rhagatherium Anthracotheriidae Heller 1930B kowalevskyi Weigelt 1931, 1932A

Rhamphorhynchidae Rhamphorhynchidea Anurognathus?, Rhamphorhynchus Anurognathinae?, Rhamphorhyn-

chinae Rhamphorhynchinae Rh

Rhamphorhynchidae Nopesa 1928B (Incl. Campylognathus, Dorygnathus

and Rhamphorhynchoidea
Rhamphorhynchoidea
(Incl. Dimorphodontidae
and Rhamphorhynchidae);
Romer 1933C

Rhamphorhynchus Rhamphorhynchidae Döderlein 1929A; Frank 1928 (Ramphorhynchus)

> gemmingi Döderlein 1929D; Koenigswald 1931B; Rabaud 1931; Wiman 1928A

kokeni Koenigswald 1931B longicaudatus Wiman 1930C longiceps Koenigswald 1931B megadactylus Koenigswald 1931B muensteri Lambrecht 1928B phyllurus Watson 1929H tendagurensis Reck 1931A

Rhamphostoma Alligatoridae neogaea Rusconi 1933 D

Rhamphostomopsis Alligatoridae Rusconi 1933D intermedius Rusconi 1933D neogaea Rusconi 1933D

Rhamphosuchus Gavialidae Nopesa 1928B Rhea Reidae

> americana Ameghino & Rusconi 1932 anchorenense Ameghino & Rusconi 1932

fossilis Ameghino & Rusconi 1932; Lowe, P. 1928B

pampeana Ameghino & Rusconi 1932 subpampeana Lowe, P. 1928B

Rheidae Rheiformes

Heterorhea, Rhea

Rheiformes Palaeognathae

Rhenanidi Aphetohyoidea Gross, W. 1933D (Subclass of Placodermi); Romer 1930D (Rhenanida of Chondricthyes); Zittel 1932 (Order of Elasmobranchii)

rhenanus (Dryopithecus, Heterostius, Pterichthys) Rhineastes Siluridae

grangeri Hussakof 1932

Rhinesuchidae (incl. Benthosauridae) Rhachitomi Efremov 1930; Riabinin 1930C (incl. Wetlugasaurus)

Benthosaurus, Gondwanosaurus, Laccocephalus, Rhinesuchus (= Myriodon = Uranocentrodon), Trematosuchus, Wetlugasaurus

Rhinesuchus Rhinesuchidae Efremov & Kuzmin 1932A

> broomianus Huene, F. 1931A whaitsi Pfannenstiel 1932A

Rhineura Amphisbaenidae

sternbergii Walker 1932B Rhinoceridae [Rhinocerotoidea

Rhinocerinae Rhinocerotidae Weber, M. 1928A (Incl. Rhinoceros = Monocerhinus)

rhinocerinus (Eotrigonias)

Rhinoceros Rhinocerotidae Chardin 1930C, 1931A; Matthew 1931A, 1932B; Tolmachoff 1929; Van Es 1931

> antiquitatis Chr. 1930; Stromer 1928B (Tichorhinus); Susta 1932; Zeuner 1932

elatus Matthew 1929A

etruscus Athanasiu & Preda 1929: Breuer lin 1930A (dental formula): 1931C; Bruet 1928; Freu-Wood, H. 1929A, 1931, 1932, denberg 1928, 1931 1933 heidelbergensis Freudenberg 1929A ·Aceratherium, Allacerops (= Engvohemitoechus Hinton 1932B; Matthew don); Amphicaenopus. 1929A (Opsiceros) Aphelops, Atelodus, Baluincisivus Viret 1929C chitherium (= Indricoindicus Matthew 1929A therium), Brachypotherium fossilis Matthew 1929A Caenopus, Ceratotherium, kendengindicus Van der Maarel 1932 Chilotherium (= Aprotokirchbergense Matthew 1929 A don), Coelodonta, Diaceralenensis Jacobshagen 1933A therium, Diceratherium, leptorhinus Kendall 1929; Matthew 1929A Dicerorhinus (= Cerato-(Opsiceros); Stehlin 1930B rhinus), Diceros, Eggyso-Iunellensis Matthew 1929A don, Elasmotherium, Eomegarhinus Chandler 1931: Matthew trigonias, Epiaceratherium, 1020 A Eusyodon, Meninatherium. merchianus etruriae Caccia 1928 Menoceras, Mesoceras, Opsiceros, Paracaenopus, Paramercki Angelis d'Ossat 1930: Arambourg 1932; Bataller 1932; Berckceratherium, Paraphelops. 1928A; Bernsen hemer Peraceras, Plicatodon?. Praeaceratherium. 1933; Bonarelli 1930; Breuil Pro-1932C: Buxton 1929: Chandhyracodon, Protaceratherler 1931; Erasmo 1932B; ium, Rhinoceros (= Mono-Matthew 1929A; Obermaier cerhinus), Ronzotherium, 1932: Schroeder 1930: Topa Sinotherium, Subhyraco-1932: Voelcker 1932B don, Teleoceras, Tichomonspessulanus Matthew 1929A rhinus, Trigonias oregonensis Matthew 1932B Aceratheriinae, Allaceropinae, Caenopinae, Dicerinae, Dicerpachygnathus Arambourg & Piveteau 1929A; Nafiz & Malik 1933 orhinae, Epiaceratheriinae, Rhinocerinae, Teleocerinae palaeindicus Matthew 1929A paradoxus Viret 1929C (= Brachypodinae) planidens Matthew 1929A Rhinocerotoidea Perissodactyla Hay 1930A (Rhinocerotoidae) protichorhinus Matthew 1929A randannensis Viret 1929C Rhinolophidae Rhinolophoidea Alastorius (= Alastor preocc.), Pseudosansaniensis Kühn, Othmar 1928 schlieirmacheri Macarovici 1930 [See: Cerarhinolophus, Rhinolophus Rhinolophoidea Microchiroptera Weber, M. 1928A torhinus schleiermacheri] simus Arambourg 1931A (tribe) sinensis Anon. 1929S: Chardin 1930G: Rhinolophus Rhinolophidae lemanensis Viret 1929C Chardin & Piveteau 1930; Rhinopomidae Emballonuroidea Weber, M. 1928A Osborn 1931F sivalensis Matthew 1929A; Van der Maarel Rhinosteus Coccosteidae Gross, W. 1932B, 1933D parvulus Gross, W. 1932B 1932 traquairi Gross, W. 1932B sivasondaicus Van der Maarel 1932 sondaicus Van der Maarel 1932 tuberculatus Gross, W. 1932B Rhipidistia (= Holoptychii = Osteolepidoti) Crossubivermis Anderson, R. 1932 sopterygii tapirinus Viret 1929C tichorhinus Bigot 1929; Botez 1930, 1933; Rhiptoglossa Ascalabota Rhizodopsis Megalichthyidae Botzong & Voelcker 1930; sauroides Simpson, H. 1933; Thomasset Breuil 1930; Chardin 1930G Chardin & Piveteau 1930; 1931A wachei Wehrli 1932 Clifford 1931: Hennig "Rhizodus" Stegocephalia 1931A (Coelodonta); Kenangustus Romer 1930D (Colosteus) dall 1929; Oppenheimer incurvus Romer 1930D (Leptophractus) 1933; Stromer 1928B lancifer Romer 1930D (Leptophractus) Rhinocerotidae (= Rhinoceridae; incl. Elasmo-See also: Megalichthys theriidae. Baluchitheriidae Rhizomvidae [Spalacidae] Myoidea = Indriocotheriidae) Rhino-Rhizomyinae Spalacidae Hinton 1933 (in Muridae) cerotoidea Beliaeva 1928, Rhizomys Spalacidae Matthew 1929A 1930 (catalogues); Gatujew lydekkeri Hinton 1933 (Indricotherium); 1933

Matthew

1931A (phylogeny), 1932B (general),

1929A (systematics); Steh-

nagrii Hinton 1933

pilgrimi Hinton 1933 pinjoricus Hinton 1933

Rhyphodon Homalodontotheriidae punjabensis Colbert 1933F lankesteri Simpson, G. G. 1932E, 1933A sinensis Young 1929 Rhytidodon Phytosauridae Rhizospalax Spalacidae poirreri Stromer 1928D; Viret 1929C rostratus Camp 1930B [Rutiodon] Rhodanomys Muridae Viret 1929C Rhytina (= Rytina) [Hydrodamalis] Dugongidae Edinger 1930D; Simpson, schlosseri Viret 1929C 1932C Rhodanosaurus Acanthopholidae Nopcsa 1929C Rhytiodon Phytosauridae Camp 1930B [Rutiodon] ludgunensis Nopcsa 1929C carolinensis Case 1931C rhodesiensis (Cyphanthropus, Homo) Rhytiodus (= Rytiodus) Dugongidae Simpson, Rhoetosaurus Cetiosauridae Huene, F. 1929D, G, G. G. 1932C 1932A; Longman 1929 Rhomalaeosaurinae [Rhomaleosaurinae] Plesiosaurricardoensis (Osteoborus) richardsoni (Archaeosuchus, Protosuchus) idae Nopesa 1928B (of richthofeni (Hipparion) Elasmosauridae. incl. Rhomalaeosaurus) Ricnodon Branchiosauridae Huene, F. 1931J ridgwayi (Citellus) Rhomaleosaurus Plesiosauridae Nopcsa 1928B Rigalites Ichnites Huene, F. 1931C (Rhomalaeosaurus) Rhombodus Trygonidae Stromer & Weiler 1930 ischigualastianus Huene, F. 1931C rigauxi (Ganorhynchus) rhomboidalis (Sansanosmilus) rhomboidelis (Holmesella) riggsi (Allognathosuchus, Borhyaena, Halmarhiphus, Megacerops) rhombolepis (Cricodus, Polyplocodus) Rileya Phytosauridae Nopcsa 1928B Rhomburio ?Pisces bristolensis Camp 1930B litoralis Freudenberg 1931 Rhombus Pleuronectidae platyodon Camp 1930B stutchburi Camp 1930B stamatini Pauca 1931A Rhopalodon Gorgonopsia Efremov 1931 riograndensis (Tatabelodon) Rhynchippidae [Notohippidae] Toxodonta riparius (Metarhinus) Rhynchippus Notohippidae Edinger 1933A; Patrisinensis (Actinodon) terson, B. 1932A roberti (Archaeophasianus, Phasianus) pumilus Simpson, G. G. 1932G robusta (Dinaspis, Lutra, Mustela, Platylithax, Plesiogale, Thalassictis) Rhynchocephalia Lepidosauria Fraipont & Leclerco robusta (Homalaspis nitida) Kiaer 1932 1932A; Huene, F. 1929G; robustum (Ictitherium) Romer 1933C; Wettstein 1932 (general) robustus (Amphicyon, Brontops, Camarasaurus, Rhynchodus Ptyctodontidae Canis. Cyclotosaurus. tetrodon Gross, W. 1933D Dicynodon, Equus, Gigan-Rhyncholepis Pterolepidae Regan 1929A tosaurus, Gresslyosaurus, Rhynchorostrinae Mastodontidae Osborn 1929J Hydrochoerus, Limnohyops Rhynchosauridae Rhynchocephalia Huene, F. Limnohyus, Macroeyon, 1929G: Nopesa 1928B (incl. Mylodon. Neochoerus. Mesosuchinae and Rhyn-Palaeosyops, Pelobates. chosaurinae) Plateosaurus, Procamelus, Pseudocyon, Cephalastron, Cephalastronius, Cepha-Simocyon, Ionia, Eifelosaurus, Hyper-Sterrohippus, Tapirus, Tetodapedon (= Parasuchus), rastylus, Titanosaurus) Rhynchosaurus, Scaphonyx robustus (Equus caballus) Antonius 1928; Schwarz, Stenometopon E. 1928 Rhynchosaurinae robustus (Plesictis r. var. croizeti) Viret 1929C Rhynchosaurinae Rhynchosauridae Nopesa 1928B Rodentia (= Glires) Monodelphia Dal Piaz (incl. Eifelosaurus, Hyper-1929C; Dubois, G. 1928C odapedon, Rhynchosaurus (craniology); Frechkop and Stenometopon) 1932B (dentition); Friant Rhynchosauroidea Rhynchocephalia Nopcsa 1931B, 1933B, C (dentition); 1928B (suborder, incl. Kraglievich 1930H (Uru-Howesiidae and Rhynchoguay); Schreuder 1928A, sauridae) B, C, 1929 (Conodontes), Rhynchosaurus Rhynchosauridae 1931 (Castoridae), 1933A articeps Huene, F. 1929G (Microtinae), 1933B: Simp-Rhynchotherijnae Mastodontidae Cabrera 1930 (of son, G. G. 1930F (popular) Gomphotheriidae) Incertae sedis: Daemonelix Rhynchotherium Mastodontidae rodleri (Gazella) chinjiensis Osborn 1929J roemeri (Onchus) paredensis Osborn 1929J rogeri (Dorcatherium) Rhynotragus Bovidae rogersi (Brachypareia, Phalacrocorax)

rollinati (Diplocynodon, Pristichampsus)

semiticus Dietrich 1933

romana (Lutra) rutonensis (Cricetus vulgaris) Heller 1933B romanicus (Merluccius) ryani (Balaenoptera) Romerolagus Leporidae Dice 1929 Rytina (for Rhytina) [Hydrodamalis] Dugongidae rondelettiformis (Carcharodon) Simpson, G. G. 1932C Ronzotherium Rhinocerotidae Rytinidae [Dugongidae] Trichechiformes gaudryi Wood, H. 1931 Rytiodinae Dugongidae Simpson, G. G. 1932C rooksensis (Teleoceras) (Incl. Rytiodus = Rhyroosevelti (Cervalces) tiodus); Weber, M. 1928A rosmarus (Odobenus) (Rhytiodinae of Rhytinirossicus (Chalcosaurus) dae, incl. Rhytiodus) rossicus (Spelearctos spelaeus) Borissiak 1932 Rytiodus (for Rhytiodus) Dugongidae Simpson, rossicus (Ursus spelaeus) Borrissiak 1930B; Leh-G. G. 1932C mann 1933 rzehaki (Apostasis) rostrata (Poraspis) sabbae (Properca) Pauca 1929A rostratum (Aphaneramma) sabulosus (Phenacodaptes) rostratus (Oxyosteus, Rhytidodon, Trionyx) sackdillingensis (Glis) rothi (Chasicotherium, Oioceros, Prototrigodon) sackdillingensis (Myoxus glis) Heller 1930A rotunda (Pteraspis) Sagatherium [Saghatherium] Saghatheriidae rotundatus (Arius, Otolithus) Roedel 1930 antiquum Edinger 1933A rotundatus (Entelomorphus, Ptyssophorus) sagittiformis (Macrurus, Otolithus) Frost 1933B rotundicornis (Helicotragus, Plataspis) Saghatheriidae Hyracoidea Simpson, G. G. 1931B; rotundiformus (Trionyx) rotundus (Bison, Svalbardaspis) Weber, M. 1928A. Geniohyus, Megalohyrax, Pliohyrax, Roussettus Megadermidae Prohyrax, Saghatherium gaillardi Gaillard 1928B (= Sagatherium), Titanorouvieri (Ursus) hyrax rouxi (Crocodilius) Saiga Bovidae roveretoi (Typothericulus) tatarica Degerbøl 1932 roveri (Nothrotherium) Salamandra Salamandridae ruber (Daphoenus) broilii Berckhemer & Seemann 1930 rubidgei (Dicynodon) Salamandridae Mutabilia rubiginosa (Felis, Prionofelis) Salamandra, Triton, Tylototriton rubricae (Anthracohyus, Anthracothema) Salamandrinae rufescens (Citellus, Spermophilus) Salamandrina [Mutabilia] Caudata Zittel 1932 ruffi (Megaceros) (Suborder of Urodela) rugiae (Gadus, Otolithus) Voigt 1928 Salamandrinae Salamandridae Bolkay rugosidens (Amphicyon, Palaeoscincus) (phylog. & morphol.) rugosifrons (Parurmiatherium) Salamandroidea [Mutabilia, partim] Caudata Hay rugosus (Aspideretes, Bulbocanthus, Megacyclops, 1930A (Salamandroidae); Ptychodus) Noble 1931 (Suborder) rumanus (Prospalax) salamandroides (Branchiosaurus) rumelicum (Brontotherium) saliens (Alactaga) rumelicus (Menodus) Salientia (= Anura) Amphibia Dunn 1931 (distri-Ruminantia Artiodactyla Romer 1933C (Incl. bution); Noble 1931 (bi-Protoselenodontia, Tyloology) poda and Pecora) Incertae sedis: Eobatrachus, Montruntonensis (Sorex) sechobatrachus, Stremmeia Rupricapra Bovidae salinicola (Paradolichotis) tragus Caterini 1933; Gromova 1929 Salmonidae Isospondyli Rusa Cervidae Loomis 1928B Thaumaturus elegans Chardin & Piveteau 1930 Salmonoidea Isospondyli Hay 1930A (Salmonoidae pachygnathus Joleaud 1928D: Young of Clupeiformes) 1932C salmontanus (Indarctos, Vishnuictis) ruscinensis (Dolichopithecus) salonicae (Crocuta, Hyaena) Rusconia Chinchillidae Kraglievich 1931E salteri (Thyestes) crassidens Kraglievich 1931E Ornithosuchidae Kuhn, Oskar Saltoposuchus rusconii (Scalabrinitherium) 1933A; Romer 1933C: russakovi (Ctenacanthus varians) Chabakov 1928B Schmidt, M. 1928 russelli (Anthracosaurus) Saltopus Podokesauridae Huene. F. 1932A; ruthenorum (Anodontacanthus) Stromer 1931A rütimeyeri (Angistorhinopsis, Mystriosuchus) salweyi (Cephalaspis) Rutiodon Phytosauridae Nopesa 1928B Samotherium Giraffidae Loomis 1928B carolinensis Camp 1930B samueli (Struthiomimus)

> Sandalodus Cochliodontidae morrisi North 1928A

manhattanensis Camp 1930B

rutonensia (Cricetus cricetus) Heller 1933B

Saurichthys [Birgeria?] Semionotidae Hartmannsandwithi (Equus) Weinberg 1933B: Hilzheimer sanfondensis (Hipparion) 1930B: Thomasset 1928A sanguinarius (Plionictis) Saniwa Varanidae Nopesa 1928B (Saniva) acuminatus Thomasset 1930B major (= ensidens) Hay 1930A irregularis Oertle 1928 seefeldensis Fowler 1930; Strand 1928 sanjuanensis (Hipparion) tenuistriatus Fowler 1930: Strand 1928 sanmeniensis (Equus) Sauripterus Megalichthvidae Holmgren 1933 sansaniensis (Erinaceus, Proscapanus, Pseudocyon, Saurischia Dinosauria Huene, F. 1929C, 1932A Rhinoceros) (order of Reptilia, incl. Sansanosmilus Felidae Kretzoi 1929 Coelurosauria, Carnosauria, palmidens Kretzoi 1929 (?) rhomboidalis Pilgrim 1932 Prosauropoda and Sauro-Nopesa (?) serratus Pilgrim 1932 poda); (Order, incl. Pachypodo-Sapheosauridae (= Saphaeosauridae = Sauranosauria, dontidae) Rhynchocephalia Coelurosauroidea, Megalosauroidea and Sauro-Romer 1933C (of Eosuchia) poda) Sapheosaurus, Sauranodon Saurocephalus Saurodontidae Stromer & Weiler [Sapheosauridae] Rhynchoce-Saphaeosaurinae phalia Nopcsa 1928B (of ferox Hav 1930A Sphenodontidae, incl. Saphaeosaurus) stewarti Hay 1930A Saurodontidae Isospondyli Sapheosaurus Sapheosauridae Nopesa 1928B (Sa-Saurocephalus phaeosaurus) sarasini (Diatryma) Sauroidea [Sauria] Squamata Nopcsa 1928B (Sub-Sarcolestes Stegosauridae? Nopcsa 1929C order, incl. Geckonidae, sarcophaga (Vinyakia) Iguanidae, Xantusidae, Sarcosaurus Coeluridae Nopesa 1928B Scincidae, Amphisbaenidae, andrewsi Huene, F. 1932A Anguinidae, Platynotidae, Mosasauridae and Rhiptowoodi Huene, F. 1932A sardus (Lophiodon) glossidae) sauroides (Rhizodopsis) Sargodon Semionotidae tomicus Thomasset 1929, 1930B Saurolophinae Trachodontidae Nopesa 1928B (Incl. Parasaurolophus, Prosaurosarmatica (Clemmys) lophus and Saurolophus) sarmaticum (Ictitherium) Saurolophus Trachodontidae Edinger 1929D sattleri (Dicraeosaurus) Sauranodon Sapheosauridae Zittel 1932 (Sphenokryshtofovici Riabinin 1930B dontidae) Sauromorus Anguidae Nopesa 1928B (in Anguin-Sauranodontidae [Sapheosauridae] Rhynchoininae) cephalia Sauropleura Urocordylidae Sauraviformes (= Rhizosauria) [Eosauravidae digitata Romer 1930D Seymouriamorpha distinctus Steen 1931A enchodus Romer 1930D 1930A (Suborder of Cotylofoveata Romer 1930D sauria) Sauravus Urocordylidae Romer 1930D latithorax Romer 1930D Saurerpeton Urocordylidae longidentata Romer 1930D; Steen 1931A latithorax Romer 1930D longipes Romer 1930D (Coelacanthidae?) Sauria (= Lacertilia) Squamata Dunn 1931 (dismarshii Romer 1930D; Steen 1931A newberryi Romer 1930D tribution); Mátyás 1929; Mátyás & Mihály 1932 (phypauciradiata Romer 1930D logeny) pectinata Romer 1930D; Steen 1931A Incertae sedis: Cadurcosaurus, Dicarlesia remex Romer 1930D (= Carlesia Huene, preocc.) scutellata Romer 1930D Dracaenosaurus, Lestophis Sauropoda Saurischia Huene, F. 1929C (Sauro-(= Limnophis preocc. = podia), 1932A; Janensch Plestiodon, Paleoboa), 1929A; Nopesa 1928B (Sub-Polyodontosaurus, Protraorder, incl. Morosauridae chysaurus Brachiosauridae), and Ardeosauridae 1930D Sauria vera [Sauria] Squamata Tornier 1933 (La-Sauropodomorpha Saurischia Huene, F. 1932A certosauria) (Incl. Prosauropoda and Saurichnium Ichnites Sauropoda) damarense Heinz 1932B Sauropterygia Synaptosauria Broili 1928B; Dienst

1933 (Nothosaurus); Huene,

F. 1932D; Martin, G. 1926

(Alaska), 1929F; Nopesa

tetractis Heinz 1932B

Saurichthyidae [Palaeoniscidae] Chondrostei Allis

1931B; Koch 1931

1928B (Incl. Trachelosauroidea, Nothosauroidea and Plesiosauroidea); Osswald 1929B (Placochelys); Peyer 1929C, 1930, 1931C, E, 1933A (Tanystropheus, etc.)

Sauropus Ichnites

(?) brunensis Willard & Cleaves 1930 Saurornithoides Coeluroidea, incertae sedis Huene, F. 1932A (Caudo-

Huene, F. 1932A (Caudo-coelus); Nopesa 1928B

Saurosternidae (= Younginidae = Paliguanidae)
Eosuchia Nopesa 1928B
(of Aerosauroidea: Parapsida); Romer 1933C (of
Eosuchia: Lepidosauria)

Aphelosaurus, Heleosaurus, Palaeagama, Saurosternon (= Saurosternum), Youngina

Saurosternon Saurosternidae Haughton 1929C Saururae [Archaeornithes] Aves Hay 1930A (Incl. Archaeopterygomorphi)

sauvagei (Caudocoelus, Diaphyodus, Erectopus) savini (Ovis, Sorex, Ursus)

saxoniae (Cursipes)

Scabellia Trigonostylopidae Simpson, G. G. 1933R scaber (Anomalichthys)

scabra (Stremmeia)

scalabrinianus (Eumegamys)

Scalabrinitherium Macraucheniidae Kraglievich

bravardi Rusconi 1932H ferreriai *Kraglievich* 1932D rusconii *Parodi* 1931

scalae (Caviodon)

Scaldicetus Physeteridae Borri 1932

grandis Van Deinse 1929 Scaloposauridae Therocephalia Noposa

(Gorgonopsoidea, incl. Scaloposaurinae and Akidognathinae) Watson 1931B (Therocephalia, incl. Icticognathus, Icticephalus, Simorhinella, Akidognathus, Cherosaurus, Scaloposaurus and Ericiolacerta)

1928B

Scaloposaurinae Therocephalia Nopesa 1928B (of Scaloposauridae, incl. Scaloposaurus)

Scaloposaurus Therocephalia

constrictus Watson 1931B

scandiaca (Nyctea)

Scaniornithidae Phoenicopteri Lambrecht 1933B (new?)

Parascaniornis

Scapanodon Titanosuchidae

duplessisi Broom 1929D; Huene, F. 1931A Scapanorhynchus Lamnidae Stromer & Weiler 1930

tenuis Kühn, Othmar 1930

Scaphiopodidae Anomocoela

Scaphiopus

Scaphiopus Scaphiopodidae Decker 1930

Scaphognathinae

Dimorphodontidae Nopcsa 1928B (of Rhamphorhynchidae, incl. Parapsicephalus and Scaphognathus)

Scaphognathus Dimorphodontidae crassirostris Wiman 1928A

Scaphonyx Rhynchosauridae

australis Huene, F. 1929G fischeri Huene, F. 1929G

Scaptochirus Talpidae

primitivus Zdansky 1928 Scaptonyx Talpidae Weber, M. 1928A

Scaptophis Boidae Nopcsa 1928B Scardinius Cyrinidae Stromer 1928D

Scaridae Perciformes

Pseudoscarus, Scarus scarritti (Proschismotherium) Scarus Scaridae

baltringensis Peyer 1928B scavinoi (Stromaphoropsis) Kraglievich 1932D Scelidodon Megatheriidae

corderoi Kraglievich 1932D

Scelidosaurinae Stegosauridae Nopesa 1928B (Incl. Echinodon and Scelidosaurus)

Scelidosaurus Stegosauridae Anon. 1929Q Scelidotherium Mylodontidae Kraglievich 1931D; Matthew 1929J

> bravardi Rusconi 1931E leptocephalum Van der Klaauw 1930B, C parvulum Kraglievich 1928B

schadleri (Barbastella) schafferi (Ptychogaster, Testudo) schansiensis (Clemmys) schaubi (Cricetodon, Plesiosminthus) scheuchzeri (Andrias) schiaffinoi (Propachyrukhos)

schilleri (Microsuchus) schinzi (Halitherium)

Schizorhiza Pristidae Stromer & Weiler 1930 stromeri Stromer & Weiler 1930 weileri Serra 1933

Schizotheriinae Chalicotheriidae Matthew 1929A (rejects this subfamily); Zdansky 1930 (incl. Gran-

geria)
Schizotherium Chalicotheriidae Matthew 1929A
priscum Koenigswald 1932D

wetzleri Koenigswald 1932D schleiermacheri (Ceratorhinus, Rhinoceros)

schlosseri (Eusmilus, Metacordylodon, Pachytragus,

Paramachaerodus, Paramachairodus, Rhodanomys, Trimylus)

schlüteri (Megachiromyoides)
schmidtgeni (Pitymys)
schmitti (Merluccius, Otolithus) Roedel 1980
schnarrenbergeri (Brychaetus)
schneideri (Agriotherium)
schoendorfi (Pterichthys)
schötensacki (Bison)
schrieli (Drepanaspis)
schroederi (Dactylosaurus)
schweinfurthi (Fajumia)

Sclerosaurus Pareiasauridae Huene, F. 1932C Sciaenidae Perciformes armatus Frentzen 1931; Rieth 1932 Diaphyodus Sclerothorax Eryopidae Huene, F. 1932C Scincidae Scincoidea Nopesa 1928B (Scincinae): hypselonotus Huene, F. 1932C Sickenberg 1933A (Pleist.. Scolecophidia Serpentes Hoffstetter (Arch. Mus. Germany) Didosaurus, Scincus d'Hist. Nat. Lyon, 15, Anelytropsinae (= Anelytropsin-1939; Section of Ophidia. Typhlopidae inae), Scincinae (= Scinincl. Leptotyphlopidae = Glaucininae) Scincininae (Scincinae) Scincidae Nopesa 1928B coniidae) Scoliomus Poliosauridae Nopesa 1928B (gens of Scincinae, incl. Dido-Scolopacidae Charadrioidea Cadurcosaurus. saurus. Dracaenosaurus, Limnodromus, Palaeotringa Plestiodon and Protrachyscolopax (Belodon) Scolosaurus Nodosauridae Nopesa 1928C saurus) Scincoidea Scincomorpha Hay 1930A (Scincoidae cutleri Nopesa 1928C, 1929C; Swinton 1929A of Anguiformes) Scincomorpha Autarchoglossa Scomber Scombridge Weiler 1933A Scincus Scincidae oligocenicus Pauca 1929A voitestii Pauca 1929B officinalis Rieth 1931B Sciuridae Sciuroidea Scomberesocidae Percesoces Zittel 1932 (Scom-Arctomys, Citellus, Cynomys (= bresocidae) Daemonhelix?), Eutamias, Belone [Scomberesocidae] Percesoces Protospermophilus, Pseu-Scomberesocoidea Sciuroides. Hay 1930A (Scomberesocdosciurus. Sciuropterus, Sciurus, Speroidae of Synentognathi) mophilus Scombramphodon Scombridae Sciuriformes [Sciuromorpha] Simplicidentata Hay benedeni Weiler 1929B 1930A (Suborder of Simpli-Scombridge Scombriformes cidentati) Ardiodus, Cybium, Neocybium. Sciuroides, Sciuromorphs, Palaeoscomber, Scomber. sciuroides (Steneofiber) Cook & Cook 1933 Scombramphodon, Thyn-Sciuromorpha Simplicidentata กบร Sciuropterus Sciuridae Scombriformes Acanthopterygii albanensis Stromer 1928D Scombroidea [Scombridae] Scombriformes Hay jourdaini Stromer 1928D 1930A (Scombroidae) Sciurus Sciuridae Brunner 1933 Scopelidae Haplomi angusticeps Matthew & Mook 1933 Scopelus chalaniati Viret 1929C feignouxi Viret 1929C Scopelus Scopelidae an Šulc 1932B malheurensis Gazin 1932 cassidiformis (Otolithus) Frost 1933B speciosus Viret 1929C concentricus (Otolithus) Frost 1933B tephrus Gazin 1932 ellipticus (Otolithus) Frost 1933B (preocc. by S. ellipticus, Šulc 1932A) Sclerocalyptidae [Glyptodontidae] Glyptodontoidea Kraglievich 1932D ellipticus Šulc 1932A Sclerocalyptinae Glyptodontidae Castellanos excisus (Otolithus) Frost 1933B 1928C: Weber, M. 1928A incisus (Otolithus) Frost 1933B (Incl. Sclerocalyptus, Lokongararuensis (Otolithus) Frost 1933B maphorus, Panochthus, laminatus (Otolithus) Frost 1933B Brachyostracon, etc.) mammatus (Otolithus) Frost 1933B Sclerocalyptus Glyptodontidae marwicki (Otolithus) Frost 1933B ornatus Castellanos 1929A; Rusconi 1931E memiensis (Otolithus) Frost 1933B Sclerodermidae Plectognathi pulcher Šulc 1932A Ancistrodon regularis (Otolithus) Frost 1933B Sclerodus Cephalaspidae tutamoensis (Otolithus) Frost 1933B pustuliferus Stensiö 1932A Scorpaeniformes Acanthopterygii Scleromochlidae [Ornithosuchidae] Aëtosauroidea Scorpaenoidea [Scorpaenidae] Scorpaeniformes Kuhn, Oskar 1933A Hay 1930A (Scorpænoidae) Scleromochlinae Ornithosuchidae Nopesa 1928B scoticum (Macromerium) (Incl. Scleromochlus) scoticus (Crassigyrinus) Scleromochlus Ornithosuchidae Kuhn, scotius (Thelodus) 1933A

scotti (Equus)

scudderi (Thomomys)

scrofa (Sus)

incl.

Sclerosaurinae Pareiasauridae Nopesa 1928B (of

Procolophonidae,

Sclerosaurus)

Scullya Titanosuchidae Broom 1929D Selenacodon Ptilodontidae Simpson, G. G. 1929A gigas Broom 1929D; Huene, F. 1931A [Meniscoëssus] sculpta (Trachemys) Selenodontia Artiodactyla Abel, O. 1933C (Subsculptilis (Tuditanus) order, incl. Tylopoda and sculptus (Cyrtaspis, Osteopygis, Trionyx) Pecora); Weber, M. 1928A scutatus (Loricosaurus) (Incl. also Traguloidea) scutellata (Sauropleura) selenodus (Polymastodon) scutellatus (Colosteus, Pygopterus) Selenosteus Coccosteidae Scutemys Dermatemyidae Nopesa 1930E; Wiman kepleri Gross, W. 1932B 1930B; Zittel 1932 sellardsi (Pliomastodon) tecta Wiman 1930B sellardsi (Tapirus veroensis) Simpson, G. G. scutigerum (Pholiderpeton) 1929H Scutosaurus Pareiasauridae Boonstra 1933C Sallosaurus [Plateosauravus] Plateosauridae fraasi Huene, F. 1932A (= Plateosaurus karpinsky Hartmann-Weinberg 1930 Scylacoides Therocephalia Nopcsa 1928B gracilis) Scylacops Gorgonopsia Gregory, W. 1929C hermannianus Seemann 1933 Scylacorhinus Therocephalia Broom 1932B [Scyselluliformis (Cooperella) lacosaurus]; Nopesa 1928B selwynianus (Diploconus) Scylacosauridae (= Ictidosauridae) Therocephalia Semantor Otariidae Orlov 1931A macrurus Orlov 1931A, 1933 Nopesa 1928B (Therocephaloidea, incl. Alopecodon, Semantoridae [Otariidae] Pinnipedia Orlov 1931A. 1933 Alopecognathus, Anna, Cynidiognathus, semicingulatum (Meniscotherium) Ictidosemiclausus (Capitosaurus) Huene, 1932C paria, Ictidosuchus, Scyla-("subclausus") coides, Scylacorhinus, seminolensis (Urocyon) Scylacosaurus) Semionotidae (= Lepidotidae, incl. Saurichthyidae) Scylacosaurus Therocephalia Broom 1932B; Chondrostei Piveteau 1929 Nopesa 1928B [Scylliidae] Acentrophorus, Dapedius, Heterostro-Scyliorhinidae. Squaliformes Hav phus, Lepidotus, Pristi-1930A Scyliorhininae Scylliidae Hay 1930A (of Scyliosomus, Sargodon, Saurichthys, Semionotus, Tetrarhinidae) gonolepis Scylliidae (Incl. Scyliorhinidae) Squaliformes Semionotoidea Chondrostei Romer 1933C (Sub-Scyliorhininae order) Scymnognathus Gorgonopsia Nopesa 1928B Semionotus Semionotidae Walther 1932 Scytalophis Anilidae Nopcsa 1928B elongatus Stoll 1929 secans (Dipterus) fultus Bell 1929 secundaria (Diplobune) kapfii Stoll 1929 secundus (Aelurodon saevus) Stirton & Vander-Hoof 1933 labordei Besairie 1930; Piveteau 1929 secundus (Trigonias osborni) Gregory & Cook metcalfei Swinnerton 1928 semiserrata (Fortscottella) 1928; Wood, H. 1931 semiticus (Rhynotragus) Securiaspis Cephalaspidae Stensiö 1932A Semnopithecidae [Cercopithecidae] Anthropoidea kingi Stensiö 1932A Anthony & Coupin 1931 kitchini Stensiö 1932A Semnopithecus Cercopithecidae Depéret 1928; securis (Parietobalaena) Gregory & McGregor 1929; securus (Archizonurus) Henckel 1928B seefeldensis (Saurichthys) senckenbergi (Cygnavus) Seeleya Branchiosauridae Huene, F. 1931J sendai (Sus nipponicus) Matsumoto 1930A, B, E seelyi (Bradysaurus, Mormosaurus) senekalensis (Uranocentrodon) segoviae (Homalodontotherium) seneti (Didelphis) Rusconi 1932C, 1931I (Diseguini (Eutatus) delphys) seijoi (Megatherium lundi) Kraglievich 1931K Senetia Megalonychidae Elasmobranchii Moy-Thomas 1933B; mirabilis Kraglievich 1928B Regan 1929C (general); septemradiatus (Chlamys) Stensiö 1932B (Trias, Greenseptentrionale (Chlamytherium) land) septentrionalis (Antarctosaurus, Diacodon, Glyp-Incertae sedis: Cooleyella, Cooperella, todon, Holmesina) Fortscottella, Hammon-Serbelodon Mastodontidae Frick 1933 della, Idiacanthus, Kirkbarbourensis Frick 1933 ella, Moreyella, Williamsella burnhami Osborn 1933D Selachoidea Gnathostomata Naef 1931 (group of seriei (Pentastylomys) Gnathostomi, incl. Elasmo-Seriola Carangidae Weiler 1933A

branchii and Chiropterygii)

serotinus (Allops)

serpens (Phlegethontia)
Serpentes Squamata Dunn 1931 (distribution)
serra (Hemipristus)
Serranidae Perciformes
Properea, Serranus

Serranus Serranidae Weiler 1933A

curvidorsalis (Otolithus) White & Frost 1931 (Serranidarum)

elongatus Pauca 1929A

planisulcatus (Otolithus) White & Frost 1931 (Serranidarum)

serratus (Otolithus) Frost 1933B (Serranidarum)

simionescui Pauca 1929A

serratus (Ctenodus, Dipterus, Sansanosmilus) serratus (Serranus, *Otolithus*) *Frost* 1933B (Serranidarum)

serridens (Clepsysaurus, Eurydorus, Pareiasaurus) Serridentinae Mastodontidae Osborn 1929J, 1938D Serridentinus Mastodontidae Borissiak & Beliaeva 1928A

> bifoliatus Osborn 1929J brewsterensis Simpson, G. G. 1930H chinjiensis Osborn 1929J filholi Frick 1933 florescens Osborn 1929J floridanus Simpson, G. G. 1930H

gobiensis Osborn & Granger 1932B hasnotensis Osborn 1929J

inopinatus Borissiak & Beliaeva 1928B metachinjiensis Osborn 1929J prochinjiensis Osborn 1929J

simplicidens Simpson, G. G. 1930H

serrulatus (Ctenacanthus, Psammosteus) serrulus (Oestocephalus, Ptyonius)

serus (Parocnus)

Sespecyon Miacidae Stock 1933E

merriami Stock 1933E Sespia Camelidae Stock 1930C

californica Stock 1930C

Setebos Homalodontotheriidae Simpson, G. G. 1933A

severtzovi (Capra)

Seymouria Seymouriidae Gregory, W. 1929C Seymouriamorpha Cotylosauria Romer 1933C

Seymouriidae (= Conodectidae, incl. Kotlassiidae) Seymouriamorpha Tornier 1933 (Seymouridae)

Seymouria (= Conodectes)

shahbazi (Ampicyon, Cephalogale) shansiensis (Testudo)

shantungensis (Ovis)

Sharemys Emyidae Gilmore 1931B

hemispherica *Gilmore* 1931B; Szalai 1931 Shastasauridae (= Longipinnatidae partim) Ichthyosauria

Cymbospondylus

shastense (Nothrotherium) shensiensis (Testudo) sheppardi (Archidiskodon) shiptoni (Monticavia, Nanocavia)

shoshonensis (Plesippus) showchangensis (Mesoclupea)

Siamanga Pongidae

syndactylus Mijsberg 1930

sibiricus (Paracamelus) sicaeformis (Striacanthus)

sicarius (Eusmilus)

sicaulensis (Plesictis julieni) Viret 1928, 1929C

sichuanensis (Sinohadrianus) Sicista Dipodidae

montana Heller 1933D

praeloriger Brunner 1933; Heller 1933D; Kormos 1930B

Sicistidae [Dipodidae] Dipodoidea

Sicistinae Dipodidae Schaub 1930A (classif.)

siegfriedti (Leipsanolestes)

Sigmodon Muridae Kormos 1933A

Sigmogomphius Castoridae Schreuder 1929 sigmoidalis (Sparus, *Otolithus*) Frost 1933B (Sparidarum)

Sika Cervidae Nagasawa 1932A

Siluridae Ostariophysi MacBride 1930; Peyer 1928C Arius, Fajumia, Rhineastes, Silurus, Socnopaea

Siluriformes (= Nematognathi) [Siluridae] Ostariophysi Hay 1930A (Suborder)

Siluroidea Ostariophysi Peyer 1928C (general) Silurus Siluridae

glanis Giltay 1931

Simia Primates Perrier 1928 (Order, equivalent in rank to Prosimia)

Simidectes Miacidae Stock 1933E (MS name) merriami Stock 1933E

Simiidae [Pongidae] Hominoidea Osborn 1928F similis (Diplolophodon, Hybodus)

simionescui (Cricetulus, Serranus) Simobison Bovidae Hay 1930A

figginsi Hay 1930; Hay & Cook 1930

simocephala (Kannemeyeria)

Simocyon Canidae Matthew & Stirton 1930B; Pilgrim 1931

diaphorus Pilgrim 1931 primigenius Pilgrim 1931 robustus Pilgrim 1931

Simolestes Pliosauridae Nopesa 1928B

Simolestinae Pliosauridae Nopesa 1928B (Incl. Simolestes)

Simoliophidae [Palaeophidae] Cholophidia

Simoliophis Palaeophidae Nopesa 1928B (= Symoliophis)

Simonycteris Vespertilionidae Stirton 1931 stocki Stirton 1931

Simorhinella Therocephalia

baini Watson 1931B

simorhynchus (Adelogyrinus) simorrensis (Dicerorhinus)

Simosaurinae Nothosauridae Noposa 1928B (of "Pachypleuridae"), 1928C (of Pachypleurosauridae, incl. Proneustico-

saurus and Simosaurus) Simosaurus Nothosauridae Nopesa 1928B, C simplex (Cooleyella, Equus, Hippopotamus, Palae-

aspis, Urotherium) simplicidens (Palaeocastor, Serridentinus)

Simplicidentata Rodentia

simplicissimus (Equus)

simpsoni (Austrolagomys, Doellotatus, Macrocavia, Parectypodus) simulans (Lamprolithax) simus (Cryptocynodon, Rhinoceros)

Sinanthropus Hominidae Anon. 1930A, I, K, Y, 1931H, 1932AA, G, 1933L: Arditi 1930; Battaglia 1933A; Boule 1928B, 1929G; Breuil

1931, 1932A, B; Chardin 1930C, D, F, 1931B, 1932; Chardin & Piveteau 1932; Dubois, E. 1933; Fleure 1932; Fraipont 1931A, C, D; Franchet 1933; Grabau 1930A, B, 1931; Gregory W. 1930G; Hennig 1929B, 1931C; Hooton 1931; Joleaud 1931C; Jones 1931; Kappers 1933: Koenigswald 1931C: Kolbe 1931; McCown & Keith 1932; McGregor 1930; Mendes-Correa 1933A; Patte 1931B; Pei 1929; Perrier 1928; Puzanov 1931B; Rylev 1932; Schou 1931; Schulz 1931C; Schwarz, R. 1931A, 1932; Sergi, S. 1929B; Smith, G. E. 1930A, B, C, E, F, H, I, J, 1931B, C, E, F, I, J, K, M, O, 1932A, B, E; Sowerby 1930; Thomsen 1932; Vallois 1933A: Vaufrey 1932E: Vishnevskii 1931; Walk 1932; Weidenreich 1930, 1931A, 1932A, B, C; Weinert 1930A, B, D, E, 1931A, 1932B, F, 1933B; Wong 1929; Woodward 1932C, 1933A; Yokayama 1931; Zdansky 1928;

pekinensis Adloff 1931; Anon. 1930B; Barbour, G. 1928, 1930; Bayer, J. 1931; Black 1929A, 1930A, B, C, D, E, F, G, 1931A, B, D, 1932A, B, C, 1933A; Black, Chardin, Young & Pei 1933; Debetz 1930; Keith 1930, 1931B; Matsumura 1930; Mollison 1933; Newman 1932A, P'an 1931; Pei

Zuckerman 1933A, C.

din 1932

sinapius (Amphicyon)

sinclairi (Amebelodon, Cardipeltis, Preptoceras) sinclairi (Hyperailurictis intrepidus) Kretzoi 1929 sinclairi (Pseudaelurus intrepidus) Kretzoi 1929 sindiense (Conohyus)

sindiensis (Amphicyon, Conohyus)

Sinemys Cheloniidae Nopcsa 1930E; Wiman 1930B lens Wiman 1930B

sinense (Anthracotherium, Hipparion, Propalaeotherium)

sinensis (Amynodon, Canis, Cervulus, Gazella, Hyaena, Neomys, Prosiphneus, Rhinoceros, Rhizomys, Stegodon, Tanius, Tapirus)

1931B, C, 1932; Pei & Char-

singletoni (Terrapene) Sinictis Mustelidae

(?) jägeri Pilgrim 1931

(?) lydekkeri Pilgrim 1932 (?) pentelici Pilgrim 1931

sinnosa (Wimania)

Sinochelys Dermatemyidae Nopesa 1930E; Wiman 1930B

applanata Wiman 1930B

Sinocricetus Muridae Schaub 1930B

zdanskyi Schaub 1930B

Sinohadrianus Testudinidae Ping 1930A

sichuanensis Ping 1930A

Sinopa Hyaenodontidae Colbert 1933E Sinotherium Rhinocerotidae Matthew 1931

sinuosa (Loxolithax)

sinuosus (Kolpochoerus)

Siphneidae [Spalacidae] Myoidea Black, Chardin, Young and Pei 1933 (of

Rodentia). Myotalpa antedates Siphneus)

Siphneus [Myotalpa] Spalacidae Chardin 1931A, D: Young 1931

chanchenensis Chardin & Young 1931

chaoyatseni Chardin & Young 1931

eriksoni Chardin & Young 1931

hsuchiapinensis Chardin & Young 1931 minor Chardin & Young 1931

omegodon Chardin & Young 1931

Sirenia Monodelphia Edinger 1933C (phylogeny);

Howell, A. 1930 (general); Kellogg 1929A; Khomenko 1928B; Müllerried 1932A (Mexico); Sickenberg 1928A

(Austria), 1931A (phylogeny); Simpson, G. G.

1931B (taxonomy), 1932C (phylogeny), G (popular)

Sirenoidae [Sirenidae] Meantes Hay 1930A (Superfamily) [Sirenoidea has prior use as group of Dipnoil

Sirenoidei [Ceratodontomorpha] Dipnoi Sivacanthion Hystricidae Colbert 1933F

complicatus Colbert 1933F Sivacyon Canidae Pilgrim 1932

curvipalatus Pilgrim 1932

Sivaelurus Felidae Matthew 1929A

chinjiensis Kretzoi 1929 Sivafelis Felidae Pilgrim 1932

brachygnathus Pilgrim 1932

potens Pilgrim 1932

sivajavanicus (Hippopotamus)

Sivalarctos Ursidae Matthew 1929A

sivalense (Anoplotherium, Chalicotherium, Hexaprotodon, Hippopotamus,

Honanotherium)

sivalensis (Camelopardalis, Camelus, Caprolagus, Crocodilus. Drepanodon, Enhydriodon, Equus, Hippopotamus, Hyaenarctos, Hypselornis, Machaerodus, Mellivora, Orasius, Pecti-Propontosmilus, nator,

Pseudaelurus, Rhinoceros, Ursus)

Sivalictis (Carnivora) Pilgrim 1932 natans Pilgrim 1932 Sivalippus [Hipparion] Equidae theobaldi Matthew 1929A Sivanasua Procyonidae himalayensis Pilgrim 1932 palaeindica Pilgrim 1932 Sivaonyx Mustelidae Pilgrim 1931 bathygnathus Pilgrim 1931 (?) hessicus Pilgrim 1931 Sivapanthera Felidae Kretzoi 1929 lydekkeri Kretzoi 1929; Pilgrim 1932 Sivapithecus Pongidae Gregory & McGregor 1929; Heberer 1931B Sivasmilus Felidae Kretzoi 1929 copei Kretzoi 1929 sivasondaicus (Rhinoceros) Sivatherijnae Giraffidae Matthew 1929A (Incl. Helladotherium + Bramatherium, Hydaspitherium, Sivatherium + Indratherium); Weber, M. 1928A (Incl. Sivatherium, Bramatherium, Hydaspitherium) Sivatherium Giraffidae Barton 1929; Edinger 1933A: Loomis 1928B: Matthew 1929A; Pearson 1929C siwalikensis (Leith-Adamsia) skouzėsi (Protragelaphus) smaltatus (Xotodon) Smerdis Percidae Coulon 1928A; Zotz 1928 Smilodon Felidae Burt 1931; Kretzoi 1929; Matthew 1929A bonaërensis Rusconi 1931C californicus Matthew 1929 H: Merriam & Stock 1932; Moodie 1930H brevipes Merriam & Stock 1932 neogaeus Matthew 1929H Smilodontinae Felidae Kretzoi 1929 (of Machairodontidae, incl. Smilodon, Amphimachairodus, Trucifelis, Smilodontopsis, Dinobastis and? Protamphimachairodus) Smilodontopsis Felidae Kretzoi 1929; Matthew 1929 A Sminthoides Muridae fraudator Schaub 1930B smith-woodwardi (Aprotodon, Pteraspis) socialis (Eporeodon) Socnopaea Siluridae grandis Matley 1932; Peyer 1928C; White, E. 1933A soergeli (Mustela eversmanni) Ehik 1928 soergeli (Trogontherium) Sokotosaurus Pholidosauridae Swinton 1930D noposai Swinton 1930D Solea Otolithus solitarius (Otolithus) Roedel 1930 Solenodon (Solenodontidae) Schlaikjer 1933 Solenodontidae Tenrecoidea Solenodon

Solidopus Ichnites Moodie 1930C

perissodactylus Moodie 1930C

solitarius (Solea, Otolithus) Roedel 1930 sollasi (Cephalaspis, Hylaeochelys) solnördali (Jaekelaspis) solodurense (Haplobunodon) soloensis (Homo) solus (Compsosuchus, Hyaenognathus) somonensis (Cervus) sondaicus (Bibos, Bos, Rhinoceros) sondaicus (Buffelus bubalus) Van der Maarel 1932 songorus (Cricetiscus) sonoriensis (Archidiskodon) Sontiochelys Thalassemyidae Nopcsa 1928B sophiae (Clemmys) Sorex Soricidae antiquus Viret 1929C araneoides Heller 1930 kennardi Heller 1932C margaritodon Kormos 1930B praealpinus Brunner 1933; Heller 1930 cf. pusillus Viret 1929C runtonensis Brunner 1933 savini Brunner 1933 Soricidae (Incl. Dimylidae) Soricoidea Kormos 1931B; Stirton 1930 (review) Beremendia, Blarina, Dimylus, Heterosorex, Limnoecus, Metacordylodon, Neomys, Sorex, Trimylus Soricoidea Insectivora Hay 1930A (Soricoidae of Lipotyphla) Spalacidae (Incl. Rhizomyidae and Siphneidae) Myoidea Miospalax, Myotalpa (= Siphneus), Pararhizomys, Pliospalax, Prosiphneus, Prospalax, Protachyoryctes, Rhizomys, Rhizospalax, Spalax Rhizomyinae Spalacotheriidae Symmetrodonta Simpson, G. G. 1928C, 1929A Eurylambda?, Spalacotherium (= Peralestes?), Tinodon Menacodon) Spalacotherium Spalacotheriidae Simpson, G. G. 1928C, 1929A Spalax Spalacidae Rusconi 1931B; Simionescu, 1932B fossilis Sahleanu 1933 Sparassodonta [Borhyaenoidea] Marsupialia Sparidae (Incl. Lutianidae) Perciformes Ctenodentex, Lagodon, Lutianus, Pagrus, Sparus, Trigonodon Sparus Sparidae sigmoidalis (Otolithus) Frost 1933B (Sparidarum) Spathicephalus Loxommidae Watson 1929K mirus Watson 1929K Spatula Anatidae clypeata Miller, A. H. 1929A spatulata (Cooleyella) Gunnell 1933 speciosa (Taeniolepis) speciosus (Orasius, Phyllodus, Sciurus, Spermophilus) spectabilis (Pterodactylus) spelaea (Felis, Hyaena)

spelaea (Felis leo) Riabinin 1933 Homoeosaurus, Opistias spelaea (Felis pardina) Caterini 1933 and Sphenodon) spelaea (Hyaena crocuta) Battaglia 1929 Sphenodontoidea Rhynchocephalia Nopesa 1929B spelaeum (Plagiodonta) (suborder, incl. Sphenospelaeus (Canis, Parahodomys, Spelearctos, Ursus) dontidae) Spelearctos Ursidae Rode 1930A, 1933 (Spelaearc-Sphenodon Sphenodontidae Barbour & Stetson tos) 1929; Edinger 1930B; Lespelaeus Borissiak 1932 (Spelaearctos); Rode clercq 1931; Marwick 1929 1930A, B, 1933 Sphenophalos Antilocapridae Furlong 1932A rossicus Borissiak 1932 nevadanus Stirton 1932A speneri (Protorosaurus) Sphenosuchidae Pseudosuchia Kuhn, Oskar 1933A; speni (Holmesella) Nopesa 1928B (of Procrospeothos Canidae codilia) Sphenosuchidae Aëtosauroidea Spermophilus Sciuridae Simionescu 1932B rufescens Brunner 1933 Sphenosuchus speciosus Viret 1929C Sphenosuchus Sphenosuchidae Huene, F. 1933 A; sphaerica (Testudo) Kuhn, Oskar 1933A Sphyraena Sphyraenidae sphaericus (Oolithes) Sphenacanthus Ctenacanthidae fajumensis Weiler 1929C lugardi Weiler 1929C delepinei Fournier & Pruvost 1928 Sphenacodon Clepsydropsidae Nopesa 1928B Sphyraenidae Percesoces Sphyraena Sphenacodontidae [Clepsydropsidae] Pelycosauria Spilogale Mustelidae Romer 1933C marylandensis Gidley & Gazin 1933 Sphenacodontiformes [Sphenacodontidae] Pelycospinifer (Cephalaspis, Paleryx) sauria Hay 1930A (Suborder of Sphenacodonto-Spinogadus Blenniidae Smirnow 1932 Spinosauridae (= Spinosuchidae) Megalosauroidea morphi) Spinosaurus Sphenacodontinae Clepsydropsidae Nopcsa 1928B Spinosaurus Spinosauridae Huene, F. (of Clepsydropodidae, incl. ("Spinosuchus") Neosaurus [Naosaurus?]. Sphenacodon, Stereorhachis Spinosuchidae [Spinosauridae] Megalosauroidea Huene, F. 1932A (Type and Tetraceratops) "Spinosuchus" [= Spino-Sphenacodontomorphi [Pelycosauria] Synapsida Hay 1930A (Order of Elpisaurus Stromer]) dosauria, incl. Poliosauri-Spinosuchus Podokesauridae Huene, F. 1932A caseanus Huene, F. 1932A [in error, should Sphenacodontiformes, be Spinosaurus Stromer] formes, Edaphosauriformes spinosus (Trionyx) and Caseiformes) Spirocerus Bovidae Boule et al. 1928 Spheniscidae Sphenisciformes Anthropornis, Delphinornis, Eosphenfalconeri kiakhtensis Boule et al. 1928 wongi Chardin & Piveteau 1930 iscus, Orthopteryx, Pachyp-Spitzaëtus Falconidae tervx. Palaeoapterodytes, grinnelli Howard 1932A Palaeospheniscus, Palæeusplendens (Listriodon) dyptes, Paraspheniscus, squaliceps (Hypopnous) Perispheniscus Squaliformes Selachii Sphenisciformes Impennes Boubier 1933; Lowe, Squalius Cyprinidae Stromer 1928D P. 1933C (phylogeny) Squaloceti [Odontoceti partim] Cetacea Abel, O. Sphenocoelus Brontotheriidae Edinger 1933A 1933C uintensis Osborn 1929O Squalodon Squalodontidae Borri 1932; Gregory & Palaeochamaeleontidae) Sphenodontidae (Incl. Raven 1933; Kellogg 1931B Rhynchocephalia Huene, antwerpiensis Van Deinse 1929 F. 1929G; Nopesa 1928B errabundus Kellogg 1931B (Incl. Sphenodontinae and Squalodontidae Odontoceti Saphaeosaurinae) Prosqualodon, Squalodon Brachyrhinodon, Chometokadmon, Squaloidea Squaliformes Hay 1930A (Squaloidae) Coelurosauravus, Homoeo-Squamata Lepidosauria Hay 1930A (incl. Araeossaurus (= Homeosaurus), celomorphi, Thalattosauro-Opistias, Palaeochamaeleo?, morphi, Sauria and Ser-Polysphenodon, Sphenodon pentes); Nopesa 1928B (of

(= Hatteria)

(Suborder)

Chometokadmon,

Sphenodontiformes Rhynchocephalia Hay 1930A

Sphenodontinae Sphenodontidae Nopcsa 1928B

(incl.

"Squamata" [Pholidota] Edentata squamosseus (Colpopholis) squamosum (Ichthyerpeton)

Parapsida, incl. suborders

Sauroidea and Ophidia)

Squatina Squatinidae Zotz 1928 hassei Leriche 1929B Squatinidae Squaliformes Squatina

Squatinoidea Squaliformes Hay 1930A (Squatinoidae)

Stagodon Didelphiidae Simpson, G. G. 1929A Stagonolepidae (Incl. Stagomuschidae) Pelycosimioidea Camp 1930B (Phytosauria); Kuhn, Oskar 1933A (Parasuchia)

Stagonolepis, Stegomus, Stegomuschus, Typothorax

Stagonolepis Stagonolepidae Camp 1930B; Huene, F. 1931B; Kuhn, Oskar 1933A

Stahleckeria Dicynodontidae Huene, F. 1929B (Kannemeyeria), 1933B

potens Huene, F. 1933F, G stamatini (Rhombus)

Stanocephalosaurus Capitosauridae Brown, B.
1933C

birdi Brown, B. 1933C staruniensis (Coelodonta antiquitatis) Nowak et al. 1930

Stathmodon Tritylodontoidea, incertae sedis Schmidt, M. 1928; Simpson, G. G. 1928C

Staurodon Trigonostylopidae Simpson, G. G.
1933R [Trigonostylops]
Staurotypus Dermatemyidae Nopcsa 1928B

Steganodictyum Cephalaspidae Stensio 1932A Steganopodes [Pelecanoidea] Pelecani Lambrecht 1930A, B

Steganoposaurus Ichnites Branson & Mehl 1932A, B Steganoposaurus Ichnites Branson & Mehl 1932A, B belli Branson & Mehl 1932B; Brown, N. 1930

Stegocephalia Amphibia Broom 1930C (S. Africa);
Efremov 1928, 1929A, B,
1930, 1932A, B, 1933A, B,
(Russia); Kuzmin 1933A, B,
(Russia); Marcus 1933,
Marcus, Winsauer and Hueber 1933 (incl. Gymniophiona); Nopcsa 1931B (excludes from Amphibia), D
(bibliography, osteology);
Säve-Söderbergh 1932B
(phylogeny); Werner 1931
(Stegocephali, systematics)

Stegocephalus Archegosauridae Broili 1928 Stegodon Elephantidae Anthony 1933A; Chakravarti 1931; Cosijn 1931; Franchet 1933; Koenigswald 1932A, C

> airawana Van der Maarel 1932 bombifrons Bose 1929A bondolensis Van der Maarel 1932 insignis Osborn 1929J birmanicus Osborn 1929J mindanensis Matsumoto 1929A, Corientalis Osborn 1929J grangeri Osborn 1929J

pinjornesis Osborn 1929J

praecursor Koenigswald 1933 sinensis Hayasaka 1930B, 1933 trigonocephalus Koenigswald 1933; Van der Maarel 1932

Stegodontinae Elephantidae Osborn 1929J (Incl. Stegodon and Stegolophodon)

Stegolophodon Elephantidae cautleyi Osborn 1929J

> progressus Osborn 1929J nathotensis Osborn 1929J

Stegomastodon Mastodontidae Castellanos 1933A arizonae Russell & VanderHoof 1931

platensis Cabrera 1930 superbus Cabrera 1930

Stegomosuchidae [Stagonolepidae] Pelycosimioidea Stegomosuchus Aëtosauridae Huene, F. 1933A (Stegomosuchidae)

Stegomus Stagonolepidae Kuhn, Oskar 1933A; Nopesa 1928B

Stegopelta Nodosauridae Anon. 1933I; Nopcsa 1929C

Stegopidae [Branchiosauridae] Phyllospondyli Romer 1930D

Stegops Branchiosauridae

divaricata Romer 1930D; Steen 1931A

stegopygæ (Helichthys)

Stegosauria [Stegosauroideal Orthopoda Efremov 1932B; Perrier 1928 (Stegosauri)

Stegosauridae Stegosauroidea Nopesa 1928B, 1929C (incl. Stegosaurinae and Scelidosaurinae)

> Anodontosaurus, Craterosaurus, Diracodon, Echimodon, Kentrurosaurus, "Omosaurus", Sarcolestes?, Scelidosaurus, Stegosaurus

Scelidosaurinae, Stegosaurinae

Stegosaurinae Stegosauridae Nopesa 1928B, 1929C (Incl. Anthodon, Craterosaurus, Diracodon, Kenturosaurus, Lametasaurus, Omosaurus and Stegosaurus)

Stegosauroidea Orthopoda

Stegosaurus Stegosauridae Brown, B. 1932; Ghidini 1931; Janensch 1932; Moodie 1930D

Stegoselachii [Rhenanidi, partim] Aphetohyoidea Romer 1933C (of Elasmobranchii, incl. Macropetalichthys and Cratoselache); Zittel 1932 (incl. Cratoselachidae); Broili 1933B

Stegotherium Dasypodidae Pocock 1929 Stegotrachelus Palaeoniscidae

devonicus Gross, W. 1933D [Rhadinichthys]

Stehlinella Apatemyidae Matthew 1929E [for Stehlinius Matthew 1921]

stehlini (Anthracochoerus, Cervus, Chleuastochoerus, Elmensius, Galerix, Mimomys, Nyotinomus, Palaeotherium, Pseudogalerix) Stehlinia Apatemyidae Matthew 1929E [Stehlin-Stenopelix Hypsilophodontidae Nopcsa 1928B ella.l stenoplesictoides (Plesictis) stehlinii (Hoanghonius) Stenopterygiidae (= Longipinnatidae, partim) Stehlinius Apatemyidae Matthew 1929E [Stehlin-Ichthyosauria Nopesa ellal 1928B (Stenopterygiinae): uintahensis Anthony, R. 1928 Zittel 1932 steinheimensis (Clemmys, Ursus) Eurhinosaurus, Leptopterygius, Stensteinheimensis (Mastodon angustidens) Klähn 1931 opterygius Stenopterygius Stenopterygiidae Huene, F. 1931F steinheimensis (Testudo kalksbergensis) Staesche 1931 crassicostatus Huene, F. 1931F steini (Diatryma) mut. antecedens Huene, F. 1931F steinmanni (Heteroptychodus) [sp.?] forma intercedens Huene, F. 1931F Stelabison Bovidae Figgins 1933A hauffianus Huene, F. 1931F occidentalis Figgins 1933A mut. postera Huene, F. 1931F francisi Figgins 1933A megacephalus Huene, F. 1931F megalorhinus Huene, F. 1931F stellatus (Ganosteus) quadriscissus Huene, F. 1931F Stenaulorhynchidae Pelycosimioidea Kuhn, 1933A (of Pseudosuchia, incl. mut. eos Huene, F. 1931F Stenaulorhynchus) mut. incessa Huene, F. 1931F Stenaulorhynchus uniter Huene, F. 1931F Stenaulorhynchus Stenaulorhynchidae Haughton zetlandicus Huene, F. 1931F 1932B; Kuhn, Oskar 1933A Stensiöella Macropetalichthyidae Broili 1933D heintzi Broili 1933D major Haughton 1932B stockleyi Haughton 1932B stensiöi (Birgeria, Coelacanthus, Ichthyostega, Steneodon Ursidae Parascaniornis, Svalbardcultridens Matthew 1929A [Ursus] aspis) Steneofiber Castoridae Hilzheimer 1932; Nafiz & Stephanodon Mustelidae mombachiensis Viret 1929C Malik 1933; Schreuder 1929; Viret 1929C Stephanodus Trigonodontidae Stromer & Weiler brachyceps Cook & Cook 1933 1930 castorinus Viret 1928C Stephanornithes (= Brontornithes + Stereornithes) Phororaci covurluiensis Simionescu 1930C, 1932B Kraglievich 1932C depereti Schreuder 1928B escheri Viret 1928C Stephanosaurus Trachodontidae Sternberg, C. H. eseri Viret 1928C 1932 jaegeri Stromer 1928D marginatus Moodie 1930K minutus Stromer 1928D Stereocyon Canidae sciuroides Cook & Cook 1933 nehringi Kraglievich 1928A Stereognathus Tritylodontidae Simpson, G. G. viciacensis Viret 1928C Steneosaurus Teleosauridae Lacoste 1929; Mercier 1928C Stereorhachis Poliosauridae Noposa 1928B 1933; Nopesa 1928B Stereornithes (= Phororhaciformes) [Phororhaci] larteti Bigot 1930 (Stenosaurus); Joleaud Gruiformes 1928B Kraglievich 1932C var. octevillensis Joleaud 1928B Stereornithidae [Phororhacidae] Phororaci Krag-Steno Delphinidae lievich 1932C gastaldii Neuville 1928 Stereospondyli Labyrinthodonti stenobunus (Phacochoerus) Stereosternum [Mesosaurus] Mesosauridae Ehrenstenocephalus (Dicotyles, Platygonus) Stenogale Mustelidae Viret 1929C berg 1931H Stereotoxodon Toxodontidae brevidens Berckhemer & Seemann 1930; Viret 1929C ameghinoi Kraglievich 1930C var. leptorhynchus Viret, 1929C feruglioi Kraglievich 1930C var. plesictoides Viret 1929C patagonicus Kraglievich 1930C gaillardi Viret 1928, 1929C (?) superbus Kraglievich 1930C julieni Viret 1929C Sterna Laridae milne-edwardsi Riabinin 1931A Stenognathus Coccosteidae sternbergi (Palaeoplancus, Platypeltis) corrugatus Whitley 1933 sternbergii (Kansius, Rhineura) gouldi Heintz 1931D; Whitley 1933 Sternoptyx Stomiatidae Stenometopon Rhynchosauridae Nopesa 1928B prisca Pauca 1931A Stenomylus Camelidae Sterrohippus Equidae Van Hoepen 1980A hitchcocki Brown, B. 1929B; Drevermann harrisi Haughton 1932A 1930G robustus Haughton 1932A; Van Hoepen stenonis (Equus) 1930A Stenonychosaurus Ornithomimidae Sternberg, C. M. 1932D steulleti (Phororhacos)

inequalis Sternberg, C. M. 1932D

stevensi (Lama, Tanupolama)

stewarti (Saurocephalus) stevtleri (Hipparion) Sthenarosaurus Plesiosauridae Nopcsa 1928B Sthenictis Mustelidae bellus Loomis 1932A (Stenictis); Matthew Sthenodectes Brontotheriidae incisivus Osborn 1929O Sthenurus Macropodidae Anderson, C. 1933: Raven 1929 occidentalis Anderson, C. 1932B stocki (Simonycteris) stockleyi (Pachytegos, Stenaulorhynchus) Stomatosuchidae Eusuchia Nopesa 1928B (of Crocodiloidea); Zittel 1932 Stomatosuchus Stomatosuchus Stomatosuchidae inermis Stromer 1933 Stomiatidae Haplomi Argyropelecus, Mrazecia, Sternoptyx Sternoptychinae Stomiatoidea [Stomiatidae] Haplomi Hay 1930A (Stomiatoidae of Clupeiformes) stoppanii (Placochelys) stormbergensis (Plateosaurus, Plateosauravus) stoschiensis (Perleidus) strandi (Canis) strandi (Lynx lynx) Kormos 1932H straeleni (Gallornis) Stremmeia Salientia, incertae sedis Nopcsa 1931B scabra Nopesa 1931B stremmi (Sus) Strepsirhini Primates Jones 1929 (incl. all Primates except Haplorhini) Streptospondylus Megalosauridae Huene, F. 1932A [Megalosaurus]; Nopesa 1928B Striacanthus Ichthyodorulites Hills 1931, 1932 sicaeformis Hills 1931 striata (Birgeria, Chanoides, Cooperella, Hyaena, Psammolepis, Williamsella) striatula (Cooperella) striatus (Cosmoptychius, Neohalecopsis, Xystracanthus) stricklandi (Paleosaurus) Strigidae Strigiformes Bubo. Micropallas. Cryptoglaux, Nyctea, Otus, Strix Strigiformes Neognathae Strix Strigidae brea Howard 1933 edwardsi Ennouchi 1930 Stromaphoropsis Glyptodontidae Kraglievich 1932T) coloniensis Kraglievich 1932D (Teisseiria) scavinoi Kraglievich 1932D Stromaphorus Glyptodontidae Castellanos 1928C

"strombergensis" (Plateosauravus)

stromeri (Apodecter, Dalpiazia, Egertonia, Fajumia,

stromeri (Tragelaphus speckii) Dietrich 1933;

Schizorhiza, Xenopus)

Schwarz, E. 1932B

Stromeria Aepyornithidae Lambrecht 1929C fayumensis Lambrecht 1929C, E (fajumensis) Stronglosteus Chondrosteidae Jackel 1929B Strophodus Psammodontidae Stromer & Weiler 1930; Thomasset 1928A strozzi (Sus) strubeni (Enobius, Nochelesaurus) Struthio Struthionidae Piiper 1928; Schönwetter 1929; Tugarinov 1930 anderssoni Lowe & Bate 1931; Young 1932E asiaticus Lowe, P. 1928B karatheodoris Lowe, P. 1928B mongolicus Lowe & Bate 1931 oldawayi Lowe, P. 1933B wimani Lowe & Bate 1931 Struthiocephalus Tapinocephalidae whaitsi Huene, F. 1931A Struthiolithus Struthionidae Lowe, P. 1928B; Moltoni 1929 chersonensis Lowe & Bate 1931 Struthiomimus Ornithomimidae brevetertius Parks 1926A currellii Parks 1933B ingens Parks 1933B lonzeensis Huene, F. 1932A samueli Parks 1928B Struthionidae Struthioniformes Struthio, Struthiolithus Struthioniformes Palaeognathae Lowe, P. 1930A (Struthiones); Romer 1933C (Struthioformes of Paleognathae); Schaub (Struthiones) struthionoides (Palaeornis) Struthiosaurus Acanthopholidae austriacus Nopesa 1929C transsylvanicus Nopcsa 1929C stuckenbergi (Platyops) sturi (Cyathaspis, Poraspis) stürtzi (Asterosteus, Gemündina) stutchburi (Rileya) stuttgartensis (Metoposaurus) stutzeli (Microtragus) Stylemys Testudinidae nebrascensis Martin, Harold 1930B Stylinodontidae (= Calamodontidae) Taeniodonta Psittacotherium Stylochoerus Suidae Van Hoepen 1932B compactus Van Hoepen 1932B Stylodon Dryolestidae Simpson, G. G. 1929A [Amblotherium] Stylohipparion Equidae Van Hoepen 1932A hipkini Van Hoepen 1932A thomasi Joleand 1933C Stylomyleodon Amiidae Russell, L. 1928B, C; 1929B lacus Jordan 1928C; Russell, L. 1928C, 1929B Stylotherium Cænolestidae Rusconi 1933B Styracocephalia Burnetiamorpha Haughton 1929C (Suborder of Dinocephalia)

Styracocephalidae [Burnetiidae] Burnetiamorpha

cephalia)

Haughton 1929C (of Styraco-

Megalo-

1929O

copei Osborn 1929O hypoceras Osborn 1929O

Styracocephalus Burnetiamorpha Haughton 1929C Suoidea Bunodonta Hay 1930A (Suoidae of Suplatyrhynchus Haughton 1929C iformes) Styracosaurus Ceratopsidae Lull 1933A; Nopesa superbum (Protitanotherium) 1928B superbus (Argyrosaurus, Docodon, Erectopus, ovatus Gilmore 1930C Holoptychius, Styriofelis Felidae Kretzoi 1930 saurus, Stegomastodon, turnauensis Kretzoi 1930 Stereotoxodon) subantiqua (Pilgrimia) superciliosus (Belodon) subarvalis (Microtus) superestes (Aspideretes) subassentiens (Ctenomys) superior (Dolichorhinus, Mesatirhinus) "subclausus" (Capitosaurus) supremus (Camarasaurus) subfossilis (Ursus arctos) Ehrenberg 1928C, 1929D Sus Suidae Gardiner & Bate 1933; Heim 1933; subgutturosa (Gazella) Leuthardt 1930B; Van Es Subhyracodon Rhinocerotidae Stock 1932E kewi Stock 1933G attila Bolkay 1929 occidentale Wood, H. 1929A choeroides Dal Piaz 1930D trigonodum Wood, H. 1929A domestica Gromova 1929 subintermedius (Panochthus) erymanthius Arambourg Piveteau subivermis (Rhinoceros) 1929A; Sarra 1933 lydekkeri Chardin & Piveteau 1930; Zdansublaevis (Eurythorax, Hybodus, Onchus) subpampeana (Rhea) sky 1928 subquadratus (Ctenomys) nipponicus Matsumoto 1930E, F mikotonis Matsumoto 1930F subsulcata (Cooperella) subtapiroidea (Mastodon angustidens) Klähn 1931 miyae Matsumoto 1930B subtilis (Acanthaspis, Poraspis) sendai Matsumoto 1930A, E teizan Matsumoto 1930F subulensis (Attenosaurus) palaeochoerus Dal Piaz 1930D; Stromer successor (Probathyopsis) 1928D Suchoprion [Clepsysaurus] Phytosauridae reiseri Bolkay 1929 cyphodon Camp 1930B scrofa Bolkay 1929; Caterini 1933; Joleaud sulcidens Camp 1930B suevicus (Innus, Psephosaurus, Pseudosciurus, & Lombard 1933 ferus Gromova 1929 Teratosaurus) Suidae Suoidea Colbert 1933G; Pearson 1928 mosbachensis Küthe 1933 (phylogeny) stremmi Koenigswald 1933 strozzi Airaghi 1928; Bernsen 1931B, 1933 Chaeropotamus (= Choeropotamus terhaari Koenigswald 1933 partim), Chleuastochoerus, vatualangensis Koenigswald 1933 Conohyus, Cynochoerus (= sushkini (Benthosaurus) Efremov 1929A Cynocherus), Hylochoerus sushkini (Permocynodon) Zittel 1932 (= Hylaeochoerus), Hyosüssenbornensis (Ursus) therium, Koiropotamus (= sussmilchi (Ganorhynchus) Choiropotamus), Kolpochoerus, Listriodon, Metridsüttőensis (Testudo) Svalbardaspis Phlyctaenaspidae Heintz 1929B iochoerus (= Notoangulatus Heintz 1929B Notochoerus, choerus?), montanus Bryant 1932 Palaeochoerus, Perchoerus, polaris Heintz 1929B Phacochoerus. Propalaerotundus Heintz 1929B ochoerus, Stylochoerus, Sus, stensiöi Heintz 1929B Synaptochoerus, Tapinotypicus Heintz 1929B choerus Phacochoerinae, Suinae swainsoni (Buteo) swarthi (Falco) suillus (Palaeochoerus) sweeti (Edaphodon) Suinae Suidae Van Hoepen 1932B syceras (Megacerops, Menodus) Sula Sulidae Lambrecht 1929A Sycosaurus Gorgonopsia Nopesa 1928B affinis Lambrecht 1931A Syllaemus Clupeidae sulcatum (Tatu) anglicus Chabanaud 1930 sulcatus (Homostius, Trionyx) Syllomus Cheloniidae Nopesa 1928B sulcidens (Hydrochoerus, Suchoprion) sylvaticus (Apodemus) Sulidae Suloidea sylvestris (Felis, Hypolophus) Moris, Sula Sylvilagus Leporidae Dice 1929 Suloidae [Suloidea] Pelecani Hay 1930A (Superfam. Symborodon Brontotheriidae Osborn of Pelecaniformes) [Megacerops] sumani (Merychippus) bucco Osborn 1929O

sumatranus (Elephas indicus) Patte 1931A

suni (Paralactaga)

Catopsalis, Taeniolabis (= Polymasto-

Dicotyles.

Platygonus,

(= Pros-

(Div. equivalent to Mala-

copteri, and Acanthopteri;

Intero-

montanus Osborn 1929O

torvus Osborn 1929O don) trigonoceras Osborn 1929O Taeniolabis Taeniolabididae Granger & Simpson Symbos Bovidae Barbour, E. 1931F 1929 cavifrons Engels 1933; Hay 1930B; Lyon taöensis Granger & Simpson 1929 1931 triserialis Granger & Simpson 1929 tyrrelli Cook, H. 1931E Taeniolepis Antiarchi, incertae sedis Gross, 1932A, Symmetrodonta Trituberculata Simpson, G. G. 1933A 1928C, 1929A (revision), speciosa Gross, W. 1932A, 1933A 1931B (order of infraclass taganus (Homo) "Pantotheria") taganus (Homo afer) Fabiani 1928 Symmorium Cladoselachidae Fournier & Pruvost Tagassuidae Suoidea Colbert 1933G: Matthew 1928 1932A Antaodon, Brasilochoerus, Catagonus, Symoliophinae [Simoliophinae] Palaeophidae Nopesa 1928B (of Cholophi-Desmathyus, dae, incl. Symoliophis Hesperopithecus, choerus, Mylohyus, Para-(Simoliophis) Synapsida (= Theromorpha) Reptilia choerus, Pecari, Pecari-Synaptochoerus Suidae Van Hoepen 1932B choerus, hieroglyphicus Van Hoepen 1932B Prosthennops Synaptomys Muridae thenops), Tagassu vetus Wilson 1933C Tayassu) Synaptosauria Reptilia tagicus (Ceratorhinus) Synauchenia Coccosteidae Gross, W. 1932B taiti (Thelodus) coalescens Gross, W. 1932B, 1933D takasago (Geoemyda) Talpa Talpidae Kormos 1931A; Simionescu 1932B Synaucheniidae [Coccosteidae] Brachythoraci Gross, W. 1933D (Syncf. brachychir Viret 1929C auchenidae) episcopalis Kormos 1930B Synconodon Didelphiidae Simpson, G. G. 1929A gracilis Brunner 1933; Kormos 1930B Synconolophus Mastodontidae Osborn 1929J meyeri Seemann & Berckhemer 1930 minuta Stromer 1928D dhokpathanensis Osborn 1929J propathanensis Osborn 1929J praeglacialis Brunner 1933: Kormos 1930B ptychodus Osborn 1929J Talpidae Soricoidea Matthew 1932A Syndactyla Marsupialia Simpson, G. G. 1930E Amphidozotherium, Condylura, Des-(rejected) mana (= Myogale), Gailsyndactylus (Hylobates, Siamanga) lardia, Galemys, Geotry-Syndyoceras Protoceratidae Colbert 1933C; Stirton pus, Neurotrichus, Para-1932E scalops, Proscapanus, Pro-Synechodus Cestraciontidae Stromer & Weiler 1932 talpa, Scaptochirus, Scapnerviensis Leriche 1929B tonyx, Talpa, Uropsilus, Syngnathoidea Hemibranchii Hay 1930A (Syngna-Urotrichus thoidae of Lophobranchia) Desmaninae Syngonosaurus Trachodontidae Nopesa 1928B tambuttoi (Notopachyrucos) Synhapalops Mylodontidae Kraglievich 1930C Tamiobatoidae Rajiformes Hay 1930A jujuyensis Kraglievich 1930C Tanaodon Paurodontidae Simpson, G. G. 1929A, Synodontaspis Lamnidae White & Frost 1931 [Tathiodon] cuspidata teretidens White & Frost 1931 tandilensis (Ctenomys intermedius) Rusconi 1931B taurus White & Frost 1931 tanegashimaënsis (Clupea) Synosteus Coccosteidae Gross, W. 1932B Tangasauridae Eosuchia Zittel 1932 Synthetoceras Protoceratidae Stirton 1932E Hovasaurus, Tangasaurus tricornatus Stirton 1932E Tangasaurus Tangasauridae Gladstone & Wakeley 1932 tabulatus (Branchiosaurus, Erpetosaurus, Tudimennelli Haughton 1929B tanus) Tanius Trachodontidae Wiman 1929 Tachyglossa Tachyglossidae Gregory, W. 1933D sinensis Wiman 1929 (Echidna) tantala (Ortalis) Tachyglossidae (= Echidnidae) Monotremata Tantalus Ciconiiformes Tachyglossa (= Echidna) milne-edwardsi Lambrecht 1930B Tachyophis Boidae Nopesa 1928B (Colubridae) tantalus (Pliohippus) Taeniodonta Monodelphia Tanupolama Camelidae Stock 1931E Taeniolabididae Plagiaulacoidea Abel, 1933C; mirifica Simpson, G. G. 1929H Granger & Simpson 1929 stevensi Stock 1928C Tanypteri [Physoclysti] Teleostei Garstang 1931 (for Polymastodontidae

Cope);

(Taeniolabidae)

Romer

incl. Allotriognathi and taracliensis (Machairodus aphanistus) Pilgrim Anacanthini) 1931; Riabinin 1929B Tanysitrachelia Sauropterygia [Trachelosauria] tarandus (Cervus, Rangifer) Peyer 1931C (suborder, to Tardigrada [Bradypodoidea] Pilosa Wood, H. 1930 incl. Tanystrophaeus (preocc, by group of Arthro-(Macroscelosaurus)) poda) [Trachelosauria] tardus (Parectypodus) Tanystrophaea Sauropterygia Romer 1933C (suborder) tarijensis (Canis, Listriodon, Neochoerus, Palaeo-Macroscelosauridae Drevermann Tanystropheus cyon, Platygonus, "Pleuro-1931D; Edinger 1931E; cyon", Tapirus) tarijensis (Hydrochoerus capybara) Kraglievich Huene, F. 1932A, D; Peyer 1931B; Nopcsa 1928B 1930D longobardicus Peyer 1930, 1931C tarijensis (Mylodon robustus) Collins 1933 taöensis (Polymastodon, Taeniolabis) Tarrasius Palaeoniscidae Taognathus Endothiodontidae problematicus Moy-Thomas 1933A megalodon Huene, F. 1931A Tarsiidae Tarsioidea Pseudoloris, Tarsius Tapinocephalidae Dinocephalia Huene, F. 1931A; Nopesa 1928B (of Tapino-Tarsioidea Lemuriformes Hay 1930A (Tarsioidae): cephaloidea) Henckel 1928B (order); Hill Criocephalus, Delphinognathus, Ecca-1932 saurus. Keratocephalus, Incertae sedis: Megatarsius, Microtar-Mormosaurus, Moschognasioides thus, Moschops, Pelosuchus, Tarsius Tarsiidae Abel, O. 1928E; Gregory 1930C; 1928B; Regan Phocosaurus, Pnigalion, Henckel Struthiocephalus, Tapino-1930B Tatabelodon Mastodontidae Frick 1933 Taurocephalus, cephalus, Taurops gregorii Frick 1933 Tapinocephaloidea Dinocephalia Nopcsa 1928B riograndensis Frick 1933 tatarica (Saiga) Tapinocephalus Tapinocephalidae Haughton & Boonstra 1930; Huene, F Tathiodon Paurodontidae Simpson, G. G. 1929A tatroti (Protochyoryctes) Tatu Dasypodidae atherstonei Broom 1928C; Huene, F. 1931A Tapinochoerus Suidae bellus Simpson, G. G. 1929H sulcatum Strand 1931 modestus Van Hoepen 1932B Tatusinae Dasypodidae Rusconi 1931I Tapinoselachii Pisces Hay 1930A (superorder of taubachensis (Equus) Plagiostomi, incl. Pleuropterygia, Ichyotomi and Taunaspis Placodermi, incertae sedis Schmidt, H. Acanthodei) 1022 eurystethes Schmidt, H. 1933 Tapiroidea Tapiridae (incl. Parisectolophidae) Schaub 1928C (Oligocene, tauri-cinerei (Diacodon) tauricum (Ictitherium) Europe) Taurocephalus Tapinocephalidae Broom 1928C Hyrachius, Indolophus, Isectolophus, Megatapirus, Paratapirus, lerouxi Broom 1928C; Huene, F. 1931A Parisectolophus, Tapirus Taurops Tapinocephalidae macrodon Huene, F. 1931A (= Protapirus) Taurotragus Bovidae tapirinus (Rhinoceros) Tapiroidea Perissodactyla Hay 1930A (Tapiroidae) americanus Gazin 1933C oryx Heinz 1932A Tapirus Tapiridae Berckhemer & Seemann 1930; taurus (Bos, Carcharias) Rusconi 1928A augustus Rautenfeld 1928 (Megatapirus) Taxidea Mustelidae Elftman 1931 marylandica Gidley & Gazin 1933 australis Rusconi 1928A, 1931I taxus Cook, H. 1931E cristatellus Rusconi 1933F taxus (Taxidea) douvillei Koenigswald 1930 Tayassuidae [Tagassuidae] Suoidea Rusconi 1930G haysii californicus Stirton & Weddle 1929 taylori (Bison, Brachyrhynodon, Dicynodon, helveticus Koenigswald 1930 Trigonias, Tubulodon) helvetius Schaub 1928C tealei (Dicynodon) intermedius Berckhemer & Seemann 1930; tecta (Scutemys) Koenigswald 1930 Tectinarialia [Gorgonopsia] Theriodontia Broom moguntiacus Koenigswald 1930 1932R robustus Koenigswald 1930 teguliensis (Cervus) sinensis Young 1932E Teiidae Lacertoidea tarijensis Rusconi 1931A Dracaena, Tupinambis Teilhardella Apatemyidae Jepsen 1930B veroensis sellardsi Simpson, G. G. 1929H

taracliensis (Epimachairodus?)

chardini Jepsen 1930B (Plesiadapidae)

1929€

[Rhadin-

1929

(incl.

Orino-

trossingensis Seemann 1933

Telicomys Chinchillidae Kraglievich 1929B teilhardi (Bubalis, Eucosmodon, Phenacodus) Teinurosaurus Aublysodontidae Huene, F. 1932A giganteus Kraglievich 1929B gigantissimus Kraglievich 1929B (syn. of Aublysodon = Telmatheriinae Brontotheriidae Osborn Deinodon Dinodon); Nopcsa 1928B (incl. Telmatherium and (Megalosauridae) Sthenodectes) Telmatherium Brontotheriidae teisseiri (Gyriabrus) altidens Osborn 1929O 1932D Teisseiria Glyptodontidae Kraglievich berkevi Osborn 1929O [Stromaphoropsis] coloniensis Kraslievich 1932D cultridens Osborn 1929O incisivum Osborn 1929O teizan (Sus nipponicus) Matsumoto 1930F ultimum Osborn 1929O Tejinae [Tejidae] Scincomorpha Nopesa 1928B validum Osborn 1929O (of Scincidae) Telacodon Insectivora, incertae sedis Simpson, Telmatotherium Brontotheriidae diploconum Osborn 1929O G. G. 1929A rhinusl praestans Simpson, G. G. 1929A Teleidosaurus Teleosauridae Telmatornis Rallidae gaudryi Mercier 1933 (Metriorhynchus) affinis Wetmore 1930A priscus Wetmore 1930A Teleobunomastodon Mastodontidae Revilliod 1931 Telosmilus Felidae Kretzoi 1929 bolivianus Revilliod 1931 Teleoceras Rhinocerotidae Figgins 1932: Matthew cautleyi Kretzoi 1929 1931A temblorensis (Tiphyocetus) Temnocyon Canidae Stock 1932E fossiger Matthew 1932B longipes Simpson, G. G. 1930H Temnothoraci Arthrodira Gross, W. 1932B (rejected order) proterus Simpson, G. G. 1930H Trionychidae Hummel rooksensis Matthew 1932B (not Para-Temnotrionyx [Trionyx] phelops) thomsoni Cook, H. 1930B (Mesoceras) tenax (Dryolestes) Teleocerinae Rhinocerotidae Weber, M. 1928A tendagurense (Brancatherulum) (incl. Teleoceras, Brachytendagurensis (Rhamphorhynchus) potherium and Chilotenebrarum (Eomellivora) teniculus (Tetonius) therium) Teleodontomys Chinchillidae Kraglievich 1931E tenisculatus (Haplacanthus, Onchus) compressidens Kraglievich 1931E Tenrecoidae [Tenrecoidea] Insectivora Hay 1930A Teleodus Brontotheriidae (superfamily of Lipotyphla) avus Osborn 1929O Simpson, G. G. 1931B primitivus Osborn 1929O (Tenrecoidea) uintensis Peterson, O. 1931B tenuiceps (Macroplata) Teleorhinus Pholidosauridae Nopcsa 1928B tenuicorne (Ceraterpeton, Eoserpeton) browni Mook 1933B tenuidens (Mesosaurus) Teleosauridae Mesosuchia Nopesa 1928B (Crocotenuidentatus (Gyrolepis) tenuirostris (Pelecyornis) diloidea) Mystriosaurus, Mycterosuchus, Pelagotenuis (Jubbulpuria, Machaeroprosopus, Scapanosaurus, Steneosaurus, Telerhynchus) idosaurus, Teleosaurus, tenuis (Merluccius, Otolithus) White & Frost 1931 tenuispinus (Onchus) Wurnosaurus Teleosaurinae tenuistriatus (Saurichthys) Teleosaurinae Teleosauridae Nopesa 1928B (Incl. Tephrocyon Canidae Matthew 1929P Mycterosuchus. Pelagokelloggi Stirton 1932C saurus, Psephoderma, tephrus (Sciurus) Stenosaurus. Teleidoterakohensis (Physiculus, Otolithus) Frost 1933B saurus and Teleosaurus) Teratosauridae (= Zanclodontidae = Paleosauridae) Teleosaurus Teleosauridae Anon, 1929Q; Mercier Megalosauroidea Huene, F 1933 1932A (of Carnosauria); Teleostei Actinopterygii Garstang 1931 (new clas-1928B Nopesa sification); Gregory, W. Zanclodon) 1928D Basutodon, Gresslyosaurus, Teleostomi [Osteichthyes] Piveteau 1930C (classisaurus, Pachysaurus, Palfication); Stensiö 1931 (div. eosaurus. Teratosaurus of Pisces, incl. Dipnoi, (= ?Zanclodon), Zatomus Crossopterygii, Brachiop-Teratosaurus Teratosauridae terygii and Actinopterygii) (?) bengalensis Das-Gupta 1929 Telerpeton Procolophonidae suevicus Seemann 1933 elginense Rieth 1932

teretidens (Odontaspis cuspidata) White & Frost Tetoniidae [Anaptomorphidae] Tarsioidea Abel, 1931 (Synodontaspis) O. 1933C terhaari (Sus) Tetonius Anaptomorphidae Henckel 1928B Phytosauridae Camp 1930B: Termatosaurus teniculus Jepsen 1930B Corroy 1933 Tetrabelodon Mastodontidae Anthony terrai (Uruguaysuchus) Leakey 1932B; Watson Terrapene Emyidae 1929G antipex Barbour & Stetson 1931 angustidens Borissiak & Beliaeva 1928A; canaliculata Barbour & Stetson 1931 Erasmo 1929 (Trilophodon) formosa Barbour & Stetson 1931 ayorae Spillman 1928A innoxia Barbour & Stetson 1931 turicensis Pontier & Anthony 1929 Tetraceratops Clepsydropsidae Nopcsa 1928B major Barbour & Stetson 1931 singletoni Barbour & Stetson 1931 Tetraconodon Entelodontidae terrelli (Dinichthys) mirabilis Bose 1929A Tersomius Branchiosauridae tetractis (Saurichnium) texensis Steen 1931A tetradactylum (Aceratherium) tertius (Diprionomys) Tetragonolepis Semionotidae Coulon 1928A tessellata (Natrix) Tetragonopterus Characinidae tesselatus (Dyptychosteus) ligniticus Eigenmann & Meyers 1929 [Lignobrycon] Testudinata Anapsida Nopcsa 1928B (superorder, incl. orders Eunotosauria Tetragonosaurus Trachodontidae Parks 1931 and Testudinata); Idem erectafrons Parks 1931 (order, incl. suborders Ampraeceps Parks 1931 phichelonoidea, Pleuro-Tetralophodon Elephantidae bumiajuensis Van der Maarel 1932 dira, and Cryptodira) Testudinidae Cryptodira Nopesa 1928B (incl. Tetrameryx Antilocapridae Howard 1931A; Romer Testudininae and Emy-1933D; Stock 1932F (?) conklingi Stock 1930D dinae) Colossochelys, Cymathalcus, Geoemyda Tetrao Phasianidae Geoliemys, Sinohadrianus, tetrix Brunner 1933; Gaillard 1928A Tetraonidae Phasianoidea Stylemys, Testudo Palaealectornis, Tympanuchus Testudininae [Testudinidae] Cryptodira Nopesa Tetrapoda Gnathostomata Holmgren 1933 (origin) Huene, F. 1931J (vertebrae testudirostris (Dicynodon) and classif.); Kesteven Testudo Testudinidae Swinton 1928; VanderHoof 1931A (ancestry and phy-1933A; Wark 1928B antiqua Glaessner 1933A logeny); Marinelli 1929 var. noviciensis Glaessner 1933A (skull); Menzbier 1930 var. praeceps Glaessner 1933A (origin); Romer 1933C baranyaënsis Szalai 1933B (superclass of Vertebrata, incl. Amphibia, Reptilia, bessarabica Marcarovici 1930 Aves and Mammalia) burchardi Burchard & Ahl 1928 Tetrapodosauridae Ichnites Sternberg, C. M. corroyi Bergounioux 1933D csákvárensis Szalai 1933B 1932E Tetrapodosaurus Ichnites Sternberg, C. M. 1932E demissa Gilmore 1931B borealis Sternberg, C. M. 1932E fejervaryi Szalai 1930A Tetraprotodon Hippopotamidae Matthew 1929A hanus Gilmore 1931B amphibius Leonardi 1933 hipparionum Wiman 1930B Tetrapteryx Aves [hypothetical] Nopcsa 1929D honanensis Wiman 1930B Tetrastylinae Chinchillidae Kraglievich 1931C hungarica Szalai 1933B Tetrastylomys Chinchillidae Kraglievich 1929B hypercostata Wiman 1930B castellanosi Kraglievich 1929B kaiseni Gilmore 1931B Tetrastylopsis Chinchillidae Kraglievich 1931E kalganensis Gilmore 1931B araucanus Kraglievich 1931E kalksbergensis steinheimensis Staesche Tetrastylus Chinchillidae 1931 aguilari Kraglievich 1932B louisekressmanni Wark 1929 araucanus Kraglievich 1931E marmoreum Nafiz & Malik 1933 atavus Kraglievich 1931E (Protelicomys) rácmecskeensis Szalai 1933B giganteus Kraglievich 1929B schafferi Szalai 1933A gigantissimus Kraglievich 1929B shansiensis Wiman 1930B montanus Kraglievich 1931C shensiensis Wiman 1930B robustus Kraglievich 1932B sphaerica Wiman 1930B tetrix (Tetrao) süttöensis Szalai 1933B tetrodon (Rhynchodus)

texanus (Bison)

ulanensis Gilmore 1931B

(= Anchisaurus texensis (Tersomius) osaurus Pleurodira Abel, O. 1930A partim) Thalassemydidae Thecodontosaurus Thecodontosauridae Haughton (tracks) Thalassemydinae [Thalassemyinae] Thalassemyidae & McGregor 1929; Thomasset 1930B Nopesa 1928B (of Thalassemydidae, incl. Chelo-(?) alophos Haughton 1932B nides. Eurysternum. Hybrowni Huene, F. 1932A dropelta, Idiochelys, Pelocylindrodon Camp 1930B dubius Huene, F. 1932A batochelys. Sontiochelys minor Huene, F. 1932A and Thalassemys) Thecophora [Amphichelydia] Testudinata Ber-Thalassemydoidae Pleurodira Hay 1930A (Supergounioux 1932A, D, 1933B family of Thecophora) ("Tecophores," incl. Gym-Thalassemyidae (= Thalassemydidae) Pleurodira Atlantochelys, Chelonides, Desmatonodermes and Lepidochelys, Desmemys, Eurydermes): Deraniyagala 1931 (phylogeny) sternum, Hydropelta, Idio-Thecospondylus Coeluridae Huene, F. 1932A Neptunochelys. chelys, Osteopygis, Pelobatochelys, [Thecocoelurus]; 1928B Sontiochelys. Thalassemys. Thelodonti [Coelolepidae] Heterostraci Kiaer & Tropidemys Heintz 1932 (order of Ostra-[Desmemyinae], Desmemydinae codermi incl. Coelolepis. Thalassemydinae [Thal-Thelodus and Lanarkia) assemyinae] Thalassemys Thalassemyidae Nopcsa 1928B Thelodus Coelolepidae Hoppe 1933; Kiaer & Thalassictis Hyaenidae Pilgrim 1931 [Ictitherium] Heintz 1932; Regan 1929A gracilis Pilgrim 1931 macintoshi Stetson 1928C planus Stetson 1931B orbignyi Pilgrim 1931 robusta Pilgrim 1931 scotius Stetson 1931B taiti Stetson 1931B Thalassochelys Cheloniidae Nopcsa 1928B Thalattosauridae Eosuchia Romer 1933C Thelolepis Coelolepidae Hoppe 1933 Thalattosauroidea Eosuchia Nopesa 1928B (of (?) bicostata Hoppe 1931A Pelyeosauria, incl. Thalattrilobata Hoppe 1931A. theobaldi (Hipparion, Hippotherium, Sivalippus) tosauridae) Theosodon Macraucheniidae Gregory, W. 1929I Thalattosauromorphi Eosuchia Hay 1930A (order ("Thesodon") of Squamata) garrettorium Kraglievich & Parodi 1931 Thalattosiren Dugongidae (Thesodon) petersi Sickenberg 1928A Thalattosuchia [Metriorhynchidae] Mesosuchia hystatus Cabrera & Kraglievich 1931 Mercier 1933 (phylogeny) pozzii Kraglievich & Parodi 1931 Mook (Jour. Geol., 42, 1934. Therapsida Synapsida Broom 1929C, 1931C, 1932B; incl. Metriorhynchidae) Haughton 1929O; Nopesa Thaleroceros Bovidae 1933B; Parrington 1933; radiciformis Dietrich 1933 Petronievics 1931A Thamnophis Colubridae Nopesa 1928B Theria [Eutheria] Mammalia Simpson, G. G. Thaumatosaurus Plesiosauridae Janensch 1929E 1931B (incl. Pantotheria, megacephalus Swinton 1931B Metatheria and Eutheria Thaumaturus Salmonidae Weigelt 1932A = Monodelphia) intermedius Weitzel 1933C Theridomyidae Anomaluroidea Thecachampsa Crocodilidae Nopesa 1928B; Zittel Archaeomys, Issiodoromys, Palanoema 1932 [? Crocodilus] (= Palanaema) Thecocoelurus Coeluridae Huene, F. 1932A Theriodictis Canidae Thecodontia Archosauria Nopesa 1928B (order of platensis Kraglievich 1928A, 1929, 1930A Diaptosauria, incl. Eosuch-Theriodontia Therapsida Broom 1932B Pseudosuchoidea, "Theriodontia" Tetrapoda Naef 1931 (group of oides. Parasuchoidea. Pelyco-"Theriomorpha," incl. Cysimia and Proterosauroidea) nodontia and Mammalia) (= Anchisauridae) Plateo-Therioidea [Therocephalia] Therapsida Naef 1931 Thecodontosauridae sauroidea Huene, F. 1932 (group of Theriomorpha) "Theriomorpha" Tetrapoda Naef 1931 (group of (of Prosauropoda): Nopesa 1928B (of Pachy-Theriosauria, incl. Theripodosauroidea) oidea and Theriodontia) Dromicosaurus, Gyposaurus (= Aristo-Theriosauria Tetrapoda Naef 1931 (group of saurus), Massospondylus, Amniota, incl. Pelycosauria

Thecodontosaurus (= An-

chichisaurus partim), Yale-

and Theriomorpha)

Theriosuchus Goniopholidae Nopesa 1928B

thermalis (Desmana) thomsoni (Gaillardia, Hypercoryphodon, Tele-Therocephalia Theriodontia Watson 1931B oceras) Akidognathus, Alopecideops, Alopeco-Thoracosaurinae Tomistomidae Nopesa 1928B (of don, Alopecognathus, Anna, Crocodilidae, incl. Holops Choerosaurus. Cynarioand Thoracosaurus), 1928C gnathus, (?) Hyorhynchus, Thoracosaurus Tomistomidae Kalin 1931A Icticephalus, Ictidognathus, Thrinaxodon Cynodontia Watson 1931B Ictidoparia, Ictidosaurus, liorhinus Parrington 1933 Ictidostoma. Ictidosuchputterilli Broom 1932B; Parrington 1933 oides, Ictidosuchus, Lycide-Thrissops Leptolepidae Coulon 1928A ops, Lycosuchus (= Lycoformosus Neumayer 1929 saurus), Pristerognathus, volgensis Koslov 1928 Scaloposaurus, Scylacoides, Thryonomyidae Hystricoidea Romer 1933C: Scylacosaurus (= Scylaco-Simpson, G. G. 1931B rhinus). Simorhinella, (Thrinomyidae); Weber, M. Whaitsia 1928A (Thrynomyidae) Akidognathidae: Akidognathinae, Thryonomys Lycosuchidae (= Lyco-Thryonomys Thryonomyidae sauridae), Scaloposauridae: Iogani Romer & Nesbitt 1930 Scaloposaurinae, Scylaco-Thryptacodon Arctocyonidae sauridae (= Ictidosauridae), pseudarctos Simpson, G. G. 1928B Whaitsiidae (See: Euchamthule (Asterolepis) bersiidae) Thyestes Cephalaspidae Therocephaloidea [Therocephalia] Theriodontia egertoni Stensiö 1932A Nopesa 1928B salteri Stensiö 1932A Thylacinus Dasyuridae Gregory, W. 1929C Theromorpha [Synapsida] Reptilia Ophiacodontidae Romer 1928B: Theropleura cynocephalus Anderson, C. 1929B Whipple & Case 1930 Thylacoleo Thylacoleonidae Gregory, W. 1929G Theropleurinae Ophiacodontidae partim Nopcsa australis Anderson, C. 1929A 1928B (of Poliosauridae, carnifex Anderson, C. 1929A, B, 1933 incl. Kallibrachion [Calli-Thylacoleonidae Phalangeroidea Simpson, G. G. 1930E (Thylacoleontidae), brachion), Oxiodon [Oxyodonl, and Theropleura) 1931B Thylacoleo Theropoda Saurischia Theropodia [Theropoda] Saurischia Huene, F. Thylacopardus Thylacoleonidae Anderson, 1929C (rejected) 1929A [Thylacoleo] Therosaurus Ophiacodontidae Romer 1928B Thylacosmilinae Borhyaenidae Riggs 1933B Thescelosaurus Hypsilophodontidae Nopesa Thylacosmilus Borhyaenidae Riggs 1933B 1928B (Thescelesaurus, Iguatrox Riggs 1933B lentis Riggs 1933B anodontidae) Thescelus Baënidae Thynnus Scombridae insiliens Wiman 1933C krambergeri Pauca 1933 Thyreaphora Orthopoda Huene, F. 1931C rapiens Wiman 1933C Thespesius [Trachodon] Trachodontidae Nopcsa Thyreaphoroidea Orthopoda Nopcsa 1928B (incl. Psittacosauridae, 1928B Thinopus Ichnites sauridae, Acanthopholidae, antiquus Caster 1930 Nodosauridae and Ceratopsidae), 1929C (Thyreapho-Thinosaurus Varanidae Nopesa 1928B Thlaeodon Didelphiidae Simpson, G. G. 1929A roida, incl. Psittacosauridae, Thlmodontinae Didelphiidae Hay 1930A (of Didel-Ceratopsidae, Stegosauridae and Nodosauridae) phidae for Didelphodontichoceras (Brontotherium, Menodus) tinae preocc.) Thoatherium Proterotheriidae Simpson, G. G. Tichorhinus Rhinocerotidae Weber, M. 1928A 1932G antiquitatis Stromer 1928B Thomashuxleya Homalodontotheriidae Simpson, tichorhinus (Rhinoceros) G. G. 1932E tigriceps (Bainia) thomasi (Brontozoum, Camelus, Stylohipparion) Tillodontia Monodelphia Abel, O. 1933C; Simp-Thomasia Microcleptidae son, G. G. 1929M anglica Simpson, G. G. 1928C Tillotheriidae [Anchippodontidae] Tillodontia Thomomys Geomyidae Tillotherium, Trogosus bottae pallescens Grinnell 1923 Tillotherium Tillotheriidae Edinger 1933A; Pergidleyi Wilson 1933C rier 1928; Simpson, G. G. orientalis Gidley & Gazin 1933 scudderi Elftman 1931 1929M

timorensis (Mixosaurus)

townsendi Elftman 1931

Scapanodon, Scullya, Ti-Tinca Cyprinidae tanosuchus furcata Weiler 1933B Titanosuchoidea Dinocephalia Nopcsa 1928B leptosoma Weiler 1933B Titanosuchus Titanosuchidae tingi (Psittacosaurus) ferox Broom 1929D; Huene, F. 1931A tingii (?Machairodus) Tinoceratidae [Uintatheriidae] Dinocerata Titanotheriidae [Brontotheriidae] Brontotherioidea Osborn 1929C Tinodon Spalacotheriidae Simpson, G. G. 1929A Titanotherioidea [Brontotherioidea] Perissodactyla Tiphyocetus Cetotheriidae Kellogg 1931B Osborn 1929O (Titanothertemblorensis Kellogg 1931B oidea, monographic) titan (Macropus) Titanichthys Coccosteidae Heintz 1929D, 1931A, Titanotherium Brontotheriidae Barbour, E. 1932A proutii Osborn 1929O F: Hussakof 1930 ramosum Osborn 1929O hussakofi Hay 1930 tobleri (Chlamydoselachus) Titanohyrax Saghatheriidae Simpson, G. G. 1929 K tokunagai (Loxodonta) toliapicus (Carcharias, Phyllodus, Pycnodus) Titanoides Coryphodontidae Tolmodinae Phororhacidae Kraglievich 1932C faberi Patterson, B. 1933 Tolmodus Phororhacidae Kraglievich 1932C gidleyi Jepsen 1930C Titanomys Ochotonidae Viret 1929C tolosanus (Ceratorhinus tagicus) Astré 1933A Tolypaspidae [Pteraspidae] Heterostraci Kiaer trilobus Viret 1929C 1932 (of Cyathaspidei) visenoviensis Berckehemer & Seemann Tolypeutinae Dasypodidae Rusconi 1931I 1930; Stehlin 1928E; Viret Tomarctus Canidae Gazin 1932; Stirton 1933 1929C brevirostris Frick 1931A var. garandianus Viret 1929C tomerdingensis (Diaceratherium) Titanops Brontotheriidae Tomictis Mustelidae Hall, E. 1931 eurtus Osborn 1929O gazini Hall, E. 1931 medius Osborn 1929O Titanosauridae Cetiosauridae Sauropoda Huene, tomicus (Sargodon) Tomistoma Tomistomidae Kalin 1931A F. 1928A, 1929A (phybrumpti Joleaud 1930E logeny) 1929D, F; Matley nitriae Joleaud 1930E 1929 Titanosaurinae Cetiosauridae Huene, F. 1932A Tomistomidae Eusuchia (Subfam. of Cetiosauridae. Eosuchus, Euthecodon, Gavialosuchus Gryposuchus, to incl. Tornieria, Titano-Holops. Thoracosaurus, Tomistoma saurus, Aepisaurus, Laplat-Thoracosaurinae Macrurosaurus, asaurus. Magyarosaurus, Hypselo-Tomocyon Canidae Viret 1929A grivensis Viret 1929A saurus, Antarctosaurus, toplitschi (Psilotrachelosaurus) Argyrosaurus, Campylodon and Alamosaurus); Nopcsa torgeri (Gresslyosaurus, Plateosaurus) Tornieria Cetiosauridae Huene, F. 1932A; Nopesa 1928B (of Morosauridae, 1930D; Stromer 1932C incl. Hypselosaurus, Mac-Torosaurus Ceratopsidae Lull 1933A; Nopesa rurosaurus and Titano-1928B saurus), 1930D (of Diplotorquatus (Cuniculus, Dicrostonyx) docidae, incl. Antaretotorrei (Mesocnus) saurus, Laplatasaurus, Titorresi (Pseudohegetotherium) tanosaurus) torvus (Menodus, Symborodon) Titanosaurus Cetiosauridae Huene, F. 1928A; Torynobelodon Mastodontidae Barbour, E. 1929C Matley 1931; Nopesa 1930D; barnumbrowni Barbour, E. 1981G, 1932C, D Stromer 1932C; Torres 1932 loomisi Barbour, E. 1929C australis Huene, F. 1929A, F Toscanius Felidae Kretzoi 1929 dacus Huene, F. 1932A Totanus Charadriidae robustus Huene, F. 1929D grivensis Ennouchi 1930 Titanosuchidae (Incl. Lamiasauridae and Moschotownsendi (Thomomys)

sauridae)

Titanosuchoidea)

Anteosaurus, Dinartamus, Dinocyno-

Dinocephalia

Broom 1929D; Huene, F.

1931A; Nopesa 1928B (of

don, Dinophoneus, Dino-

sphageus, Enobius, Jon-

keria, Lamiasaurus, Mos-

chosaurus. Phoneosuchus.

Toxochelys
Toxochelyidae Nopesa 1928B
Toxodon Toxodontidae Castellanos 1933A; Lucas
1928; Matthew 1929M;
Simpson, G. G. 1932J; Vignati 1931B

Toxochelyidae Cryptodira Hummel 1929 (Toxo-

chelydae)

Toxodonta Notoüngulata Simpson, G. G. 1931B (Suborder) Toxodontherium Toxodontidae Trachodontoidea Orthopoda andinum Kraglievich 1931G listai Kraglievich 1932D Toxodontia [Notoungulata] Monodelphia Abel, O. 1933C; Matthew 1929 M (general); Patterson, B. 1932A (ear; incls. infraorders Toxodonta, Typotheria and Entelonychia in this suborder) Toxodontidae (incl. Haplodontheriidae and Xotodontidae) Toxodonta Alitoxodon, Gyrinodon, Hemixotodon, Hypotoxodon (= Paleotoxodon preocc. = Palaeotoxodon), Paratrigodon, Prototrigodon, Stereotoxodon, Toxodon, Toxodontherium, Trigodon, Trigodonops. Xotodon Paratrigodontinae Toxoprion Edestidae David 1928; David & Süssmilch 1931 Trabalia Glyptodontidae Kraglievich 1932D guimaraensi Kraglievich 1932D Trachelosauria (= Tanysitrachelia = Tanystrophaea) Sauropterygia Romer 1930D Trachelosauridae [Macroscelosauridae] Trachelosauria Nopesa 1928B Trachelosauroidea [Trachelosauria] Sauropterygia Nopesa 1928B Trachemys Emyidae sculpta Gilmore 1930B Trachodon Trachodontidae Barbour, E. 1931B; Drevermann 1928E: Moodie 1928A, 1929 amurense Riabinin 1930D Trachodontidae (= Hadrosauridae) Trachodontoidea Efremov 1932B: Nopcsa 1928B (of Ornithopodoidea, incl. Protrachodontinae, Trachodontinae, Saurolophinae and Lambeosaurinae); Riabinin 1930D Cheneosaurus, Clao-Bactrosaurus. saurus, Corythosaurus, Edmontosaurus. Hypacrosaurus, Kritosaurus, Lam-Mandschurobeosaurus. saurus, Orthomerus, Parasaurolophus, Prosaurolophus, Saurolophus, Stephanosaurus, Syngonosaurus, Tanius, Tetragonosaurus, Trachodon (= Cionodon = Thespesius = Hadrosaurus) Lambeosaurinae, Protrachodon-

tinae

saurus.

Trachodon)

(incl. Claosaurus, Edmonto-

saurus, Hadrosaurus, Krito-

Thespesius and

Trachodontinae Trachodontidae Nopesa 1928B

Trachosteus Coccosteidae Edinger 1929D Trachyaspis Carettochelyidae Hummel 1929 Trachyboa Boidae Nopesa 1928B Trachycalyptus Glyptodontidae connexus Castellanos 1929A dubius Castellanos 1929A gracilis Castellanos 1929A planus Castellanos 1929A Trachydermochelys Pleurosternidae Nopcsa 1928B Trachytherium (Sirenia) Dugongidae Simpson, G. G. 1932C (invalid) Tragelaphinae Bovidae Pilgrim & Hopwood 1928 Tragelaphus Bovidae Arambourg & Piveteau 1929A: Schaub 1932 houtum-schindleri Pilgrim & Hopwood 1028 speckii Schwarz, E. 1932B stromeri Dietrich 1933A; Schwarz, E. 1932B Tragocerus Bovidae amalthea Pilgrim & Hopwood 1928 (Tragoceras); Stromer 1928D amaltheus Arambourg & Piveteau 1929A (Tragoceras); Solignac 1931 latifrons Sickenberg 1929B valenciennesi Pilgrim & Hopwood 1928 Tragoreas Bovidae oryxoides Pilgrim & Hopwood 1928 Traquairaspidae [Pteraspidae] Heterostraci Kiaer 1932 (of Cyathaspidei) Tragulidae (incl. Gelocidae) Traguloidea Bachitherium, Dorcatherium, Gelocus, Hyaemoschus, Indomeryx, Lophiomeryx, Tragulus Traguloidea Pecora Hay 1930A (Traguloidae of Ruminantia) traguloides (Dremotherium) Tragulus Tragulidae Loomis 1928B tragus (Rupricapra) transilvanicum (Brachydiastematherium) transsylvanicus (Magyarosaurus, Struthiosaurus) transvaalensis (Archidiskodon) transversus (Uroconger) transversus (Uroconger, Otolithus) Frost 1933A Traquairaspis Pteraspidae Kiaer 1932 cambelli Kiaer 1932 Traquairia Acanthoëssidae Whitley 1933 traquairi (Cephalaspis, Gordonia, Rhinosteus) Stensiö 1932A Traquairichthys Acanthoëssidae Whitley 1933 pygmaeus Whitley 1933 trautscholdi (Coccosteus) Traversodontidae Cynodontia Huene, F. (Die Reptilien sudfossilen amerik. Gondwanalandes. Lief II, (?) 1936; Also Neues Jahrb. Min. Geol. Pal. (Referate III), 142-151, 1938) Traversodontidae Cynodontia Gomphodontosuchus Tremarctos Ursidae Matthew 1929A

Tremarctotherium Ursidae Matthew 1929A

Lepidopus

Tricleidus Elasmosauridae Nopesa 1928B

Trichiuroidea Scombriformes Hay 1930A (Tri-

chiuroidae of Beryciformes)

Triclis Macropodidae Tremataspidae (incl. Dartmuthiidae = Dartoscillans Anderson, C. 1933 muthidae) Osteostraci Dartmuthia, Tremataspis Tricopodon Tricopodontidae Anon. 1929Q major Simpson, G. G. 1928C Tremataspis Tremataspidae Patten 1932; Regan 1929A mordax Simpson, G. G. 1928C Triconodonta Trituberculata, incertae sedis Simpmammillata Patten 1931A son, G. G. 1928C. 1929A milleri Patten 1931A Trematosauridae Stereospondyli (suborder incl. Tricono-Aphaneramma, Lonchorhynchus, Platydontidae) Triconodontidae Triconodonta Simpson, G. G. stega, Trematosaurus Trematosaurus Trematosauridae Efremov 1928: 1928C, 1929A Amphilestes, Aploconodon, Phalasco-Kuzmin 1933B; Schmidt. therium, Phascolodon, Pri-M. 1928, 1931 acodon, Triconodon. Tribrauni Efremov 1932A; Pfannenstiel 1932A Trematosteidae [Coccosteidae] Brachythoraci oracodon Gross, W. 1932B (type Tre-Amphilestinae matosteus Jaekel) 1933D Triconodontinae Triconodontidae Simpson, G. G. 1928C, 1929A Trematosteus Coccosteidae Gross, W. 1932B, 1933D fontanellus Gross, W. 1932B tricornatus (Synthetoceras) Trematosuchus Rhinesuchidae Efremov & Kuz-Tricuspes Cynodontia Huene, E. 1933 tübingensis Huene, E. 1933 min 1932A jakovlevi Kuzmin 1933B tricuspis (Limnoecus) weidenbaumi Kuzmin 1933B tridens (Meleagris) Tretosternum Pleurosternidae Nopcsa 1928C trifoliatus (Cyclopterus, Otolithus) Frost 1933B Trigla Otolithus [Helochelydra] arambourgi Weiler 1928B triadicus (Eifelosaurus) Triaenopus Ichnites ellipticus (Otolithus) Hucke & Voigt 1929 lulli Thorpe 1929 Triglidae Scorpaeniformes triangularis (Odonterpeton) Trigla Triassochelyidae (= Proganochelydidae) Amphi-Triglyphus Tritylodontidae Schmidt, M. 1928; chelydia Nopcsa 1928B (of Simpson, G. G. 1928C Amphichelonoidea) Trigodon Toxodontidae lopesi Kraglievich 1930M Triassochelvs Trigodonops Toxodontidae Kraglievich 1930M Triassochelys Triassochelyidae Heschler 1929; lopesi Kraglievich 1930M, 1931J Ruckes 1929 trigonalis (Hypotodus, Iekelotodus) Tribelesodon Macroscelosauridae Nopesa 1928B (to Trigonias Rhinocerotidae Kitchin 1929; Matthew Pterosauria); Peyer 1931A, 1931A C [Tanystropheus]; Plieninger 1930 (to Pterosauria); cooki Wood, H. 1931 Zitte 11932 (to Araeoscelidia) hypostylus Gregory & Cook 1928 Tribelesodontoidea [Macrocelosauridae] Sauropombonii Dal Piaz 1930C; Wood, H. 1932 terygia Nopcsa 1928B (subosborni Wood, H. 1931 figginsi Gregory & Cook 1928; order of Pterosauria, incl. only Tribelesodon [Macro-Wood, H. 1931 celosaurus!) osborni Wood, H. 1931 Tribolodon Cynodontia Huene, F. 1928B precopei Wood, H. 1931 Tricentes Arctocyonidae Gregory, W. 1929I secundus Gregory & Cook 1928; Wood, H. 1931 Triceratops Ceratopsidae Anon. 1930P; Gilmore 1933; Moodie 1930D; Sternprecopei Gregory & Cook 1928; Wood, H. berg, C. H. 1931 1931 elatus Osborn 1933E preoccidentalis Gregory & Cook 1928; Wood hatcheri Lull 1933A H. 1931 maximus Brown, B. 1933B taylori Gregory & Cook 1928 Trichaelurus Felidae Kretzoi 1929 trigoniceps (Emydopsis, Procolophon) Trichechidae (= Manatidae) Trichechiformes trigonocephalus (Stegodon) Trichechus (= Manatus) trigonoceras (Menodus, Symborodon) Trichechiformes Sirenia Simpson, G. G. 1932C Trigonodon Sparidae Trichechus Trichechidae Simpson, G. G. 1932C oweni Sarra 1930 obesus Borissiak 1930E (Odobaenidae) trigonodon (Leptopterygius) var. ochoticus Borissiak 1930E Trigonodontidae Plectognathi Zittel 1932 Trichiuridae Scombriformes Estrigonodon, Stephanodus

trigonodum (Subhyracodon)

Trigonosternum Metoposauridae Schmidt, M. 1931

latum Schmidt, M. 1931

Trigonostylopidae Trigonostylopoidea Scott, W. blavaci Bergounioux 1933 A 1928A (of Astrapotheria) harmati Szalai 1933B Scabellia?, Trigonostylops (= Stauronopesai Szalai 1933B don preocc, = Chiodon) pompignarensis Bergouniour 1933 A Trigonostylopoidea Astrapotheria Simpson, G. G. pseudovindobonensis Szalai 1933B (Amer. Mus. Novit. 750, p. 7; rostratus Glaessner 1933A (Amyda aff.) suborder, incl. Trigonorotundiformus Bergounioux 1933 A stylopidae) var. monspessulana Bergounioux Trigonostylops Trigonostylopidae Simpson, G. G. 1933A 1932I, 1933P sculptus Gilmore 1931B Triisodontidae Arctocyonoidea Weber, M. 1928A spinosus Kiaer & Heintz 1933 (Thriisodontidae, family of sulcatus Kiaer & Heintz 1933 Acerodi [for Acreodi], from vindobonensis Glaessner 1933A (Amyda) Matthew's chart, p. 342) Trioracodon Triconodontidae Simpson, G. G. trilobata (Moreyella, Thelolepis) 1928C ferox Simpson, G. G. 1928C trilobus (Titanomys, Zygomaturus) Trilophodon Mastodontidae Figgins 1927A; Klähn major Simpson, G. G. 1928C 1929A; Stock 1928A oweni Simpson, G. G. 1928C angustidens Erasmo 1929 Tripriodon Ptilodontidae Simpson, G. G. 1929A gaillardi Osborn 1929J [Meniscoëssus] barstonis Frick 1933 Trirachodon Cynodontia cooperi Osborn 1932D berryi Broom 1932B cruziensis Frick 1933 Trirachodontoides Cynodontia Broom 1932B berryi Broom 1932B inopinatus Borissiak & Beliaeva 1928B phippsi [Gomphotherium] Figgins 1928, 1929 triserialis (Taeniolabis) pojoaquensis Frick 1931B trispinosus (Idiacanthus, Lates, Neohalecopsis) Tritemnodon Hyaenodontidae Colbert 1933E Trilophosaurus Procolophonidae Trithelodon Ictidosauria Broom 1930F buettneri Case 1928 Triton Salamandridae Trimerorhachidae Rhachitomi Trimerorachis Trimerorhachidae Stadtmüller alpestris Schmitgen 1928A 1929; Whipple & Case 1930 Trituberculata (= infraclass Pantotheria of G. G. Simpson 1931B) Eutheria Trimylus Soricidae Romer 1933C (subclass of schlosseri Stromer 1928D Mammalia) Trinacromerinae Polycotylidae Nopesa 1928B (of Tritylodon Tritylodontidae Piveteau 1931C (pop-Pliosauridae, incl. Brachyauchenias, and Trinacroular); Simpson, G. G. 1928C (critical) merum) Tritylodontidae Tritylodontoidea Simpson, G. G. Trinacromerum Polycotylidae Nopesa 1928B Trionychia (Trionychoidea) Testudinata Hummel 1928C Chalepotherium, Mucrotherium (?), 1928, 1929 (suborder of Cryptodira) Oligokyphus, Stereogna-Triglyphus, Trity-Bergounioux 1932A, thus, Trionychia Trionychidae B; Hummel 1929 lodon Multituberculata Huene, E. Allaeochelys. Amyda, Aspideretes, Tritylodontoidea 1933; Simpson, G. G. 1928C Chitra, Cyclanorbis, Cycloderma, Dogania?, Emyda, (suborder) Pelochelys, Plastomenus, Incertae sedis: Stathmodon Trionyx, (= Trobelodon Mastodontidae Frick 1933 Platypeltis, tačensis Frick 1933 Aulacochelys = Axestemys Trocharion Mustelidae = Conchochelys = Helopanoplia = Temnotrionyx albanense Pilgrim 1933B Trochictis Mustelidae Helbing 1930A = Procyclanorbis) carbonaria Viret 1933A Cyclanorbinae, Trionychinae Trionychidae Hummel 1929, 1932; depereti Pilgrim 1933B; Viret 1933A Trionychinae Nopesa 1928B (incl. Axehydrocyon Viret 1933A stemis, Chitra, Conchopusilla Pilgrim 1933B Troglodytes Pongidae chelys, Cycloderma, Dogdawsoni Friederichs 1932 ania, Emyda, Helopanoplia. Pelochelys, Plastotroglodytes (Canis, Palaeocyon, Protocyon) Trogon Trogonidae Nagy 1929 menus, Temnotrionyx and gallicus Lambrecht 1933B Trionvx) Trionychoidea Testudinata Trogoniformes Neognathae Trogosus Tillotheriidae Simpson, G. G. 1929M Trionyx Trionychidae Bergounioux 1932A, B; Trogonidae Trogoniformes Hummel 1929: Weigelt 1931, Paratrogon, Trogon 1932A

Tupaioidea (Menotyphla = Dilambdodonta) Introgontherii (Elephas) sectivora Trogontherium Castoridae Bernsen 1933; Hilzheimer 1932: Schreuder Tupinambis Teiidae Huene, F. 1929A Turdidae Passeres 1928C. 1929, 1931 Schreuder Turdus cuvieri Freudenberg 1931; Turdus Turdidae 1928A. B soergeli Rüger 1928; Schreuder 1928A musicus Ehrenberg 1929B; Ehrenberg & Troöden Troödentidae Gilmere 1930C; Nopesa Sickenberg 1929 viscivorus Ehrenberg 1929B; Ehrenberg & 1929C: 1931C: Russell, L. Sickenberg 1929 1932C: Sternberg, C. M. turgaicum (Allacerops, Epiaceratherium) 1933C turgea (Cerodon, Galea) formosus Gilmore 1931D turgidus (Carcharodon) wyomingensis Gilmore 1931D turicensis (Mastodon) Troödontidae Nodosauroidea Gilmore 1930C turnauensis (Felis, Styriofelis) Troödon Tropidemys Thalassemyidae Nopcsa 1928B tutamoensis (Scopelus, Otolithus) Frost 1933B tyleri (Diploconus, Megacerops) Tropidonotus Colubridae Grodinski 1929 Tylopoda Artiodactyla Matthew 1929F, N. (gen-Tropidosteus Coccosteidae Gross, W. 1933D eral) curvatus Gross, W. 1933D Tylosauridae [Mosasauridae] Platynota Zittel 1932 Tropidostoma Endothiodontidae (of Pythonomorpha) microtrema Huene, F. 1931A Tylosaurus Mosasauridae Tornier 1933J ("Thylotrossingensis (Plateosaurus, Teratosaurus) trouessarti (Nopachthus) saurus") Tylototriton Salamandridae Fang & Mangven troxelli (Palaeorallus) 1932: Noble 1928 Trucifelis Felidae Kretzoi 1929; Matthew 1929A asperimus Fang & Mangven 1932 truculenta (Jonkeria) kweichowensis Fang & Mangven 1932 Trygonidae Rajiformes primigenius Noble 1928 Hypolophus, Rhombodus Tympanuchus Tetraonidae tschudii (Andrias) pallidicinctus Wetmore 1932 tuberculata (Acanthaspis, Remigolepis) Typhlopidae Scolecophidia Tornier 1933 (of Ophituberculatus (Dinichthys, Erpetosaurus, Ganosteus, Pareiasaurus, Rhinosteus) dia.) Typhlopinae [Typhlopidae] Scolecophidia Nopesa tuberculosus (Raniceps, Otolithus) Hucke & Voigt 1928B (of Angiostomatidae) typhoius (Buteo, Geranoaëtus) tubicen (Parasaurolophus) typicalis (Cooperella, Kirkella, Moreyella, Wiltübingensis (Tricuspes) liamsella) Tubulidentata Monodelphia, incertae sedis Colbert typicus (Svalbardaspis) 1933B (distribution); Friant 1933D (dentition); Jepsen Typotheria, incertae sedis Notoungulata 1932 (relationships); Simp-Argyrolagus Argyrolagidae, Polydolopidae son, G. G. 1931A (relation-Typothericulus Typotheriidae Kraglievich 1930C ships) roveretoi Kraalievich 1930C Tubulodon Tubulodontidae taylori Colbert 1933B; Friant 1933D; Typotheriidae Typotheria Jepsen 1932 Entelomorphus, Typothericulus, Typo-Tubulodontidae Tubulidentata Romer 1933C theriopsis, Typotherium Tubulodon Typotheriopsis Typotheriidae Kraglievich 1930C Tuditanus Reptilia, incertae sedis chasicoensis Cabrera & Kraglievich 1931 Typotherium Typotheriidae Edinger brevirostris Romer 1930D Matthew 1929M; Simpson, huxlevi Romer 1930D G. G. 1932J minimus Romer 1930D cristatum Rusconi 1931E mordax Romer 1930D; Steen 1931A Typothorax Stagonolepidae obtusus Romer 1930D coccinarum Camp 1930B punctulatus Romer 1930D typus (Hyotherium, Palaeochoerus) radiatus Romer 1930D Tyranni Passeriformes sculptilis Romer 1930D Tyrannosaurus Aublysodontidae Anon. 1929Q; tabulatus Romer 1930D Gilmore 1933E walcotti Romer 1930D rex Abel, O. 1930D; Knight 1929 tyrrelli (Symbos) tumidens (Propristiophorus) Tupaia Tupaiidae Henckel 1928A (Tupaja) uintahensis (Stehlinius) Tupaiidae (= Tupajidae) Tupaioidea Henckel Uintatheriidae [= Eobasileidae = Dinoceratidae = 1928B Tinoceratidael Dinocerata

Bathyopsis, Eobasileus, Gobiatherium,

Probathyopsis,

Prodino-

Entomolestes, Ptilocereus, Tupaia (=

Tupaja)

Salaman-

class of Vertebrata): Huene.

F., 1931J (classification):

Kerr 1932 (relations to Dip-

noi); Romer 1933C (incl.

Cryptobranchoidea, Am-

Meantes): Stadtmüller 1929

Proteida

blystomoidea.

droidea,

(skull)

ceras. Uintatherium (= Urodela [Caudata] Amphibia Holmgren 1933 (a Dinoceras) Uintasaurus Camarasauridae Huene, F., 1932A Uintatherium Uintatheriidae Gregory, W. K., 1929I; Matthew 1929O uintensis (Diplobunops, Harpagolestes, Manteoceras, Teleodus) Uintornis Aves, incertae sedis lucaris Wetmore 1930B ulanensis (Testudo) ulnifer (Anthracokeryx) Uromys Muridae Kraglievich 1930D ultimum (Telmatherium) ultimus (Archaeohippus, Diplobunops, Hessolestes, Leurospondylus) umbrosus (Paleoborus) Uncia Felidae Kretzoi 1929 uncinatus (Arctacanthus, Dolophonodus, Rapidentichthys) Undina Coelacanthidae Edinger 1929D acutidens Aldinger 1930 penicillata Abel, O., 1931E; Neumayer undulata (Psammolepis) undulatus (Psammosteus) Ungaromys Muridae Kormos 1932D manus Kormos 1932D Ungulata Monodelphia Ameghino 1933; Gregory, W., 1929I (general) ungulatus (Columbosauripus) uniseries (Esoterodon) Uniserium Mammalia, incertae sedis Huene, E., 1933 enigmaticum Huene, E. 1933 uniter (Stenopterygius) uquiense (Hippidium, Megatherium, Platygonus) uralensis (Melosaurus) uralica (Lamna vincenti) Menner 1928 Uraniskosaurus Gorgonopsia Nopesa 1928C watsoni Nopesa 1928C Uranocentrodon [Rhinesuchus] Rhinesuchidae senekalensis Broom 1930C Uranoscopus Otolithus pseudoacuminatus Šulc 1932A Urbitinga Falconidae fragilis Howard 1932A milleri Howard 1932A uriformis (Bison) Urochordata Acraniata Gregory, W. 1928D (origin) Urocordylidae (incl. Keraterpetontidae) Lepospondyli Huene, F., 1931J (of Nectridia) Brachydectes, Broilisaurus (= Anthracosaurus Goldenberg preocc.?), Colosteus, Ctenerpeton, Diceratosaurus, Eoserpeton. Keraterpeton (= Ceraterpeton), Oestocephalus, Ptyonius, Sauravus, Saurerpeton, Sauropleura (= Hyphasma) Uroconger Otolithus eocaenicus Šulc 1932A transversus Šulc 1932A; Frost 1933A Urocyon Canidae Kraglievich 1930A

seminolensis Simpson, G. G. 1929H

Uronemidae Dipteromorpha Conchopoma, Uronemus Uronemoidea Gnathostomata Naef 1931 (group of Dipteroidea. Incl. Neodipnoi and Tetrapoda) Uronemus Uronemidae Naef 1931 Uropeltidae Henophidia Uropeltis Uropeltinae [Uropeltidae] Henophidia Nopcsa 1928B (of Alethinophidae) Uropeltis Uropeltidae Rieth 1931B Uroplatinae [Uroplatidae] Gekkota Nopcsa 1928B Uropsilus Talpidae Weber, M. 1928A Urostheneidae Rhipidistia Woodward 1931C Urosthenes Urosthenes Urostheneidae latus Woodward 1931C Urotherium Glyptodontidae Castellanos 1929B simplex Castellanos 1929B Urotrichus Talpidae Weber, M. 1928A. Ursavus Ursidae Matthew 1929A brevirhinus Stromer 1928D Ursidae (incl. Agriotheriidae) Canoidea Depéret & Lleuca 1928 (phylogeny); Matthew 1929A; Pan 1929 (phylogeny) Agriotherium (= Hyaenarctos), Amphiarctos, Arctodus (= Arctotherium, preoce.), Euarctos, Helarctos, Indarctos, Sivalarctos. Spelearctos, Tremarcto-Tremarctos, therium, Ursayus, Ursus (= Drepanodon = Steneodon = Cultridens) Arctodontinae (= Arctotheriinae), Hemicyoninae, Ursinae Ursinae Ursidae Pilgrim 1931 ursirivalis (Protentomodon) Ursoidae [Canoidea] Fissipedia, Hay 1930A (superfamily) ursui (Ochotona) Ursus Ursidae Brunner 1933; Depéret & Llueca 1928: Freudenberg 1931; Hartmann-Weinberg 1933B angustidens Zdansky 1928 arctoideus Ehrenberg 1928C, 1929D arctos Arambourg 1931B; Caterini 1933; Ehrenberg 1929D, 1933B; Gromova 1929; Mathieu 1932; Mayerfels 1929; Pan 1929; Rode 1930A, B; Soergel 1928 mut. faidherbi Arambourg 1933B

Uruguaychinae [Uruguaysuchinae] Notosuchidae mut. larteti Arambourg 1933B Rusconi 1932F (type, Urusubfossilis Ehrenberg 1928C, 1929D arctus Jessen 1929A guaysuchus) avernensis Rüger 1928 (Helarctos) uruguayense (Eomegatherium nanum) Kraglieberigianus Mayerfels 1929 vich 1932D Uruguaysuchus Notosuchidae Huene, F. 1933A 1928; Mayerfels 1929; böckhi Maier Brasileosaurusl: Rusconi Pilgrim 1931 cultridens Matthew 1929A 1932F aznarezi Rusconi 1932F issiodorensis Kretzoi 1929 terrai Rusconi 1932F deningeri Bachofen-Echt 1931A; Ehrenberg 1928C, D, 1929D, Uruguaytheriinae Astrapotheriidae Kraglievich 1931D; Pavlow, A., 1928B 1928D etruscus Bernsen 1932A, 1933; Kormos Uruguaytherium Astrapotheriidae Kraglievich 1928D 1931A; Matthew 1929A beaulieui Kraglievich 1928D, G arvernensis Ehrenberg 1928C urus (Bos taurus) Jessen 1929B faidherbianus Arambourg 1933B; Ehrenustjurtensis (Physodon) Menner 1928 berg 1928C Utaetus Dasypodidae giganteus Ehrenberg 1928C, 1929D buccatus Simpson, G. G., 1932B kokeni Young 1932E; Zdansky 1928 utahensis (Camptaspis) labiatus Mayerfels 1929 lartetianus Arambourg 1933B; Ehrenberg vaciferus (Oxyechus) 1928C vagabundus (Moris) letourneuxianus Arambourg 1933B; Ehrenvagans (Palaeotringa) berg 1928C valdarnensis (Caprolagus, Lepus) libycus Arambourg 1933B; Ehrenberg Valdarnius Felidae Kretzoi 1930 1928C etruscus Kretzoi 1930 malajanus Mayerfels 1929 valdensis (Astrodon, Dipriodon, Loxaulax) maritimus Maier 1928; Mayerfels 1929; valenciennes (Palaeochelys) Nordman & Degerbøl 1930 valenciennesi (Graecoryx, Trogocerus) planus Ehrenberg 1928C, 1929D valentini (Prosthennops) ponticus Pilgrim 1931 valetoni (Lutra, Lutrictis, Potamotherium) primaevus mut. steinheimensis Depéret & validum (Telmatherium) Lleuca 1928 validus (Belodon, Desmathyus, Machaeroprosopus, rouvieri Arambourg 1933B; Ehrenberg Palaeocyon) 1928C vallidens (Dolichorhinus, Palaeosyops) savini Ehrenberg 1928C, 1929D vanalpheni (Archidiskodon) sivalensis Matthew 1929A vanderbyli (Bradysaurus, Criocephalus, Dicynospelaeus Bachofen-Echt 1931C; Baquiédon, Dinartamus, Eoarc-Rambaud 1928; Bialynickitops. Jonkeria) Birula 1930A; Breuer 1931A, vanhoepeni (Chasmatosaurus) B. C. 1933; Burgl 1933; vanrhyni (Orangiatherium) Caterini 1933; Chaine 1928; vantasselensis (Oligobunis) Dexler 1931; Dubois & Varanidae Varanoidea Anderson, C. 1930, 1931A Stehlin 1932; Edinger 1933 Megalania, Palaeovaranus, Thinosau-A, D; Ehrenberg 1928C, D, rus, Varanus 1929B, D, E, F, 1931C, Megalaninae, Saniwinae, Varaninae 1933B; Ehrenberg & Sicken-Varaninae Varanidae Nopesa 1928B (incl. Varanus) berg 1929; Erasmo 1932B; Varanoidea Platynota Gaal 1928, 1929; Gromova Varanops (= Varanoops) Poliosauridae Romer 1929; Gross, J., 1929, 1931A, 1928B B: Kos 1931: Kubacska Varanopus Ichnites Moodie 1929C 1929, 1930C, 1932D; Lehcurvidactvlus Moodie 1929C mann 1933: Liebus 1929A: didactylus Moodie 1930C Maier 1929, 1931; Marinelli elrodi Moodie 1929C impressus Moodie 1929C 1931; Mayerfels 1929; Mottl palmatus Moodie 1929C 1933B; Pales 1929E; Pan Varanosaurus Poliosauridae Romer 1928B 1929; Rode 1933 (Spelae-Varanus Varanidae Huene, F. 1929A arctos); Sivers 1931; Soergel komodoensis Dunn 1927; Lönnberg 1928 1930; Topa 1932; Vaufrey niloticus Peyer 1929B 1931A priscus Anderson, C., 1930 minor Gromova 1929; Lehmann 1933 varians (Cricetinus, Menodus, Menops) rossicus Borissiak 1930B. 1932A: vatualangensis (Sus) Lehmann 1933 veatleianus (Clepsysaurus)

velaunus (Ancodon)

süssenbornensis Ehrenberg 1928C, 1929D

velifer (Abantis, Absalomichthys) virginianus (Bubo, Odocoileus) Velocipes Podokesauridae Huene, F. 1932A viscivorous (Turdus) gürichi Huene, F. 1932A visenoviensis (Titanomys) Velociraptor Compsognathidae Huene, F. 1932A visenoviensis var. gerandianus (Titanomys) Viret velox (Graculavus) 1929C venator (Ctenacanthus) Vishnucyon Canidae Pilgrim 1932 venticolus (Echippus) chinjiensis Pilgrim 1932 venustus (Aletornis, Fulicaletornis, Habromeryx) Vishnufelis Felidae Pilgrim 1932 veredus (Bathornis) laticeps Pilgrim 1932 Vermilingua [Myrmecophagoidea] Pilosa Romer Vishnuictis Viverridae Pilgrim 1932 1933C (Infraorder) durandi Pilgrim 1932 verrauxi (Archaeopsittacus, Psittacus) salmontanus Pilgrim 1932 Vertebrata [Craniata] Chordata Adams 1933: Vishnuonyx Mustelidae Pilgrim 1932 Franz 1931: Gregory, W., chinjiensis Pilgrim 1932 1933D (phylogeny); Ham-Vishnutherium Giraffidae Matthew 1929A lett 1933 (phylogeny); Kerr visurgensis (Homo) 1932 (phylogeny); Naef 1931 Viverra Viverridae Matthew 1929A (phylogeny and classificaantiqua Viret 1929C tion) (?) chinjiensis Pilgrim 1932 verus (Lagomys) durandi Pilgrim 1932 Vespertiliavus Vespertilionidae Dollman 1929B orbignyi Pilgrim 1931 Vespertilio Vespertilionidae Soyer 1929 zibethoides Helbing 1930A anemophilis Dollman 1929B Viverridae Feloidea Matthew 1929A aquensis Dollman 1929B Herpestes; Palhyaena (partim); Proparisiensis Dollman 1929B genetta; Vishnuictis; Vivespertilio (Mystipterus) verre Vespertilionidae Vespertilionoidea viverrinum (Ictitherium) viverrinus (Nyctereutes) Barbastella; Corynorhinus; Eptesicus; Myotis; Mystipterus; Palaevogti (Huginaspis, Pteraspis) onycteris; Plecotus; Sivoigti (Microtarsioides) monycteris; Vespertiliavus; voinovi (Clupea) voitestii (Scomber) Vespertilio volgensis (Thrissops) Vespertilionoidea Microchiroptera Hay 1930A (Vespertilionoidea of Anivolvens (Cochilius) malivora); Weber, M., 1928A vorax (Acanthostoma) Vespertiliontidae [Vespertilionidae] Vespertilionoi-Vulpavus Miacidae Matthew 1929Q Vulpes Canidae Chardin & Piveteau 1930; Sidea Romer 1933C vetus (Hyaenodon, Opisthopsalis, Palaeostringa, mionescu 1932B Pan, Synaptomys) atlanticus Arambourg 1931B vexillarius (Pliomastodon) chikushanensis Young 1930A praecorsac Kormos 1932G vexillifer (Peripolocetus) viciacensis (Steneofiber) vulpes Gaal 1928 Vicugna Camelidae Cabrera 1932 vulpes (Vulpes) vidali (Clemmys) vulpiceps (Hyracotherium) Vultur Cathartidae vielhaveri (Palaeagama) kernensis Miller, L. 1931A. vignatii (Cardiomys) Vulturoidae [Cathartae] Falconiformes Hay 1930A vilardeboi (Eleutherocercus) (superfam.) vinchellianus (Oestocephalus, Pytonius) vindobonensis (Trionyx) wachei (Rhizodopsis) vinyaki (Lycyaena macrostoma) Pilgrim 1932 Wadiak Man Hominidae Dubois, E. 1932B Vinyakia Felidae Pilgrim 1932 carlesi) Rusconi 1930G wagneri (Platygonus nocturna Pilgrim 1932, 1933 (Parachoerus) sarcophaga Pilgrim 1932, 1933 wahlbergi (Equus quagga) Haughton 1932A Vipera Viperidae wahlbergi (Hippotigris) ammodytes Szunyoghy 1932 waitsi (Diaelurodon) aspis Szunyoghy 1932 Wakarusopus Ichnites Moodie 1931B berus Szunyoghy 1932 gigas Moodie 1931B gedulyi Szunyoghy 1932 walcotti (Allops, Erpetosaurus, Tuditanus) Viperidae Caenophidia Coniophis; Helagras; Laophis; Vipera Walgettosuchus Ornithomimidae Huene, F. 1932A Viperinae [Viperidae] Caenophidia Nopesa 1928B woodwardi Huene, F. 1932A (of Alethinophidae, incl. wallacii (Cardipeltis) Walteria Dolichosauridae Mehl 1931A; Strand Coniophis, Vipera, Helag-1932A ras and Laophis)

virginiana (Amyda)

ieffersonensis Mehl 1931A

waltheri (Loricotherium, Mentosaurus, Palmiwindti (Onchus) Wodnika Hybodontidae Weigelt 1930G ramys, Placosaurus) wongi (Spirocerus) wansiocki (Bubalus) woodi (Dyspterna, Sarcosaurus) wardelli (Cyathaspis, Eoarchegonaspis) woodwardi (Cephalaspis, Hybodus, Magnosaurus, Wardichthys Platysomidae Martes, Morphnus, Palaecyclasoma Watson 1928D orvx, Prostrepsiceros, Walwashakiensis (Manteoceras) gettosuchus) wateleti (Pristis) woodwardi (Palaeoryx columnatus) Pilgrim & waterhousi (Hyotherium, Palaeochoerus, Palaeo-Hopwood 1928 gale) wortheni (Deltodus) watsoni (Bauroides, Brachypareia, Cephalaspis, Wurnosaurus Teleosauridae Swinton 1930D Coelacanthus, Ichthyostega, wilsoni Swinton 1930D Platyops, Uraniskosaurus) wiisti (Elephas) waynesbergensis (Baropus) wyldei (Laoporus) websteri (Cephalaspis) Wynyardia Phalangeridae Gregory, W. 1929G websteri (Conger, Otolithus) Frost 1933A (Conbassiana Anderson, C., 1933; Jones, F. gridarum) W. 1931B weddelli (Paleolama) wyomingensis (Agialopous, Borborophagus, Cephawegneri (Oioceros) laspis, Parasaniwa, Troöweidenbaumi (Trematosuchus) Weigeltaspis Heterostraci Brotzen 1933A don) alta Brotzen 1933A Xenacanthus Pleuracanthidae Augusta 1931 weigelti (Palaeotis, Paleotis) Xenarthra Edentata Holmes, W., and Simpson, weileri (Schizorhiza) G. G. 1931 (dermal ossiwenjukowi (Polyplecodus) cles); Simpson, G. G. 1931A westmani (Pterodactylus) (phylogeny) westoni (Merychippus) Xenastrapotherium Astrapotheriidae Kraglievich westphali (Equus) 1928G Wetlugasaurus Rhinesuchidae Efremov & Kuzchristi Kraglievich 1928G min 1932A; Riabinin 1930C kraglievichi Cabrera 1929A angustifrons Riabinin 1930C Xenochelys Dermatemyidae Nopcsa 1928B Wetmoregyps Falconidae Miller, L. 1928 Xenognathus Pisces, incertae sedis Case 1932D daggetti Howard 1932A [Colognathus] wetzeli (Neogaeornis) obscurus Case 1928, 1932D wetzelianus (Pachysaurus) Xenopinae Pipidae Noble 1931 wetzleri (Macrotherium, Schizotherium) Xenopithecus Pongidae Hopwood 1933A whaitsi (Bradysuchus, Cynosuchoides, Cynosuchus, koruensis Hopwood 1933A, C Megacyclops, Moschognathus, Rhi-Xenopus Pipidae Winterhalter 1931 nesuchus, Struthiocephalus) stromeri Stromer 1931C Whaitsia Therocephalia Xenosuchus Alligatoridae Rusconi 1933D major Broom 1931C ameghinoi Rusconi 1933D Whaitsidae [Whaitsiidae] Therocephalia Nopcsa lutescens Rusconi 1933D 1928B (of Therocephaloidea) paranensis Rusconi 1933D wharekuriensis (Conger, Otolithus) Frost 1928 Xenotherium Epoicotheriidae Matthew 1928C; wheatleyi (Molgophis) Simpson, G. G. 1931A whitbachensis (Cephalaspis) Xestops Anguidae Nopesa 1928B whitei (Cephalaspis, Diceros, Ospia) Xiphactinus Ichthyodectidae whitneyi (Hipparion, Micropallas) audax Stovall 1932B wichmannianus (Antarctosaurus) Xiphias Xiphiidae wildii (Eugyrinus) (?) drydeni Berry, W. 1930 wildungensis (Chirodipterus, Cladodus, Cladogladius Matsumoto 1930D selache?, Epipetalichthys, Xiphiidae Scombriformes Protacrodus) Xiphias, Xiphiorhynchus Williamsella Selachii, incertae sedis Gunnell 1933 Xiphioidae [Xiphiidae] Scombriformes Hay 1930A striata Gunnell 1933 (superfam.) typicalis Gunnell 1933 Xiphiorhynchus Xiphiidae williamsi (Chelyoposaurus, Micrabderites) aegyptiacus Weiler 1929C willistoni (Erpetopus, Goniocephalus) Xiphodon Xiphodontidae Coulon 1928B; Matwilmani (Dicynodon, Pilgrimia) thew 1929N wilsoni (Acrolepis, Wurnosaurus) Xiphodontidae Cameloidea wimani (Eomellivora, Ichthyostega, Struthio) Xiphodon Wimania Coelacanthidae Xotodon Toxodontidae Matthew 1929M sinnosa Allis 1928

Windhausenia Macraucheniidae Kraglievich 1930C

delacroixi Kraglievich 1930C

smaltatus Kraglievich 1932D

Xotodontidae [Toxodontidae] Toxodonta Cabrera

& Kraglievich 1931

Xylotherium Astrapotheriidae mirabile Scott, W. B. 1928A Xystracanthus Ichthyodorulites grandis Moore, R. 1929A

striatus Moore, R. 1929A

yabei (Loxodonta namadica) Matsumoto 1929C Yaleosaurus Thecodontosauridae Huene, F. 1932A colurus Huene, F. 1932A

yepsi (Promacrauchenia) ymeri (Bothriolepis)

yorki (Archidiskodon, Pilgrimia)

Youngina Saurosternidae

capensis Haughton 1929B

Younginidae [Saurosternidae] Eosuchia Nopesa 1928B (Eosuchoidea); Zittel 1932

yumensis (Paraphelops)

Zalambdodonta [Tenrecoidea+] Insectivora Simpson, G. G. 1931B (rejected)

Zamenis Colubridae

caspia Szunyoghy 1932 dahli Szunyoghy 1932

viridifiavus carbonaria Szunyoghy 1932

zamicrus (Nesophontes)

Zanclodon ?Macroscelosauridae ?Teratosauridae Huene, F. 1932D; Nopcsa 1928B [Teratosaurus]

> arenaceus Camp 1930B laevis Schmidt, M. 1931

Zanclodontidae [Teratosauridae] Megalosauroidea Zanclodontoidae [?Macrocelosauridae, ?Teratosauridae] Reptilia Hay 1930A (superfam. of Theropoda) Zapodidae [Dipodidae] Dipodoidea Zatomus Teratosauridae Huene, F. 1932A Zatrachvidae Rhachitomi

Dasyceps, Zatrachys

Zatrachys Zatrachyidae Romer 1928B; Steen 1931A

Zatrachysidae [Zatrachyidae] Rhachitomi Zittel 1932

zdanskyi (Helopus, Sinocricetus)

Zebra (Hippotigris)

zetlandicus (Stenopterygius)

Zeuglodon Basilosauridae Borri 1932

Zeuglodontia [Archaeoceti] Cetacea

Zeuglodontidae [Basilosauridae] Archaeoceti Zibethailurus Felidae Kretzoi 1929

zibethoides (Amphicyon, Ischyrictis, Mustela, Viverra)

ziegleri (Choeropotamus, Cynocherus) Ziphiidae Odontoceti

Choneziphius

ziphoides (Erisichthe, Martinichthys, Protosphy-

zitteli (Arsinoitherium, Avitofelis, Felis, Hemistrepsiceros, Protragelaphus)

Zoanthropus Hominidae Berg 1930 zunii (Machaeroprosopus)


zwaani (Cervus)

Zygomaturus Diprotodontidae

trilobus Anderson, C. 1933 Zygoramma Dermatemyidae Nopcsa 1928B

Zygorhiza Dorudontidae Kellogg 1931A

Zygosaurus Dissorophidae Efremov 1931; Watson 1931C



# SYNOPSIS OF CLASSIFICATION

Consult the systematic index for citations to literature, also for names of genera, species and lower categories.

> Phylum CHORDATA Subphylum ACRANIATA

Subphylum CRANIATA (= Vertebrata)

Division AGNATHA

Superclass MARSIPOBRANCHII

Class OSTRACODERMI

Incertae sedis: Eoichthus

Order CEPHALASPIDOMORPHA

Suborder OSTEOSTRACI

CEPHALASPIDAE, TREMATASPIDAE

Order PTERASPIDOMORPHA

Suborder HETEROSTRACI

Incertae sedis: Weigeltaspis.

COELOLEPIDAE, DREPANASPIDAE, PROTASPIDAE, PTERASPIDAE

Order ANASPIDA

BIRKENIIDAE, EUPHANEROPSIDAE, LASANIIDAE, PTEROLEPIDAE

Class CYCLOSTOMI

Incertae sedis: Palaeomyzon?

Order PETROMYZONTIA (= Hyperoartia)

PETROMYZONTIDAE

Order MIXINOIDIA (= Hyperotreta)

MIXINIDAE

Division GNATHOSTOMATA

Oölithes (eggs, egg shells and egg capsules)

Superclass PISCES

Incertae sedis: Colognathus, Dolophonodus, Ancistriodus

Ichthyodorulites (spines of fishes)

Class APHETOHYOIDEA [with a functional gill cleft in front of the hyoid arch]

Order PLACODERMI

Incertae sedis: Taeniolepis, Allolepis

Suborder ANTIARCHI

ASTEROLEPIDAE

Suborder ARTHRODIRA

Infraorder ACANTHASPIDA

PHLYCTAENASPIDAE

Infraorder BRACHYTHORACI

Incertae sedis: Leptaspis.

COCCOSTEIDAE (see, systematic index), HOLONEMIDAE, HOM-OSTIIDAE, MYLOSTOMIIDAE, PTYCTODONTIDAE

Suborder ANARTHRODIRA (= Petalichthyida)

MACROPETALICHTHYIDAE

Order ACANTHODEI

Incertae sedis: PROTODONTIDAE.

ACANTHOËSSIDAE (= ACANTHODIDAE), DIPLACANTHIDAE, GYRACANTHIDAE, ISHNACANTHIDAE

Order RHENANIDI

Incertae sedis: CRATOSELACHIDAE.

ASTEROSTEIDAE, JAGORINIDAE

Class CHONDRICHTHYES

Subclass ELASMOBRANCHII

Incertae sedis: Rapidentichthys, Palaeoxyris

Order CLADOSELACHII

CLADOSELACHIDAE, CTENACANTHIDAE

Order PLEURACANTHODII (= Ichthyotomi)

PLEURACANTHIDAE

Order SELACHII

Incertae sedis: (see, systematic index)

Suborder SQUALIFORMES

CARCHARIIDAE, CESTRACIONTIDAE, EDESTIDAE, HYBODONTIDAE, LAMNIDAE, NOTIDANIDAE, PRISTIOPHORIDAE, PROTO-SPINACIDAE, SCYLIIDAE, SQUATINIDAE

Suborder RAJIFORMES

MYLIOBATIDAE, PRISTIDAE PTYCHODONTIDAE, TRYGONIDAE

Order BRADYODONTI

COCHLIODONTIDAE, COPODONTIDAE, PETALODONTIDAE, PSAM-

Order HOLOCEPHALI

CHIMAERIDAE

Class OSTEICHTHYES (= Teleostomi)

Otolithes (Otoliths or ear bones of fishes)

Subclass HERPETICHTHYES

Superorder DIPNOI

Incertae sedis: Eurythorax, Peplorhina?

Order PALAEOSPONDYLI (Incertae sedis, usually placed under Agnatha)

PALAEOSPONDYLIDAE

Order DIPTEROMORPHA (= Ctenodipterini)

CTENODONTIDAE, DIPTERIDAE, PHANEROPLEURIDAE, URONEM-

IDAE

Order CERATODONTOMORPHA (= Sirenoidei)

CERATODONTIDAE, LEPIDOSIRENIDAE

Superorder CROSSOPTERYGII

Incertae sedis: Helmolepis

Order RHIPIDISTIA

ONYCHODONTIDAE, HOLOPTYCHIIDAE, OSTEOLEPIDAE, UROSTHENEIDAE

Order ACTINISTIA (= Coelacanthini)

COELACANTHIDAE

Subclass ACTINOPTERYGII

Incertae sedis: Byssacanthus

Infraclass GANOIDEI

Order CLADISTIA (= Brachiopterygii = Polypterini)

POLYPTERIDAE

Order CHONDROSTEI

BELONORHYNCHIDAE, CATOPTERIDAE, CHONDROSTEIDAE, OSPIIDAE, PALAEONISCIDAE, PHOLIDOPLEURIDAE, PLATYSOMIDAE, SEMIONOTIDAE

Order HOLOSTEI (= Protospondyli)

AMIIDAE, COLOBODONTIDAE, EUGNATHIDAE, LEPISOSTEIDAE, LEPTOLEPIDAE, PACHYCORMIDAE, PERLEIDIDAE, PYCNO-DONTIDAE

Infraclass TELEOSTEI

Superorder PHYSOSTOMI

Order ISOSPONDYLI

ALBULIDAE, CLUPEIDAE, ELOPIDAE, ICHTHYODECTIDAE, OSTEO-GLOSSIDAE, PHOLIDOPHORIDAE, PLETHODIDAE, SALMON-IDAE, SAURODONTIDAE

Order OSTARIOPHYSI

CHARACINIDAE, CYPRINIDAE, SILURIDAE

Order HAPLOMI

Cyprinodontidae, Enchodontidae, Esocidae, Gonorhynchidae, Scopelidae, Stomiatidae

Order APODES

ANGUILLIDAE

Superorder PHYSOCLYSTI

Order PERCESOCES

SCOMBRESOCIDAE, SPHYRAENIDAE

Order HEMIBRANCHII

AULOSTOMIDAE, CENTRISCIDAE, GASTEROSTEIDAE

Order ANACANTHINI

GADIDAE, MACRURIDAE, OPHIDIIDAE

Order HETEROSOMATA

PLEURONECTIDAE

Order ACANTHOPTERYGII

Suborder BERYCIFORMES

BERYCIDAE, POLYMIXIIDAE

Suborder PERCIFORMES

CAPROIDAE, CARANGIDAE, LABRIDAE, PERCIDAE, SCARIDAE, SCIAENIDAE, SERRANIDAE, SPARIDAE

Suborder SCOMBRIFORMES

PALAEORHYNCHIDAE, SCOMBRIDAE, TRICHIURIDAE, XIPHIIDAE

Suborder GOBIIFORMES

Suborder BLENNIIFORMES

BLENNIIDAE

Suborder LOPHIIFORMES

Suborder SCORPAENIFORMES

COTTIDAE, TRIGLIDAE

Suborder CHAETODONTIFORMES

CHAETODONTIDAE

Suborder PLECTOGNATHI

GYMNODONTIDAE, TRIGONODONTIDAE, SCLERODERMIDAE

Superclass TETRAPODA

Ichnites (tracks and footprints)

Class AMPHIBIA

Incertae sedis, Proamphibia (genus)

Subclass STEGOCEPHALIA

Order ICHTHYOSTEGALIA (incertae sedis)

ICHTHYOSTEGIDAE

Order LEPOSPONDYLI

Suborder MICRAMPHIBIA

AMPHIBAMIDAE

Suborder ADELOSPONDYLI (= Lysorophia)

ADELOGYRINIDAE

Suborder AISTOPODA

DOLICHOSOMATIDAE, OPHIDERPETONTIDAE

Suborder NECTRIDIA

DIPLOCAULIDAE, UROCORDYLIDAE

Order PHYLLOSPONDYLI

Branchiosauridae (see, systematic index)

Order LABYRINTHODONTI

Suborder EMBOLOMERI

Incertae sedis: Arkanserpeton, Eosaurus? Spondylerpeton.

ANTHRACOSAURIDAE, CRICOTIDAE, LOXOMMIDAE, PHOLIDO-GASTERIDAE

Suborder RHACHITOMI

Incertae sedis: Goniocara.

ARCHEGOSAURIDAE, DISSOROPHIDAE, DVINOSAURIDAE, ERYOPIDAE, LYDEKKERINIDAE, RHINESUCHIDAE, TRIMERORHACHIDAE, ZATRACHYIDAE

Suborder STEREOSPONDYLI

Brachyopsidae, Capitosauridae, Mastodonsauridae, Metoposauridae, Trematosauridae

Order GYMNOPHIONA (= Apoda = Coeciliae)

Subclass CAUDATA (= Urodela)

Order PROTEIDA

PROTEIDAE

Order MUTABILIA

Ambystomidae, Amphiumidae, Cryptobranchidae, Hylaeobatrachidae (?), Salamandridae

Order MEANTES

Incertae sedis: Orthophyia

Subclass SALIENTIA (= Anura)

Incertae sedis: Montsechobatrachus, Stremmeia, Eobat-

Order AMPHICOELA

LIOPELMIDAE

Order OPISTHOCOELA

DISCOGLOSSIDAE, PIPIDAE

Order ANOMOCOELA

PELOBATIDAE, SCAPHIOPODIDAE

Order PROCOELA

BUFONIDAE, HYLIDAE, PALAEOBATRACHIDAE

Order DIPLASIOCOELA

POLYPEDATIDAE, RANIDAE

#### Class REPTILIA

Incertae sedis: Tuditanus, Eusauropleura

Subclass ANAPSIDA

Order COTYLOSAURIA

Incertae sedis: Basileosaurus, Eosauravus

Suborder SEYMOURIAMORPHA (= Conodectiformes)

SEYMOURIDAE

Suborder CAPTORHINOMORPHA

CAPTORHINIDAE, PANTYLIDAE

Suborder DIADECTOMORPHA

DIADECTIDAE, GYMNARTHRIDAE?, PAREIASAURIDAE, PROCOLO-PHONIDAE

Order TESTUDINATA (= Chelonia)

Suborder EUNOTOSAURIA (incertae sedis)

EUNOTOSAURIDAE

Suborder AMPHICHELYDIA

BAENIDAE, KALLOKIBOTIIDAE, PLEUROSTERNIDAE, PROTEROCHERSIDAE, TRIASSOCHELYIDAE

Suborder PLEURODIRA

BOTHREMYIDAE, MEIOLANIIDAE, PELOMEDUSIDAE, PLESIO-CHELYIDAE, THALASSEMYIDAE

Suborder CRYPTODIRA

CHELONIDAE, CHELYDRIDAE, DERMATEMYIDAE, DERMOCHELY-IDAE, EMYIDAE, PROTOSTEGIDAE, TESTUDINIDAE, TOXO-CHELYIDAE

Suborder TRIONYCHIA

TRIONYCHIDAE, CARETTOCHELYIDAE

Subclass SYNAPSIDA (= Theromorpha)

Order MESOSAURIA (Incertae sedis)

MESOSAURIDAE

Order PELYCOSAURIA

CASEIDAE, CLEPSYDROPSIDAE, EDAPHOSAURIDAE, OPHIACODON-TIDAE, PALAEOHATTERIIDAE, PANTELOSAURIDAE, POLIO-SAURIDAE, ?ANNINGIIDAE

Order THERAPSIDA

Suborder DROMASAURIA

GALECHIRIDAE. GALEOPSIDAE

Suborder DINOCEPHALIA

DEUTEROSAURIDAE, TAPINOCEPHALIDAE, TITANOSUCHIDAE

Suborder BURNETIAMORPHA

BURNETIIDAE, STYRACOCEPHALIDAE

Suborder DICYNODONTIA

DICYNODONTIDAE, ENDOTHIODONTIDAE, LYSTROSAURIDAE

Suborder THERIODONTIA

Infraorder GORGONOPSIA

GORGONOPSIDAE

Infraorder THEROCEPHALIA

EUCHAMBERSIIDAE, SCALOPOSAURIDAE, AKIDOGNATHIDAE, SCY-LACOSAURIDAE, LYCOSUCHIDAE, WHAITSIIDAE

Infraorder CYNODONTIA

CYNOGNATHIDAE, CYNOSAURIDAE, DIADEMODONTIDAE, GALE-SAURIDAE, TRAVERSODONTIDAE Infraorder BAURIAMORPHA

BAURIIDAE

Infraorder ICTIDOSAURIA

TRITHELODONTIDAE

Suborder PROTODONTA (Incertae sedis)

Subclass ICHTHYOPTERYGIA

Order ICHTHYOSAURIA

ICHTHYOSAURIDAE, MIXOSAURIDAE, OMPHALOSAURIDAE, SHAS-TASAURIDAE. STENOPTERYGIIDAE

Subclass SYNAPTOSAURIA

Order ARAEOSCELIDIA (= Protorosauria)

Araeoscelidae, Protorosauridae, Pleurosauridae,

?BROOMIIDAE

Order SAUROPTERYGIA

Suborder TRACHELOSAURIA (= Tanysitrachelia = Tanystrophaea)
MACROSCELOSAURIDAE

Suborder NOTHOSAURIA

Nothosauridae

Suborder PLESIOSAURIA

Elasmosauridae, Plesiosauridae, Pliosauridae, Polycotyl-

Suborder PLACODONTIA

PLACODONTIDAE

Subclass DIAPSIDA

Infraclass LEPIDOSAURIA

Order EOSUCHIA

SAUROSTERNIDAE, STOMATOSUCHIDAE, TANGASAURIDAE

Order RHYNCHOCEPHALIA

CHAMPSOSAURIDAE, HOWESIIDAE, RHYNCHOSAURIDAE, SAPHEO-SAURIDAE, SPHENODONTIDAE

Order SQUAMATA

Suborder SAURIA (= Lacertilia)

Incertae sedis: Ardeosauridae; (see also, systematic index).

Infraorder ASCALABOTA

Section GEKKOTA

Section IGUANIA

Incertae sedis: Chamops, Iguanavus.

IGUANIDAE

Section RHIPTOGLOSSA

Infraorder AUTARCHOGLOSSA

Section SCINCOMORPHA

SCINCOLDEA

SCINCIDAE

LACERTOIDEA

GERRHOSAURIDAE, LACERTIDAE, TEIIDAE

AMPHISBAENOIDEA

AMPHISBAENIDAE

Section ANGUIMORPHA

EUPOSAURIDAE (Incertae sedis)

Subsection DIPLOGLOSSA

ANGUIODEA

ANGUIDAE, HELODERMATIDAE

ZONUROIDEA

Subsection PLATYNOTA

VARANOIDEA

VARANIDAE, DOLICHOSAURIDAE

Mosasauroidea

Mosasauridae

Suborder SERPENTES (= Ophidia)

Infraorder CHOLOPHIDIA

PALAEOPHIDAE

Infraorder SCOLECOPHIDIA

TYPHLOPIDAE

Infraorder HENOPHIDIA

ANILIDAE, BOIDAE, UROPELTIDAE

Infraorder CAENOPHIDIA

COLUBRIDAE, DIPSADIDAE, ELAPIDAE, VIPERIDAE

Infraclass ARCHOSAURIA

Superorder THECODONTIA

Order PHYTOSAURIA

PHYTOSAURIDAE

Order PSEUDOSUCHIA

PELYCOSIMIOIDEA

ERYTHROSUCHIDAE, STAGONOLEPIDAE, EPISCOPOSAURIDAE, STENAULORHYNCHIDAE

AETOSATIROIDEA

AËTOSAURIDAE, ORNITHOSUCHIDAE, SPHENOSUCHIDAE

Superorder CROCODILIA

Order PROTOSUCHIA

NOTOCHAMPSIDAE

Order MESOSUCHIA

Atoposauridae, Goniopholidae, Metriorhynchidae, Notosuchidae, Pholidosauridae, Teleosauridae

Order EUSUCHIA

ALLIGATORIDAE, CROCODILIDAE, GAVIALIDAE, HYLAEOCHAMPSIDAE, TOMISTOMIDAE

Superorder DINOSAURIA

Order SAURISCHIA

Suborder THEROPODA

COELUROIDEA

Incertae sedis; Saurornithoides.

Ammosauridae, Ceratosauridae, Coeluridae, Compsognathidae, Hallopodidae, Ornithomimidae, Podokesauridae

MEGALOSAUROIDEA

Allosauridae, Aublysodontidae (= Deinodontidae), Erectopidae, Gryponychidae, Megalosauridae, Spinosauridae, Idae, Teratosauridae (= Zanclodontidae = Paleosauridae).

PLATEOSAUROIDEA

MELANOSAURIDAE, PLATEOSAURAVIDAE, PLATEOSAURIDAE, THECODONTOSAURIDAE

Suborder SAUROPODA

CETIOSAURIDAE, CAMARASAURIDAE

Order ORNITHISCHIA

Suborder ORTHOPODA

Incertae sedis: Priodontognathus.

IGUANODONTOIDEA

Hypsilophodontidae, Iguanodontidae, Psittacosauridae

STEGOSAUROIDEA

STEGOSAURIDAE

Nodosauroidea

Acanthopholidae (= Psalisauridae), Nodosauridae, Troödontidae

CERATOPSOIDEA

CERATOPSIDAE, PROTOCERATOPSIDAE

TRACHODONTOIDEA

TRACHODONTIDAE

Superorder PTEROSAURIA

RHAMPHORHYNCHOIDEA

Incertae sedis: Anurognathus.

DIMORPHODONTIDAE, RHAMPHORHYNCHIDAE

PTERODACTYLOIDEA

ORNITHOCHEIRIDAE, PTERODACTYLIDAE

Class AVES

Incertae sedis: (see systematic index)

Subclass ARCHAEORNITHES

Order ARCHAEOPTERYGIFORMES

ARCHAEOPTERYGIDAE

Subclass NEORNITHES

Superorder ODONTOGNATHAE

Order HESPERORNITHIFORMES

HESPERORNITHIDAE. ENALIORNITHIDAE

Order ICHTHYORNITHIFORMES

ICHTHYORNITHIDAE

Superorder PALAEOGNATHAE

Order STRUTHIONIFORMES

STRUTHIONIDAE

Order RHEIFORMES

RHEIDAE

Order CASUARIIFORMES

CASUARIIDAE, DROMICEIIDAE, DROMORNITHIDAE

Order DINORNITHIFORMES

DINORNITHIDAE, ANOMALOPTERYGIDAE

Order AEPYORNITHIFORMES

AEPYORNITHIDAE

Order APTERYGIFORMES

APTERYGIDAE

Superorder IMPENNES

Order SPHENISCIFORMES

SPHENISCIDAE, CLADORNITHIDAE

Superorder NEOGNATHAE

Incertae sedis: Pseudalaudula

Order COLYMBIFORMES

COLYMBIDAE

Order PROCELLARIIFORMES

PROCELLARIIDAE

Order PELECANIFORMES

Incertae sedis: Pseudodontornithidae

Suborder PHAETHONTES

Phaëthontidae

Suborder PELECANI

PELECANOIDEA

PELECANIDAE, CYPHORNITHIDAE

STILOTDEA

ELOPTERYGIDAE, PELAGORNITHIDAE, PHALACROCORACIDAE,

SULIDAE

Suborder ODONTOPTERYGES

ODONTOPTERYGIDAE

Order CICONIIFORMES

Suborder ARDEAE

ARDEIDAE

Suborder CICONIAE

CICONIOIDEA

CICONTIDAE

Suborder PHOENICOPTERI

AGNOPTERIDAE. PHOENICOPTERIDAE, SCANIORNITHIDAE

Order ANSERIFORMES

Incertae sedis: Gallornis

Suborder ANSERES

ANATIDAE

Order FALCONIFORMES

Suborder CATHARTAE

CATHARTIDAE, TERATORNITHIDAE

Suborder FALCONES

FALCONOIDEA

ACCIPITRIDAE, FALCONIDAE

Order GALLIFORMES

Suborder GALLI

CRACOIDEA

CRACIDAE, GALLINULOIDIDAE, MEGAPODIIDAE

Dreigristores

MELEAGRIDIDAE, PHASIANIDAE, TETRAONIDAE

Order GRUIFORMES

Suborder GRUES

GRUOIDEA

EOGRUIDAE, GERANOIDIDAE, GRUIDAE

RALLOIDEA

ORTHOCNEMIDAE, RALLIDAE

Suborder PHORORHACI

Incertae sedis: Graculavus?, Remiornis; Devincenziidae.

BRONTORNITHIDAE, OPISTHODACTYLIDAE, PHORORHACIDAE

Suborder CARIAMAE

BATHORNITHIDAE, HERMOSIORNITHIDAE

Suborder OTIDES

OTIDIDAE

Order DIATRYMIFORMES

DIATRYMIDAE

Order CHARADRIIFORMES

Suborder CHARADRII

CHARADRIOIDEA

CHARADRIIDAE, HAEMATOPODIDAE, PRESBYORNITHIDAE, SCO-LOPACIDAE

Suborder LARI

TARTDAE

Suborder ALCAE

ALCIDAE

Order COLUMBIFORMES

Suborder COLUMBAE

COLUMBIDAE

Order PSITTACIFORMES

**PSITTACIDAE** 

Order CUCULIFORMES

Suborder CUCULI

CUCULIDAE

Order STRIGIFORMES

PROTOSTRIGIDAE, STRIGIDAE

Order CAPRIMULGIFORMES

Suborder CAPRIMULGI

Caprimulgidae

Order MICROPODIFORMES

Suborder MICROPODI

AEGIALORNITHIDAE, MICROPODIDAE

Order COLIFORMES

COLIDAE

Order TROGONIFORMES

TROGONIDAE

Order CORACIIFORMES

Suborder CORACII

CORACIIDAE, LEPTOSOMATIDAE

Order PICIFORMES

Suborder PICI

PICIDAE

Order PASSERIFORMES

Suborder EURYLAIMI

Suborder TYRANNI (= Clamatores)

Suborder MENURAE

Suborder PASSERES (= Oscines)

ALAUDIDAE, CORVIDAE, FRINGILLIDAE, LANIIDAE, TURDIDAE

Class MAMMALIA

Incertae sedis: (see systematic index)

Subclass PROTOTHERIA

Order MONOTREMATA (= Ornithodelphia)

ORNITHORHYNCHIDAE, TACHYGLOSSIDAE

### Subclass ALLOTHERIA

## Order MULTITUBERCULATA

Incertae sedis: MICROCLEPTIDAE (?), MUCROTHERIDAE.

TRITYLODONTOIDEA

TRITYLODONTIDAE

PLAGIAULACOIDEA

PLAGIAULACIDAE, PTILODONTIDAE, TAENIOLABIDIDAE (= POLY-MASTODONTIDAE)

## Subclass EUTHERIA (= Theria)

Infraclass TRITUBERCULATA (= Pantotheria of Simpson)

Order TRICONODONTA (Incertae sedis)

TRICONODONTIDAE

Order SYMMETRODONTA

AMPHIDONTIDAE, SPALACOTHERIIDAE

Order PANTOTHERIA

Amphitheriidae, Docodontidae, Dryolestidae, Pauro-Dontidae

Infraclass DIDELPHIA (= Metatheria)

Order MARSUPIALIA

DIDELPHIOIDEA

DIDELPHIIDAE

BORHYAENOIDEA (= Sparassodonta)

BORHYAENIDAE

DASYUROIDEA

DASYURIDAE

PARAMELOIDEA

CAENOLESTOIDEA

CAENOLESTIDAE, POLYDOLOPIDAE

PHALANGEROIDEA

DIPROTODONTIDAE, MACROPODIDAE, PHALANGERIDAE, PHAS-COLOMIDAE, THYLACOLEONIDAE

Infraclass MONODELPHIA (= Placentaria = Placentalia)

Order TUBULIDENTATA (Incertae sedis)

ORYCTEROPODIDAE, TUBULODONTIDAE

#### Order INSECTIVORA

Incertae sedis: Batodon, Gypsonictops, Telacodon; Apatemyidae, Apheliscidae, Mixodectidae, Tillotheri-

DELTATHERIDIOIDEA

DELTATHERIDIDAE

TENRECOIDEA (= Zalambdodonta partim)

APTERNODONTIDAE, PALAEORYCTIDAE, SOLENODONTIDAE

CHRYSOCHLOROIDEA

NECROLESTIDAE (?)

ERINACEOIDEA

DIMYLIDAE, ERINACEIDAE, LEPTICTIDAE (incl. Adapisoricidae)

SORICOIDEA

NESOPHONTIDAE, NYCTITHERIIDAE, SORICIDAE, TALPIDAE

TUPAIOIDEA (= Menotyphla = Dilambdodonta)

Anagalidae, Turalidae (these two families are assigned to the Lemuriformes by G. G. Simpson, 1934, Amer. Mus. Novit. no. 816) PANTOLESTOIDEA

PANTOLESTIDAE

Order TILLODONTIA

ESTHONYCHIDAE

Order DERMOPTERA

PLAGIOMENIDAE?

Order CHIROPTERA

Incertae sedis: Archaeonycteridae, Palaeochiroptery-

Suborder MEGACHIROPTERA

PTEROPODIDAE

Suborder MICROCHIROPTERA

EMBALLONUROIDEA

EMBALLONURIDAE, NOCTILIONIDAE, RHINOPOMIDAE

RHINOLOPHOIDEA

MEGADERMIDAE, RHINOLOPHIDAE

PHYLLOSTOMATOIDEA

PHYLLOSTOMATIDAE

VESPERTILIONOIDEA

MOLOSSIDAE, VESPERTILIONIDAE

Order PRIMATES

Suborder LEMURIFORMES

LEMUROIDEA

ADAPIDAE, DAUBENTONIIDAE (placed in a separate superfamily by G. G. Simpson, 1934, Amer. Mus. Novit. no. 816), INDRIDAE, LEMURIDAE, LORIDAE, PLESIADAPIDAE

TARSIOIDEA

Anaptomorphidae, Ceciliolemuridae, Microchoeridae, Tarsiidae

Suborder ANTHROPIFORMES (= Anthropoidea of some authors)
Ceboidea (= Platyrrhini)

CEBIDAE

CERCOPITHECOIDEA (= Catarrhini, except Hominoidea)
CERCOPITHECIDAE

Hominoidea

HOMINIDAE, PONGIDAE

Order TAENIODONTA

STYLINODONTIDAE

Order EDENTATA (= Bruta)

Incertae sedis: (see systematic index)

Suborder PALAEANODONTA

EPOICOTHERIIDAE (?), METACHEIROMYIDAE

Suborder XENARTHRA

Infraorder PILOSA (= Anicanodonta)

Incertae sedis: Dideilotherium

MEGATHERIOIDEA (= Gravigrada = Megalonychoidea)

MEGALONYCHIDAE, MEGATHERIIDAE, MYLODONTIDAE

MYRMECOPHAGOIDEA (= Vermilingua)

BRADYPODOIDEA (= Tardigrada)

BRADYPODIDAE

Infraorder HICANODONTA (= Loricata of Owen)

DASYPODOIDEA

DASYPODIDAE

GLYPTODONTOIDEA

GLYPTODONTIDAE

Suborder PHOLIDOTA (= Squamata of Huxley)

MANIDAE

Order RODENTIA (= Glires)

Incertae sedis: Daemonhelix; EURYMYLIDAE

Suborder DUPLICIDENTATA (= Lagomorpha)

LEPORIDAE, OCHOTONIDAE

Suborder SIMPLICIDENTATA

Infraorder SCIUROMORPHA

APLODONTIOIDEA

APLODONTIIDAE, ISCHYROMYIDAE, MYLAGAULIDAE

SCIUROIDEA

SCIURIDAE

GEOMYOIDEA

GEOMYIDAE, HETEROMYIDAE

CASTOROIDEA

CASTORIDAE

ANOMALUROIDEA

Infraorder MYOMORPHA

MYOIDEA

CRICETOPSIDAE, MURIDAE, SPALACIDAE

MYOXOIDEA

MYOXIDAE

DIPODOIDEA

DIPODIDAE

Infraorder HYSTRICOMORPHA

BATHYERGOIDEA

HYSTRICOIDEA

CAYHIDAE, CHINCHILLIDAE, DASYPROCTIDAE, ERETHIZONTIDAE HEPTAXODONTIDAE, HYSTRICIDAE, MYOCASTORIDAE, OCTO-DONTIDAE, PETROMYIDAE, THRYONOMYIDAE

Order CARNIVORA (= Ferae)

Incertae sedis: Sivalictis

Suborder CREODONTA

Incertae sedis: Kopidodon; CREOTARSIDAE

ARCTOCYONOIDEA (=Procreodi)

ARCTOCYONIDAE (Incl. OXYCLAENIDAE), TRIISODONTIDAE

MESONYCHOIDEA (= Acreodi)

MESONYCHIDAE

OXYAENOIDEA (= Pseudocreodi)

HYAENODONTIDAE, OXYAENIDAE

MIACOIDEA (= Eucreodi)

MIACIDAE

Suborder FISSIPEDIA

CANOIDEA (= Arctoidea)

CANIDAE, MUSTELIDAE, PROCYONIDAE, URSIDAE

FELOIDEA (= Aeluroidea)

FELIDAE, HYAENIDAE, VIVERRIDAE

Suborder PINNIPEDIA

ODOBENIDAE, OTARIIDAE, PHOCIDAE

Order CETACEA (= Cete)

Suborder ARCHAEOCETI (= Zeuglodontia)

(= Zeuglodontidae), DORUDONTIDAE, BASILOSAURIDAE

PROTOCETIDAE

Suborder ODONTOCETI

ACRODELPHIDAE, AGOROPHIDAE, DELPHINIDAE, EURINODEL-PHIDAE, PATRIOCETIDAE, PHYSETERIDAE, SQUALODONTIDAE. ZIPHIIDAE

Suborder MYSTICETI

BALAENIDAE, BALAENOPTERIDAE, CETOTHERIIDAE

Order CONDYLARTHRA

DIDOLODONTIDAE. HYOPSODONTIDAE, MENISCOTHERIDAE, PHENACODONTIDAE, PERIPTYCHIDAE

Order PANTODONTA

CORYPHODONTIDAE, PANTOLAMBDIDAE, TRICUSPIODONTIDAE (incertae sedis)

Order DINOCERATA

UINTATHERIIDAE

Order LITOPTERNA

MACRAUCHENIIDAE, PROTEROTHERIIDAE

Order NOTOUNGULATA

Suborder NOTIOPROGONIA

ARCTOSTYLOPIDAE, HENRICOSBORNIIDAE, NOTOSTYLOPIDAE

Suborder ENTELONYCHIA

HOMALODONTOTHERIIDAE, ISOTEMNIDAE

Suborder TOXODONTA

LEONTINIIDAE, NOTOHIPPIDAE, TOXODONTIDAE

Suborder TYPOTHERIA

Incertae sedis: ARGYROLAGIDAE, POLYDOLOPIDAE.

ACOELODIDAE (?), ARCHAEOHYRACIDAE, ARCHAEOPITHECIDAE, HEGETOTHERIIDAE, INTERATHERIIDAE, NOTOPITHECIDAE. TYPOTHERIIDAE

Order ASTRAPOTHERIA

TRIGONOSTYLOPOIDEA

TRIGONOSTYLOPIDAE

ASTRAPOTHERIOIDEA

ASTRAPOTHERIIDAE

Order PYROTHERIA

PYROTHERIIDAE

Order PROBOSCIDEA

MOERITHERIOIDEA MOERITHERIDAE

DEINOTHERIOIDEA

DEINOTHERIIDAE MASTODONTOIDEA

MASTODONTIDAE (incl. "BUNOMASTODONTIDAE")

ELEPHANTOIDEA

ELEPHANTIDAE

Order BARYTHERIA

BARYTHERIIDAE

Order HYRACOIDEA

MYOHYRACIDAE, PROCAVIIDAE (= Hyracidae), SAGHATHERIIDAE

Order SIRENIA

Suborder TRICHECHIFORMES

DUGONGIDAE (= Halicoridae), PRORASTOMIDAE, TRICHECHIDAE (= Manatidae)

Suborder DESMOSTYLIFORMES

DESMOSTYLIDAE

Order EMBRITHOPODA (= Barypoda)

ARSINOTTHERIDAE

Order PERISSODACTYLA

EQUOIDEA (= Hippoidea)

EQUIDAE, PALAEOTHERIIDAE

BRONTOTHERIOIDEA (= Titanotherioidea)

BRONTOTHERIIDAE (= Titanotheriidae)

CHALICOTHERIOIDEA (= Ancylopoda)

CHALICOTHERIDAE

TAPIROIDEA

HELALETIDAE, LOPHIODONTIDAE, TAPIRIDAE

RHINOCEROTOIDEA

AMYNODONTIDAE, HYRACHYIDAE, HYRACODONTIDAE, RHINO-CEROTIDAE

Order ARTIODACTYLA

Incertae sedis: Platatherium; LEPTOCHOERIDAE

Suborder BUNODONTA

DICHOBUNOIDEA

DICHOBUNIDAE, ENTELODONTIDAE

STOIDEA

CEBOCHOERIDAE, HIPPOPOTAMIDAE, SUIDAE, TAGASSUIDAE (= Dicotylidae)

Suborder ANCODONTA

ANTHRACOTHERIOIDEA

ANOPLOTHERIIDAE, ANTHRACOTHERIIDAE

CAINOTHERIOIDEA

CAINOTHERIIDAE

AGRIOCHOEROIDEA

AGRIOCHOERIDAE, MERYCOIDODONTIDAE (= Oreodontidae)

Suborder TYLOPODA

CAMELOIDEA

CAMELIDAE, XIPHODONTIDAE

Suborder PECORA

TRAGULOIDEA

AMPHIMERYCIDAE, HYPERTRAGULIDAE, PROTOCERATIDAE,

TRAGULIDAE

CERVOIDEA

CERVIDAE, PALAEOMERYCIDAE

GIRAFFOIDEA

GIRAFFIDAE

BOVOIDEA (= Cavicornia)

ANTILOCAPRIDAE, BOVIDAE

